

December 23, 2008

TO ALL CONCERNED:

The Department of Roads has scheduled a bid letting to be held in this office January 23, 2009 at 10:30 a.m.

The Notice to Contractors includes:

1. Website Information
2. Notice to all Bidders
3. [Ordering](#) Instructions
4. Notices to Contractors including time allowances and lists of plans
5. Plan and Informational Proposal Order Form
6. R-125 "Request for Bidding Proposal Forms"

Projects containing DBE Goals are indicated in the "Notice to Contractors".

CALL 100 FOR PROJECTS NH-80-9(832), NH-80-9(825) & NH-80-9(827), I-80 GREENWOOD - MAHONEY, CALLAHAN CREEK AND TRIBUTARY BRIDGES, THERE WILL BE CONSTRUCTION AND REMOVAL COLOR-CODED PHASING SHEETS AVAILABLE IN COMPLETE SETS OF ½ SIZE ONLY FOR A COST OF \$34.00. THESE SETS WILL BE AVAILABLE TO ORDER FROM THE JANUARY 23, 2009 PLAN ORDER FORM.

PLEASE NOTE: NEBRASKA DEPARTMENT OF ROADS OFFICES WILL BE CLOSED DECEMBER 26, 2008.

Please check the important letting information on the website frequently.

The last day to submit acceptable prequalification statements for this letting is by 5:00 p.m. on Tuesday, January 13, 2009.

Sincerely,

Kendall Stege, Supervisor
Contract Lettings Section
Construction Division

KS/d

WEBSITE INFORMATION

The Nebraska Department of Roads, Contract Lettings Section, will be utilizing the Internet as our means of communicating with the contracting industry.

Documents that are posted on the web are:

- Letting Schedule
- Notices to Contractors
- Informational Proposals
- Letting Plans
- List of Prequalified Contractors
- Planholders List
- Informational Addendums
- EBS (Electronic Bidding System)
- Apparent Low Bidders
- Bid Tabulations
- Standard Item Listing
- Awarded Average Unit Prices (AUP) Report

Hard copies of these documents will be available for inspection in the Contracts Office.

There will be a charge for reproduction of any of these documents.

The Website address is: www.Transportation.Nebraska.gov

If you have any questions as you are using our Website, please contact us at:

Nebraska Department of Roads
Contract Lettings Section
P.O. Box 94759
Lincoln, NE 68509-4759

Phone (402) 479-4525
FAX (402) 479-3803

Email: DOR.ContractLettings@nebraska.gov

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free “hotline” Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the “hotline” to report such activities.

The “hotline” is part of the DOT’s continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

ORDERING INSTRUCTIONS FOR PLANS AND PROPOSALS

Refer to the "Notice to Contractors" for the call order number, project number, and list of plans for each project.

Order forms are available on the NDOR website in PDF and Word format. Complete the appropriate forms as follows:

Request for Bidding Proposal Forms (R-125)

Bidders must submit an R-125, Request for Bidding Proposals Forms and be issued bid proposals prior to submitting bids.

Proposals to be used for bidding must be requested on this form. Bidding proposals will be issued only to contractors who are currently prequalified to bid with this department.

There is no charge for bid proposals.

Plan and Informational Proposal Order Form:

Payment is required prior to NDOR completing the order. This payment is not refundable.

Proposals to be used for information only can be ordered as follows:

1. Each individual project.
2. CD that contains all projects in letting. Does not contain addenda.

Plans for each project can be ordered as follows:

1. Complete set.
2. Set less Roadway Cross-Sections and Standards.
3. Set less Standards.
4. Set less Roadway Cross-Sections.
5. Individual sheets
6. CD that contains all projects in letting.

Prices are: Informational Proposals: \$5.00 each
CD containing Informational Proposals: No Charge
Plans per sheet: \$.25 for half-size (12" x 18")
\$.50 for full-size (24" x 36")
CD containing plans: \$25.00 each

Cost shown on the list of plans is for ½ size plans. Nebraska residents add appropriate state sales tax and city tax that is determined by delivery within cities imposing a sales tax.

Select the method of payment on the plan order form:

1. Credit Card (Visa or MasterCard only)
Orders with approved credit cards can be processed without delays.
2. Advanced payment account
Requires a money deposit with recommended \$200 minimum. Failure to have sufficient funds in your account to cover cost of the plans may delay the processing of your order.
This account may also be used to purchase other NDOR publications.
3. Check/cash
Send checks made payable to the Nebraska Dept. of Roads with your completed plan order form. Please do not mail cash.

To order complete sets of standard plans (1/2 size) please use the "Publications Order Form" available on the website. Cost is \$35.00 plus applicable sales tax. As new standards become available they may be purchased at \$0.25 per sheet.

Address: Nebraska Department of Roads
Contracts Section
1500 Highway 2
PO Box 94759
Lincoln NE 68509-4759

FAX (402) 479-3803

Phone: (402) 479-4525

Email: DOR.ContractLettings@nebraska.gov

October 10, 2008

NOTICE TO CONTRACTORS

CALL ORDER 100

FEDERAL PROJECT NO. NH-80-9(832)
 NH-80-9(825)
 NH-80-9(827)

LOCATION: I-80, GREENWOOD-MAHONEY, CALLAHAN CREEK TRIBUTARY BRIDGES,
 CALLAHAN CREEK BRIDGES

COUNTIES: CASS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 10:30 A.M. on January 23, 2009. At that time the bids will be opened and read for GRAD, CONC PAVE, CULV, SEED, BR, GDRL, FENCE, ELEC, SIGN

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

Length: 5.8 MILES
 START DATE 04/06/2009 CALENDAR DAYS 1182
 Price Range \$ 25,000,000 to \$ 50,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning December 30, 2008 at the Lincoln Central Office and January 05, 2009 at the District Engineer's Office at LINCOLN

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	486	SHEETS	\$	121.50
CROSS SECTIONS (SHEETS X1 THRU X260)	260	SHEETS	\$	65.00
STANDARD PLANS	22	SHEETS	\$	5.50

PROJECT NO. NH-80-9(832)

SHEET NO.

1	TITLE PAGE
2	INDEX OF SHEETS
2-T1 - 2-T3	TYPICAL CROSS SECTIONS
2-S1 - 2-S3	SUMMARY OF QUANTITIES
2-K1 - 2-K4	SUMMARY OF SOILS & GEOTECHNICAL INFORMATION
2-W1 - 2-W11	WETLANDS
2-H1 - 2-H5	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N6	GENERAL INFORMATION & DETOUR LOCATION MAP
2-P1 - 2-P78	PHASING PLANS
2-L1 - 2-L11	CONSTRUCTION & REMOVALS
2-L12 - 2-L22	DRAINAGE
2-L23 - 2-L43	EROSION CONTROL
2-L44 - 2-L50	GRADES
2-L51 - 2-L61	FENCING
3 - 16	PLAN & PROFILE SHEETS
17 - 27	TEMPORARY TRAFFIC CONTROL--PHASES
28	TEMPORARY TRAFFIC CONTROL--TYPICAL ADVANCE SIGNING TO CONSTRUCTION ZONE
29	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
30	TYPICAL TRAFFIC CONTROL PLAN--INERTIAL BARRIER SYSTEM
31	TEMPORARY GLARE SCREEN INSTALLATION
32 - 57	SIGN LOCATION PLAN--WEST OF GREENWOOD INTERCHANGE TO WEST OF MAHONEY INTERCHANGE
58 - 69	TEMPORARY PAVEMENT MARKING--PHASES
70 - 71	PAVEMENT MARKING PLANS
72	TYPICAL PAVEMENT MARKING PLAN--INTERSTATE/EXPRESSWAY
73	TEMPORARY PAVEMENT MARKING PLAN
74 - 79	TEMPORARY LIGHTING
80 - 91	PERMANENT LIGHTING
92 - 102	EARTHWORK DATA SHEETS--PHASES
103 - 125	DRAINAGE STRUCTURE CROSS SECTIONS

126 - 128	SPECIAL PLAN 1	PAINTING & CONCRETE COATING REF. POST NO. 426+26
129 - 132	SPECIAL PLAN 1C	BEDDING & BACKFILL REQUIREMENTS FOR CONCRETE PIPE, MCCMP, PCCMP, & PLASTIC PIPE
133	SPECIAL PLAN 2C	5 BAR AREA GRATE INLET
134 - 136	SPECIAL PLAN 3C	8' X 6' SINGLE SPAN RC BOX CULVERT STA. 1729+81 LT.
137 - 139	SPECIAL PLAN 4C	5' X 3' SINGLE SPAN RC BOX CULVERT STA. 1744+20 LT.
140 - 142	SPECIAL PLAN 5C	6' X 4' SINGLE SPAN RC BOX CULVERT STA. 1776+52 LT.
143 - 144	SPECIAL PLAN 6C	5' X 3' SINGLE SPAN RC BOX CULVERT STA. 1812+86
145 - 146	SPECIAL PLAN 7C	6' X 5' SINGLE SPAN RC BOX CULVERT STA. 1879+12
147 - 149	SPECIAL PLAN 8C	6' X 4' SINGLE SPAN RC BOX CULVERT STA. 1892+03 LT.
150 - 151	SPECIAL PLAN 9C	6' X 4' SINGLE SPAN RC BOX CULVERT STA. 1904+19
152 - 153	SPECIAL PLAN 10C	8' X 6' SINGLE SPAN RC BOX CULVERT STA. 1916+81
154 - 156	SPECIAL PLAN 11C	6' X 4' SINGLE SPAN RC BOX CULVERT STA. 1932+51 LT.
157 - 159	SPECIAL PLAN 12C	6' X 4' SINGLE SPAN RC BOX CULVERT STA. 1947+72 LT.
160 - 161	SPECIAL PLAN 13C	10' X 6' SINGLE SPAN RC BOX CULVERT STA. 1969+87
162 - 163	SPECIAL PLAN 14C	6' X 3' SINGLE SPAN RC BOX CULVERT STA. 1982+37
164 - 165	SPECIAL PLAN 15C	16' X 16' SINGLE SPAN RC BOX CULVERT STA. 2004+88
166 - 168	SPECIAL PLAN 16C	4' X 4' SINGLE SPAN RC BOX CULVERT STA. 2007+98 LT.
169 - 179	SPECIAL PLAN 17C	GUARDRAIL PLAN
180 - 181	SPECIAL PLAN 18C	TEMPORARY SILT CHECKS
182	SPECIAL PLAN 19C	EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
183 - 184	SPECIAL PLAN 20C	CONCRETE PROTECTION BARRIER
R1 - R12		RIGHT-OF-WAY SHEETS
X1 - X260		CROSS SECTIONS

STANDARD PLANS

329-R7	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
403-R2	(2 SHEETS) BENDS AND BREAKS FOR CONCRETE BOX CULVERTS
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
428-R3	CONCRETE PLUGS AND FIELD PIPE TAP DETAILS
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
710-R4	(2 SHEETS) FENCE DETAILS
804	PRECAST CONCRETE R.O.W. MARKER

901-R9 HIGHWAY DELINEATORS
 902 HIGHWAY DELINEATORS FOR RAMP AND GORE LOCATIONS
 914-R5 PULL BOX DETAIL
 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

PROJECT NO. NH-80-9(825)

SHEET NO.

1 TITLE PAGE
 2-S SUMMARY OF QUANTITIES
 3 - 32 SPECIAL PLAN 1 WELDED PLATE STEEL GIRDER BRIDGES
 STA. 1854+72.00
 33 - 63 SPECIAL PLAN 2 PRESTRESSED CONCRETE GIRDER BRIDGES
 (NU1600)
 STA. 1854+72.00

PROJECT NO. NH-80-9(827)

SHEET NO.

1 TITLE PAGE
 2-S SUMMARY OF QUANTITIES
 3 - 29 SPECIAL PLAN 1 PRESTRESSED INVERTED TEE BRIDGE
 STA. 1826+05.34
 30 - 56 SPECIAL PLAN 2 ROLLED BEAM BRIDGE
 STA. 1826+05.34

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		10 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		1,860 MGAL
RIGHT-OF-WAY MARKERS		53 EACH
EARTHWORK MEASURED IN EMBANKMENT		464,991 CY
SALVAGING AND PLACING TOPSOIL		495,670 SY
RIPRAP FILTER FABRIC		1,833 SY
SAWING PAVEMENT		7,611 LF
REMOVE BASE COURSE		33,587 SY
REMOVE ASPHALT SURFACE		23,255 SY
REMOVE FENCE		55,028 LF
REMOVE CONCRETE DITCH LINER		176 SY
INTERLOCKING CONCRETE PAVER BLOCK		654 SF
CRUSH CONCRETE PAVEMENT		194,873 SY
ROCK RIPRAP, TYPE A		183 TON
ROCK RIPRAP, TYPE B		391 TON
ROCK RIPRAP, TYPE C		985 TON
REMOVE GUARDRAIL		13,384 LF
COVER CROP SEEDING		122 ACRE
EROSION CONTROL, CLASS 1B		51,770 SY
EROSION CONTROL, CLASS 1C		64,445 SY
EROSION CONTROL, CLASS 1D		55,840 SY
EROSION CONTROL, CLASS 2A		1,856 SY
EROSION CONTROL, CLASS 2C		3,023 SY
EROSION CHECKS, TYPE 1B		663 BALE
EROSION CHECKS, TYPE 1D		1,582 BALE
EROSION CHECKS, TYPE 2A		112 BALE
EROSION CHECKS, TYPE WATTLE		3,854 LF
FABRIC SILT FENCE-LOW POROSITY		8,688 LF
SLASH MULCH		2,572 CY

GROUP 3 CONCRETE PAVEMENT

PERMANENT PAVEMENT MARKING PAINT	8,700	LF
MOBILIZATION	LUMP	LUMP
FLEXIBLE POST DELINEATOR	430	EACH
CRUSHED ROCK EMBEDMENT	37,725	SY
CRUSHED ROCK SURFACE COURSE	5,187	TON
9" CONC PVMT, 47B-3500	2,902	SY
13" DOWELED CONC PVMT, 47B-3500	434,563	SY
10" CONC PVMT, BX-3000	7,663	SY
CONC SMOOTHNESS TESTING	LUMP	LUMP
HANDICAPPED SYMBOL	2	EACH
5" WHT POLYUREA PVMT MRKING, GROOVED	62,400	LF
5" YEL POLYUREA PVMT MRKING, GROOVED	62,400	LF
4" WHT WET RFLC PRF PVMT MKNG T4 GVD	11,000	LF
12" WHT WET RFLC PRF PVMT MKNG T4 GVD	11,000	LF
HYDRATED LIME	7,938	TON
FOUNDATION COURSE	437,465	SY
6"		
GRANULAR SUBDRAIN	606	EACH
STABILIZED SUBGRADE	437,465	SY
TYPE LIME		
STABILIZED SUBGRADE	37,805	SY
TYPE FLY ASH		
ASPH CONC, TYPE SPL	20,566	TON
SURFACING 6"	900	SY
PERF GRADED BINDER (64-28)	1,111	TON
TACK COAT	3,781	GAL
WATER	1,959	MGAL
EARTH SHOULDER CONSTRUCTION	1,520	STA
SUBGRADE PREPARATION	894	SY
COLD MILLING, CLASS 4	103,476	SY
TYPE A		
COLD MILLING, CLASS 4	176,188	SY
TYPE B		
SURFACE UNDER GUARDRAIL	1,386	SY
FLY ASH	1,485	TON
RELOCATE	3	EACH
STREET WASHER		

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE INLET	21	EACH
REMOVE JUNCTION BOX	3	EACH
CAST IRON GRATE & FRAME	4,410	LB
RELAY REINF CONC PIPE	76	LF
REMOVE FLARED- END SECTION	11	EACH
REMOVE & SALVAGE FES	6	EACH
REMOVE HEADWALLS FROM CULV	19	EACH
REMOVE CULVERT PIPE	93	LF
PREPARATION OF STRUCTURE	1	EACH
AT STA. 1729+81		
PREPARATION OF STRUCTURE	1	EACH
AT STA. 1744+20		
PREPARATION OF STRUCTURE	1	EACH
AT STA. 1776+52		
PREPARATION OF STRUCTURE	1	EACH
AT STA. 1812+86		
PREPARATION OF STRUCTURE	1	EACH
AT STA. 1879+12		
PREPARATION OF STRUCTURE	1	EACH
AT STA. 1892+03		
PREPARATION OF STRUCTURE	1	EACH
AT STA. 1904+19		

PREPARATION OF STRUCTURE AT STA. 1916+81	1 EACH
PREPARATION OF STRUCTURE AT STA. 1932+51	1 EACH
PREPARATION OF STRUCTURE AT STA. 1947+72	1 EACH
PREPARATION OF STRUCTURE AT STA. 1969+87	1 EACH
PREPARATION OF STRUCTURE AT STA. 1982+37	1 EACH
PREPARATION OF STRUCTURE AT STA. 2004+88	1 EACH
PREPARATION OF STRUCTURE AT STA. 2007+98	1 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	6,661 CY
EXCAVATION FOR BOX CULVERTS	2,808 CY
47B-3000 CONC FOR BOX CULV	1,487 CY
47B-3000 CONC FOR INLET & JUNCTION BOXES	10 CY
47B-3000 CONC FOR CONCRETE CO	11 CY
47B-3000 CONC FOR PIPE PLUG	1 CY
RE-STEEL FOR BOX CULVERT	143,389 LB
EPOXY RE-STEEL FOR INLET & JCT. BOX	632 LB
RE-STEEL FOR COLLARS	766 LB
18" FLARED-END SECTION	47 EACH
24" FLARED-END SECTION	2 EACH
30" FLARED-END SECTION	2 EACH
36" FLARED-END SECTION	2 EACH
48" FLARED-END SECTION	4 EACH
30" CONCRETE FLARED-END SECTION	2 EACH
36" CONCRETE FLARED-END SECTION	2 EACH
42" CONCRETE FLARED-END SECTION	2 EACH
48" CONCRETE FLARED-END SECTION	2 EACH
INSTALL 42" CONC FES	2 EACH
INSTALL 54" CONC FES	2 EACH
INSTALL 72" CONC FES	2 EACH
CULVERT SANDFILL	128 CY
18" CORR METAL SLOTTED PIPE	346 LF
18" CULV PIPE 2,3,4,5,6,7,8	30 LF
30" CULV PIPE 2	30 LF
36" CULV PIPE 2	107 LF
42" CULV PIPE 2	114 LF
48" CULV PIPE 2	55 LF
72" CULV PIPE 2	71 LF
48" CULV PIPE 2,5	38 LF
18" CULV PIPE 2,5,7,8	2,553 LF
24" CULV PIPE 2,5,7,8	175 LF
30" CULV PIPE 2,5,7,8	276 LF
36" CULV PIPE 2,5,7,8	433 LF

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE A		60 ACRE
SEEDING, TYPE B		62 ACRE
MULCH		274 TON

GROUP 6 BRIDGE AT R.P. 426.26

MOBILIZATION	LUMP	LUMP
PAINING STRUCTURE AT R.P. 426.26	LUMP	LUMP
CONCRETE COATING AT R.P. 426.26	LUMP	LUMP

GROUP 6A BRIDGE AT STA. 1854+72 LT.

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		1,880 CY

RIPRAP FILTER FABRIC	495	SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000	295	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	51,410	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PRECOMPRESSED POLY FOAM JOINT, TYPE B	143	LF
EXPANSION BEARING, TFE TYPE	6	EACH
FIXED BEARING	6	EACH
47B-3000 CONC FOR BRIDGE	150	CY
47BD-4000 CONC FOR BRIDGE	252	CY
REMOVE STRUCTURE	1	EACH
AT STA. 1854+40.03 LT.		
STEEL SUPERSTRUCTURE	LUMP	LUMP
AT STA. 1854+40.03 LT.		
BROKEN CONCRETE RIPRAP	535	TON
EPOXY COATED RE-STEEL	53,705	LB
SUBSURFACE DRAINAGE MATTING	142	SY
HP 12"X53# STEEL PILING	1,940	LF
STEEL SHEET PILING	4,875	SF
TEMP BRIDGE SHORING	LUMP	LUMP
GRANULAR BACKFILL	322	CY

GROUP 6B BRIDGE AT STA. 1854+72 RT.

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	2,060	CY
RIPRAP FILTER FABRIC	495	SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000	293	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	51,660	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PRECOMPRESSED POLY FOAM JOINT, TYPE B	144	LF
EXPANSION BEARING, TFE TYPE	6	EACH
FIXED BEARING	6	EACH
47B-3000 CONC FOR BRIDGE	151	CY
47BD-4000 CONC FOR BRIDGE	252	CY
REMOVE STRUCTURE	1	EACH
AT STA. 1855+04.7 RT.		
STEEL SUPERSTRUCTURE	LUMP	LUMP
AT STA. 1855+04.7 RT.		
BROKEN CONCRETE RIPRAP	535	TON
EPOXY COATED RE-STEEL	53,535	LB
SUBSURFACE DRAINAGE MATTING	143	SY
HP 12"X53# STEEL PILING	1,940	LF
STEEL SHEET PILING	4,875	SF
GRANULAR BACKFILL	321	CY

GROUP 6C BRIDGE AT STA. 1854+72 LT.

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	1,880	CY
RIPRAP FILTER FABRIC	495	SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000	295	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	51,410	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PRECOMPRESSED POLY FOAM JOINT, TYPE B	143	LF
EXPANSION BEARING, TFE TYPE	6	EACH
FIXED BEARING	6	EACH
47B-3000 CONC FOR BRIDGE	154	CY
47BD-4000 CONC FOR BRIDGE	277	CY
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
AT STA. 1854+40.03 LT.		
REMOVE STRUCTURE	1	EACH
AT STA. 1854+40.03 LT.		
STEEL DIAPHRAGM	5	EACH
BROKEN CONCRETE RIPRAP	535	TON

EPOXY COATED RE-STEEL	55,265	LB
SUBSURFACE DRAINAGE MATTING	160	SY
HP 12"X53# STEEL PILING	2,030	LF
STEEL SHEET PILING	4,875	SF
TEMP BRIDGE SHORING	LUMP	LUMP
GRANULAR BACKFILL	370	CY

GROUP 6D BRIDGE AT STA. 1854+72 RT.

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	2,060	CY
RIPRAP FILTER FABRIC	495	SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000	293	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	51,660	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PRECOMPRESSED POLY FOAM JOINT, TYPE B	144	LF
EXPANSION BEARING, TFE TYPE	6	EACH
FIXED BEARING	6	EACH
47B-3000 CONC FOR BRIDGE	155	CY
47BD-4000 CONC FOR BRIDGE	278	CY
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
AT STA. 1855+04.7 RT.		
REMOVE STRUCTURE	1	EACH
AT STA. 1855+04.7 RT.		
STEEL DIAPHRAGM	5	EACH
BROKEN CONCRETE RIPRAP	535	TON
EPOXY COATED RE-STEEL	55,020	LB
SUBSURFACE DRAINAGE MATTING	161	SY
HP 12"X53# STEEL PILING	2,030	LF
STEEL SHEET PILING	4,875	SF
GRANULAR BACKFILL	370	CY

GROUP 6E BRIDGE AT STA. 1826+05.34 LT.

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	2,110	CY
RIPRAP FILTER FABRIC	343	SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000	286	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	51,347	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
PRECOMPRESSED POLY FOAM JOINT, TYPE B	130	LF
47B-3000 CONC FOR BRIDGE	354	CY
47BD-4000 CONC FOR BRIDGE	235	CY
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
AT STA. 1826+05.34 LT.		
PREP BRIDGE	1	EACH
AT STA. 1826+05.34 LT.		
STRUC STEEL FOR SUBSTRUCTURE	5,679	LB
BROKEN CONCRETE RIPRAP	535	TON
EPOXY COATED RE-STEEL	111,512	LB
HP 12"X53# STEEL PILING	3,600	LF
STEEL SHEET PILING	4,180	SF
TEMP BRIDGE SHORING	LUMP	LUMP
GRANULAR BACKFILL	197	CY

GROUP 6F BRIDGE AT STA. 1826+05.34 RT.

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	2,110	CY
RIPRAP FILTER FABRIC	343	SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000	286	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	51,301	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP

ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
PRECOMPRESSED POLY FOAM JOINT, TYPE B		130 LF
47B-3000 CONC FOR BRIDGE		354 CY
47BD-4000 CONC FOR BRIDGE		235 CY
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
AT STA. 1826+05.34 RT.		
PREP BRIDGE		1 EACH
AT STA. 1826+05.34 RT.		
STRUC STEEL FOR SUBSTRUCTURE		5,679 LB
BROKEN CONCRETE RIPRAP		535 TON
EPOXY COATED RE-STEEL	111,241	LB
HP 12"X53# STEEL PILING		2,280 LF
STEEL SHEET PILING		4,180 SF
GRANULAR BACKFILL		197 CY

GROUP 6G BRIDGE AT STA. 1826+05.34 LT.

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		2,110 CY
RIPRAP FILTER FABRIC		343 SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000		286 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		51,347 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
PRECOMPRESSED POLY FOAM JOINT, TYPE B		130 LF
EXPANSION BEARING, TFE TYPE		9 EACH
FIXED BEARING		9 EACH
47B-3000 CONC FOR BRIDGE		361 CY
47BD-4000 CONC FOR BRIDGE		276 CY
PREP BRIDGE		1 EACH
AT STA. 1826+05.34 LT.		
STEEL SUPERSTRUCTURE	LUMP	LUMP
AT STA. 1826+05.34 LT.		
STRUC STEEL FOR SUBSTRUCTURE		5,679 LB
BROKEN CONCRETE RIPRAP		535 TON
EPOXY COATED RE-STEEL		92,176 LB
HP 12"X53# STEEL PILING		3,600 LF
STEEL SHEET PILING		4,180 SF
TEMP BRIDGE SHORING	LUMP	LUMP
GRANULAR BACKFILL		197 CY

GROUP 6H BRIDGE AT STA. 1826+05.34 RT.

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		2,110 CY
RIPRAP FILTER FABRIC		343 SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000		286 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		51,301 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
PRECOMPRESSED POLY FOAM JOINT, TYPE B		130 LF
EXPANSION BEARING, TFE TYPE		9 EACH
FIXED BEARING		9 EACH
47B-3000 CONC FOR BRIDGE		361 CY
47BD-4000 CONC FOR BRIDGE		276 CY
PREP BRIDGE		1 EACH
AT STA. 1826+05.34 RT.		
STEEL SUPERSTRUCTURE	LUMP	LUMP
AT STA. 1826+05.34 RT.		
STRUC STEEL FOR SUBSTRUCTURE		5,679 LB
BROKEN CONCRETE RIPRAP		535 TON

EPOXY COATED RE-STEEL	91,870 LB
HP 12"X53# STEEL PILING	2,280 LF
STEEL SHEET PILING	4,180 SF
GRANULAR BACKFILL	197 CY

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL	1,387 LF	
IMPACT ATTENUATOR		4 EACH
BRIDGE APPROACH SECTIONS		10 EACH
GUARDRAIL END TREATMENT, TYPE I		10 EACH

GROUP 7B FENCING

MOBILIZATION	LUMP	LUMP
RIGHT-OF-WAY FENCE	56,259 LF	
END POSTS		61 EACH
PULL POSTS		6 EACH
CORNER POSTS		114 EACH

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
PULL BOX, TYPE PB-5		6 EACH
PULL BOX, TYPE PB-6		1 EACH
ST LIGHT UNIT, SL-A-12-0-0.175		15 EACH
ST LIGHT UNIT, SL-A-20-0-0.25		12 EACH
ST LIGHT UNIT, SL-BT-25-1-0.25		15 EACH
LUMINAIRE CONVERSION, TYPE 200		8 EACH
LIGHTING CONTROL CENTER, P		2 EACH
1 1/2" CONDUIT IN TRENCH	6,270 LF	
1 1/2" CONDUIT UNDER ROADWAY	241 LF	
1 1/2" CONDUIT, JACKED	101 LF	
STREET LIGHT CABLE, NO. 2 USE		6 LF
STREET LIGHT CABLE, NO. 4 USE	1,409 LF	
STREET LIGHT CABLE, NO. 6 BARE	6,612 LF	
STREET LIGHT CABLE, NO. 6 USE	10,086 LF	
DIRECT BURIAL CABLE, NO. 6 BARE	975 LF	
DIRECT BURIAL CABLE, NO. 6 USE	1,950 LF	
REMOVE LIGHTING UNIT TYPE A		11 EACH
REMOVE LIGHTING UNIT TYPE B		15 EACH
RELOCATE STREET LIGHTING UNIT		8 EACH
TEMP LIGHTING SYSTEM NO. 1		1 EACH
TEMP LIGHTING SYSTEM NO. 2		1 EACH
TEMP LIGHTING SYSTEM NO. 3		1 EACH
TEMP LIGHTING SYSTEM NO. 4		1 EACH
TEMP LIGHTING SYSTEM NO. 5		1 EACH
OPER & MAINT OF TEMP LIGHT SYSTEM NO. 1	889 DAY	
OPER & MAINT OF TEMP LIGHT SYSTEM NO. 2	265 DAY	
OPER & MAINT OF TEMP LIGHT SYSTEM NO. 3	608 DAY	
OPER & MAINT OF TEMP LIGHT SYSTEM NO. 4	522 DAY	
OPER & MAINT OF TEMP LIGHT SYSTEM NO. 5	522 DAY	
OPER & MAINT OF TEMP LIGHT SYSTEM ETLS-1	972 DAY	

OPER & MAINT OF TEMP LIGHT SYSTEM
ETLS-2

972 DAY

GROUP 8C SIGNING

MOBILIZATION	LUMP	LUMP
TYPE A SIGN		63 SF
TYPE B SIGN		1,415 SF
STRUC STEEL FOR SIGN SUPPORTS		15,274 LB
24" SIGN SUPPORT FOOTING		19 EACH
30" SIGN SUPPORT FOOTING		20 EACH
36" SIGN SUPPORT FOOTING		4 EACH
REMOVE SIGN, POST, AND FOOTING		22 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II		91,740 BDAY
BARRICADE, TYPE III		26,115 BDAY
TEMPORARY SIGN DAY		2,688 EACH
SIGN DAY		146,085 EACH
CONTRACTOR FURNISHED SIGN DAY		5,372 EACH
PAVEMENT MARKING REMOVAL		15,750 LF
TEMP PVMT MARKING, TYPE PAINT		383,000 LF
TEMP PVMT MARKING SURF PREP		225,000 LF
FLASHING ARROW PANEL		224 DAY
FLAGGING		50 DAY
CONCRETE PROTECTION BARRIER		12,500 LF
INSTALL CONC PROTECT BARRIER		19,975 LF
TEMPORARY GLARE SCREEN		29,875 LF
RELOCATE CONC PROTECTION BARRIER		29,112 LF
RELOC INERTIAL BARRIER SYSTEM		3 EACH
INERTIAL BARRIER SYSTEM		3 EACH
REPLACEMENT MODULE		16 EACH
TRAFFIC CONTROL MANAGEMENT		843 DAY
FIELD OFFICE		1 EACH
TRAINING		6,000 HOUR
MOBILIZATION	LUMP	LUMP
CONSTRUCTION STAKING AND SURVEYING	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		200 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		200 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		200 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		200 HOUR
CONTOUR CULTIVATION OF BACKSLOPES		2,500 LF
TEMPORARY SILT CHECK		2,000 LF
TEMPORARY SILT FENCE		6,000 LF
TEMPORARY EARTH CHECK		2,000 LF
TEMPORARY ROCK CHECK		500 LF
TEMPORARY MULCH		10 TON

NOTICE TO CONTRACTORS

CALL ORDER 105
 FEDERAL PROJECT NO. NH-77-2(158)
 LOCATION: N-92/US-77, WAHOO-FREMONT
 COUNTIES: SAUNDERS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 10:30 A.M. on January 23, 2009. At that time the bids will be opened and read for GR CULV SEED BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 11.9 MILES
 START DATE 05/26/2009 WORKING DAYS 95
 Price Range \$ 4,000,000 to \$ 7,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning December 30, 2008 at the Lincoln Central Office and January 05, 2009 at the District Engineer's Office at LINCOLN

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

NOTICE TO BIDDERS

To be eligible for the award of this contract, bidders shall submit a completed bidding proposal for Call Order No. 105, {Project No. NH-77-2(158)} and Call Order No. 110, {Project No. RD-77-2(1072)}. Award of Contract, if awarded, will be made on the combined bid for these call order nos. Separate contracts will be awarded for each Call Order Number. Please order plans and proposals accordingly.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	74 SHEETS	\$	18.50
CROSS SECTIONS (SHEETS X1 THRU X160)	160 SHEETS	\$	40.00
STANDARD PLANS	20 SHEETS	\$	5.00

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T13	TYPICAL CROSS SECTIONS
2-S1 - 2-S5	SUMMARY OF QUANTITIES
2-W1 - 2-W12	WETLANDS
2-H1 - 2-H7	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION
2-N2	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3 - 14	PLAN SHEETS
15	TEMPORARY PAVEMENT MARKING PLAN
16 - 22	EARTHWORK DATA SHEETS
23 - 32	DRAINAGE STRUCTURE CROSS SECTIONS
33	SPECIAL PLAN 1C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
34 - 35	SPECIAL PLAN 2C TEMPORARY SILT CHECKS
36	SPECIAL PLAN 3C 4" PAVEMENT MARKING
X1 - X160	CROSS SECTIONS

STANDARD PLANS

108-R3	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
301-R9	(3 SHEETS) PAVEMENT DETAILS
309	MAILBOX SUPPORT POST
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
901-R9	HIGHWAY DELINEATORS

902 HIGHWAY DELINEATORS FOR RAMP AND GORE LOCATIONS
 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
 922-R7 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		5 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		99 MGAL
EARTHWORK MEASURED IN EMBANKMENT		9,854 CY
SAWING PAVEMENT		1,777 LF
REMOVE ASPH SURF FROM PAVEMENT		1,437 SY
REMOVE CURB		1,768 LF
REMOVE CONCRETE MEDIAN SURFACING		604 SY
COVER CROP SEEDING		47 ACRE
EROSION CONTROL, CLASS 1D		8,214 SY
EROSION CHECKS, TYPE WATTLE		13,901 LF
FABRIC SILT FENCE-LOW POROSITY		1,298 LF

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE & SALVAGE FES		4 EACH
REMOVE HEADWALLS FROM CULV		2 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		2 CY
47B-3000 CONC FOR CONCRETE CO		1 CY
RE-STEEL FOR COLLARS		129 LB
24" CONCRETE FLARED-END SECTION		3 EACH
INSTALL 24" CONC FES		4 EACH
24" CULV PIPE 2		3 LF

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE B		47 ACRE
MULCH		106 TON

GROUP 9 BITUMINOUS

MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE II		40 EACH
INSTALL CHEVRONS		4 EACH
CRUSHED ROCK SURFACE COURSE		310 TON
MAILBOX POST		19 EACH
TIE BARS		646 EACH
CROSS STITCHING		4,770 EACH
8" CONCRETE BASE COURSE		1,404 SY
CONC PVMT REPAIR TYPE A FULL DEPTH		64 CY
CONC PVMT REPAIR TYPE B FULL DEPTH		206 CY
CONC PVMT REPAIR TYPE C FULL DEPTH		282 CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH		3 CY
CONC PVMT, PR-3500		52 CY
JOINT REPAIR		
4" WHT WET RFLC PRF PVMT MKNG T4 GVD		400 LF
4" YEL WET RFLC PRF PVMT MKNG T4 GVD		7,100 LF
12" YEL WET RFLC PRF PVMT MKNG T4 GVD		440 LF
HYDRATED LIME FOR ASPHALT MIXTURES		362 TON
ASPH CONCRETE FOR PATCHING, TYPE SP4(0.5)		500 TON
ASPH CONC, TYPE SPS		18,850 TON

ASPH CONC, TYPE SP4(0.5)	35,795	TON
PLACE ASPH CONC FOR DRIVE & INTER	5,878	SY
PERF GRADED BINDER (58-28)	1,017	TON
PERF GRADED BINDER (64-28)	1,959	TON
PREP OF INTER & DRIVE	253	SY
TACK COAT	55,860	GAL
WATER	312	MGAL
EARTH SHOULDER CONSTRUCTION	1,232	STA
SUBGRADE PREPARATION	1,404	SY
COLD MILLING, CLASS 3	260	STA
COLD MILLING, CLASS 4	17	STA
COLD MILLING, CLASS 3	54	STA
TYPE A		
RUMBLE STRIPS, ASPHALT	1,742	STA
CONCRETE SURFACE MILLING	3,553	SY
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	38,676	B DAY
BARRICADE, TYPE III	636	B DAY
TEMPORARY SIGN DAY	1,040	EACH
SIGN DAY	13,002	EACH
OVERLAY BROKEN LINES	1,505	STA
OVERLAY SOLID LINES	3,046	STA
FLAGGING	160	DAY
FURNISHING AND OPERATING PILOT VEHICLE	80	DAY
FIELD OFFICE	1	EACH
TRAINING	2000	HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	80	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	60	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	80	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	80	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	20	HOUR
TEMPORARY EROSION CONTROL	200	SY
TEMPORARY SILT CHECK	500	LF
TEMPORARY SILT FENCE	1,000	LF
TEMPORARY MULCH	5	TON

NOTICE TO CONTRACTORS

CALL ORDER 110
 STATE PROJECT NO. RD-77-2(1072)
 LOCATION: US-77, FREMONT SOUTH
 COUNTIES: DODGE SAUNDERS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 10:30 A.M. on January 23, 2009. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 4.9 MILES
 START DATE 08/10/2009 WORKING DAYS 45
 Price Range \$ 1,000,000 to \$ 3,000,000

Plans and specifications may be seen beginning December 30, 2008 at the Lincoln Central Office and January 05, 2009 at the District Engineer's Office at LINCOLN
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

NOTICE TO BIDDERS

To be eligible for the award of this contract, bidders shall submit a completed bidding proposal for Call Order No. 105, {Project No. NH-77-2(158)} and Call Order No. 110, {Project No. RD-77-2(1072)}. Award of Contract, if awarded, will be made on the combined bid for these call order nos. Separate contracts will be awarded for each Call Order Number. Please order plans and proposals accordingly.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	10	SHEETS	\$	2.50
STANDARD PLANS	5	SHEETS	\$	1.25

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T6	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
3	TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R7	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	16,590	BDAY
BARRICADE, TYPE III	332	BDAY
TEMPORARY SIGN DAY	990	EACH
SIGN DAY	5,002	EACH
OVERLAY BROKEN LINES	491	STA
OVERLAY SOLID LINES	982	STA
FLAGGING	80	DAY
FURNISHING AND OPERATING PILOT VEHICLE	40	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
REMOVE ASPH SURF FROM PAVEMENT	92	SY
CROSS STITCHING	575	EACH
CONC PVMT REPAIR TYPE A FULL DEPTH	26	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	38	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	170	CY

CONC PVMT REPAIR TYPE A PARTIAL DEPTH	1 CY
CONC PVMT, PR-3500	1 CY
JOINT REPAIR	
HYDRATED LIME FOR ASPHALT MIXTURES	172 TON
ASPH CONCRETE FOR PATCHING, TYPE SP4(0.5)	100 TON
ASPH CONC, TYPE SPS	8,615 TON
ASPH CONC, TYPE SP4(0.5)	17,120 TON
PERF GRADED BINDER (58-28)	465 TON
PERF GRADED BINDER (64-28)	929 TON
TACK COAT	24,652 GAL
RENTAL OF LOADER, FULLY OPERATED	30 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	25 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	30 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	30 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5 HOUR
WATER	127 MGAL
EARTH SHOULDER CONSTRUCTION	504 STA
TRENCHED WIDENING	518 STA
COLD MILLING, CLASS 3	24 STA
COLD MILLING, CLASS 4	16 STA
MILLING CONC FOR INLAYS	1 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP
SEEDING, TYPE B	9 ACRE
TEMPORARY SILT FENCE	500 LF
MULCH	21 TON

NOTICE TO CONTRACTORS

CALL ORDER 200
FEDERAL PROJECT NO. STPD-79-3(105)
LOCATION: N-79, NORTH BEND-SNYDER
COUNTIES: DODGE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 10:30 A.M. on January 23, 2009. At that time the bids will be opened and read for SEED GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 17.6 MILES
START DATE 04/27/2009 WORKING DAYS 120
Price Range \$ 6,000,000 to \$ 10,000,000
THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning December 30, 2008 at the Lincoln Central Office and January 05, 2009 at the District Engineer's Office at OMAHA

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	98 SHEETS	\$	24.50
STANDARD PLANS	17 SHEETS	\$	4.25

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T9	TYPICAL CROSS SECTIONS
2-S1 - 2-S4	SUMMARY OF QUANTITIES
2-A1 - 2-A32	PHOTO MAPS
2-N	GENERAL INFORMATION
3 - 34	PLAN SHEETS
35 - 36	PLAN & PROFILE SHEETS
37	TEMPORARY PAVEMENT MARKING PLAN
38	PAVEMENT MARKING PLAN--PARKING DETAIL IN NORTH BEND
39	PAVEMENT MARKING DETAILS
40 - 42	SPECIAL PLAN 1C CURB RAMPS
43 - 45	SPECIAL PLAN 2C CABLE GUARDRAIL
46 - 53	SPECIAL PLAN 3C GUARDRAIL PLAN

STANDARD PLANS

301-R9	(3 SHEETS) PAVEMENT DETAILS
307	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
435-R1	(3 SHEETS) MANHOLE
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
901-R9	HIGHWAY DELINEATORS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R7	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE B		32 ACRE
MULCH		72 TON

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		250 LF
CABLE GUARDRAIL		32 LF
BRIDGE APPROACH SECTIONS		8 EACH
TERMINAL ANCHORAGE SECTIONS		2 EACH
GUARDRAIL END TREATMENT, TYPE II		8 EACH

GROUP 9 BITUMINOUS

PERMANENT PAVEMENT MARKING PAINT		1,400 LF
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE III		44 EACH
INSTALL CHEVRONS		16 EACH
SAWING PAVEMENT		31 LF
REMOVE ASPHALT SURFACE		18,603 SY
REMOVE ASPH SURF FROM PAVEMENT		4,033 SY
REMOVE DRIVEWAY		2,048 SY
REMOVE WALK		184 SY
REMOVE COMBINATION CURB AND GUTTER		211 LF
GRAVEL SURFACE COURSE		555 TON
SPEC SURF CRSE FOR MAILBOX TURNOUTS		1,144 SY
MAILBOX POST		19 EACH
TIE BARS		12,556 EACH
CROSS STITCHING		924 EACH
COMB CONC 47B-3500 CURB & GUTTER		211 LF
CONC 47B-3000 SIDEWALKS		246 SY
8" CONCRETE BASE COURSE		7,116 SY
8" CONCRETE BASE COURSE 47B-HE-3500		7,116 SY
CONC PVMT REPAIR TYPE A FULL DEPTH		15 CY
CONC PVMT REPAIR TYPE B FULL DEPTH		25 CY
CONC PVMT REPAIR TYPE C FULL DEPTH		50 CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH		21 CY
CONC PVMT REPAIR TYPE A FULL DEPTH, 6"		11 CY
CONC PVMT REPAIR TYPE B FULL DEPTH, 6"		9 CY
ADJUST MANHOLE TO GRADE		7 EACH
REMOVE GUARDRAIL		830 LF
HANDICAPPED SYMBOL		2 EACH
12" WHT WET RFLC PRF PVMT MKNG T4 GVD		48 LF
24" WHT WET RFLC PRF PVMT MKNG T4 GVD		30 LF
RR XING WET RFLC PRF PVMT MKNG, T 4 GVD		1 EACH
HYDRATED LIME FOR ASPHALT MIXTURES		631 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		1 TON
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP4(0.375)		100 TON
ASPH CONCRETE FOR PATCHING, TYPE SP4(0.375)		100 TON
ASPH CONC, TYPE SP4(0.375)		63,000 TON
PLACE ASPH CONC FOR DRIVE & INTER		13,695 SY
PERF GRAD BIND (64-28)FOR ST MAINT PATCH		6 TON
PERF GRADED BINDER (64-28)		3,780 TON
PREP OF INTER & DRIVE		8,420 SY
TACK COAT		20,520 GAL
WATER		455 MGAL
EARTH SHOULDER CONSTRUCTION		1,712 STA
WIDENING		1,714 STA
COLD MILLING, CLASS 3		5,165 SY
COLD MILLING, CLASS 3		171,763 SY
, TYPE A		
COLD MILLING, CLASS 3		6,113 SY
, TYPE B		
COLD MILLING, CLASS 4		4,625 SY
CONC SURF MILLING		6,130 SY
SURFACE UNDER GUARDRAIL		788 SY
NON-WOVEN PVMT OVERLAY FABRIC		14,525 SY
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SODDING		160 SY
EROSION CONTROL, CLASS 1D		1,230 SY

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	72,000	BDAY
BARRICADE, TYPE III	1,045	BDAY
TEMPORARY SIGN DAY	1,680	EACH
SIGN DAY	39,543	EACH
OVERLAY BROKEN LINES	2,524	STA
OVERLAY SOLID LINES	4,838	STA
FLAGGING	240	DAY
FURNISHING AND OPERATING PILOT VEHICLE	120	DAY
FIELD OFFICE	1	EACH
TRAINING	3,000	HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	15	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	10	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	15	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	15	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5	HOUR
TEMPORARY SILT FENCE	500	LF

NOTICE TO CONTRACTORS

CALL ORDER 205
 FEDERAL PROJECT NO. STPP-89(23)
 LOCATION: ON A COUNTY ROAD, FORT CALHOUN SOUTHWEST - TWO SITES
 COUNTIES: WASHINGTON

The Nebraska Department of Roads will receive sealed bids for WASHINGTON COUNTY in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 10:30 A.M. on January 23, 2009. At that time the bids will be opened and read for GRADING

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: GRADING

START DATE 10/19/2009 WORKING DAYS 10
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning December 30, 2008 at the Lincoln Central Office and January 05, 2009 at the District Engineer's Office at OMAHA

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	9 SHEETS	\$	2.25
CROSS SECTIONS (SHEETS X1 THRU X9)	9 SHEETS	\$	2.25
STANDARD PLANS	11 SHEETS	\$	2.75

SHEET NO.

1	TITLE PAGE
2T	TYPICAL CROSS SECTION OF IMPROVEMENT
2S	SUMMARY OF QUANTITIES
3	LOCATION MAP
4	PLAN SHEET--SITE 1
5	PLAN SHEET--SITE 2
6	CULVERT CROSS SECTIONS
R1 - R2	RIGHT-OF-WAY SHEETS
X1 - X9	CROSS SECTIONS

STANDARD PLANS

410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

BARRICADE, TYPE III	240	B	DAY
SIGN DAY	320	E	EACH
CONTRACTOR FURNISHED SIGN DAY	40	E	EACH
MOBILIZATION	LUMP	L	LUMP
LARGE TREE REMOVAL	4	E	EACH
GENERAL CLEARING AND GRUBBING	LUMP	L	LUMP
WATER	26	M	MGAL
EARTHWORK MEASURED IN EMBANKMENT	1,887	C	CY
RIPRAP FILTER FABRIC	159	S	Y
REMOVE HEADWALLS FROM CULV	2	E	EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	115	C	CY
36" CORRUGATED METAL PIPE	100	L	LF

48" CORRUGATED METAL PIPE	60 LF
36" METAL FLARED-END SECTION	2 EACH
48" METAL FLARED-END SECTION	2 EACH
ROCK RIPRAP, TYPE B	144 TON
RENTAL OF LOADER, FULLY OPERATED	10 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	10 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	10 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10 HOUR
EROSION CONTROL, CLASS 1D	2,490 SY
FABRIC SILT FENCE-HIGH POROSITY	891 LF

NOTICE TO CONTRACTORS

CALL ORDER 300
 FEDERAL PROJECT NO. HSIP-81-3(140)
 LOCATION: US-81/N-32, JCT US-81/N-32, MADISON
 COUNTIES: MADISON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 10:30 A.M. on January 23, 2009. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT SPECIALTY
 START DATE 10/13/2009 WORKING DAYS 10
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning December 30, 2008 at the Lincoln Central Office and January 05, 2009 at the District Engineer's Office at NORFOLK

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	15	SHEETS	\$	3.75
CROSS SECTIONS (SHEETS X1 THRU X3)	3	SHEETS	\$	0.75
STANDARD PLANS	18	SHEETS	\$	4.50

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-H1 - 2-H3	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
2-L1	GEOMETRICS, CONSTRUCTION, REMOVAL, & DRAINAGE
2-L2	EROSION CONTROL
3 - 6	ROADWAY LIGHTING PLANS
7	EARTHWORK DATA SHEET
8	DRAINAGE STRUCTURE CROSS SECTION
X1 - X3	CROSS SECTIONS

STANDARD PLANS

301-R9	(3 SHEETS) PAVEMENT DETAILS
329-R7	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
901-R9	HIGHWAY DELINEATORS
914-R5	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	150	BDAY
BARRICADE, TYPE III	76	BDAY
TEMPORARY SIGN DAY	30	EACH
SIGN DAY	418	EACH
FLAGGING	10	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP

WATER	7 MGAL
REMOVE & RESET DELINEATORS	4 EACH
EARTHWORK MEASURED IN EMBANKMENT	456 CY
TIE BARS	150 EACH
12" CONC PVMT, 47B-3500	378 SY
ADJUSTING INLET TO GRADE	1 EACH
REMOVE & SALVAGE FES	1 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	3 CY
47B-3000 CONC FOR CONCRETE CO	1 CY
RE-STEEL FOR COLLARS	53 LB
30" REINFORCED CONCRETE PIPE	18 LF
INSTALL 30" CONC FES	1 EACH
FOUNDATION COURSE	378 SY
4"	
GRANULAR SUBDRAIN	2 EACH
RENTAL OF LOADER, FULLY OPERATED	5 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	5 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	5 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5 HOUR
WATER	2 MGAL
EARTH SHOULDER CONSTRUCTION	4 STA
SUBGRADE PREPARATION	378 SY
PULL BOX, TYPE PB-5	1 EACH
1 1/2" CONDUIT IN TRENCH	15 LF
STREET LIGHT CABLE, NO. 6 BARE	15 LF
STREET LIGHT CABLE, NO. 6 USE	30 LF
RELOCATE STREET LIGHTING UNIT	1 EACH
SEEDING, TYPE C	1 ACRE
EROSION CONTROL, CLASS 1B	713 SY
EROSION CONTROL, CLASS 2C	62 SY
TEMPORARY SILT FENCE	500 LF
TEMPORARY EARTH CHECK	20 LF
MULCH	1 TON

NOTICE TO CONTRACTORS

CALL ORDER 305
 STATE PROJECT NO. RD-77-4(1021)
 LOCATION: US-77, IN SOUTH SOUIX CITY
 COUNTIES: DAKOTA

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 10:30 A.M. on January 23, 2009. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

Length: 6.4 MILES
 START DATE 06/15/2009 WORKING DAYS 65
 Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning December 30, 2008 at the Lincoln Central Office and January 05, 2009 at the District Engineer's Office at NORFOLK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	20	SHEETS	\$	5.00
STANDARD PLANS	5	SHEETS	\$	1.25

SHEET NO.	
1	TITLE PAGE
2-T1 - 2-T4	TYPICAL CROSS SECTIONS
2-S1 - 2-S7	SUMMARY OF QUANTITIES
3	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
4 - 7	TRAFFIC SIGNAL PLAN
8 - 10	TYPICAL URBAN TRAFFIC CONTROL PLAN

STANDARD PLANS	
914-R5	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R7	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	6,587	B DAY
BARRICADE, TYPE III	581	B DAY
TEMPORARY SIGN DAY	786	EACH
SIGN DAY	6,129	EACH
CONTRACTOR FURNISHED SIGN DAY	30	EACH
FLASHING ARROW PANEL	71	DAY
MOBILIZATION	LUMP	LUMP
CONCRETE CURB REPAIR	171	LF
CONC PVMT REPAIR TYPE A FULL DEPTH	115	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	535	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	649	CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH	24	CY
CONC PVMT, PR-3500	196	CY
JOINT REPAIR		
FOUNDATION COURSE REPLACEMENT	272	CY
PULL BOX, TYPE PB-1A	5	EACH
VEHICLE DETECTOR, TYPE A PREFORMED	28	EACH
VEHICLE DETECTOR, TYPE B PREFORMED	12	EACH
2" CONDUIT IN TRENCH	111	LF
2/C #14 AWG DETECTOR LEAD-IN CABLE	111	LF
REMOVE PULL BOX	1	EACH

NOTICE TO CONTRACTORS

CALL ORDER 310
 STATE PROJECT NO. RD-20-7(1013)
 LOCATION: US-20, SOUTH SIOUX CITY WEST
 COUNTIES: DAKOTA

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 10:30 A.M. on January 23, 2009. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY
 START DATE 08/24/2009 WORKING DAYS 20
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning December 30, 2008 at the Lincoln Central Office and January 05, 2009 at the District Engineer's Office at NORFOLK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	8 SHEETS	\$	2.00
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T4	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
3	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R7	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II		1,500	B	DAY
BARRICADE, TYPE III		184	B	DAY
TEMPORARY SIGN DAY		240	E	EACH
SIGN DAY		1,230	E	EACH
FLASHING ARROW PANEL		20	D	DAY
MOBILIZATION	LUMP		L	LUMP
CONC PVMT REPAIR TYPE A FULL DEPTH		14	C	CY
CONC PVMT REPAIR TYPE B FULL DEPTH		111	C	CY
CONC PVMT REPAIR TYPE C FULL DEPTH		32	C	CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH		2	C	CY
CONC PVMT, PR-3500		29	C	CY
JOINT REPAIR				
FOUNDATION COURSE REPLACEMENT		94	C	CY

NOTICE TO CONTRACTORS

CALL ORDER 405
 STATE PROJECT NO. STR-44-2(1010)
 LOCATION: N-44, PLATTE RIVER BRIDGE SOUTH OF KEARNEY
 COUNTIES: BUFFALO

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 10:30 A.M. on January 23, 2009. At that time the bids will be opened and read for BRIDGE

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES
 START DATE 08/03/2009 WORKING DAYS 50
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning December 30, 2008 at the Lincoln Central Office and January 05, 2009 at the District Engineer's Office at GRAND ISLAND
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	14 SHEETS	\$	3.50
STANDARD PLANS	2 SHEETS	\$	0.50

SHEET NO.

- 1 TITLE PAGE
& SUMMARY OF QUANTITIES
- 2-W WETLANDS
- 3 TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE
(FREEWAY-INTERSTATE)
- 4 TYPICAL TRAFFIC SIGNAL CONTROL PLAN FOR ONE
LANE, TWO WAY OPERATION WITH BARRIERS
- 5 TEMPORARY TRAFFIC SIGNAL
- 6 TEMPORARY PAVEMENT MARKING PLAN
- 7 - 12 SPECIAL PLAN 1 BRIDGE REPAIRS AT BENTS 2,5, & 8
STA. 92+00.00
- 13 - 14 SPECIAL PLAN 1C CONCRETE PROTECTION BARRIER

STANDARD PLANS

920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT R.P. 48+56

BARRICADE, TYPE II	5,220	B	DAY
BARRICADE, TYPE III	540	B	DAY
SIGN DAY	6,570	E	EACH
PAVEMENT MARKING REMOVAL	2,000	L	F
TEMP PVMT MARKING, TYPE PAINT	3,000	L	F
TEMP PVMT MARKING SURF PREP	1,500	L	F
FLASHING ARROW PANEL	90	D	DAY
FLAGGING	6	D	DAY
CONCRETE PROTECTION BARRIER	852	L	F
RELOCATE CONC PROTECTION BARRIER	852	L	F
TEMPORARY RUMBLE STRIP	4	E	EACH
TEMPORARY TRAFFIC SIGNAL	1	E	EACH
TRAFFIC CONTROL MANAGEMENT	90	D	DAY
MOBILIZATION	LUMP	L	LUMP
PREFORMED EXPANSION JOINT, TYPE A	140	L	F
EXPANSION BEARING, TFE TYPE	36	E	EACH
47BD-4000 CONC FOR BRIDGE	61	C	CY

PREP BRIDGE	1 EACH
AT R.P. 48+56	
STRUC STEEL FOR SUBSTRUCTURE	25,080 LB
EPOXY COATED RE-STEEL	13,910 LB

NOTICE TO CONTRACTORS

CALL ORDER 605
FEDERAL PROJECT NO. STPD-70-3(107)
LOCATION: N-70, BROKEN BOW EAST.
COUNTIES: CUSTER

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 10:30 A.M. on January 23, 2009 . At that time the bids will be opened and read for SEED GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 11.8 MILES
START DATE 03/30/2009 WORKING DAYS 135
Price Range \$ 4,000,000 to \$ 7,000,000
THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning December 30, 2008 at the Lincoln Central Office and January 05, 2009 at the District Engineer's Office at NORTH PLATTE

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	64 SHEETS	\$	16.00
STANDARD PLANS	12 SHEETS	\$	3.00

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T3	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-W1 - 2-W11	WETLANDS
2-N1 - 2-N2	GENERAL INFORMATION
3 - 13	PLAN SHEETS
14	TEMPORARY PAVEMENT MARKING PLAN
15 - 35	DRAINAGE STRUCTURE CROSS SECTIONS
36	SPECIAL PLAN 1C CONCRETE FLUME, TYPE I
37	SPECIAL PLAN 2C CONCRETE FLUME, TYPE II
38 - 39	SPECIAL PLAN 3C CONCRETE FLUME, TYPE VIII
40 - 47	SPECIAL PLAN 4C GUARDRAIL PLAN

STANDARD PLANS

108-R3	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
307	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
901-R9	HIGHWAY DELINEATORS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R7	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE B		46 ACRE
MULCH		103 TON

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
ROADWAY GRADING		7 STA
W-BEAM GUARDRAIL		193 LF
REMOVE GUARDRAIL		825 LF
IMPACT ATTENUATOR		1 EACH
BRIDGE APPROACH SECTIONS		7 EACH
GUARDRAIL END TREATMENT, TYPE II		7 EACH

GROUP 9 BITUMINOUS

MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE III		95 EACH
REMOVE DELINEATOR UNITS		60 EACH
REMOVE CURB	52,020	LF
REMOVE INLET		21 EACH
REMOVE CONCRETE FLUME		63 EACH
GRAVEL SURFACE COURSE		285 CY
SPEC SURF CRSE FOR MAILBOX TURNOUTS		386 SY
MAILBOX POST		8 EACH
CAST IRON GRATE & FRAME	20,188	LB
FLUME SPILLWAY		490 LF
CONCRETE FLUME, TYPE I		33 EACH
CONCRETE FLUME, TYPE II		1 EACH
47B-3000 CONC FOR INLET & JUNCTION BOXES		89 CY
EPOXY RE-STEEL FOR INLET & JCT. BOX	5,565	LB
HYDRATED LIME FOR ASPHALT MIXTURES		336 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		5 TON
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP4 SPECIAL(0.5)		500 TON
ASPH CONCRETE FOR PATCHING, TYPE SP4 SPECIAL(0.5)		200 TON
ASPH CONC, TYPE SPS	6,400	TON
ASPH CONC, TYPE SP4 SPECIAL(0.5)	33,380	TON
PLACE ASPH CONC FOR DRIVE & INTER	7,014	SY
PERF GRAD BIND (64-28)FOR ST MAINT PATCH		27 TON
PERF GRADED BINDER (58-28)		345 TON
PERF GRADED BINDER (64-28)		1,813 TON
CONSTRUCTING ASPH CONC CURB	53,610	LF
TACK COAT	46,930	GAL
FOG SEAL	33,750	GAL
WATER		312 MGAL
WATER FOR FLY ASH STABILIZED BITUMINOUS		925 MGAL
EARTH SHOULDER CONSTRUCTION	1,248	STA
WIDENING		708 STA
COLD MILLING, CLASS 3		280 STA
MILLING CONC FOR INLAYS		2 EACH
SURFACE UNDER GUARDRAIL		543 SY
FLY ASH STABILIZED BITUMINOUS		624 STA
FLY ASH	7,005	TON
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
EROSION CONTROL, CLASS 1D		896 SY
EROSION CONTROL, CLASS 2A		2,745 SY
15" CULV PIPE 3,4,5,6		1,420 LF

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	71,280	BDAY
BARRICADE, TYPE III	2,596	BDAY
TEMPORARY SIGN DAY	1,050	EACH
SIGN DAY	21,811	EACH
OVERLAY BROKEN LINES	1,872	STA
OVERLAY SOLID LINES	3,744	STA
FLAGGING	150	DAY
FURNISHING AND OPERATING PILOT VEHICLE	75	DAY
FIELD OFFICE	1	EACH
TRAINING	2,000	HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	30	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	20	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	30	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	30	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10	HOUR
TEMPORARY SILT FENCE	800	LF

NOTICE TO CONTRACTORS

CALL ORDER 610
 FEDERAL PROJECT NO. NH-26-2(113)
 LOCATION: US-26, WEST OF OGALLALA
 COUNTIES: KEITH

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 10:30 A.M. on January 23, 2009. At that time the bids will be opened and read for GR SEED ELEC BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 8.5 MILES
 START DATE 05/26/2009 WORKING DAYS 95
 Price Range \$ 3,000,000 to \$ 6,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning December 30, 2008 at the Lincoln Central Office and January 05, 2009 at the District Engineer's Office at NORTH PLATTE
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	63	SHEETS	\$	15.75
CROSS SECTIONS (SHEETS X1 THRU X15)	15	SHEETS	\$	3.75
STANDARD PLANS	12	SHEETS	\$	3.00

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T4	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES & DETOUR LOCATION MAP
2-H1 - 2-H3	HORIZONTAL ALIGNMENT & CONTROL POINTS
2-N1	GENERAL INFORMATION
2-N2	GENERAL INFORMATION--MILLED RUMBLE STRIPS
2-L1 - 2-L2	GEOMETRICS
2-L3 - 2-L13	DRAINAGE & EROSION CONTROL
3 - 10	PLAN SHEETS
11	TYPICAL PAVEMENT MARKING PLAN
12	TEMPORARY PAVEMENT MARKING PLAN
13	PAVEMENT MARKING PLAN
14 - 17	ROADWAY LIGHTING PLANS
18	EARTHWORK DATA SHEET
19 - 26	DRAINAGE STRUCTURE CROSS SECTIONS
27	SPECIAL PLAN 1C CONCRETE FLUME, TYPE I
28	SPECIAL PLAN 2C CONCRETE FLUME, TYPE II
29 - 30	SPECIAL PLAN 3C CONCRETE FLUME, TYPE VIII
31 - 33	SPECIAL PLAN 4C MODIFIED TYPE VIII FLUME AND SPLASH BASIN SYSTEM
34 - 36	SPECIAL PLAN 5C MODIFIED TYPE VIII FLUME AND SPLASH BASIN SYSTEM
37 - 40	SPECIAL PLAN 6C BEDDING & BACKFILL REQUIREMENTS FOR CONCRETE PIPE, MCCMP, PCCMP, & PLASTIC PIPE
X1 - X15	CROSS SECTIONS

STANDARD PLANS

108-R3	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
309	MAILBOX SUPPORT POST
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
901-R9	HIGHWAY DELINEATORS
914-R5	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R7	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		248 CY
REMOVE DELINEATOR UNITS		46 EACH
REMOVE ASPHALT SURFACE		2,703 SY
REMOVE DISCHARGE STRUCTURE		6 EACH
REMOVE CONCRETE FLUME		2 EACH
EROSION CONTROL, CLASS 1D		470 SY
EROSION CONTROL, CLASS 2A		1,408 SY

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE B		33 ACRE
MULCH		75 TON

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
PULL BOX, TYPE PB-5		1 EACH
ST LIGHT UNIT SL-BT-40-12-0.25		3 EACH
LIGHTING CONTROL CENTER, DP		1 EACH
1 1/2" CONDUIT IN TRENCH		488 LF
1 1/2" CONDUIT UNDER ROADWAY		13 LF
1 1/2" CONDUIT, JACKED		52 LF
STREET LIGHT CABLE, NO. 6 BARE		552 LF
STREET LIGHT CABLE, NO. 6 USE		1,104 LF

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES		1,803 STA
OVERLAY SOLID LINES		3,606 STA
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE III		46 EACH
GRAVEL SURFACE COURSE		140 CY
MAILBOX POST		10 EACH
CAST IRON GRATE & FRAME		9,476 LB
FLUME SPILLWAY		212 LF
CONCRETE FLUME, TYPE I		2 EACH
CONCRETE FLUME, TYPE II		13 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		62 CY
47B-3000 CONC FOR INLET & JUNCTION BOXES		50 CY
EPOXY RE-STEEL FOR INLET & JCT. BOX		3,104 LB
4" WHT WET RFLC PRF PVMT MKNG T4 GVD		1,050 LF
4" YEL WET RFLC PRF PVMT MKNG T4 GVD		12,000 LF
12" YEL WET RFLC PRF PVMT MKNG T4 GVD		550 LF
HYDRATED LIME		217 TON
HYDRATED LIME FOR ASPHALT MIXTURES		388 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		5 TON
HYDRATED LIME SLURRY STABILIZATION		431 STA
4"		
SHOULDER SUBGRADE PREPARATION		28 STA
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP4(0.5)		500 TON
ASPH CONCRETE FOR PATCHING, TYPE SP4(0.5)		150 TON
ASPH CONC, TYPE SPS		9,430 TON
ASPH CONC, TYPE SP4(0.5)		21,480 TON
PLACE ASPH CONC FOR DRIVE & INTER		2,444 SY

PERF GRAD BIND (64-28)FOR ST MAINT PATCH	27	TON
PERF GRADED BINDER (58-28)	509	TON
PERF GRADED BINDER (64-28)	1,168	TON
CONSTRUCTING ASPH CONC CURB	21,027	LF
PREP OF INTER & DRIVE	330	SY
EMUL ASPH FOR HYDRATE LIME STABILIZATION	105,680	GAL
TACK COAT	22,370	GAL
FOG SEAL	11,650	GAL
WATER	230	MGAL
EARTH SHOULDER CONSTRUCTION	834	STA
SUBGRADE PREPARATION	2,211	SY
COLD MILLING, CLASS 3	455	STA
COLD MILLING, CLASS 3	859	STA
TYPE A		
RUMBLE STRIPS, ASPHALT	901	STA
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
15" CULV PIPE 5	92	LF
15" CULV PIPE 2,5,7,8	130	LF
15" CULV PIPE 3,4,5,6	740	LF

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	17,600	B DAY
BARRICADE, TYPE III	1,056	B DAY
TEMPORARY SIGN DAY	910	EACH
SIGN DAY	12,599	EACH
FLAGGING	130	DAY
FURNISHING AND OPERATING PILOT VEHICLE	65	DAY
FIELD OFFICE	1	EACH
TRAINING	1,000	HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	30	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	20	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	30	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	30	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10	HOUR
TEMPORARY SILT FENCE	1,000	LF
TEMPORARY MULCH	2	TON

NOTICE TO CONTRACTORS

CALL ORDER 615
 STATE PROJECT NO. RD-61-2(1019)
 LOCATION: N-61, OGALLALA SOUTH
 COUNTIES: KEITH

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 10:30 A.M. on January 23, 2009. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 6.5 MILES
 START DATE 08/10/2009 WORKING DAYS 45
 Price Range \$ 1,000,000 to \$ 3,000,000

Plans and specifications may be seen beginning December 30, 2008 at the Lincoln Central Office and January 05, 2009 at the District Engineer's Office at NORTH PLATTE
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	14	SHEETS	\$	3.50
STANDARD PLANS	5	SHEETS	\$	1.25

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-H	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
3 - 8	PLAN SHEETS
9	TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R7	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	13,024	B DAY
BARRICADE, TYPE III	332	B DAY
TEMPORARY SIGN DAY	600	EACH
SIGN DAY	3,786	EACH
OVERLAY BROKEN LINES	683	STA
OVERLAY SOLID LINES	1,367	STA
FLAGGING	90	DAY
FURNISHING AND OPERATING PILOT VEHICLE	45	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
REMOVE ASPHALT SURFACE	85	SY
GRAVEL SURFACE COURSE	130	CY
CONC PVMT REPAIR TYPE A FULL DEPTH	11	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	27	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	3	CY
HYDRATED LIME FOR ASPHALT MIXTURES	78	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	2	TON
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP4(0.5)	250	TON

ASPH CONCRETE FOR PATCHING, TYPE SP4(0.5)	100 TON
ASPH CONC, TYPE SPS	8,725 TON
ASPH CONC, TYPE SP4(0.5)	7,780 TON
HIGH RAP BASE	7,650 TON
PLACE ASPH CONC FOR DRIVE & INTER	5,175 SY
PERF GRAD BIND (64-28)FOR ST MAINT PATCH	13 TON
PERF GRADED BINDER (58-28)	719 TON
PERF GRADED BINDER (64-28)	425 TON
TACK COAT	31,545 GAL
RENTAL OF LOADER, FULLY OPERATED	35 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	30 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	35 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	35 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5 HOUR
WATER	172 MGAL
CRACKING & SEATING CONC PVMT	91,131 SY
EARTH SHOULDER CONSTRUCTION	687 STA
MILLING CONC FOR INLAYS	1 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP
SEEDING, TYPE B	6 ACRE
TEMPORARY SILT FENCE	500 LF
MULCH	14 TON

NOTICE TO CONTRACTORS

CALL ORDER 620
 STATE PROJECT NO. RD-83-2(1029)
 LOCATION: US-83, STATE FARM ROAD NORTH, NORTH PLATTE
 COUNTIES: LINCOLN

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 10:30 A.M. on January 23, 2009. At that time the bids will be opened and read for GRAD, CONC PAVE,CULV,BR,ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

Length: 1.1 MILES
 START DATE 06/01/2009 WORKING DAYS 105
 Price Range \$ 3,000,000 to \$ 6,000,000

Plans and specifications may be seen beginning December 30, 2008 at the Lincoln Central Office and January 05, 2009 at the District Engineer's Office at NORTH PLATTE
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	128	SHEETS	\$ 32.00
CROSS SECTIONS (SHEETS X1 THRU X24)	24	SHEETS	\$ 6.00
STANDARD PLANS	25	SHEETS	\$ 6.25

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-W1 - 2-W5	WETLANDS
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N2	GENERAL INFORMATION
2-P1 - 2-P23	PHASING PLANS
2-L1 - 2-L5	GEOMETRICS & GRADES
2-L6 - 2-L10	JOINTS
2-L11 - 2-L15	CONSTRUCTION & REMOVALS
2-L16 - 2-L20	EROSION CONTROL
3 - 9	PLAN & PROFILE SHEETS
10 - 12	TYPICAL URBAN TRAFFIC CONTROL PLAN
13 - 17	TYPICAL TRAFFIC CONTROL PLAN--PHASE 2
18 - 22	TYPICAL TRAFFIC CONTROL PLAN--PHASE 4
23	TYPICAL TRAFFIC CONTROL PLAN--INERTIAL BARRIER SYSTEM
24 - 32	TRAFFIC SIGNAL PLAN
33 - 35	TEMPORARY TRAFFIC SIGNAL PLAN
36	TEMPORARY PAVEMENT MARKING PLAN
37 - 38	PAVEMENT MARKING PLAN
39 - 47	ROADWAY LIGHTING PLANS
48	EARTHWORK DATA SHEET
49 - 56	DRAINAGE STRUCTURE CROSS SECTIONS
57 - 61	SPECIAL PLAN 1 CONCRETE SLAB BRIDGE REPAIR STA. 151+86.86
62	SPECIAL PLAN 1C JUNCTION BOX
63	SPECIAL PLAN 2C 5 BAR AREA GRATE INLET STA. 119+00 RT.
64	SPECIAL PLAN 3C 5 BAR AREA GRATE INLET STA. 137+93 LT.
65 - 71	SPECIAL PLAN 4C GUARDRAIL PLAN
72 - 73	SPECIAL PLAN 5C CONCRETE PROTECTION BARRIER
X1 - X24	CROSS SECTIONS

STANDARD PLANS

101-R4	SUPERELEVATION PLAN FOR DUAL HIGHWAYS (CROWNED SURFACE)
301-R9	(3 SHEETS) PAVEMENT DETAILS

329-R7	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
428-R3	CONCRETE PLUGS AND FIELD PIPE TAP DETAILS
455	CONCRETE DITCH LINING
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
901-R9	HIGHWAY DELINEATORS
914-R5	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		13,355 CY
WATER		6 MGAL
REMOVE PAVEMENT		39,454 SY
REMOVE ASPHALT SURFACE		13,405 SY
REMOVE CURB		854 LF
REMOVE CONCRETE MEDIAN SURFACING		909 SY
REMOVE GUARDRAIL		175 LF
REMOVE & SALVAGE GUARDRAIL		331 LF
EROSION CONTROL, CLASS 1D		104 SY
EROSION CONTROL, CLASS 1F		62 SY
FABRIC SILT FENCE-LOW POROSITY		803 LF
FABRIC SILT FENCE-HIGH POROSITY		196 LF
TEMPORARY MULCH		1 TON

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE I		90 EACH
DELINEATOR, TYPE II		48 EACH
TIE BARS		2,224 EACH
CONC 47B-3500 CURB TYPE II		854 LF
CONC 47B-3000 MEDIAN SURFACING		909 SY
9" CONC PVMT, 47B-3500		10,361 SY
9" DOWELED CONC PVMT, 47B-3500		45,760 SY
TEMPORARY SURFACING 10"		1,959 SY
CONCRETE DITCH LINING		946 SY
RESET GUARDRAIL		331 LF
5" WHT POLYUREA PVMT MRKING, GROOVED		18,500 LF
12" WHT POLYUREA PVMT MRKING, GROOVED		1,250 LF
5" YEL POLYUREA PVMT MRKING, GROOVED		11,200 LF
CC FOUNDATION COURSE 4"		56,121 SY
GRANULAR SUBDRAIN		160 EACH
STABILIZED SUBGRADE TYPE FLY ASH		53,515 SY
PREP OF INTER & DRIVE		2,606 SY
WATER		238 MGAL
EARTH SHOULDER CONSTRUCTION		208 STA
SURFACE UNDER GUARDRAIL		219 SY
FLY ASH		2,029 TON
SEEDING, TYPE B		4 ACRE
MULCH		9 TON

GROUP 4 CULVERTS

	LUMP	LUMP
MOBILIZATION		
REMOVE INLET		1 EACH
CAST IRON GRATE & FRAME	1,260	LB
CAST IRON RING & COVER	2,010	LB
TAPPING EXISTING PIPE		4 EACH
REMOVE FLARED- END SECTION		3 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	172	CY
47B-3000 CONC FOR INLET & JUNCTION BOXES	11	CY
47B-3000 CONC FOR CONCRETE CO	1	CY
47B-3000 CONC FOR PIPE PLUG	1	CY
RE-STEEL FOR INLET & JCT BOX	993	LB
RE-STEEL FOR COLLARS	81	LB
18" FLARED-END SECTION		2 EACH
24" CONCRETE FLARED-END SECTION		1 EACH
18" CULV PIPE 2		54 LF
24" CULV PIPE 2		14 LF
18" CULV PIPE 5,7,8		66 LF
18" SLOTTED CULV PIPE 3,4 OR 5		518 LF
18" CULV PIPE 2,5,7,8		340 LF

GROUP 6 BRIDGE AT STA. 151+86.86 LT.

	LUMP	LUMP
MOBILIZATION		
PRECOMPRESSED POLY FOAM JOINT, TYPE B		136 LF
47BD-4000 CONC FOR BRIDGE		10 CY
RE-STEEL FOR BRIDGE	1,055	LB
PREP BRIDGE		1 EACH
AT STA. 151+86.86 LT.		

GROUP 8B ELECTRICAL

TEMPORARY TRAFFIC SIGNAL		1 EACH
AT US-83 & EUGENE AVE.		
TEMPORARY TRAFFIC SIGNAL		1 EACH
AT US-83 & WALKER ROAD		
MOBILIZATION	LUMP	LUMP
PULL BOX, TYPE PB-1		9 EACH
PULL BOX, TYPE PB-1A		5 EACH
PULL BOX, TYPE PB-5		2 EACH
PULL BOX, TYPE PB-6		1 EACH
TRAFFIC SIGNAL, TYPE TS-1		8 EACH
TRAFFIC SIGNAL, TYPE TS-1LL		4 EACH
VEHICLE DETECTOR, TYPE A PREFORMED		60 EACH
VEHICLE DETECTOR, TYPE B PREFORMED		1 EACH
VEHICLE DETECTOR, TYPE TD-3		1 EACH
ST LIGHT UNIT SL-BT-50-15-0.40		32 EACH
C.M.A. SIG & LGHT POLE CMP-70-12		3 EACH
MAST ARM SIGNAL POLE, MP-70		1 EACH
LIGHTING CONTROL CENTER, P		1 EACH
LIGHTING CONTROL CENTER, R		1 EACH
1 1/2" CONDUIT IN TRENCH	7,816	LF
2" CONDUIT IN TRENCH	809	LF
1 1/2" CONDUIT UNDER ROADWAY	273	LF
2" CONDUIT UNDER ROADWAY	409	LF
3" CONDUIT UNDER ROADWAY	447	LF
1 1/2" CONDUIT, JACKED	182	LF
12/C #14 AWG TRAF SIG CABLE	1,394	LF
2/C #14 AWG DETECTOR LEAD-IN CABLE	1,987	LF
GROUNDING CONDUCTOR	557	LF
SERVICE CABLE	450	LF
STREET LIGHT CABLE, NO. 6 BARE	8,943	LF
STREET LIGHT CABLE, NO. 6 USE	17,886	LF
2 PAIR COMMUNICATION CABLE	957	LF
UNINTERRUPTIBLE POWER SUPPLY		2 EACH
INST TRAF SIG CONTROLLER, TC-170		1 EACH

REMOVE LIGHTING UNIT	1 EACH
REMOVE TRAFFIC SIGNAL CONTROLLER	1 EACH
REMOVE PEDESTAL POLE	4 EACH
REMOVE HIGH MAST LIGHTING UNIT	1 EACH
REMOVE PULL BOX	2 EACH
REMOVE COMB MAST ARM SIG AND LIGHT POLE	2 EACH
REMOVE MAST ARM SIGNAL POLE	2 EACH
REMOVE TRAFFIC SIGNAL CABLE	5,456 LF
RELOCATE PULL BOX	6 EACH
TYPE PB-1	
RELOCATE PULL BOX	1 EACH
TYPE PB-2	
RELOCATE PULL BOX	1 EACH
TYPE PB-2A	

GROUP 10 GENERAL ITEMS

SURV OF TEMP TRAFFIC CONT DEVICES	181 CDAY
BARRICADE, TYPE II	28,900 BDAY
BARRICADE, TYPE III	5,628 BDAY
TEMPORARY SIGN DAY	120 EACH
SIGN DAY	10,886 EACH
CONTRACTOR FURNISHED SIGN DAY	1,332 EACH
PAVEMENT MARKING REMOVAL	14,625 LF
TEMP PVMT MARKING, TYPE PAINT	60,000 LF
TEMP PVMT MARKING SURF PREP	30,000 LF
TUBULAR POST	300 EACH
FLASHING ARROW PANEL	322 DAY
FLAGGING	20 DAY
CONCRETE PROTECTION BARRIER	250 LF
RELOCATE CONC PROTECTION BARRIER	250 LF
INERTIAL BARRIER SYSTEM	4 EACH
REPLACEMENT MODULE	5 EACH
FIELD OFFICE	1 EACH
MOBILIZATION	LUMP LUMP
CONSTRUCTION STAKING AND SURVEYING	LUMP LUMP
RENTAL OF LOADER, FULLY OPERATED	15 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	15 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	15 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	15 HOUR
TEMPORARY SILT FENCE	500 LF

NOTICE TO CONTRACTORS

CALL ORDER 700
 FEDERAL PROJECT NO. STP-47-1(102)
 LOCATION: N-47, JUNCTION N-89 NORTH
 COUNTIES: FURNAS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 10:30 A.M. on January 23, 2009. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 8.0 MILES
 START DATE 07/20/2009 WORKING DAYS 60
 Price Range \$ 2,000,000 to \$ 4,000,000

Plans and specifications may be seen beginning December 30, 2008 at the Lincoln Central Office and January 05, 2009 at the District Engineer's Office at MCCOOK

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	29 SHEETS	\$	7.25
STANDARD PLANS	11 SHEETS	\$	2.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-W1 - 2-W8	WETLANDS
2-H1 - 2-H4	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
3 - 10	PLAN SHEETS
11	PAVEMENT MARKING DETAILS
12	TEMPORARY PAVEMENT MARKING PLAN
13	TYPICAL PAVEMENT MARKING PLAN

STANDARD PLANS

108-R3	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
307	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
502	SILT FENCE DETAILS
901-R9	HIGHWAY DELINEATORS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R7	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	7,680 BDAY
BARRICADE, TYPE III	832 BDAY
TEMPORARY SIGN DAY	840 EACH
SIGN DAY	10,410 EACH
OVERLAY BROKEN LINES	1,680 STA
OVERLAY SOLID LINES	3,360 STA
PERMANENT PAVEMENT MARKING PAINT	105,000 LF
FLAGGING	120 DAY
FURNISHING AND OPERATING PILOT VEHICLE	60 DAY

TRAFFIC CONTROL MANAGEMENT	104 DAY
FIELD OFFICE	1 EACH
TRAINING	1,000 HOUR
MOBILIZATION	LUMP LUMP
DELINEATOR, TYPE III	43 EACH
INSTALL CHEVRONS	8 EACH
REMOVE ASPHALT SURFACE	412 SY
GRAVEL SURFACE COURSE	250 CY
SPEC SURF CRSE FOR MAILBOX TURNOUTS	200 SY
MAILBOX POST	3 EACH
REMOVE GUARDRAIL	1,128 LF
24" WHT WET RFLC PRF PVMT MKNG T4 GVD	108 LF
RR XING WET RFLC PRF PVMT MKNG, T 4 GVD	3 EACH
HYDRATED LIME FOR ASPHALT MIXTURES	232 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	25 TON
SHOULDER SUBGRADE PREPARATION	22 STA
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP4(0.5)	2,500 TON
ASPH CONCRETE FOR PATCHING, TYPE SP4(0.5)	500 TON
ASPH CONC, TYPE SP4(0.5)	22,758 TON
PLACE ASPH CONC FOR DRIVE & INTER	5,095 SY
PERF GRAD BIND (64-28)FOR ST MAINT PATCH	135 TON
PERF GRADED BINDER (64-28)	1,255 TON
TACK COAT	26,810 GAL
FOG SEAL	58,245 GAL
RENTAL OF LOADER, FULLY OPERATED	45 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	40 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	45 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	45 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5 HOUR
WATER	215 MGAL
WATER FOR FLY ASH STABILIZED BITUMINOUS	605 MGAL
EARTH SHOULDER CONSTRUCTION	810 STA
COLD MILLING, CLASS 3	404 STA
COLD MILLING, CLASS 3	16 STA
TYPE A	
FLY ASH STABILIZED BITUMINOUS	404 STA
FLY ASH	4,585 TON
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP
SEEDING, TYPE B	8 ACRE
SEEDING, TYPE C	1 ACRE
TEMPORARY SILT FENCE	100 LF
TEMPORARY MULCH	2 TON
MULCH	18 TON

NOTICE TO CONTRACTORS

CALL ORDER 705
FEDERAL PROJECT NO. STP-S42A(101)
LOCATION: S42A, HUNTLEY SPUR
COUNTIES: HARLAN

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 10:30 A.M. on January 23, 2009. At that time the bids will be opened and read for GRAD GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 4.2 MILES
START DATE 07/20/2009 WORKING DAYS 60
Price Range \$ 1,000,000 to \$ 3,000,000

Plans and specifications may be seen beginning December 30, 2008 at the Lincoln Central Office and January 05, 2009 at the District Engineer's Office at MCCOOK

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	45	SHEETS	\$ 11.25
CROSS SECTIONS (SHEETS X1 THRU X51)	51	SHEETS	\$ 12.75
STANDARD PLANS	17	SHEETS	\$ 4.25

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-W1 - 2-W4	WETLANDS
2-H1 - 2-H3	HORIZONTAL ALIGNMENT & CONTROL POINTS
2-N	GENERAL INFORMATION
2-L1 - 2-L5	EROSION CONTROL
3 - 6	PLAN SHEETS
7	TEMPORARY PAVEMENT MARKING PLAN
8	TYPICAL PAVEMENT MARKING PLAN
9 - 12	EARTHWORK DATA SHEETS
13 - 18	DRAINAGE STRUCTURE CROSS SECTIONS
19 - 21	SPECIAL PLAN 1C CABLE GUARDRAIL
R1 - R8	RIGHT-OF-WAY SHEETS
X1 - X51	CROSS SECTIONS

STANDARD PLANS

108-R3	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
307	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
547	(2 SHEETS) CONCRETE FLUME, TYPE VII
804	PRECAST CONCRETE R.O.W. MARKER
901-R9	HIGHWAY DELINEATORS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R7	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		96 MGAL
RIGHT-OF-WAY MARKERS		4 EACH
EARTHWORK MEASURED IN EMBANKMENT	4,256	CY
24" DRIVE PIPE 2,3,4,5,6,7 OR 8		56 LF
REMOVE & SALVAGE FES		1 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		1 CY
INSTALL 36" METAL F.E.S.		1 EACH
REMOVE GUARDRAIL	6,388	LF
EROSION CONTROL, CLASS 1C	12,027	SY
EROSION CONTROL, CLASS 2A		440 SY
FABRIC SILT FENCE-LOW POROSITY	1,708	LF
36" CULV PIPE 3,4,5		12 LF

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
CABLE GUARDRAIL	7,072	LF
TERMINAL ANCHORAGE SECTIONS		24 EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES		659 STA
OVERLAY SOLID LINES		1,319 STA
PERMANENT PAVEMENT MARKING PAINT	55,000	LF
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE III		20 EACH
INSTALL CHEVRONS		8 EACH
GRAVEL SURFACE COURSE		95 CY
SPEC SURF CRSE FOR MAILBOX TURNOUTS		25 SY
MAILBOX POST		1 EACH
CAST IRON GRATE & FRAME	2,060	LB
47B-3000 CONC FOR INLET & JUNCTION BOXES		17 CY
RE-STEEL FOR INLET & JCT BOX	1,200	LB
HYDRATED LIME FOR ASPHALT MIXTURES		111 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		25 TON
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP4 SPECIAL(0.5)	2,500	TON
ASPH CONCRETE FOR PATCHING, TYPE SP4 SPECIAL(0.5)		500 TON
ASPH CONC, TYPE SP4 SPECIAL(0.5)	10,638	TON
PLACE ASPH CONC FOR DRIVE & INTER	2,210	SY
PERF GRAD BIND (64-28)FOR ST MAINT PATCH		135 TON
PERF GRADED BINDER (64-28)		601 TON
CONSTRUCTING ASPH CONC CURB	3,553	LF
3"		
TACK COAT	13,154	GAL
WATER		109 MGAL
EARTH SHOULDER CONSTRUCTION		437 STA
COLD MILLING, CLASS 3		225 STA
SURFACE UNDER GUARDRAIL	3,460	SY
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B		16 ACRE
MULCH		36 TON
15" CULV PIPE 3,4,5,6		596 LF

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	23,040	B DAY
BARRICADE, TYPE III		584 B DAY
TEMPORARY SIGN DAY		700 EACH
SIGN DAY	4,704	EACH
FLAGGING		70 DAY
FURNISHING AND OPERATING PILOT VEHICLE		35 DAY

TRAFFIC CONTROL MANAGEMENT	104 DAY
FIELD OFFICE	1 EACH
TRAINING	500 HOUR
MOBILIZATION	LUMP LUMP
RENTAL OF LOADER, FULLY OPERATED	80 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	40 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	80 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	80 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	40 HOUR
TEMPORARY SILT FENCE	2,000 LF
TEMPORARY MULCH	4 TON

NOTICE TO CONTRACTORS

CALL ORDER 710
 FEDERAL PROJECT NO. STP-34-2(118)
 LOCATION: US-34, COLORADO LINE-HAIGLER
 COUNTIES: DUNDY

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 10:30 A.M. on January 23, 2009. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 6.8 MILES
 START DATE 07/20/2009 WORKING DAYS 60
 Price Range \$ 2,000,000 to \$ 4,000,000

Plans and specifications may be seen beginning December 30, 2008 at the Lincoln Central Office and January 05, 2009 at the District Engineer's Office at MCCOOK

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	23	SHEETS	\$	5.75
STANDARD PLANS	7	SHEETS	\$	1.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-W1 - 2-W7	WETLANDS
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3 - 9	PLAN SHEETS
10	TEMPORARY PAVEMENT MARKING PLAN
11	TYPICAL PAVEMENT MARKING PLAN

STANDARD PLANS

108-R3	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
309	MAILBOX SUPPORT POST
901-R9	HIGHWAY DELINEATORS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R7	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	9,240	B DAY
BARRICADE, TYPE III	416	B DAY
TEMPORARY SIGN DAY	840	EACH
SIGN DAY	8,808	EACH
OVERLAY BROKEN LINES	1,077	STA
OVERLAY SOLID LINES	2,154	STA
PERMANENT PAVEMENT MARKING PAINT	90,000	LF
FLAGGING	120	DAY
FURNISHING AND OPERATING PILOT VEHICLE	50	DAY
TRAFFIC CONTROL MANAGEMENT	104	DAY
FIELD OFFICE	1	EACH
TRAINING	1,000	HOUR
MOBILIZATION	LUMP	LUMP

DELINEATOR, TYPE III	52	EACH
INSTALL CHEVRONS	8	EACH
REMOVE DELINEATOR UNITS	48	EACH
GRAVEL SURFACE COURSE	135	CY
MAILBOX POST	3	EACH
MEMBRANE WATERPROOFING	343	SY
HYDRATED LIME FOR ASPHALT MIXTURES	123	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	25	TON
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP4(0.5)	2,500	TON
ASPH CONCRETE FOR PATCHING, TYPE SP4(0.5)	1,000	TON
ASPH CONC, TYPE SPS	12,500	TON
ASPH CONC, TYPE SP4(0.5)	11,260	TON
HIGH RAP BASE	20,690	TON
PLACE ASPH CONC FOR DRIVE & INTER	3,696	SY
PERF GRAD BIND (64-28)FOR ST MAINT PATCH	135	TON
PERF GRADED BINDER (58-28)	672	TON
PERF GRADED BINDER (58-34)	675	TON
PERF GRADED BINDER (64-28)	662	TON
TACK COAT	43,520	GAL
FOG SEAL	120	GAL
RENTAL OF LOADER, FULLY OPERATED	85	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	80	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	85	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	85	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5	HOUR
WATER	177	MGAL
EARTH SHOULDER CONSTRUCTION	707	STA
COLD MILLING, CLASS 3	360	STA
COLD MILLING, CLASS 4	343	SY
RUMBLE STRIPS, ASPHALT	706	STA
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B	30	ACRE
TEMPORARY SILT FENCE	500	LF
MULCH	68	TON

NOTICE TO CONTRACTORS

CALL ORDER 715
 FEDERAL PROJECT NO. STP-34-2(119)
 LOCATION: US-34, STRATTON-JCT R44B
 COUNTIES: HITCHCOCK

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 10:30 A.M. on January 23, 2009. At that time the bids will be opened and read for GR SEED GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 8.5 MILES
 START DATE 06/08/2009 WORKING DAYS 85
 Price Range \$ 3,000,000 to \$ 6,000,000

Plans and specifications may be seen beginning December 30, 2008 at the Lincoln Central Office and January 05, 2009 at the District Engineer's Office at MCCOOK

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	41	SHEETS	\$	10.25
CROSS SECTIONS (SHEETS X1 THRU X28)	28	SHEETS	\$	7.00
STANDARD PLANS	16	SHEETS	\$	4.00

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-H1 - 2-H4	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N2	GENERAL INFORMATION & MILLED RUMBLE STRIPS
3 - 10	PLAN SHEETS
11	TEMPORARY PAVEMENT MARKING PLAN
12 - 13	EARTHWORK DATA SHEETS
14 - 15	DRAINAGE STRUCTURE CROSS SECTIONS
16 - 26	SPECIAL PLAN 1C GUARDRAIL PLAN
27	SPECIAL PLAN 2C REMODEL CULVERT PARAPET STA. 1098+80 LT. & RT.
28	SPECIAL PLAN 3C CONCRETE FLUME, TYPE I
29 - 30	SPECIAL PLAN 4C CONCRETE FLUME, TYPE VIII
31 - 32	SPECIAL PLAN 5C CONCRETE FLUME, TYPE VIII
X1 - X28	CROSS SECTIONS

STANDARD PLANS

108-R3	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
309	MAILBOX SUPPORT POST
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
901-R9	HIGHWAY DELINEATORS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R7	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		26 MGAL
REMOVE DELINEATOR UNITS		31 EACH
EARTHWORK MEASURED IN EMBANKMENT		680 CY
REMOVE ASPHALT SURFACE	1,299	SY
REMOVE CURB	525	LF
REMOVE CONCRETE FLUME		1 EACH
24" DRIVE PIPE, TYPE 3,4 OR 5		10 LF
47B-3000 CONC FOR CONCRETE CO		1 CY
RE-STEEL FOR COLLARS		45 LB
24" METAL FLARED-END SECTION		1 EACH
REMOVE GUARDRAIL	3,762	LF
EROSION CONTROL, CLASS 1D	4,560	SY
EROSION CONTROL, CLASS 2A		158 SY
FABRIC SILT FENCE-LOW POROSITY	3,280	LF

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE B		17 ACRE
MULCH		39 TON

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
CULV MOUNTED GDRL POST		16 EACH
W-BEAM GUARDRAIL	2,837	LF
BRIDGE APPROACH SECTIONS		12 EACH
GUARDRAIL END TREATMENT, TYPE II		16 EACH

GROUP 9 BITUMINOUS

MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE III		41 EACH
INSTALL CHEVRONS		16 EACH
GRAVEL SURFACE COURSE		100 CY
MAILBOX POST		8 EACH
CAST IRON GRATE & FRAME	1,236	LB
FLUME SPILLWAY		19 LF
CONCRETE FLUME, TYPE I		1 EACH
PREPARATION OF STRUCTURE		1 EACH
AT STA. 1098+80.00		
47B-3000 CONC FOR BOX CULV		6 CY
47B-3000 CONC FOR INLET & JUNCTION BOXES		8 CY
RE-STEEL FOR BOX CULVERT		640 LB
EPOXY RE-STEEL FOR INLET & JCT. BOX		522 LB
HYDRATED LIME		403 TON
HYDRATED LIME FOR ASPHALT MIXTURES		211 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		25 TON
HYDRATED LIME SLURRY STABILIZATION		447 STA
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP4(0.5)	2,500	TON
ASPH CONCRETE FOR PATCHING, TYPE SP4(0.5)		750 TON
ASPH CONC, TYPE SPS	13,110	TON
ASPH CONC, TYPE SP4(0.5)	20,300	TON
PLACE ASPH CONC FOR DRIVE & INTER	3,857	SY
PERF GRAD BIND (64-28)FOR ST MAINT PATCH		135 TON
PERF GRADED BINDER (58-28)		707 TON
PERF GRADED BINDER (64-28)	1,136	TON
CONSTRUCTING ASPH CONC CURB	1,243	LF
PREP OF INTER & DRIVE		95 SY
EMUL ASPH FOR HYDRATE LIME STABILIZATION	109,700	GAL
TACK COAT	37,170	GAL
FOG SEAL	12,090	GAL

WATER	226	MGAL
EARTH SHOULDER CONSTRUCTION	904	STA
TRENCHED WIDENING	9	STA
COLD MILLING, CLASS 3	449	STA
RUMBLE STRIPS, ASPHALT	902	STA
SURFACE UNDER GUARDRAIL	2,876	SY
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
15" CULV PIPE 3,4,5,6	247	LF

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	32,000	BDAY
BARRICADE, TYPE III	3,464	EACH
TEMPORARY SIGN DAY	1,190	EACH
SIGN DAY	14,937	EACH
OVERLAY BROKEN LINES	1,347	STA
OVERLAY SOLID LINES	2,694	STA
FLAGGING	170	DAY
FURNISHING AND OPERATING PILOT VEHICLE	60	DAY
TRAFFIC CONTROL MANAGEMENT	146	DAY
FIELD OFFICE	1	EACH
TRAINING	1,000	HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	80	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	40	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	80	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	80	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	40	HOUR
TEMPORARY SILT FENCE	500	LF

NOTICE TO CONTRACTORS

CALL ORDER 800
 FEDERAL PROJECT NO. NH-281-4(119)
 LOCATION: US-281, CHAMBERS JUNCTION NORTH
 COUNTIES: HOLT

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 10:30 A.M. on January 23, 2009. At that time the bids will be opened and read for GR CULV BR GDRL ELEC BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 9.9 MILES
 START DATE 03/30/2009 WORKING DAYS 125
 Price Range \$ 6,000,000 to \$ 10,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning December 30, 2008 at the Lincoln Central Office and January 05, 2009 at the District Engineer's Office at AINSWORTH
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	142	SHEETS	\$ 35.50
CROSS SECTIONS (SHEETS X1 THRU X97)	97	SHEETS	\$ 24.25
STANDARD PLANS	18	SHEETS	\$ 4.50

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T4	TYPICAL CROSS SECTIONS
2-S1 - 2-S3	SUMMARY OF QUANTITIES
2-W1 - 2-W19	WETLANDS
2-W20	WETLAND MITIGATION SITE
2-W21 - 2-W28	WETLAND MITIGATION SITE CROSS SECTIONS
2-H1 - 2-H4	HORIZONTAL ALIGNMENT & CONTROL POINTS
2-N	GENERAL INFORMATION
2-L1 - 2-L2	GEOMETRICS
2-L3 - 2-L20	EROSION CONTROL
3 - 23	PLAN & PROFILE SHEETS
24	TYPICAL TRAFFIC CONTROL PLAN--SHOO-FLY DETOUR
25	PAVEMENT MARKING PLAN
26	TYPICAL PAVEMENT MARKING PLAN
27	TEMPORARY PAVEMENT MARKING PLAN
28 - 32	ROADWAY LIGHTING PLANS
33 - 40	EARTHWORK DATA SHEETS
41 - 45	DRAINAGE STRUCTURE CROSS SECTIONS
46 - 61	SPECIAL PLAN 1 IT-400 CONCRETE GIRDER BRIDGE STA. 307+58.00
62 - 65	SPECIAL PLAN 1C BEDDING & BACKFILL REQUIREMENTS FOR CONCRETE PIPE, MCCMP, PCCMP, & PLASTIC PIPE
66 - 67	SPECIAL PLAN 2C 10' X 8' TRIPLE SPAN RC BOX CULVERT STA. 329+36.90
68 - 74	SPECIAL PLAN 3C GUARDRAIL PLAN
75	SPECIAL PLAN 4C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
76 - 77	SPECIAL PLAN 5C TEMPORARY SILT CHECKS
R1 - R6	RIGHT-OF-WAY SHEETS
X1 - X96	CROSS SECTIONS

STANDARD PLANS

301-R9	(3 SHEETS) PAVEMENT DETAILS
309	MAILBOX SUPPORT POST
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
804	PRECAST CONCRETE R.O.W. MARKER
914-R5	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R7	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		20 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION	204,090	CY
EXCAVATION (ESTABLISHED QUANTITY)	18,661	CY
WATER	849	MGAL
RIGHT-OF-WAY MARKERS		15 EACH
SLOPE PROTECTION	333,000	SY
SLOPE PROTECTION MULCH		333 TON
RIPRAP FILTER FABRIC		230 SY
REMOVE ASPHALT SURFACE	2,171	SY
REMOVE DRIVEWAY	1,806	SY
24" DRIVE PIPE 2,3,4,5,6,7 OR 8		642 LF
36" DRIVE PIPE 2,3,4,5,6,7 OR 8		36 LF
REMOVE HEADWALLS FROM CULV		2 EACH
BROKEN CONCRETE RIPRAP		155 TON
REMOVE RIPRAP		155 TON
REMOVE GUARDRAIL		747 LF
REMOVE SIGN		1 EACH
EROSION CONTROL, CLASS 1C		824 SY
EROSION CONTROL, CLASS 1D	2,933	SY
EROSION CHECKS, TYPE 1D		95 BALE
EROSION CHECKS, TYPE SYNTHETIC		180 LF
FABRIC SILT FENCE-LOW POROSITY	34,066	LF
FABRIC SILT FENCE-HIGH POROSITY		460 LF
MANURE TOPDRESSING	3,480	CY
54" CULV PIPE 3,4,5		52 LF
60" CULV PIPE 3,4,5		208 LF

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE FLARED- END SECTION		26 EACH
REMOVE HEADWALLS FROM CULV		10 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	1,403	CY
24" FLARED-END SECTION		20 EACH
48" FLARED-END SECTION		2 EACH
30" RND EQUIV CONCRETE FES		8 EACH
42" RND EQUIV CONCRETE FES		12 EACH
30" RD EQUIV CULV PIPE 2		276 LF
42" RD EQUIV CULV PIPE 2		504 LF
48" CULV PIPE 2,5		84 LF
24" CULV PIPE 2,5,7,8		772 LF

GROUP 4A CULVERT AT STA. 329+36.90

MOBILIZATION	LUMP	LUMP
RIPRAP FILTER FABRIC		101 SY
EXCAVATION FOR BOX CULVERTS		202 CY
47B-3000 CONC FOR BOX CULV		250 CY
RE-STEEL FOR BOX CULVERT	27,388	LB
REMOVE STRUCTURE AT STA. 329+36.90		1 EACH
BROKEN CONCRETE RIPRAP		92 TON

GROUP 6 BRIDGE AT STA. 307+58.00

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		464 CY
CONC FOR PVMT APPROACHES CLASS 47BD-4000		210 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	34,225	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
47B-3000 CONC FOR BRIDGE		146 CY
47BD-4000 CONC FOR BRIDGE		138 CY
PRECAST/PRESTRESSED CONC SUPERSTR AT STA. 307+58	LUMP	LUMP
REMOVE STRUCTURE AT STA. 307+46.10		1 EACH
STRUC STEEL FOR SUBSTRUCTURE	1,800	LB
BROKEN CONCRETE RIPRAP		400 TON
ROCK RIPRAP, TYPE B		95 TON
EPOXY COATED RE-STEEL	45,925	LB
CONCRETE PILING		1,620 LF
STEEL SHEET PILING		3,768 SF
GRANULAR BACKFILL		493 CY

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		200 LF
BRIDGE APPROACH SECTIONS		4 EACH
GUARDRAIL END TREATMENT, TYPE II		4 EACH

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
PULL BOX, TYPE PB-6		1 EACH
ST LIGHT UNIT SL-BT-40-12-0.25		3 EACH
LIGHTING CONTROL CENTER, D		1 EACH
1 1/2" CONDUIT IN TRENCH	255	LF
1 1/2" CONDUIT UNDER ROADWAY	130	LF
STREET LIGHT CABLE, NO. 6 BARE	385	LF
STREET LIGHT CABLE, NO. 6 USE	770	LF

GROUP 9 BITUMINOUS

PERMANENT PAVEMENT MARKING PAINT	122,000	LF
MOBILIZATION	LUMP	LUMP
CRUSHED ROCK SURFACE COURSE		95 CY
MAILBOX POST		8 EACH
CONC 47B-3500 BARRIER CURB		195 LF
5" WHITE THERMOPLASTIC, GROOVED	1,075	LF
5" YELLOW THERMOPLASTIC, GROOVED	6,800	LF
12" WHITE THERMOPLASTIC, GROOVED		30 LF
12" YELLOW THERMOPLASTIC, GROOVED		450 LF
HYDRATED LIME FOR ASPHALT MIXTURES		318 TON

SHOULDER SUBGRADE PREPARATION	1,024	STA
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP4(0.5)	100	TON
ASPH CONCRETE FOR PATCHING, TYPE SP4(0.5)	500	TON
ASPH CONC, TYPE SPS	31,181	TON
ASPH CONC, TYPE SP4(0.5)	31,275	TON
PLACE ASPH CONC FOR DRIVE & INTER	5,218	SY
TEMPORARY SURFACING 24"	908	SY
TEMPORARY SURFACING 8"	12,443	SY
PERF GRAD BIND (64-28)FOR ST MAINT PATCH	5	TON
PERF GRADED BINDER (58-28)	1,683	TON
PERF GRADED BINDER (64-28)	1,715	TON
PREP OF INTER & DRIVE	4,037	SY
TACK COAT	39,135	GAL
WATER	524	MGAL
EARTH SHOULDER CONSTRUCTION	18	STA
SUBGRADE PREPARATION	1,928	SY
COLD MILLING, CLASS 3	247	STA
COLD MILLING, CLASS 3 TYPE A	280	STA
SURFACE UNDER GUARDRAIL	285	SY
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	41,840	B DAY
BARRICADE, TYPE III	2,172	B DAY
TEMPORARY SIGN DAY	600	EACH
SIGN DAY	16,903	EACH
CONTRACTOR FURNISHED SIGN DAY	640	EACH
PAVEMENT MARKING REMOVAL	5,500	LF
TEMP PVMT MARKING, TYPE PAINT	13,600	LF
TEMP PVMT MARKING SURF PREP	6,000	LF
OVERLAY BROKEN LINES	1,566	STA
OVERLAY SOLID LINES	3,132	STA
FLAGGING	100	DAY
FURNISHING AND OPERATING PILOT VEHICLE	50	DAY
TRAFFIC CONTROL MANAGEMENT	223	DAY
FIELD OFFICE	1	EACH
TRAINING	3,500	HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	415	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	415	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	415	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	365	HOUR
TEMPORARY SILT CHECK	500	LF
TEMPORARY SILT FENCE	2,000	LF
TEMPORARY EARTH CHECK	500	LF
TEMPORARY MULCH	6	TON

Nebraska Department of Roads
 Contracts Section, P.O. Box 94759, Lincoln, NE 68509
 (402) 479-4525

Plan and Informational Proposal Order Form
Projects to be bid on:
January 23, 2009

Payment required prior to NDOR completing this order.
 dor.ContractsOnlineOrders@nebraska.gov FAX: (402) 479-4845

Document No.

<input type="checkbox"/> Check/Cash	Receipt No.
<input type="checkbox"/> Advance Plans Account No.	
Credit Card	
<input type="checkbox"/> Visa	<input type="checkbox"/> MasterCard
Expiration Date:	
Card No.:	

Please indicate: <input type="checkbox"/> Mail <input type="checkbox"/> Hold	<input type="checkbox"/> Fed Ex. Overnight	Acct. No.
	<input type="checkbox"/> UPS Overnight	Acct. No.
	Comments:	

FOR OFFICE USE ONLY	
Reference I.D.:	
Authorization Code:	Date:

4-Digit Vendor No.:	Ordered By:	Grand Total - Informational Proposals: x \$5.00
Company:		All plans in letting on CD (Does not include colored phasing sheets): x \$25.00
Street Address:		Grand Total - 1/2 Size Plans: x \$.25
		Grand Total - Full Size Plans: x \$.50
PO Box:	City:	State:
		Zip Code:
Phone No.:	Fax No.:	Subtotal
		Tax Code
		Sales Tax
		%
Processed and Informational Proposals Sent By:	Date:	Plans Filled By Blueprint:
		Date:
Total		

If requesting Plan or Proposal CD(s) only, your name will not appear on the Planholders list unless your company has been issued Bid Proposals or you submit the "Planholders Registration" from the NDOR website.

CD containing Informational Proposals for all projects in letting. (No Charge) Total Number Requested: →

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. 1/2 size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
100	NH-80-9(832), NH-80-9(825), NH-80-9(827)				
	Colored Phasing Sheets	<u>SOLD IN 1/2 SIZE SETS ONLY</u> COST \$ 34.00 (Advanced plans account will reflect charge of 136 sheets for each set). Enter number of sets here <input type="checkbox"/>			
105	NH-77-2(158)				
110	RD-77-2(1072)				
200	STPD-79-3(105)				
205	STPP-89(23)				
300	HSIP-81-3(140)				
305	RD-77-4(1021)				

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. ½ size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
310	RD-20-7(1013)				
405	STR-44-2(1010)				
605	STPD-70-3(107)				
610	NH-26-2(113)				
615	RD-61-2(1019)				
620	RD-83-2(1029)				
700	STP-47-1(102)				
705	STP-S42A(101)				
710	STP-34-2(118)				
715	STP-34-2(119)				
800	NH-281-4(119)				

Standard Plans: Refer to "Publication Order Form" for complete sets of Standard Plans and Standard/Special Plans Books

Number of Sets Requested	Standard Plan No.(s)	Number of Sheets Shown in List of Plans	Check Size		Total No. of Sheets	
			1/2	Full	1/2	Full
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		

