

NOTICE TO CONTRACTORS

CALL ORDER 610
 FEDERAL PROJECT NO. NH-26-2(113)
 LOCATION: US-26, WEST OF OGALLALA
 COUNTIES: KEITH

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 10:30 A.M. on January 23, 2009. At that time the bids will be opened and read for GR SEED ELEC BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 8.5 MILES
 START DATE 05/26/2009 WORKING DAYS 95
 Price Range \$ 3,000,000 to \$ 6,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning December 30, 2008 at the Lincoln Central Office and January 05, 2009 at the District Engineer's Office at NORTH PLATTE

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	63	SHEETS	\$	15.75
CROSS SECTIONS (SHEETS X1 THRU X15)	15	SHEETS	\$	3.75
STANDARD PLANS	12	SHEETS	\$	3.00

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T4	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES & DETOUR LOCATION MAP
2-H1 - 2-H3	HORIZONTAL ALIGNMENT & CONTROL POINTS
2-N1	GENERAL INFORMATION
2-N2	GENERAL INFORMATION--MILLED RUMBLE STRIPS
2-L1 - 2-L2	GEOMETRICS
2-L3 - 2-L13	DRAINAGE & EROSION CONTROL
3 - 10	PLAN SHEETS
11	TYPICAL PAVEMENT MARKING PLAN
12	TEMPORARY PAVEMENT MARKING PLAN
13	PAVEMENT MARKING PLAN
14 - 17	ROADWAY LIGHTING PLANS
18	EARTHWORK DATA SHEET
19 - 26	DRAINAGE STRUCTURE CROSS SECTIONS
27	SPECIAL PLAN 1C CONCRETE FLUME, TYPE I
28	SPECIAL PLAN 2C CONCRETE FLUME, TYPE II
29 - 30	SPECIAL PLAN 3C CONCRETE FLUME, TYPE VIII
31 - 33	SPECIAL PLAN 4C MODIFIED TYPE VIII FLUME AND SPLASH BASIN SYSTEM
34 - 36	SPECIAL PLAN 5C MODIFIED TYPE VIII FLUME AND SPLASH BASIN SYSTEM
37 - 40	SPECIAL PLAN 6C BEDDING & BACKFILL REQUIREMENTS FOR CONCRETE PIPE, MCCMP, PCCMP, & PLASTIC PIPE
X1 - X15	CROSS SECTIONS

STANDARD PLANS

108-R3	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
309	MAILBOX SUPPORT POST
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
901-R9	HIGHWAY DELINEATORS
914-R5	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R7	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		248 CY
REMOVE DELINEATOR UNITS		46 EACH
REMOVE ASPHALT SURFACE		2,703 SY
REMOVE DISCHARGE STRUCTURE		6 EACH
REMOVE CONCRETE FLUME		2 EACH
EROSION CONTROL, CLASS 1D		470 SY
EROSION CONTROL, CLASS 2A		1,408 SY

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE B		33 ACRE
MULCH		75 TON

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
PULL BOX, TYPE PB-5		1 EACH
ST LIGHT UNIT SL-BT-40-12-0.25		3 EACH
LIGHTING CONTROL CENTER, DP		1 EACH
1 1/2" CONDUIT IN TRENCH		488 LF
1 1/2" CONDUIT UNDER ROADWAY		13 LF
1 1/2" CONDUIT, JACKED		52 LF
STREET LIGHT CABLE, NO. 6 BARE		552 LF
STREET LIGHT CABLE, NO. 6 USE		1,104 LF

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES		1,803 STA
OVERLAY SOLID LINES		3,606 STA
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE III		46 EACH
GRAVEL SURFACE COURSE		140 CY
MAILBOX POST		10 EACH
CAST IRON GRATE & FRAME		9,476 LB
FLUME SPILLWAY		212 LF
CONCRETE FLUME, TYPE I		2 EACH
CONCRETE FLUME, TYPE II		13 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		62 CY
47B-3000 CONC FOR INLET & JUNCTION BOXES		50 CY
EPOXY RE-STEEL FOR INLET & JCT. BOX		3,104 LB
4" WHT WET RFLC PRF PVMT MKNG T4 GVD		1,050 LF
4" YEL WET RFLC PRF PVMT MKNG T4 GVD		12,000 LF
12" YEL WET RFLC PRF PVMT MKNG T4 GVD		550 LF
HYDRATED LIME		217 TON
HYDRATED LIME FOR ASPHALT MIXTURES		388 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		5 TON
HYDRATED LIME SLURRY STABILIZATION		431 STA
4"		
SHOULDER SUBGRADE PREPARATION		28 STA
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP4(0.5)		500 TON
ASPH CONCRETE FOR PATCHING, TYPE SP4(0.5)		150 TON
ASPH CONC, TYPE SPS		9,430 TON
ASPH CONC, TYPE SP4(0.5)		21,480 TON
PLACE ASPH CONC FOR DRIVE & INTER		2,444 SY

PERF GRAD BIND (64-28)FOR ST MAINT PATCH	27	TON
PERF GRADED BINDER (58-28)	509	TON
PERF GRADED BINDER (64-28)	1,168	TON
CONSTRUCTING ASPH CONC CURB	21,027	LF
PREP OF INTER & DRIVE	330	SY
EMUL ASPH FOR HYDRATE LIME STABILIZATION	105,680	GAL
TACK COAT	22,370	GAL
FOG SEAL	11,650	GAL
WATER	230	MGAL
EARTH SHOULDER CONSTRUCTION	834	STA
SUBGRADE PREPARATION	2,211	SY
COLD MILLING, CLASS 3	455	STA
COLD MILLING, CLASS 3	859	STA
TYPE A		
RUMBLE STRIPS, ASPHALT	901	STA
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
15" CULV PIPE 5	92	LF
15" CULV PIPE 2,5,7,8	130	LF
15" CULV PIPE 3,4,5,6	740	LF

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	17,600	B DAY
BARRICADE, TYPE III	1,056	B DAY
TEMPORARY SIGN DAY	910	EACH
SIGN DAY	12,599	EACH
FLAGGING	130	DAY
FURNISHING AND OPERATING PILOT VEHICLE	65	DAY
FIELD OFFICE	1	EACH
TRAINING	1,000	HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	30	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	20	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	30	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	30	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10	HOUR
TEMPORARY SILT FENCE	1,000	LF
TEMPORARY MULCH	2	TON