

August 6, 2009

TO ALL CONCERNED:

The Department of Roads has scheduled a bid letting to be held in this office September 3, 2009 at 1:30 p.m.

The Notice to Contractors includes:

1. Website Information
2. Notice to all Bidders
3. [Ordering](#) Instructions
4. Notices to Contractors including time allowances and lists of plans
5. Plan and Informational Proposal Order Form
6. R-125 "Request for Bidding Proposal Forms"

Projects containing DBE Goals are indicated in the "Notice to Contractors".

Please check the important letting information on the website frequently.

The last day to submit acceptable prequalification statements for this letting is by 5:00 p.m. on Monday, August 24, 2009.

Sincerely,

Kendall Stege, Supervisor
Contract Lettings Section
Construction Division

KS/d

WEBSITE INFORMATION

The Nebraska Department of Roads, Contract Lettings Section, will be utilizing the Internet as our means of communicating with the contracting industry.

Documents that are posted on the web are:

- Letting Schedule
- Notices to Contractors
- Informational Proposals
- Letting Plans
- List of Prequalified Contractors
- Planholders List
- Informational Addendums
- EBS (Electronic Bidding System)
- Apparent Low Bidders
- Bid Tabulations
- Standard Item Listing
- Awarded Average Unit Prices (AUP) Report

Hard copies of these documents will be available for inspection in the Contracts Office.

There will be a charge for reproduction of any of these documents.

The Website address is: www.Transportation.Nebraska.gov

If you have any questions as you are using our Website, please contact us at:

Nebraska Department of Roads
Contract Lettings Section
P.O. Box 94759
Lincoln, NE 68509-4759

Phone (402) 479-4525
FAX (402) 479-3803

Email: DOR.ContractLettings@nebraska.gov

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free “hotline” Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the “hotline” to report such activities.

The “hotline” is part of the DOT’s continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

ORDERING INSTRUCTIONS FOR PLANS AND PROPOSALS

Refer to the "Notice to Contractors" for the call order number, project number, and list of plans for each project.

Order forms are available on the NDOR website in PDF and Word format. Complete the appropriate forms as follows:

Request for Bidding Proposal Forms (R-125)

Bidders must submit an R-125, Request for Bidding Proposals Forms and be issued bid proposals prior to submitting bids.

Proposals to be used for bidding must be requested on this form. Bidding proposals will be issued only to contractors who are currently prequalified to bid with this department.

There is no charge for bid proposals.

Plan and Informational Proposal Order Form:

Payment is required prior to NDOR completing the order. This payment is not refundable.

Proposals to be used for information only can be ordered as follows:

1. Each individual project.
2. CD that contains all projects in letting. Does not contain addenda.

Plans for each project can be ordered as follows:

1. Complete set.
2. Set less Roadway Cross-Sections and Standards.
3. Set less Standards.
4. Set less Roadway Cross-Sections.
5. Individual sheets
6. CD that contains all projects in letting.

Prices are: Informational Proposals: \$5.00 each
CD containing Informational Proposals: No Charge
Plans per sheet: \$.25 for half-size (12" x 18")
\$.50 for full-size (24" x 36")
CD containing plans: \$25.00 each

Cost shown on the list of plans is for ½ size plans. Nebraska residents add appropriate state sales tax and city tax that is determined by delivery within cities imposing a sales tax.

Select the method of payment on the plan order form:

1. Credit Card (Visa or MasterCard only)
Orders with approved credit cards can be processed without delays.
2. Advanced payment account
Requires a money deposit with recommended \$200 minimum. Failure to have sufficient funds in your account to cover cost of the plans may delay the processing of your order.
This account may also be used to purchase other NDOR publications.
3. Check/cash
Send checks made payable to the Nebraska Dept. of Roads with your completed plan order form. Please do not mail cash.

To order complete sets of standard plans (1/2 size) please use the "Publications Order Form" available on the website. Cost is \$35.00 plus applicable sales tax. As new standards become available they may be purchased at \$0.25 per sheet.

Address: Nebraska Department of Roads
Contracts Section
1500 Highway 2
PO Box 94759
Lincoln NE 68509-4759

FAX (402) 479-3803

Phone: (402) 479-4525

Email: DOR.ContractLettings@nebraska.gov

October 10, 2008

NOTICE TO CONTRACTORS

CALL ORDER 105
 FEDERAL PROJECT NO. IM-NH-80-9(841)
 LOCATION: I-80, 134th STREET BRIDGE, LINCOLN
 COUNTIES: LANCASTER

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 03, 2009. At that time the bids will be opened and read for GRAD,MSE,CULV,BR,GDRL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES
 START DATE 10/13/2009 WORKING DAYS 115
 Price Range \$ 1,000,000 to \$ 3,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning August 11, 2009 at the Lincoln Central Office and August 17, 2009 at the District Engineer's Office at LINCOLN
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.
 This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	118	SHEETS	\$	29.50
CROSS SECTIONS (SHEETS X1 THRU X22)	22	SHEETS	\$	5.50
STANDARD PLANS	13	SHEETS	\$	3.25

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-K1 - 2-K2	SUMMARY OF SOILS & GEOTECHNICAL INFORMATION
2-W	WETLANDS
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION & DETOUR LOCATION MAP
2-L1 - 2-L4	CONSTRUCTION, REMOVALS, & DRAINAGE
2-L5	GEOMETRICS
2-L6 - 2-L7	EROSION CONTROL
3	PLAN & PROFILE SHEET
4 - 5	SIGN LOCATION PLAN
6	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
7	TYPICAL TRAFFIC CONTROL--FREEWAY RAMP CLOSURE
8	TYPICAL TRAFFIC CONTROL PLAN--INERTIAL BARRIER SYSTEM
9	TYPICAL TRAFFIC CONTROL PLAN--FREEWAY CLOSURE
10	TEMPORARY PAVEMENT MARKING PLAN
11 - 13	EARTHWORK DATA SHEETS
14 - 15	DRAINAGE STRUCTURE CROSS SECTIONS
16 - 48	SPECIAL PLAN 1 NU2000 PRESTRESSED CONCRETE GIRDER BRIDGE STA. 15+10.37
49 - 81	SPECIAL PLAN 2 STEEL PLATE GIRDER BRIDGE STA. 15+10.37
82 - 83	SPECIAL PLAN 1C 10' X 6' SINGLE SPAN RC BOX CULVERT STA. 19+10.00
84 - 85	SPECIAL PLAN 2C 5-BAR GRATE INLET WITH CURB
86 - 87	SPECIAL PLAN 3C 5-BAR GRATE INLET WITH CURB
88 - 89	SPECIAL PLAN 4C MECHANICALLY STABILIZED EARTH WALL
90 - 96	SPECIAL PLAN 5C GUARDRAIL PLAN
97	SPECIAL PLAN 6C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
98 - 99	SPECIAL PLAN 7C TEMPORARY SILT CHECKS
R1 - R4	RIGHT-OF-WAY SHEETS
X1 - X22	CROSS SECTIONS

STANDARD PLANS

410-R3 (2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
 411 (4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS
 FOR CONCRETE PIPE
 501-R5 (3 SHEETS) EROSION CONTROL
 502 SILT FENCE DETAILS
 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
 923 TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		240 MGAL
EARTHWORK MEASURED IN EMBANKMENT	28,415	CY
GRAVEL SURFACE COURSE		197 TON
CRUSHED ROCK EMBEDMENT	5,182	SY
CRUSHED ROCK SURFACE COURSE		548 TON
REMOVE GUARDRAIL		859 LF
REMOVE SIGN		2 EACH
REMOVE SIGN STRUCTURE		1 EACH
REMOVE LUMINAIRE		2 EACH
SEEDING, TYPE A		3 ACRE
SEEDING, TYPE B		1 ACRE
COVER CROP SEEDING		4 ACRE
EROSION CONTROL, CLASS 1D	11,797	SY
EROSION CHECKS, TYPE WATTLE		160 LF
FABRIC SILT FENCE-LOW POROSITY		1,470 LF
MULCH		9 TON

GROUP 1A MSE WALL

MOBILIZATION	LUMP	LUMP
EXCAVATION FOR MSE WALL	2,785	CY
CONCRETE FACE PANELS	6,207	SF
CONCRETE LEVELING PADS		375 LF
COPING		391 LF
CONCRETE COATING	LUMP	LUMP
AT STA. 13+64.84		
CONCRETE COATING	LUMP	LUMP
AT STA. 16+55.91		
SELECT GRANULAR BACKFILL FOR MSE WALL	4,793	CY

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
RIPRAP FILTER FABRIC		40 SY
REMOVE INLET		4 EACH
CAST IRON GRATE & FRAME	2,520	LB
PREPARATION OF STRUCTURE		1 EACH
AT STA. 19+14.62		
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	464	CY
EXCAVATION FOR BOX CULVERTS	196	CY
47B-3000 CONC FOR BOX CULV	132	CY
47B-3000 CONC FOR INLET & JUNCTION BOXES	7	CY
RE-STEEL FOR BOX CULVERT	15,945	LB
RE-STEEL FOR INLET & JCT BOX		610 LB
24" METAL FLARED-END SECTION		2 EACH
ROCK RIPRAP, TYPE B		35 TON
24" CULV PIPE 3,4,5,6		176 LF
24" CULV PIPE 2,4,5,7,8		109 LF

GROUP 6 BRIDGE AT STA. 15+10.37

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		158 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		28,480 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE B		79 LF
EXPANSION BEARING, TFE TYPE		8 EACH
FIXED BEARING		8 EACH
47B-3000 CONC FOR BRIDGE		340 CY
47BD-4000 CONC FOR BRIDGE		408 CY
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
AT STA. 15+10.37		
REMOVE STRUCTURE		1 EACH
AT STA. 15+26.89		
EXPANDED POLYSTYRENE GEOFOAM		605 CY
STEEL DIAPHRAGM		6 EACH
EPOXY COATED RE-STEEL		122,605 LB
SUBSURFACE DRAINAGE MATTING		242 SY
HP 12"X53# STEEL PILING		5,820 LF
TEMP BRIDGE SHORING	LUMP	LUMP
BRIDGE SHORING	LUMP	LUMP
CONCRETE COATING	LUMP	LUMP
AT STA. 15+10.37		
GRANULAR BACKFILL		360 CY

GROUP 6A BRIDGE AT STA. 15+10.37

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		158 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		28,480 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE A		79 LF
EXPANSION BEARING, TFE TYPE		8 EACH
FIXED BEARING		8 EACH
47B-3000 CONC FOR BRIDGE		344 CY
47BD-4000 CONC FOR BRIDGE		389 CY
REMOVE STRUCTURE		1 EACH
AT STA. 15+26.89		
STEEL SUPERSTRUCTURE	LUMP	LUMP
AT STA. 15+10.37		
EXPANDED POLYSTYRENE GEOFOAM		605 CY
EPOXY COATED RE-STEEL		133,345 LB
SUBSURFACE DRAINAGE MATTING		242 SY
HP 12"X53# STEEL PILING		5,540 LF
TEMP BRIDGE SHORING	LUMP	LUMP
BRIDGE SHORING	LUMP	LUMP
CONCRETE COATING	LUMP	LUMP
AT STA. 15+10.37		
GRANULAR BACKFILL		360 CY

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		112 LF
PERMANENT INERTIAL BARRIER SYSTEM		2 EACH
BRIDGE APPROACH SECTIONS		4 EACH
GUARDRAIL END TREATMENT, TYPE II		4 EACH
SURFACE UNDER GUARDRAIL		52 SY

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	9,008	B DAY
BARRICADE, TYPE III	5,302	B DAY
TEMPORARY SIGN DAY	792	EACH
SIGN DAY	20,416	EACH
CONTRACTOR FURNISHED SIGN DAY	640	EACH
PAVEMENT MARKING REMOVAL	2,200	LF
TEMP PVMT MARKING, TYPE PAINT	5,700	LF
TEMP PVMT MARKING SURF PREP	5,700	LF
FLASHING ARROW PANEL	62	DAY
CONCRETE PROTECTION BARRIER	1,000	LF
RELOCATE CONC PROTECTION BARRIER	1,100	LF
RELOC INERTIAL BARRIER SYSTEM	4	EACH
INERTIAL BARRIER SYSTEM	4	EACH
REPLACEMENT MODULE	5	EACH
FIELD OFFICE	1	EACH
TRAINING	1,000	HOUR
MOBILIZATION	LUMP	LUMP
CONSTRUCTION STAKING AND SURVEYING	LUMP	LUMP
TEMPORARY FENCE	500	LF
RENTAL OF LOADER, FULLY OPERATED	25	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	25	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	25	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	25	HOUR
TEMPORARY SILT CHECK	100	LF
TEMPORARY SILT FENCE	750	LF
TEMPORARY EARTH CHECK	100	LF
TEMPORARY MULCH	2	TON

NOTICE TO CONTRACTORS

CALL ORDER 110
STATE PROJECT NO. RD-2-6(1031)
LOCATION: N-2, 56TH ST. TO 84TH ST., LINCOLN
COUNTIES: LANCASTER

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 03, 2009 . At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

Length: 2.4 MILES
START DATE 08/16/2010 WORKING DAYS 10
Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning August 11, 2009 at the Lincoln Central Office and August 17, 2009 at the District Engineer's Office at LINCOLN

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	7 SHEETS	\$	1.75
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

1	TITLE PAGE
2-S	SUMMARY OF QUANTITIES
3	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
4 - 6	TYPICAL URBAN TRAFFIC CONTROL PLAN
7	TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R7	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	500	BDAY
BARRICADE, TYPE III	114	BDAY
TEMPORARY SIGN DAY	160	EACH
SIGN DAY	468	EACH
OVERLAY BROKEN LINES	254	STA
OVERLAY SOLID LINES	508	STA
FLASHING ARROW PANEL	10	DAY
FLAGGING	20	DAY
MOBILIZATION	LUMP	LUMP
FOG SEAL	13,120	GAL

NOTICE TO CONTRACTORS

CALL ORDER 115
STATE PROJECT NO. RD-75-2(1061)
LOCATION: US-75, NEBRASKA CITY NORTH
COUNTIES: CASS
OTOE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 03, 2009 . At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

Length: 6.1 MILES
START DATE 11/02/2009 WORKING DAYS 20
Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning August 11, 2009 at the Lincoln Central Office and August 17, 2009 at the District Engineer's Office at LINCOLN
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	2 SHEETS	\$	0.50
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

- 1 TITLE PAGE
& SUMMARY OF QUANTITIES
- 2 TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R7 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	750	B	DAY
BARRICADE, TYPE III	132	B	DAY
TEMPORARY SIGN DAY	140	E	EACH
SIGN DAY	1,196	E	EACH
OVERLAY BROKEN LINES	323	S	TA
OVERLAY SOLID LINES	646	S	TA
FLAGGING	40	D	DAY
FURNISHING AND OPERATING PILOT VEHICLE	20	D	DAY
MOBILIZATION	LUMP	L	LUMP
FOG SEAL	16,940	G	GAL
CRACK SEALING BIT SURFACING	134,400	L	LF

NOTICE TO CONTRACTORS

CALL ORDER 120
 FEDERAL PROJECT NO. HSIP-34-6(138)
 LOCATION: US-34/148TH STREET, EAST OF LINCOLN
 COUNTIES: LANCASTER

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 03, 2009 . At that time the bids will be opened and read for GR CULV ELEC BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

START DATE 04/05/2010 WORKING DAYS 45
 Price Range \$ 500,000 to \$ 2,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning August 11, 2009 at the Lincoln Central Office and August 17, 2009 at the District Engineer's Office at LINCOLN
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	64 SHEETS	\$	16.00
CROSS SECTIONS (SHEETS X1 THRU X12)	12 SHEETS	\$	3.00
STANDARD PLANS	22 SHEETS	\$	5.50

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T3	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-W1 - 2-W5	WETLANDS
2-H1 - 2-H3	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION
2-N2	GENERAL INFORMATION--MILLED RUMBLE STRIPS
2-N3 - 2-N4	GENERAL INFORMATION--RUMBLE STRIPS
2-L1 - 2-L5	GEOMETRICS
2-L6 - 2-L10	CONSTRUCTION & REMOVAL
2-L11 - 2-L14	EROSION & SEDIMENT CONTROL
3 - 7	PLAN & PROFILE SHEETS
8 - 11	TRAFFIC SIGNAL PLAN
12	SIGNING PLAN
13	TEMPORARY PAVEMENT MARKING PLAN
14 - 16	PAVEMENT MARKING PLAN
17 - 18	TEMPORARY ROADWAY LIGHTING PLANS
19 - 22	PERMANENT ROADWAY LIGHTING PLANS
23	EARTHWORK DATA SHEET
24 - 26	DRAINAGE STRUCTURE CROSS SECTIONS
27	SPECIAL PLAN 1C CONCRETE HEADWALL STA. 9302+63.75 RT.
28	SPECIAL PLAN 2C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
29 - 30	SPECIAL PLAN 3C TEMPORARY SILT CHECKS
R1 - R4	RIGHT-OF-WAY SHEETS
X1 - X12	CROSS SECTIONS

STANDARD PLANS

410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
804	PRECAST CONCRETE R.O.W. MARKER
910-R2	SIGNAL FACE CONFIGURATION
911-R1	SIGNAL MOUNTING
912-R4	TRAFFIC SIGNAL POLE DETAILS
914-R5	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R7	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		7,508 CY
WATER		18 MGAL
RIGHT-OF-WAY MARKERS		19 EACH
SAWING PAVEMENT		75 LF
24" DRIVE PIPE 2,3,4,5,6,7 OR 8		38 LF
COVER CROP SEEDING		1 ACRE
EROSION CONTROL, CLASS 1C		3,407 SY
EROSION CONTROL, CLASS 1E		6,694 SY
EROSION CHECKS, TYPE 1D		6 BALE
EROSION CHECKS, TYPE 1E		85 BALE
FABRIC SILT FENCE-LOW POROSITY		432 LF

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE FLARED- END SECTION		3 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		231 CY
47B-3000 CONC FOR HDWL		1 CY
47B-3000 CONC FOR CONCRETE CO		1 CY
RE-STEEL FOR HEADWALL		147 LB
RE-STEEL FOR COLLARS		53 LB
24" FLARED-END SECTION		2 EACH
30" FLARED-END SECTION		2 EACH
36" CONCRETE FLARED-END SECTION		1 EACH
CULVERT SANDFILL		12 CY
JACKING 24" CULV PIPE, 2 CLASS IV		42 LF
JACK 30" CULV PIPE 2 CLASS IV		42 LF
36" CULV PIPE 2		8 LF
24" CULV PIPE 2 CLASS IV		42 LF
30" CULV PIPE 2 CLASS IV		42 LF
36" CULV PIPE 4,5		18 LF
24" CULV PIPE 2,4,5,7,8		86 LF
30" CULV PIPE 2,4,5,7,8		76 LF

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
PULL BOX, TYPE PB-1		5 EACH
PULL BOX, TYPE PB-2A		12 EACH
PULL BOX, TYPE PB-5		2 EACH
PULL BOX, TYPE PB-6		1 EACH
TRAFFIC SIGNAL, TYPE TS-1		8 EACH
TRAFFIC SIGNAL, TYPE TS-2		4 EACH

GROUP 8B ELECTRICAL

PEDESTAL POLE, TYPE PP-10	4	EACH
VEHICLE DETECTOR, TYPE C PREFORMED	12	EACH
VEHICLE DETECTOR, TYPE TD-3	4	EACH
VEHICLE DETECTOR, TYPE TD-ML	16	EACH
ST LIGHT UNIT SL-BT-40-12-0.25	3	EACH
C.M.A. SIG & LGHT POLE, CMP-45-12	2	EACH
MAST ARM SIGNAL POLE, MP-45	2	EACH
LIGHTING CONTROL CENTER, R	1	EACH
1/2" CONDUIT IN TRENCH	1,628	LF
2" CONDUIT IN TRENCH	4,000	LF
3" CONDUIT IN TRENCH	196	LF
1 1/2" CONDUIT UNDER ROADWAY	47	LF
1 1/2" CONDUIT, JACKED	120	LF
2" CONDUIT, JACKED	163	LF
3" CONDUIT, JACKED	168	LF
3/C #14 AWG TRAF SIG CABLE	3,198	LF
12/C #14 AWG TRAF SIG CABLE	765	LF
2/C #14 AWG DETECTOR LEAD-IN CABLE	5,252	LF
4/C #18 AWG DETECTOR LEAD-IN CABLE	1,676	LF
GROUNDING CONDUCTOR	3,130	LF
SERVICE CABLE	64	LF
STREET LIGHT CABLE, NO. 6 BARE	1,795	LF
STREET LIGHT CABLE, NO. 6 USE	3,590	LF
DIRECT BURIAL CABLE, NO. 6 USE	434	LF
UNINTERRUPTIBLE POWER SUPPLY	1	EACH
INST TRAF SIG CONTROLLER, TC-2070	1	EACH
REMOVE TRAFFIC SIGNAL	1	EACH
REMOVE LIGHTING CONTROL CENTER	1	EACH
REMOVE PULL BOX	1	EACH
RELOCATE STREET LIGHTING UNIT	3	EACH
TEMP LIGHTING SYSTEM	1	EACH

GROUP 9 BITUMINOUS

MOBILIZATION	LUMP	LUMP
CRUSHED ROCK SURFACE COURSE		35 TON
5" WHITE THERMOPLASTIC, GROOVED	14,050	LF
5" YELLOW THERMOPLASTIC, GROOVED	15,500	LF
12" WHITE THERMOPLASTIC, GROOVED	575	LF
12" YELLOW THERMOPLASTIC, GROOVED	925	LF
HYDRATED LIME FOR ASPHALT MIXTURES	68	TON
ASPH CONCRETE FOR PATCHING, TYPE SP4(0.5)	100	TON
ASPH CONC, TYPE SP4(0.5)	6,690	TON
PERF GRADED BINDER (64-28)	366	TON
TACK COAT	4,090	GAL
WATER	47	MGAL
EARTH SHOULDER CONSTRUCTION	70	STA
SUBGRADE PREPARATION	9,599	SY
COLD MILLING, CLASS 3	14,965	SY
COLD MILLING, CLASS 4	3,806	SY
RUMBLE STRIPS, ASPHALT	55	STA
FABRIC REINF CRACK REPAIR	11,514	LF
SEEDING, TYPE A	1	ACRE
SEEDING, TYPE B	1	ACRE
MULCH	3	TON

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	3,500	B DAY
BARRICADE, TYPE III	664	B DAY
TEMPORARY SIGN DAY	980	EACH
SIGN DAY	4,316	EACH
TEMP PVMT MARKING, TYPE PAINT	26,700	LF
TEMP PVMT MARKING SURF PREP	26,700	LF
OVERLAY BROKEN LINES	97	STA
OVERLAY SOLID LINES	194	STA

GROUP 10 GENERAL ITEMS

PERMANENT PAVEMENT MARKING PAINT		170	LF
FLAGGING		140	DAY
TRAFFIC CONTROL MANAGEMENT		83	DAY
FIELD OFFICE		1	EACH
MOBILIZATION	LUMP		LUMP
RENTAL OF LOADER, FULLY OPERATED		20	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED		10	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		20	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		20	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		10	HOUR
TEMPORARY SILT CHECK		100	LF
TEMPORARY SILT FENCE		500	LF
TEMPORARY EARTH CHECK		100	LF
TEMPORARY MULCH		2	TON

NOTICE TO CONTRACTORS

CALL ORDER 300
 FEDERAL PROJECT NO. STPD-32-5(106)
 LOCATION: N-32, MADISON EAST BRIDGES
 COUNTIES: MADISON STANTON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 03, 2009. At that time the bids will be opened and read for GR CULV SEED BR GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES

Length: 1.0 MILES
 START DATE 03/01/2010 CALENDAR DAYS 258
 Price Range \$ 3,000,000 to \$ 6,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning August 11, 2009 at the Lincoln Central Office and August 17, 2009 at the District Engineer's Office at NORFOLK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	132 SHEETS	\$	33.00
CROSS SECTIONS (SHEETS X1 THRU X35)	35 SHEETS	\$	8.75
STANDARD PLANS	16 SHEETS	\$	4.00

SHEET NO.

1	TITLE PAGE
2	INDEX OF SHEETS
2-T1 - 2-T4	TYPICAL CROSS SECTIONS
2-S1 - 2-S3	SUMMARY OF QUANTITIES & DETOUR LOCATION MAP
2-W	WETLANDS
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N3	GENERAL INFORMATION
2-L1	GEOMETRICS
2-L2 - 2-L4	EROSION CONTROL
3 - 5	PLAN & PROFILE SHEETS
6	TEMPORARY PAVEMENT MARKING PLAN
7 - 8	EARTHWORK DATA SHEETS
9 - 11	DRAINAGE STRUCTURE CROSS SECTIONS
12 - 39	SPECIAL PLAN 1 PRESTRESSED IT-800 GIRDER BRIDGE STA. 72+06.00
40 - 68	SPECIAL PLAN 2 PRESTRESSED NU-900 CONCRETE GIRDER BRIDGE STA. 229+95.00
69 - 96	SPECIAL PLAN 3 ROLLED BEAM GIRDER BRIDGE STA. 229+95.00
97 - 104	SPECIAL PLAN 1C GUARDRAIL PLAN
105 - 107	SPECIAL PLAN 2C 12' X 10' TRIPLE SPAN RC BOX CULVERT STA. 80+86.00
108	SPECIAL PLAN 3C DOWELING INTO EXISTING CONCRETE BOX CULVERT FOR CULVERT EXTENSION
109	SPECIAL PLAN 4C CONCRETE HEADWALL
110 - 111	SPECIAL PLAN 5C TEMPORARY SILT CHECKS
112	SPECIAL PLAN 6C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
R1 - R3	RIGHT-OF-WAY SHEETS
X1 - X35	CROSS SECTIONS

STANDARD PLANS

410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
804	PRECAST CONCRETE R.O.W. MARKER
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE
1105	(2 SHEETS) REINFORCED CONCRETE BOX CULVERTS SINGLE SPAN WITH 5-FOOT RISE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION		9,594 CY
EXCAVATION, BORROW		57,622 CY
WATER		269 MGAL
RIGHT-OF-WAY MARKERS		12 EACH
REMOVE ASPHALT SURFACE		570 SY
24" DRIVE PIPE 2,3,4,5,6,7 OR 8		255 LF
CRUSH CONCRETE PAVEMENT		14,008 SY
REMOVE GUARDRAIL		350 LF
COVER CROP SEEDING		27 ACRE
EROSION CONTROL, CLASS 1D		18,493 SY
EROSION CONTROL, CLASS 1F		2,521 SY
EROSION CHECKS, TYPE 1D		21 BALE
EROSION CHECKS, TYPE 1F		6 BALE
FABRIC SILT FENCE, COIR FIBER		5,653 LF

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE FLARED- END SECTION		5 EACH
PREPARATION OF STRUCTURE AT STA. 57+31		1 EACH
PREPARATION OF STRUCTURE AT STA. 58+56		1 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		1,149 CY
EXCAVATION FOR BOX CULVERTS		89 CY
47B-3000 CONC FOR HDWL		4 CY
47B-3000 CONC FOR BOX CULV		41 CY
RE-STEEL FOR HEADWALL		644 LB
RE-STEEL FOR BOX CULVERT		3,513 LB
48" AUTO. FLOOD CONTROL GATE		2 EACH
24" METAL FLARED-END SECTION		4 EACH
24" CULV PIPE 3,4,5		44 LF
48" CULV PIPE 2,4,5		290 LF

GROUP 4A CULVERT AT STA. 80+86

MOBILIZATION	LUMP	LUMP
EXCAVATION FOR BOX CULVERTS		2,070 CY
47B-3000 CONC FOR BOX CULV		348 CY
RE-STEEL FOR BOX CULVERT		34,296 LB

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE A		23 ACRE
SEEDING, TYPE B		4 ACRE
MULCH		61 TON

GROUP 6 BRIDGE AT STA. 72+06.00

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	3,250	CY
RIPRAP FILTER FABRIC	870	SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000	197	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	35,400	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
PRECOMPRESSED POLY FOAM JOINT, TYPE B	94	LF
47B-3000 CONC FOR BRIDGE	348	CY
47BD-4000 CONC FOR BRIDGE	282	CY
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
AT STA. 72+06.00		
REMOVE STRUCTURE	1	EACH
AT STA. 72+06.07		
ACCESS CROSSING	LUMP	LUMP
AT STA. 72+06		
STRUC STEEL FOR SUBSTRUCTURE	3,180	LB
STEEL DIAPHRAGM	12	EACH
BROKEN CONCRETE RIPRAP	160	TON
ROCK RIPRAP, TYPE B	600	TON
EPOXY COATED RE-STEEL	124,940	LB
SUBSURFACE DRAINAGE MATTING	58	SY
PIPE PILING	4,100	LF
STEEL SHEET PILING	3,271	SF
GRANULAR BACKFILL	275	CY

GROUP 6A BRIDGE AT STA. 229+95.00

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	3,390	CY
RIPRAP FILTER FABRIC	870	SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000	198	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	35,220	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
PRECOMPRESSED POLY FOAM JOINT, TYPE B	94	LF
EXPANSION BEARING, TFE TYPE	12	EACH
FIXED BEARING	24	EACH
47B-3000 CONC FOR BRIDGE	381	CY
47BD-4000 CONC FOR BRIDGE	398	CY
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
AT STA. 229+95.00		
REMOVE STRUCTURE	1	EACH
AT STA. 230+21.32		
ACCESS CROSSING	LUMP	LUMP
AT STA. 229+95.00		
STRUC STEEL FOR SUBSTRUCTURE	7,160	LB
BROKEN CONCRETE RIPRAP	265	TON
ROCK RIPRAP, TYPE B	435	TON
EPOXY COATED RE-STEEL	132,595	LB
SUBSURFACE DRAINAGE MATTING	60	SY
PIPE PILING	4,140	LF
STEEL SHEET PILING	4,441	SF
GRANULAR BACKFILL	315	CY

GROUP 6B BRIDGE AT STA. 229+95.00

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	3,390	CY
RIPRAP FILTER FABRIC	870	SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000	197	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	35,220	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
PRECOMPRESSED POLY FOAM JOINT, TYPE B	94	LF
EXPANSION BEARING, TFE TYPE	12	EACH
FIXED BEARING	12	EACH
47B-3000 CONC FOR BRIDGE	372	CY
47BD-4000 CONC FOR BRIDGE	349	CY
REMOVE STRUCTURE	1	EACH
AT STA. 230+21.32		
ACCESS CROSSING	LUMP	LUMP
AT STA. 229+95.00		
STEEL SUPERSTRUCTURE	LUMP	LUMP
AT STA. 229+95.00		
STRUC STEEL FOR SUBSTRUCTURE	7,185	LB
BROKEN CONCRETE RIPRAP	265	TON
ROCK RIPRAP, TYPE B	435	TON
EPOXY COATED RE-STEEL	118,240	LB
SUBSURFACE DRAINAGE MATTING	58	SY
PIPE PILING	3,860	LF
STEEL SHEET PILING	4,441	SF
GRANULAR BACKFILL	303	CY

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL	512	LF
REMOVE & SALVAGE GUARDRAIL	375	LF
RESET GUARDRAIL	375	LF
BRIDGE APPROACH SECTIONS	5	EACH
GUARDRAIL END TREATMENT, TYPE II	4	EACH

GROUP 9 BITUMINOUS

MOBILIZATION	LUMP	LUMP
GRAVEL SURFACE COURSE	35	CY
CC FOUNDATION COURSE	14,653	SY
3"		
GRANULAR SUBDRAIN	100	EACH
SURFACING 6"	547	SY
SURFACING 9"	14,653	SY
PREP OF INTER & DRIVE	547	SY
WATER	71	MGAL
EARTH SHOULDER CONSTRUCTION	94	STA
SUBGRADE PREPARATION	14,653	SY
COLD MILLING, CLASS 4	12	STA
SURFACE UNDER GUARDRAIL	1,038	SY

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE III	4,128	B DAY
SIGN DAY	3,122	EACH
CONTRACTOR FURNISHED SIGN DAY	1,548	EACH
OVERLAY BROKEN LINES	54	STA
FIELD OFFICE	1	EACH
TRAINING	2,000	HOURL
MOBILIZATION	LUMP	LUMP

RENTAL OF LOADER, FULLY OPERATED	90 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	90 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	90 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	90 HOUR
TEMPORARY SILT CHECK	300 LF
TEMPORARY SILT FENCE	4,000 LF
TEMPORARY EARTH CHECK	300 LF
TEMPORARY MULCH	4 TON

NOTICE TO CONTRACTORS

CALL ORDER 305
 STATE PROJECT NO. S-81-3(1035)
 LOCATION: US-81, MONROE AVENUE, NORFOLK
 COUNTIES: MADISON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 03, 2009. At that time the bids will be opened and read for GR CONC PAVE CULV ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT
 START DATE 04/05/2010 WORKING DAYS 55
 Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning August 11, 2009 at the Lincoln Central Office and August 17, 2009 at the District Engineer's Office at NORFOLK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	65	SHEETS	\$ 16.25
CROSS SECTIONS (SHEETS X1 THRU X25)	25	SHEETS	\$ 6.25
STANDARD PLANS	31	SHEETS	\$ 7.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T3	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-A	PHOTO MAP
2-H1 - 2-H4	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N3	GENERAL INFORMATION & DETOUR LOCATION MAP
2-L1 - 2-L5	GEOMETRICS & JOINTS
2-L6 - 2-L7	GRADES
2-L8 - 2-L13	CONSTRUCTION, REMOVAL, & DRAINAGE
2-L14 - 2-L17	EROSION CONTROL
3 - 6	PLAN & PROFILE SHEETS
7 - 9	TYPICAL URBAN TRAFFIC CONTROL PLAN
10 - 16	TRAFFIC SIGNAL PLAN--MONROE AVENUE
17	PAVEMENT MARKING PLAN--MONROE AVENUE
18 - 23	ROADWAY LIGHTING PLANS
24 - 25	EARTHWORK DATA SHEETS
26 - 28	DRAINAGE STRUCTURE CROSS SECTIONS
29	SPECIAL PLAN 1C CURB RAMPS
30 - 31	SPECIAL PLAN 2C TEMPORARY SILT CHECKS
32	SPECIAL PLAN 3C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
R1 - R4	RIGHT-OF-WAY SHEETS
X1 - X25	CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
329-R7	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
435-R1	(3 SHEETS) MANHOLE
443-R7	(2 SHEETS) CURB INLETS AND JUNCTION BOX
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
910-R2	SIGNAL FACE CONFIGURATION
911-R1	SIGNAL MOUNTING
912-R4	TRAFFIC SIGNAL POLE DETAILS
914-R5	PULL BOX DETAIL

920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	5,173	CY
WATER	40	MGAL
RE-ESTABLISH PROPERTY CORNER	7	EACH
REMOVE PAVEMENT	6,915	SY
SAWING PAVEMENT	987	LF
REMOVE DRIVEWAY	917	SY
REMOVE WALK	95	SY
REMOVE CONCRETE MEDIAN SURFACING	286	SY
EROSION CONTROL, CLASS 1C	803	SY
EROSION CONTROL, CLASS 2A	117	SY
EROSION CHECKS, TYPE WATTLE	60	LF
FABRIC SILT FENCE-LOW PROF LOW PORO	287	LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
GRAVEL SURFACE COURSE	4	TON
CRUSHED ROCK SURFACE COURSE	1	TON
TIE BARS	263	EACH
CONC 47B-3500 CURB TYPE I	251	LF
6" CONC 47B-3000 SIDEWALKS	105	SY
8" CONC 47B-3000 SIDEWALKS	10	SY
CONC 47B-3000 MEDIAN SURFACING	478	SY
CONC CLASS 47B-3500 DRIVEWAY 8"	454	SY
CONC 47B-3500 DRIVEWAY 10"	455	SY
10" DOWELED CONC PVMT, 47B-3500	7,674	SY
ADJUST MANHOLE TO GRADE	1	EACH
4" NONPERF PIPE UNDERDRAIN	10	LF
4" PERFORATED PIPE UNDERDRAIN	1,657	LF
FOUNDATION COURSE	7,674	SY
GRANULAR SUBDRAIN	4	EACH
PREP OF INTER & DRIVE	909	SY
WATER	31	MGAL
EARTH SHOULDER CONSTRUCTION	30	STA
SUBGRADE PREPARATION	7,674	SY
MILLING CONCRETE CURB	62	LF
SEEDING, TYPE B	3	ACRE
MULCH	6	TON
ADJUST VALVE BOX TO GRADE	3	EACH
RELOCATE FIRE HYDRANT	1	EACH

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE MANHOLE	2	EACH
REMOVE INLET	3	EACH
CAST IRON COVER & FRAME	500	LB
RECONSTRUCT MANHOLE	1	EACH
REMOVE SEWER PIPE	136	LF
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	14	CY
47B-3000 CONC FOR INLET & JUNCTION BOXES	13	CY
47B-3000 CONC FOR CONCRETE CO	1	CY
RE-STEEL FOR INLET & JCT BOX	934	LB
RE-STEEL FOR COLLARS	51	LB
24" CONCRETE FLARED-END SECTION	1	EACH

30" RND EQUIV CONCRETE FES	2 EACH
CURB INLET SEDIMENT FILTER	4 EACH
36" CULV PIPE 3,4,5	20 LF
24" STORM SEWER PIPE 1,7,8	155 LF
30" RND EQ STORM SEWER PIPE 1	113 LF

GROUP 8B ELECTRICAL

	LUMP	LUMP
MOBILIZATION		
PULL BOX, TYPE PB-1		8 EACH
PULL BOX, TYPE PB-1A		9 EACH
PULL BOX, TYPE PB-5		5 EACH
TRAFFIC SIGNAL, TYPE TS-1		8 EACH
TRAFFIC SIGNAL, TYPE TS-1A		1 EACH
TRAFFIC SIGNAL, TYPE TS-2		6 EACH
PEDESTRIAN SIGNAL, TYPE PS-1		2 EACH
PEDESTAL POLE, TYPE PP-10		6 EACH
VEHICLE DETECTOR, TYPE A PREFORMED		16 EACH
VEHICLE DETECTOR, TYPE B PREFORMED		6 EACH
C.M.A. SIG & LGHT POLE, CMP-60-12		1 EACH
C.M.A. SIG & LGHT POLE, CMP-65-12		1 EACH
MAST ARM SIGNAL POLE, MP-40		1 EACH
MAST ARM SIGNAL POLE, MP-45		1 EACH
LED TRAF SIG MOD, TYPE 12" YELLOW		8 EACH
LED TRAF SIG MOD, TYPE 12" GREEN		8 EACH
LED PED SIGNAL MODULE, TYPE FILLED COMBO		4 EACH
1 1/2" CONDUIT IN TRENCH		554 LF
2" CONDUIT IN TRENCH	3,	357 LF
1 1/2" CONDUIT UNDER ROADWAY		151 LF
2" CONDUIT UNDER ROADWAY		136 LF
2" CONDUIT, JACKED		318 LF
3/C #14 AWG TRAF SIG CABLE	2,	178 LF
12/C #14 AWG TRAF SIG CABLE		523 LF
2/C #14 AWG DETECTOR LEAD-IN CABLE		875 LF
GROUNDING CONDUCTOR	2,	318 LF
SERVICE CABLE		52 LF
STREET LIGHT CABLE, NO. 6 BARE		705 LF
STREET LIGHT CABLE, NO. 6 USE		1,410 LF
2 PAIR COMMUNICATION CABLE		4,057 LF
INST TRAF SIG CONTROLLER, TC-2070		1 EACH
INSTALL UNINTERRUPTIBLE POWER SUPPLY		2 EACH
REMOVE PULL BOX		5 EACH
REMOVE TRAFFIC SIGNAL CABLE	1,	076 LF
RELOCATE STREET LIGHTING UNIT		4 EACH
TYPE A		
RELOCATE STREET LIGHTING UNIT		2 EACH
TYPE B		
RELOCATE PULL BOX		2 EACH
TYPE PB-1		
RELOCATE PULL BOX		2 EACH
TYPE PB-1A		

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	5,960 BDAY
BARRICADE, TYPE III	2,704 BDAY
TEMPORARY SIGN DAY	240 EACH
SIGN DAY	1,601 EACH
CONTRACTOR FURNISHED SIGN DAY	1,040 EACH
FLASHING ARROW PANEL	60 DAY
TRAFFIC CONTROL MANAGEMENT	104 DAY
MOBILIZATION	LUMP LUMP
RENTAL OF LOADER, FULLY OPERATED	5 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	5 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	5 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5 HOUR

TEMPORARY SILT CHECK
TEMPORARY SILT FENCE

200 LF
500 LF

NOTICE TO CONTRACTORS

CALL ORDER 310
 FEDERAL PROJECT NO. NH-20-5(111)
 LOCATION: US-20, ROYAL-PLAINVIEW
 COUNTIES: ANTELOPE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 03, 2009. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 14.3 MILES
 START DATE 05/24/2010 WORKING DAYS 95
 Price Range \$ 4,000,000 to \$ 7,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning August 11, 2009 at the Lincoln Central Office and August 17, 2009 at the District Engineer's Office at NORFOLK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	5 SHEETS	\$	1.25
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
3	TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R7	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	49,500	BDAY
BARRICADE, TYPE III	640	BDAY
TEMPORARY SIGN DAY	1,176	EACH
SIGN DAY	22,880	EACH
OVERLAY BROKEN LINES	3,097	STA
OVERLAY SOLID LINES	6,194	STA
FLAGGING	168	DAY
FURNISHING AND OPERATING PILOT VEHICLE	84	DAY
FIELD OFFICE	1	EACH
TRAINING	1,500	HOUR
MOBILIZATION	LUMP	LUMP
HYDRATED LIME FOR ASPHALT MIXTURES	247	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	5	TON
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP4(0.5)	500	TON
ASPH CONCRETE FOR PATCHING, TYPE SP4(0.5)	500	TON
ASPH CONC, TYPE SPS	14,210	TON
ASPH CONC, TYPE SP4(0.5)	24,210	TON
HIGH RAP BASE	47,920	TON
PERF GRAD BIND (64-28)FOR ST MAINT PATCH	25	TON

PERF GRADED BINDER (58-34)	1,677	TON
PERF GRADED BINDER (64-28)	1,235	TON
PERF GRADED BINDER (52-34)	710	TON
TACK COAT	63,720	GAL
RENTAL OF LOADER, FULLY OPERATED	80	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	80	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	80	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	80	HOUR
WATER	380	MGAL
EARTH SHOULDER CONSTRUCTION	1,506	STA
COLD MILLING, CLASS 3	800	STA
COLD MILLING, CLASS 3	783	STA
TYPE A		
COLD MILLING, CLASS 3	27	STA
TYPE B		
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B	21	ACRE
MULCH	47	TON

NOTICE TO CONTRACTORS

CALL ORDER 400
 FEDERAL PROJECT NO. STP-10-2(115)
 LOCATION: N-10, SOUTH OF PLEASANTON
 COUNTIES: BUFFALO

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 03, 2009. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 10.0 MILES
 START DATE 08/30/2010 WORKING DAYS 30
 Price Range \$ 500,000 to \$ 2,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning August 11, 2009 at the Lincoln Central Office and August 17, 2009 at the District Engineer's Office at GRAND ISLAND
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	3 SHEETS	\$	0.75
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
& TYPICAL CROSS SECTION
- 3 TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R7 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	17,600	BDAY
BARRICADE, TYPE III	248	BDAY
TEMPORARY SIGN DAY	420	EACH
SIGN DAY	6,324	EACH
OVERLAY BROKEN LINES	1,056	STA
OVERLAY SOLID LINES	2,112	STA
FLAGGING	60	DAY
FURNISHING AND OPERATING PILOT VEHICLE	30	DAY
FIELD OFFICE	1	EACH
TRAINING	250	HOUR
MOBILIZATION	LUMP	LUMP
HYDRATED LIME FOR ASPHALT MIXTURES	161	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	3	TON
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP4(0.5)	300	TON
ASPH CONCRETE FOR PATCHING, TYPE SP4(0.5)	1,000	TON
ASPH CONC, TYPE SP4(0.5)	15,150	TON
PERF GRAD BIND (64-28)FOR ST MAINT PATCH	15	TON
PERF GRADED BINDER (64-28)	807	TON
TACK COAT	21,120	GAL

RENTAL OF LOADER, FULLY OPERATED	100	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	100	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	100	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	100	HOUR
COLD MILLING, CLASS 3	527	STA
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 405
 STATE PROJECT NO. STR-80-6(1034)
 LOCATION: I-80, WOOD RIVER INTERCHANGE
 COUNTIES: HALL

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 03, 2009. At that time the bids will be opened and read for BRIDGE

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES
 START DATE 03/29/2010 WORKING DAYS 15
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning August 11, 2009 at the Lincoln Central Office and August 17, 2009 at the District Engineer's Office at GRAND ISLAND
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

NOTICE TO BIDDERS

To be eligible for the award of this contract, bidders shall submit a completed bidding proposal for Call Order No. 405, {Project No. STR-80-6(1034)} and Call Order No. 520, {Project No. STR-71-3(1045)}. Award of Contract, if awarded, will be made on the combined bid for these call order nos. Separate contracts will be awarded for each Call Order Number. Please order plans and proposals accordingly.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	9 SHEETS	\$	2.25
STANDARD PLANS	2 SHEETS	\$	0.50

SHEET NO.

- 1 TITLE PAGE
& SUMMARY OF QUANTITIES
- 2 TRAFFIC CONTROL PLAN
- 3 TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE
(FREEWAY-INTERSTATE)
- 4 TEMPORARY PAVEMENT MARKING PLAN
- 5 - 9 SPECIAL PLAN 1 NU1100 CONCRETE GIRDER BRIDGE
GENERAL NOTES & REPAIR PROCEDURE
REF. POST NO. 300+13

STANDARD PLANS
 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT R.P. 300.13

BARRICADE, TYPE II	1,701	B	DAY
BARRICADE, TYPE III	189	B	DAY
SIGN DAY	1,323	E	EACH
TEMP PAVEMENT MARKING REMOVAL	1,760	L	F
PAVEMENT MARKING REMOVAL	1,760	L	F
TEMP PVMT MARKING, TYPE PAINT	1,760	L	F
TEMP PVMT MARKING SURF PREP	1,000	L	F
FLASHING ARROW PANEL	27	D	DAY
FURN & OPER TRUCK MOUNTED ATTENUATOR SYS	26	D	DAY
TRAFFIC CONTROL MANAGEMENT	27	D	DAY
MOBILIZATION	LUMP	L	LUMP
GIRDER REPAIR	1	E	EACH
AT GIRDER A1			
GIRDER REPAIR	1	E	EACH
AT GIRDER E1			

NOTICE TO CONTRACTORS

CALL ORDER 505
 STATE PROJECT NO. STR-92-1(1021)
 LOCATION: N-92, BROADWATER SOUTH BRIDGES
 COUNTIES: MORRILL

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 03, 2009. At that time the bids will be opened and read for BRIDGE

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES
 START DATE 09/13/2010 WORKING DAYS 25
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning August 11, 2009 at the Lincoln Central Office and August 17, 2009 at the District Engineer's Office at GERING. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	11 SHEETS	\$	2.75
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
- 3 TYPICAL TRAFFIC CONTROL PLAN--TYPICAL YIELD CONTROL FOR LOW VOLUME, ONE LANE, TWO WAY TRAFFIC (NARROW BRIDGE, BARRELS ONLY)
- 4 TYPICAL TRAFFIC SIGNAL CONTROL PLAN--ONE LANE, TWO WAY OPERATION WITHOUT BARRIERS (NARROW BRIDGE - 10')
- 5 TEMPORARY TRAFFIC SIGNAL
- 6 TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
- 7 TEMPORARY PAVEMENT MARKING PLAN
- 8 - 9 SPECIAL PLAN 1 BRIDGE REPAIR
REF. POST NO. 71+64
- 10 - 11 SPECIAL PLAN 2 BRIDGE REPAIR
REF. POST NO. 61+90

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R7 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT R.P. 71.64

MOBILIZATION	LUMP	LUMP
47B-HE-4000 CONC FOR BRIDGE		1 CY
PREP BRIDGE		1 EACH
AT R.P. 71.64		

GROUP 6A BRIDGE AT R.P. 61.90

MOBILIZATION	LUMP	LUMP
PREFORMED SILICONE JOINT, TYPE A		93 LF
47BD-4000 CONC FOR BRIDGE		3 CY
PREP BRIDGE		1 EACH
AT R.P. 61.90		
ABUTMENT REPAIR		133 SF
CONCRETE REPAIR		12 SF

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	1,110	BDAY
BARRICADE, TYPE III	212	BDAY
SIGN DAY	1,728	EACH
PAVEMENT MARKING REMOVAL	10,500	LF
TEMP PVMT MARKING, TYPE PAINT	8,000	LF
TEMP PVMT MARKING SURF PREP	5,250	LF
PERMANENT PAVEMENT MARKING PAINT	6,500	LF
TEMPORARY RUMBLE STRIP	4	EACH
TEMPORARY TRAFFIC SIGNAL	1	EACH
MOBILIZATION	LUMP	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 510
 STATE PROJECT NO. STR-S23A(1002)
 LOCATION: S23A, WHITNEY SPUR BRIDGE
 COUNTIES: DAWES

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 03, 2009. At that time the bids will be opened and read for BRIDGE

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES

START DATE 04/05/2010 WORKING DAYS 30
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning August 11, 2009 at the Lincoln Central Office and August 17, 2009 at the District Engineer's Office at GERING

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	12 SHEETS	\$	3.00
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

1	TITLE PAGE
2-S	SUMMARY OF QUANTITIES
3	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL YIELD CONTROL FOR LOW VOLUME, ONE LANE, TWO WAY TRAFFIC (NARROW BRIDGE, BARRIERS)
4	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
5	TEMPORARY PAVEMENT MARKING PLAN
6 - 10	SPECIAL PLAN 1 END OF FLOOR & JOINT REPAIR REF. POST NO. 1+72
11 - 12	SPECIAL PLAN 1C CONCRETE PROTECTION BARRIER

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT R.P. 1.72

BARRICADE, TYPE II	770	BDAY
BARRICADE, TYPE III	275	BDAY
SIGN DAY	2,200	EACH
TEMP PAVEMENT MARKING REMOVAL	1,150	LF
PAVEMENT MARKING REMOVAL	200	LF
TEMP PVMT MARKING, TYPE PAINT	1,150	LF
TEMP PVMT MARKING SURF PREP	575	LF
PERMANENT PAVEMENT MARKING PAINT	2,050	LF
FLAGGING	6	DAY
CONCRETE PROTECTION BARRIER	475	LF
RELOCATE CONC PROTECTION BARRIER	475	LF
MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000	62	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	8,975	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PREFORMED SILICONE JOINT, TYPE A	51	LF
CLASS II REPAIR	55	SY
CLASS III REPAIR	5	SY
47BD-4000 CONC FOR BRIDGE	20	CY

PREP BRIDGE	1 EACH
AT R.P. 1.72	
EPOXY COATED RE-STEEL	2,576 LB
ABUTMENT REPAIR	5 SF
GRANULAR BACKFILL	20 CY

NOTICE TO CONTRACTORS

CALL ORDER 515
 STATE PROJECT NO. STR-385-4(1036)
 LOCATION: L79E & US-385, CHADRON SOUTH BRIDGES
 COUNTIES: DAWES SCOTTS BLUFF

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 03, 2009. At that time the bids will be opened and read for BRIDGE

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES
 START DATE 04/05/2010 WORKING DAYS 35
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning August 11, 2009 at the Lincoln Central Office and August 17, 2009 at the District Engineer's Office at GERING
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	12 SHEETS	\$	3.00
STANDARD PLANS	2 SHEETS	\$	0.50

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
- 3 TYPICAL TRAFFIC SIGNAL CONTROL PLAN FOR ONE LANE,
TWO WAY OPERATION WITH BARRIERS (US-385, R.P. 143+84)
- 4 TYPICAL TRAFFIC SIGNAL CONTROL PLAN FOR ONE LANE,
TWO WAY OPERATION WITHOUT BARRIERS (L-79E, R.P. 1+45)
- 5 TEMPORARY TRAFFIC SIGNAL
- 6 TEMPORARY PAVEMENT MARKING PLAN
- 7 - 8 SPECIAL PLAN 1 BRIDGE REPAIR
REF. POST NO. 143+84
- 9 - 10 SPECIAL PLAN 2 BRIDGE REPAIR
REF. POST NO. 1+45
- 11 - 12 SPECIAL PLAN 1C CONCRETE PROTECTION BARRIER

STANDARD PLANS

920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT R.P. 143.84

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		55 CY
PRECOMPRESSED POLY FOAM JOINT, TYPE A		113 LF
PREP BRIDGE		1 EACH
AT R.P. 143.84		
EPOXY COATED RE-STEEL		3,195 LB

GROUP 6A BRIDGE AT R.P. 1.45

MOBILIZATION	LUMP	LUMP
PREFORMED SILICONE JOINT, TYPE A		33 LF
CLASS II REPAIR		22 SY
CLASS III REPAIR		2 SY
47B-HE-4000 CONC FOR BRIDGE		3 CY
PREP BRIDGE		1 EACH
AT R.P. 1.45		
CONCRETE REPAIR		60 SF

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	1,200	BDAY
BARRICADE, TYPE III	276	BDAY
SIGN DAY	2,781	EACH
TEMP PAVEMENT MARKING REMOVAL	8,000	LF
PAVEMENT MARKING REMOVAL	2,600	LF
TEMP PVMT MARKING, TYPE PAINT	8,000	LF
TEMP PVMT MARKING SURF PREP	2,520	LF
FLAGGING	10	DAY
CONCRETE PROTECTION BARRIER	462	LF
RELOCATE CONC PROTECTION BARRIER	462	LF
TEMPORARY RUMBLE STRIP	8	EACH
TEMPORARY TRAFFIC SIGNAL	2	EACH
MOBILIZATION	LUMP	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 520
STATE PROJECT NO. STR-71-3(1045)
LOCATION: N-71, GERING INTERCHANGE
COUNTIES: SCOTTS BLUFF

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 03, 2009. At that time the bids will be opened and read for BRIDGE

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES
START DATE 10/05/2009 WORKING DAYS 15
Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning August 11, 2009 at the Lincoln Central Office and August 17, 2009 at the District Engineer's Office at GERING
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

NOTICE TO BIDDERS

To be eligible for the award of this contract, bidders shall submit a completed bidding proposal for Call Order No. 405, {Project No. STR-80-6(1034)} and Call Order No. 520, {Project No. STR-71-3(1045)}. Award of Contract, if awarded, will be made on the combined bid for these call order nos. Separate contracts will be awarded for each Call Order Number. Please order plans and proposals accordingly.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	8 SHEETS	\$	2.00
STANDARD PLANS	2 SHEETS	\$	0.50

SHEET NO.

- 1 TITLE PAGE
& SUMMARY OF QUANTITIES
- 2 TRAFFIC CONTROL PLAN
- 3 TEMPORARY PAVEMENT MARKING PLAN
- 4 - 8 SPECIAL PLAN 1 TWIN PRESTRESSED CONCRETE GIRDER BRIDGES
(GIRDER DAMAGE REPAIR)
REF. POST NO. 58+50 L

STANDARD PLANS

920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT R.P. 58.50

BARRICADE, TYPE II	810	BDAY
BARRICADE, TYPE III	135	BDAY
SIGN DAY	1,026	EACH
FLASHING ARROW PANEL	27	DAY
FLAGGING	20	DAY
FURN & OPER TRUCK MOUNTED ATTENUATOR SYS	13	DAY
MOBILIZATION	LUMP	LUMP
GIRDER REPAIR AT GIRDER A2	1	EACH
GIRDER REPAIR AT GIRDER B2	1	EACH

NOTICE TO CONTRACTORS

CALL ORDER 600
 FEDERAL PROJECT NO. IM-80-3(119)
 LOCATION: I-80, BIG SPRINGS WEST
 COUNTIES: DEUEL

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 03, 2009. At that time the bids will be opened and read for BR GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 4.1 MILES
 START DATE 05/03/2010 WORKING DAYS 100
 Price Range \$ 3,000,000 to \$ 6,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning August 11, 2009 at the Lincoln Central Office and August 17, 2009 at the District Engineer's Office at GERING
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	65 SHEETS	\$	16.25
STANDARD PLANS	13 SHEETS	\$	3.25

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T7	TYPICAL CROSS SECTIONS
2-S1 - 2-S3	SUMMARY OF QUANTITIES
2-W1 - 2-W8	WETLANDS
2-H1 - 2-H6	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION
2-N2	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3 - 10	PLAN SHEETS
11	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
12	TYPICAL TRAFFIC CONTROL PLAN--TYPE 3 BARRICADE PLACEMENT WHEN GUARDRAIL IS REMOVED
13	TYPICAL TRAFFIC CONTROL PLAN--INERTIAL BARRIER SYSTEM
14	TEMPORARY PAVEMENT MARKING PLAN
15 - 16	PAVEMENT MARKING PLAN--BIG SPRINGS WEST
17	TYPICAL PAVEMENT MARKING PLAN (INTERSTATE/EXPRESSWAY)
18	TRAFFIC CONTROL PLAN--RAMPS
19	DRAINAGE STRUCTURE CROSS SECTION
20 - 21	SPECIAL PLAN 1C SILICA-FUME CONCRETE OVERLAY REPAIR STA. 67+00.00 LT.
22 - 23	SPECIAL PLAN 2C SILICA-FUME CONCRETE OVERLAY REPAIR STA. 67+00.00 RT.
24 - 38	SPECIAL PLAN 3C GUARDRAIL PLAN
39 - 40	SPECIAL PLAN 4C CONCRETE PROTECTION BARRIER

STANDARD PLANS

410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
901-R9	HIGHWAY DELINEATORS
902	HIGHWAY DELINEATORS FOR RAMP AND GORE LOCATIONS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R7	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT STA. 67+00.00 LT.

MOBILIZATION	LUMP	LUMP
CLASS I REPAIR		321 SY
PLACE, FINISH, & CURE CONC OVERLAY-SF		321 SY
CONCRETE FOR OVERLAYS-SF		17 CY

GROUP 6A BRIDGE AT STA. 67+00.00 RT.

MOBILIZATION	LUMP	LUMP
CLASS I REPAIR		321 SY
PLACE, FINISH, & CURE CONC OVERLAY-SF		321 SY
CONCRETE FOR OVERLAYS-SF		17 CY

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
ROADWAY GRADING		51 STA
REMOVE FLARED- END SECTION		1 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		3 CY
47B-3000 CONC FOR CONCRETE CO		1 CY
RE-STEEL FOR COLLARS		38 LB
18" REINFORCED CONCRETE PIPE		8 LF
18" CONCRETE FLARED-END SECTION		1 EACH
W-BEAM GUARDRAIL		1,881 LF
THRIE-BEAM GUARDRAIL		1,437 LF
REMOVE GUARDRAIL		4,237 LF
BRIDGE APPROACH SECTIONS		8 EACH
END ANCHORAGE ASSEMBLY		2 EACH
BULLNOSE-12.5'		10 EACH
GUARDRAIL END TREATMENT, TYPE I		10 EACH
EROSION CONTROL, CLASS 1D		21,970 SY
FABRIC SILT FENCE-LOW POROSITY		4,009 LF

GROUP 9 BITUMINOUS

MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE I		149 EACH
DELINEATOR, TYPE II		70 EACH
REMOVE DELINEATOR UNITS		219 EACH
CONC PVMT REPAIR TYPE A FULL DEPTH		1 CY
CONC PVMT REPAIR TYPE B FULL DEPTH		411 CY
CONC PVMT REPAIR TYPE C FULL DEPTH		8 CY
4" WHITE WET REFLECT THERMO, GRVD		18,700 LF
5" WHITE WET REFLECT THERMO, GRVD		82,500 LF
5" YELLOW WET REFLECT THERMO, GRVD		82,500 LF
LN DP ARROW RT PREF PVMT MKG T-4 GROOVED		2 EACH
4" WHT WET RFLC PRF PVMT MKNG T4 GVD		50 LF
5" WHT WET RFLC PRF PVMT MKNG T4 GVD		170 LF
12" WHT WET RFLC PRF PVMT MKNG T4 GVD		9,500 LF
5" YEL WET RFLC PRF PVMT MKNG T4 GVD		170 LF
12" YEL WET RFLC PRF PVMT MKNG T4 GVD		550 LF
HYDRATED LIME FOR ASPHALT MIXTURES		267 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		5 TON
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP5(0.5)		500 TON
ASPH CONCRETE FOR PATCHING, TYPE SPS		300 TON
ASPH CONCRETE FOR PATCHING, TYPE SP5(0.5)		300 TON
ASPH CONC, TYPE SPS		9,180 TON
ASPH CONC, TYPE SP5(0.5)		26,540 TON

PLACE ASPH CONC FOR DRIVE & INTER	933 SY
PERF GRAD BIND (70-28)FOR ST MAINT PATCH	25 TON
PERF GRADED BINDER (70-28)	1,342 TON
PERF GRADED BINDER (52-34)	474 TON
PREP OF INTER & DRIVE	306 SY
TACK COAT	49,890 GAL
WATER	192 MGAL
EARTH SHOULDER CONSTRUCTION	769 STA
COLD MILLING, CLASS 3	804 STA
RUMBLE STRIPS, ASPHALT	1,538 STA
SURFACE UNDER GUARDRAIL	2,366 SY
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP
SEEDING, TYPE B	5 ACRE
MULCH	11 TON

GROUP 10 GENERAL ITEMS

SURV OF TEMP TRAFFIC CONT DEVICES	180 CDAY
BARRICADE, TYPE II	27,050 BDAY
BARRICADE, TYPE III	1,881 BDAY
TEMPORARY SIGN DAY	1,760 EACH
SIGN DAY	4,916 EACH
OVERLAY BROKEN LINES	1,292 STA
OVERLAY SOLID LINES	3,116 STA
FLASHING ARROW PANEL	195 DAY
FLAGGING	20 DAY
CONCRETE PROTECTION BARRIER	1,125 LF
RELOCATE CONC PROTECTION BARRIER	1,125 LF
RELOC INERTIAL BARRIER SYSTEM	2 EACH
INERTIAL BARRIER SYSTEM	2 EACH
REPLACEMENT MODULE	16 EACH
FIELD OFFICE	1 EACH
TRAINING	1,000 HOUR
MOBILIZATION	LUMP LUMP
RENTAL OF LOADER, FULLY OPERATED	80 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	40 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	80 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	80 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	40 HOUR
TEMPORARY SILT FENCE	500 LF

NOTICE TO CONTRACTORS

CALL ORDER 605
FEDERAL PROJECT NO. NH-26-2(112)
LOCATION: US-26, LEWELLEN - OGALLALA
COUNTIES: KEITH

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 03, 2009 . At that time the bids will be opened and read for GRAD BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 7.7 MILES
START DATE 06/21/2010 WORKING DAYS 75
Price Range \$ 2,000,000 to \$ 4,000,000

Plans and specifications may be seen beginning August 11, 2009 at the Lincoln Central Office and August 17, 2009 at the District Engineer's Office at NORTH PLATTE

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	23	SHEETS	\$	5.75
STANDARD PLANS	10	SHEETS	\$	2.50

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION
2-N2	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3 - 10	PLAN SHEETS
11	TEMPORARY PAVEMENT MARKING PLAN
12 - 14	SPECIAL PLAN 1C CABLE GUARDRAIL
15 - 16	SPECIAL PLAN 2C TEMPORARY SILT CHECKS
17	SPECIAL PLAN 3C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS

STANDARD PLANS

108-R3	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
901-R9	HIGHWAY DELINEATORS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R7	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
REMOVE DELINEATOR UNITS		88 EACH
REMOVE CURB		8,026 LF
REMOVE GUARDRAIL		248 LF
EROSION CONTROL, CLASS 2A		191 SY
EROSION CHECKS, TYPE WATTLE		60 LF

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES		1,228 STA
OVERLAY SOLID LINES		2,457 STA
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE II		77 EACH
DELINEATOR, TYPE III		88 EACH
GRAVEL SURFACE COURSE		120 CY
CABLE GUARDRAIL		208 LF
TERMINAL ANCHORAGE SECTIONS		2 EACH
HYDRATED LIME FOR ASPHALT MIXTURES		196 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		5 TON
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP4(0.5)		500 TON
ASPH CONCRETE FOR PATCHING, TYPE SP4(0.5)		500 TON
ASPH CONC, TYPE SPS		8,420 TON
ASPH CONC, TYPE SP4(0.5)		19,100 TON
PLACE ASPH CONC FOR DRIVE & INTER		2,354 SY
PERF GRAD BIND (64-28)FOR ST MAINT PATCH		25 TON
PERF GRADED BINDER (64-28)		980 TON
PERF GRADED BINDER (52-34)		421 TON
CONSTRUCTING ASPH CONC CURB		8,026 LF
PREP OF INTER & DRIVE		270 SY
TACK COAT		35,460 GAL
FOG SEAL		56,120 GAL
WATER		206 MGAL
WATER FOR FLY ASH STABILIZED BITUMINOUS		840 MGAL
EARTH SHOULDER CONSTRUCTION		823 STA
COLD MILLING, CLASS 3		440 STA
RUMBLE STRIPS, ASPHALT		822 STA
FLY ASH STABILIZED BITUMINOUS		438 STA
FLY ASH		6,309 TON
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B		9 ACRE
MULCH		19 TON

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II		17,600 BDAY
BARRICADE, TYPE III		528 BDAY
TEMPORARY SIGN DAY		910 EACH
SIGN DAY		10,732 EACH
FLAGGING		130 DAY
FURNISHING AND OPERATING PILOT VEHICLE		65 DAY
FIELD OFFICE		1 EACH
TRAINING		750 HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		40 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED		35 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		40 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		40 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		5 HOUR
TEMPORARY SILT CHECK		200 LF
TEMPORARY SILT FENCE		500 LF
TEMPORARY EARTH CHECK		200 LF

NOTICE TO CONTRACTORS

CALL ORDER 800
 FEDERAL PROJECT NO. NH-20-4(117)
 LOCATION: US-20, O'NEILL EAST
 COUNTIES: HOLT

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 03, 2009. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 5.0 MILES
 START DATE 08/16/2010 WORKING DAYS 40
 Price Range \$ 1,000,000 to \$ 3,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning August 11, 2009 at the Lincoln Central Office and August 17, 2009 at the District Engineer's Office at AINSWORTH
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	9 SHEETS	\$	2.25
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
3 - 5	TYPICAL URBAN TRAFFIC CONTROL PLAN
6	TEMPORARY PAVEMENT MARKING PLAN
7	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
8	PAVEMENT MARKING DETAILS

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R7	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

MOBILIZATION	LUMP	LUMP
HYDRATED LIME FOR ASPHALT MIXTURES		77 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		1 TON
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP4(0.5)		100 TON
ASPH CONCRETE FOR PATCHING, TYPE SP4(0.5)		200 TON
ASPH CONC, TYPE SPS		5,180 TON
ASPH CONC, TYPE SP4(0.5)		7,590 TON
HIGH RAP BASE		7,850 TON
PERF GRAD BIND (64-28)FOR ST MAINT PATCH		5 TON
PERF GRADED BINDER (58-34)		274 TON
PERF GRADED BINDER (64-28)		389 TON
PERF GRADED BINDER (52-34)		259 TON
TACK COAT		21,140 GAL
COLD MILLING, CLASS 3		264 STA
COLD MILLING, CLASS 3		264 STA
TYPE A		

ASPH PVMT SMOOTHNESS TESTING I/D

LUMP

LUMP

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	14,080	BDAY
BARRICADE, TYPE III	304	BDAY
TEMPORARY SIGN DAY	560	EACH
SIGN DAY	4,712	EACH
OVERLAY BROKEN LINES	1,057	STA
OVERLAY SOLID LINES	2,114	STA
PERMANENT PAVEMENT MARKING PAINT	65,200	LF
FLAGGING	80	DAY
FURNISHING AND OPERATING PILOT VEHICLE	40	DAY
FIELD OFFICE	1	EACH
TRAINING	250	HOUR
MOBILIZATION	LUMP	LUMP
RR XING SYMBOL PREF PVMT MRKING T-4 GRVD	2	EACH
RENTAL OF LOADER, FULLY OPERATED	25	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	25	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	25	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	25	HOUR

NOTICE TO CONTRACTORS

CALL ORDER 805
 FEDERAL PROJECT NO. NH-83-4(113)
 LOCATION: US-83, NORTH OF THOMAS/CHERRY COUNTY LINE NORTH
 COUNTIES: CHERRY

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 03, 2009 . At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 10.0 MILES
 START DATE 06/21/2010 WORKING DAYS 60
 Price Range \$ 3,000,000 to \$ 6,000,000

Plans and specifications may be seen beginning August 11, 2009 at the Lincoln Central Office and August 17, 2009 at the District Engineer's Office at AINSWORTH

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	11	SHEETS	\$	2.75
STANDARD PLANS	6	SHEETS	\$	1.50

SHEET NO.

- 1 TITLE PAGE
- 2-T TYPICAL CROSS SECTIONS
- 2-S SUMMARY OF QUANTITIES
- 2-N GENERAL INFORMATION--MILLED RUMBLE STRIPS
- 3 PLAN SHEET
- 4 TEMPORARY PAVEMENT MARKING PLAN
- 5 - 9 SPECIAL PLAN 1C GUARDRAIL PLAN

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R7 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES	1,592	STA
OVERLAY SOLID LINES	3,183	STA
MOBILIZATION	LUMP	LUMP
REMOVE GUARDRAIL	150	LF
GUARDRAIL END TREATMENT, TYPE II	4	EACH
HYDRATED LIME FOR ASPHALT MIXTURES	154	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	1	TON
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP4(0.5)	100	TON
ASPH CONCRETE FOR PATCHING, TYPE SP4(0.5)	100	TON
ASPH CONC, TYPE SPS	11,650	TON
ASPH CONC, TYPE SP4(0.5)	15,280	TON
HIGH RAP BASE	31,110	TON
PERF GRAD BIND (64-28)FOR ST MAINT PATCH	5	TON
PERF GRADED BINDER (58-34)	1,088	TON
PERF GRADED BINDER (64-28)	769	TON

GROUP 9 BITUMINOUS

PERF GRADED BINDER (52-34)	582 TON
TACK COAT	63,380 GAL
COLD MILLING, CLASS 3 TYPE A	525 STA
COLD MILLING, CLASS 3	1,059 STA
RUMBLE STRIPS, ASPHALT	1,061 STA
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	8,800 BDAY
BARRICADE, TYPE III	416 BDAY
SIGN DAY	8,122 EACH
CONTRACTOR FURNISHED SIGN DAY	840 EACH
FLAGGING	120 DAY
FIELD OFFICE	1 EACH
TRAINING	500 HOUR
MOBILIZATION	LUMP LUMP
RENTAL OF LOADER, FULLY OPERATED	10 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	10 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	10 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	10 HOUR

NOTICE TO CONTRACTORS

CALL ORDER 810
FEDERAL PROJECT NO. NH-281-4(118)
LOCATION: US-281, O'NEILL SOUTH
COUNTIES: HOLT

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 03, 2009 . At that time the bids will be opened and read for GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 7.4 MILES
START DATE 06/28/2010 WORKING DAYS 60
Price Range \$ 2,000,000 to \$ 4,000,000
THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning August 11, 2009 at the Lincoln Central Office and August 17, 2009 at the District Engineer's Office at AINSWORTH
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	47	SHEETS	\$	11.75
CROSS SECTIONS (SHEETS X1 THRU X29)	29	SHEETS	\$	7.25
STANDARD PLANS	11	SHEETS	\$	2.75

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-W1 - 2-W14	WETLANDS
2-H1 - 2-H3	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
2-L1 - 2-L4	EROSION CONTROL
3 - 9	PLAN SHEETS
10	TEMPORARY PAVEMENT MARKING PLAN
11	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
12	PAVEMENT MARKING DETAILS
13 - 14	EARTHWORK DATA SHEETS
15 - 23	SPECIAL PLAN 1C GUARDRAIL PLAN
24	SPECIAL PLAN 2C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
X1 - X29	CROSS SECTIONS

STANDARD PLANS

309	MAILBOX SUPPORT POST
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R7	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		4 MGAL
EARTHWORK MEASURED IN EMBANKMENT		190 CY
W-BEAM GUARDRAIL		1,312 LF
REMOVE GUARDRAIL		2,334 LF
BRIDGE APPROACH SECTIONS		16 EACH
GUARDRAIL END TREATMENT, TYPE II		16 EACH
COVER CROP SEEDING		1 ACRE
EROSION CONTROL, CLASS 1D		2,653 SY
EROSION CHECKS, TYPE WATTLE		4,292 LF

GROUP 9 BITUMINOUS

PERMANENT PAVEMENT MARKING PAINT		91,020 LF
MOBILIZATION	LUMP	LUMP
SLOPE PROTECTION		2,420 SY
SLOPE PROTECTION MULCH		3 TON
REMOVE ASPHALT SURFACE		2,511 SY
MAILBOX POST		16 EACH
24" WHT WET RFLC PRF PVMT MKNG T4 GVD		36 LF
RR XING WET RFLC PRF PVMT MKNG, T 4 GVD		1 EACH
HYDRATED LIME FOR ASPHALT MIXTURES		113 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		1 TON
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP4(0.5)		100 TON
ASPH CONCRETE FOR PATCHING, TYPE HRB		200 TON
ASPH CONC, TYPE SPS		7,700 TON
ASPH CONC, TYPE SP4(0.5)		11,260 TON
HIGH RAP BASE		11,650 TON
PERF GRAD BIND (64-28)FOR ST MAINT PATCH		5 TON
PERF GRADED BINDER (58-34)		414 TON
PERF GRADED BINDER (64-28)		563 TON
PERF GRADED BINDER (52-34)		385 TON
TACK COAT		31,280 GAL
COLD MILLING, CLASS 3		391 STA
COLD MILLING, CLASS 3 TYPE A		780 STA
RUMBLE STRIPS, ASPHALT		764 STA
SURFACE UNDER GUARDRAIL		2,143 SY
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II		5,200 BDAY
BARRICADE, TYPE III		520 BDAY
TEMPORARY SIGN DAY		840 EACH
SIGN DAY		8,351 EACH
OVERLAY BROKEN LINES		1,173 STA
OVERLAY SOLID LINES		2,346 STA
FLAGGING		120 DAY
FURNISHING AND OPERATING PILOT VEHICLE		60 DAY
FIELD OFFICE		1 EACH
TRAINING		500 HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		30 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED		20 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		30 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		30 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		10 HOUR
TEMPORARY SILT FENCE		1,000 LF

NOTICE TO CONTRACTORS

CALL ORDER 815
 STATE PROJECT NO. RD-20-3(1013)
 LOCATION: US-183/US-20, AINSWORTH EAST
 COUNTIES: BROWN

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 03, 2009. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 6.0 MILES
 START DATE 08/16/2010 WORKING DAYS 40
 Price Range \$ 2,000,000 to \$ 4,000,000

Plans and specifications may be seen beginning August 11, 2009 at the Lincoln Central Office and August 17, 2009 at the District Engineer's Office at AINSWORTH

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	15	SHEETS	\$	3.75
STANDARD PLANS	4	SHEETS	\$	1.00

SHEET NO.

- 1 TITLE PAGE
- 2-T TYPICAL CROSS SECTIONS
- 2-S SUMMARY OF QUANTITIES
- 2-H HORIZONTAL ALIGNMENT & ORIENTATION
- 2-N1 GENERAL INFORMATION
- 2-N2 GENERAL INFORMATION--MILLED RUMBLE STRIPS
- 3 - 8 PLAN SHEETS
- 9 TEMPORARY PAVEMENT MARKING PLAN
- 10 PAVEMENT MARKING PLAN
- 11 TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R7 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	21,120	B	DAY
BARRICADE, TYPE III	304	B	DAY
TEMPORARY SIGN DAY	560	E	EACH
SIGN DAY	5,320	E	EACH
OVERLAY BROKEN LINES	954	S	STA
OVERLAY SOLID LINES	1,908	S	STA
PERMANENT PAVEMENT MARKING PAINT	72,800	L	LF
FLAGGING	80	D	DAY
FURNISHING AND OPERATING PILOT VEHICLE	40	D	DAY
FIELD OFFICE	1	E	EACH
MOBILIZATION	LUMP	L	LUMP
4" WHT WET RFLC PRF PVMT MKNG T4 GVD	730	L	LF
4" YEL WET RFLC PRF PVMT MKNG T4 GVD	8,600	L	LF
12" YEL WET RFLC PRF PVMT MKNG T4 GVD	1,025	L	LF
HYDRATED LIME FOR ASPHALT MIXTURES	96	T	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	1	T	TON
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP4 (0.5)	100	T	TON

ASPH CONCRETE FOR PATCHING, TYPE HIGH RAP BASE	200 TON
ASPH CONC, TYPE SPS	7,730 TON
ASPH CONC, TYPE SP4(0.5)	9,540 TON
HIGH RAP BASE	18,740 TON
PERF GRAD BIND (64-28)FOR ST MAINT PATCH	5 TON
PERF GRADED BINDER (58-34)	662 TON
PERF GRADED BINDER (64-28)	477 TON
PERF GRADED BINDER (52-34)	386 TON
TACK COAT	27,660 GAL
RENTAL OF LOADER, FULLY OPERATED	20 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	20 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	20 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	20 HOUR
COLD MILLING, CLASS 5	636 STA
COLD MILLING, CLASS 3	318 STA
RUMBLE STRIPS, ASPHALT	636 STA
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP
SEEDING, TYPE B	5 ACRE
MULCH	11 TON

Nebraska Department of Roads
 Contracts Section, P.O. Box 94759, Lincoln, NE 68509
 (402) 479-4525

Plan and Informational Proposal Order Form
Projects to be bid on:
September 3, 2009

Payment required for plans prior to NDOR completing this order.
 dor.ContractsOnlineOrders@nebraska.gov FAX: (402) 479-4845

Document No.

<input type="checkbox"/> Check/Cash	Receipt No.
<input type="checkbox"/> Advance Plans Account No.	
Credit Card	
<input type="checkbox"/> Visa	<input type="checkbox"/> MasterCard
Expiration Date:	
Card No.:	

Please indicate: <input type="checkbox"/> Mail <input type="checkbox"/> Hold	<input type="checkbox"/> Fed Ex. Standard Overnight	Comments:
	<input type="checkbox"/> Fed Ex. Priority Overnight	
	<input type="checkbox"/> UPS Overnight	
	Acct. No.	

FOR OFFICE USE ONLY	
Reference I.D.:	
Authorization Code:	Date:

4-Digit Vendor No.:	Ordered By:	Grand Total - Informational Proposals: x \$5.00
Company:		All plans in letting on CD: x \$25.00
Street Address:		Grand Total - 1/2 Size Plans: x \$.25
		Grand Total - Full Size Plans: x \$.50
PO Box:	City:	State:
		Zip Code:
Phone No.:	Fax No.:	Subtotal
		Tax Code
		Sales Tax
		%
Processed by:	Date:	Proposals/CD Filled:
		Blueprint Plans/Proposals Filled:
		Date:
		Total

If requesting Plan or Proposal CD(s) only, your name will not appear on the Planholders list unless your company has been issued Bid Proposals or you submit the "Planholders Registration" from the NDOR website.

CD containing Informational Proposals for all projects in letting. (No Charge) Total Number Requested: →

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. 1/2 size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
105	IM-NH-80-9(841)				
110	RD-2-6(1031)				
115	RD-75-2(1061)				
120	HSIP-34-6(138)				
300	STPD-32-5(106)				
305	S-81-3(1035)				
310	NH-20-5(111)				
400	STP-10-2(115)				
405	STR-80-6(1034)				
505	STR-92-1(1021)				
510	STR-S23A(1002)				

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. ½ size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
515	STR-385-4(1036)				
520	STR-71-3(1045)				
600	IM-80-3(119)				
605	NH-26-2(112)				
800	NH-20-4(117)				
805	NH-83-4(113)				
810	NH-281-4(118)				
815	RD-20-3(1013)				

Standard Plans: Refer to "Publication Order Form" for complete sets of Standard Plans and Standard/Special Plans Books

Number of Sets Requested	Standard Plan No.(s)	Number of Sheets Shown in List of Plans	Check Size		Total No. of Sheets	
			1/2	Full	1/2	Full
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		

