

October 15, 2009

TO ALL CONCERNED:

The Department of Roads has scheduled a bid letting to be held in this office November 12, 2009 at 1:30 p.m.

The Notice to Contractors includes:

1. Website Information
2. Notice to all Bidders
3. [Ordering](#) Instructions
4. Notices to Contractors including time allowances and lists of plans
5. Plan and Informational Proposal Order Form
6. R-125 "Request for Bidding Proposal Forms"

Projects containing DBE Goals are indicated in the "Notice to Contractors".

Please check the important letting information on the website frequently.

The last day to submit acceptable prequalification statements for this letting is by 5:00 p.m. on Monday, November 2, 2009.

Sincerely,

Original Signed by Kendall Stege

Kendall Stege, Supervisor
Contract Lettings Section
Construction Division

KS/d

WEBSITE INFORMATION

The Nebraska Department of Roads, Contract Lettings Section, will be utilizing the Internet as our means of communicating with the contracting industry.

Documents that are posted on the web are:

- Letting Schedule
- Notices to Contractors
- Informational Proposals
- Letting Plans
- List of Prequalified Contractors
- Planholders List
- Informational Addendums
- EBS (Electronic Bidding System)
- Apparent Low Bidders
- Bid Tabulations
- Standard Item Listing
- Awarded Average Unit Prices (AUP) Report

Hard copies of these documents will be available for inspection in the Contracts Office.

There will be a charge for reproduction of any of these documents.

The Website address is: www.Transportation.Nebraska.gov

If you have any questions as you are using our Website, please contact us at:

Nebraska Department of Roads
Contract Lettings Section
P.O. Box 94759
Lincoln, NE 68509-4759

Phone (402) 479-4525
FAX (402) 479-3803

Email: DOR.ContractLettings@nebraska.gov

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free “hotline” Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the “hotline” to report such activities.

The “hotline” is part of the DOT’s continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

ORDERING INSTRUCTIONS FOR PLANS AND PROPOSALS

Refer to the "Notice to Contractors" for the call order number, project number, and list of plans for each project.

Order forms are available on the NDOR website in PDF and Word format. Complete the appropriate forms as follows:

Request for Bidding Proposal Forms (R-125)

Bidders must submit an R-125, Request for Bidding Proposals Forms and be issued bid proposals prior to submitting bids.

Proposals to be used for bidding must be requested on this form. Bidding proposals will be issued only to contractors who are currently prequalified to bid with this department.

There is no charge for bid proposals.

Plan and Informational Proposal Order Form:

Payment is required prior to NDOR completing the order. This payment is not refundable.

Proposals to be used for information only can be ordered as follows:

1. Each individual project.
2. CD that contains all projects in letting. Does not contain addenda.

Plans for each project can be ordered as follows:

1. Complete set.
2. Set less Roadway Cross-Sections and Standards.
3. Set less Standards.
4. Set less Roadway Cross-Sections.
5. Individual sheets
6. CD that contains all projects in letting.

Prices are: Informational Proposals: \$5.00 each
CD containing Informational Proposals: No Charge
Plans per sheet: \$.25 for half-size (12" x 18")
\$.50 for full-size (24" x 36")
CD containing plans: \$25.00 each

Cost shown on the list of plans is for ½ size plans. Nebraska residents add appropriate state sales tax and city tax that is determined by delivery within cities imposing a sales tax.

Select the method of payment on the plan order form:

1. Credit Card (Visa or MasterCard only)
Orders with approved credit cards can be processed without delays.
2. Advanced payment account
Requires a money deposit with recommended \$200 minimum. Failure to have sufficient funds in your account to cover cost of the plans may delay the processing of your order.
This account may also be used to purchase other NDOR publications.
3. Check/cash
Send checks made payable to the Nebraska Dept. of Roads with your completed plan order form. Please do not mail cash.

To order complete sets of standard plans (1/2 size) please use the "Publications Order Form" available on the website. Cost is \$35.00 plus applicable sales tax. As new standards become available they may be purchased at \$0.25 per sheet.

Address: Nebraska Department of Roads
Contracts Section
1500 Highway 2
PO Box 94759
Lincoln NE 68509-4759

FAX (402) 479-3803

Phone: (402) 479-4525

Email: DOR.ContractLettings@nebraska.gov

October 10, 2008

NOTICE TO CONTRACTORS

CALL ORDER 125
 FEDERAL PROJECT NO. NH-73-1(113)
 LOCATION: US-73, FALLS CITY NORTH
 COUNTIES: RICHARDSON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 12, 2009. At that time the bids will be opened and read for GRAD CONC PAVE CULV BR SEED GDRL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT BRIDGES

Length: 1.6 MILES
 START DATE 03/22/2010 CALENDAR DAYS 251
 Price Range \$ 3,000,000 to \$ 6,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning October 20, 2009 at the Lincoln Central Office and October 26, 2009 at the District Engineer's Office at LINCOLN
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	150	SHEETS	\$ 37.50
CROSS SECTIONS (SHEETS X1 THRU X47)	47	SHEETS	\$ 11.75
STANDARD PLANS	20	SHEETS	\$ 5.00

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S1 - 2-S3	SUMMARY OF QUANTITIES & DETOUR LOCATION MAP
2-W1 - 2-W2	WETLANDS
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION
2-N2	GENERAL INFORMATION--MILLED RUMBLE STRIPS
2-N3 - 2-N6	GENERAL INFORMATION--ACCESS CROSSING
2-L1 - 2-L4	EROSION CONTROL
3 - 7	PLAN & PROFILE SHEETS
8 - 11	EARTHWORK DATA SHEETS
12 - 17	DRAINAGE STRUCTURE CROSS SECTIONS
18 - 35	SPECIAL PLAN 1 CONCRETE GIRDER BRIDGE (IT-400) STA. 2895+32.60
36 - 55	SPECIAL PLAN 2 CONCRETE GIRDER BRIDGE (NU 1100) STA. 2902+99.20
56 - 75	SPECIAL PLAN 3 ROLLED BEAM GIRDER BRIDGE STA. 2902+99.20
76 - 93	SPECIAL PLAN 4 PRESTRESSED GIRDER BRIDGE (NU 900) STA. 2915+75.50
94 - 111	SPECIAL PLAN 5 ROLLED BEAM GIRDER BRIDGE STA. 2915+75.50
112	SPECIAL PLAN 1C CONCRETE HEADWALL
113 - 114	SPECIAL PLAN 2C 5' X 4' TWIN SPAN RC BOX CULVERT STA. 2862+75.00
115 - 116	SPECIAL PLAN 3C 9' X 8' TWIN SPAN RC BOX CULVERT STA. 2879+29.00
117 - 125	SPECIAL PLAN 4C GUARDRAIL PLAN
126	SPECIAL PLAN 5C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
127 - 128	SPECIAL PLAN 6C TEMPORARY SILT CHECKS
R1 - R4	RIGHT-OF-WAY SHEETS
X1 - X47	CROSS SECTIONS

STANDARD PLANS

309	MAILBOX SUPPORT POST
329-R7	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
804	PRECAST CONCRETE R.O.W. MARKER
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION		21,031 CY
EXCAVATION, BORROW		96,366 CY
WATER		206 MGAL
RIGHT-OF-WAY MARKERS		20 EACH
RIPRAP FILTER FABRIC		196 SY
REMOVE PAVEMENT		17,842 SY
REMOVE ASPHALT SURFACE		21,974 SY
24" DRIVE PIPE 2,3,4,5,6,7 OR 8		260 LF
ROCK RIPRAP, TYPE A		61 TON
ROCK RIPRAP, TYPE B		85 TON
REMOVE GUARDRAIL		2,233 LF
COVER CROP SEEDING		19 ACRE
EROSION CONTROL, CLASS 1C		14,560 SY
EROSION CONTROL, CLASS 1D		9,575 SY
EROSION CONTROL, CLASS 2A		3,389 SY
EROSION CONTROL, CLASS 2B		334 SY
EROSION CONTROL, CLASS 2C		78 SY
EROSION CHECKS, TYPE 1D		174 BALE
EROSION CHECKS, TYPE 2A		156 BALE
EROSION CHECKS, TYPE WATTLE		360 LF
FABRIC SILT FENCE-LOW POROSITY		4,787 LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
GRAVEL SURFACE COURSE		148 TON
GRAVEL EMBEDMENT		767 SY
MAILBOX POST		1 EACH
9" DOWELED CONC PVMT, 47B-3500		21,081 SY
CONC SMOOTHNESS TESTING	LUMP	LUMP
FOUNDATION COURSE		35,136 SY
GRANULAR SUBDRAIN		80 EACH
STABILIZED SUBGRADE		35,136 SY
TYPE FLY ASH		
SURFACING 6"		14,910 SY
PREP OF INTER & DRIVE		856 SY
WATER		177 MGAL
EARTH SHOULDER CONSTRUCTION		158 STA
RUMBLE STRIPS, ASPHALT		174 STA
SURFACE UNDER GUARDRAIL		775 SY
FLY ASH		1,508 TON

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE FLARED- END SECTION		2 EACH
REMOVE STRUCTURE		1 EACH
AT STA. 2879+29		
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	1,422	CY
EXCAVATION FOR BOX CULVERTS	1,037	CY
47B-3000 CONC FOR HDWL		4 CY
47B-3000 CONC FOR BOX CULV		275 CY
RE-STEEL FOR HEADWALL		817 LB
RE-STEEL FOR BOX CULVERT	23,734	LB
24" FLARED-END SECTION		2 EACH
54" FLARED-END SECTION		2 EACH
36" METAL FLARED-END SECTION		1 EACH
54" CULV PIPE 2,5		98 LF
24" CULV PIPE 2,5,7,8		64 LF
24" CULV PIPE 3,4,5,6		60 LF
36" CULV PIPE 3,4,5,6		210 LF

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE A		12 ACRE
SEEDING, TYPE B		7 ACRE
MULCH		43 TON

GROUP 6 BRIDGE AT STA. 2895+32.60

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	565	CY
RIPRAP FILTER FABRIC		76 SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000		210 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	37,565	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
ELASTOMERIC BEARING		120 EACH
47B-3000 CONC FOR BRIDGE		223 CY
47BD-4000 CONC FOR BRIDGE		166 CY
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
AT STA. 2895+32.60		
REMOVE STRUCTURE		1 EACH
AT STA. 2895+32.60		
ACCESS CROSSING	LUMP	LUMP
STRUC STEEL FOR SUBSTRUCTURE		700 LB
STEEL DIAPHRAGM		12 EACH
ROCK RIPRAP, TYPE A		25 TON
ROCK RIPRAP, TYPE B		150 TON
EPOXY COATED RE-STEEL	56,905	LB
SUBSURFACE DRAINAGE MATTING		48 SY
HP 12"X53# STEEL PILING		3,010 LF
STEEL SHEET PILING		3,073 SF
GRANULAR BACKFILL		230 CY

GROUP 6A BRIDGE AT STA. 2902+99.20

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	5,110	CY
RIPRAP FILTER FABRIC		930 SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000		209 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	37,435	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
PRECOMPRESSED POLY FOAM JOINT, TYPE B		106 LF

EXPANSION BEARING, TFE TYPE	10	EACH
FIXED BEARING	20	EACH
47B-3000 CONC FOR BRIDGE	393	CY
47BD-4000 CONC FOR BRIDGE	380	CY
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
AT STA. 2902+99.20		
REMOVE STRUCTURE	1	EACH
AT STA. 2902+99.20		
ACCESS BRIDGE	LUMP	LUMP
STRUC STEEL FOR SUBSTRUCTURE	1,435	LB
ROCK RIPRAP, TYPE A	25	TON
ROCK RIPRAP, TYPE B	845	TON
EPOXY COATED RE-STEEL	91,260	LB
SUBSURFACE DRAINAGE MATTING	90	SY
HP 12"X53# STEEL PILING	3,705	LF
STEEL SHEET PILING	4,399	SF
GRANULAR BACKFILL	325	CY

GROUP 6B BRIDGE AT STA. 2902+99.20

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	5,110	CY
RIPRAP FILTER FABRIC	930	SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000	209	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	37,435	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
PRECOMPRESSED POLY FOAM JOINT, TYPE B	106	LF
EXPANSION BEARING, TFE TYPE	10	EACH
FIXED BEARING	20	EACH
47B-3000 CONC FOR BRIDGE	374	CY
47BD-4000 CONC FOR BRIDGE	363	CY
REMOVE STRUCTURE	1	EACH
AT STA. 2902+99.20		
ACCESS BRIDGE	LUMP	LUMP
STEEL SUPERSTRUCTURE	LUMP	LUMP
AT STA. 2902+99.20		
STRUC STEEL FOR SUBSTRUCTURE	1,525	LB
ROCK RIPRAP, TYPE A	25	TON
ROCK RIPRAP, TYPE B	845	TON
EPOXY COATED RE-STEEL	122,445	LB
SUBSURFACE DRAINAGE MATTING	93	SY
HP 12"X53# STEEL PILING	3,705	LF
STEEL SHEET PILING	4,399	SF
GRANULAR BACKFILL	325	CY

GROUP 6C BRIDGE AT STA. 2915+75.50

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	430	CY
RIPRAP FILTER FABRIC	85	SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000	210	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	36,760	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
EXPANSION BEARING, TFE TYPE	10	EACH
FIXED BEARING	20	EACH
47B-3000 CONC FOR BRIDGE	280	CY
47BD-4000 CONC FOR BRIDGE	235	CY
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
AT STA. 2915+75.50		

REMOVE STRUCTURE		1 EACH
AT STA. 2915+75.50		
ACCESS CROSSING	LUMP	LUMP
STRUC STEEL FOR SUBSTRUCTURE		1,165 LB
ROCK RIPRAP, TYPE A		25 TON
ROCK RIPRAP, TYPE B		215 TON
EPOXY COATED RE-STEEL		60,415 LB
SUBSURFACE DRAINAGE MATTING		80 SY
HP 12"X53# STEEL PILING		2,390 LF
STEEL SHEET PILING		5,180 SF
GRANULAR BACKFILL		320 CY

GROUP 6D BRIDGE AT STA. 2915+75.50

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		430 CY
RIPRAP FILTER FABRIC		85 SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000		210 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		36,760 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
EXPANSION BEARING, TFE TYPE		10 EACH
FIXED BEARING		20 EACH
47B-3000 CONC FOR BRIDGE		265 CY
47BD-4000 CONC FOR BRIDGE		236 CY
REMOVE STRUCTURE		1 EACH
AT STA. 2915+75.50		
ACCESS CROSSING	LUMP	LUMP
STEEL SUPERSTRUCTURE	LUMP	LUMP
AT STA. 2915+75.50		
STRUC STEEL FOR SUBSTRUCTURE		1,055 LB
ROCK RIPRAP, TYPE A		25 TON
ROCK RIPRAP, TYPE B		215 TON
EPOXY COATED RE-STEEL		62,985 LB
SUBSURFACE DRAINAGE MATTING		81 SY
HP 12"X53# STEEL PILING		2,300 LF
STEEL SHEET PILING		5,180 SF
GRANULAR BACKFILL		320 CY

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		606 LF
BRIDGE APPROACH SECTIONS		12 EACH
GUARDRAIL END TREATMENT, TYPE I		2 EACH
GUARDRAIL END TREATMENT, TYPE II		10 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE III		10,542 BDAY
SIGN DAY		5,522 EACH
CONTRACTOR FURNISHED SIGN DAY		3,012 EACH
FIELD OFFICE		1 EACH
TRAINING		2,000 HOUR
MOBILIZATION	LUMP	LUMP
CONSTRUCTION STAKING AND SURVEYING	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		70 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		70 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		70 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		70 HOUR
TEMPORARY SILT CHECK		500 LF
TEMPORARY SILT FENCE		2,000 LF
TEMPORARY EARTH CHECK		500 LF
TEMPORARY MULCH		4 TON

NOTICE TO CONTRACTORS

CALL ORDER 205
 STATE PROJECT NO. STR-64-7(1014)
 LOCATION: N-64, 120th/W MAPLE RD, OMAHA
 COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 12, 2009. At that time the bids will be opened and read for BRIDGE

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES
 START DATE 08/23/2010 WORKING DAYS 35
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning October 20, 2009 at the Lincoln Central Office and October 26, 2009 at the District Engineer's Office at OMAHA
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	14 SHEETS	\$	3.50
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
- 3 - 5 TYPICAL URBAN TRAFFIC CONTROL PLAN
- 6 TYPICAL TRAFFIC CONTROL PLAN--LANE CLOSURE WITH CONCRETE BARRIER
- 7 TYPICAL TRAFFIC CONTROL PLAN--INERTIAL BARRIER SYSTEM
- 8 TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
- 9 TEMPORARY PAVEMENT MARKING PLAN
- 10 - 14 SPECIAL PLAN 1 JOINT AND CURB REPAIR STA. 66+13.11

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT STA. 66+13.11 LT.

MOBILIZATION	LUMP	LUMP
PREFORMED SILICONE JOINT, TYPE A		101 LF
47BD-4000 CONC FOR BRIDGE		14 CY
PREP BRIDGE		1 EACH
AT STA. 66+13.11 LT.		
EPOXY COATED RE-STEEL		1,485 LB

GROUP 6A BRIDGE AT STA. 66+13.11 RT.

MOBILIZATION	LUMP	LUMP
PREFORMED SILICONE JOINT, TYPE A		130 LF
CLASS II REPAIR		166 SY
CLASS III REPAIR		5 SY
47BD-4000 CONC FOR BRIDGE		20 CY
PREP BRIDGE		1 EACH
AT STA. 66+13.11 RT.		
CURB REPAIR		550 SF

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	3,842	BDAY
BARRICADE, TYPE III	198	BDAY
SIGN DAY	2,725	EACH
CONTRACTOR FURNISHED SIGN DAY	43	EACH
PAVEMENT MARKING REMOVAL	15,100	LF
TEMP PVMT MARKING, TYPE PAINT	13,400	LF
TEMP PVMT MARKING SURF PREP	7,550	LF
PERMANENT PAVEMENT MARKING PAINT	6,300	LF
FLASHING ARROW PANEL	69	DAY
INSTALL CONC PROTECT BARRIER	550	LF
RELOCATE CONC PROTECTION BARRIER	1,650	LF
RELOC INERTIAL BARRIER SYSTEM	3	EACH
INERTIAL BARRIER SYSTEM	1	EACH
REPLACEMENT MODULE	10	EACH
MOBILIZATION	LUMP	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 310
 STATE PROJECT NO. STR-12-6(1015)
 LOCATION: N-12, BOW CREEK BRIDGE NEAR WYNOT
 COUNTIES: CEDAR

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 12, 2009. At that time the bids will be opened and read for BRIDGE

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES
 START DATE 11/08/2010 WORKING DAYS 10
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning October 20, 2009 at the Lincoln Central Office and October 26, 2009 at the District Engineer's Office at NORFOLK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	11 SHEETS	\$	2.75
STANDARD PLANS	8 SHEETS	\$	2.00

SHEET NO.

1	TITLE PAGE & SUMMARY OF QUANTITIES
2-A	PHOTO MAP
2-H1 - 2-H2	HORIZONTAL ALIGNMENT ORIENTATION
2-N	GENERAL INFORMATION
3	PLAN SHEET--CONSTRUCTION
4 - 8	SPECIAL PLAN 1C ABUTMENT PROTECTION REF. POST NO. 207+44

STANDARD PLANS

501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT R.P. 207.44

BARRICADE, TYPE III	40	B DAY
SIGN DAY	120	EACH
MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	195	CY
ROCK RIPRAP, TYPE B	1,000	TON
SALVAGING AND PLACING TOPSOIL ON RIPRAP	168	SY
RENTAL OF LOADER, FULLY OPERATED	5	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	5	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	5	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5	HOUR
EROSION CONTROL, CLASS 1D	401	SY
TEMPORARY SILT FENCE	200	LF

NOTICE TO CONTRACTORS

CALL ORDER 315
 FEDERAL PROJECT NO. NH-20-5(111)
 LOCATION: US-20, ROYAL-PLAINVIEW
 COUNTIES: ANTELOPE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 12, 2009. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 14.3 MILES
 START DATE 05/24/2010 WORKING DAYS 95
 Price Range \$ 4,000,000 to \$ 7,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning October 20, 2009 at the Lincoln Central Office and October 26, 2009 at the District Engineer's Office at NORFOLK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	5 SHEETS	\$	1.25
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
3	TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R7	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	49,500	BDAY
BARRICADE, TYPE III	640	BDAY
TEMPORARY SIGN DAY	1,176	EACH
SIGN DAY	22,880	EACH
OVERLAY BROKEN LINES	3,097	STA
OVERLAY SOLID LINES	6,194	STA
FLAGGING	168	DAY
FURNISHING AND OPERATING PILOT VEHICLE	84	DAY
FIELD OFFICE	1	EACH
TRAINING	1,500	HOUR
MOBILIZATION	LUMP	LUMP
HYDRATED LIME FOR ASPHALT MIXTURES	247	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	5	TON
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP4(0.5)	500	TON
ASPH CONCRETE FOR PATCHING, TYPE SP4(0.5)	500	TON
ASPH CONC, TYPE SPS	14,210	TON
ASPH CONC, TYPE SP4(0.5)	24,210	TON
HIGH RAP BASE	47,920	TON
PERF GRAD BIND (64-28)FOR ST MAINT PATCH	25	TON

PERF GRADED BINDER (58-34)	1,677 TON
PERF GRADED BINDER (64-28)	1,235 TON
PERF GRADED BINDER (52-34)	710 TON
TACK COAT	63,720 GAL
RENTAL OF LOADER, FULLY OPERATED	80 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	80 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	80 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	80 HOUR
WATER	380 MGAL
EARTH SHOULDER CONSTRUCTION	1,506 STA
COLD MILLING, CLASS 3	800 STA
COLD MILLING, CLASS 3	783 STA
TYPE A	
COLD MILLING, CLASS 3	27 STA
TYPE B	
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP
SEEDING, TYPE B	21 ACRE
MULCH	47 TON

NOTICE TO CONTRACTORS

CALL ORDER 625
 STATE PROJECT NO. RD-26-2(1024)
 LOCATION: N-61/US-26, OGALLALA WEST BYPASS
 COUNTIES: KEITH

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 12, 2009. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 2.8 MILES
 START DATE 08/16/2010 WORKING DAYS 25
 Price Range \$ 500,000 to \$ 2,000,000

Plans and specifications may be seen beginning October 20, 2009 at the Lincoln Central Office and October 26, 2009 at the District Engineer's Office at NORTH PLATTE
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	3 SHEETS	\$	0.75
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
& TYPICAL CROSS SECTION
- 3 TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R7 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	11,520	B	DAY
BARRICADE, TYPE III	288	B	DAY
TEMPORARY SIGN DAY	350	E	EACH
SIGN DAY	2,304	E	EACH
OVERLAY BROKEN LINES	592	S	TA
OVERLAY SOLID LINES	1,872	S	TA
FLAGGING	50	D	DAY
FURNISHING AND OPERATING PILOT VEHICLE	25	D	DAY
FIELD OFFICE	1	E	EACH
MOBILIZATION	LUMP	L	LUMP
HYDRATED LIME FOR ASPHALT MIXTURES	124	T	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	3	T	TON
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP4(0.5)	200	T	TON
ASPH CONCRETE FOR PATCHING, TYPE SP4(0.5)	250	T	TON
ASPH CONC, TYPE SP4(0.5)	12,090	T	TON
PERF GRAD BIND (64-28)FOR ST MAINT PATCH	10	T	TON
PERF GRADED BINDER (64-28)	617	T	TON
TACK COAT	11,270	G	GAL
FOG SEAL	2,150	G	GAL
RENTAL OF LOADER, FULLY OPERATED	30	H	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	30	H	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	30	H	HOUR

RENTAL OF SKID LOADER, FULLY OPERATED
COLD MILLING, CLASS 3
ASPH PVMT SMOOTHNESS TESTING I/D

30 HOUR
211 STA
LUMP LUMP

NOTICE TO CONTRACTORS

CALL ORDER 630
 STATE PROJECT NO. RD-83-2(1031)
 LOCATION: US-83, LAKE MALONEY SOUTH
 COUNTIES: LINCOLN

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 12, 2009. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 9.0 MILES
 START DATE 06/28/2010 WORKING DAYS 70
 Price Range \$ 2,000,000 to \$ 4,000,000

Plans and specifications may be seen beginning October 20, 2009 at the Lincoln Central Office and October 26, 2009 at the District Engineer's Office at NORTH PLATTE
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	4 SHEETS	\$	1.00
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
& TYPICAL CROSS SECTIONS
- 2-N GENERAL INFORMATION--MILLED RUMBLE STRIPS
- 3 TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R7 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	35,640	BDAY
BARRICADE, TYPE III	500	BDAY
TEMPORARY SIGN DAY	916	EACH
SIGN DAY	10,500	EACH
OVERLAY BROKEN LINES	1,893	STA
OVERLAY SOLID LINES	3,786	STA
FLAGGING	136	DAY
FURNISHING AND OPERATING PILOT VEHICLE	86	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
HYDRATED LIME FOR ASPHALT MIXTURES	150	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	3	TON
ASPH CONC FOR STATE MAINT PATCHING, TYPE TYPE SP4 (0.5)	300	TON
ASPH CONCRETE FOR PATCHING, TYPE HRB	200	TON
ASPH CONC, TYPE SPS	8,340	TON
ASPH CONC, TYPE SP4(0.5)	15,000	TON
HIGH RAP BASE	15,530	TON
PERF GRAD BIND (64-28)FOR ST MAINT PATCH	15	TON
PERF GRADED BINDER (58-34)	550	TON
PERF GRADED BINDER (64-28)	750	TON
PERF GRADED BINDER (52-34)	417	TON

TACK COAT	39,220 GAL
FOG SEAL	82 GAL
RENTAL OF LOADER, FULLY OPERATED	50 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	50 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	50 HOUR
COLD MILLING, CLASS 3	522 STA
COLD MILLING, CLASS 3 TYPE A	484 STA
RUMBLE STRIPS, ASPHALT	823 STA
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP
MOWING	20 HOUR

NOTICE TO CONTRACTORS

CALL ORDER 635
 FEDERAL PROJECT NO. IM-80-3(119)
 LOCATION: I-80/I-76, BIG SPRINGS WEST
 COUNTIES: DEUEL

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 12, 2009 . At that time the bids will be opened and read for BR GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 4.1 MILES
 START DATE 05/03/2010 WORKING DAYS 100
 Price Range \$ 3,000,000 to \$ 6,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning October 20, 2009 at the Lincoln Central Office and October 26, 2009 at the District Engineer's Office at NORTH PLATTE

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	65 SHEETS	\$	16.25
STANDARD PLANS	13 SHEETS	\$	3.25

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T7	TYPICAL CROSS SECTIONS
2-S1 - 2-S3	SUMMARY OF QUANTITIES
2-W1 - 2-W8	WETLANDS
2-H1 - 2-H6	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION
2-N2	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3 - 10	PLAN SHEETS
11	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
12	TYPICAL TRAFFIC CONTROL PLAN--TYPE 3 BARRICADE PLACEMENT WHEN GUARDRAIL IS REMOVED
13	TYPICAL TRAFFIC CONTROL PLAN--INERTIAL BARRIER SYSTEM
14	TEMPORARY PAVEMENT MARKING PLAN
15 - 16	PAVEMENT MARKING PLAN--BIG SPRINGS WEST
17	TYPICAL PAVEMENT MARKING PLAN (INTERSTATE/EXPRESSWAY)
18	TRAFFIC CONTROL PLAN--RAMPS
19	DRAINAGE STRUCTURE CROSS SECTION
20 - 21	SPECIAL PLAN 1C SILICA-FUME CONCRETE OVERLAY REPAIR STA. 67+00.00 LT.
22 - 23	SPECIAL PLAN 2C SILICA-FUME CONCRETE OVERLAY REPAIR STA. 67+00.00 RT.
24 - 38	SPECIAL PLAN 3C GUARDRAIL PLAN
39 - 40	SPECIAL PLAN 4C CONCRETE PROTECTION BARRIER

STANDARD PLANS

410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
901-R9	HIGHWAY DELINEATORS
902	HIGHWAY DELINEATORS FOR RAMP AND GORE LOCATIONS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R7	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT STA. 67+00.00 LT.

MOBILIZATION	LUMP	LUMP
CLASS I REPAIR		321 SY
PLACE, FINISH, & CURE CONC OVERLAY-SF		321 SY
CONCRETE FOR OVERLAYS-SF		17 CY

GROUP 6A BRIDGE AT STA. 67+00.00 RT.

MOBILIZATION	LUMP	LUMP
CLASS I REPAIR		321 SY
PLACE, FINISH, & CURE CONC OVERLAY-SF		321 SY
CONCRETE FOR OVERLAYS-SF		17 CY

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
ROADWAY GRADING		51 STA
REMOVE FLARED- END SECTION		1 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		3 CY
47B-3000 CONC FOR CONCRETE CO		1 CY
RE-STEEL FOR COLLARS		38 LB
18" REINFORCED CONCRETE PIPE		8 LF
18" CONCRETE FLARED-END SECTION		1 EACH
W-BEAM GUARDRAIL		1,881 LF
THRIE-BEAM GUARDRAIL		1,437 LF
REMOVE GUARDRAIL		4,237 LF
BRIDGE APPROACH SECTIONS		8 EACH
END ANCHORAGE ASSEMBLY		2 EACH
BULLNOSE-12.5'		10 EACH
GUARDRAIL END TREATMENT, TYPE I		10 EACH
EROSION CONTROL, CLASS 1D		21,970 SY
FABRIC SILT FENCE-LOW POROSITY		4,009 LF

GROUP 9 BITUMINOUS

MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE I		149 EACH
DELINEATOR, TYPE II		70 EACH
REMOVE DELINEATOR UNITS		219 EACH
CONC PVMT REPAIR TYPE A FULL DEPTH		1 CY
CONC PVMT REPAIR TYPE B FULL DEPTH		411 CY
CONC PVMT REPAIR TYPE C FULL DEPTH		8 CY
4" WHITE WET REFLECT THERMOPLASTIC, GRVD		18,700 LF
5" WHITE WET REFLECT THERMO, GRVD		82,500 LF
5" YELLOW WET REFLECT THERMO, GRVD		82,500 LF
LN DP ARROW RT PREF PVMT MKG T-4 GROOVED		2 EACH
4" WHT WET RFLC PRF PVMT MKNG T4 GVD		50 LF
5" WHT WET RFLC PRF PVMT MKNG T4 GVD		170 LF
12" WHT WET RFLC PRF PVMT MKNG T4 GVD		9,500 LF
5" YEL WET RFLC PRF PVMT MKNG T4 GVD		170 LF
12" YEL WET RFLC PRF PVMT MKNG T4 GVD		550 LF
HYDRATED LIME FOR ASPHALT MIXTURES		267 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		5 TON
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP5(0.5)		500 TON
ASPH CONCRETE FOR PATCHING, TYPE SPS		300 TON
ASPH CONCRETE FOR PATCHING, TYPE SP5(0.5)		300 TON
ASPH CONC, TYPE SPS		9,180 TON
ASPH CONC, TYPE SP5(0.5)		26,540 TON
PLACE ASPH CONC FOR DRIVE & INTER		933 SY
PERF GRAD BIND (70-28)FOR ST MAINT PATCH		25 TON
PERF GRADED BINDER (70-28)		1,342 TON

PERF GRADED BINDER (52-34) 474 TON

GROUP 9 BITUMINOUS

PREP OF INTER & DRIVE	306 SY
TACK COAT	49,890 GAL
WATER	192 MGAL
EARTH SHOULDER CONSTRUCTION	769 STA
COLD MILLING, CLASS 3	804 STA
RUMBLE STRIPS, ASPHALT	1,538 STA
SURFACE UNDER GUARDRAIL	2,366 SY
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP
SEEDING, TYPE B	5 ACRE
MULCH	11 TON

GROUP 10 GENERAL ITEMS

SURV OF TEMP TRAFFIC CONT DEVICES	180 CDAY
BARRICADE, TYPE II	27,050 BDAY
BARRICADE, TYPE III	1,881 BDAY
TEMPORARY SIGN DAY	1,760 EACH
SIGN DAY	4,916 EACH
OVERLAY BROKEN LINES	1,292 STA
OVERLAY SOLID LINES	3,116 STA
FLASHING ARROW PANEL	195 DAY
FLAGGING	20 DAY
CONCRETE PROTECTION BARRIER	1,125 LF
RELOCATE CONC PROTECTION BARRIER	1,125 LF
RELOC INERTIAL BARRIER SYSTEM	2 EACH
INERTIAL BARRIER SYSTEM	2 EACH
REPLACEMENT MODULE	16 EACH
FIELD OFFICE	1 EACH
TRAINING	1,000 HOUR
MOBILIZATION	LUMP LUMP
RENTAL OF LOADER, FULLY OPERATED	80 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	40 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	80 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	80 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	40 HOUR
TEMPORARY SILT FENCE	500 LF

NOTICE TO CONTRACTORS

CALL ORDER 800
 FEDERAL PROJECT NO. NH-20-4(117)
 LOCATION: US-275/US-20,O'NEILL EAST
 COUNTIES: HOLT

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 12, 2009. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 5.0 MILES
 START DATE 08/16/2010 WORKING DAYS 40
 Price Range \$ 500,000 to \$ 2,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning October 20, 2009 at the Lincoln Central Office and October 26, 2009 at the District Engineer's Office at AINSWORTH
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	9 SHEETS	\$	2.25
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

- 1 TITLE PAGE
- 2-T TYPICAL CROSS SECTIONS
- 2-S SUMMARY OF QUANTITIES
- 3 - 5 TYPICAL URBAN TRAFFIC CONTROL PLAN
- 6 TEMPORARY PAVEMENT MARKING PLAN
- 7 TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
- 8 PAVEMENT MARKING DETAILS

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R7 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

MOBILIZATION	LUMP	LUMP
HYDRATED LIME FOR ASPHALT MIXTURES		77 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		1 TON
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP4(0.5)		100 TON
ASPH CONCRETE FOR PATCHING, TYPE SP4(0.5)		200 TON
ASPH CONC, TYPE SPS		5,180 TON
ASPH CONC, TYPE SP4(0.5)		7,590 TON
HIGH RAP BASE		7,850 TON
PERF GRAD BIND (64-28)FOR ST MAINT PATCH		5 TON
PERF GRADED BINDER (58-34)		274 TON
PERF GRADED BINDER (64-28)		389 TON
PERF GRADED BINDER (52-34)		259 TON
TACK COAT		21,140 GAL
COLD MILLING, CLASS 3		264 STA
COLD MILLING, CLASS 3		264 STA
TYPE A		

ASPH PVMT SMOOTHNESS TESTING I/D

LUMP LUMP

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	14,080	BDAY
BARRICADE, TYPE III	304	BDAY
TEMPORARY SIGN DAY	560	EACH
SIGN DAY	4,712	EACH
OVERLAY BROKEN LINES	1,057	STA
OVERLAY SOLID LINES	2,114	STA
PERMANENT PAVEMENT MARKING PAINT	65,200	LF
FLAGGING	80	DAY
FURNISHING AND OPERATING PILOT VEHICLE	40	DAY
FIELD OFFICE	1	EACH
TRAINING	250	HOUR
MOBILIZATION	LUMP	LUMP
RR XING SYMBOL PREF PVMT MRKING T-4 GRVD	2	EACH
RENTAL OF LOADER, FULLY OPERATED	25	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	25	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	25	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	25	HOUR
MOWING	20	HOUR

NOTICE TO CONTRACTORS

CALL ORDER 805
 FEDERAL PROJECT NO. NH-83-4(113)
 LOCATION: US-83, NORTH OF THOMAS/CHERRY COUNTY LINE NORTH
 COUNTIES: CHERRY

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 12, 2009. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 10.0 MILES
 START DATE 06/21/2010 WORKING DAYS 60
 Price Range \$ 3,000,000 to \$ 6,000,000

Plans and specifications may be seen beginning October 20, 2009 at the Lincoln Central Office and October 26, 2009 at the District Engineer's Office at AINSWORTH
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	11	SHEETS	\$	2.75
STANDARD PLANS	6	SHEETS	\$	1.50

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-N	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3	PLAN SHEET
4	TEMPORARY PAVEMENT MARKING PLAN
5 - 9	SPECIAL PLAN 1C GUARDRAIL PLAN

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R7	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES	1,592	STA
OVERLAY SOLID LINES	3,183	STA
MOBILIZATION	LUMP	LUMP
REMOVE GUARDRAIL	150	LF
GUARDRAIL END TREATMENT, TYPE II	4	EACH
HYDRATED LIME FOR ASPHALT MIXTURES	154	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	1	TON
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP4(0.5)	100	TON
ASPH CONCRETE FOR PATCHING, TYPE SP4(0.5)	100	TON
ASPH CONC, TYPE SPS	11,650	TON
ASPH CONC, TYPE SP4(0.5)	15,280	TON
HIGH RAP BASE	31,110	TON
PERF GRAD BIND (64-28)FOR ST MAINT PATCH	5	TON
PERF GRADED BINDER (58-34)	1,088	TON
PERF GRADED BINDER (64-28)	769	TON
PERF GRADED BINDER (52-34)	582	TON

TACK COAT	63,380 GAL
COLD MILLING, CLASS 3 TYPE A	525 STA
COLD MILLING, CLASS 3	1,059 STA
RUMBLE STRIPS, ASPHALT	1,061 STA
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	8,800 BDAY
BARRICADE, TYPE III	416 BDAY
SIGN DAY	8,122 EACH
CONTRACTOR FURNISHED SIGN DAY	840 EACH
FLAGGING	120 DAY
FIELD OFFICE	1 EACH
TRAINING	500 HOUR
MOBILIZATION	LUMP LUMP
RENTAL OF LOADER, FULLY OPERATED	10 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	10 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	10 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	10 HOUR
MOWING	40 HOUR

NOTICE TO CONTRACTORS

CALL ORDER 810
 FEDERAL PROJECT NO. NH-281-4(118)
 LOCATION: US-281, O'NEILL SOUTH
 COUNTIES: HOLT

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 12, 2009. At that time the bids will be opened and read for GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 7.4 MILES
 START DATE 06/28/2010 WORKING DAYS 60
 Price Range \$ 1,000,000 to \$ 3,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning October 20, 2009 at the Lincoln Central Office and October 26, 2009 at the District Engineer's Office at AINSWORTH
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	47	SHEETS	\$	11.75
CROSS SECTIONS (SHEETS X1 THRU X29)	29	SHEETS	\$	7.25
STANDARD PLANS	11	SHEETS	\$	2.75

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-W1 - 2-W14	WETLANDS
2-H1 - 2-H3	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
2-L1 - 2-L4	EROSION CONTROL
3 - 9	PLAN SHEETS
10	TEMPORARY PAVEMENT MARKING PLAN
11	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
12	PAVEMENT MARKING DETAILS
13 - 14	EARTHWORK DATA SHEETS
15 - 23	SPECIAL PLAN 1C GUARDRAIL PLAN
24	SPECIAL PLAN 2C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
X1 - X29	CROSS SECTIONS

STANDARD PLANS

309	MAILBOX SUPPORT POST
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R7	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		4 MGAL
EARTHWORK MEASURED IN EMBANKMENT		190 CY

W-BEAM GUARDRAIL	1,312 LF
REMOVE GUARDRAIL	2,334 LF
BRIDGE APPROACH SECTIONS	16 EACH
GUARDRAIL END TREATMENT, TYPE II	16 EACH
COVER CROP SEEDING	1 ACRE
EROSION CONTROL, CLASS 1D	2,653 SY
EROSION CHECKS, TYPE WATTLE	4,292 LF

GROUP 9 BITUMINOUS

PERMANENT PAVEMENT MARKING PAINT	91,020 LF
MOBILIZATION	LUMP LUMP
SLOPE PROTECTION	2,420 SY
SLOPE PROTECTION MULCH	3 TON
REMOVE ASPHALT SURFACE	2,511 SY
MAILBOX POST	16 EACH
24" WHT WET RFLC PRF PVMT MKNG T4 GVD	36 LF
RR XING WET RFLC PRF PVMT MKNG, T 4 GVD	1 EACH
HYDRATED LIME FOR ASPHALT MIXTURES	113 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	1 TON
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP4(0.5)	100 TON
ASPH CONCRETE FOR PATCHING, TYPE HRB	200 TON
ASPH CONC, TYPE SPS	7,700 TON
ASPH CONC, TYPE SP4(0.5)	11,260 TON
HIGH RAP BASE	11,650 TON
PERF GRAD BIND (64-28)FOR ST MAINT PATCH	5 TON
PERF GRADED BINDER (58-34)	414 TON
PERF GRADED BINDER (64-28)	563 TON
PERF GRADED BINDER (52-34)	385 TON
TACK COAT	31,280 GAL
COLD MILLING, CLASS 3	391 STA
COLD MILLING, CLASS 3 TYPE A	780 STA
RUMBLE STRIPS, ASPHALT	764 STA
SURFACE UNDER GUARDRAIL	2,143 SY
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	5,200 BDAY
BARRICADE, TYPE III	520 BDAY
TEMPORARY SIGN DAY	840 EACH
SIGN DAY	8,351 EACH
OVERLAY BROKEN LINES	1,173 STA
OVERLAY SOLID LINES	2,346 STA
FLAGGING	120 DAY
FURNISHING AND OPERATING PILOT VEHICLE	60 DAY
FIELD OFFICE	1 EACH
TRAINING	500 HOUR
MOBILIZATION	LUMP LUMP
RENTAL OF LOADER, FULLY OPERATED	30 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	20 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	30 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	30 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10 HOUR
TEMPORARY SILT FENCE	1,000 LF
MOWING	40 HOUR

Nebraska Department of Roads
 Contracts Section, P.O. Box 94759, Lincoln, NE 68509
 (402) 479-4525

Plan and Informational Proposal Order Form

Projects to be bid on:

November 12, 2009

Payment required for plans prior to NDOR completing this order.

dor.ContractsOnlineOrders@nebraska.gov FAX: (402) 479-4845

Document No.

<input type="checkbox"/> Check/Cash	Receipt No.
<input type="checkbox"/> Advance Plans Account No.	
Credit Card	
<input type="checkbox"/> Visa	<input type="checkbox"/> MasterCard
Expiration Date:	
Card No.:	

Please indicate: <input type="checkbox"/> Mail <input type="checkbox"/> Hold	<input type="checkbox"/> Fed Ex. Standard Overnight	Comments:
	<input type="checkbox"/> Fed Ex. Priority Overnight	
	<input type="checkbox"/> UPS Overnight	
	Acct. No.	

FOR OFFICE USE ONLY	
Reference I.D.:	
Authorization Code:	Date:

4-Digit Vendor No.:	Ordered By:	Grand Total - Informational Proposals: x \$5.00
Company:		All plans in letting on CD: x \$25.00
Street Address:		Grand Total - 1/2 Size Plans: x \$.25
		Grand Total - Full Size Plans: x \$.50
PO Box:	City:	State:
		Zip Code:
Phone No.:	Fax No.:	Subtotal
		Tax Code
		Sales Tax
		%
Processed by:	Date:	Proposals/CD Filled:
		Blueprint Plans/Proposals Filled:
		Date:
		Total

If requesting Plan or Proposal CD(s) only, your name will not appear on the Planholders list unless your company has been issued Bid Proposals or you submit the "Planholders Registration" from the NDOR website.

CD containing Informational Proposals for all projects in letting. (No Charge) Total Number Requested: →

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. 1/2 size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
125	NH-73-1(113)				
205	STR-64-7(1014)				
310	STR-12-6(1015)				
315	NH-20-5(111)				
625	RD-26-2(1024)				
630	RD-83-2(1031)				
635	IM-80-3(119)				
800	NH-20-4(117)				
805	NH-83-4(113)				
810	NH-281-4(118)				

Standard Plans: Refer to "Publication Order Form" for complete sets of Standard Plans and Standard/Special Plans Books

Number of Sets Requested	Standard Plan No.(s)	Number of Sheets Shown in List of Plans	Check Size		Total No. of Sheets	
			1/2	Full	1/2	Full
			<input type="checkbox"/>	<input type="checkbox"/>		

List below all uncompleted construction work under contract at this time, both in and out of Nebraska, including subcontracts and work not yet awarded but on which you are the apparent low bidder. Complete all columns as indicated. If you have no uncompleted construction work, state "None."

Use additional sheets if necessary. Electronically generated sheets using the same format may be attached.

Contracted From	Location	Type of Work	Total Amount of Contract	Approx. Amount Earned	Amount Received	Probable Completion Date Mo.-Day-Yr.	Do Not Write in This Column
Totals							

Company Name: _____

By: _____
(Signature)

Title: _____

Send to: Nebraska Department of Roads
 Contracts Section, Room 104
 1500 Hwy. 2
 P.O. Box 94759
 Lincoln, NE 68509-4845
 Fax: (402) 479-3803