

NOTICE TO CONTRACTORS

CALL ORDER 125
 FEDERAL PROJECT NO. BRO-7049(23)
 LOCATION: ON A COUNTY ROAD, IN CRAB ORCHARD
 COUNTIES: JOHNSON

The Nebraska Department of Roads will receive sealed bids for JOHNSON COUNTY in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on December 17, 2009. At that time the bids will be opened and read for GRAD, CONC PAVE, BR, GDRL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES

START DATE 04/05/2010 WORKING DAYS 90
 Price Range \$ 250,000 to \$ 1,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning November 10, 2009 at the Lincoln Central Office and November 16, 2009 at the District Engineer's Office at LINCOLN. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

| | | | | |
|---|----|--------|----|------|
| INFORMATIONAL PROPOSAL | | EACH | \$ | 5.00 |
| PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS) | 28 | SHEETS | \$ | 7.00 |
| CROSS SECTIONS (SHEETS X1 THRU X8) | 8 | SHEETS | \$ | 2.00 |
| STANDARD PLANS | 23 | SHEETS | \$ | 5.75 |

SHEET NO.

| | |
|-------------|--|
| 1 | TITLE PAGE |
| 2-T | TYPICAL CROSS SECTIONS OF IMPROVEMENT |
| 2-S | SUMMARY OF QUANTITIES |
| 2-N1 - 2-N2 | GENERAL INFORMATION |
| 2-L | GEOMETRICS, JOINTS, & GRADES |
| 3 | PLAN & PROFILE SHEET |
| 4 - 5 | DRAINAGE STRUCTURE CROSS SECTIONS |
| 6 - 14 | SPECIAL PLAN 1 CONCRETE SLAB BRIDGE STA. 26+58.00 |
| 15 - 23 | SPECIAL PLAN 1C GUARDRAIL PLAN |
| R1 | RIGHT-OF-WAY SHEET |
| X1 - X8 | CROSS SECTIONS |

STANDARD PLANS

| | |
|---------|--|
| 301-R10 | (3 SHEETS) PAVEMENT DETAILS |
| 308-R1 | LOCAL ROADS MAILBOX TURNOUT |
| 309 | MAILBOX SUPPORT POST |
| 329-R7 | (4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT |
| 410-R3 | (2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES |
| 425-R4 | COLLARS AND ELBOWS FOR CONCRETE PIPES |
| 501-R5 | (3 SHEETS) EROSION CONTROL |
| 502 | SILT FENCE DETAILS |
| 617-R3 | (2 SHEETS) CONCRETE PILING |
| 920-R5 | (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE |
| 921-R5 | (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE |
| 923 | TRAFFIC CONTROL--ROAD CLOSURE |

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

| | | |
|--|------|----------|
| MOBILIZATION | LUMP | LUMP |
| LARGE TREE REMOVAL | | 1 EACH |
| GENERAL CLEARING AND GRUBBING | LUMP | LUMP |
| EXCAVATION (ESTABLISHED QUANTITY) | | 4,954 CY |
| WATER | | 18 MGAL |
| REMOVE ASPHALT SURFACE | | 2,213 SY |
| 30" RD EQUIV DRIVEWAY CULVERT PIPE | | 80 LF |
| 42" RD EQUIV DRIVEWAY CULVERT PIPE | | 40 LF |
| REMOVE STRUCTURE | | 1 EACH |
| AT STA. 25+48.5 LT. | | |
| EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL | | 406 CY |
| 30" CULVERT PIPE | | 89 LF |
| 54" CULVERT PIPE | | 99 LF |
| 30" FLARED-END SECTION | | 1 EACH |
| 54" FLARED-END SECTION | | 1 EACH |
| 36" REINFORCED CONCRETE PIPE | | 54 LF |
| 36" CONCRETE FLARED-END SECTION | | 2 EACH |
| SEEDING, TYPE B | | 2 ACRE |
| COVER CROP SEEDING | | 2 ACRE |
| EROSION CONTROL, CLASS 1D | | 1,440 SY |
| FABRIC SILT FENCE-LOW POROSITY | | 1,321 LF |
| MULCH | | 5 TON |

GROUP 3 CONCRETE PAVEMENT

| | | |
|-------------------------------------|------|----------|
| PERMANENT PAVEMENT MARKING PAINT | | 3,000 LF |
| MOBILIZATION | LUMP | LUMP |
| CRUSHED ROCK SURFACE COURSE | | 43 TON |
| SPEC SURF CRSE FOR MAILBOX TURNOUTS | | 18 SY |
| MAILBOX POST | | 1 EACH |
| 8" CONC PVMT, 47B-3500 | | 2,076 SY |
| FOUNDATION COURSE | | 2,076 SY |
| 4" | | |
| WATER | | 10 MGAL |
| EARTH SHOULDER CONSTRUCTION | | 15 STA |
| SUBGRADE PREPARATION | | 2,076 SY |

GROUP 6 BRIDGE AT STA. 26+58

| | | |
|--|------|-----------|
| MOBILIZATION | LUMP | LUMP |
| RIPRAP FILTER FABRIC | | 1,388 SY |
| CONC FOR PVMT APPROACHES CLASS 47BD-4000 | | 122 CY |
| EPOXY COATED RE-STEEL FOR PVMT APPROACH | | 20,035 LB |
| ABUTMENT NO.1 EXCAVATION | LUMP | LUMP |
| ABUTMENT NO.2 EXCAVATION | LUMP | LUMP |
| BENT NO.1 EXCAVATION | LUMP | LUMP |
| BENT NO.2 EXCAVATION | LUMP | LUMP |
| 47B-3000 CONC FOR BRIDGE | | 266 CY |
| 47BD-4000 CONC FOR BRIDGE | | 253 CY |
| REMOVE STRUCTURE | | 1 EACH |
| AT STA. 26+48.33 | | |
| ACCESS CROSSING | LUMP | LUMP |
| AT STA. 26+58 | | |
| STRUC STEEL FOR SUBSTRUCTURE | | 3,000 LB |
| ROCK RIPRAP, TYPE B | | 1,140 TON |
| EPOXY COATED RE-STEEL | | 77,005 LB |
| CONCRETE PILING | | 2,740 LF |

GROUP 7 GUARDRAIL

| | | |
|--------------------------|------|--------|
| MOBILIZATION | LUMP | LUMP |
| W-BEAM GUARDRAIL | | 43 LF |
| BRIDGE APPROACH SECTIONS | | 4 EACH |
| MELT | | 3 EACH |
| END ANCHORAGE ASSEMBLY | | 1 EACH |

GROUP 10 GENERAL ITEMS

| | | |
|--|-------|------|
| BARRICADE, TYPE III | 1,752 | BDAY |
| SIGN DAY | 2,336 | EACH |
| CONTRACTOR FURNISHED SIGN DAY | 292 | EACH |
| FIELD OFFICE | 1 | EACH |
| MOBILIZATION | LUMP | LUMP |
| RENTAL OF LOADER, FULLY OPERATED | 20 | HOUR |
| RENTAL OF DUMP TRUCK, FULLY OPERATED | 20 | HOUR |
| RENTAL OF SKID LOADER, FULLY OPERATED | 20 | HOUR |
| RENT CRAWLER MNTED HYD EXCAVATOR, F.O. | 20 | HOUR |
| TEMPORARY SILT FENCE | 300 | LF |