

November 19, 2009

TO ALL CONCERNED:

The Department of Roads has scheduled a bid letting to be held in this office December 17, 2009 at 1:30 p.m.

The Notice to Contractors includes:

1. Website Information
2. Notice to all Bidders
3. Ordering Instructions
4. Notices to Contractors including time allowances and lists of plans
5. Plan and Informational Proposal Order Form
6. R-125 "Request for Bidding Proposal Forms"

Projects containing DBE Goals are indicated in the "Notice to Contractors".

Please check the important letting information on the website frequently.

The last day to submit acceptable prequalification statements for this letting is by 5:00 p.m. on Monday, December 7, 2009.

Sincerely,

Kendall Stege, Supervisor  
Contract Lettings Section  
Construction Division

KS/d

### WEBSITE INFORMATION

The Nebraska Department of Roads, Contract Lettings Section, will be utilizing the Internet as our means of communicating with the contracting industry.

Documents that are posted on the web are:

- Letting Schedule
- Notices to Contractors
- Informational Proposals
- Letting Plans
- List of Prequalified Contractors
- Planholders List
- Informational Addendums
- EBS (Electronic Bidding System)
- Apparent Low Bidders
- Bid Tabulations
- Standard Item Listing
- Awarded Average Unit Prices (AUP) Report

Hard copies of these documents will be available for inspection in the Contracts Office.

There will be a charge for reproduction of any of these documents.

The Website address is: [www.Transportation.Nebraska.gov](http://www.Transportation.Nebraska.gov)

If you have any questions as you are using our Website, please contact us at:

Nebraska Department of Roads  
Contract Lettings Section  
P.O. Box 94759  
Lincoln, NE 68509-4759

Phone (402) 479-4525  
FAX (402) 479-3803

Email: [DOR.ContractLettings@nebraska.gov](mailto:DOR.ContractLettings@nebraska.gov)

## **NOTICE TO ALL BIDDERS**

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free “hotline” Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the “hotline” to report such activities.

The “hotline” is part of the DOT’s continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

## ORDERING INSTRUCTIONS FOR PLANS AND PROPOSALS

Refer to the "Notice to Contractors" for the call order number, project number, and list of plans for each project.

Order forms are available on the NDOR website in PDF and Word format. Complete the appropriate forms as follows:

### **Request for Bidding Proposal Forms (R-125)**

Bidders must submit an R-125, Request for Bidding Proposals Forms and be issued bid proposals prior to submitting bids.

Proposals to be used for bidding must be requested on this form. Bidding proposals will be issued only to contractors who are currently prequalified to bid with this department.

There is no charge for bid proposals.

### **Plan and Informational Proposal Order Form:**

Payment is required prior to NDOR completing the order. This payment is not refundable.

Proposals to be used for information only can be ordered as follows:

1. Each individual project.
2. CD that contains all projects in letting. Does not contain addenda.

Plans for each project can be ordered as follows:

1. Complete set.
2. Set less Roadway Cross-Sections and Standards.
3. Set less Standards.
4. Set less Roadway Cross-Sections.
5. Individual sheets
6. CD that contains all projects in letting.

Prices are: Informational Proposals: \$5.00 each  
CD containing Informational Proposals: No Charge  
Plans per sheet: \$.25 for half-size (12" x 18")  
\$.50 for full-size (24" x 36")  
CD containing plans: \$25.00 each

Cost shown on the list of plans is for ½ size plans. Nebraska residents add appropriate state sales tax and city tax that is determined by delivery within cities imposing a sales tax.

Select the method of payment on the plan order form:

1. Credit Card (Visa or MasterCard only)  
Orders with approved credit cards can be processed without delays.
2. Advanced payment account  
Requires a money deposit with recommended \$200 minimum. Failure to have sufficient funds in your account to cover cost of the plans may delay the processing of your order.  
This account may also be used to purchase other NDOR publications.
3. Check/cash  
Send checks made payable to the Nebraska Dept. of Roads with your completed plan order form. Please do not mail cash.

To order complete sets of standard plans (1/2 size) please use the "Publications Order Form" available on the website. Cost is \$35.00 plus applicable sales tax. As new standards become available they may be purchased at \$0.25 per sheet.

Address: Nebraska Department of Roads  
Contracts Section  
1500 Highway 2  
PO Box 94759  
Lincoln NE 68509-4759

FAX (402) 479-3803

Phone: (402) 479-4525

Email: [DOR.ContractLettings@nebraska.gov](mailto:DOR.ContractLettings@nebraska.gov)

October 10, 2008

NOTICE TO CONTRACTORS

CALL ORDER 100  
 FEDERAL PROJECT NO. BR-3340(7)  
 LOCATION: ON A COUNTY ROAD, SOUTHEAST OF WAVERLY  
 COUNTIES: LANCASTER

The Nebraska Department of Roads will receive sealed bids for LANCASTER COUNTY in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on December 17, 2009. At that time the bids will be opened and read for CULVERTS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CULVERTS

START DATE 06/28/2010 WORKING DAYS 55  
 Price Range \$ 0 to \$ 500,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning November 24, 2009 at the Lincoln Central Office and November 30, 2009 at the District Engineer's Office at LINCOLN. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	12	SHEETS	\$	3.00
CROSS SECTIONS (SHEETS X1 THRU X5)	5	SHEETS	\$	1.25
STANDARD PLANS	11	SHEETS	\$	2.75

SHEET NO.

- 1 TITLE PAGE
- 2-T TYPICAL CROSS SECTIONS OF IMPROVEMENT
- 2-S SUMMARY OF QUANTITIES
- 2-N GENERAL INFORMATION & DETOUR LOCATION MAP
- 3 PLAN & PROFILE SHEET
- 4 - 6 DRAINAGE STRUCTURE CROSS SECTIONS
- 7 SPECIAL PLAN 1 14' X 10' QUADRUPLE SPAN  
RC BOX CULVERT  
STA. 79+85
- 8 SPECIAL PLAN 2 SLOPED INLET APRON
- 9 SPECIAL PLAN 3 PAVED OUTLET APRON
- R1 RIGHT-OF-WAY SHEET
- X1 - X5 CROSS SECTIONS

STANDARD PLANS

- 410-R3 (2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
- 501-R5 (3 SHEETS) EROSION CONTROL
- 502 SILT FENCE DETAILS
- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 923 TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 4 CULVERTS

BARRICADE, TYPE III		1,248	B	DAY
SIGN DAY		1,664	E	EACH
CONTRACTOR FURNISHED SIGN DAY		208	E	EACH
MOBILIZATION	LUMP		L	LUMP
LARGE TREE REMOVAL		5	E	EACH
GENERAL CLEARING AND GRUBBING	LUMP		L	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		10,797	C	CY

WATER	51 MGAL
RIPRAP FILTER FABRIC	685 SY
60" RD EQUIV C.M.P. FOR DRIVE CULV.	100 LF
CRUSHED ROCK EMBEDMENT	13 STA
CRUSHED ROCK SURFACE COURSE	502 TON
REMOVE STRUCTURE	1 EACH
AT STA. 79+88	
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	203 CY
EXCAVATION FOR BOX CULVERTS	1,595 CY
47B-3000 CONC FOR BOX CULV	443 CY
RE-STEEL FOR BOX CULVERT	51,557 LB
30" CORRUGATED METAL PIPE	84 LF
42" CORRUGATED METAL PIPE	76 LF
30" METAL FLARED-END SECTION	1 EACH
42" METAL FLARED-END SECTION	1 EACH
ROCK RIPRAP, TYPE B	501 TON
SALVAGING AND PLACING TOPSOIL ON RIPRAP	550 SY
RENTAL OF LOADER, FULLY OPERATED	10 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	10 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	10 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10 HOUR
SEEDING, TYPE A	5 ACRE
COVER CROP SEEDING	4 ACRE
FABRIC SILT FENCE-LOW POROSITY	587 LF
MULCH	9 TON

NOTICE TO CONTRACTORS

CALL ORDER 105  
 FEDERAL PROJECT NO. BR-3430(6)  
 LOCATION: ON A COUNTY ROAD, IN PRAGUE  
 COUNTIES: SAUNDERS

The Nebraska Department of Roads will receive sealed bids for SAUNDERS COUNTY in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on December 17, 2009. At that time the bids will be opened and read for GR CONC PAVE CULV WATER MAIN

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CULVERTS

START DATE 07/26/2010 WORKING DAYS 70  
 Price Range \$ 250,000 to \$ 1,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning November 24, 2009 at the Lincoln Central Office and November 30, 2009 at the District Engineer's Office at LINCOLN. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	18 SHEETS	\$	4.50
CROSS SECTIONS (SHEETS X1 THRU X3)	3 SHEETS	\$	0.75
STANDARD PLANS	19 SHEETS	\$	4.75

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTION OF IMPROVEMENT
2-S	SUMMARY OF QUANTITIES
2-N	GENERAL INFORMATION
3	PLAN & PROFILE SHEET
4A	WATER MAIN PLAN & PROFILE SHEET
4B	SANITARY SEWER MAIN PLAN & PROFILE SHEET
5 - 11	DRAINAGE STRUCTURE CROSS SECTIONS
12 - 13	SPECIAL PLAN 1 16' X 16' TRIPLE SPAN RC BOX CULVERT STA. 5+00.00
14	TYPICAL PAVEMENT MARKING PLAN--4" PAVEMENT MARKING
R1	RIGHT-OF-WAY SHEET
X1 - X3	CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
329-R7	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
404-R3	CONTROL JOINTS FOR CONCRETE BOX CULVERTS
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		1 EACH

GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		10 MGAL
EARTHWORK MEASURED IN EMBANKMENT	3,593	CY
REMOVE ASPHALT SURFACE		588 SY
REMOVE HEADWALLS FROM CULV		2 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		613 CY
30" CORRUGATED METAL PIPE		235 LF
30" METAL FLARED-END SECTION		1 EACH
COVER CROP SEEDING		2 ACRE
EROSION CONTROL	1,139	SY
FABRIC SILT FENCE-HIGH POROSITY		385 LF

GROUP 3 CONCRETE PAVEMENT

PERMANENT PAVEMENT MARKING PAINT		900 LF
MOBILIZATION	LUMP	LUMP
CONC 47B-3500 DRIVEWAY		113 SY
8" DOWELED CONC PAVE, CLASS 47B-3500		800 SY
ADJUST MANHOLE TO GRADE		2 EACH
FOUNDATION COURSE		800 SY
4"		
PREP OF INTER & DRIVE		113 SY
WATER		4 MGAL
EARTH SHOULDER CONSTRUCTION		6 STA
SUBGRADE PREPARATION		800 SY
SEEDING, TYPE A		1 ACRE
SEEDING, TYPE B		1 ACRE
MULCH		5 TON

GROUP 4 CULVERT AT STA. 5+00.00

MOBILIZATION	LUMP	LUMP
EXCAVATION FOR BOX CULVERTS		2,748 CY
47B-3000 CONC FOR BOX CULV		845 CY
RE-STEEL FOR BOX CULVERT	76,098	LB
REMOVE STRUCTURE		1 EACH
AT STA. 5+09		

GROUP 4A WATER MAIN

MOBILIZATION	LUMP	LUMP
REMOVE SEWER PIPE		448 LF
4" DUCTILE IRON SEWER PIPE		239 LF
6" PLUG		2 EACH
1" WATER SERVICE		149 LF
THRUST BLOCK		7 EACH
6" WATER MAIN PIPE		461 LF
6" GATE VALVE, M.J.		4 EACH
INSTALL FIRE HYDRANT		1 EACH
4" SOLID SLEEVE		1 EACH
6" SOLID SLEEVE		3 EACH
6" X 6" TEE		3 EACH
4" - 45 DEGREE BEND		1 EACH
4" CAP		1 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE III		1,500 BDAY
SIGN DAY		2,000 EACH
CONTRACTOR FURNISHED SIGN DAY		750 EACH
FIELD OFFICE		1 EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		10 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		10 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		10 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		10 HOUR
TEMPORARY SILT FENCE		200 LF

NOTICE TO CONTRACTORS

CALL ORDER 120  
 FEDERAL PROJECT NO. LCLC-5254(9)  
 LOCATION: SUPERIOR STREET BRIDGE, LINCOLN  
 COUNTIES: LANCASTER

The Nebraska Department of Roads will receive sealed bids for THE CITY OF LINCOLN in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on December 17, 2009. At that time the bids will be opened and read for BRIDGE

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES  
 START DATE 06/15/2010 CALENDAR DAYS 62  
 Price Range \$ 0 to \$ 500,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning November 24, 2009 at the Lincoln Central Office and November 30, 2009 at the District Engineer's Office at LINCOLN  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	15 SHEETS	\$	3.75
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-H	SURVEY & ALIGNMENT
2-N	GENERAL INFORMATION
2-L1 - 2-L4	REMOVAL, CONSTRUCTION
3	PAVEMENT MARKING
4	BRIDGE DECK REPAIR
5	TUBULAR MARKER, GROUND SLEEVE SPECIAL PLAN
6 - 8	TYPICAL URBAN TRAFFIC CONTROL PLAN

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE

BARRICADE, TYPE II	5,800	B DAY
BARRICADE, TYPE III	468	B DAY
TEMPORARY SIGN DAY	80	EACH
SIGN DAY	996	EACH
CONTRACTOR FURNISHED SIGN DAY	312	EACH
RAISED PAVEMENT MARKER	6	EACH
TUBULAR POST	2	EACH
GROUND SLEEVE	2	EACH
FLASHING ARROW PANEL	124	DAY
CHANGEABLE MESSAGE SIGN	52	DAY
MOBILIZATION	LUMP	LUMP
REMOVE PAVEMENT	75	SY
SAWING PAVEMENT	288	LF

REMOVE	126 LF
NEOPRENE COMPRESSION JOINT SEAL	
TIE BARS	94 EACH
CONCRETE CURB REPAIR TACK-ON CURB	60 LF
TACK-ON CONC 47B-HE-3500 MEDIAN	43 SY
10" CONC PVMT CLASS 47B-HE-3500	75 SY
ADJUST MANHOLE TO GRADE	2 EACH
PRECOMPRESSED POLY FOAM JOINT, TYPE A	126 LF
CLASS I REPAIR	1,532 SY
CLASS II REPAIR	207 SY
CLASS III REPAIR	5 SY
PLACE, FINISH, & CURE CONC OVERLAY-SF	1,532 SY
47BD-4000 CONC FOR BRIDGE	38 CY
CONCRETE FOR OVERLAYS-SF	86 CY
4" WHITE THERMOPLASTIC	59 LF
4" WHT POLYUREA PVMT MRKING, GROOVED	146 LF
ASPHALTIC CONCRETE	38 TON
SURFACE COURSE, TYPE 1P	
MILLING CONCRETE FOR INLAYS	610 SY
ADJUST VALVE BOX TO GRADE	1 EACH

NOTICE TO CONTRACTORS

CALL ORDER 125  
 FEDERAL PROJECT NO. BRO-7049(23)  
 LOCATION: ON A COUNTY ROAD, IN CRAB ORCHARD  
 COUNTIES: JOHNSON

The Nebraska Department of Roads will receive sealed bids for  
 JOHNSON COUNTY in Room 104 of the Central Office Building at  
 1500 Hwy 2 at Lincoln, until 1:30 P.M. on December 17, 2009.  
 At that time the bids will be opened and read for  
 GRAD, CONC PAVE, BR, GDRL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR  
 WHO IS QUALIFIED FOR: BRIDGES

START DATE 04/05/2010 WORKING DAYS 90  
 Price Range \$ 250,000 to \$ 1,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning November 10, 2009 at the Lincoln  
 Central Office and November 16, 2009 at the District Engineer's Office at LINCOLN  
 Additional letting information may be found at the Nebraska Department of Roads  
 Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal  
 requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	28	SHEETS	\$	7.00
CROSS SECTIONS (SHEETS X1 THRU X8)	8	SHEETS	\$	2.00
STANDARD PLANS	23	SHEETS	\$	5.75

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS OF IMPROVEMENT
2-S	SUMMARY OF QUANTITIES
2-N1 - 2-N2	GENERAL INFORMATION
2-L	GEOMETRICS, JOINTS, & GRADES
3	PLAN & PROFILE SHEET
4 - 5	DRAINAGE STRUCTURE CROSS SECTIONS
6 - 14	SPECIAL PLAN 1 CONCRETE SLAB BRIDGE STA. 26+58.00
15 - 23	SPECIAL PLAN 1C GUARDRAIL PLAN
R1	RIGHT-OF-WAY SHEET
X1 - X8	CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
308-R1	LOCAL ROADS MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
329-R7	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
617-R3	(2 SHEETS) CONCRETE PILING
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and  
 should not be used for bidding purposes. The Department  
 reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		1 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		4,954 CY
WATER		18 MGAL
REMOVE ASPHALT SURFACE		2,213 SY
30" RD EQUIV DRIVEWAY CULVERT PIPE		80 LF
42" RD EQUIV DRIVEWAY CULVERT PIPE		40 LF
REMOVE STRUCTURE		1 EACH
AT STA. 25+48.5 LT.		
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		406 CY
30" CULVERT PIPE		89 LF
54" CULVERT PIPE		99 LF
30" FLARED-END SECTION		1 EACH
54" FLARED-END SECTION		1 EACH
36" REINFORCED CONCRETE PIPE		54 LF
36" CONCRETE FLARED-END SECTION		2 EACH
SEEDING, TYPE B		2 ACRE
COVER CROP SEEDING		2 ACRE
EROSION CONTROL, CLASS 1D		1,440 SY
FABRIC SILT FENCE-LOW POROSITY		1,321 LF
MULCH		5 TON

GROUP 3 CONCRETE PAVEMENT

PERMANENT PAVEMENT MARKING PAINT		3,000 LF
MOBILIZATION	LUMP	LUMP
CRUSHED ROCK SURFACE COURSE		43 TON
SPEC SURF CRSE FOR MAILBOX TURNOUTS		18 SY
MAILBOX POST		1 EACH
8" CONC PVMT, 47B-3500		2,076 SY
FOUNDATION COURSE		2,076 SY
4"		
WATER		10 MGAL
EARTH SHOULDER CONSTRUCTION		15 STA
SUBGRADE PREPARATION		2,076 SY

GROUP 6 BRIDGE AT STA. 26+58

MOBILIZATION	LUMP	LUMP
RIPRAP FILTER FABRIC		1,388 SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000		122 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		20,035 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
47B-3000 CONC FOR BRIDGE		266 CY
47BD-4000 CONC FOR BRIDGE		253 CY
REMOVE STRUCTURE		1 EACH
AT STA. 26+48.33		
ACCESS CROSSING	LUMP	LUMP
AT STA. 26+58		
STRUC STEEL FOR SUBSTRUCTURE		3,000 LB
ROCK RIPRAP, TYPE B		1,140 TON
EPOXY COATED RE-STEEL		77,005 LB
CONCRETE PILING		2,740 LF

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		43 LF
BRIDGE APPROACH SECTIONS		4 EACH
MELT		3 EACH
END ANCHORAGE ASSEMBLY		1 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE III	1,752	B DAY
SIGN DAY	2,336	EACH
CONTRACTOR FURNISHED SIGN DAY	292	EACH
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	20	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	20	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	20	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	20	HOUR
TEMPORARY SILT FENCE	300	LF

NOTICE TO CONTRACTORS

CALL ORDER 150  
 FEDERAL PROJECT NO. LCLC-5220(3)  
 LOCATION: "A" STREET, VAN DORN STREET, LINCOLN  
 COUNTIES: LANCASTER

The Nebraska Department of Roads will receive sealed bids for the  
 THE CITY OF LINCOLN in Room 104 of the Central Office Building  
 at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on December 17, 2009.  
 At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR  
 WHO IS QUALIFIED FOR: BITUMINOUS  
 START DATE 04/19/2010 CALENDAR DAYS 165  
 Price Range \$ 250,000 to \$ 1,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning November 24, 2009 at the Lincoln  
 Central Office and November 30, 2009 at the District Engineer's Office at LINCOLN  
 Additional letting information may be found at the Nebraska Department of Roads  
 Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all  
 appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	58 SHEETS	\$	14.50
STANDARD PLANS	5 SHEETS	\$	1.25

SHEET NO.

1	TITLE PAGE
2-S	SUMMARY OF QUANTITIES
2-T	TYPICAL SECTIONS
2-H	SURVEY & ALIGNMENT
2-N	GENERAL INFORMATION
2-L1 - 2-L16	REMOVAL, CONSTRUCTION, & DRAINAGE
3 - 5	DETOUR LOCATION MAPS
6 - 21	PAVEMENT MARKING
22 - 23	TRAFFIC SIGNAL & LIGHTING
24 - 35	SPECIAL PLANS
36 - 38	TYPICAL URBAN TRAFFIC CONTROL PLAN
39	TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R7	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and  
 should not be used for bidding purposes. The Department  
 reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	900	B DAY
BARRICADE, TYPE III	1,122	B DAY
SIGN DAY	1,767	EACH
CONTRACTOR FURNISHED SIGN DAY	659	EACH
RAISED PAVEMENT MARKER	3	EACH
OVERLAY BROKEN LINES	164	STA
GROUND SLEEVE	1	EACH
FLAGGING	4	DAY
MOBILIZATION	LUMP	LUMP
REMOVE PAVEMENT	4,464	SY
SAWING PAVEMENT	443	LF

REMOVE WALK	319 SY
REMOVE COMBINATION CURB AND GUTTER	330 LF
REMOVE CONCRETE MEDIAN SURFACING	69 SY
COMB CONC 47B-HE-3500 CURB & GUTTER	330 LF
CONC 47B-3000 SIDEWALKS	319 SY
DETECTABLE WARNING PANEL	256 SF
TACK-ON CONC 47B-3500 MEDIAN	115 SY
8" CONCRETE BASE COURSE 47B-HE-3500	3,629 SY
9" CONC PVMT 47B-HE-3500	890 SY
INLET-72" CANTED	1 EACH
AT STA. 111+36.21 RT.	
ADJUST MANHOLE TO GRADE	6 EACH
TAPPING EXISTING STRUCTURE	1 EACH
15" REINF CONCRETE SEWER PIPE	11 LF
CURB INLET SEDIMENT FILTER	5 EACH
4" WHITE THERMOPLASTIC, GROOVED	3,694 LF
4" YELLOW THERMOPLASTIC, GROOVED	11,722 LF
8" WHITE THERMOPLASTIC, GROOVED	175 LF
12" WHITE THERMOPLASTIC, GROOVED	88 LF
24" WHITE THERMOPLASTIC, GROOVED	180 LF
4" WHT POLYUREA PVMT MRKING, GROOVED	927 LF
24" WHT POLYUREA PVMT MRKING, GROOVED	540 LF
4" YEL POLYUREA PVMT MRKING, GROOVED	66 LF
ASPHALTIC CONCRETE	5,442 TON
TYPE 1	
COLD MILLING, CLASS 3	36,271 SY
PULL BOX, TYPE PB-9	2 EACH
VEHICLE DETECTOR, TYPE A PREFORMED	9 EACH
VEHICLE DETECTOR, TYPE 2 UC	5 EACH
VEHICLE DETECTOR, TYPE TD-5A	2 EACH
1/2" CONDUIT IN TRENCH	163 LF
LEAD-IN CABLE	1,048 LF
TRACER WIRE	756 LF
GROUND ROD	2 EACH
10'	
REMOVE PULL BOX	2 EACH
SEEDING, TYPE B	1 ACRE

NOTICE TO CONTRACTORS

CALL ORDER 155  
 FEDERAL PROJECT NO. LCLC-5250(3)  
 LOCATION: ADAMS STREET, 57th-62nd STREET, LINCOLN  
 COUNTIES: LANCASTER

The Nebraska Department of Roads will receive sealed bids for THE CITY OF LINCOLN in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on December 17, 2009. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

START DATE 06/07/2010 CALENDAR DAYS 47  
 Price Range \$ 250,000 to \$ 1,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 6.0 %

Plans and specifications may be seen beginning November 24, 2009 at the Lincoln Central Office and November 30, 2009 at the District Engineer's Office at LINCOLN. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	31 SHEETS	\$	7.75
STANDARD PLANS	5 SHEETS	\$	1.25

SHEET NO.

1	TITLE PAGE
2-S	SUMMARY OF QUANTITIES
2-T	TYPICAL SECTIONS
2-H	SURVEY & ALIGNMENT
2-N	GENERAL INFORMATION
2-L1 - 2-L4	REMOVAL, CONSTRUCTION, DRAINAGE, WATER MAIN
3	DETOUR LOCATION MAP
4 - 8	PAVEMENT MARKING
9 - 20	SPECIAL PLANS
21 - 23	TYPICAL URBAN TRAFFIC CONTROL PLAN
24	TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R7	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	1,050	B DAY
BARRICADE, TYPE III	705	B DAY
SIGN DAY	1,739	EACH
CONTRACTOR FURNISHED SIGN DAY	517	EACH
OVERLAY BROKEN LINES	20	STA
MOBILIZATION	LUMP	LUMP
REMOVE PAVEMENT	3,383	SY
SAWING PAVEMENT	4,740	LF
REMOVE DRIVEWAY	569	SY
REMOVE WALK	312	SY
REMOVE COMBINATION CURB AND GUTTER	3,992	LF
REMOVE INLET	8	EACH

COMB CONC 47B-3500 CURB & GUTTER	3,992 LF
CONC 47B-3000 SIDEWALKS	312 SY
DETECTABLE WARNING PANEL	264 SF
CONC 47B-HE-3500 DRIVEWAY	569 SY
6"	
8" CONCRETE BASE COURSE	4,890 SY
INLET-72" STRAIGHT	9 EACH
INLET-72" CANTED	1 EACH
MODIFY INLET	2 EACH
ADJUST MANHOLE TO GRADE	6 EACH
REMOVE SEWER PIPE	40 LF
47B-3000 CONC FOR CONCRETE CO	3 CY
RE-STEEL FOR COLLARS	446 LB
15" REINF CONCRETE SEWER PIPE	34 LF
18" REINF CONCRETE SEWER PIPE	18 LF
30" REINF CONCRETE SEWER PIPE	22 LF
CURB INLET SEDIMENT FILTER	17 EACH
4" YELLOW THERMOPLASTIC, GROOVED	3,746 LF
ASPHALTIC CONCRETE	1,164 TON
TYPE 1	
COLD MILLING, CLASS 3	2,827 SY
SEEDING, TYPE B	1 ACRE
6" RETAINER GLAND	4 EACH
ANCHORING ELBOW, M.J.	2 EACH
6"	
ANCHOR COUPLING, M.J.	2 EACH
6"	
D.I.P. SLEEVE, M.J.	2 EACH
6"	
6" WATER MAIN PIPE	20 LF
ADJUST WATER VALVE BOX & COVER TO GRADE	4 EACH
RELOCATE FIRE HYDRANT AND VALVE	2 EACH

NOTICE TO CONTRACTORS

CALL ORDER 160  
 FEDERAL PROJECT NO. BRO-7049(21)  
 LOCATION: ON A COUNTY ROAD, WEST OF STERLING  
 COUNTIES: JOHNSON

The Nebraska Department of Roads will receive sealed bids for the COUNTY OF JOHNSON in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on December 17, 2009. At that time the bids will be opened and read for GR BR GDRL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES  
 START DATE 06/28/2010 WORKING DAYS 95  
 Price Range \$ 250,000 to \$ 1,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning November 24, 2009 at the Lincoln Central Office and November 30, 2009 at the District Engineer's Office at LINCOLN. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	26	SHEETS	\$	6.50
CROSS SECTIONS (SHEETS X1 THRU X5)	5	SHEETS	\$	1.25
STANDARD PLANS	13	SHEETS	\$	3.25

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS OF IMPROVEMENT
2-S	SUMMARY OF QUANTITIES
2-N	GENERAL INFORMATION & DETOUR LOCATION MAP
3	PLAN & PROFILE SHEET
4 - 5	DRAINAGE STRUCTURE CROSS SECTIONS
6 - 15	SPECIAL PLAN 1 PRESTRESSED CONCRETE IT-900 GIRDER BRIDGE STA. 32+50.00
16 - 23	SPECIAL PLAN 1C GUARDRAIL PROTECTION
R1	RIGHT-OF-WAY SHEET
X1 - X5	CROSS SECTIONS

STANDARD PLANS

308-R1	LOCAL ROADS MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		1 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		37 MGAL
EARTHWORK MEASURED IN EMBANKMENT		5,302 CY
18" RD EQUIV CMP FOR DR CULV PIPE		120 LF
24" RD EQUIV CMP FOR DR CULV PIPE		74 LF

CRUSHED ROCK EMBEDMENT	11	STA
CRUSHED ROCK SURFACE COURSE	451	TON
SPEC SURF CRSE FOR MAILBOX TURNOUTS	22	SY
MAILBOX POST	1	EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	1,353	CY
24" CORRUGATED METAL PIPE	240	LF
42" CORRUGATED METAL PIPE	218	LF
24" METAL FLARED-END SECTION	2	EACH
42" METAL FLARED-END SECTION	1	EACH
SEEDING, TYPE A	3	ACRE
COVER CROP SEEDING	3	ACRE
EROSION CONTROL, CLASS 1D	3,529	SY
FABRIC SILT FENCE-LOW POROSITY	471	LF
MULCH	7	TON

GROUP 6 BRIDGE AT STA. 32+50.00

MOBILIZATION	LUMP	LUMP
RIPRAP FILTER FABRIC	1,342	SY
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
47B-3000 CONC FOR BRIDGE	225	CY
47BD-4000 CONC FOR BRIDGE	190	CY
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
AT STA. 32+50.00		
RE-STEEL FOR BRIDGE	55,595	LB
REMOVE STRUCTURE	1	EACH
AT STA. 32+41.00		
ACCESS CROSSING	LUMP	LUMP
STRUC STEEL FOR SUBSTRUCTURE	4,015	LB
ROCK RIPRAP, TYPE B	1,030	TON
PIPE PILING	2,230	LF

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
BRIDGE APPROACH SECTIONS	4	EACH
MELT	4	EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE III	1,908	B DAY
SIGN DAY	2,544	EACH
CONTRACTOR FURNISHED SIGN DAY	318	EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	10	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	10	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	10	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10	HOUR

NOTICE TO CONTRACTORS

CALL ORDER 165  
 FEDERAL PROJECT NO. STPE-BR-3265(4)  
 LOCATION: ON A COUNTY ROAD, SOUTH OF BARNESTON  
 COUNTIES: GAGE

The Nebraska Department of Roads will receive sealed bids for the COUNTY OF GAGE in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on December 17, 2009. At that time the bids will be opened and read for GR BR GDRL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES  
 START DATE 06/21/2010 WORKING DAYS 90  
 Price Range \$ 250,000 to \$ 1,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning November 24, 2009 at the Lincoln Central Office and November 30, 2009 at the District Engineer's Office at LINCOLN  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	37 SHEETS	\$	9.25
STANDARD PLANS	12 SHEETS	\$	3.00

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS OF IMPROVEMENT
2-S	SUMMARY OF QUANTITIES
2-N	GENERAL INFORMATION
3 - 4	PLAN & PROFILE SHEETS
5 - 15	CROSS SECTIONS
16 - 17	CROSS SECTIONS AT CULVERT SITES
18 - 24	SPECIAL PLAN 1 CONCRETE SLAB BRIDGE STA. 39+25.00
25 - 32	SPECIAL PLAN 1C GUARDRAIL PROTECTION
33	SPECIAL PLAN 2C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
34 - 35	RIGHT-OF-WAY DATA

STANDARD PLANS

410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		1 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		137 MGAL
EARTHWORK MEASURED IN EMBANKMENT		19,574 CY
24" CMP FOR DRIVEWAY CULVERT PIPE		150 LF
54" CMP FOR DRIVEWAY CULVERT PIPE		62 LF

CRUSHED ROCK EMBEDMENT	36 STA
CRUSHED ROCK SURFACE COURSE	1,400 TON
REMOVE CULVERT PIPE AND SALVAGE	44 LF
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	223 CY
24" CORRUGATED METAL PIPE	124 LF
36" CORRUGATED METAL PIPE	56 LF
54" CORRUGATED METAL PIPE	64 LF
24" METAL FLARED-END SECTION	2 EACH
36" METAL FLARED-END SECTION	2 EACH
54" METAL FLARED-END SECTION	1 EACH
SEEDING, TYPE A	7 ACRE
COVER CROP SEEDING	7 ACRE
EROSION CONTROL, CLASS 1D	2,933 SY
EROSION CHECKS, TYPE HV	204 BALE
FABRIC SILT FENCE-LOW POROSITY	607 LF
MULCH	16 TON

GROUP 6 BRIDGE AT STA. 39+25.00

MOBILIZATION	LUMP	LUMP
RIPRAP FILTER FABRIC	1,088 SY	
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
47B-3000 CONC FOR BRIDGE	280 CY	
47BD-4000 CONC FOR BRIDGE	226 CY	
RE-STEEL FOR BRIDGE	55,740 LB	
REMOVE STRUCTURE AT STA. 39+24	1 EACH	
ACCESS CROSSING	LUMP	LUMP
STRUC STEEL FOR SUBSTRUCTURE	2,885 LB	
ROCK RIPRAP, TYPE B	882 TON	
SALVAGING AND PLACING TOPSOIL ON RIPRAP	1,088 SY	
HP 10"X42# STEEL PILING	500 LF	
HP 12"X53# STEEL PILING	512 LF	
ROCK SOCKET - 20 INCH	132 LF	

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
BRIDGE APPROACH SECTIONS	4 EACH	
MELT	4 EACH	

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE III	1,920 BDAY	
SIGN DAY	2,560 EACH	
CONTRACTOR FURNISHED SIGN DAY	960 EACH	
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	10 HOUR	
RENTAL OF DUMP TRUCK, FULLY OPERATED	10 HOUR	
RENTAL OF SKID LOADER, FULLY OPERATED	10 HOUR	
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10 HOUR	
TEMPORARY SILT FENCE	200 LF	

NOTICE TO CONTRACTORS

CALL ORDER 250  
 STATE PROJECT NO. MISC-L28B(1004)  
 LOCATION: L28B, SKYLINE DRIVE-RAMP 1  
 COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 17, 2009. At that time the bids will be opened and read for CULVERT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CULVERTS  
 START DATE 08/27/2010 CALENDAR DAYS 4  
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning November 24, 2009 at the Lincoln Central Office and November 30, 2009 at the District Engineer's Office at OMAHA  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	7 SHEETS	\$	1.75
STANDARD PLANS	22 SHEETS	\$	5.50

SHEET NO.

- 1 TITLE PAGE
- 2-T TYPICAL CROSS SECTIONS
- 2-S SUMMARY OF QUANTITIES
- 2-N GENERAL INFORMATION
- 3 PLAN SHEET--DRAINAGE
- 4 TYPICAL TRAFFIC CONTROL PLAN--FREEWAY RAMP CLOSURE
- 5 CULVERT CROSS SECTION

STANDARD PLANS

- M301-R3 (3 SHEETS) PAVEMENT DETAILS
- M329-R4 (4 SHEETS) 200 TO 405 mm CONCRETE PAVEMENT
- M410 (2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
- M411 (4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
- M425-R1 COLLARS AND ELBOWS FOR CONCRETE PIPES
- M501-R3 (3 SHEETS) EROSION CONTROL
- M502 SILT FENCE DETAILS
- M920 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- M922-R2 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 4 CULVERTS

BARRICADE, TYPE II	104	BDAY
BARRICADE, TYPE III	28	BDAY
SIGN DAY	8	EACH
CONTRACTOR FURNISHED SIGN DAY	8	EACH
MOBILIZATION	LUMP	LUMP
ROCK RIPRAP, TYPE B	91	Mg
RIPRAP FILTER FABRIC	120	m2
SAWING PAVEMENT	14	m
230 mm DOWELED CONC PVMT 47B-HE-25	115	m2
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	1,223	m3
1350 mm CONCRETE FLARED-END SECTION	2	EACH
FOUNDATION COURSE	115	m2
100 mm		
RENTAL OF LOADER, FULLY OPERATED	5	HOUR

RENTAL OF DUMP TRUCK, FULLY OPERATED	5 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	5 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5 HOUR
WATER	3 kL
EARTH SHOULDER CONSTRUCTION	1 StaM
SUBGRADE PREPARATION	115 m2
EROSION CONTROL, CLASS 1D	768 m2
TEMPORARY SILT FENCE	60 m
1350 mm CULV PIPE 2	49 m

NOTICE TO CONTRACTORS

CALL ORDER 310  
FEDERAL PROJECT NO. IM-129-1(29)  
LOCATION: I-129, US-20-MISSOURI RIVER  
COUNTIES: DAKOTA

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 17, 2009. At that time the bids will be opened and read for GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 2.8 MILES  
START DATE 05/17/2010 WORKING DAYS 100  
Price Range \$ 2,000,000 to \$ 4,000,000  
THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning November 24, 2009 at the Lincoln Central Office and November 30, 2009 at the District Engineer's Office at NORFOLK  
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	77	SHEETS	\$	19.25
STANDARD PLANS	8	SHEETS	\$	2.00

SHEET NO.

1	TITLE PAGE
2	INDEX OF SHEETS
2-T1 - 2-T12	TYPICAL CROSS SECTIONS
2-S1 - 2-S6	SUMMARY OF QUANTITIES
2-W1 - 2-W10	WETLANDS
2-H1 - 2-H7	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N2	GENERAL INFORMATION
2-N3	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3 - 13	PLAN SHEETS
14	TYPICAL TRAFFIC CONTROL PLAN--TYPE 3 BARRICADE PLACEMENT WHEN GUARDRAIL IS REMOVED
15	TRAFFIC CONTROL PLAN
16	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
17 - 19	TYPICAL URBAN TRAFFIC CONTROL PLAN
20	TYPICAL PAVEMENT MARKING PLAN (INTERSTATE/EXPRESSWAY)
21	TEMPORARY PAVEMENT MARKING PLAN
22	SPECIAL PLAN 1C PAVEMENT APPROACH REPAIR
23 - 38	SPECIAL PLAN 2C GUARDRAIL PLAN
39	SPECIAL PLAN 3C CONCRETE FLUME, TYPE VI

STANDARD PLANS

501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R7	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
ROADWAY GRADING		30 STA
W-BEAM GUARDRAIL		962 LF
THRIE-BEAM GUARDRAIL		700 LF
REMOVE GUARDRAIL		2,737 LF
REMOVE & SALVAGE GUARDRAIL		2,293 LF
RESET GUARDRAIL		2,293 LF
BRIDGE APPROACH SECTIONS		6 EACH
BULLNOSE-12.5'		6 EACH
GUARDRAIL END TREATMENT, TYPE I		6 EACH
EROSION CONTROL, CLASS 1D		10,822 SY
FABRIC SILT FENCE-LOW POROSITY		2,294 LF

GROUP 9 BITUMINOUS

PAVEMENT MARKING REMOVAL		8,300 LF
OVERLAY BROKEN LINES		582 STA
OVERLAY SOLID LINES		1,470 STA
MOBILIZATION	LUMP	LUMP
REMOVE ASPHALT SURFACE		2,207 SY
REMOVE CURB		876 LF
REMOVE CONCRETE FLUME		2 EACH
CONCRETE CURB REPAIR		40 LF
CONC PVMT REPAIR TYPE A FULL DEPTH		84 CY
CONC PVMT REPAIR TYPE B FULL DEPTH		395 CY
CONC PVMT REPAIR TYPE C FULL DEPTH		310 CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH		6 CY
CONC PVMT, PR-3500		227 CY
JOINT REPAIR		
CONCRETE FLUME, TYPE VI		2 EACH
BRIDGE APPROACH REPAIR		41 CY
4" WHITE WET REFLECT THERMOPLASTIC, GRVD		58,000 LF
4" YELLOW WET REFLECT THERM PVMT MK GRVD		48,000 LF
12" WHT WET RFLC PRF PVMT MKNG T4 GVD		6,500 LF
HYDRATED LIME FOR ASPHALT MIXTURES		261 TON
GRANULAR SUBDRAIN		96 EACH
SHOULDER SUBGRADE PREPARATION		20 STA
ASPH CONCRETE FOR PATCHING, TYPE SPS		500 TON
ASPH CONC, TYPE SPS		6,920 TON
ASPH CONC, TYPE SP5(0.5)		26,040 TON
PERF GRADED BINDER (70-28)		1,302 TON
PERF GRADED BINDER (52-34)		371 TON
CONSTRUCTING ASPH CONC CURB		876 LF
TACK COAT		39,110 GAL
WATER		283 MGAL
EARTH SHOULDER CONSTRUCTION		1,093 STA
COLD MILLING, CLASS 3		718 SY
MILLING CONC FOR INLAYS		30 EACH
RUMBLE STRIPS, ASPHALT		545 STA
CONCRETE SURFACE MILLING		1,741 SY
SURFACE UNDER GUARDRAIL		1,797 SY
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B		12 ACRE
MULCH		27 TON

GROUP 10 GENERAL ITEMS

SURV OF TEMP TRAFFIC CONT DEVICES		167 CDAY
BARRICADE, TYPE II		11,000 BDAY
BARRICADE, TYPE III		904 BDAY
TEMPORARY SIGN DAY		2,400 EACH
SIGN DAY		5,791 EACH
FLASHING ARROW PANEL		240 DAY

FLAGGING		20 DAY
FIELD OFFICE		1 EACH
TRAINING		500 HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		70 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED		40 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		70 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		70 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		30 HOUR
TEMPORARY SILT FENCE		500 LF

NOTICE TO CONTRACTORS

CALL ORDER 350  
 STATE PROJECT NO. RD-35-4(1015)  
 LOCATION: N-35, WEST OF WAYNE  
 COUNTIES: WAYNE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 17, 2009. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 6.7 MILES  
 START DATE 08/02/2010 WORKING DAYS 50  
 Price Range \$ 1,000,000 to \$ 3,000,000

Plans and specifications may be seen beginning November 24, 2009 at the Lincoln Central Office and November 30, 2009 at the District Engineer's Office at NORFOLK

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	13	SHEETS	\$	3.25
STANDARD PLANS	6	SHEETS	\$	1.50

SHEET NO.

- 1 TITLE PAGE
- 2-T TYPICAL CROSS SECTIONS
- 2-S SUMMARY OF QUANTITIES
- 2-H HORIZONTAL ALIGNMENT & ORIENTATION
- 2-N GENERAL INFORMATION
- 3 - 9 PLAN SHEETS
- 10 TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R7 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	31,680	B	DAY
BARRICADE, TYPE III	360	B	DAY
TEMPORARY SIGN DAY	700	E	EACH
SIGN DAY	7,200	E	EACH
OVERLAY BROKEN LINES	712	S	TA
OVERLAY SOLID LINES	1,425	S	TA
FLAGGING	100	D	DAY
FURNISHING AND OPERATING PILOT VEHICLE	50	D	DAY
MOBILIZATION	LUMP	L	LUMP
CRUSHED ROCK EMBEDMENT	696	S	TA
CRUSHED ROCK SURFACE COURSE	3,948	C	Y
MEMBRANE WATERPROOFING	829	S	Y
HYDRATED LIME FOR ASPHALT MIXTURES	104	T	ON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	5	T	ON
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP4(0.5)	500	T	ON
ASPH CONCRETE FOR PATCHING, TYPE HRB	600	T	ON
ASPH CONC, TYPE SP4(0.5)	10,480	T	ON
HIGH RAP BASE	20,485	T	ON

PLACE ASPH CONC FOR DRIVE & INTER	2,262 SY
PERF GRAD BIND (64-28)FOR ST MAINT PATCH	25 TON
PERF GRADED BINDER (58-34)	737 TON
PERF GRADED BINDER (64-28)	524 TON
TACK COAT	23,520 GAL
RENTAL OF LOADER, FULLY OPERATED	50 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	50 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	50 HOUR
WATER	174 MGAL
EARTH SHOULDER CONSTRUCTION	696 STA
COLD MILLING, CLASS 3	356 STA
COLD MILLING, CLASS 5	2,262 SY
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP

NOTICE TO CONTRACTORS

CALL ORDER 400  
 FEDERAL PROJECT NO. BRO-7039(9)  
 LOCATION: ON A COUNTY ROAD, IN WOLBACH  
 COUNTIES: GREELEY

The Nebraska Department of Roads will receive sealed bids for  
 GREELEY COUNTY in Room 104 of the Central Office Building at  
 1500 Hwy 2 at Lincoln, until 1:30 P.M. on December 17, 2009.  
 At that time the bids will be opened and read for  
 BRIDGE

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR  
 WHO IS QUALIFIED FOR: BRIDGES

START DATE 08/02/2010 WORKING DAYS 65  
 Price Range \$ 0 to \$ 500,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning November 24, 2009 at the Lincoln  
 Central Office and November 30, 2009 at the District Engineer's Office at GRAND ISLAND  
 Additional letting information may be found at the Nebraska Department of Roads  
 Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal  
 requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	23	SHEETS	\$	5.75
CROSS SECTIONS (SHEETS X1 THRU X6)	6	SHEETS	\$	1.50
STANDARD PLANS	10	SHEETS	\$	2.50

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTION OF IMPROVEMENT, DRIVEWAYS, & DETOUR LOCATION MAP
2-S	SUMMARY OF QUANTITIES
3 - 4	PLAN & PROFILE SHEETS
5	DETAIL SHEET
6	CULVERT CROSS SECTIONS
7 - 12	SPECIAL PLAN 1 CONCRETE SLAB BRIDGE STA. 17+55.00
13 - 21	SPECIAL PLAN 1C GUARDRAIL PROTECTION
R1	RIGHT-OF-WAY SHEET
X1 - X4	ROADWAY CROSS SECTIONS
X5 - X6	CHANNEL CROSS SECTIONS

STANDARD PLANS

309	MAILBOX SUPPORT POST
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and  
 should not be used for bidding purposes. The Department  
 reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT STA. 17+55.00

BARRICADE, TYPE III		1,416	B DAY
SIGN DAY		1,888	EACH
CONTRACTOR FURNISHED SIGN DAY		472	EACH
MOBILIZATION	LUMP		LUMP
LARGE TREE REMOVAL		5	EACH
GENERAL CLEARING AND GRUBBING	LUMP		LUMP
WATER		42	MGAL

EARTHWORK MEASURED IN EMBANKMENT	2,989	CY
RIPRAP FILTER FABRIC	816	SY
CRUSHED ROCK EMBEDMENT	8	STA
CRUSHED ROCK SURFACE COURSE	243	CY
MAILBOX POST	1	EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	132	CY
36" CORRUGATED METAL PIPE	48	LF
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
47B-3000 CONC FOR BRIDGE	124	CY
47BD-4000 CONC FOR BRIDGE	200	CY
RE-STEEL FOR BRIDGE	49,728	LB
REMOVE STRUCTURE	1	EACH
AT STA. 17+50.00		
STRUC STEEL FOR SUBSTRUCTURE	3,869	LB
ROCK RIPRAP, TYPE B	776	TON
PIPE PILING	1,820	LF
STEEL SHEET PILING	3,388	SF
BRIDGE APPROACH SECTIONS	4	EACH
MELT	4	EACH
RENTAL OF LOADER, FULLY OPERATED	10	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	10	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	10	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10	HOUR
SEEDING, TYPE A	2	ACRE
COVER CROP SEEDING	2	ACRE
EROSION CONTROL, CLASS 1B	2,401	SY
EROSION CONTROL, CLASS 2C	30	SY
FABRIC SILT FENCE-LOW POROSITY	415	LF
TEMPORARY SILT FENCE	200	LF
MULCH	5	TON

NOTICE TO CONTRACTORS

CALL ORDER 410  
 FEDERAL PROJECT NO. BRO-7065(21)  
 LOCATION: ON A COUNTY ROAD, OAK SOUTH  
 COUNTIES: NUCKOLLS

The Nebraska Department of Roads will receive sealed bids for NUCKOLLS COUNTY in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on December 17, 2009. At that time the bids will be opened and read for CULVERTS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CULVERTS

START DATE 08/30/2010 WORKING DAYS 45  
 Price Range \$ 0 to \$ 500,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning November 24, 2009 at the Lincoln Central Office and November 30, 2009 at the District Engineer's Office at GRAND ISLAND. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	15 SHEETS	\$	3.75
CROSS SECTIONS (SHEETS X1 THRU X11)	11 SHEETS	\$	2.75
STANDARD PLANS	8 SHEETS	\$	2.00

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS OF IMPROVEMENT
2-S	SUMMARY OF QUANTITIES
2-N	GENERAL INFORMATION & DETOUR LOCATION MAP
3 - 5	PLAN & PROFILE SHEETS
6 - 11	DRAINAGE STRUCTURE CROSS SECTIONS
12	SPECIAL PLAN 1 3.66m X 3.66m TRIPLE SPAN RC BOX CULVERT STA. 10+19
R1	RIGHT-OF-WAY SHEET
X1 - X11	CROSS SECTIONS

STANDARD PLANS

M410	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
M502	SILT FENCE DETAILS
M920	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
M921-R1	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
M923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 4 CULVERTS

BARRICADE, TYPE III	2,160	BDAY
SIGN DAY	2,160	EACH
CONTRACTOR FURNISHED SIGN DAY	180	EACH
MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL	5	EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	4,996	m3
WATER	358	kL
600 mm RD EQUIV CMP FOR DRVWY CULV	11	m

CRUSHED ROCK EMBEDMENT	5 StaM
CRUSHED ROCK SURFACE COURSE	334 m3
REMOVE CULVERT PIPE	27 m
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	299 m3
EXCAVATION FOR BOX CULVERTS	1,266 m3
47B-20 CONC FOR BOX CULV	228 m3
RE-STEEL FOR BOX CULVERT	14,670 kg
600 mm CORRUGATED METAL PIPE	28 m
900 mm CORRUGATED METAL PIPE	35 m
600 mm METAL FLARED-END SECTION	3 EACH
900 mm METAL FLARED-END SECTION	1 EACH
REMOVE STRUCTURE	1 EACH
AT STA. 10+19.000	
RENTAL OF LOADER, FULLY OPERATED	10 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	10 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	10 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10 HOUR
SEEDING, TYPE B	2 ha
COVER CROP SEEDING	2 ha
FABRIC SILT FENCE-LOW POROSITY	92 m
MULCH	12 Mg

NOTICE TO CONTRACTORS

CALL ORDER 415  
 FEDERAL PROJECT NO. NH-81-2(142)  
 LOCATION: US-81, NORTH OF YORK  
 COUNTIES: POLK YORK

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 17, 2009. At that time the bids will be opened and read for GR CULV BR GDRL ELEC BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 7.6 MILES  
 START DATE 04/05/2010 WORKING DAYS 120  
 Price Range \$ 3,000,000 to \$ 6,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning November 24, 2009 at the Lincoln Central Office and November 30, 2009 at the District Engineer's Office at GRAND ISLAND  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	87 SHEETS	\$	21.75
CROSS SECTIONS (SHEETS X1 THRU X81)	81 SHEETS	\$	20.25
STANDARD PLANS	22 SHEETS	\$	5.50

SHEET NO.

1	TITLE PAGE
2	INDEX OF SHEETS
2-T1 - 2-T11	TYPICAL CROSS SECTIONS
2-S1 - 2-S4	SUMMARY OF QUANTITIES
2-W1 - 2-W10	WETLANDS
2-H1 - 2-H10	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N2	GENERAL INFORMATION
2-N3	GENERAL INFORMATION--MILLED RUMBLE STRIPS
2-L1 - 2-L2	GEOMETRICS
3 - 12	PLAN SHEETS
13	TEMPORARY PAVEMENT MARKING PLAN
14	PAVEMENT MARKING PLAN--YORK NORTH LEFT TURN BAYS
15 - 19	ROADWAY LIGHTING PLANS
20 - 24	EARTHWORK DATA SHEETS
25 - 28	DRAINAGE STRUCTURE CROSS SECTIONS
29 - 31	SPECIAL PLAN 1C BRIDGE RAIL REMODEL AND BRIDGE DECK EDGE REPAIR STA. 435+53.00
32 - 34	SPECIAL PLAN 2C BRIDGE RAIL REMODEL AND EXPANSION JOINT REPAIR STA. 603+38.00
35 - 42	SPECIAL PLAN 3C GUARDRAIL PLAN
43	SPECIAL PLAN 4C APPROACH SLAB REPAIR
44	SPECIAL PLAN 5C TEMPORARY TRAFFIC SIGNAL
45	SPECIAL PLAN 6C TYPICAL TRAFFIC SIGNAL CONTROL PLAN
46 - 47	SPECIAL PLAN 7C CONCRETE PROTECTION BARRIER
X1 - X81	CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
309	MAILBOX SUPPORT POST
329-R7	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
501-R5	(3 SHEETS) EROSION CONTROL

502	SILT FENCE DETAILS
901-R9	HIGHWAY DELINEATORS
914-R5	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R7	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
1104	(2 SHEETS) REINFORCED CONCRETE BOX CULVERTS SINGLE SPAN WITH 4-FOOT RISE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		88 MGAL
REMOVE DELINEATOR UNITS		20 EACH
EARTHWORK MEASURED IN EMBANKMENT		3,889 CY
REMOVE ASPHALT SURFACE		2,267 SY
REMOVE CURB		3,467 LF
REMOVE GUARDRAIL		1,262 LF
EROSION CONTROL, CLASS 1D		3,882 SY

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE FLARED- END SECTION		6 EACH
PREPARATION OF STRUCTURE AT STA. 3+29.71		1 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		87 CY
EXCAVATION FOR BOX CULVERTS		20 CY
47B-3000 CONC FOR BOX CULV		20 CY
RE-STEEL FOR BOX CULVERT		1,768 LB
24" CORRUGATED METAL PIPE		26 LF
24" METAL FLARED-END SECTION		4 EACH
30" RND EQUIV CM PIPE		18 LF
30" RND EQUIV MTL PIPE FES		2 EACH
30" ROUND EQUIVALENT RCP		50 LF
30" RND EQUIV CONCRETE FES		2 EACH

GROUP 6 BRIDGE AT STA. 435+53.00

MOBILIZATION	LUMP	LUMP
47BD-4000 CONC FOR CONC. RAIL		3 CY
EPOXY COATED RE-STEEL FOR CONC RAIL		655 LB
PREP BRIDGE AT STA. 435+53.00		1 EACH
CONCRETE REPAIR		436 SF

GROUP 6A BRIDGE AT STA. 603+38.00

MOBILIZATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE B		85 LF
47BD-4000 CONC FOR BRIDGE		3 CY
47BD-4000 CONC FOR CONC. RAIL		3 CY
EPOXY COATED RE-STEEL FOR CONC RAIL		655 LB
PREP BRIDGE AT STA. 603+38.00		1 EACH

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		337 LF
IMPACT ATTENUATOR		1 EACH
BRIDGE APPROACH SECTIONS		8 EACH
GUARDRAIL END TREATMENT, TYPE II		7 EACH

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
PULL BOX, TYPE PB-5		1 EACH
ST LIGHT UNIT SL-BT-40-12-0.25		3 EACH
LIGHTING CONTROL CENTER, D		1 EACH
1 1/2" CONDUIT IN TRENCH		259 LF
1 1/2" CONDUIT, JACKED		95 LF
STREET LIGHT CABLE, NO. 6 BARE		354 LF
STREET LIGHT CABLE, NO. 6 USE		708 LF

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES		804 STA
OVERLAY SOLID LINES		1,672 STA
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE II		14 EACH
REMOVE ASPH SURF FROM PAVEMENT		153 SY
GRAVEL SURFACE COURSE		120 CY
CRUSHED ROCK SURFACE COURSE		80 CY
MAILBOX POST		9 EACH
TIE BARS		1,973 EACH
CROSS STITCHING		281 EACH
9" CONCRETE BASE COURSE		3,170 SY
CONC PVMT REPAIR TYPE A FULL DEPTH		9 CY
CONC PVMT REPAIR TYPE B FULL DEPTH		24 CY
CONC PVMT REPAIR TYPE C FULL DEPTH		157 CY
CONC PVMT, PR-3500		19 CY
JOINT REPAIR		
BRIDGE APPROACH REPAIR		12 CY
4" WHT WET RFLC PRF PVMT MKNG T4 GVD		1,700 LF
12" WHT WET RFLC PRF PVMT MKNG T4 GVD		360 LF
4" YEL WET RFLC PRF PVMT MKNG T4 GVD		13,550 LF
12" YEL WET RFLC PRF PVMT MKNG T4 GVD		2,020 LF
HYDRATED LIME FOR ASPHALT MIXTURES		303 TON
FOUNDATION COURSE		3,903 SY
GRANULAR SUBDRAIN, TYPE A		30 EACH
GRANULAR SUBDRAIN		668 EACH
ASPH CONC FOR STATE MAINT PATCHING, TYPE SPS		500 TON
ASPH CONCRETE FOR PATCHING, TYPE SPS		100 TON
ASPH CONC, TYPE SPS		13,530 TON
ASPH CONC, TYPE SP4(0.375)		30,310 TON
PLACE ASPH CONC FOR DRIVE & INTER		3,623 SY
PERF GRAD BIND (52-34)FOR ST MAINT PATCH		25 TON
PERF GRADED BINDER (64-28)		1,753 TON
PERF GRADED BINDER (52-34)		681 TON
PREP OF INTER & DRIVE		364 SY
TACK COAT		47,858 GAL
FOG SEAL		15,790 GAL
WATER		245 MGAL
WATER FOR FLY ASH STABILIZED BITUMINOUS		375 MGAL
CRACKING & SEATING CONC PVMT		100,390 SY
EARTH SHOULDER CONSTRUCTION		934 STA
SUBGRADE PREPARATION		4,116 SY
COLD MILLING, CLASS 3		20 STA
COLD MILLING, CLASS 4		2,651 SY
COLD MILLING, CLASS 3		10 STA
TYPE A		
COLD MILLING, CLASS 3		739 STA
TYPE B		
MILLING CONC FOR INLAYS		7 EACH
RUMBLE STRIPS, ASPHALT		848 STA
SURFACE UNDER GUARDRAIL		246 SY
FLY ASH STABILIZED BITUMINOUS		739 STA

FLY ASH	2,840	TON
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B	9	ACRE
HYDROMULCH	14	TON

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	37,344	BDAY
BARRICADE, TYPE III	1,306	BDAY
TEMPORARY SIGN DAY	1,580	EACH
SIGN DAY	14,212	EACH
TEMP PAVEMENT MARKING REMOVAL	3,800	LF
PAVEMENT MARKING REMOVAL	775	LF
TEMP PVMT MARKING, TYPE PAINT	3,800	LF
FLAGGING	228	DAY
FURNISHING AND OPERATING PILOT VEHICLE	100	DAY
CONCRETE PROTECTION BARRIER	350	LF
RELOCATE CONC PROTECTION BARRIER	350	LF
TEMPORARY RUMBLE STRIP	4	EACH
TEMPORARY TRAFFIC SIGNAL	1	EACH
TRAFFIC CONTROL MANAGEMENT	209	DAY
FIELD OFFICE	1	EACH
TRAINING	1,000	HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	40	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	30	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	40	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	40	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10	HOUR
TEMPORARY SILT FENCE	1,000	LF

NOTICE TO CONTRACTORS

CALL ORDER 450  
 FEDERAL PROJECT NO. BRO-7001(14)  
 LOCATION: ON A COUNTY ROAD, SOUTHWEST OF JUNIATA  
 COUNTIES: ADAMS

The Nebraska Department of Roads will receive sealed bids for ADAMS COUNTY in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on December 17, 2009. At that time the bids will be opened and read for GRAD,BR,GDRL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES  
 START DATE 08/02/2010 WORKING DAYS 65  
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning November 24, 2009 at the Lincoln Central Office and November 30, 2009 at the District Engineer's Office at GRAND ISLAND  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	24	SHEETS	\$	6.00
CROSS SECTIONS (SHEETS X1 THRU X5)	5	SHEETS	\$	1.25
STANDARD PLANS	8	SHEETS	\$	2.00

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTION OF IMPROVEMENT
2-S	SUMMARY OF QUANTITIES
2-N	GENERAL INFORMATION & DETOUR LOCATION MAP
3	PLAN & PROFILE SHEET
4	DRAINAGE STRUCTURE CROSS SECTIONS
5 - 12	SPECIAL PLAN 1 DECK STEEL GIRDER BRIDGE STA. 33+24
13 - 20	SPECIAL PLAN 1C GUARDRAIL PROTECTION
21	SPECIAL PLAN 2C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
R1	RIGHT-OF-WAY SHEET
X1 - X5	CROSS SECTIONS

STANDARD PLANS

410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		1 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		24 MGAL
EARTHWORK MEASURED IN EMBANKMENT		8,692 CY
RIPRAP FILTER FABRIC		74 SY
24" CMP FOR DRIVEWAY CULVERT PIPE		34 LF
CRUSHED ROCK EMBEDMENT		15 STA

CRUSHED ROCK SURFACE COURSE	468	CY
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	68	CY
24" CORRUGATED METAL PIPE	120	LF
24" METAL FLARED-END SECTION	3	EACH
ROCK RIPRAP, TYPE B	48	TON
SEEDING, TYPE A	4	ACRE
COVER CROP SEEDING	4	ACRE
EROSION CHECKS	132	BALE
FABRIC SILT FENCE-LOW POROSITY	1,100	LF
FABRIC SILT FENCE-HIGH POROSITY	60	LF
MULCH	9	TON

GROUP 6 BRIDGE AT STA. 33+24

MOBILIZATION	LUMP	LUMP
RIPRAP FILTER FABRIC	518	SY
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
EXPANSION BEARING, TFE TYPE	4	EACH
FIXED BEARING	4	EACH
47B-3000 CONC FOR BRIDGE	75	CY
47BD-4000 CONC FOR BRIDGE	81	CY
RE-STEEL FOR BRIDGE	21,960	LB
REMOVE STRUCTURE	1	EACH
AT STA. 33+13		
STEEL SUPERSTRUCTURE	LUMP	LUMP
AT STA. 33+24		
STRUC STEEL FOR SUBSTRUCTURE	2,990	LB
ROCK RIPRAP, TYPE B	385	TON
PIPE PILING	1,020	LF
STEEL SHEET PILING	2,503	SF

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
BRIDGE APPROACH SECTIONS	4	EACH
MELT	4	EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE III	1,332	BDAY
SIGN DAY	1,776	EACH
CONTRACTOR FURNISHED SIGN DAY	222	EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	10	HOURL
RENTAL OF DUMP TRUCK, FULLY OPERATED	10	HOURL
RENTAL OF SKID LOADER, FULLY OPERATED	10	HOURL
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10	HOURL
TEMPORARY SILT FENCE	500	LF

NOTICE TO CONTRACTORS

CALL ORDER 455  
 STATE PROJECT NO. RD-136-5(1012)  
 LOCATION: US-136, RUSKIN EAST & WEST  
 COUNTIES: NUCKOLLS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 17, 2009. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 12.9 MILES  
 START DATE 07/12/2010 WORKING DAYS 65  
 Price Range \$ 2,000,000 to \$ 4,000,000

Plans and specifications may be seen beginning November 24, 2009 at the Lincoln Central Office and November 30, 2009 at the District Engineer's Office at GRAND ISLAND  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	45	SHEETS	\$	11.25
STANDARD PLANS	7	SHEETS	\$	1.75

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-W1 - 2-W24	WETLANDS
2-H1 - 2-H4	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
3 - 14	PLAN SHEETS
15	TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

307-R1	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R7	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	28,400	B	DAY
BARRICADE, TYPE III	448	B	DAY
TEMPORARY SIGN DAY	1,350	E	ACH
SIGN DAY	5,160	E	ACH
OVERLAY BROKEN LINES	2,046	S	TA
OVERLAY SOLID LINES	4,092	S	TA
FLAGGING	170	D	AY
FURNISHING AND OPERATING PILOT VEHICLE	85	D	AY
MOBILIZATION	LUMP	L	UMP
GRAVEL SURFACE COURSE	300	C	Y
SPEC SURF CRSE FOR MAILBOX TURNOUTS	552	S	Y
MAILBOX POST	4	E	ACH
HYDRATED LIME FOR ASPHALT MIXTURES	301	T	ON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	5	T	ON
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP4(0.5)	500	T	ON

ASPH CONCRETE FOR PATCHING, TYPE SP4(0.5)	400 TON
ASPH CONC, TYPE SP4(0.5)	30,100 TON
PLACE ASPH CONC FOR DRIVE & INTER	1,314 SY
PERF GRAD BIND (64-28)FOR ST MAINT PATCH	25 TON
PERF GRADED BINDER (64-28)	1,505 TON
TACK COAT	36,460 GAL
FOG SEAL	87,120 GAL
RENTAL OF LOADER, FULLY OPERATED	40 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	40 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	40 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	40 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5 HOUR
WATER	341 MGAL
WATER FOR FLY ASH STABILIZED BITUMINOUS EARTH SHOULDER CONSTRUCTION	1,296 MGAL
COLD MILLING, CLASS 3	1,363 STA
FLY ASH STABILIZED BITUMINOUS	681 STA
FLY ASH	681 STA
ASPH PVMT SMOOTHNESS TESTING I/D	9,821 TON
SEEDING, TYPE B	LUMP LUMP
TEMPORARY SILT FENCE	9 ACRE
MULCH	500 LF
	21 TON

NOTICE TO CONTRACTORS

CALL ORDER 465  
FEDERAL PROJECT NO. URB-5527(1)  
LOCATION: SHOWBOAT BLVD., 7TH - 12TH, HASTINGS  
COUNTIES: ADAMS

The Nebraska Department of Roads will receive sealed bids for the CITY OF HASTINGS in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on December 17, 2009 . At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

START DATE 10/12/2010 WORKING DAYS 10  
Price Range \$ 0 to \$ 500,000  
THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning November 24, 2009 at the Lincoln Central Office and November 30, 2009 at the District Engineer's Office at GRAND ISLAND  
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	23	SHEETS	\$	5.75
CROSS SECTIONS (SHEETS X1 THRU X5)	5	SHEETS	\$	1.25
STANDARD PLANS	7	SHEETS	\$	1.75

SHEET NO.

1	TITLE PAGE
2-S	SUMMARY OF QUANTITIES
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-A1 - 2-A2	PHOTO MAPS
3	GENERAL NOTES
4	HORIZONTAL ALIGNMENT & ORIENTATION/R.O.W. PLAN
5	CONTROL POINT/BENCH MARK DATA
6 - 11	PLAN & PROFILE SHEETS
12	PAVEMENT MARKING PLAN
13 - 15	TYPICAL URBAN TRAFFIC CONTROL PLAN
16	TEMPORARY PAVEMENT MARKING PLAN
17 - 18	SPECIAL PLAN 1C TEMPORARY SILT CHECKS
19	SPECIAL PLAN 2C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
X1 - X5	CROSS SECTIONS

STANDARD PLANS

308-R1	LOCAL ROADS MAILBOX TURNOUT
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R7	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	500	B	DAY
SIGN DAY	152	E	EACH
OVERLAY BROKEN LINES	89	S	TA
OVERLAY SOLID LINES	178	S	TA
FLAGGING	20	D	DAY
FURNISHING AND OPERATING PILOT VEHICLE	10	D	DAY
MOBILIZATION	LUMP	L	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	L	LUMP
EARTHWORK MEASURED IN EMBANKMENT	1,925	C	CY
REMOVE PAVEMENT	200	S	Y
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	4	C	CY
24" CORRUGATED METAL PIPE	19	L	LF
4" WHT POLYUREA PVMT MRKING, GROOVED	6,180	L	LF
4" YEL POLYUREA PVMT MRKING, GROOVED	890	L	LF
HYDRATED LIME FOR ASPHALT MIXTURES	23	T	TON
ASPH CONCRETE FOR PATCHING, TYPE SP5(0.5)	104	T	TON
ASPH CONC, TYPE SP5(0.5)	2,170	T	TON
PLACE ASPH CONC FOR DRIVE & INTER	1,848	S	Y
PERF GRADED BINDER (64-28)	113	T	TON
TACK COAT	2,020	G	GAL
RENTAL OF LOADER, FULLY OPERATED	10	H	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	5	H	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	10	H	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	10	H	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5	H	HOUR
WATER	46	M	MGAL
EARTH SHOULDER CONSTRUCTION	61	S	TA
COLD MILLING, CLASS 1	9,543	S	Y
SEEDING, TYPE B	3	A	ACRE
COVER CROP SEEDING	3	A	ACRE
EROSION CHECKS, TYPE SYNTHETIC	378	L	LF
FABRIC SILT FENCE-LOW POROSITY	615	L	LF
TEMPORARY SILT CHECK	500	L	LF
TEMPORARY SILT FENCE	500	L	LF
TEMPORARY EARTH CHECK	500	L	LF
MULCH	7	T	TON

NOTICE TO CONTRACTORS

CALL ORDER 550  
STATE PROJECT NO. RD-20-1(1029)  
LOCATION: US-20, CHADRON EAST & WEST  
COUNTIES: DAWES

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 17, 2009 . At that time the bids will be opened and read for GDRL,BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 13.4 MILES  
START DATE 05/03/2010 WORKING DAYS 105  
Price Range \$ 3,000,000 to \$ 6,000,000

Plans and specifications may be seen beginning November 24, 2009 at the Lincoln Central Office and November 30, 2009 at the District Engineer's Office at GERING  
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	49 SHEETS	\$	12.25
STANDARD PLANS	12 SHEETS	\$	3.00

SHEET NO.

1	TITLE PAGE
2	INDEX OF SHEETS
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-A1 - 2-A13	PHOTO MAPS
2-H1 - 2-H3	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION
2-N2	GENERAL INFORMATION--PERMANENT AUTOMATIC RECORDING STATION
2-N3	GENERAL INFORMATION
2-N4	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3 - 16	PLAN SHEETS
17 - 19	TYPICAL URBAN TRAFFIC CONTROL PLAN
20	TEMPORARY PAVEMENT MARKING PLAN
21 - 26	SPECIAL PLAN 1C GUARDRAIL PLAN

STANDARD PLANS

108-R3	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
914-R5	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R7	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
ROADWAY GRADING		4 STA
CULV MOUNTED GDRL POST		6 EACH
W-BEAM GUARDRAIL		387 LF
REMOVE & SALVAGE GUARDRAIL		825 LF
GUARDRAIL END TREATMENT, TYPE II		4 EACH
EROSION CONTROL, CLASS 1C		786 SY

GROUP 9 BITUMINOUS

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
REMOVE ASPHALT SURFACE		27,452 SY
HYDRATED LIME FOR ASPHALT MIXTURES		167 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		5 TON
GRANULAR SUBDRAIN		110 EACH
SHOULDER SUBGRADE PREPARATION		263 STA
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP4(0.5)		500 TON
ASPH CONCRETE FOR PATCHING, TYPE HIGH RAP BASE		300 TON
ASPH CONC, TYPE SPS		9,960 TON
ASPH CONC, TYPE SP4(0.5)		16,780 TON
HIGH RAP BASE		35,340 TON
PERF GRAD BIND (64-28)FOR ST MAINT PATCH		25 TON
PERF GRADED BINDER (58-34)		1,158 TON
PERF GRADED BINDER (64-28)		843 TON
PERF GRADED BINDER (52-34)		498 TON
TACK COAT		49,470 GAL
WATER		425 MGAL
EARTH SHOULDER CONSTRUCTION		1,171 STA
COLD MILLING, CLASS 3		585 STA
COLD MILLING, CLASS 3 TYPE A		1,171 STA
RUMBLE STRIPS, ASPHALT		1,427 STA
SURFACE UNDER GUARDRAIL		374 SY
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
TRAFFIC DETECTOR AT STA. 1152+60		1 EACH
SEEDING, TYPE B		17 ACRE
MULCH		39 TON

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II		101,150 BDAY
BARRICADE, TYPE III		724 BDAY
TEMPORARY SIGN DAY		1,700 EACH
SIGN DAY		13,634 EACH
OVERLAY BROKEN LINES		1,756 STA
OVERLAY SOLID LINES		3,528 STA
FLAGGING		390 DAY
FURNISHING AND OPERATING PILOT VEHICLE		170 DAY
FIELD OFFICE		1 EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		45 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED		40 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		45 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		45 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		5 HOUR
TEMPORARY SILT FENCE		300 LF
TEMPORARY MULCH		4 TON

NOTICE TO CONTRACTORS

CALL ORDER 650  
 STATE PROJECT NO. RD-21-2(1018)  
 LOCATION: N-21, LEXINGTON NORTH  
 COUNTIES: DAWSON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 17, 2009 . At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 4.5 MILES  
 START DATE 09/20/2010 WORKING DAYS 20  
 Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning November 24, 2009 at the Lincoln Central Office and November 30, 2009 at the District Engineer's Office at NORTH PLATTE  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	3 SHEETS	\$	0.75
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES  
& TYPICAL CROSS SECTIONS
- 3 TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R7 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	7,216	BDAY
BARRICADE, TYPE III	164	BDAY
TEMPORARY SIGN DAY	280	EACH
SIGN DAY	2,583	EACH
OVERLAY BROKEN LINES	479	STA
OVERLAY SOLID LINES	958	STA
FLAGGING	40	DAY
FURNISHING AND OPERATING PILOT VEHICLE	20	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
MEMBRANE WATERPROOFING	498	SY
HYDRATED LIME FOR ASPHALT MIXTURES	77	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	1	TON
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP4(0.5)	100	TON
ASPH CONCRETE FOR PATCHING, TYPE SP4(0.5)	200	TON
ASPH CONC, TYPE SP4(0.5)	7,440	TON
PERF GRAD BIND (64-28)FOR ST MAINT PATCH	5	TON
PERF GRADED BINDER (64-28)	382	TON

GROUP 9 BITUMINOUS

TACK COAT	10,390 GAL
RENTAL OF LOADER, FULLY OPERATED	20 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	20 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	20 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	20 HOUR
COLD MILLING, CLASS 3	238 STA
COLD MILLING, CLASS 4	498 SY
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP

NOTICE TO CONTRACTORS

CALL ORDER 700  
 FEDERAL PROJECT NO. BRO-7069(15)  
 LOCATION: ON A COUNTY ROAD, NORTHWEST OF FUNK  
 COUNTIES: PHELPS

The Nebraska Department of Roads will receive sealed bids for PHELPS COUNTY in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on December 17, 2009. At that time the bids will be opened and read for CULVERTS.

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CULVERTS  
 START DATE 09/20/2010 WORKING DAYS 35  
 Price Range \$0 to \$500,000

Plans and specifications may be seen beginning November 24, 2009 at the Lincoln Central Office and November 30, 2009 at the District Engineer's Office at MCCOOK  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	9 SHEETS	\$	2.25
CROSS SECTIONS (SHEETS X1 THRU X1)	1 SHEETS	\$	0.25
STANDARD PLANS	6 SHEETS	\$	1.50

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTION & SUMMARY OF QUANTITIES
3	PLAN & PROFILE SHEET
4 - 5	DRAINAGE STRUCTURE CROSS SECTIONS
6 - 8	SPECIAL PLAN 1C 10' X 8' TRIPLE SPAN RC BOX CULVERT STA. 15+23.5
R1	RIGHT-OF-WAY
X1	CROSS SECTIONS

STANDARD PLANS

502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 4 CULVERT AT STA. 15+23.50

BARRICADE, TYPE III	828	B	DAY
SIGN DAY	1,104	E	EACH
CONTRACTOR FURNISHED SIGN DAY	138	E	EACH
MOBILIZATION	LUMP	L	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	L	LUMP
WATER	5	M	MGAL
EARTHWORK MEASURED IN EMBANKMENT	775	C	CY
EXCAVATION FOR BOX CULVERTS	918	C	CY
47B-3000 CONC FOR BOX CULV	174	C	CY
RE-STEEL FOR BOX CULVERT	18,571	L	LB
REMOVE STRUCTURE	1	E	EACH
AT STA. 15+20.66			

RENTAL OF LOADER, FULLY OPERATED	5 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	5 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	5 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5 HOUR
SEEDING, TYPE A	1 ACRE
FABRIC SILT FENCE-LOW POROSITY	80 LF
MULCH	2 TON

NOTICE TO CONTRACTORS

CALL ORDER 705  
 FEDERAL PROJECT NO. BRO-7031(12)  
 LOCATION: ON A COUNTY ROAD, EAST OF NAPONEE  
 COUNTIES: FRANKLIN

The Nebraska Department of Roads will receive sealed bids for FRANKLIN COUNTY in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on December 17, 2009. At that time the bids will be opened and read for CULVERTS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CULVERTS  
 START DATE 09/13/2010 WORKING DAYS 30  
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning November 24, 2009 at the Lincoln Central Office and November 30, 2009 at the District Engineer's Office at MCCOOK  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	6 SHEETS	\$	1.50
CROSS SECTIONS (SHEETS X1 THRU X1)	1 SHEETS	\$	0.25
STANDARD PLANS	8 SHEETS	\$	2.00

SHEET NO.

- 1 TITLE PAGE
- 2-T TYPICAL CROSS SECTION & DETOUR LOCATION MAP
- 2-S SUMMARY OF QUANTITIES
- 3 PLAN & PROFILE SHEET
- 4 DRAINAGE STRUCTURE CROSS SECTIONS
- R1 RIGHT-OF-WAY SHEET
- X1 ROADWAY CROSS SECTIONS

STANDARD PLANS

- 502 SILT FENCE DETAILS
- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 923 TRAFFIC CONTROL--ROAD CLOSURE
- 1206 (2 SHEETS) REINFORCED CONCRETE BOX CULVERTS  
TWIN SPAN WITH 6-FOOT RISE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 4 CULVERTS

BARRICADE, TYPE III	816	B	DAY
SIGN DAY	1,008	EACH	
CONTRACTOR FURNISHED SIGN DAY	136	EACH	
MOBILIZATION	LUMP	LUMP	
LARGE TREE REMOVAL	1	EACH	
GENERAL CLEARING AND GRUBBING	LUMP	LUMP	
WATER	1	MGAL	
EARTHWORK MEASURED IN EMBANKMENT	153	CY	
EXCAVATION FOR BOX CULVERTS	390	CY	
47B-3000 CONC FOR BOX CULV	94	CY	
RE-STEEL FOR BOX CULVERT	10,562	LB	
REMOVE STRUCTURE	1	EACH	
AT STA. 10+00.00			

RENTAL OF LOADER, FULLY OPERATED	5 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	5 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	5 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5 HOUR
SEEDING, TYPE A	1 ACRE
FABRIC SILT FENCE-LOW POROSITY	168 LF
MULCH	2 TON

NOTICE TO CONTRACTORS

CALL ORDER 755  
FEDERAL PROJECT NO. RUR-1575(3)  
LOCATION: ON A COUNTY ROAD STOCKVILLE SOUTHEAST  
COUNTIES: FRONTIER

The Nebraska Department of Roads will receive sealed bids for the County of Frontier in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on December 17, 2009 . At that time the bids will be opened and read for BR BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 3.1 MILES  
START DATE 08/30/2010 WORKING DAYS 30  
Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning November 24, 2009 at the Lincoln Central Office and November 30, 2009 at the District Engineer's Office at MCCOOK Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	10	SHEETS	\$	2.50
STANDARD PLANS	7	SHEETS	\$	1.75

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS & DETOUR LOCATION MAP
2-S	SUMMARY OF QUANTITIES
3 - 5	PLAN SHEETS
6 - 7	SPECIAL PLAN 1C JOINT REPAIR
8	TEMPORARY PAVEMENT MARKING PLAN
9	TYPICAL PAVEMENT MARKING PLAN--4" PAVEMENT MARKING

STANDARD PLANS

920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R7	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT STA. 496+70.00

MOBILIZATION	LUMP	LUMP
47BD-4000 CONC FOR BRIDGE		3 CY
RE-STEEL FOR BRIDGE		970 LB
PREP BRIDGE		1 EACH
AT STA. 496+70		
STRIP SEALS		25 LF

GROUP 9 BITUMINOUS

PERMANENT PAVEMENT MARKING PAINT	49,404	LF
MOBILIZATION	LUMP	LUMP
HYDRATED LIME FOR ASPHALT MIXTURES	81	TON
ASPH CONCRETE FOR PATCHING, TYPE SP4 SPECIAL (0.5)	175	TON
ASPH CONC, TYPE SP4 SPECIAL(0.5)	7,920	TON
PLACE ASPH CONC FOR DRIVE & INTER	1,156	SY
PERF GRADED BINDER (64-28)	404	TON
TACK COAT	8,300	GAL
WATER	83	MGAL
EARTH SHOULDER CONSTRUCTION	329	STA
COLD MILLING, CLASS 3	41,416	SY
NON-WOVEN PVMT OVERLAY FABRIC	40,260	SY
SEEDING, TYPE B	5	ACRE
MULCH	11	TON

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	17,050	BDAY
BARRICADE, TYPE III	456	BDAY
TEMPORARY SIGN DAY	420	EACH
SIGN DAY	2,592	EACH
CONTRACTOR FURNISHED SIGN DAY	28	EACH
OVERLAY BROKEN LINES	494	STA
FLAGGING	60	DAY
FURNISHING AND OPERATING PILOT VEHICLE	30	DAY
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	45	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	45	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	45	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	45	HOUR

NOTICE TO CONTRACTORS

CALL ORDER 760  
 STATE PROJECT NO. RD-83-1(1021)  
 LOCATION: US-83, SOUTH OF MCCOOK  
 COUNTIES: RED WILLOW

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 17, 2009. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 6.8 MILES  
 START DATE 07/19/2010 WORKING DAYS 60  
 Price Range \$ 1,000,000 to \$ 3,000,000

Plans and specifications may be seen beginning November 24, 2009 at the Lincoln Central Office and November 30, 2009 at the District Engineer's Office at MCCOOK

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	6 SHEETS	\$	1.50
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES  
& TYPICAL CROSS SECTIONS
- 2-N GENERAL INFORMATION--MILLED RUMBLE STRIPS
- 3 TYPICAL TRAFFIC CONTROL PLAN--VEHICLE SIGNING  
FOR PAINT STRIPING
- 4 TEMPORARY PAVEMENT MARKING PLAN
- 5 TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R7 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	26,400	BDAY
BARRICADE, TYPE III	416	BDAY
TEMPORARY SIGN DAY	602	EACH
SIGN DAY	7,528	EACH
OVERLAY BROKEN LINES	1,445	STA
OVERLAY SOLID LINES	2,890	STA
PERMANENT PAVEMENT MARKING PAINT	98,600	LF
FLAGGING	114	DAY
FURNISHING AND OPERATING PILOT VEHICLE	57	DAY
TRAFFIC CONTROL MANAGEMENT	104	DAY
MOBILIZATION	LUMP	LUMP
REMOVE CURB	550	LF
HYDRATED LIME FOR ASPHALT MIXTURES	114	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	25	TON
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP4(0.5)	2,500	TON
ASPH CONCRETE FOR PATCHING, TYPE SP4(0.5)	250	TON
ASPH CONCRETE FOR PATCHING, TYPE HIGH RAP BASE	500	TON

ASPH CONC, TYPE SPS	6,810 TON	
ASPH CONC, TYPE SP4(0.5)	11,230 TON	
HIGH RAP BASE	11,620 TON	
PERF GRAD BIND (64-28)FOR ST MAINT PATCH	125 TON	
PERF GRADED BINDER (58-34)	424 TON	
PERF GRADED BINDER (64-28)	574 TON	
PERF GRADED BINDER (52-34)	340 TON	
CONSTRUCTING ASPH CONC CURB	550 LF	
TACK COAT	30,250 GAL	
RENTAL OF LOADER, FULLY OPERATED	40 HOUR	
RENTAL OF MOTOR GRADER, FULLY OPERATED	40 HOUR	
RENTAL OF DUMP TRUCK, FULLY OPERATED	40 HOUR	
RENTAL OF SKID LOADER, FULLY OPERATED	40 HOUR	
COLD MILLING, CLASS 3	390 STA	
COLD MILLING, CLASS 3	379 STA	
TYPE A		
RUMBLE STRIPS, ASPHALT	686 STA	
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

Nebraska Department of Roads  
 Contracts Section, P.O. Box 94759, Lincoln, NE 68509  
 (402) 479-4525

## Plan and Informational Proposal Order Form

### Projects to be bid on: December 17, 2009

**Payment required for plans prior to NDOR completing this order.**  
 dor.ContractsOnlineOrders@nebraska.gov FAX: (402) 479-4845

Document No.

<input type="checkbox"/> Check/Cash	Receipt No.
<input type="checkbox"/> Advance Plans Account No.	
<b>Credit Card</b>	
<input type="checkbox"/> Visa	<input type="checkbox"/> MasterCard
Expiration Date:	
Card No.:	

Please indicate: <input type="checkbox"/> Mail <input type="checkbox"/> Hold	<input type="checkbox"/> Fed Ex. Standard Overnight <input type="checkbox"/> Fed Ex. Priority Overnight <input type="checkbox"/> UPS Overnight Acct. No.	Comments:
--	---	-----------

<b>FOR OFFICE USE ONLY</b>	
Reference I.D.:	
Authorization Code:	Date:

4-Digit Vendor No.:	Ordered By:	Grand Total - Informational Proposals: x \$5.00	
Company:		All plans in letting on CD: x \$25.00	
Street Address:		Grand Total - 1/2 Size Plans: x \$.25	
		Grand Total - Full Size Plans: x \$.50	
PO Box:	City:	State:	Zip Code:
		<b>Subtotal</b>	
Phone No.:		Fax No.:	
		Tax Code	Sales Tax
		%	
Processed by:	Date:	Proposals/CD Filled:	Blueprint Plans/Proposals Filled:
			<b>Total</b>

*If requesting Plan or Proposal CD(s) only, your name will not appear on the Planholders list unless your company has been issued Bid Proposals or you submit the "Planholders Registration" from the NDOR website.*

**CD containing Informational Proposals for all projects in letting. (No Charge) Total Number Requested: →**

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. 1/2 size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
100	BR-3340(7)				
105	BR-3430(6)				
120	LCLC-5254(9)				
125	BRO-7049(23)				
150	LCLC-5220(3)				
155	LCLC-5250(3)				
160	BRO-7049(21)				
165	STPE-BR-3265(4)				
250	MISC-L28B(1004)				
310	IM-129-1(29)				
350	RD-35-4(1015)				
400	BRO-7039(9)				

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. ½ size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
410	BRO-7065(21)				
415	NH-81-2(142)				
450	BRO-7001(14)				
455	RD-136-5(1012)				
465	URB-5527(1)				
550	RD-20-1(1029)				
650	RD-21-2(1018)				
700	BRO-7069(15)				
705	BRO-7031(12)				
755	RUR-1575(3)				
760	RD-83-1(1021)				

**Standard Plans:** Refer to "Publication Order Form" for complete sets of Standard Plans and Standard/Special Plans Books

Number of Sets Requested	Standard Plan No.(s)	Number of Sheets Shown in List of Plans	Check Size		Total No. of Sheets	
			1/2	Full	1/2	Full
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		



