

February 18, 2010

TO ALL CONCERNED:

The Department of Roads has scheduled a bid letting to be held in this office March 18, 2010 at 1:30 p.m.

The Notice to Contractors includes:

1. Website Information
2. Notice to all Bidders
3. [Ordering](#) Instructions
4. Notices to Contractors including time allowances and lists of plans
5. Plan and Informational Proposal Order Form
6. R-125 "Request for Bidding Proposal Forms"

Projects containing DBE Goals are indicated in the "Notice to Contractors".

Please check the important letting information on the website frequently.

The last day to submit acceptable prequalification statements for this letting is by 5:00 p.m. on Monday, March 8, 2010.

Sincerely,

Original Signed by Kendall Stege

Kendall Stege, Supervisor
Contract Lettings Section
Construction Division

KS/d

WEBSITE INFORMATION

The Nebraska Department of Roads, Contract Lettings Section, will be utilizing the Internet as our means of communicating with the contracting industry.

Documents that are posted on the web are:

- Letting Schedule
- Notices to Contractors
- Informational Proposals
- Letting Plans
- List of Prequalified Contractors
- Planholders List
- Informational Addendums
- EBS (Electronic Bidding System)
- Apparent Low Bidders
- Bid Tabulations
- Standard Item Listing
- Awarded Average Unit Prices (AUP) Report

Hard copies of these documents will be available for inspection in the Contracts Office.

There will be a charge for reproduction of any of these documents.

The Website address is: www.Transportation.Nebraska.gov

If you have any questions as you are using our Website, please contact us at:

Nebraska Department of Roads
Contract Lettings Section
P.O. Box 94759
Lincoln, NE 68509-4759

Phone (402) 479-4525
FAX (402) 479-3803

Email: DOR.ContractLettings@nebraska.gov

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free “hotline” Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the “hotline” to report such activities.

The “hotline” is part of the DOT’s continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

ORDERING INSTRUCTIONS FOR PLANS AND PROPOSALS

Refer to the "Notice to Contractors" for the call order number, project number, and list of plans for each project.

Order forms are available on the NDOR website in PDF and Word format. Complete the appropriate forms as follows:

Request for Bidding Proposal Forms (R-125)

Bidders must submit an R-125, Request for Bidding Proposals Forms and be issued bid proposals prior to submitting bids.

Proposals to be used for bidding must be requested on this form. Bidding proposals will be issued only to contractors who are currently prequalified to bid with this department.

There is no charge for bid proposals.

Plan and Informational Proposal Order Form:

Payment is required prior to NDOR completing the order. This payment is not refundable.

Proposals to be used for information only can be ordered as follows:

1. Each individual project.
2. CD that contains all projects in letting. Does not contain addenda.

Plans for each project can be ordered as follows:

1. Complete set.
2. Set less Roadway Cross-Sections and Standards.
3. Set less Standards.
4. Set less Roadway Cross-Sections.
5. Individual sheets
6. CD that contains all projects in letting.

Prices are: Informational Proposals: \$5.00 each
CD containing Informational Proposals: No Charge
Plans per sheet: \$.25 for half-size (12" x 18")
\$.50 for full-size (24" x 36")
CD containing plans: \$25.00 each

Cost shown on the list of plans is for ½ size plans. Nebraska residents add appropriate state sales tax and city tax that is determined by delivery within cities imposing a sales tax.

Select the method of payment on the plan order form:

1. Credit Card (Visa or MasterCard only)
Orders with approved credit cards can be processed without delays.
2. Advanced payment account
Requires a money deposit with recommended \$200 minimum. Failure to have sufficient funds in your account to cover cost of the plans may delay the processing of your order.
This account may also be used to purchase other NDOR publications.
3. Check/cash
Send checks made payable to the Nebraska Dept. of Roads with your completed plan order form. Please do not mail cash.

To order complete sets of standard plans (1/2 size) please use the "Publications Order Form" available on the website. Cost is \$35.00 plus applicable sales tax. As new standards become available they may be purchased at \$0.25 per sheet.

Address: Nebraska Department of Roads
Contracts Section
1500 Highway 2
PO Box 94759
Lincoln NE 68509-4759

FAX (402) 479-3803

Phone: (402) 479-4525

Email: DOR.ContractLettings@nebraska.gov

October 10, 2008

NOTICE TO CONTRACTORS

CALL ORDER 150
FEDERAL PROJECT NO. STPP-6218(1)
LOCATION: 11TH STREET WIDENING, 10TH-14TH CORSO, NEBRASKA CITY
COUNTIES: OTOE

The Nebraska Department of Roads will receive sealed bids for the CITY OF NEBRASKA CITY in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on March 18, 2010 . At that time the bids will be opened and read for GR CONC PAVE CULV WATER SAN

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

Length: 0.5 MILES
START DATE 05/03/2010 WORKING DAYS 80
Price Range \$ 500,000 to \$ 2,000,0000
THIS PROJECT CONTAINS A DBE GOAL OF 6.0 %

Plans and specifications may be seen beginning February 23, 2010 at the Lincoln Central Office and March 01, 2010 at the District Engineer's Office at LINCOLN

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

NOTICE TO BIDDERS

To be eligible for the award of this contract, bidders shall submit a completed bidding proposal for Call Order No. 150, {Project No. STPP-6218(1)} and Call Order No. 155, {Project No. STPAA-6204(4)}. Award of Contract, if awarded, will be made on the combined bid for these call order nos. Separate contracts will be awarded for each Call Order Number. Please order plans and proposals accordingly.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	72	SHEETS	\$ 18.00
CROSS SECTIONS (SEE LIST BELOW)	53	SHEETS	\$ 13.25
STANDARD PLANS	31	SHEETS	\$ 7.75

SHEET NO.	TITLE PAGE
1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-H	ALIGNMENT & CONTROL POINTS
2-N1 - 2-N2	GENERAL INFORMATION
2-P1 - 2-P5	PHASING PLANS
2-L1 - 2-L7	GEOMETRICS & GRADES
2-L8 - 2-L10	DRAINAGE
2-L11 - 2-L17	CONSTRUCTION & REMOVALS
3 - 12	PLAN & PROFILE SHEETS
13 - 15	DRAINAGE PROFILES
16 - 18	DETAILS--WATER
19 - 22	TERAFFIC CONTROL PLAN
23	SPECIAL PLAN 1C CURB RAMPS
24	SPECIAL PLAN 2C TERRACE STEPS
25 - 27	SPECIAL PLAN 3C TYPICAL URBAN TRAFFIC CONTROL PLAN
28	SPECIAL PLAN 4C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
29 - 30	SPECIAL PLAN 5C TEMPORARY SILT CHECKS
31 - 32	SPECIAL PLAN 6C AREA INLET WITH GRATE
33 - 34	SPECIAL PLAN 7C RETAINING WALL INSTALLATION
R1 - R12	RIGHT-OF-WAY SHEETS
XS1.1 - XS1.32	CROSS SECTIONS--11TH STREET
XS2.1 - XS2.5	CROSS SECTIONS--14TH CORSO
XS3.1 - XS3.2	CROSS SECTIONS--12TH CORSO
XS4.1 - XS4.7	CROSS SECTIONS--10TH CORSO
XS5.1 - XS5.7	CROSS SECTIONS--11TH CORSO

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
309	MAILBOX SUPPORT POST
329-R7	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
428-R3	CONCRETE PLUGS AND FIELD PIPE TAP DETAILS
435-R1	(3 SHEETS) MANHOLE
443-R7	(2 SHEETS) CURB INLETS AND JUNCTION BOX
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
710-R4	(2 SHEETS) FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		6 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION		3,597 CY
EXCAVATION, BORROW		919 CY
REMOVE PAVEMENT		9,455 SY
REMOVE ASPHALT SURFACE		193 SY
REMOVE DRIVEWAY		1,114 SY
REMOVE WALK		441 SY
REMOVE STEP		1 EACH
REMOVE RETAINING WALL		2 EACH
FABRIC SILT FENCE-LOW PROF LOW PORO		4,586 LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
CRUSHED ROCK SURFACE COURSE		115 TON
REMOVE AND RESET MAILBOX		15 EACH
CONC 47B-3000 SIDEWALKS		892 SY
CONC 47B-3500 DRIVEWAY		890 SY
CONC FOR HEADER, 47B-3500		3 CY
8" CONC PVMT, 47B-3500		1,186 SY
8" DOWELED CONC PAVE, CLASS 47B-3500		8,981 SY
ADJUST MANHOLE TO GRADE		10 EACH
MODULAR BLOCK WALL		2,305 SF
47B-3000 CONC FOR STEP		8 CY
HANDRAIL FOR STEP		138 LF
4' CHAIN-LINK FENCE		378 LF
END POST FOR 4' CH-LINK FENCE		12 EACH
STOP LINE		1 EACH
ARROW, PREF PVMT MRKING T-4 GROOVED		13 EACH
CROSSWALK		1 EACH
4" YEL PREF PVMT MRKNG, T-4, GROOVED		3,591 LF
8" WHITE PREF PVMT MRKING T-4 GROOVED		300 LF
12" YEL PREF PVMT MRKING T-4 GROOVED		40 LF
HYDRATED LIME FOR ASPHALT MIXTURES		2 TON
ASPH CONC, TYPE SPR		140 TON
PERF GRADED BINDER (58-34)		7 TON
PREP OF INTER & DRIVE		1,495 SY
TACK COAT		40 GAL
WATER		46 MGAL
EARTH SHOULDER CONSTRUCTION		48 STA
SUBGRADE PREPARATION		11,475 SY

SODDING	4,764 SY
ADJUST VALVE BOX TO GRADE	11 EACH

GROUP 4 CULVERTS

	LUMP	LUMP
MOBILIZATION		
REMOVE INLET		9 EACH
CAST IRON COVER & FRAME	4,875	LB
CAST IRON GRATE & FRAME	1,815	LB
MANHOLE		1 EACH
AT STA. 53+47.28 LT.		
MANHOLE		1 EACH
AT STA. 57+12.07 LT.		
MANHOLE		1 EACH
AT STA. 100+22.00 RT.		
MANHOLE		1 EACH
AT STA. 102+79.69 RT.		
MANHOLE		1 EACH
AT STA. 103+24.29 RT.		
TAPPING EXISTING STRUCTURE		1 EACH
47B-3000 CONC FOR INLET & JUNCTION BOXES		100 CY
RE-STEEL FOR INLET & JCT BOX	5,761	LB
24" CONCRETE FLARED-END SECTION		2 EACH
AREA INLET SEDIMENT FILTER		2 EACH
CURB INLET SEDIMENT FILTER		19 EACH
15" STORM SEWER PIPE 1		61 LF
18" STORM SEWER PIPE 1		516 LF
24" STORM SEWER PIPE 1		687 LF
30" STORM SEWER PIPE 1		146 LF
36" STORM SEWER PIPE 1		314 LF

GROUP 4A WATER MAIN AND SANITARY SEWER

	LUMP	LUMP
MOBILIZATION		
REMOVE MANHOLE		3 EACH
CAST IRON COVER, FRAME & FLANGE	7,020	LB
CAST IRON RING & COVER		120 LB
RECONSTRUCT WATER SERVICE		8 EACH
SANITARY MANHOLE		1 EACH
AT STA. 53+67 13.5' RT.		
SANITARY MANHOLE		1 EACH
AT STA. 57+02 12.6' RT.		
SANITARY MANHOLE		1 EACH
AT STA. 60+55 14.0' RT.		
4" PLUG		2 EACH
6" PLUG		1 EACH
8" PLUG		3 EACH
6" LINE STOP		1 EACH
3/4" WATER SERVICE	276	LF
4" RETAINER GLAND		8 EACH
6" RETAINER GLAND		10 EACH
8" RETAINER GLAND		28 EACH
ANCHORING ELBOW, M.J.		4 EACH
6"		
ANCHOR COUPLING, M.J.		1 EACH
6"		
8" WATER MAIN PIPE	1,087	LF
4" GATE VALVE		2 EACH
6" GATE VALVE		4 EACH
8" GATE VALVE		2 EACH
FIRE HYDRANT		4 EACH
5.5		
6" X 6" TAPPING SLEEVE AND VALVE		1 EACH
8" X 8" TAPPING SLEEVE AND VALVE		1 EACH
4" SLEEVE		2 EACH
6" SLEEVE		1 EACH
8" SLEEVE		1 EACH
8" X 4" TEE		2 EACH
8" X 6" TEE		3 EACH
8" X 8" TEE		2 EACH

CROSS	1 EACH
8" X 8"	
8" X 6" REDUCER	1 EACH
ABANDON WATER MAIN	2 EACH
REMOVE FIRE HYDRANT	2 EACH
REMOVE GATE VALVE	7 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	1,980 BDAY
BARRICADE, TYPE III	1,071 BDAY
SIGN DAY	1,377 EACH
CONTRACTOR FURNISHED SIGN DAY	360 EACH
FLAGGING	30 DAY
MOBILIZATION	LUMP LUMP
RENTAL OF LOADER, FULLY OPERATED	50 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	50 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	50 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	50 HOUR
TEMPORARY SILT CHECK	500 LF
TEMPORARY SILT FENCE	500 LF

NOTICE TO CONTRACTORS

CALL ORDER 155
FEDERAL PROJECT NO. STPAA-6204(4)
LOCATION: 11TH CORSO REALIGNMENT, 12TH TO 10TH STREET
COUNTIES: OTOE

The Nebraska Department of Roads will receive sealed bids for the CITY OF NEBRASKA CITY in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on March 18, 2010. At that time the bids will be opened and read for GR CONC PAVE WATER MAIN

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT
START DATE 05/03/2010 WORKING DAYS 45
Price Range \$ 250,000 to \$ 1,000,000
THIS PROJECT CONTAINS A DBE GOAL OF 7.0 %

Plans and specifications may be seen beginning February 23, 2010 at the Lincoln Central Office and March 01, 2010 at the District Engineer's Office at LINCOLN

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

NOTICE TO BIDDERS

To be eligible for the award of this contract, bidders shall submit a completed bidding proposal for Call Order No. 150, {Project No. STPP-6218(1)} and Call Order No. 155, {Project No. STPAA-6204(4)}. Award of Contract, if awarded, will be made on the combined bid for these call order nos. Separate contracts will be awarded for each Call Order Number. Please order plans and proposals accordingly.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	46 SHEETS	\$	11.50
CROSS SECTIONS (SEE LIST BELOW)	29 SHEETS	\$	7.25
STANDARD PLANS	31 SHEETS	\$	7.75

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-H	ALIGNMENT & CONTROL POINTS
2-N1 - 2-N2	GENERAL INFORMATION
2-P1 - 2-P5	PHASING PLANS
2-L1 - 2-L3	GEOMETRICS & GRADES
2-L4 - 2-L6	CONSTRUCTION & REMOVALS
3 - 4	PLAN & PROFILE SHEETS
5 - 7	DETAILS--WATER
8 - 10	TRAFFIC CONTROL PLAN
11	SPECIAL PLAN 1C CURB RAMPS
12	SPECIAL PLAN 2C TERRACE STEPS
13 - 15	SPECIAL PLAN 3C TYPICAL URBAN TRAFFIC CONTROL PLAN
16	SPECIAL PLAN 4C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
17 - 18	SPECIAL PLAN 5C TEMPORARY SILT CHECKS
19	SPECIAL PLAN 6C RETAINING WALL INSTALLATION
R1 - R12	RIGHT-OF-WAY SHEETS
XS1.1 - XS1.10	CROSS SECTIONS--11TH CORSO
XS2.1 - XS2.19	CROSS SECTIONS--10TH STREET

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
309	MAILBOX SUPPORT POST
329-R7	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT

410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
435-R1	(3 SHEETS) MANHOLE
443-R7	(2 SHEETS) CURB INLETS AND JUNCTION BOX
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
710-R4	(2 SHEETS) FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION	11,287	CY
REMOVE PAVEMENT	1,745	SY
REMOVE DRIVEWAY	174	SY
REMOVE WALK	86	SY
REMOVE BUILDING	1	EACH
STA. 800+30.7 - STA. 800+81.3 LT/RT		
REMOVE BUILDING	1	EACH
STA. 800+90.4 - STA. 801+35.5 LT/RT		
REMOVE BUILDING	1	EACH
STA. 801+67.5 - STA. 801+84.1 LT		
REMOVE BUILDING	1	EACH
STA. 801+71.6 - 802+15.8 LT/RT		
REMOVE BUILDING	1	EACH
STA. 802+55 - STA. 802+97.9 LT		
CLEAR TRACT	1	EACH
NO. 58		
CLEAR TRACT	1	EACH
NO. 59		
CLEAR TRACT	1	EACH
NO. 60		
REMOVE SLAB	172	SY
24" DRIVE PIPE, TYPE 3,4 OR 5	115	LF
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	48	CY
24" CONCRETE FLARED-END SECTION	6	EACH
EROSION CHECKS, TYPE WATTLE	108	LF
FABRIC SILT FENCE-LOW PROF LOW PORO	2,914	LF
24" CULV PIPE 2	165	LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
CRUSHED ROCK SURFACE COURSE	2	TON
REMOVE AND RESET MAILBOX	12	EACH
CONC 47B-3000 SIDEWALKS	49	SY
CONC 47B-3500 DRIVEWAY	497	SY
8" DOWELED CONC PAVE, CLASS 47B-3500	2,240	SY
ADJUST MANHOLE TO GRADE	3	EACH
MODULAR BLOCK WALL	713	SF
47B-3000 CONC FOR STEP	2	CY
HANDRAIL FOR STEP	35	LF
4' CHAIN-LINK FENCE	100	LF
END POST FOR 4' CH-LINK FENCE	2	EACH
REMOVE AND RESET FENCE	145	LF
STOP LINE	1	EACH
ARROW, PREF PVMT MRKING T-4 GROOVED	1	EACH
4" YEL PREF PVMT MRKNG, T-4, GROOVED	1,072	LF
8" WHITE PREF PVMT MRKING T-4 GROOVED	120	LF

12" YEL PREF PVMT MRKING T-4 GROOVED	35 LF
HYDRATED LIME FOR ASPHALT MIXTURES	10 TON
ASPH CONC, TYPE SPR	950 TON
PERF GRADED BINDER (58-34)	47 TON
TACK COAT	290 GAL
WATER	24 MGAL
EARTH SHOULDER CONSTRUCTION	28 STA
SUBGRADE PREPARATION	5,587 SY
SODDING	6,905 SY
ADJUST VALVE BOX TO GRADE	7 EACH

GROUP 4 WATER MAIN

MOBILIZATION	LUMP	LUMP
CAST IRON COVER, FRAME & FLANGE	1,755 LB	
RECONSTRUCT WATER SERVICE	11 EACH	
4" PLUG	2 EACH	
8" PLUG	1 EACH	
3/4" WATER SERVICE	300 LF	
4" RETAINER GLAND	2 EACH	
6" RETAINER GLAND	7 EACH	
8" RETAINER GLAND	27 EACH	
ANCHORING ELBOW, M.J. 6"	1 EACH	
ANCHOR COUPLING, M.J. 6"	1 EACH	
8" WATER MAIN PIPE	1,159 LF	
6" GATE VALVE	1 EACH	
8" GATE VALVE	2 EACH	
FIRE HYDRANT 5.5	1 EACH	
8" SLEEVE	3 EACH	
8" X 6" TEE	1 EACH	
6" - 90 DEGREE BEND	2 EACH	
8" - 45 DEGREE BEND	5 EACH	
8" - 90 DEGREE BEND	3 EACH	
8" X 6" REDUCER	2 EACH	
ABANDON WATER MAIN	4 EACH	
REMOVE FIRE HYDRANT	1 EACH	
REMOVE PLUG	1 EACH	
AND CONNECT TO 8" WATER MAIN		

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE III	2,052 BDAY
SIGN DAY	684 EACH
CONTRACTOR FURNISHED SIGN DAY	684 EACH
FLAGGING	10 DAY
MOBILIZATION	LUMP
RENTAL OF LOADER, FULLY OPERATED	40 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	40 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	40 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	40 HOUR
TEMPORARY SEEDING	1 ACRE
TEMPORARY SILT CHECK	1,000 LF
TEMPORARY SILT FENCE	1,000 LF
TEMPORARY EARTH CHECK	1,000 LF

NOTICE TO CONTRACTORS

CALL ORDER 160
 FEDERAL PROJECT NO. STPAA-6904(1)
 LOCATION: EAST 13TH STREET, HAWTHORNE-EAST LIMITS, CRETE
 COUNTIES: SALINE

The Nebraska Department of Roads will receive sealed bids for the CITY OF CRETE in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on March 18, 2010. At that time the bids will be opened and read for GRAD CONC PAVE CULV SAN SEED ELEC SIGN

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT
 START DATE 05/10/2010 WORKING DAYS 115
 Price Range \$ 1,000,000 to \$ 3,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning February 23, 2010 at the Lincoln Central Office and March 01, 2010 at the District Engineer's Office at LINCOLN
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	116	SHEETS	\$ 29.00
CROSS SECTIONS (SHEETS X1 THRU X14)	14	SHEETS	\$ 3.50
STANDARD PLANS	31	SHEETS	\$ 7.75

SHEET NO.

1	TITLE PAGE
2T1 - 2T2	TYPICAL CROSS SECTIONS OF IMPROVEMENT
2S1 - 2S2	SUMMARY OF QUANTITIES
2H	HORIZONTAL ALIGNMENT & CONTROL POINTS
2N1 - 2N2	GENERAL INFORMATION
2P	PHASING PLAN & DETOUR LOCATION MAP
2L1 - 2L9	CONSTRUCTION & DRAINAGE
2L10 - 2L18	REMOVALS
2L19 - 2L27	GEOMETRICS
2L28 - 2L36	JOINTS, STRIPING, & SIGNS
2L37 - 2L49	LIGHTING
2L50 - 2L72	UTILITIES
3 - 11	PLAN & PROFILE SHEETS
12	EARTHWORK DATA SHEET
13 - 20	DRAINAGE STRUCTURE CROSS SECTIONS
21	SPECIAL PLAN 1C GRATE INLET
22	SPECIAL PLAN 2C CURB RAMPS
23	SPECIAL PLAN 3C TERRACE STEPS
24 - 25	SPECIAL PLAN 4C TEMPORARY SILT CHECKS
26 - 27	SPECIAL PLAN 5C CURB INLET
R1 - R10	RIGHT-OF-WAY SHEETS
X1 - X14	CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
309	MAILBOX SUPPORT POST
329-R7	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
435-R1	(3 SHEETS) MANHOLE
443-R7	(2 SHEETS) CURB INLETS AND JUNCTION BOX
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS

914-R6 PULL BOX DETAIL
 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
 923 TRAFFIC CONTROL--ROAD CLOSURE
 924 (3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		4 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	10,230	CY
REMOVAL OF UNSUITABLY WET SOIL	1,400	CY
WATER		28 MGAL
REMOVE AND RESET POST		8 EACH
REMOVE PAVEMENT	10,494	SY
REMOVE DRIVEWAY	1,177	SY
REMOVE WALK	489	SY
REMOVE FENCE	64	LF
REMOVE RAILROAD TIE WALL	81	LF
REMOVE CONCRETE FLUME	99	SF
REMOVE AND RESET MAILBOX	14	EACH
WALL MATERIALS	2,303	SF
COMPACTED EARTH LEVELING PAD	761	LF
SEL GRAN BFILL RETAINED EARTH STR	57	CY
GRANULAR BACKFILL	700	CY
COVER CROP SEEDING	2	ACRE
EROSION CONTROL, CLASS 1F	61	SY
FABRIC SILT FENCE-LOW POROSITY	3,359	LF
FABRIC SILT FENCE-HIGH POROSITY	722	LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
SAWING PAVEMENT	727	LF
CRUSHED ROCK SURFACE COURSE	7	TON
TIE BARS	26	EACH
CONC 47B-3000 SIDEWALKS	3,145	SY
DETECTABLE WARNING PANEL	26	EACH
CONC 47B-3000 IMPRINTED SURFACING	233	SY
CONC CLASS 47B-3500 DRIVEWAY 8"	29	SY
CONC 47B-3500 DRIVEWAY	1,254	SY
9" CONC PVMT, 47B-3500	17,240	SY
ADJUST MANHOLE TO GRADE	10	EACH
47B-3000 CONC FOR STEP	6	CY
4" PERFORATED PIPE UNDERDRAIN	7,968	LF
VINYL FENCE	319	LF
ARROW	1	EACH
4" WHT POLYUREA PVMT MRKING, GROOVED	1,305	LF
24" WHT POLYUREA PVMT MRKING, GROOVED	198	LF
4" YEL POLYUREA PVMT MRKING, GROOVED	2,563	LF
FOUNDATION COURSE	17,240	SY
TEMPORARY SURFACING	341	SY
WATER	75	MGAL
EARTH SHOULDER CONSTRUCTION	81	STA
SUBGRADE PREPARATION	18,523	SY
COLD MILLING, CLASS 4	4,559	SY
SODDING	8,444	SY
ADJUST VALVE BOX TO GRADE	9	EACH
ADJUST FIRE HYDRANT TO GRADE	3	EACH

GROUP 4 CULVERTS

	LUMP	LUMP
MOBILIZATION		
REMOVE INLET		5 EACH
REMOVE DISCHARGE STRUCTURE		1 EACH
CAST IRON COVER & FRAME	6,000	LB
CAST IRON GRATE & FRAME	2,396	LB
RECONSTRUCT MANHOLE		3 EACH
MANHOLE		8 EACH
REMOVE FLARED- END SECTION		1 EACH
REMOVE HEADWALLS FROM CULV		1 EACH
REMOVE CULVERT PIPE		251 LF
REMOVE SEWER PIPE		191 LF
47B-3000 CONC FOR INLET & JUNCTION BOXES		82 CY
47B-3000 CONC FOR CONCRETE CO		1 CY
RE-STEEL FOR INLET & JCT BOX	6,148	LB
RE-STEEL FOR COLLARS		95 LB
18" FLARED-END SECTION		1 EACH
24" FLARED-END SECTION		3 EACH
36" FLARED-END SECTION		3 EACH
CURB INLET SEDIMENT FILTER		20 EACH
CONNECT		2 EACH
ROOF DRAIN TO STORM SEWER		
15" STORM SEWER PIPE 1		233 LF
18" STORM SEWER PIPE 1		260 LF
24" STORM SEWER PIPE 1	1,439	LF
36" STORM SEWER PIPE 1		189 LF
4" STORM SEWER PIPE 8		251 LF
12" STORM SEWER PIPE 8		8 LF

GROUP 4A SANITARY SEWER

	LUMP	LUMP
MOBILIZATION		
REMOVE MANHOLE		2 EACH
CONNECT SANITARY SERVICE		3 EACH
REMOVE SANITARY SEWER PIPE		315 LF
4" SANITARY SEWER PIPE		102 LF
12" SANITARY SEWER PIPE		314 LF
PVC		
8" P.V.C. SANITARY SEWER PIPE		14 LF
BYPASS PUMPING	LUMP	LUMP
SANITARY MANHOLE		3 EACH
P.V.C. WYE		3 EACH
12"X4"		
12" PLUG		3 EACH
8" PLUG		5 EACH
CURB STOP AND BOX		12 EACH
1" CORPORATION STOP		12 EACH
1" WATER SERVICE		142 LF
WATER SERVICE CONNECTION		12 EACH
4" WATER MAIN PIPE		21 LF
PVC		
6" WATER MAIN PIPE		82 LF
PVC		
8" WATER MAIN PIPE	3,283	LF
PVC		
10" WATER MAIN PIPE		17 LF
PVC		
12" WATER MAIN PIPE	2,566	LF
PVC		
4" GATE VALVE AND BOX		4 EACH
6" GATE VALVE AND BOX		6 EACH
8" GATE VALVE AND BOX		13 EACH
10" GATE VALVE AND BOX		2 EACH
12" GATE VALVE AND BOX		6 EACH
6" FIRE HYDRANT		6 EACH
WITH CONNECTOR PIPE		
4" SLEEVE		4 EACH

6" SLEEVE	1 EACH
8" SLEEVE	3 EACH
10" SLEEVE	2 EACH
12" SLEEVE	3 EACH
8" X 4" TEE	4 EACH
8" X 6" TEE	6 EACH
12" X 8" TEE	4 EACH
12" X 10" TEE	2 EACH
4" TEE	4 EACH
8" TEE	12 EACH
12" TEE	3 EACH
10" TEE	2 EACH
6" TEE	2 EACH
CROSS	1 EACH
8"	
4" - 45 DEGREE BEND	2 EACH
8" - 45 DEGREE BEND	6 EACH
8" - 90 DEGREE BEND	2 EACH
12" - 90 DEGREE BEND	2 EACH
12" - 45 DEGREE BEND	10 EACH
8" - 22 1/2 DEGREE BEND	1 EACH
8" X 6" REDUCER	2 EACH
ABANDON WATER MAIN	4,997 LF
REMOVE FIRE HYDRANT	2 EACH
RELOCATE	1 EACH
GATE VALVE AND BOX	
REMOVE AND RESET HYDRANT	1 EACH

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE B		1 ACRE
MULCH		2 TON

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
PULL BOX, TYPE PB-1		17 EACH
ST LIGHT UNIT SL-BT-30-1-0.25		28 EACH
2" CONDUIT IN TRENCH		3,663 LF
2" CONDUIT UNDER ROADWAY		1,044 LF
STREET LIGHTING CABLE		10,062 LF
NO. 6 CU		
STREET LIGHTING CABLE		4,059 LF
NO. 8 CU		
STREET LIGHTING CABLE		4,707 LF
NO. 6 AWG		

GROUP 8C SIGNS

MOBILIZATION	LUMP	LUMP
FURNISH AND INSTALL		34 EACH
POST, ANCHOR AND INSTALL SALVAGED SIGN		
FURNISH AND INSTALL		11 EACH
R8-3a SIGN, POST AND ANCHOR		
FURNISH AND INSTALL		6 EACH
R8-3a SIGN		
FURNISH AND INSTALL		2 EACH
S1-1 SIGN, POST AND ANCHOR		
FURNISH AND INSTALL		2 EACH
S2-1 SIGN, POST AND ANCHOR		
FURNISH AND INSTALL		4 EACH
R4-7 SIGN, POST AND ANCHOR		
FURNISH AND INSTALL		1 EACH
R3-7 SIGN, POST AND ANCHOR		
REMOVE SIGN AND POST		36 EACH
AND SALVAGE		

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	5,275	BDAY
BARRICADE, TYPE III	4,008	BDAY
SIGN DAY	4,289	EACH
CONTRACTOR FURNISHED SIGN DAY	1,757	EACH
TEMP PAVEMENT MARKING REMOVAL	500	LF
TEMP PVMT MARKING SURF PREP	500	LF
PERMANENT PAVEMENT MARKING PAINT	500	LF
TRAINING	500	HOUR
MOBILIZATION	LUMP	LUMP
CONSTRUCTION STAKING AND SURVEYING	LUMP	LUMP
TEMPORARY FENCE	100	LF
RENTAL OF LOADER, FULLY OPERATED	55	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	10	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	55	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	55	HOUR
RENT OF BULLDOZER, FULLY OPERATED	10	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	55	HOUR
TEMPORARY SILT CHECK	200	LF
TEMPORARY SILT FENCE	500	LF
TEMPORARY MULCH	2	TON

NOTICE TO CONTRACTORS

CALL ORDER 165
 STATE PROJECT NO. RD-79-2(1015)
 LOCATION: N-79, RAYMOND-VALPARAISO
 COUNTIES: LANCASTER SAUNDERS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on March 18, 2010. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 8.6 MILES
 START DATE 09/13/2010 WORKING DAYS 25
 Price Range \$ 500,000 to \$ 2,000,000

Plans and specifications may be seen beginning February 23, 2010 at the Lincoln Central Office and March 01, 2010 at the District Engineer's Office at LINCOLN

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	4 SHEETS	\$	1.00
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

- 1 TITLE PAGE
- 2-T TYPICAL CROSS SECTIONS
- 2-S SUMMARY OF QUANTITIES
- 3 TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	17,600	B	DAY
BARRICADE, TYPE III	384	B	DAY
TEMPORARY SIGN DAY	672	E	EACH
SIGN DAY	5,227	E	EACH
OVERLAY BROKEN LINES	959	S	TA
OVERLAY SOLID LINES	1,918	S	TA
FLAGGING	96	D	DAY
FURNISHING AND OPERATING PILOT VEHICLE	25	D	DAY
FIELD OFFICE	1	E	EACH
MOBILIZATION	LUMP	L	LUMP
MEMBRANE WATERPROOFING	644	S	Y
HYDRATED LIME FOR ASPHALT MIXTURES	147	T	TON
ASPH CONCRETE FOR PATCHING, TYPE SP4(0.5)	700	T	TON
ASPH CONC, TYPE SP4(0.5)	14,090	T	TON
PERF GRADED BINDER (64-28)	739	T	TON
TACK COAT	19,630	G	GAL
RENTAL OF LOADER, FULLY OPERATED	45	H	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	45	H	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	45	H	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	45	H	HOUR
COLD MILLING, CLASS 3	493	S	TA
COLD MILLING, CLASS 4	644	S	Y
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	L	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 260
 FEDERAL PROJECT NO. MAPA-5106(1)
 LOCATION: CITYWIDE, PAPIILLION
 COUNTIES: SARPY

The Nebraska Department of Roads will receive sealed bids for the CITY OF PAPIILLION in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on March 18, 2010. At that time the bids will be opened and read for CONCRETE PAVEMENT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

START DATE 05/03/2010 WORKING DAYS 90
 Price Range \$ 500,000 to \$ 2,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning February 23, 2010 at the Lincoln Central Office and March 01, 2010 at the District Engineer's Office at OMAHA

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	48 SHEETS	\$	12.00
STANDARD PLANS	11 SHEETS	\$	2.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T3	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-N1 - 2-N4	GENERAL INFORMATION
3 - 16	DETOUR LOCATION MAPS
17 - 18	CEDARDALE ROAD PAVEMENT REPAIR
19	CENTENNIAL ROAD PAVEMENT REPAIR
20 -21	FIRST STREET PAVEMENT REPAIR
22 - 23	SIXTH STREET PAVEMENT REPAIR
24 - 27	GILES ROAD PAVEMENT REPAIR
28	FILLMORE STREET PAVEMENT REPAIR
29 - 32	72nd STREET PAVEMENT REPAIR
33	LINCOLN STREET PAVEMENT REPAIR
34 - 38	84th STREET PAVEMENT REPAIR
39	SPECIAL PLAN 1C CURB RAMPS
40 - 41	SPECIAL PLAN 2C TEMPORARY SILT CHECKS

STANDARD PLANS

443-R7	(2 SHEETS) CURB INLETS AND JUNCTION BOX
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
923	TRAFFIC CONTROL--ROAD CLOSURE
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 3 CONCRETE PAVEMENT

BARRICADE, TYPE II	11,800 BDAY
BARRICADE, TYPE III	1,716 BDAY
TEMPORARY SIGN DAY	288 EACH
SIGN DAY	1,434 EACH
CONTRACTOR FURNISHED SIGN DAY	630 EACH

PAVEMENT MARKING REMOVAL		452 LF
PERMANENT PAVEMENT MARKING PAINT		5,240 LF
FLASHING ARROW PANEL		187 DAY
FLAGGING		30 DAY
MOBILIZATION	LUMP	LUMP
REMOVE WALK		778 SY
CONC 47B-3500 SIDEWALK		861 SY
6"		
DETECTABLE WARNING PANEL		37 EACH
CONC CLASS 47B-3500 DRIVEWAY 8"		79 SY
CONC PVMT REPAIR TYPE A FULL DEPTH		23 CY
CONC PVMT REPAIR TYPE B FULL DEPTH		225 CY
CONC PVMT REPAIR TYPE C FULL DEPTH		4,477 CY
CONC PVMT REPAIR TYPE B FULL DEPTH		46 CY
HE		
CONC PVMT REPAIR TYPE C FULL DEPTH		326 CY
HE		
SEALING CRACKS		5,074 LF
VENTED RING AND COVER		1 EACH
RECONSTRUCT CURB INLET		38 EACH
ADJUST MANHOLE TO GRADE		4 EACH
CURB INLET SEDIMENT FILTER		82 EACH
REMOVE AND REINSTALL SIGN STRUCTURE		5 EACH
ONLY, PREF PVMT MRKING T-4, GROOVED		5 EACH
ARROW, PREF PVMT MRKING T-4 GROOVED		11 EACH
4" WHITE PREF PVMT MRKNG T-4 GROOVED		1,463 LF
4" YEL PREF PVMT MRKNG, T-4, GROOVED		815 LF
12" WHT PREF PVMT MRKING T-4 GROOVED		47 LF
24" WHITE PREF PVMT MKING T-4 GROOVED		416 LF
RENTAL OF LOADER, FULLY OPERATED		5 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		5 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		5 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		5 HOUR
VEHICLE DETECTOR, TYPE A PREFORMED		2 EACH
VEHICLE DETECTOR, TYPE B PREFORMED		3 EACH
VEHICLE DETECTOR, TYPE TD-5		2 EACH
SODDING		2,715 SY
TEMPORARY SILT CHECK		200 LF
TEMPORARY SILT FENCE		200 LF
ADJUST VALVE BOX TO GRADE		1 EACH

NOTICE TO CONTRACTORS

CALL ORDER 365
 FEDERAL PROJECT NO. URB-6074(5)
 LOCATION: COLUMBUS NORTH ARTERIAL, PHASE 4
 COUNTIES: PLATTE

The Nebraska Department of Roads will receive sealed bids for the CITY OF COLUMBUS in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on March 18, 2010. At that time the bids will be opened and read for GRAD CONC PAVE CULV SEED BR GDRL ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

Length: 1.6 MILES
 START DATE 05/03/2010 CALENDAR DAYS 425
 Price Range \$ 1,000,000 to \$ 3,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning February 23, 2010 at the Lincoln Central Office and March 01, 2010 at the District Engineer's Office at NORFOLK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	93 SHEETS	\$	23.25
CROSS SECTIONS (SHEETS X1 THRU X59)	59 SHEETS	\$	14.75
STANDARD PLANS	25 SHEETS	\$	6.25

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-W1 - 2-W5	WETLANDS
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & CONTROL POINTS
2-N1 - 2-N3	GENERAL INFORMATION
2-P1 - 2-P5	CONSTRUCTION PHASING
2-P6	U.S. 81 TRAFFIC CONTROL
2-L1 - 2-L4	GEOMETRICS & JOINTS
2-L5 - 2-L7	GRADES
2-L8 - 2-L19	LIGHTING
3 - 9	PLAN & PROFILE SHEETS
10 - 11	EROSION CONTROL
12 - 16	SIGNING & STRIPING
17 - 18	EARTHWORK QUANTITIES
19 - 21	DRAINAGE STRUCTURE CROSS SECTIONS
22 - 33	SPECIAL PLAN 1 CONCRETE SLAB BRIDGE STA. 305+95.00
34	SPECIAL PLAN 1C MEDIAN INLET
35 - 41	SPECIAL PLAN 2C GUARDRAIL PLAN
42	SPECIAL PLAN 3C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
43 - 44	SPECIAL PLAN 4C TEMPORARY SILT CHECKS
45 - 47	TYPICAL URBAN TRAFFIC CONTROL PLAN
48	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
R1 - R7	RIGHT-OF-WAY SHEETS
X1 - X59	CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
329-R7	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES

411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
914-R6	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION		5,426 CY
EXCAVATION, BORROW		1,471 CY
WATER		69 MGAL
REMOVE PAVEMENT		1,674 SY
REMOVE GUARDRAIL		320 LF
REMOVE SIGN		37 EACH
COVER CROP SEEDING		9 ACRE
EROSION CONTROL, CLASS 1D		740 SY
EROSION CHECKS		25 BALE
FABRIC SILT FENCE-LOW POROSITY		676 LF
FABRIC SILT FENCE-HIGH POROSITY		384 LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
SAWING PAVEMENT		277 LF
GRAVEL SURFACE COURSE		72 CY
TIE BARS		100 EACH
CONC 47B-3000 MEDIAN SURFACING		247 SY
6" CONC PVMT, 47B-3500		4,372 SY
8" CONC PVMT, 47B-3500		151 SY
9" CONC PVMT, 47B-3500		578 SY
10" DOWELED CONC PVMT, 47B-3500		28,099 SY
SIGN		41 EACH
TYPE A		
ARROW, PREF PVMT MRKING T-4 GROOVED		20 EACH
4" WHT POLYUREA PVMT MRKING, GROOVED		22,929 LF
5" WHT POLYUREA PVMT MRKING, GROOVED		4,406 LF
12" WHT POLYUREA PVMT MRKING, GROOVED		365 LF
4" YEL POLYUREA PVMT MRKING, GROOVED		778 LF
5" YEL POLYUREA PVMT MRKING, GROOVED		2,384 LF
FOUNDATION COURSE		33,200 SY
GRANULAR SUBDRAIN		67 EACH
WATER		119 MGAL
EARTH SHOULDER CONSTRUCTION		80 STA
MEDIAN CONSTRUCTION		67 STA
SUBGRADE PREPARATION		33,200 SY
BUFFALO GRASS SODDING		19,275 SY

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
CAST IRON GRATE & FRAME		2,544 LB
PREPARATION OF STRUCTURE		1 EACH
AT STA. 405+69.00		
REMOVE STRUCTURE		1 EACH
AT STA. 305+90.00		
REMOVE STRUCTURE		1 EACH
AT STA. 405+00.00		

47B-3000 CONC FOR INLET & JUNCTION BOXES	12	CY
RE-STEEL FOR INLET & JCT BOX	870	LB
15" CONCRETE FLARED-END SECTION	5	EACH
15" STORM SEWER PIPE 1	328	LF

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE A		6 ACRE
SEEDING, TYPE B		2 ACRE
MULCH		20 TON

GROUP 6 BRIDGE AT STA. 305+95.00

MOBILIZATION	LUMP	LUMP
RIPRAP FILTER FABRIC		830 SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000		143 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		26,478 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PRECOMPRESSED POLY FOAM JOINT TYPE B		89 LF
47B-3000 CONC FOR BRIDGE		119 CY
47BD-4000 CONC FOR BRIDGE		164 CY
BROKEN CONCRETE RIPRAP		50 TON
ROCK RIPRAP, TYPE B		1,100 TON
EPOXY COATED RE-STEEL		55,080 LB
SUBSURFACE DRAINAGE MATTING		31 SY
HP 10"X42# STEEL PILING		5,120 LF
STEEL SHEET PILING		1,433 SF
GRANULAR BACKFILL		268 CY

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
BRIDGE APPROACH SECTIONS		2 EACH
GUARDRAIL END TREATMENT, TYPE II		2 EACH

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
ST LIGHT UNIT SL-BT-40-12-0.25		15 EACH
1 1/2" CONDUIT IN TRENCH		1,879 LF
1 1/2" CONDUIT UNDER ROADWAY		80 LF
STREET LIGHT CABLE, NO. 6 BARE		1,959 LF
STREET LIGHT CABLE, NO. 6 USE		3,918 LF

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II		6,180 BDAY
BARRICADE, TYPE III		4,686 BDAY
TEMPORARY SIGN DAY		720 EACH
SIGN DAY		7,608 EACH
CONTRACTOR FURNISHED SIGN DAY		1,704 EACH
FLASHING ARROW PANEL		90 DAY
TRAINING		500 HOUR
MOBILIZATION	LUMP	LUMP
CONSTRUCTION STAKING AND SURVEYING	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		20 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		20 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		20 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		20 HOUR
TEMPORARY SILT CHECK		200 LF
TEMPORARY SILT FENCE		500 LF
TEMPORARY EARTH CHECK		200 LF
TEMPORARY MULCH		2 TON

NOTICE TO CONTRACTORS

CALL ORDER 455
FEDERAL PROJECT NO. URB-5922(3)
LOCATION: 39TH STREET, PONY EXPRESS-AVENUE "M", KEARNEY
COUNTIES: BUFFALO

The Nebraska Department of Roads will receive sealed bids for the CITY OF KEARNEY in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on March 18, 2010. At that time the bids will be opened and read for GR CONC PAVE CULV ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT
START DATE 05/24/2010 WORKING DAYS 110
Price Range \$ 1,000,000 to \$ 3,000,000
THIS PROJECT CONTAINS A DBE GOAL OF 6.0 %

Plans and specifications may be seen beginning February 23, 2010 at the Lincoln Central Office and March 01, 2010 at the District Engineer's Office at GRAND ISLAND
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	80	SHEETS	\$ 20.00
CROSS SECTIONS (SHEETS X1 THRU X26)	26	SHEETS	\$ 6.50
STANDARD PLANS	28	SHEETS	\$ 7.00

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-H	SURVEY CONTROL DATA
2-N	GENERAL INFORMATION
2-P1 - 2-P10	PHASING & TRAFFIC CONTROL PLAN
2-L1 - 2-L7	REMOVALS
2-L8 - 2-L13	TEMPORARY PAVING/DRAINAGE PLAN
2-L14 - 2-L20	GEOMETRICS & CONSTRUCTION
2-L21 - 2-L26	DRAINAGE
2-L27 - 2-L33	UTILITIES
3 - 5	PLAN & PROFILE SHEETS
6 - 7	STREET LIGHTING
8 - 9	PAVEMENT MARKING PLANS
10 - 11	EROSION & SEDIMENT CONTROL PLANS
12 - 15	STORM DRAIN PROFILES
16	SPECIAL PLAN 1C WATER DETAILS
17	SPECIAL PLAN 2C STREET LIGHTING DETAILS
18	SPECIAL PLAN 3C CURB INLET TYPE "A" DETAILS
19	SPECIAL PLAN 4C CURB INLET TYPE "B" DETAILS
20	SPECIAL PLAN 5C RECONSTRUCT INLET DECK
21	SPECIAL PLAN 6C STORM SEWER DETAILS
22	SPECIAL PLAN 7C UNDERDRAIN DETAILS
23	SPECIAL PLAN 8C CURB RAMPS
24 - 25	SPECIAL PLAN 9C TEMPORARY SILT CHECKS
R1 - R9	RIGHT-OF-WAY SHEETS
X1 - X26	CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
329-R7	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
428-R3	CONCRETE PLUGS AND FIELD PIPE TAP DETAILS

435-R1	(3 SHEETS) MANHOLE
502	SILT FENCE DETAILS
914-R6	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
923	TRAFFIC CONTROL--ROAD CLOSURE
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION		2,938 CY
REMOVE PAVEMENT		18,138 SY
SAWING PAVEMENT		6,529 LF
REMOVE DRIVEWAY		434 SY
REMOVE WALK		2,606 SY
REMOVE HEADER		5 EACH
FABRIC SILT FENCE-LOW POROSITY		1,986 LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
TIE BARS		240 EACH
CONC 47B-3000 SIDEWALKS		1,062 SY
TEMPORARY		
6" CONC 47B-3000 SIDEWALKS		3,105 SY
COLOR IMPRINTED CONC 47B-3000 SIDEWALKS		58 SY
6" CONC 47B-3000 SIDEWALKS		34 SY
WITH CURB		
CONC 47B-3500 DRIVEWAY		369 SY
9" CONC PVMT, 47B-3500		18,880 SY
ADJUST MANHOLE TO GRADE		26 EACH
4" PERFORATED PIPE UNDERDRAIN		5,865 LF
4" WHITE PREF PVMT MRKNG T-4 GROOVED		1,356 LF
4" YEL PREF PVMT MRKNG, T-4, GROOVED		5,098 LF
12" WHT PREF PVMT MRKING T-4 GROOVED		120 LF
24" WHITE PREF PVMT MKING T-4 GROOVED		320 LF
FOUNDATION COURSE		18,880 SY
TEMPORARY SURFACING		2,109 SY
WATER		73 MGAL
EARTH SHOULDER CONSTRUCTION		60 STA
SUBGRADE PREPARATION		19,256 SY
SODDING		2,958 SY
ADJUST VALVE BOX TO GRADE		21 EACH
RELOCATE FIRE HYDRANT		4 EACH

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE INLET		30 EACH
CAST IRON COVER & FRAME		1,500 LB
CURB INLET		16 EACH
TYPE A		
CURB INLET		15 EACH
TYPE B		
RECONSTRUCT INLET		11 EACH
RECONSTRUCT INLET		2 EACH
DECK		
MANHOLE		1 EACH
AT STA. 56+51 24' LT. H = 6.70'		

MANHOLE	1	EACH
AT STA. 59+82 26' LT. H = 4.59'		
MANHOLE	1	EACH
AT STA. 65+93 26' RT. H = 2.47'		
TAPPING EXISTING PIPE	1	EACH
REMOVE SEWER PIPE	464	LF
47B-3000 CONC FOR CONCRETE CO	17	CY
RE-STEEL FOR COLLARS	1,158	LB
CONCRETE COLLAR	1	EACH
ON ELLIPTICAL PIPE - 39" RE		
CONCRETE COLLAR	6	EACH
ON ELLIPTICAL PIPE - 42" RE		
12" REINF CONCRETE SEWER PIPE	203	LF
18" REINF CONCRETE SEWER PIPE	6	LF
24" REINF CONCRETE SEWER PIPE	15	LF
30" REINF CONCRETE SEWER PIPE	118	LF
36" REINF CONCRETE SEWER PIPE	131	LF
39" RND EQUIV RCSP	35	LF
42" RND EQUIV RCSP	96	LF
CURB INLET SEDIMENT FILTER	18	EACH

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
PULL BOX, TYPE PB-5		1 EACH
STREET LIGHTING UNIT		20 EACH
SL-DE-35-10-0.25		
LUMINAIRE, TYPE HPS-250W		20 EACH
LIGHTING CONTROL CENTER, R		1 EACH
1 1/2" CONDUIT IN TRENCH	3,443	LF
1 1/2" CONDUIT, JACKED		50 LF
GROUNDING CONDUCTOR	3,458	LF
SERVICE CABLE		100 LF
STREET LIGHT CABLE, NO. 6 USE	6,986	LF
STREET LIGHT CABLE, NO. 12 THWN	2,000	LF
REMOVE LIGHTING UNIT		9 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	19,421	B DAY
BARRICADE, TYPE III	5,571	B DAY
SIGN DAY	6,260	EACH
CONTRACTOR FURNISHED SIGN DAY	3,191	EACH
PAVEMENT MARKING REMOVAL	1,860	LF
TEMP PVMT MARKING, TYPE PAINT	18,579	LF
PERMANENT PAVEMENT MARKING PAINT	870	LF
TUBULAR POST	358	EACH
28"		
FLASHING ARROW PANEL	376	DAY
FLAGGING	30	DAY
TRAINING	500	HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	25	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	25	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	25	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	25	HOUR
TEMPORARY SILT CHECK	500	LF

NOTICE TO CONTRACTORS

CALL ORDER 465
 FEDERAL PROJECT NO. URB-2235(5)
 LOCATION: LOCUST STREET NORTH OF I-80 (NB), GRAND ISLAND
 COUNTIES: HALL

The Nebraska Department of Roads will receive sealed bids for the CITY OF GRAND ISLAND in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on March 18, 2010 . At that time the bids will be opened and read for GR CONC PAVE CULV SEED GDRL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

Length: 3.2 MILES
 START DATE 05/03/2010 WORKING DAYS 70
 Price Range \$ 2,000,000 to \$ 4,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning February 23, 2010 at the Lincoln Central Office and March 01, 2010 at the District Engineer's Office at GRAND ISLAND

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	78	SHEETS	\$ 19.50
CROSS SECTIONS (SHEETS X1 THRU X41)	41	SHEETS	\$ 10.25
STANDARD PLANS	29	SHEETS	\$ 7.25

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-W1 - 2-W4	WETLANDS
2-H	HORIZONTAL CONTROL
2-N1 - 2-N3	GENERAL INFORMATION
2-L1 - 2-L14	GEOMETRICS
2-L15 - 2-L20	DRAINAGE
2-L21 - 2-L26	CONSTRUCTION
2-L27 - 2-L32	REMOVAL
3 - 15	PLAN & PROFILE SHEETS
16	EARTHWORK DATA SHEET
17	DRAINAGE STRUCTURE CROSS SECTIONS
18	TYPICAL PAVEMENT MARKING PLAN--4" PAVEMENT MARKING
19	TYPICAL TRAFFIC CONTROL PLAN--VEHICLE SIGNING FOR PAINT STRIPING
20 - 34	SPECIAL PLAN 1C GUARDRAIL PLAN
35	SPECIAL PLAN 2C 5-BAR GRATE INLET (FOR LONGITUDINAL PIPE 20" OR LESS)
36 - 37	SPECIAL PLAN 3C TEMPORARY SILT CHECKS
X1 - X41	CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
329-R7	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
413-R2	BAR GRATE FOR FLARED END SECTIONS
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
428-R3	CONCRETE PLUGS AND FIELD PIPE TAP DETAILS
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
901-R9	HIGHWAY DELINEATORS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		457 MGAL
EARTHWORK MEASURED IN EMBANKMENT		21,743 CY
SALVAGING AND PLACING TOPSOIL		89,540 SY
REMOVE PAVEMENT		549 SY
SAWING PAVEMENT		2,833 LF
REMOVE ASPHALT SURFACE		4,657 SY
REMOVE DRIVEWAY		43 SY
REMOVE RAISED MEDIAN		419 LF
REMOVE GUARDRAIL		650 LF
REMOVE SIGN AND POST		30 EACH
COVER CROP SEEDING		19 ACRE
EROSION CONTROL, CLASS 1D		668 SY
FABRIC SILT FENCE-LOW POROSITY		17,025 LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
FLEXIBLE POST DELINEATOR		64 EACH
GRAVEL SURFACE COURSE		95 CY
CONCRETE 47B-3500 MEDIAN CURB		325 LF
TACK-ON CONC 47B-HE-3500 MEDIAN		163 SY
6" CONC CLASS 47B-3000 MEDIAN SURFACING		657 SY
CONCRETE CLASS 47B-3500 ISLAND NOSE		1 EACH
8" CONC PVMT, 47B-3500		478 SY
10" CONC PVMT, 47B-3500		1,048 SY
10" DOWELED CONC PVMT, 47B-3500		54,945 SY
CONC SMOOTHNESS TESTING	LUMP	LUMP
4" WHT POLYUREA PVMT MRKING, GROOVED		70,324 LF
4" YEL POLYUREA PVMT MRKING, GROOVED		35,437 LF
HYDRATED LIME FOR ASPHALT MIXTURES		16 TON
FOUNDATION COURSE		64,315 SY
4"		
GRANULAR SUBDRAIN		139 EACH
ASPH CONC, TYPE SP4(0.5)		1,600 TON
PLACE ASPH CONC FOR DRIVE & INTER		2,502 SY
SURFACING 6"		8,868 SY
PERF GRADED BINDER (64-28)		80 TON
PREP OF INTER & DRIVE		3,710 SY
TACK COAT		259 GAL
WATER		270 MGAL
EARTH SHOULDER CONSTRUCTION		309 STA
SUBGRADE PREPARATION		64,315 SY
RUMBLE STRIPS, ASPHALT		332 STA
RUMBLE STRIPS, CONCRETE		332 STA
SURFACE UNDER GUARDRAIL		328 SY

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
CAST IRON GRATE & FRAME		3,780 LB
TAPPING EXISTING STRUCTURE		3 EACH
TAPPING EXISTING PIPE		3 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		90 CY
47B-3000 CONC FOR INLET & JUNCTION BOXES		7 CY
RE-STEEL FOR INLET & JCT BOX		502 LB
BAR GRATE FOR 12" METAL FES		6 EACH
12" METAL FLARED-END SECTION		6 EACH
AREA INLET SEDIMENT FILTER		10 EACH
12" CULV PIPE 3,4,5		300 LF
12" STORM SEWER PIPE 1,7,8		24 LF
18" STORM SEWER PIPE 1,7,8		50 LF

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE A		7 ACRE
SEEDING, TYPE B		12 ACRE
MULCH		42 TON

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		275 LF
THRIE-BEAM GUARDRAIL		312 LF
BRIDGE APPROACH SECTIONS		2 EACH
SPECIAL BR APPROACH SECTION		2 EACH
END ANCHORAGE ASSEMBLY		2 EACH
BULLNOSE-12.5'		2 EACH
GUARDRAIL END TREATMENT, TYPE I		2 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II		9,295 BDAY
BARRICADE, TYPE III		3,405 BDAY
SIGN DAY		1,970 EACH
CONTRACTOR FURNISHED SIGN DAY		1,185 EACH
PAVEMENT MARKING REMOVAL		36,437 LF
FLASHING ARROW PANEL		82 DAY
FLAGGING		30 DAY
TRAINING		500 HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		190 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED		20 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		190 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		190 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		170 HOUR
TEMPORARY SILT CHECK		500 LF
TEMPORARY SILT FENCE		500 LF
TEMPORARY MULCH		6 TON

NOTICE TO CONTRACTORS

CALL ORDER 470
 FEDERAL PROJECT NO. STPAA-6305(1)
 LOCATION: NEBRASKA AVENUE, 4TH-14TH, YORK
 COUNTIES: YORK

The Nebraska Department of Roads will receive sealed bids for the CITY OF YORK in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on March 18, 2010. At that time the bids will be opened and read for GR CONC PAVE CULV WATER SAN

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT CULVERTS

Length: 1 MILE
 START DATE 05/03/2010 WORKING DAYS 255
 Price Range \$ 3,000,000 to \$ 6,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning February 23, 2010 at the Lincoln Central Office and March 01, 2010 at the District Engineer's Office at GRAND ISLAND. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	98 SHEETS	\$	24.50
CROSS SECTIONS (SHEETS X1 THRU X30)	30 SHEETS	\$	7.50
STANDARD PLANS	33 SHEETS	\$	8.25

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-N	GENERAL INFORMATION
2-P	PHASING PLANS & TRAFFIC CONTROL
2-L1 - 2-L6	REMOVAL PLAN
2-L7 - 2-L12	GEOMETRICS
2-L13 - 2-L18	JOINTS & GRADES
2-L19 - 2-L25	EROSION & SEDIMENT CONTROL & SODDING
2-L26 - 2-L36	PLAN & PROFILE--STORM SEWER
2-L37 - 2-L41	PLAN & PROFILE--SANITARY SEWER
2-L42 - 2-L51	PLAN & PROFILE--WATER MAIN
2-L52 - 2-L56	WATER MAIN CROSSINGS
2-L57 - 2-L61	PAVEMENT MARKING PLAN
3 - 13	PLAN & PROFILE SHEETS
14	SPECIAL PLAN 1C STORM SEWER DETAILS
15	SPECIAL PLAN 2C SPECIAL INLET DETAILS
16	SPECIAL PLAN 3C CULVERT CONNECTION DETAILS
17	SPECIAL PLAN 4C WATER MAIN & SANITARY SEWER DETAILS
18	SPECIAL PLAN 5C CURB RAMPS
19	SPECIAL PLAN 6C MISC. DETAILS
20	SPECIAL PLAN 7C SHEET PILE DETAILS
21 - 23	SPECIAL PLAN 8C 10' X 4' SINGLE SPAN RC BOX CULVERT STA. 50+12.00
24	SPECIAL PLAN 9C CONCRETE APRON STA. 50+12.00
25 - 26	SPECIAL PLAN 10C TEMPORARY SILT CHECKS
R1 - R7	RIGHT-OF-WAY SHEETS
X1 - X30	CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
329-R7	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
403-R2	(2 SHEETS) BENDS AND BREAKS FOR CONCRETE BOX CULVERTS
404-R3	CONTROL JOINTS FOR CONCRETE BOX CULVERTS
411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
428-R3	CONCRETE PLUGS AND FIELD PIPE TAP DETAILS
435-R1	(3 SHEETS) MANHOLE
443-R7	(2 SHEETS) CURB INLETS AND JUNCTION BOX
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN
1104	(2 SHEETS) REINFORCED CONCRETE BOX CULVERTS SINGLE SPAN WITH 4-FOOT RISE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		32 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		5,514 CY
WATER		10 MGAL
RIPRAP FILTER FABRIC		254 SY
REMOVE PAVEMENT		10,796 SY
REMOVE BRICK PAVER		9,331 SY
REMOVE DRIVEWAY		881 SY
REMOVE WALK		4,878 SY
REMOVE BRICK WALK		82 SY
REMOVE COMBINATION CURB AND GUTTER		76 LF
REMOVE RETAINING WALL		480 LF
ROCK RIPRAP, TYPE C		228 TON
REMOVE AND RESET FENCE		410 LF
EROSION CONTROL, CLASS 1D		461 SY
FABRIC SILT FENCE-LOW POROSITY		43 LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
GRAVEL SURFACE COURSE		146 CY
CONC 47B-3500 BARRIER CURB 6"		86 LF
CONC 47B-3500 BARRIER CURB 12"		8 LF
COMB CONC 47B-3500 CURB & GUTTER		76 LF
CONC 47B-3000 SIDEWALKS		4,329 SY
CONC 47B-3000 SIDEWALKS 6"		65 SY
CONC 47B-3500 DRIVEWAY		1,000 SY
6" CONC PVMT, 47B-3500		4,208 SY
9" CONC PVMT, 47B-3500		19,989 SY
4" YEL PREF PVMT MRKNG, T-4, GROOVED		678 LF
24" WHITE PREF PVMT MKING T-4 GROOVED		726 LF
WATER		98 MGAL
EARTH SHOULDER CONSTRUCTION		86 STA
SUBGRADE PREPARATION		25,197 SY
SODDING		7,660 SY
YEW 15"-18" C.G.		2 EACH

LILAC, 15"-18" B.R.	4	EACH
ENGELMANN IVY 1 GAL C.G.	67	EACH

GROUP 4 CULVERTS

	LUMP	LUMP
MOBILIZATION		
REMOVE MANHOLE		1 EACH
REMOVE INLET		35 EACH
REMOVE CONCRETE FLUME		1 EACH
CAST IRON COVER & FRAME	15,000	LB
CAST IRON COVER, FRAME & FLANGE	5,800	LB
CURB INLET		6 EACH
MANHOLE		18 EACH
REMOVE SEWER PIPE	3,795	LF
PREPARATION OF STRUCTURE		1 EACH
AT STA. 66+22 RT.		
47B-3000 CONC FOR BOX CULV	3,909	CY
47B-3000 CONC FOR INLET & JUNCTION BOXES		318 CY
47B-3000 CONC FOR CONCRETE CO		3 CY
47B-3000 CONC FOR PIPE PLUG		1 CY
RE-STEEL FOR BOX CULVERT	410,307	LB
RE-STEEL FOR INLET & JCT BOX	21,674	LB
RE-STEEL FOR COLLARS		302 LB
CURB INLET SEDIMENT FILTER		88 EACH
STEEL SHEET PILING		770 SF
12" STORM SEWER PIPE 1,7,8		26 LF
15" STORM SEWER PIPE 1,7,8	1,841	LF
18" STORM SEWER PIPE 1,7,8		460 LF
24" STORM SEWER PIPE 1,7,8		323 LF
36" STORM SEWER PIPE 1,7,8		366 LF
42" STORM SEWER PIPE 1		258 LF
48" STORM SEWER PIPE 1		284 LF
8" STORM SEWER PIPE 7 OR 8		70 LF

GROUP 4A WATER MAIN AND SANITARY SEWER

	LUMP	LUMP
MOBILIZATION		
TAPPING EXIST SANITARY SEWER MANHOLE		1 EACH
SANITARY SEWER SERVICE		10 EACH
REMOVE SANITARY SEWER PIPE		262 LF
4" SANITARY SEWER PIPE		100 LF
8" SANITARY SEWER PIPE	1,182	LF
10" SANITARY SEWER PIPE		50 LF
12" SANITARY SEWER PIPE		36 LF
SANITARY MANHOLE		7 EACH
TYPE 'B'		
SANITARY MANHOLE		2 EACH
TYPE 'DROP'		
4" PLUG		1 EACH
6" PLUG		1 EACH
3/4" COPPER WATER SERVICE	1,975	LF
2" WATER SERVICE		28 LF
WATER SERVICE		71 EACH
4" WATER MAIN PIPE		326 LF
6" WATER MAIN PIPE		114 LF
8" WATER MAIN PIPE	4,843	LF
4" GATE VALVE		2 EACH
8" GATE VALVE		12 EACH
FIRE HYDRANT		7 EACH
5.5' HYDRANT AND ASSEMBLY		
FIRE HYDRANT		3 EACH
6.5' HYDRANT AND ASSEMBLY		
4" SOLID SLEEVE		6 EACH
L=12'		
6" SOLID SLEEVE		2 EACH
L=12'		
8" SOLID SLEEVE		13 EACH
L=12'		
8" X 8" X 8" TEE		6 EACH
8" X 8" X 6" TEE		9 EACH

8" X 8" X 4" TEE	1 EACH
4" X 4" X 4" TEE	2 EACH
CROSS 8" X 4"	2 EACH
CROSS 8" X 6"	1 EACH
CROSS 8" X 8"	1 EACH
8" - 45 DEGREE BEND	2 EACH
4" - 11 1/4 DEGREE BEND	6 EACH
6" - 11 1/4 DEGREE BEND	4 EACH
8" - 11 1/4 DEGREE BEND	11 EACH
4" - 22 1/2 DEGREE BEND	6 EACH
8" - 22 1/2 DEGREE BEND	10 EACH
6" X 4" REDUCER	1 EACH
8" X 4" REDUCER	1 EACH
8" OFFSET 18" DROP	2 EACH
8" OFFSET 24" DROP	1 EACH
REMOVE FIRE HYDRANT	8 EACH
BORE 3/4" WATER SERVICE	159 LF

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	9,200 BDAY
BARRICADE, TYPE III	21,328 BDAY
SIGN DAY	13,218 EACH
CONTRACTOR FURNISHED SIGN DAY	8,336 EACH
TRAINING	1,000 HOUR
MOBILIZATION	LUMP LUMP
RENTAL OF LOADER, FULLY OPERATED	10 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	10 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	10 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10 HOUR
TEMPORARY SILT CHECK	1,000 LF
TEMPORARY SILT FENCE	1,000 LF

NOTICE TO CONTRACTORS

CALL ORDER 550
 STATE PROJECT NO. RD-2-1(1018)
 LOCATION: N-2, BOX BUTTE/SHERIDAN COUNTY LINE EAST
 COUNTIES: SHERIDAN

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on March 18, 2010. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 16.8 MILES
 START DATE 07/12/2010 WORKING DAYS 65
 Price Range \$ 2,000,000 to \$ 4,000,000

Plans and specifications may be seen beginning February 23, 2010 at the Lincoln Central Office and March 01, 2010 at the District Engineer's Office at GERING

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	3 SHEETS	\$	0.75
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
& TYPICAL CROSS SECTION
- 3 TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	18,480	B	DAY
BARRICADE, TYPE III	444	B	DAY
TEMPORARY SIGN DAY	910	E	EACH
SIGN DAY	16,485	E	EACH
OVERLAY BROKEN LINES	2,668	S	TA
OVERLAY SOLID LINES	5,336	S	TA
FLAGGING	130	D	DAY
FURNISHING AND OPERATING PILOT VEHICLE	65	D	DAY
FIELD OFFICE	1	E	EACH
MOBILIZATION	LUMP	L	LUMP
HYDRATED LIME FOR ASPHALT MIXTURES	186	T	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	5	T	TON
ASPH CONC FOR STATE MAINT PATCHING, TYPE GRCRM	500	T	TON
ASPH CONC, TYPE GRCRM	18,100	T	TON
HOT IN-PLACE RECYCLING	886	S	TA
ASPH CONCRETE FOR PATCHING, TYPE GRCRM	500	T	TON
PERF GRAD BIND (58-28)FOR ST MAINT PATCH	42	T	TON
PERF GRADED BINDER (58-28)	1,581	T	TON
TACK COAT	35,670	G	GAL
FOG SEAL	18,970	G	GAL

EMUL ASPH FOR HOT IN-PLACE RECYCLING	61,160 GAL
RENTAL OF LOADER, FULLY OPERATED	50 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	50 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	50 HOUR
COLD MILLING, CLASS 3	891 STA
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP

NOTICE TO CONTRACTORS

CALL ORDER 650
 STATE PROJECT NO. STR-26-2(1023)
 LOCATION: US-26, LEWELLEN SOUTHEAST
 COUNTIES: GARDEN

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on March 18, 2010. At that time the bids will be opened and read for BR GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES
 START DATE 04/19/2010 WORKING DAYS 115
 Price Range \$ 500,000 to \$ 2,000,000

Plans and specifications may be seen beginning February 23, 2010 at the Lincoln Central Office and March 01, 2010 at the District Engineer's Office at NORTH PLATTE
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	56	SHEETS	\$	14.00
CROSS SECTIONS (SHEETS X1 THRU X8)	8	SHEETS	\$	2.00
STANDARD PLANS	6	SHEETS	\$	1.50

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-W	WETLANDS
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & CONTROL POINTS
2-N	GENERAL INFORMATION
2-P1 - 2-P4	PHASING PLANS
3 - 4	PLAN SHEETS
5	TYPICAL TRAFFIC SIGNAL CONTROL PLAN--FOR ONE LANE, TWO WAY OPERATION WITH BARRIERS
6	TEMPORARY TRAFFIC SIGNAL
7	TYPICAL TRAFFIC CONTROL PLAN--INERTIAL BARRIER SYSTEM
8	TEMPORARY PAVEMENT MARKING PLAN
9 - 23	SPECIAL PLAN 1 DECK STEEL GIRDER BRIDGE (REHAB) STA. 694+45.86
24 - 37	SPECIAL PLAN 2 DECK STEEL GIRDER BRIDGE (REHAB) STA. 708+95.86
38 - 45	SPECIAL PLAN 1C GUARDRAIL PLAN
46 - 47	SPECIAL PLAN 2C CONCRETE PROTECTION BARRIER
X1 - X8	CROSS SECTIONS

STANDARD PLANS

501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT STA. 694+45.86

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		193 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		34,530 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PRECOMPRESSED POLY FOAM JOINT, TYPE B		341 LF
CLASS I REPAIR		1,915 SY

CLASS II REPAIR	383 SY
CLASS III REPAIR	5 SY
PLACE, FINISH, & CURE CONC OVERLAY-SF	2,028 SY
47B-3000 CONC FOR BRIDGE	52 CY
47BD-4000 CONC FOR BRIDGE	128 CY
CONCRETE FOR OVERLAYS-SF	143 CY
PREP BRIDGE	1 EACH
AT STA. 694+45.86	
STRUC STEEL FOR SUPERSTRUCTURE	2,360 LB
EPOXY COATED RE-STEEL	36,510 LB
PIN REPLACEMENT	1 EACH
ABUTMENT REPAIR	30 SF
GRANULAR BACKFILL	190 CY
COLD MILLING, CLASS 4	1,999 SY

GROUP 6A BRIDGE AT STA. 708+95.86

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		193 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	34,530	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PRECOMPRESSED POLY FOAM JOINT, TYPE B		256 LF
CLASS I REPAIR	1,490	SY
CLASS II REPAIR	298	SY
CLASS III REPAIR	5	SY
PLACE, FINISH, & CURE CONC OVERLAY-SF	1,578	SY
47B-3000 CONC FOR BRIDGE	52	CY
47BD-4000 CONC FOR BRIDGE	100	CY
CONCRETE FOR OVERLAYS-SF	108	CY
PREP BRIDGE	1	EACH
AT STA. 708+95.86		
STRUC STEEL FOR SUPERSTRUCTURE	1,705	LB
EPOXY COATED RE-STEEL	31,700	LB
ABUTMENT REPAIR	20	SF
GRANULAR BACKFILL	190	CY
COLD MILLING, CLASS 4	1,556	SY

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		450 LF
BRIDGE APPROACH SECTIONS		8 EACH
GUARDRAIL END TREATMENT, TYPE I		8 EACH

GROUP 9 BITUMINOUS

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EARTHWORK MEASURED IN EMBANKMENT		115 CY
REMOVE PAVEMENT		888 SY
REMOVE GUARDRAIL	1,615	LF
HYDRATED LIME FOR ASPHALT MIXTURES		2 TON
ASPH CONC, TYPE SP4(0.5)		120 TON
PERF GRADED BINDER (64-28)		6 TON
TACK COAT	160	GAL
WATER	8	MGAL
EARTH SHOULDER CONSTRUCTION		16 STA
COLD MILLING, CLASS 3	1,067	SY
SURFACE UNDER GUARDRAIL	641	SY
EROSION CONTROL, CLASS 1D	1,747	SY
FABRIC SILT FENCE-LOW POROSITY	1,809	LF

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	5,265	BDAY
BARRICADE, TYPE III	1,170	BDAY
SIGN DAY	11,505	EACH
TEMP PAVEMENT MARKING REMOVAL	10,800	LF
PAVEMENT MARKING REMOVAL	5,200	LF
TEMP PVMT MARKING, TYPE PAINT	10,800	LF
TEMP PVMT MARKING SURF PREP	4,800	LF
FLAGGING	10	DAY
CONCRETE PROTECTION BARRIER	1,875	LF
RELOCATE CONC PROTECTION BARRIER	1,875	LF
RELOC INERTIAL BARRIER SYSTEM	2	EACH
INERTIAL BARRIER SYSTEM	2	EACH
REPLACEMENT MODULE	7	EACH
TEMPORARY RUMBLE STRIP	4	EACH
TEMPORARY TRAFFIC SIGNAL	1	EACH
TRAFFIC CONTROL MANAGEMENT	195	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	20	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	20	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	20	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	20	HOUR
TEMPORARY SILT FENCE	400	LF

NOTICE TO CONTRACTORS

CALL ORDER 655
 STATE PROJECT NO. STR-83-2(1033)
 LOCATION: US-83, NPPD CANAL BRIDGES
 COUNTIES: LINCOLN

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on March 18, 2010. At that time the bids will be opened and read for CONC PAVE BR GDRL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES
 START DATE 08/09/2010 WORKING DAYS 45
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning February 23, 2010 at the Lincoln Central Office and March 01, 2010 at the District Engineer's Office at NORTH PLATTE
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	25 SHEETS	\$	6.25
STANDARD PLANS	9 SHEETS	\$	2.25

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
3	CONSTRUCTION & REMOVAL
4	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
5 - 13	SPECIAL PLAN 1 REPLACE APPROACH SLABS STA. 303+30.40
14 - 24	SPECIAL PLAN 1C GUARDRAIL PLAN

STANDARD PLANS

329-R7	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
501-R5	(3 SHEETS) EROSION CONTROL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
REMOVE PAVEMENT		892 SY
8" CONC PVMT, 47B-3500		216 SY
8" DOWELED CONC PAVE, CLASS 47B-3500		428 SY
REMOVE GUARDRAIL		870 LF
WATER		3 MGAL
EARTH SHOULDER CONSTRUCTION		3 STA
SUBGRADE PREPARATION		644 SY
SURFACE UNDER GUARDRAIL		525 SY
EROSION CONTROL, CLASS 1C		402 SY

GROUP 6 BRIDGE AT STA. 303+30.40 LT.

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		182 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		33,460 LB
PRECOMPRESSED POLY FOAM JOINT, TYPE B		82 LF
PREP BRIDGE		1 EACH
AT STA. 303+30.40 LT.		

GROUP 6A BRIDGE AT STA. 303+30.40 RT.

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		182 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	33,460	LB
PRECOMPRESSED POLY FOAM JOINT, TYPE B		82 LF
PREP BRIDGE		1 EACH
AT STA. 303+30.40 RT.		

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		293 LF
THREE-BEAM GUARDRAIL		212 LF
BRIDGE APPROACH SECTIONS		2 EACH
SPECIAL BR APPROACH SECTION		2 EACH
BULLNOSE-12.5'		2 EACH
GUARDRAIL END TREATMENT, TYPE II		2 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	2,400	BDAY
BARRICADE, TYPE III	412	BDAY
SIGN DAY	2,952	EACH
FLASHING ARROW PANEL	80	DAY
MOBILIZATION	LUMP	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 750
FEDERAL PROJECT NO. STPAA-6602(1)
LOCATION: 11th AVENUE, SHERMAN-LINCOLN, HOLDREGE
COUNTIES: PHELPS

The Nebraska Department of Roads will receive sealed bids for the CITY OF HOLDREGE in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on March 18, 2010. At that time the bids will be opened and read for CONC PAVE CULV WATER MAIN SAN ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT
START DATE 07/12/2010 WORKING DAYS 80
Price Range \$ 500,000 to \$ 2,000,000
THIS PROJECT CONTAINS A DBE GOAL OF 6.0 %

Plans and specifications may be seen beginning February 23, 2010 at the Lincoln Central Office and March 01, 2010 at the District Engineer's Office at MCCOOK
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	88 SHEETS	\$	22.00
CROSS SECTIONS (SHEETS X1 THRU X19)	19 SHEETS	\$	4.75
STANDARD PLANS	22 SHEETS	\$	5.50

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-H1 - 2-H2	HORIZONTAL & VERTICAL CONTROL
2-N	GENERAL INFORMATION
2-P1 - 2-P6	PHASING PLANS
2-P7 - 2-P10	PHASING PLANS--DETOURS
2-L1 - 2-L7	GEOMETRICS, JOINTS, & GRADES
2-L8 - 2-L14	REMOVALS
2-L15 - 2-L21	CONSTRUCTION
2-L22 - 2-L25	DRAINAGE
2-L26 - 2-L33	EROSION CONTROL
3 - 9	PLAN & PROFILE SHEETS
10	PLAN & PROFILE SHEETS--SANITARY SEWER
11 - 15	PLAN & PROFILE SHEETS--WATER MAIN
16 - 22	PAVEMENT MARKINGS
23 - 30	STREET LIGHTING PLANS
31	SPECIAL PLAN 1C CURB RAMPS
32 - 33	SPECIAL PLAN 2C TEMPORARY SILT CHECKS
R1 - R8	RIGHT-OF-WAY SHEETS
X1 - X19	CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
309	MAILBOX SUPPORT POST
329-R7	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
435-R1	(3 SHEETS) MANHOLE
443-R7	(2 SHEETS) CURB INLETS AND JUNCTION BOX
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		2 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
REM AND REP'MENT OF UNSUITABLE MATERIAL		4,000 CY
EARTHWORK MEASURED IN EMBANKMENT		1,200 CY
REMOVE PAVEMENT		11,293 SY
REMOVE DRIVEWAY		1,215 SY
REMOVE WALK		2,053 SY
GRAVEL SURFACE COURSE		200 TON
CRUSHED ROCK SURFACE COURSE		300 TON
REMOVE AND RESET MAILBOX		5 EACH
REMOVE AND SALVAGE		1 EACH
FLAGPOLE		
CONC 47BX-3000 SIDEWALK		2,295 SY
DETECTABLE WARNING PANEL		82 EACH
6" CONC CLASS 47B-3000 MEDIAN SURFACING		43 SY
CONC 47B-3500 DRIVEWAY		1,151 SY
8" CONC PVMT, 47B-3500		13,124 SY
ADJUST MANHOLE TO GRADE		7 EACH
4" YEL POLYUREA PVMT MRKING		1,270 LF
8" YEL POLYUREA PVMT MRKING		140 LF
4" WHT POLYUREA PVMT MRKING, GROOVED		50 LF
4" YEL POLYUREA PVMT MRKING, GROOVED		1,657 LF
WATER		56 MGAL
EARTH SHOULDER CONSTRUCTION		55 STA
SUBGRADE PREPARATION		14,275 SY
HYDRO-SEEDING		4,451 SY
FABRIC SILT FENCE-LOW PROF LOW PORO		1,928 LF
HYDROMULCH		1 TON
REMOVE AND RESET TREE		1 EACH
ADJUST VALVE BOX TO GRADE		9 EACH

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
CURB INLET		10 EACH
Y=8'		
CURB INLET		12 EACH
Y=10'		
MANHOLE		1 EACH
AT STA. 205+30 RT.		
MANHOLE		1 EACH
AT STA. 209+00 RT.		
MANHOLE		1 EACH
AT STA. 209+68 RT.		
MANHOLE		1 EACH
AT STA. 209+84 RT.		
MANHOLE		1 EACH
AT STA. 212+65 RT.		
MANHOLE		1 EACH
AT STA. 215+43 RT.		
MANHOLE		1 EACH
AT STA. 217+69 RT.		
18" REINF CONCRETE SEWER PIPE		258 LF
24" REINF CONCRETE SEWER PIPE		665 LF
30" REINF CONCRETE SEWER PIPE		122 LF
36" REINF CONCRETE SEWER PIPE		651 LF
42" REINF CONCRETE SEWER PIPE		84 LF
48" REINF CONCRETE SEWER PIPE		475 LF
36" RND EQUIV RCSP		278 LF
CURB INLET SEDIMENT FILTER		22 EACH

GROUP 4A WATER MAIN AND SANITARY

	LUMP	LUMP
MOBILIZATION		
CONNECT SANITARY SERVICE		4 EACH
4" SANITARY SEWER PIPE		12 LF
6" SANITARY SEWER PIPE		4 LF
8" SANITARY SEWER PIPE		345 LF
SANITARY MANHOLE		2 EACH
CURB STOP		17 EACH
1"		
WET TAP CUT-IN		11 EACH
1" CORPORATION STOP		17 EACH
1" WATER SERVICE		437 LF
4" WATER MAIN PIPE		67 LF
6" WATER MAIN PIPE		102 LF
8" WATER MAIN PIPE		1,464 LF
4" GATE VALVE		3 EACH
6" GATE VALVE		5 EACH
8" GATE VALVE		9 EACH
FIRE HYDRANT		3 EACH
SALVAGE FIRE HYDRANT		2 EACH
4" SOLID SLEEVE		5 EACH
6" SOLID SLEEVE		5 EACH
8" SOLID SLEEVE		1 EACH
8" X 4" TEE		4 EACH
8" X 6" TEE		8 EACH
8" X 8" TEE		1 EACH
6" - 45 DEGREE BEND		8 EACH
8" - 45 DEGREE BEND		6 EACH
4" - 11 1/4 DEGREE BEND		2 EACH
4" - 22 1/2 DEGREE BEND		3 EACH
6" - 22 1/2 DEGREE BEND		1 EACH
8" X 6" REDUCER		1 EACH
8" X 4" REDUCER		1 EACH
8" - 4" WYE		3 EACH
SANITARY SERVICE		
8" - 6" WYE		1 EACH
SANITARY SERVICE		
ADJUST METER PIT TO GRADE		8 EACH
ADJUST FIRE HYDRANT TO GRADE		1 EACH
RECONNECT WATER SERVICE		17 EACH
RELOCATE WATER METER PIT		18 EACH
RELOCATE FIRE HYDRANT		1 EACH

GROUP 8B ELECTRICAL

	LUMP	LUMP
MOBILIZATION		
PULL BOX, TYPE PB-5		3 EACH
ST LIGHT UNIT, SL-A-35-6-0.15 F		16 EACH
LIGHTING CONTROL CENTER, R		2 EACH
2" CONDUIT IN TRENCH		2,804 LF
2" CONDUIT UNDER ROADWAY		467 LF
STREET LIGHT CABLE, NO. 1/0 USE		9,813 LF
STREET LIGHT CABLE, NO. 6 BARE		3,271 LF

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE III		2,934 BDAY
SIGN DAY		3,762 EACH
CONTRACTOR FURNISHED SIGN DAY		726 EACH
FLAGGING		30 DAY
TRAINING		500 HOUR
MOBILIZATION	LUMP	LUMP

RENTAL OF LOADER, FULLY OPERATED	25 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	25 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	25 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	25 HOUR
TEMPORARY SILT CHECK	200 LF
TEMPORARY SILT FENCE	500 LF
TEMPORARY MULCH	2 TON

NOTICE TO CONTRACTORS

CALL ORDER 755
 STATE PROJECT NO. RD-83-1(1022)
 LOCATION: US-83, KANSAS LINE NORTH
 COUNTIES: RED WILLOW

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on March 18, 2010. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 6.9 MILES
 START DATE 08/02/2010 WORKING DAYS 50
 Price Range \$ 1,000,000 to \$ 3,000,000

Plans and specifications may be seen beginning February 23, 2010 at the Lincoln Central Office and March 01, 2010 at the District Engineer's Office at MCCOOK

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	7 SHEETS	\$	1.75
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
& TYPICAL CROSS SECTIONS
- 2-N GENERAL INFORMATION--MILLED RUMBLE STRIPS
- 3 TYPICAL TRAFFIC CONTROL PLAN--VEHICLE SIGNING
FOR PAINT STRIPING
- 4 TEMPORARY PAVEMENT MARKING PLAN
- 5 TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
- 6 TYPICAL PAVEMENT MARKING PLAN--RURAL LEFT TURN BAYS

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	31,680	BDAY
BARRICADE, TYPE III	360	BDAY
TEMPORARY SIGN DAY	700	EACH
SIGN DAY	7,020	EACH
OVERLAY BROKEN LINES	1,454	STA
OVERLAY SOLID LINES	2,908	STA
PERMANENT PAVEMENT MARKING PAINT	100,300	LF
FLAGGING	100	DAY
FURNISHING AND OPERATING PILOT VEHICLE	50	DAY
TRAFFIC CONTROL MANAGEMENT	90	DAY
MOBILIZATION	LUMP	LUMP
REMOVE CURB	4,222	LF
12" YEL WET RFLC PRF PVMT MKNG T4 GVD	1,430	LF
HYDRATED LIME FOR ASPHALT MIXTURES	117	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	25	TON
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP4(0.5)	2,500	TON
ASPH CONCRETE FOR PATCHING, TYPE SP4(0.5)	250	TON

ASPH CONCRETE FOR PATCHING, TYPE HIGH RAP BASE	500 TON
ASPH CONC, TYPE SPS	6,940 TON
ASPH CONC, TYPE SP4(0.5)	11,510 TON
HIGH RAP BASE	11,090 TON
PERF GRAD BIND (64-28)FOR ST MAINT PATCH	125 TON
PERF GRADED BINDER (58-34)	405 TON
PERF GRADED BINDER (64-28)	588 TON
PERF GRADED BINDER (52-34)	347 TON
CONSTRUCTING ASPH CONC CURB	4,222 LF
TACK COAT	30,680 GAL
RENTAL OF LOADER, FULLY OPERATED	30 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	30 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	30 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	30 HOUR
COLD MILLING, CLASS 3	373 STA
COLD MILLING, CLASS 3 TYPE A	381 STA
RUMBLE STRIPS, ASPHALT	649 STA
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP

Nebraska Department of Roads
 Contracts Section, P.O. Box 94759, Lincoln, NE 68509
 (402) 479-4525

Plan and Informational Proposal Order Form
Projects to be bid on:
March 18, 2010

Payment required for plans prior to NDOR completing this order.
 dor.ContractsOnlineOrders@nebraska.gov FAX: (402) 479-4845

Document No.

<input type="checkbox"/> Check/Cash	Receipt No.
<input type="checkbox"/> Advance Plans Account No.	
Credit Card	
<input type="checkbox"/> Visa	<input type="checkbox"/> MasterCard
Expiration Date:	
Card No.:	

Please indicate: <input type="checkbox"/> Mail <input type="checkbox"/> Hold	<input type="checkbox"/> Fed Ex. Standard Overnight <input type="checkbox"/> Fed Ex. Priority Overnight <input type="checkbox"/> UPS Overnight Acct. No.	Comments:
--	---	-----------

FOR OFFICE USE ONLY	
Reference I.D.:	
Authorization Code:	Date:

4-Digit Vendor No.:	Ordered By:	Grand Total - Informational Proposals: x \$5.00
Company:		All plans in letting on CD: x \$25.00
Street Address:		Grand Total - 1/2 Size Plans: x \$.25
		Grand Total - Full Size Plans: x \$.50
PO Box:	City:	Subtotal
	State:	
	Zip Code:	
Phone No.:	Fax No.:	Tax Code
		Sales Tax
		%
Processed by:	Date:	Proposals/CD Filled:
		Blueprint Plans/Proposals Filled:
		Date:
		Total

If requesting Plan or Proposal CD(s) only, your name will not appear on the Planholders list unless your company has been issued Bid Proposals or you submit the "Planholders Registration" from the NDOR website.

CD containing Informational Proposals for all projects in letting. (No Charge) Total Number Requested: →

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. 1/2 size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
150	STPP-6218(1)				
155	STPAA-6204(4)				
160	STPAA-6904(1)				
165	RD-79-2(1015)				
260	MAPA-5106(1)				
365	URB-6074(5)				
455	URB-5922(3)				
465	URB-2235(5)				
470	STPAA-6305(1)				
550	RD-2-1(1018)				
650	STR-26-2(1023)				
655	STR-83-2(1033)				

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. ½ size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
750	STPAA-6602(1)				
755	RD-83-1(1022)				

Standard Plans: Refer to "Publication Order Form" for complete sets of Standard Plans and Standard/Special Plans Books

Number of Sets Requested	Standard Plan No.(s)	Number of Sheets Shown in List of Plans	Check Size		Total No. of Sheets	
			1/2	Full	1/2	Full
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		

