

February 25, 2010

TO ALL CONCERNED:

The Department of Roads has scheduled a bid letting to be held in this office Friday, March 26, 2010, at 1:30 p.m.

The Notice to Contractors includes:

1. Website Information
2. Notice to all Bidders
3. Ordering Instructions
4. Notices to Contractors including time allowances and lists of plans
5. Plan and Informational Proposal Order Form
6. R-125 "Request for Bidding Proposal Forms"

Projects containing DBE Goals are indicated in the "Notice to Contractors".

Please check the important letting information on the website frequently.

The last day to submit acceptable prequalification statements for this letting is by 5:00 p.m. on Tuesday, March 16, 2010.

Sincerely,

Kendall Stege, Supervisor
Contract Lettings Section
Construction Division

KS/c

WEBSITE INFORMATION

The Nebraska Department of Roads, Contract Lettings Section, will be utilizing the Internet as our means of communicating with the contracting industry.

Documents that are posted on the web are:

- Letting Schedule
- Notices to Contractors
- Informational Proposals
- Letting Plans
- List of Prequalified Contractors
- Planholders List
- Informational Addendums
- EBS (Electronic Bidding System)
- Apparent Low Bidders
- Bid Tabulations
- Standard Item Listing
- Awarded Average Unit Prices (AUP) Report

Hard copies of these documents will be available for inspection in the Contracts Office.

There will be a charge for reproduction of any of these documents.

The Website address is: www.Transportation.Nebraska.gov

If you have any questions as you are using our Website, please contact us at:

Nebraska Department of Roads
Contract Lettings Section
P.O. Box 94759
Lincoln, NE 68509-4759

Phone (402) 479-4525
FAX (402) 479-3803

Email: DOR.ContractLettings@nebraska.gov

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free “hotline” Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the “hotline” to report such activities.

The “hotline” is part of the DOT’s continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

ORDERING INSTRUCTIONS FOR PLANS AND PROPOSALS

Refer to the "Notice to Contractors" for the call order number, project number, and list of plans for each project.

Order forms are available on the NDOR website in PDF and Word format. Complete the appropriate forms as follows:

Request for Bidding Proposal Forms (R-125)

Bidders must submit an R-125, Request for Bidding Proposals Forms and be issued bid proposals prior to submitting bids.

Proposals to be used for bidding must be requested on this form. Bidding proposals will be issued only to contractors who are currently prequalified to bid with this department.

There is no charge for bid proposals.

Plan and Informational Proposal Order Form:

Payment is required prior to NDOR completing the order. This payment is not refundable.

Proposals to be used for information only can be ordered as follows:

1. Each individual project.
2. CD that contains all projects in letting. Does not contain addenda.

Plans for each project can be ordered as follows:

1. Complete set.
2. Set less Roadway Cross-Sections and Standards.
3. Set less Standards.
4. Set less Roadway Cross-Sections.
5. Individual sheets
6. CD that contains all projects in letting.

Prices are: Informational Proposals: \$5.00 each
CD containing Informational Proposals: No Charge
Plans per sheet: \$.25 for half-size (12" x 18")
\$.50 for full-size (24" x 36")
CD containing plans: \$25.00 each

Cost shown on the list of plans is for ½ size plans. Nebraska residents add appropriate state sales tax and city tax that is determined by delivery within cities imposing a sales tax.

Select the method of payment on the plan order form:

1. Credit Card (Visa or MasterCard only)
Orders with approved credit cards can be processed without delays.
2. Advanced payment account
Requires a money deposit with recommended \$200 minimum. Failure to have sufficient funds in your account to cover cost of the plans may delay the processing of your order.
This account may also be used to purchase other NDOR publications.
3. Check/cash
Send checks made payable to the Nebraska Dept. of Roads with your completed plan order form. Please do not mail cash.

To order complete sets of standard plans (1/2 size) please use the "Publications Order Form" available on the website. Cost is \$35.00 plus applicable sales tax. As new standards become available they may be purchased at \$0.25 per sheet.

Address: Nebraska Department of Roads
Contracts Section
1500 Highway 2
PO Box 94759
Lincoln NE 68509-4759

FAX (402) 479-3803

Phone: (402) 479-4525

Email: DOR.ContractLettings@nebraska.gov

October 10, 2008

NOTICE TO CONTRACTORS

CALL ORDER 225
 FEDERAL PROJECT NO. ENH-28(91)
 LOCATION: OLD MARKET REHABILITATION, OMAHA
 COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids for the CITY OF OMAHA in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on March 26, 2010. At that time the bids will be opened and read for CONC PAVE ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

START DATE 08/09/2010 CALENDAR DAYS 111
 Price Range \$ 500,000 to \$ 2,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 8.0 %

Plans and specifications may be seen beginning March 02, 2010 at the Lincoln Central Office and March 08, 2010 at the District Engineer's Office at OMAHA. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS	28 SHEETS	\$	7.00

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
- 3 COVER SHEET
- 4 - 8 PLAN VIEW
- 9 DETAILS SHEET
- 10 GENERAL NOTES & PROJECT LOCATION MAP
- 11 DETAIL SHEET
- 12 REMOVAL PLAN
- 13 CONSTRUCTION PLAN
- 14 CONTROL & GEOMETRY
- 15 PROPOSED GRADE
- 16 - 18 GRANITE CURB PLAN
- 19 - 20 TRAFFIC SIGNALS PLAN
- 21 INTERCONNECT PLAN
- 22 - 23 PHASING PLANS
- 24 LANDSCAPING PLAN
- 25 STRIP MAP
- 26 - 28 TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 3 CONCRETE PAVEMENT

	LUMP	LUMP
MOBILIZATION		
BACKFILL MATERIAL		50 CY
REMOVE PAVEMENT	1,902 SY	
SAWING PAVEMENT		520 LF
REMOVE BRICK SURFACE	3,896 SY	
REMOVE DRIVEWAY		105 SY
REMOVE WALK		945 SY
REMOVE COMBINATION CURB AND GUTTER		100 LF
REMOVE CURB		163 LF
SANDSTONE		
REMOVE INLET		3 EACH

REMOVE	4 EACH
CURB RAMP	
REMOVE AND REPLACE	1 EACH
COVERED DRAIN	
INSTALL GRANITE CURB	1,140 LF
CONCRETE DELINEATOR STRIP	446 LF
GRANITE CURB	1,006 LF
INSTALL SANDSTONE CURB	163 LF
REMOVE & SALVAGE SANDSTONE CURB	518 LF
REMOVE & SALVAGE GRANITE CURB	134 LF
REMOVE & SALVAGE BRICK PAVERS	1,026 SY
CONC 47B-3000 SIDEWALKS	179 SY
CONC 47B-3000 SIDEWALK	1,168 SY
DETECTABLE WARNING PANEL	272 SF
BRICK PAVERS	65,000 EACH
INSTALL BRICK PAVERS	6,242 SY
CONC 47B-3500 DRIVEWAY	115 SY
10" CONC PVMT, 47B-3500	105 SY
INLET	1 EACH
AT STA. 3+06 HOWARD ST.	
INLET	1 EACH
AT STA. 6+72 HOWARD ST.	
INLET	1 EACH
AT STA. 6+95 HOWARD ST.	
INLET	1 EACH
AT STA. 7+64 HOWARD ST.	
INLET	1 EACH
TYPE 2A AT STA. 6+14.70 LT.	
INLET	1 EACH
TYPE 2A AT STA. 6+16.85 RT.	
ADJUST MANHOLE TO GRADE	25 EACH
MANHOLE	1 EACH
AT STA. 6+25.40 11TH STREET	
MANHOLE	1 EACH
AT STA. 6+27.71 11TH STREET	
15" REINF CONCRETE SEWER PIPE	16 LF
CURB INLET SEDIMENT FILTER	7 EACH
BASE REPAIR	1,941 SY
FULL DEPTH BASE REPAIR	2,308 SY
GRANULAR FILL	400 TON
ASPHALTIC CONCRETE	50 TON
SUBGRADE PREPARATION	1,026 SY
PLANTERS	7 EACH
ADJUST VALVE BOX TO GRADE	8 EACH

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
OVERHEAD SIGN		8 EACH
STREET NAME SIGN		5 EACH
TRAFFIC SIGNAL, TYPE TS-1		7 EACH
TRAFFIC SIGNAL, TYPE TS-1A		5 EACH
TRAF SIG CONTROL, TYPE TC-2070		3 EACH
PEDESTRIAN SIGNAL, TYPE PS-1		14 EACH
LUMINAIRE		14 EACH
400W HALIDE		
C.M.A. SIG & LGHT P CMP-20-0/0		1 EACH
C.M.A. SIG & LGHT POLE, CMP-25-0/0		1 EACH
C.M.A. SIG & LGHT POLE, CMP-30-0/0		1 EACH
C.M.A. SIG & LIGHT POLE CMP-30/25-0/0		1 EACH
C.M.A. SIG & LGHT POLE, CMP-40-0/0		1 EACH
C.M.A. SIG & LGHT POLE, CMP-0-0/0		3 EACH
SERVICE DISCONNECT PEDESTAL		2 EACH

2" PVC CONDUIT FOR STREET LIGHT	600 LF
2" CONDUIT IN TRENCH TYPE PVC OR HDPE	1,309 LF
2" CONDUIT, JACKED TYPE HDPE	440 LF
16/C #14 AWG TRAF SIG CABLE	542 LF
GROUNDING CONDUCTOR	502 LF
SERVICE CABLE 1/C #6 AWG	750 LF
SERVICE ENTRANCE CABLE	200 LF
STREET LIGHT CABLE, NO. 6 3/C	502 LF
6 PAIR COMMUNICATION CABLE	705 LF
INSTALL STREET LIGHT BASE	5 EACH
REMOVE LIGHT POLE BASE	3 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	1,400 BDAY
BARRICADE, TYPE III	2,256 BDAY
TEMPORARY SIGN DAY	420 EACH
SIGN DAY	504 EACH
CONTRACTOR FURNISHED SIGN DAY	168 EACH
FLASHING ARROW PANEL	70 DAY
FLAGGING	25 DAY
MOBILIZATION	LUMP LUMP

NOTICE TO CONTRACTORS

CALL ORDER 255
 FEDERAL PROJECT NO. NH-30-7(116)
 LOCATION: US-30, EAST OF BLAIR
 COUNTIES: WASHINGTON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on March 26, 2010. At that time the bids will be opened and read for GRAD CONC PAVE

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT
 START DATE 07/06/2010 WORKING DAYS 50
 Price Range \$ 500,000 to \$ 2,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 6.0 %

Plans and specifications may be seen beginning March 02, 2010 at the Lincoln Central Office and March 08, 2010 at the District Engineer's Office at OMAHA
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	43	SHEETS	\$	10.75
CROSS SECTIONS (SHEETS X1 THRU X8)	8	SHEETS	\$	2.00
STANDARD PLANS	10	SHEETS	\$	2.50

SHEET NO.

1	TITLE PAGE
2	INDEX OF SHEETS
2-T1 - 2-T7	TYPICAL CROSS SECTIONS
2-S1 - 2-S5	SUMMARY OF QUANTITIES
2-A1 - 2-A2	PHOTO MAPS
2-H1 - 2-H2	ORIENTATION & HORIZONTAL ALIGNMENT
2-N	GENERAL INFORMATION
2-P1 - 2-P3	PHASING PLANS
2-L1 - 2-L3	CONSTRUCTION & REMOVAL
2-L4	GRADES
2-L5	EROSION CONTROL
3	PLAN & PROFILE SHEET
4 - 6	TEMPORARY TRAFFIC SIGNAL PLAN
7	TYPICAL TRAFFIC SIGNAL CONTROL PLAN--ONE LANE, TWO WAY OPERATION WITHOUT BARRIERS
8	TEMPORARY PAVEMENT MARKING PLAN
9	TYPICAL PAVEMENT MARKING PLAN--4" PAVEMENT MARKING
10	PAVEMENT MARKING DETAILS
11 - 13	PAVEMENT MARKING PLAN
14	EARTHWORK DATA SHEET
15	SPECIAL PLAN 1C PAVEMENT APPROACH REPAIR
16 - 17	SPECIAL PLAN 2C GUARDRAIL PLAN
18	SPECIAL PLAN 3C CURB RAMPS
X1 - X8	CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
329-R7	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

PAVEMENT MARKING REMOVAL	3,500	LF
MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER	2	MGAL
EARTHWORK MEASURED IN EMBANKMENT	271	CY
REMOVE PAVEMENT	3,272	SY
REMOVE WALK	20	SY
REMOVE CURB	6	LF
REMOVE GUARDRAIL	225	LF
EROSION CONTROL, CLASS 1C	1,872	SY

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
TIE BARS	654	EACH
CROSS STITCHING	517	EACH
CONCRETE CURB REPAIR	56	LF
CONC 47B-3000 SIDEWALKS	38	SY
DETECTABLE WARNING PANEL	4	EACH
CONC PVMT REPAIR TYPE A FULL DEPTH	35	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	171	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	496	CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH	14	CY
9" CONC PVMT, 47B-3500	355	SY
9" DOWELED CONC PVMT, 47B-3500	2,917	SY
DIAMOND GRINDING AND TEXTURING CONC PVMT	42,693	SY
SEALING CRACKS	1,088	LF
SEALING JOINTS	65,112	LF
CONC PVMT, PR-3500	45	CY
JOINT REPAIR		
CONC SMOOTHNESS TESTING	LUMP	LUMP
BRIDGE APPROACH REPAIR	2	CY
GUARDRAIL END TREATMENT, TYPE II	6	EACH
ONLY, PREF PVMT MRKING T-4, GROOVED	1	EACH
ARROW, PREF PVMT MRKING T-4 GROOVED	10	EACH
4" WHT WET RFLC PRF PVMT MKNG T4 GVD	10,800	LF
12" WHT WET RFLC PRF PVMT MKNG T4 GVD	80	LF
24" WHT WET RFLC PRF PVMT MKNG T4 GVD	450	LF
4" YEL WET RFLC PRF PVMT MKNG T4 GVD	18,300	LF
12" YEL WET RFLC PRF PVMT MKNG T4 GVD	120	LF
RR XING SYMBOL PREF PVMT MRKING T-4 GRVD	2	EACH
FOUNDATION COURSE REPLACEMENT	63	CY
FOUNDATION COURSE	3,272	SY
4"		
GRANULAR SUBDRAIN	8	EACH
WATER	11	MGAL
EARTH SHOULDER CONSTRUCTION	3	STA
SUBGRADE PREPARATION	3,272	SY
SODDING	22	SY
FABRIC SILT FENCE-LOW POROSITY	480	LF

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	3,650	B DAY
BARRICADE, TYPE III	134	B DAY
TEMPORARY SIGN DAY	240	EACH
SIGN DAY	2,191	EACH
TEMP PAVEMENT MARKING REMOVAL	5,500	LF
TEMP PVMT MARKING, TYPE PAINT	5,500	LF
FLASHING ARROW PANEL	80	DAY
FLAGGING	20	DAY

TEMPORARY RUMBLE STRIP		4 EACH
TEMPORARY TRAFFIC SIGNAL		1 EACH
TRAFFIC CONTROL MANAGEMENT		89 DAY
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		10 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		10 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		10 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		10 HOUR
TEMPORARY SILT FENCE		300 LF

NOTICE TO CONTRACTORS

CALL ORDER 265
 FEDERAL PROJECT NO. STPD-38-7(106)
 LOCATION: WEST CENTER ROAD, 148th STREET-US 275/INDUSTRIAL ROAD
 COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids for the
 CITY OF OMAHA in Room 104 of the Central Office Building at
 1500 Hwy 2 at Lincoln, until 1:30 P.M. on March 26, 2010 .
 At that time the bids will be opened and read for
 GRAD, CONC PAVE, CULV, LS, BR, SPECIALTY, ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR
 WHO IS QUALIFIED FOR: BRIDGES

START DATE 05/03/2010 CALENDAR DAYS 547
 Price Range \$ 7,000,000 to \$ 12,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning March 02, 2010 at the Lincoln
 Central Office and March 08, 2010 at the District Engineer's Office at OMAHA
 Additional letting information may be found at the Nebraska Department of Roads
 Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all
 appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	197	SHEETS	\$	49.25
CROSS SECTIONS (SHEETS X1 THRU X30)	30	SHEETS	\$	7.50
STANDARD PLANS	13	SHEETS	\$	3.25

SHEET NO.

1	TITLE PAGE
2	INDEX OF SHEETS
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-T3	TRACK TYPICAL CROSS SECTION
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-H1	CENTERLINE CONTROL
2-N1 - 2-N4	GENERAL INFORMATION
2-P1 - 2-P3	PHASING & BARRICADING
2-L1 - 2-L5	JOINT & SPOT ELEVATIONS
2-L6 - 2-L8	GRADING PLAN
2-L9 - 2-L14	REMOVALS
2-L15 - 2-L20	CONSTRUCTION
2-L21 - 2-L29	EROSION CONTROL
3 - 9	PLAN & PROFILE SHEETS
10 - 11	PERMANENT TRAFFIC SIGNALIZATION
12	INTERCONNECT
13 - 16	STRIPING & SIGNAGE
17 - 20	DRAINAGE PROFILES
21 - 24	DRAINAGE CROSS SECTIONS
25	LANDSCAPING
26 - 27	STORMWATER POLLUTION PREVENTION PLAN
28 - 31	TRACK PLAN & PROFILE SHEETS
32 - 100	UPRR BRIDGE PLANS STA. 1324+09.44
101	SPECIAL PLAN 1C 25'-0" RESIDENTIAL CONCRETE PAVEMENT
102	SPECIAL PLAN 2C 68'-0" 4-LANE DIVIDED CONCRETE PAVEMENT
103	SPECIAL PLAN 3C CONCRETE PAVEMENT WIDENING & MISC. DETAILS
104	SPECIAL PLAN 4C CONCRETE PAVEMENT JOINT DETAILS
105	SPECIAL PLAN 5C CONCRETE CURB DETAILS
106 - 107	SPECIAL PLAN 6C CONCRETE MEDIAN DETAILS
108 - 109	SPECIAL PLAN 7C CONCRETE CURB RAMP TYPICAL DETAILS
110	SPECIAL PLAN 8C SEWER BEDDING DETAILS
111	SPECIAL PLAN 9C TYPE FA REINFORCED CONCRETE CURB INLET COVER WITH FACE ARMOR
112 - 113	SPECIAL PLAN 10C CAST IRON MANHOLE RINGS-COVER, MANHOLE STEPS

114	SPECIAL PLAN 11C	CHAIN LINK FENCE & CHAIN LINK FENCE GATE DETAILS
115	SPECIAL PLAN 12C	GEOTEXTILE FABRIC SILT FENCE
116	SPECIAL PLAN 13C	PULL BOX DETAILS
117	SPECIAL PLAN 14C	POST MOUNTED SIGNS
118	SPECIAL PLAN 15C	SIGNPOST ANCHORING SYSTEMS
119 - 123	SPECIAL PLAN 16C	CURB OPENING INLET TYPE I,II,III, & IV
124 - 125	SPECIAL PLAN 17C	8' X 6' SINGLE SPAN RC BOX CULVERT STA. 6+73 LT
126	SPECIAL PLAN 18C	SEWER PIPE CASING
127	SPECIAL PLAN 19C	SEGMENTAL RETAINING WALL DETAILS
128 - 129	SPECIAL PLAN 20C	RETAINING WALL PROFILE
130	SPECIAL PLAN 21C	RAILROAD DETAILS
131	SPECIAL PLAN 22C	GUARDRAIL HARDWARE DETAILS
132	SPECIAL PLAN 23C	END ANCHORAGE ASSEMBLY
133	SPECIAL PLAN 24C	EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
134	SPECIAL PLAN 25C	CONCRETE FLUME, TYPE II
135	SPECIAL PLAN 26C	AREA INLET TYPE 2
136 - 142	SPECIAL PLAN 27C	RAILROAD CULVERT PLAN & ELEVATION
143 - 145	SPECIAL PLAN 28C	RAILROAD TRACK DETAILS
146 - 149	SPECIAL PLAN 29C	TEMPORARY SHORING DETAILS
150	SPECIAL PLAN 30C	SETTLEMENT PLATE DETAIL
151	SPECIAL PLAN 31C	STREET NAME SIGN LAYOUT
R1 - R4		RIGHT-OF-WAY SHEETS
X1 - X30		CROSS SECTIONS

STANDARD PLANS

425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
435-R1	(3 SHEETS) MANHOLE
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		572 MGAL
EARTHWORK MEASURED IN EMBANKMENT	39,362	CY
REMOVE PAVEMENT	12,159	SY
SAWING PAVEMENT	448	LF
REMOVE ASPHALT SURFACE	608	SY
REMOVE RETAINING WALL	86	LF
REMOVE POST	11	EACH
REMOVE CONCRETE FLUME	2	EACH
REMOVE CONCRETE MEDIAN SURFACING	808	SY
REMOVE CONCRETE FOUNDATION	1	EACH
REMOVE	61	EACH
TREE OVER 9" TO 18" DIAMETER		
REMOVE	15	EACH
TREE OVER 18" TO 27" DIAMETER		
REMOVE	7	EACH
TREE OVER 27" TO 36" DIAMETER		
WALL MATERIALS	1,893	SF
COMPACTED EARTH LEVELING PAD	225	LF
CURB INLET SEDIMENT FILTER	361	LF
REMOVE GUARDRAIL	1,045	LF
SEL GRAN BFILL RETAINED EARTH STR	106	CY
EROSION CONTROL, CLASS 1C	1,027	SY
EROSION CONTROL, CLASS 1D	39,938	SY
EROSION CHECKS, TYPE WATTLE	18	LF
FABRIC SILT FENCE-LOW POROSITY	5,583	LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
CONSTRUCTION ENTRANCE		150 TON
TIE BARS		195 EACH
COMB CONC 47B-4000 CURB & GUTTER		466 LF
CONC 47B-3500 SIDEWALK		3,912 SY
6"		
DETECTABLE WARNING PANEL		32 SF
IMPRINTED CONCRETE		5 SY
CLASS 47BX-4000 SIDEWALK 7"		
6" CONCRETE		891 SY
CLASS 47BX-3500 MEDIAN SURFACING		
TEMPORARY SURFACING 8"		1,450 SY
10" CONCRETE PAVEMENT		15,488 SY
CLASS 47B-4000		
7" CONC PVMT		174 SY
CLASS 47B-4000		
ADJUST MANHOLE TO GRADE		6 EACH
FLUME SPILLWAY		5 LF
CONCRETE FLUME, TYPE II		1 EACH
W-BEAM GUARDRAIL		256 LF
END ANCHORAGE ASSEMBLY		1 EACH
GUARDRAIL END TREATMENT		1 EACH
ET-PLUS		
SECURITY FENCE	LUMP	LUMP
6' ORNAMENTAL FENCE		220 LF
REM AND RESET CHAIN-LINK FENCE		50 LF
SIGN		1 EACH
TYPE SWPPP		
TRAFFIC SIGN AND POST		16 EACH
5" WHT WET RFLC PRF PVMT MKNG T4 GVD		436 LF
7" WHT PRF WET RFLC CONT PVMT MRK T-4 GR		1,360 LF
WATER		60 MGAL
EARTH SHOULDER CONSTRUCTION		49 STA
MEDIAN CONSTRUCTION		20 STA
SUBGRADE PREPARATION		15,662 SY
SODDING		20 SY
ADJUST VALVE BOX TO GRADE		6 EACH

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE INLET		7 EACH
REMOVE		70 LF
12" VITRIFIED CLAY PIPE		
AREA INLET		6 EACH
TYPE 2		
CURB INLET		11 EACH
TYPE I		
CURB INLET		6 EACH
TYPE III		
CURB INLET		2 EACH
TYPE IV MODIFIED		
MANHOLE		1 EACH
AT STA. 2+31.6 RT.		
MANHOLE		1 EACH
AT STA. 11+44 LT.		
MANHOLE		1 EACH
AT STA. 14+33 LT.		
MANHOLE		1 EACH
AT STA. 20+74 LT.		
TAPPING EXISTING MANHOLE		1 EACH
TAPPING EXISTING STRUCTURE		2 EACH
REMOVE FLARED- END SECTION		2 EACH
REMOVE HEADWALLS FROM CULV		3 EACH
REMOVE SEWER PIPE		756 LF
PREPARATION OF STRUCTURE		1 EACH
AT STA. 6+73		
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		3,910 CY

EXCAVATION FOR BOX CULVERTS	234	CY
TEMPORARY SHORING	LUMP	LUMP
AT STA. 1321+64.23		
47B-3000 CONC FOR BOX CULV	85	CY
47B-3000 CONC FOR CONCRETE CO	3	CY
RE-STEEL FOR BOX CULVERT	13,065	LB
RE-STEEL FOR COLLARS	174	LB
18" CONCRETE FLARED-END SECTION	2	EACH
24" CONCRETE FLARED-END SECTION	2	EACH
36" CONCRETE FLARED-END SECTION	1	EACH
15" REINF CONCRETE SEWER PIPE	707	LF
18" REINF CONCRETE SEWER PIPE	1,067	LF
24" REINF CONCRETE SEWER PIPE	480	LF
36" REINF CONCRETE SEWER PIPE	26	LF
48" REINF CONCRETE SEWER PIPE	92	LF
CULVERT SANDFILL	382	CY
12" DUCTILE IRON PIPE	70	LF
EXTERNAL FRAME SEALS	2	EACH
96" STEEL PIPE	231	LF
JACKING 96" STEEL PIPE	120	LF
GRANULAR BEDDING	50	TON
AGGREGATE BEDDING	1,032	TON
20" CASING	67	LF
PIPE		

GROUP 5L LANDSCAPING

MOBILIZATION	LUMP	LUMP
EASTERN HOPHORNBEAM 2'-3' C.G.	6	EACH
RED-OSIER DOGWOOD 15"-18" C.G.	19	EACH
AMERICAN BLACK CURRANT 15"-18" CG	15	EACH
CORALBERRY 15"-18" C.G.	32	EACH
NANNYBERRY 15"-18" C.G.	17	EACH
AMER CRANBERRYBUSH 15"-18" C.G.	8	EACH
COMMON SERVICEBERRY 2'-3' CG	9	EACH
ELDERBERRY 15"-18" C.G.	9	EACH
AMERICAN SYCAMORE 2'-3' C.G.	9	EACH
EASTERN COTTONWOOD 2' - 3' C.G.	7	EACH
BLACK CHERRY 2'-3' C.G.	7	EACH
RED OAK 2'-3' C.G.	12	EACH

GROUP 6 BRIDGE AT STA. 1324+09.44

MOBILIZATION	LUMP	LUMP
RIPRAP FILTER FABRIC	20	SY
47BD-4000 CONC FOR RETAINING WALL	66	CY
RE-STEEL FOR RETAINING WALL	7,690	LB
30" CORRUGATED METAL PIPE	580	LF
6" NONPERF PIPE UNDERDRAIN	160	LF
6" PERFORATED PIPE UNDERDRAIN	200	LF
6" STEEL PIPE	255	LF
ABUTMENT	LUMP	LUMP
NO. A1 EXCAVATION		
ABUTMENT	LUMP	LUMP
NO. C2 EXCAVATION		
PIER	LUMP	LUMP
NO. B1 EXCAVATION		
PIER	LUMP	LUMP
NO. C1 EXCAVATION		
ELASTOMERIC BEARING	38	EACH
47BD-5500 CONC FOR BRIDGE	835	CY
RE-STEEL FOR BRIDGE	69,150	LB
REMOVE STRUCTURE	1	EACH
AT STA. 4+65		
STEEL SUPERSTRUCTURE	LUMP	LUMP
1324+09.44		
STRUC STEEL FOR SUBSTRUCTURE	1,625	LB
ROCK RIPRAP, TYPE A	7	TON
CONCRETE SLOPE PROTECTION	393	SY
COLD LIQUID-APPLIED MEMBRANE WATERPROOF	1,115	SF
BUTYL OR EPDM MEMBRANE WATERPROOFING	9,750	SF

HP 14"X89# STEEL PILING	5,950	LF
PEDESTRIAN HANDRAIL	256	LF
TEMP BRIDGE SHORING	LUMP	LUMP
GRANULAR BACKFILL	970	CY

GROUP 8 SPECIALTY

RAILROAD FLAGGING	60	DAY
PERMANENT BARRICADE	4	EACH
MOBILIZATION	LUMP	LUMP
REMOVE TRACK	4,543	TF
REMOVE	1	EACH
#10 TURNOUT		
DOUBLE INSIDE GUARDRAIL	650	TF
RAILROAD TRACK	4,581	TF
CRUSHED ROCK SURFACE COURSE	179	TON
W-BEAM GUARDRAIL	37	LF
BALLAST	1,948	TON
STOCKPILED		
SUBBALLAST	3,093	CY

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
PULL BOX, TYPE PB-1A	1	EACH
PULL BOX, TYPE PB-6	7	EACH
PULL BOX, TYPE PB-8	1	EACH
PULL BOX, TYPE PB-10	2	EACH
TRAF SIG CONTROL, TYPE TC-2070	1	EACH
VEHICLE DETECTOR, TYPE C PREFORMED	1	EACH
VEHICLE DETECTOR, TYPE D PREFORMED	1	EACH
VEHICLE DETECTOR, TYPE A PREFORMED	5	EACH
VEHICLE DETECTOR, TYPE B PREFORMED	1	EACH
2" CONDUIT IN TRENCH	2,535	LF
2" CONDUIT, JACKED	176	LF
12/C #14 AWG TRAF SIG CABLE	320	LF
2/C #16 AWG PED PBUTTON LEAD-IN CABLE	320	LF
#8 GROUNDING CONDUCTOR	429	LF
SUPPORT CABLE	214	LF
36 STRAND SINGLE MODE FIBER OPTIC CABLE	3,182	LF
BRANCH FIBER OPTIC CABLE	2	EACH
TERMINAL FUSION SPLICE POINT	2	EACH
INSTALL STREET LIGHT BASE	20	EACH
INSTALL	6,500	LF
STREET LIGHT CONDUIT & CABLE		
REMOVE LIGHTING UNIT	9	EACH
REMOVE TRAFFIC SIGNAL CONTROLLER	1	EACH
REMOVE PULL BOX	1	EACH
TEST & DOCUMENT FIBER OPTIC COMM SYSTEM	LUMP	LUMP

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	23,400	BDAY
BARRICADE, TYPE III	1,329	BDAY
SIGN DAY	9,676	EACH
CONTRACTOR FURNISHED SIGN DAY	2,032	EACH
TEMP PVMT MARKING, TYPE PAINT	12,330	LF
TEMP PVMT MARKING SURF PREP	12,330	LF
TEMP PVMT MARKING REMOVAL	6,135	LF
FLASHING ARROW PANEL	185	DAY
FIELD OFFICE	1	EACH
TRAINING	1,000	HOUR
MOBILIZATION	LUMP	LUMP
TEMPORARY FENCE	50	LF
TYPE 4' CHAIN-LINK		
RENTAL OF LOADER, FULLY OPERATED	55	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	55	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	55	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	55	HOUR

NOTICE TO CONTRACTORS

CALL ORDER 300
 FEDERAL PROJECT NO. ENH-22(28)
 LOCATION: SOUTH SIOUX CITY ALL-AMERICAN TRAIL
 COUNTIES: DAKOTA

The Nebraska Department of Roads will receive sealed bids for the CITY OF SOUTH SIOUX CITY in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on March 26, 2010. At that time the bids will be opened and read for CONC PAVE

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

Length: 1.5 MILES
 START DATE 05/24/2010 WORKING DAYS 50
 Price Range \$ 250,000 to \$ 1,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning March 02, 2010 at the Lincoln Central Office and March 08, 2010 at the District Engineer's Office at NORFOLK. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	35	SHEETS	\$	8.75
STANDARD PLANS	7	SHEETS	\$	1.75

SHEET NO.

1	TITLE PAGE
2-S	SUMMARY OF QUANTITIES
3	COVER SHEET
4 - 7	DETAIL SHEETS
8 - 9	DRAINAGE STRUCTURE DETAILS
10 - 26	TRAIL PLAN & PROFILE SHEETS
27 - 31	CROSS SECTIONS
32 - 34	TYPICAL URBAN TRAFFIC CONTROL PLAN
35	SPECIAL PLAN 1C CURB RAMPS

STANDARD PLANS

455	CONCRETE DITCH LINING
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 3 CONCRETE PAVEMENT

BARRICADE, TYPE III	810	B DAY
SIGN DAY	3,420	EACH
CONTRACTOR FURNISHED SIGN DAY	220	EACH
FLAGGING	20	DAY
MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL	4	EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EARTHWORK MEASURED IN EMBANKMENT	2,980	CY
SALVAGING AND PLACING TOPSOIL	9,700	SY
REMOVE PAVEMENT	341	SY
REMOVE DRIVEWAY	150	SY
REMOVE WALK	1,326	SY

REMOVE COMBINATION CURB AND GUTTER	125 LF
REMOVE FENCE	238 LF
REMOVE CONCRETE DITCH LINER	115 SY
COMB CONC 47B-3500 CURB & GUTTER	125 LF
CONC 47B-3000 SIDEWALKS	225 SY
DETECTABLE WARNING PANEL	128 EACH
6" CONCRETE CLASS 47B-3500 BIKEWAY	6,325 SY
CONC 47B-3500 DRIVEWAY	250 SY
6"	
8" CONC PVMT, 47B-3500	51 SY
8" CONC PVMT, 47B-3500	290 SY
RED IMPRINTED	
AREA INLET	3 EACH
TYPE 1	
AREA INLET	2 EACH
TYPE 2	
RECONSTRUCT CURB INLET	1 EACH
JUNCTION BOX	2 EACH
ADJUST MANHOLE TO GRADE	9 EACH
TAPPING EXISTING PIPE	4 EACH
CONCRETE DITCH LINING	67 SY
REMOVE CULVERT PIPE	45 LF
47B-3000 CONC FOR HDWL	14 CY
18" FLARED-END SECTION	1 EACH
15" REINF CONCRETE SEWER PIPE	153 LF
18" REINF CONCRETE SEWER PIPE	6 LF
15" STORM SEWER PIPE	161 LF
TYPE HDPE	
36" STORM SEWER PIPE	127 LF
TYPE HDPE	
CURB INLET SEDIMENT FILTER	19 EACH
ADJUST	7 EACH
VAULT TO GRADE	
VINYL FENCE	192 LF
SPLIT RAIL	
WOOD FENCE	214 LF
CHAIN LINK FENCE	24 LF
SIGN	27 EACH
STOP, R1-1	
SIGN	3 EACH
RIGHT TURN, W1-1	
SIGN	2 EACH
LEFT TURN, W1-1	
SIGN	1 EACH
REVERSE CURVE LEFT, W1-4	
SIGN	1 EACH
REVERSE CURVE RIGHT, W1-4	
SIGN	26 EACH
BICYCLE CROSSING, W11-1	
CROSSWALK LINE	1,151 LF
BIKEWAY CENTERLINE	19 STA
RENTAL OF LOADER, FULLY OPERATED	10 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	10 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	10 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10 HOUR
MILLING CONCRETE CURB	235 LF
SEEDING, TYPE B	2 ACRE
EROSION CONTROL	4 SY
BLANKET	
FABRIC SILT FENCE, COIR FIBER	594 LF
MULCH	4 TON
ADJUST VALVE BOX TO GRADE	5 EACH
RELOCATE FIRE HYDRANT	2 EACH

NOTICE TO CONTRACTORS

CALL ORDER 400
FEDERAL PROJECT NO. STPB-10(60)
LOCATION: PLEASANTON DEPOT RENOVATION
COUNTIES: BUFFALO

The Nebraska Department of Roads will receive sealed bids for the VILLAGE OF PLEASANTON in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on March 26, 2010. At that time the bids will be opened and read for BLDG

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BUILDING CONSTRUCTION
START DATE 04/26/2010 CALENDAR DAYS 230
Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning March 02, 2010 at the Lincoln Central Office and March 08, 2010 at the District Engineer's Office at GRAND ISLAND
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS	10 SHEETS	\$	2.50

SHEET NO.

1	TITLE PAGE
2-S	SUMMARY OF QUANTITIES
3	INDEX OF DRAWINGS, BUILDING STATISTICS, LOCATION MAP, & SITE PLAN
4	FLOOR PLAN
5	ROOF PLAN CROSS-SECTION
6	EXTERIOR ELEVATIONS
7	FOOTING & FOUNDATION PLAN
8	FLOOR PLAN-MECHANICAL
9	SITE PLAN-ELECTRICAL
10	FLOOR PLAN-ELECTRICAL

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8A BUILDING CONSTRUCTION

MOBILIZATION	LUMP	LUMP
SITE WORK	LUMP	LUMP
CONCRETE	LUMP	LUMP
MASONRY	LUMP	LUMP
WOODS & PLASTICS	LUMP	LUMP
THERMAL & MOISTURE PROTECTION	LUMP	LUMP
DOORS & WINDOWS	LUMP	LUMP
FINISHES	LUMP	LUMP
SPECIALTIES	LUMP	LUMP
MECHANICAL SYSTEM	LUMP	LUMP
ELECTRICAL SYSTEM	LUMP	LUMP

Nebraska Department of Roads
 Contracts Section, P.O. Box 94759, Lincoln, NE 68509
 (402) 479-4525

Document No.

Plan and Informational Proposal Order Form
Projects to be bid on:
MARCH 26, 2010

Payment required for plans prior to NDOR completing this order.
 dor.ContractsOnlineOrders@nebraska.gov FAX: (402) 479-4845

<input type="checkbox"/> Check/Cash	Receipt No. _____
<input type="checkbox"/> Advance Plans Account No. _____	
Credit Card	
<input type="checkbox"/> Visa	<input type="checkbox"/> MasterCard
Expiration Date: _____	
Card No.: _____	
FOR OFFICE USE ONLY	
Reference I.D.: _____	
Authorization Code: _____ Date: _____	

Please indicate: <input type="checkbox"/> Mail <input type="checkbox"/> Hold	<input type="checkbox"/> Fed Ex. Standard Overnight	Comments:
	<input type="checkbox"/> Fed Ex. Priority Overnight	
	<input type="checkbox"/> UPS Overnight	
	Acct. No. _____	

4-Digit Vendor No.:	Ordered By:	Grand Total - Informational Proposals: x \$5.00
Company:		All plans in letting on CD: x \$25.00
Street Address:		Grand Total - 1/2 Size Plans: x \$.25
		Grand Total - Full Size Plans: x \$.50
PO Box:	City:	State:
		Zip Code:
Phone No.:	Fax No.:	Subtotal
		Tax Code
		Sales Tax
		%
Processed by:	Date:	Proposals/CD Filled:
		Blueprint Plans/Proposals Filled:
		Date:
		Total

If requesting Plan or Proposal CD(s) only, your name will not appear on the Planholders list unless your company has been issued Bid Proposals or you submit the "Planholders Registration" from the NDOR website.

CD containing Informational Proposals for all projects in letting. (No Charge) Total Number Requested: →					
Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. ½ size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
225	ENH-28(91)				
255	NH-30-7(116)				
265	STPD-38-7(106)				
300	ENH-22(28)				
400	STPB-10(60)				

Standard Plans: Refer to "Publication Order Form" for complete sets of Standard Plans and Standard/Special Plans Books

Number of Sets Requested	Standard Plan No.(s)	Number of Sheets Shown in List of Plans	Check Size		Total No. of Sheets	
			1/2	Full	1/2	Full
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		

