

March 11, 2010

TO ALL CONCERNED:

The Department of Roads has scheduled a bid letting to be held in this office April 8, 2010 at 1:30 p.m.

The Notice to Contractors includes:

1. Website Information
2. Notice to all Bidders
3. [Ordering](#) Instructions
4. Notices to Contractors including time allowances and lists of plans
5. Plan and Informational Proposal Order Form
6. R-125 "Request for Bidding Proposal Forms"

Projects containing DBE Goals are indicated in the "Notice to Contractors".

Please check the important letting information on the website frequently.

The last day to submit acceptable prequalification statements for this letting is by 5:00 p.m. on Monday, March 29, 2010.

Sincerely,

Kendall Stege, Supervisor
Contract Lettings Section
Construction Division

KS/d

WEBSITE INFORMATION

The Nebraska Department of Roads, Contract Lettings Section, will be utilizing the Internet as our means of communicating with the contracting industry.

Documents that are posted on the web are:

- Letting Schedule
- Notices to Contractors
- Informational Proposals
- Letting Plans
- List of Prequalified Contractors
- Planholders List
- Informational Addendums
- EBS (Electronic Bidding System)
- Apparent Low Bidders
- Bid Tabulations
- Standard Item Listing
- Awarded Average Unit Prices (AUP) Report

Hard copies of these documents will be available for inspection in the Contracts Office.

There will be a charge for reproduction of any of these documents.

The Website address is: www.Transportation.Nebraska.gov

If you have any questions as you are using our Website, please contact us at:

Nebraska Department of Roads
Contract Lettings Section
P.O. Box 94759
Lincoln, NE 68509-4759

Phone (402) 479-4525
FAX (402) 479-3803

Email: DOR.ContractLettings@nebraska.gov

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free “hotline” Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the “hotline” to report such activities.

The “hotline” is part of the DOT’s continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

ORDERING INSTRUCTIONS FOR PLANS AND PROPOSALS

Refer to the "Notice to Contractors" for the call order number, project number, and list of plans for each project.

Order forms are available on the NDOR website in PDF and Word format. Complete the appropriate forms as follows:

Request for Bidding Proposal Forms (R-125)

Bidders must submit an R-125, Request for Bidding Proposals Forms and be issued bid proposals prior to submitting bids.

Proposals to be used for bidding must be requested on this form. Bidding proposals will be issued only to contractors who are currently prequalified to bid with this department.

There is no charge for bid proposals.

Plan and Informational Proposal Order Form:

Payment is required prior to NDOR completing the order. This payment is not refundable.

Proposals to be used for information only can be ordered as follows:

1. Each individual project.
2. CD that contains all projects in letting. Does not contain addenda.

Plans for each project can be ordered as follows:

1. Complete set.
2. Set less Roadway Cross-Sections and Standards.
3. Set less Standards.
4. Set less Roadway Cross-Sections.
5. Individual sheets
6. CD that contains all projects in letting.

Prices are: Informational Proposals: \$5.00 each
CD containing Informational Proposals: No Charge
Plans per sheet: \$.25 for half-size (12" x 18")
\$.50 for full-size (24" x 36")
CD containing plans: \$25.00 each

Cost shown on the list of plans is for ½ size plans. Nebraska residents add appropriate state sales tax and city tax that is determined by delivery within cities imposing a sales tax.

Select the method of payment on the plan order form:

1. Credit Card (Visa or MasterCard only)
Orders with approved credit cards can be processed without delays.
2. Advanced payment account
Requires a money deposit with recommended \$200 minimum. Failure to have sufficient funds in your account to cover cost of the plans may delay the processing of your order.
This account may also be used to purchase other NDOR publications.
3. Check/cash
Send checks made payable to the Nebraska Dept. of Roads with your completed plan order form. Please do not mail cash.

To order complete sets of standard plans (1/2 size) please use the "Publications Order Form" available on the website. Cost is \$35.00 plus applicable sales tax. As new standards become available they may be purchased at \$0.25 per sheet.

Address: Nebraska Department of Roads
Contracts Section
1500 Highway 2
PO Box 94759
Lincoln NE 68509-4759

FAX (402) 479-3803

Phone: (402) 479-4525

Email: DOR.ContractLettings@nebraska.gov

October 10, 2008

NOTICE TO CONTRACTORS

CALL ORDER 100
FEDERAL PROJECT NO. NH-77-1(119)
LOCATION: US-77, WYMORE NORTH & SOUTH
COUNTIES: GAGE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 08, 2010. At that time the bids will be opened and read for CULV BIT SEED

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 13.0 MILES
START DATE 06/14/2010 WORKING DAYS 80
Price Range \$ 3,000,000 to \$ 6,000,000
THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning March 16, 2010 at the Lincoln Central Office and March 22, 2010 at the District Engineer's Office at LINCOLN
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	82 SHEETS	\$	20.50
STANDARD PLANS	24 SHEETS	\$	6.00

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T6	TYPICAL CROSS SECTIONS
2-S1 - 2-S4	SUMMARY OF QUANTITIES & DETOUR LOCATION MAP
2-W1 - 2-W24	WETLANDS
2-H1 - 2-H10	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N2	GENERAL INFORMATION & PHASING
2-L1 - 2-L5	CONSTRUCTION & REMOVAL
3 - 14	PLAN SHEETS
15	TEMPORARY PAVEMENT MARKING PLAN
16	PAVEMENT MARKING DETAILS
17 - 31	DRAINAGE STRUCTURE CROSS SECTIONS
32	SPECIAL PLAN 1C CURB RAMPS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
307-R1	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
329-R7	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
901-R9	HIGHWAY DELINEATORS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
ROADWAY GRADING		10 STA
REMOVE HEADWALLS FROM CULV		21 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		48 CY
47B-3000 CONC FOR CONCRETE CO		2 CY
RE-STEEL FOR COLLARS	184	LB
36" RND EQUIV MTL PIPE FES		2 EACH
18" CORRUGATED METAL PIPE		5 LF
24" CORRUGATED METAL PIPE		6 LF
30" CORRUGATED METAL PIPE		12 LF
36" CORRUGATED METAL PIPE		12 LF
42" CORRUGATED METAL PIPE		52 LF
18" METAL FLARED-END SECTION		1 EACH
24" METAL FLARED-END SECTION		1 EACH
30" METAL FLARED-END SECTION		2 EACH
36" METAL FLARED-END SECTION		2 EACH
42" METAL FLARED-END SECTION		7 EACH
30" RND EQUIV CM PIPE		2 LF
36" RND EQUIV CM PIPE		12 LF
30" RND EQUIV MTL PIPE FES		1 EACH
24" REINFORCED CONCRETE PIPE		4 LF
30" REINFORCED CONCRETE PIPE		2 LF
24" CONCRETE FLARED-END SECTION		2 EACH
30" CONCRETE FLARED-END SECTION		1 EACH
CULVERT SANDFILL		48 CY

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE B		25 ACRE
SEEDING, TYPE C		1 ACRE
COVER CROP SEEDING		25 ACRE
MULCH		56 TON
HYDROMULCH		2 TON

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES		1,337 STA
OVERLAY SOLID LINES		2,674 STA
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE II		32 EACH
DELINEATOR, TYPE III		73 EACH
INSTALL CHEVRONS		32 EACH
REMOVE PAVEMENT		6,625 SY
REMOVE WALK		44 SY
CRUSHED ROCK SURFACE COURSE		430 TON
SPEC SURF CRSE FOR MAILBOX TURNOUTS		1,543 SY
MAILBOX POST		24 EACH
TIE BARS		1,806 EACH
CONCRETE CURB REPAIR		8 LF
CONC 47B-3000 SIDEWALKS		44 SY
CONC PVMT REPAIR TYPE A FULL DEPTH		4 CY
CONC PVMT REPAIR TYPE B FULL DEPTH		7 CY
CONC PVMT REPAIR TYPE C FULL DEPTH		168 CY
8" DOWELED CONC PAVE, CLASS 47B-3500		6,183 SY
8" DOWELED CONC PVMT 47B-HE-3500		442 SY
CONC PVMT, PR-3500		2 CY
JOINT REPAIR		
24" WHT WET RFLC PRF PVMT MKNG T4 GVD		50 LF
HYDRATED LIME FOR ASPHALT MIXTURES		515 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		2 TON
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP4(0.5)		200 TON
ASPH CONCRETE FOR PATCHING, TYPE SP4(0.5)		50 TON

ASPH CONC, TYPE SP4(0.5)	51,440 TON
PLACE ASPH CONC FOR DRIVE & INTER	13,200 SY
PERF GRAD BIND (64-28)FOR ST MAINT PATCH	10 TON
PERF GRADED BINDER (64-28)	2,574 TON
PREP OF INTER & DRIVE	8,672 SY
TACK COAT	42,430 GAL
FOG SEAL	480 GAL
WATER	346 MGAL
CRACKING & SEATING CONC PVMT	179,360 SY
EARTH SHOULDER CONSTRUCTION	1,303 STA
TRENCHED WIDENING	1,279 STA
SUBGRADE PREPARATION	6,625 SY
COLD MILLING, CLASS 3	6,495 SY
MILLING CONC FOR INLAYS	5 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	10,850 BDAY
BARRICADE, TYPE III	1,492 BDAY
TEMPORARY SIGN DAY	1,120 EACH
SIGN DAY	20,705 EACH
CONTRACTOR FURNISHED SIGN DAY	388 EACH
FLAGGING	160 DAY
FURNISHING AND OPERATING PILOT VEHICLE	75 DAY
FIELD OFFICE	1 EACH
TRAINING	500 HOUR
MOBILIZATION	LUMP LUMP
RENTAL OF LOADER, FULLY OPERATED	20 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	10 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	20 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	20 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10 HOUR
TEMPORARY SILT FENCE	1,000 LF
TEMPORARY MULCH	4 TON
MOWING	20 HOUR

NOTICE TO CONTRACTORS

CALL ORDER 200
 STATE PROJECT NO. RD-31-2(1010)
 LOCATION: N-31, N-50 WEST
 COUNTIES: SARPY

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 08, 2010. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 4.2 MILES
 START DATE 08/23/2010 WORKING DAYS 35
 Price Range \$ 500,000 to \$ 2,000,000

Plans and specifications may be seen beginning March 16, 2010 at the Lincoln Central Office and March 22, 2010 at the District Engineer's Office at OMAHA

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	24 SHEETS	\$	6.00
STANDARD PLANS	9 SHEETS	\$	2.25

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-W1 - 2-W8	WETLANDS
2-H1 - 2-H4	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N2	GENERAL INFORMATION
3 - 6	PLAN SHEETS
7	TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

108-R3	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
307-R1	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
502	SILT FENCE DETAILS
901-R9	HIGHWAY DELINEATORS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	23,040	B	DAY
BARRICADE, TYPE III	276	B	DAY
TEMPORARY SIGN DAY	490	E	EACH
SIGN DAY	3,780	E	EACH
OVERLAY BROKEN LINES	221	S	TA
OVERLAY SOLID LINES	442	S	TA
FLAGGING	70	D	AY
FURNISHING AND OPERATING PILOT VEHICLE	35	D	AY
FIELD OFFICE	1	E	EACH
MOBILIZATION	LUMP	L	LUMP
DELINEATOR, TYPE I	22	E	EACH
DELINEATOR, TYPE II	16	E	EACH
DELINEATOR, TYPE III	136	E	EACH
INSTALL CHEVRONS	67	E	EACH

REMOVE DELINEATOR UNITS	144	EACH
ROADWAY GRADING	21	STA
REMOVE ASPHALT SURFACE	131	SY
GRAVEL SURFACE COURSE	15	TON
SPEC SURF CRSE FOR MAILBOX TURNOUTS	1,577	SY
MAILBOX POST	19	EACH
3" PERFORATED PIPE UNDERDRAIN	528	LF
HYDRATED LIME FOR ASPHALT MIXTURES	71	TON
ASPH CONCRETE FOR PATCHING, TYPE HIGH RAP BASE	500	TON
ASPH CONC, TYPE SP4(0.5)	7,140	TON
HIGH RAP BASE	13,540	TON
PLACE ASPH CONC FOR DRIVE & INTER	3,355	SY
PERF GRADED BINDER (70-28)	342	TON
PERF GRADED BINDER (58-34)	456	TON
PREP OF INTER & DRIVE	286	SY
TACK COAT	12,760	GAL
RENTAL OF LOADER, FULLY OPERATED	45	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	40	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	45	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	45	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5	HOUR
WATER	118	MGAL
EARTH SHOULDER CONSTRUCTION	440	STA
SUBGRADE PREPARATION	2,708	SY
COLD MILLING, CLASS 3	213	STA
COLD MILLING, CLASS 4	9	STA
COLD MILLING, CLASS 4	445	SY
TYPE A		
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B	13	ACRE
TEMPORARY SILT FENCE	500	LF
MULCH	29	TON

NOTICE TO CONTRACTORS

CALL ORDER 300
 STATE PROJECT NO. RD-12-5(1012)
 LOCATION: N-12, NIOBRARA EAST & WEST (RESURFACING)
 COUNTIES: KNOX

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 08, 2010. At that time the bids will be opened and read for GRAD,CULV,BR,GDRL,ELEC,BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 4.6 MILES
 START DATE 06/01/2010 WORKING DAYS 90
 Price Range \$ 2,000,000 to \$ 4,000,000

Plans and specifications may be seen beginning March 16, 2010 at the Lincoln Central Office and March 22, 2010 at the District Engineer's Office at NORFOLK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	66	SHEETS	\$ 16.50
CROSS SECTIONS (SHEETS X1 THRU X32)	32	SHEETS	\$ 8.00
STANDARD PLANS	31	SHEETS	\$ 7.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T5	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-W1 - 2-W5	WETLANDS
2-H1 - 2-H3	HORIZONTAL ALIGNMENT & CONTROL POINTS
2-N1 - 2-N2	GENERAL INFORMATION
2-P1 - 2-P6	PHASING PLANS
2-L1	GEOMETRICS & REMOVALS
2-L2	GEOMETRICS & GRADES
2-L3	REMOVALS
2-L4 - 2-L8	CONSTRUCTION
3	PLAN & PROFILE SHEET
4 - 8	PLAN SHEETS
9	TEMPORARY PAVEMENT MARKING PLAN
10	PAVEMENT MARKING PLAN
11	TYPICAL PAVEMENT MARKING PLAN--4" PAVEMENT MARKING
12 - 16	ROADWAY LIGHTING PLANS
17 - 18	EARTHWORK DATA SHEETS
19 - 21	DRAINAGE STRUCTURE CROSS SECTIONS
22 - 23	SPECIAL PLAN 1C REMODEL BRIDGE RAIL STA. 1826+35.44
24	SPECIAL PLAN 2C CONCRETE DECK PATCH REPAIRS STA. 1826+35.44
25 - 31	SPECIAL PLAN 3C GUARDRAIL PLAN
32	SPECIAL PLAN 4C CURB RAMPS
33	SPECIAL PLAN 5C TYPICAL TRAFFIC SIGNAL CONTROL PLAN FOR ONE LANE, TWO WAY OPERATION WITH BARRIERS
34	SPECIAL PLAN 6C TEMPORARY TRAFFIC SIGNAL
R1 - R2	RIGHT-OF-WAY SHEETS
X1 - X32	CROSS SECTIONS

STANDARD PLANS

108-R3	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
301-R10	(3 SHEETS) PAVEMENT DETAILS
329-R7	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
435-R1	(3 SHEETS) MANHOLE

443-R7	(2 SHEETS) CURB INLETS AND JUNCTION BOX
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
901-R9	HIGHWAY DELINEATORS
914-R6	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
923	TRAFFIC CONTROL--ROAD CLOSURE
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		80 MGAL
EARTHWORK MEASURED IN EMBANKMENT		5,299 CY
REMOVE PAVEMENT		14,237 SY
REMOVE ASPHALT SURFACE		458 SY
REMOVE DRIVEWAY		183 SY
REMOVE WALK		422 SY
REMOVE		1 EACH
AND REPLACE SPRINKLER SYSTEM		
REMOVE		1 EACH
AND SALVAGE HISTORICAL MARKER		
REMOVE GUARDRAIL		568 LF
EROSION CONTROL, CLASS 1D		1,310 SY
FABRIC SILT FENCE-LOW POROSITY		1,689 LF

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
CAST IRON COVER & FRAME		1,375 LB
RECONSTRUCT CURB INLET		1 EACH
AT STA. 1864+62.17 RT.		
RECONSTRUCT CURB INLET		1 EACH
AT STA. 1864+64.38 LT.		
RECONSTRUCT CURB INLET		1 EACH
AT STA. 1870+07.79 RT.		
RECONSTRUCT CURB INLET		1 EACH
AT STA. 1870+32.87 LT.		
RECONSTRUCT CURB INLET		1 EACH
AT STA. 1872+69.84 RT.		
RECONSTRUCT CURB INLET		1 EACH
AT STA. 1877+27.31 RT.		
RECONSTRUCT CURB INLET		1 EACH
AT STA. 1879+13.17 LT.		
RECONSTRUCT CURB INLET		1 EACH
AT STA. 1879+81.01 LT.		
RECONSTRUCT CURB INLET		1 EACH
AT STA. 1882+59.04 LT.		
RECONSTRUCT CURB INLET		1 EACH
AT STA. 1884+89.44 LT.		
RECONSTRUCT CURB INLET		1 EACH
AT STA. 1889+48.43 LT.		
REMOVE FLARED- END SECTION		2 EACH
REMOVE HEADWALLS FROM CULV		4 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		16 CY
24" CORRUGATED METAL PIPE		35 LF
36" CORRUGATED METAL PIPE		118 LF
24" METAL FLARED-END SECTION		2 EACH
36" METAL FLARED-END SECTION		4 EACH

GROUP 6 BRIDGE AT STA. 1826+35.44

	LUMP	LUMP
MOBILIZATION		
CLASS II REPAIR		444 SY
CLASS III REPAIR		5 SY
47BD-4000 CONC FOR BRIDGE		69 CY
47BD-4000 CONC FOR CONC. RAIL		1 CY
EPOXY COATED RE-STEEL FOR CONC RAIL		380 LB
PREP BRIDGE		1 EACH
1826+35.44		

GROUP 7 GUARDRAIL

	LUMP	LUMP
MOBILIZATION		
W-BEAM GUARDRAIL		187 LF
BRIDGE APPROACH SECTIONS		4 EACH
GUARDRAIL END TREATMENT, TYPE II		4 EACH

GROUP 8B ELECTRICAL

	LUMP	LUMP
MOBILIZATION		
PULL BOX, TYPE PB-5		2 EACH
ST LIGHT UNIT SL-BT-40-12-0.25		5 EACH
LIGHTING CONTROL CENTER, R		1 EACH
1 1/2" CONDUIT IN TRENCH		719 LF
1 1/2" CONDUIT UNDER ROADWAY		44 LF
1 1/2" CONDUIT, JACKED		56 LF
STREET LIGHT CABLE, NO. 6 BARE		819 LF
STREET LIGHT CABLE, NO. 6 USE		1,638 LF

GROUP 9 BITUMINOUS

	LUMP	LUMP
MOBILIZATION		
DELINEATOR, TYPE III		99 EACH
INSTALL CHEVRONS		38 EACH
GRAVEL SURFACE COURSE		25 CY
CONC 47B-3000 SIDEWALKS		549 SY
CONC 47B-3500 DRIVEWAY		183 SY
8" CONC PVMT, 47B-3500		4,632 SY
8" DOWELED CONC PAVE, CLASS 47B-3500		9,258 SY
8" CONC PVMT 47B-HE-3500		330 SY
ADJUST MANHOLE TO GRADE		5 EACH
TAPPING EXISTING STRUCTURE		20 EACH
4" PERFORATED PIPE UNDERDRAIN		5,341 LF
24" WHITE PREF PVMT MKING T-4 GROOVED		100 LF
4" WHT WET RFLC PRF PVMT MKNG T4 GVD		250 LF
4" YEL WET RFLC PRF PVMT MKNG T4 GVD		7,250 LF
12" YEL WET RFLC PRF PVMT MKNG T4 GVD		150 LF
ARROW, WET RFLC PRF PVMT MKNG, T 4 GVD		7 EACH
HYDRATED LIME		140 TON
HYDRATED LIME FOR ASPHALT MIXTURES		129 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		5 TON
FOUNDATION COURSE		14,220 SY
4"		
STABILIZED SUBGRADE		14,220 SY
TYPE FLY ASH		
HYDRATED LIME SLURRY STABILIZATION		154 STA
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP4(0.375)		500 TON
ASPH CONCRETE FOR PATCHING, TYPE SP4(0.375)		400 TON
ASPH CONC, TYPE SP4(0.375)		12,420 TON
PLACE ASPH CONC FOR DRIVE & INTER		1,469 SY
PERF GRAD BIND (64-28)FOR ST MAINT PATCH		28 TON
PERF GRADED BINDER (64-28)		666 TON
EMUL ASPH FOR HYDRATE LIME STABILIZATION		37,940 GAL
TACK COAT		13,930 GAL

FOG SEAL	4,140	GAL
WATER	166	MGAL
EARTH SHOULDER CONSTRUCTION	436	STA
TRENCHED WIDENING	310	STA
SUBGRADE PREPARATION	4,107	SY
COLD MILLING, CLASS 3	44	STA
COLD MILLING, CLASS 3 TYPE A	36	STA
SURFACE UNDER GUARDRAIL	221	SY
FLY ASH	471	TON
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE A	1	ACRE
SEEDING, TYPE B	9	ACRE
SODDING	5,167	SY
MULCH	24	TON

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	16,264	B DAY
BARRICADE, TYPE III	3,024	B DAY
TEMPORARY SIGN DAY	840	EACH
SIGN DAY	14,564	EACH
CONTRACTOR FURNISHED SIGN DAY	756	EACH
PAVEMENT MARKING REMOVAL	23,300	LF
TEMP PVMT MARKING, TYPE PAINT	24,000	LF
TEMP PVMT MARKING SURF PREP	12,000	LF
OVERLAY BROKEN LINES	679	STA
OVERLAY SOLID LINES	1,358	STA
FLAGGING	180	DAY
FURNISHING AND OPERATING PILOT VEHICLE	60	DAY
CONCRETE PROTECTION BARRIER	1,200	LF
RELOCATE CONC PROTECTION BARRIER	1,200	LF
TEMPORARY RUMBLE STRIP	4	EACH
TEMPORARY TRAFFIC SIGNAL	1	EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	75	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	40	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	75	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	75	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	35	HOUR
TEMPORARY SILT FENCE	1,500	LF
TEMPORARY MULCH	4	TON

NOTICE TO CONTRACTORS

CALL ORDER 305
 STATE PROJECT NO. RD-39-3(1005)
 LOCATION: N-39, NANCE/PLATTE COUNTY LINE-ALBION
 COUNTIES: BOONE
 PLATTE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 08, 2010. At that time the bids will be opened and read for GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 4.0 MILES
 START DATE 05/17/2010 WORKING DAYS 100
 Price Range \$ 1,000,000 to \$ 3,000,000

Plans and specifications may be seen beginning March 16, 2010 at the Lincoln Central Office and March 22, 2010 at the District Engineer's Office at NORFOLK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

NOTICE TO BIDDERS

To be eligible for the award of this contract, bidders shall submit a completed bidding proposal for Call Order No. 305, {Project No. RD-39-3(1005)} and Call Order No. 405, {Project No. RD-39-3(1006)}. Award of Contract, if awarded, will be made on the combined bid for these call order nos. Separate contracts will be awarded for each Call Order Number. Please order plans and proposals accordingly.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	48 SHEETS	\$	12.00
STANDARD PLANS	11 SHEETS	\$	2.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T8	TYPICAL CROSS SECTIONS
2-S1 - 2-S6	SUMMARY OF QUANTITIES
2-H1 - 2-H6	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION & DETOUR LOCATION MAP
3 - 16	PLAN SHEETS
17	TEMPORARY PAVEMENT MARKING PLAN
18 - 20	SPECIAL PLAN 1C BRIDGE RAIL REMODEL & BRIDGE DECK EDGE REPAIR STA. 2120+44.00
21 - 27	SPECIAL PLAN 2C GUARDRAIL PLAN
28	SPECIAL PLAN 3C PAVEMENT APPROACH REPAIR

STANDARD PLANS

307-R1	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
ROADWAY GRADING		2 STA

47BD-4000 CONC FOR CONC. RAIL	3	CY
EPOXY COATED RE-STEEL FOR CONC RAIL	805	LB
PREP BRIDGE	1	EACH
2120+44		
CONCRETE REPAIR	100	SF
W-BEAM GUARDRAIL	300	LF
REMOVE GUARDRAIL	737	LF
BRIDGE APPROACH SECTIONS	4	EACH
GUARDRAIL END TREATMENT, TYPE II	4	EACH
EROSION CONTROL	1,144	SY
FABRIC SILT FENCE-LOW POROSITY	400	LF

GROUP 9 BITUMINOUS

MOBILIZATION	LUMP	LUMP
GRAVEL SURFACE COURSE	70	CY
CRUSHED ROCK SURFACE COURSE	20	CY
SPEC SURF CRSE FOR MAILBOX TURNOUTS	96	SY
MAILBOX POST	1	EACH
CONCRETE CURB REPAIR	61	LF
CONC PVMT REPAIR TYPE A FULL DEPTH	135	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	428	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	1,169	CY
CONC PVMT, PR-3500	266	CY
JOINT REPAIR		
BRIDGE APPROACH REPAIR	14	CY
HYDRATED LIME FOR ASPHALT MIXTURES	136	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	5	TON
FOUNDATION COURSE REPLACEMENT	320	CY
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP4(0.5)	500	TON
ASPH CONCRETE FOR PATCHING, TYPE SP4(0.5)	500	TON
ASPH CONC, TYPE SP4(0.5)	13,050	TON
PLACE ASPH CONC FOR DRIVE & INTER	3,645	SY
PERF GRAD BIND (64-28)FOR ST MAINT PATCH	25	TON
PERF GRADED BINDER (64-28)	677	TON
TACK COAT	12,000	GAL
FOG SEAL	10,220	GAL
WATER	107	MGAL
CRACKING & SEATING CONC PVMT	55,270	SY
EARTH SHOULDER CONSTRUCTION	426	STA
MILLING CONC FOR INLAYS	5	EACH
SURFACE UNDER GUARDRAIL	356	SY
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B	16	ACRE
MULCH	35	TON

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	14,220	B DAY
BARRICADE, TYPE III	1,980	B DAY
TEMPORARY SIGN DAY	700	EACH
SIGN DAY	6,340	EACH
CONTRACTOR FURNISHED SIGN DAY	1,640	EACH
OVERLAY BROKEN LINES	423	STA
OVERLAY SOLID LINES	846	STA
FLAGGING	180	DAY
FURNISHING AND OPERATING PILOT VEHICLE	83	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	60	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	60	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	60	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10	HOUR
TEMPORARY SILT FENCE	500	LF

NOTICE TO CONTRACTORS

CALL ORDER 405
STATE PROJECT NO. RD-39-3(1006)
LOCATION: N-39, NORTH OF GENOA
COUNTIES: NANCE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 08, 2010. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 6.3 MILES
START DATE 06/01/2010 WORKING DAYS 55
Price Range \$ 2,000,000 to \$ 4,000,000

Plans and specifications may be seen beginning March 16, 2010 at the Lincoln Central Office and March 22, 2010 at the District Engineer's Office at GRAND ISLAND
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

NOTICE TO BIDDERS

To be eligible for the award of this contract, bidders shall submit a completed bidding proposal for Call Order No. 305, {Project No. RD-39-3(1005)} and Call Order No. 405, {Project No. RD-39-3(1006)}. Award of Contract, if awarded, will be made on the combined bid for these call order nos. Separate contracts will be awarded for each Call Order Number. Please order plans and proposals accordingly.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	25	SHEETS	\$	6.25
STANDARD PLANS	14	SHEETS	\$	3.50

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T5	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-W1 - 2-W6	WETLANDS
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION & DETOUR LOCATION MAP
2-L	GEOMETRICS
3 - 8	PLAN SHEETS
9	TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

108-R3	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
301-R10	(3 SHEETS) PAVEMENT DETAILS
307-R1	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
329-R7	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE III	2,050 BDAY
SIGN DAY	1,968 EACH
CONTRACTOR FURNISHED SIGN DAY	1,476 EACH
OVERLAY BROKEN LINES	335 STA

OVERLAY SOLID LINES	670	STA
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
REMOVE ASPH SURF FROM PAVEMENT	15,224	SY
REMOVE CURB	244	LF
REMOVE CONCRETE MEDIAN SURFACING	81	SY
GRAVEL SURFACE COURSE	530	CY
SPEC SURF CRSE FOR MAILBOX TURNOUTS	828	SY
MAILBOX POST	11	EACH
COARSE AGGREGATE	2,030	CY
COARSE AGGREGATE	500	CY
FOR TEMPORARY SURFACING		
CONCRETE 47B-3500 MEDIAN CURB	238	LF
CONC 47B-3000 MEDIAN SURFACING	68	SY
CONC PVMT REPAIR TYPE A FULL DEPTH	5	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	7	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	44	CY
CONC PVMT, PR-3500	45	CY
JOINT REPAIR		
RUBBLIZATION OF CONCRETE PAVEMENT	87,088	SY
ADJUST MANHOLE TO GRADE	4	EACH
HYDRATED LIME FOR ASPHALT MIXTURES	364	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	2	TON
FOUNDATION COURSE REPLACEMENT	9	CY
GRANULAR SUBDRAIN	578	EACH
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP4(0.5)	200	TON
ASPH CONCRETE FOR PATCHING, TYPE SP4(0.5)	200	TON
ASPH CONC, TYPE SP4(0.5)	36,130	TON
PLACE ASPH CONC FOR DRIVE & INTER	4,550	SY
PERF GRAD BIND (64-28)FOR ST MAINT PATCH	10	TON
PERF GRADED BINDER (64-28)	1,816	TON
PREP OF INTER & DRIVE	480	SY
TACK COAT	25,570	GAL
RENTAL OF LOADER, FULLY OPERATED	55	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	40	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	55	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	55	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	15	HOUR
WATER	169	MGAL
EARTH SHOULDER CONSTRUCTION	667	STA
TRENCHED WIDENING	366	STA
SUBGRADE PREPARATION	472	SY
CONCRETE SURFACE MILLING	3,312	SY
NON-WOVEN PVMT OVERLAY FABRIC	3,098	SY
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B	18	ACRE
TEMPORARY SILT FENCE	1,500	LF
MULCH	40	TON

NOTICE TO CONTRACTORS

CALL ORDER 410
 FEDERAL PROJECT NO. STP-39-2(106)
 LOCATION: N-39, SOUTH OF GENOA
 COUNTIES: MERRICK PLATTE
 NANCE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 08, 2010. At that time the bids will be opened and read for GRAD BR SEED GDRL ELEC BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 10.0 MILES
 START DATE 06/21/2010 WORKING DAYS 80
 Price Range \$ 2,000,000 to \$ 4,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning March 16, 2010 at the Lincoln Central Office and March 22, 2010 at the District Engineer's Office at GRAND ISLAND
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	66 SHEETS	\$	16.50
CROSS SECTIONS (SHEETS X1 THRU X36)	36 SHEETS	\$	9.00
STANDARD PLANS	17 SHEETS	\$	4.25

SHEET NO.

1	TITLE PAGE
2	INDEX OF SHEETS
2-T1 - 2-T5	TYPICAL CROSS SECTIONS
2-S1 - 2-S3	SUMMARY OF QUANTITIES
2-W1 - 2-W11	WETLANDS
2-H1 - 2-H3	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
2-L	8 INCH SURFACING GEOMETRICS
3 - 12	PLAN SHEETS
13	TYPICAL TRAFFIC SIGNAL CONTROL PLAN FOR ONE LANE, TWO WAY OPERATION WITH BARRIERS
14	TEMPORARY TRAFFIC SIGNAL
15	TEMPORARY PAVEMENT MARKING PLAN
16	PAVEMENT MARKING DETAILS
17 - 21	ROADWAY LIGHTING PLANS
22 - 24	EARTHWORK DATA SHEETS
25 - 33	SPECIAL PLAN 1 APPROACH SLAB & EXPANSION JOINT REPLACEMENT STA. 464+25.02
34 - 40	SPECIAL PLAN 1C GUARDRAIL PLAN
41 - 42	SPECIAL PLAN 2C CONCRETE PROTECTION BARRIER
X1 - X36	CROSS SECTIONS

STANDARD PLANS

108-R3	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
307-R1	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
901-R9	HIGHWAY DELINEATORS
914-R6	PULL BOX DETAIL

920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		10 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		39 MGAL
REMOVE DELINEATOR UNITS		117 EACH
EARTHWORK MEASURED IN EMBANKMENT		2,565 CY
REMOVE ASPHALT SURFACE		2,753 SY
24" DRIVE PIPE 2,3,4,5,6,7 OR 8		56 LF
REMOVE HEADWALLS FROM CULV		2 EACH
24" METAL FLARED-END SECTION		2 EACH
REMOVE GUARDRAIL		1,387 LF
EROSION CONTROL, CLASS 1C		2,566 SY
FABRIC SILT FENCE-LOW POROSITY		200 LF

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE B		36 ACRE
MULCH		81 TON

GROUP 6 BRIDGE AT STA. 464+25.02

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		227 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		35,027 LB
EXPANSION JOINT		80 LF
47BD-4000 CONC FOR BRIDGE		23 CY
PREP BRIDGE		1 EACH
AT STA. 464+25.02		
EPOXY COATED RE-STEEL		2,948 LB
MEMBRANE WATERPROOFING		4,567 SY
2" CONDUIT IN BRIDGE		61 LF

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		375 LF
BRIDGE APPROACH SECTIONS		12 EACH
GUARDRAIL END TREATMENT, TYPE I		2 EACH
GUARDRAIL END TREATMENT, TYPE II		10 EACH

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
PULL BOX, TYPE PB-5		1 EACH
ST LIGHT UNIT SL-BT-40-12-0.25		7 EACH
1 1/2" CONDUIT IN TRENCH		1,245 LF
1 1/2" CONDUIT, JACKED		80 LF
STREET LIGHT CABLE, NO. 6 BARE		1,325 LF
STREET LIGHT CABLE, NO. 6 USE		2,650 LF
REPLACE		1 EACH
ELECTRIC SERVICE		

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES	1,583	STA
OVERLAY SOLID LINES	3,166	STA
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE II	14	EACH
DELINEATOR, TYPE III	124	EACH
INSTALL CHEVRONS	52	EACH
GRAVEL SURFACE COURSE	170	CY
CRUSHED ROCK SURFACE COURSE	100	CY
SPEC SURF CRSE FOR MAILBOX TURNOUTS	1,482	SY
MAILBOX POST	13	EACH
CONC PVMT REPAIR TYPE A FULL DEPTH	1	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	6	CY
24" WHITE PREF PVMT MKING T-4 GROOVED	48	LF
RR XING SYMBOL PREF PVMT MRKING T-4 GRVD	1	EACH
HYDRATED LIME FOR ASPHALT MIXTURES	179	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	5	TON
FOUNDATION COURSE REPLACEMENT	2	CY
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP4(0.5)	500	TON
ASPH CONCRETE FOR PATCHING, TYPE HRB	800	TON
ASPH CONC, TYPE SP4(0.5)	17,080	TON
HIGH RAP BASE	30,830	TON
PLACE ASPH CONC FOR DRIVE & INTER SURFACING 8"	6,858	SY
PERF GRAD BIND (64-28)FOR ST MAINT PATCH	240	SY
PERF GRADED BINDER (58-34)	24	TON
PERF GRADED BINDER (64-28)	1,027	TON
PREP OF INTER & DRIVE	819	TON
TACK COAT	506	SY
WATER	28,610	GAL
EARTH SHOULDER CONSTRUCTION	267	MGAL
TRENCHED WIDENING	1,066	STA
COLD MILLING, CLASS 3	171	STA
COLD MILLING, CLASS 4	454	STA
COLD MILLING, CLASS 3 TYPE A	4,566	SY
SURFACE UNDER GUARDRAIL	88	STA
ASPH PVMT SMOOTHNESS TESTING I/D	1,246	SY
	LUMP	LUMP

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	10,316	B DAY
BARRICADE, TYPE III	1,320	B DAY
TEMPORARY SIGN DAY	1,120	EACH
SIGN DAY	19,339	EACH
PAVEMENT MARKING REMOVAL	6,600	LF
TEMP PVMT MARKING, TYPE PAINT	7,100	LF
TEMP PVMT MARKING SURF PREP	3,300	LF
FLAGGING	160	DAY
FURNISHING AND OPERATING PILOT VEHICLE	40	DAY
CONCRETE PROTECTION BARRIER	1,225	LF
RELOCATE CONC PROTECTION BARRIER	1,225	LF
TEMPORARY RUMBLE STRIP	4	EACH
TEMPORARY TRAFFIC SIGNAL	1	EACH
TRAFFIC CONTROL MANAGEMENT	132	DAY
FIELD OFFICE	1	EACH
TRAINING	500	HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	120	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	100	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	120	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	120	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	20	HOUR
TEMPORARY SILT FENCE	1,500	LF
TEMPORARY MULCH	4	TON

NOTICE TO CONTRACTORS

CALL ORDER 415
 STATE PROJECT NO. RD-22-5(1016)
 LOCATION: IN GENOA AND EAST
 COUNTIES: NANCE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 08, 2010 . At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 2.0 MILES
 START DATE 09/20/2010 WORKING DAYS 20
 Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning March 16, 2010 at the Lincoln Central Office and March 22, 2010 at the District Engineer's Office at GRAND ISLAND

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	5	SHEETS	\$	1.25
STANDARD PLANS	7	SHEETS	\$	1.75

SHEET NO.

- 1 TITLE PAGE
- 2-T TYPICAL CROSS SECTIONS
- 2-S SUMMARY OF QUANTITIES
- 2-N GENERAL INFORMATION--MILLED RUMBLE STRIPS
- 3 TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
- 924 (3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	1,496	B DAY
BARRICADE, TYPE III	123	B DAY
TEMPORARY SIGN DAY	280	EACH
SIGN DAY	1,759	EACH
OVERLAY BROKEN LINES	213	STA
OVERLAY SOLID LINES	426	STA
FLAGGING	40	DAY
FURNISHING AND OPERATING PILOT VEHICLE	20	DAY
MOBILIZATION	LUMP	LUMP
HYDRATED LIME FOR ASPHALT MIXTURES	87	TON
ASPH CONCRETE FOR PATCHING, TYPE SP4(0.5)	800	TON
ASPH CONC, TYPE SP4(0.5)	7,820	TON
TERMINAL BLENDED CRUMB RUBBER BINDER	465	TON
TACK COAT	9,570	GAL
RENTAL OF LOADER, FULLY OPERATED	40	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	40	HOUR

RENTAL OF DUMP TRUCK, FULLY OPERATED		40 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		40 HOUR
WATER		51 MGAL
EARTH SHOULDER CONSTRUCTION		204 STA
COLD MILLING, CLASS 3		14 STA
RUMBLE STRIPS, ASPHALT		204 STA
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B		3 ACRE
MULCH		7 TON

NOTICE TO CONTRACTORS

CALL ORDER 500
 STATE PROJECT NO. F-71-2(1006)
 LOCATION: N-71, I-80 TO NORTH OF KIMBALL
 COUNTIES: KIMBALL

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 08, 2010. At that time the bids will be opened and read for GRAD CONC PAVE CULV GDRL SEED ELEC SIGN

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

Length: 5.1 MILES
 START DATE 05/17/2010 WORKING DAYS 170
 Price Range \$ 10,000,000 to \$ 15,000,000

Plans and specifications may be seen beginning March 16, 2010 at the Lincoln Central Office and March 22, 2010 at the District Engineer's Office at GERING
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	303	SHEETS	\$ 75.75
CROSS SECTIONS (SHEETS X1 THRU X214)	214	SHEETS	\$ 53.50
STANDARD PLANS	22	SHEETS	\$ 5.50

SHEET NO.

1	TITLE PAGE
2	INDEX OF SHEETS
2-T1 - 2-T10	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-A1 - 2-A11	PHOTO MAPS
2-H1 - 2-H7	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N4	GENERAL INFORMATION
2-P1 - 2-P25	PHASING PLANS
2-L1 - 2-L17	GEOMETRICS
2-L18 - 2-L43	GRADES
2-L44 - 2-L52	DRAINAGE
2-L53 - 2-L77	CONSTRUCTION & REMOVAL
2-L78 - 2-L86	EROSION CONTROL
3 - 19	PLAN & PROFILE SHEETS
20 - 22	TYPICAL URBAN TRAFFIC CONTROL PLAN
23	TYPICAL TRAFFIC CONTROL PLAN FOR CONSTRUCTING RURAL 4 LANE DIVIDED ROADWAY
24 - 32	PAVEMENT MARKING PLAN
33	PAVEMENT MARKING DETAILS
34	TEMPORARY PAVEMENT MARKING PLAN
35 - 64	SIGN REMOVAL & LOCATION PLAN
65 - 66	TRAFFIC SIGNAL PLAN
67 - 76	ROADWAY LIGHTING PLANS
77 - 82	EARTHWORK COMPUTATIONS
83 - 102	DRAINAGE STRUCTURE CROSS SECTIONS
103 - 104	SPECIAL PLAN 1C GRATE INLET
105 - 106	SPECIAL PLAN 2C GRATE INLET WITH JUNCTION BOX
107	SPECIAL PLAN 3C 5 BAR GRATE INLET
108	SPECIAL PLAN 4C CONCRETE HEADWALL
109 - 111	SPECIAL PLAN 5C TWIN MODIFIED CONCRETE HEADWALL STA. 7003+00 LT
112 - 114	SPECIAL PLAN 6C QUAD MODIFIED CONCRETE HEADWALL STA. 7009+00 LT
115 - 116	SPECIAL PLAN 7C PIER COLUMN PROTECTION STA. 687+21.72
117 - 118	SPECIAL PLAN 8C PIER COLUMN PROTECTION STA. 687+21.72
119	SPECIAL PLAN 9C REMODEL SLOPE PROTECTION STA. 687+21.72

120 - 129	SPECIAL PLAN 10C GUARDRAIL PLAN
130	SPECIAL PLAN 11C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
131 - 132	SPECIAL PLAN 12C TEMPORARY SILT CHECKS
R1 - R26	RIGHT-OF-WAY SHEETS
X1 - X214	CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
329-R7	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
428-R3	CONCRETE PLUGS AND FIELD PIPE TAP DETAILS
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
914-R6	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

PAVEMENT MARKING REMOVAL	10,860	LF
MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION	170,832	CY
EXCAVATION, BORROW	15,311	CY
WATER	3,700	MGAL
SALVAGING AND PLACING TOPSOIL	119,705	SY
REMOVE PAVEMENT	9,507	SY
REMOVE ASPHALT SURFACE	35,087	SY
REMOVE CONCRETE SLOPE PROTECTION	420	SY
24" DRIVE PIPE 2,3,4,5,6,7 OR 8	101	LF
30" DRIVE PIPE 2,3,4,5,6,7 OR 8	66	LF
AREA INLET SEDIMENT FILTER	2	EACH
REMOVE GUARDRAIL	738	LF
COVER CROP SEEDING	55	ACRE
EROSION CONTROL, CLASS 1D	8,617	SY
EROSION CONTROL, CLASS 2A	611	SY
EROSION CHECKS, TYPE 1D	427	BALE
FABRIC SILT FENCE-LOW POROSITY	3,633	LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
SAWING PAVEMENT	1,420	LF
GRAVEL SURFACE COURSE	320	CY
GRAVEL EMBEDMENT	2,041	SY
TIE BARS	264	EACH
9" IMPRINTED CONCRETE PAVEMENT	342	SY
CONC 47B-3000 MEDIAN SURFACING	1,730	SY
CONC 47B-3500 DRIVEWAY	598	SY
9" DOWELED CONC PVMT, 47B-3500	206,081	SY
12" DOWELED CONC PVMT, 47B-3500	1,152	SY
CONC SMOOTHNESS TESTING	LUMP	LUMP
4" PERFORATED PIPE UNDERDRAIN	6,083	LF
CONCRETE SLOPE PROTECTION	446	SY
YIELD LINE, PREF PVMT MARKING T-4, GROOV	20	EACH
5" WHT WET RFLC POLY PVMT MRKING, GVD	65,750	LF
5" YEL WET RFLC POLY PVMT MRKING, GVD	65,000	LF
4" WHT WET RFLC PRF PVMT MKNG T4 GVD	13,500	LF
12" WHT WET RFLC PRF PVMT MKNG T4 GVD	700	LF

12" YEL WET RFLC PRF PVMT MKNG T4 GVD	125 LF
BIT FOUNDATION COURSE	251,940 SY
GRANULAR SUBDRAIN	551 EACH
STABILIZED SUBGRADE TYPE FLY ASH	250,788 SY
TEMPORARY SURFACING	3,222 SY
SURFACING 6"	44,365 SY
PREP OF INTER & DRIVE	598 SY
WATER	1,124 MGAL
EARTH SHOULDER CONSTRUCTION	1,057 STA
SUBGRADE PREPARATION	1,152 SY
SURFACE UNDER GUARDRAIL	1,935 SY
FLY ASH	9,428 TON

GROUP 4 CULVERTS

	LUMP	LUMP
MOBILIZATION		
REMOVE INLET		1 EACH
CAST IRON COVER & FRAME		250 LB
CAST IRON GRATE & FRAME	15,930	LB
REMOVE FLARED- END SECTION		4 EACH
REMOVE HEADWALLS FROM CULV		7 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	1,083	CY
47B-3000 CONC FOR HDWL		36 CY
47B-3000 CONC FOR INLET & JUNCTION BOXES		56 CY
47B-3000 CONC FOR CONCRETE CO		4 CY
47B-3000 CONC FOR PIPE PLUG		1 CY
RE-STEEL FOR HEADWALL	3,498	LB
RE-STEEL FOR INLET & JCT BOX	3,460	LB
RE-STEEL FOR COLLARS		304 LB
15" FLARED-END SECTION		15 EACH
18" FLARED-END SECTION		1 EACH
36" FLARED-END SECTION		4 EACH
15" METAL FLARED-END SECTION		3 EACH
18" CONCRETE FLARED-END SECTION		1 EACH
36" CONCRETE FLARED-END SECTION		2 EACH
48" CONCRETE FLARED-END SECTION		1 EACH
18" CORR METAL SLOTTED PIPE	530	LF
30" CULV PIPE 2		21 LF
36" CULV PIPE 2		20 LF
48" CULV PIPE 2		32 LF
48" CULV PIPE 5		490 LF
36" CULV PIPE 2,5,7,8		163 LF
15" STORM SEWER PIPE 1,7,8		261 LF
18" STORM SEWER PIPE 1,7,8		290 LF
18" STORM SEWER PIPE 1		26 LF
15" STORM SEWER PIPE 5		349 LF
15" STORM SEWER PIPE 1,5,7 OR 8	1,056	LF

GROUP 5 SEEDING

	LUMP	LUMP
MOBILIZATION		
SEEDING, TYPE A		16 ACRE
SEEDING, TYPE B		39 ACRE
MULCH		124 TON

GROUP 7 GUARDRAIL

	LUMP	LUMP
MOBILIZATION		
47BD-4000 CONC FOR PIER PROTECTION		13 CY
EPOXY COAT RE-STEEL FOR PIER PROTECTION	4,785	LB
W-BEAM GUARDRAIL	2,037	LF
BRIDGE APPROACH SECTIONS		18 EACH
GUARDRAIL END TREATMENT, TYPE I		14 EACH

GROUP 8B ELECTRICAL

	LUMP	LUMP
MOBILIZATION		
PULL BOX, TYPE PB-1		9 EACH
PULL BOX, TYPE PB-1A		3 EACH
PULL BOX, TYPE PB-5		18 EACH
PULL BOX, TYPE PB-6		2 EACH
VEHICLE DETECTOR, TYPE A PREFORMED		16 EACH
VEHICLE DETECTOR, TYPE B PREFORMED		10 EACH
ST LIGHT UNIT SL-BT-40-12-0.25		23 EACH
LUMINAIRE, TYPE HML-A-1KW		10 EACH
LUMINAIRE, TYPE HML-V-1KW		10 EACH
HIGH MAST LIGHT UNIT T-120		1 EACH
HIGH MAST LIGHT UNIT T-140		3 EACH
FOUNDATION DESIGN		4 EACH
CONCRETE FOR FOUNDATION		60 CY
REINFORCING STEEL	4,852	LB
ANCHOR BOLTS		24 EACH
LIGHTING CONTROL CENTER, R		4 EACH
1 1/2" CONDUIT IN TRENCH	8,135	LF
2" CONDUIT IN TRENCH		96 LF
1 1/2" CONDUIT UNDER ROADWAY		658 LF
3" CONDUIT UNDER ROADWAY		372 LF
1 1/2" CONDUIT, JACKED		72 LF
STREET LIGHT CABLE, NO. 1 USE	2,660	LF
STREET LIGHT CABLE, NO. 2 USE	5,596	LF
STREET LIGHT CABLE, NO. 6 BARE	8,865	LF
STREET LIGHT CABLE, NO. 6 USE	9,474	LF
CROSSOVER LIGHTING SYSTEM		1 EACH
OPER & MAINT OF CROSSOVER LIGHT SYSTEM	412	DAY

GROUP 8C SIGNING

	LUMP	LUMP
MOBILIZATION		
REMOVE SIGN		3 EACH
TYPE A SIGN		444 SF
TYPE B SIGN	2,352	SF
INSTALL TYPE B SIGN		537 SF
4" X 4" WOOD SIGN SUPPORT		120 LF
4" X 6" WOOD SIGN SUPPORT		782 LF
STRUC STEEL FOR SIGN SUPPORTS	14,768	LB
24" SIGN SUPPORT FOOTING		22 EACH
30" SIGN SUPPORT FOOTING		8 EACH
36" SIGN SUPPORT FOOTING		8 EACH
REMOVE SIGN, POST, AND FOOTING		64 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	5,900	BDAY
BARRICADE, TYPE III	7,153	BDAY
TEMPORARY SIGN DAY	240	EACH
SIGN DAY	15,557	EACH
CONTRACTOR FURNISHED SIGN DAY	2,353	EACH
TEMP PAVEMENT MARKING REMOVAL	15,860	LF
TEMP PVMT MARKING, TYPE PAINT	15,860	LF
FLASHING ARROW PANEL	234	DAY
TRAFFIC CONTROL MANAGEMENT	292	DAY
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	70	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	70	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	70	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	70	HOUR
TEMPORARY SILT CHECK	1,500	LF
TEMPORARY SILT FENCE	3,000	LF
TEMPORARY EARTH CHECK	1,500	LF
TEMPORARY MULCH	6	TON

STANDARD PLANS

501-R5 (3 SHEETS) EROSION CONTROL
 502 SILT FENCE DETAILS
 901-R9 HIGHWAY DELINEATORS
 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE B		41 ACRE
EROSION CONTROL, CLASS 1D	10,830	SY
MULCH		92 TON

GROUP 6 BRIDGE AT STA. 936+53.00 LT.

MOBILIZATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE B		74 LF
47BD-4000 CONC FOR BRIDGE		3 CY
PREP BRIDGE		1 EACH
STA. 936+53 LT.		
ROADWAY JOINTS	74	LF

GROUP 6A BRIDGE AT STA. 936+53.00 RT.

MOBILIZATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE B		74 LF
47BD-4000 CONC FOR BRIDGE		3 CY
PREP BRIDGE		1 EACH
STA. 936+53 RT.		
ROADWAY JOINTS	74	LF

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		46 MGAL
EARTHWORK MEASURED IN EMBANKMENT	2,030	CY
47BD-4000 CONC FOR PIER PROTECTION		11 CY
EPOXY COAT RE-STEEL FOR PIER PROTECTION	4,090	LB
CULV MOUNTED GDRL POST		6 EACH
W-BEAM GUARDRAIL	862	LF
THRIE-BEAM GUARDRAIL	550	LF
REMOVE GUARDRAIL	2,212	LF
REMOVE & SALVAGE GUARDRAIL	2,850	LF
RESET GUARDRAIL	2,850	LF
BRIDGE APPROACH SECTIONS		4 EACH
BULLNOSE-12.5'		6 EACH
GUARDRAIL END TREATMENT, TYPE I		4 EACH
GUARDRAIL POSTS	10	EACH

GROUP 9 BITUMINOUS

MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE I		376 EACH
DELINEATOR, TYPE II		163 EACH
CONC PVMT REPAIR TYPE A FULL DEPTH		23 CY
CONC PVMT REPAIR TYPE B FULL DEPTH		53 CY
CONC PVMT REPAIR TYPE C FULL DEPTH		180 CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH		309 CY
CONC PVMT, PR-3500	1,584	CY
JOINT REPAIR		

BRIDGE APPROACH REPAIR	11	CY
5" WHT WET RFLC THERMOPLSTC PVMT MRK,GVD	126,150	LF
5" YEL WET RFLC THERMOPLSTC PVMT MRK,GVD	100,150	LF
12" WHT WET RFLC PRF PVMT MKNG T4 GVD	6,000	LF
HYDRATED LIME FOR ASPHALT MIXTURES	700	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	1	TON
FOUNDATION COURSE REPLACEMENT	118	CY
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP5(0.375)	100	TON
ASPH CONCRETE FOR PATCHING, TYPE SPS	400	TON
ASPH CONC, TYPE SPS	21,270	TON
ASPH CONC, TYPE SP5(0.375)	69,970	TON
PERF GRAD BIND (70-28)FOR ST MAINT PATCH	5	TON
PERF GRADED BINDER (70-28)	3,498	TON
PERF GRADED BINDER (52-34)	1,083	TON
TACK COAT	101,380	GAL
WATER	540	MGAL
EARTH SHOULDER CONSTRUCTION	2,137	STA
SUBGRADE PREPARATION	209	SY
MILLING CONC FOR INLAYS	20	EACH
RUMBLE STRIPS, ASPHALT	1,981	STA
SURFACE UNDER GUARDRAIL	1,239	SY
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

GROUP 10 GENERAL ITEMS

SURV OF TEMP TRAFFIC CONT DEVICES	376	CDAY
BARRICADE, TYPE II	61,740	BDAY
BARRICADE, TYPE III	3,135	BDAY
TEMPORARY SIGN DAY	9,720	EACH
SIGN DAY	15,792	EACH
OVERLAY BROKEN LINES	1,969	STA
OVERLAY SOLID LINES	3,938	STA
FLASHING ARROW PANEL	613	DAY
CONCRETE PROTECTION BARRIER	525	LF
RELOCATE CONC PROTECTION BARRIER	2,775	LF
RELOC INERTIAL BARRIER SYSTEM	8	EACH
INERTIAL BARRIER SYSTEM	2	EACH
REPLACEMENT MODULE	18	EACH
FIELD OFFICE	1	EACH
TRAINING	2,000	HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	50	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	45	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	50	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	50	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5	HOUR
TEMPORARY SILT FENCE	500	LF

NOTICE TO CONTRACTORS

CALL ORDER 610
 STATE PROJECT NO. RD-83-2(1030)
 LOCATION: US-83, NORTH OF NORTH PLATTE
 COUNTIES: LINCOLN

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 08, 2010. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 7.4 MILES
 START DATE 07/19/2010 WORKING DAYS 60
 Price Range \$ 1,000,000 to \$ 3,000,000

Plans and specifications may be seen beginning March 16, 2010 at the Lincoln Central Office and March 22, 2010 at the District Engineer's Office at NORTH PLATTE
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	4 SHEETS	\$	1.00
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
& TYPICAL CROSS SECTIONS
- 2-N GENERAL INFORMATION--MILLED RUMBLE STRIPS
- 3 TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	36,608	BDAY
BARRICADE, TYPE III	416	BDAY
TEMPORARY SIGN DAY	840	EACH
SIGN DAY	8,008	EACH
OVERLAY BROKEN LINES	1,563	STA
OVERLAY SOLID LINES	3,126	STA
FLAGGING	120	DAY
FURNISHING AND OPERATING PILOT VEHICLE	60	DAY
TRAFFIC CONTROL MANAGEMENT	104	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
HYDRATED LIME FOR ASPHALT MIXTURES	112	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	1	TON
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP4(0.5)	100	TON
ASPH CONCRETE FOR PATCHING, TYPE SPS	300	TON
ASPH CONCRETE FOR PATCHING, TYPE HRB	300	TON
ASPH CONC, TYPE SPS	7,660	TON
ASPH CONC, TYPE SP4(0.5)	11,290	TON
HIGH RAP BASE	11,610	TON
PERF GRAD BIND (64-28)FOR ST MAINT PATCH	4	TON

PERF GRADED BINDER (58-34)	387 TON
PERF GRADED BINDER (64-28)	541 TON
PERF GRADED BINDER (52-34)	302 TON
TACK COAT	31,252 GAL
FOG SEAL	200 GAL
RENTAL OF LOADER, FULLY OPERATED	80 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	80 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	80 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	80 HOUR
COLD MILLING, CLASS 3	390 STA
COLD MILLING, CLASS 3	390 STA
TYPE A	
COLD MILLING, CLASS 3	781 STA
TYPE B	
RUMBLE STRIPS, ASPHALT	781 STA
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP

Document No.

Plan and Informational Proposal Order Form

Projects to be bid on:
April 8, 2010

Payment required for plans prior to NDOR completing this order.
 dor.ContractsOnlineOrders@nebraska.gov FAX: (402) 479-4845

<input type="checkbox"/> Check/Cash	Receipt No.
<input type="checkbox"/> Advance Plans Account No.	
Credit Card	
<input type="checkbox"/> Visa	<input type="checkbox"/> MasterCard
Expiration Date:	
Card No.:	

Please indicate: <input type="checkbox"/> Mail <input type="checkbox"/> Hold	<input type="checkbox"/> Fed Ex. Standard Overnight	Comments:	FOR OFFICE USE ONLY	
	<input type="checkbox"/> Fed Ex. Priority Overnight		Reference I.D.:	_____
<input type="checkbox"/> UPS Overnight	Acct. No.		Authorization Code:	_____ Date: _____

4-Digit Vendor No.:	Ordered By:	Grand Total - Informational Proposals: x \$5.00
Company:		All plans in letting on CD: x \$25.00
Street Address:		Grand Total - 1/2 Size Plans: x \$.25
		Grand Total - Full Size Plans: x \$ 50
PO Box:	City:	State:
		Zip Code:
Phone No.:	Fax No.:	Subtotal
		Tax Code
		Sales Tax
		%
Processed by:	Date:	Proposals/CD Filled:
		Blueprint Plans/Proposals Filled:
		Date:
		Total

If requesting Plan or Proposal CD(s) only, your name will not appear on the Planholders list unless your company has been issued Bid Proposals or you submit the "Planholders Registration" from the NDOR website.

CD containing Informational Proposals for all projects in letting. (No Charge)		Total Number Requested: →		Number of Informational Proposals
Call No.	Project No.	No. of Sheets		
		1/2	Full	
100	NH-77-1(119)			
200	RD-31-2(1010)			
300	RD-12-5(1012)			
305	RD-39-3(1005)			
405	RD-39-3(1006)			
410	STP-39-2(106)			
415	RD-22-5(1016)			
500	F-71-2(1006)			
605	IM-80-5(68)			
610	RD-83-2(1030)			

Standard Plans: Refer to "Publication Order Form" for complete sets of Standard Plans and Standard/Special Plans Books

Number of Sets Requested	Standard Plan No.(s)	Number of Sheets Shown in List of Plans	Check Size		Total No. of Sheets	
			1/2	Full	1/2	Full
			<input type="checkbox"/>	<input type="checkbox"/>		

