

September 2, 2010

TO ALL CONCERNED:

The Department of Roads has scheduled a bid letting to be held in this office September 30, 2010 at 1:30 p.m.

The Notice to Contractors includes:

1. Website Information
2. Notice to all Bidders
3. [Ordering](#) Instructions
4. Notices to Contractors including time allowances and lists of plans
5. Plan and Informational Proposal Order Form
6. R-125 "Request for Bidding Proposal Forms"

Projects containing DBE Goals are indicated in the "Notice to Contractors".

Please check the important letting information on the website frequently.

The last day to submit acceptable prequalification statements for this letting is by 5:00 p.m. on Monday, September 20, 2010.

Sincerely,

Jay K. Brinkmeyer, Supervisor
Contract Lettings Section
Construction Division

JKB/d

WEBSITE INFORMATION

The Nebraska Department of Roads, Contract Lettings Section, will be utilizing the Internet as our means of communicating with the contracting industry.

Documents that are posted on the web are:

- Letting Schedule
- Notices to Contractors
- Informational Proposals
- Letting Plans
- List of Prequalified Contractors
- Planholders List
- Informational Addendums
- EBS (Electronic Bidding System)
- Apparent Low Bidders
- Bid Tabulations
- Standard Item Listing
- Awarded Average Unit Prices (AUP) Report

Hard copies of these documents will be available for inspection in the Contracts Office.

There will be a charge for reproduction of any of these documents.

The Website address is: www.Transportation.Nebraska.gov

If you have any questions as you are using our Website, please contact us at:

Nebraska Department of Roads
Contract Lettings Section
P.O. Box 94759
Lincoln, NE 68509-4759

Phone (402) 479-4525
FAX (402) 479-3803

Email: DOR.ContractLettings@nebraska.gov

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free “hotline” Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the “hotline” to report such activities.

The “hotline” is part of the DOT’s continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

ORDERING INSTRUCTIONS FOR PLANS AND PROPOSALS

Refer to the "Notice to Contractors" for the call order number, project number, and list of plans for each project.

Order forms are available on the NDOR website in PDF and Word format. Complete the appropriate forms as follows:

Request for Bidding Proposal Forms (R-125)

Bidders must submit an R-125, Request for Bidding Proposals Forms and be issued bid proposals prior to submitting bids.

Proposals to be used for bidding must be requested on this form. Bidding proposals will be issued only to contractors who are currently prequalified to bid with this department.

There is no charge for bid proposals.

Plan and Informational Proposal Order Form:

Payment is required prior to NDOR completing the order. This payment is not refundable.

Proposals to be used for information only can be ordered as follows:

1. Each individual project.
2. CD that contains all projects in letting. Does not contain addenda.

Plans for each project can be ordered as follows:

1. Complete set.
2. Set less Roadway Cross-Sections and Standards.
3. Set less Standards.
4. Set less Roadway Cross-Sections.
5. Individual sheets
6. CD that contains all projects in letting.

Prices are: Informational Proposals: \$5.00 each
CD containing Informational Proposals: No Charge
Plans per sheet: \$.25 for half-size (12" x 18")
\$.50 for full-size (24" x 36")
CD containing plans: \$25.00 each

Cost shown on the list of plans is for ½ size plans. Nebraska residents add appropriate state sales tax and city tax that is determined by delivery within cities imposing a sales tax.

Select the method of payment on the plan order form:

1. Credit Card (Visa or MasterCard only)
Orders with approved credit cards can be processed without delays.
2. Advanced payment account
Requires a money deposit with recommended \$200 minimum. Failure to have sufficient funds in your account to cover cost of the plans may delay the processing of your order.
This account may also be used to purchase other NDOR publications.
3. Check/cash
Send checks made payable to the Nebraska Dept. of Roads with your completed plan order form. Please do not mail cash.

To order complete sets of standard plans (1/2 size) please use the "Publications Order Form" available on the website. Cost is \$35.00 plus applicable sales tax. As new standards become available they may be purchased at \$0.25 per sheet.

Address: Nebraska Department of Roads
Contracts Section
1500 Highway 2
PO Box 94759
Lincoln NE 68509-4759

FAX (402) 479-3803

Phone: (402) 479-4525

Email: DOR.ContractLettings@nebraska.gov

October 10, 2008

NOTICE TO CONTRACTORS

CALL ORDER 100

FEDERAL PROJECT NO. IM-NH-80-9(554)
IM-NH-80-9(715)
IM-NH-80-9(833)
IM-NH-80-9(843)
IM-NH-80-9(850)

LOCATION: I-80, SALT CREEK BR, WB WAVERLY INTERCHANGE BR, STREAM BR W
OF WAVERLY, STREAM BR W OF 98TH ST., 56TH ST.-WAVERLY
INTERCHANGE
COUNTIES: LANCASTER

The Nebraska Department of Roads will receive sealed bids in Room 104
of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on
September 30, 2010. At that time the bids will be opened and read for
GRAD, CONC PAVE, CULV, SEED, BR, GDRL, FENCE, ELEC, SIGN

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR
WHO IS QUALIFIED FOR: CONCRETE PAVEMENT BRIDGES GENERAL (ALL CLASSES)

Length: 4.3 MILES
START DATE 11/01/2010 CALENDAR DAYS 1322
Price Range \$ 35,000,000 to \$ 55,000,000
THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning September 07, 2010 at the Lincoln
Central Office and September 13, 2010 at the District Engineer's Office at LINCOLN
Additional letting information may be found at the Nebraska Department of Roads
Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal
requirements will apply.

NOTICE TO BIDDERS

To be eligible for the award of this contract, bidders shall submit a completed bidding
proposal for Call Order No. 100, {Project No. IM-NH-80-9(554), IM-NH-80-9(715), IM-NH-80-9(833),
IM-NH-80-9(843), IM-NH-80-9(850)} and Call Order No. 105, {Project No. IM-NH-80-9(849)}.
Award of Contract, if awarded, will be made on the combined
bid for these call order nos. Separate contracts will be awarded for each Call Order Number.
Please order plans and proposals accordingly.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	474	SHEETS	\$ 118.50
CROSS SECTIONS (SHEETS X1 THRU X264)	264	SHEETS	\$ 66.00
STANDARD PLANS	29	SHEETS	\$ 7.25

IM-NH-80-9(554)

SHEET NO.			
1	TITLE PAGE		
2-S1 - 2-S2	SUMMARY OF QUANTITIES		
3 - 37	SPECIAL PLAN 1	PRESTRESSED CONCRETE GIRDER BRIDGE (NU2000)	
		STA. 1077+80.58	
38 - 73	SPECIAL PLAN 2	STEEL WELDED PLATE GIRDER BRIDGE	
		STA. 1077+80.58	

IM-NH-80-9(715)

SHEET NO.			
1	TITLE PAGE		
2-S	SUMMARY OF QUANTITIES		
3 - 34	SPECIAL PLAN 1	NU1600 CONCRETE GIRDER BRIDGE	
		STA. 1172+89.08	

IM-NH-80-9(833)

SHEET NO.			
1	TITLE PAGE		
2-S	SUMMARY OF QUANTITIES		
3 - 29	SPECIAL PLAN 1	PRESTRESSED CONCRETE GIRDER BRIDGE (IT400)	
		STA. 1146+61.23	

IM-NH-80-9(843)

SHEET NO.	
1	TITLE PAGE
2-S	SUMMARY OF QUANTITIES
3 - 31	SPECIAL PLAN 1 PRESTRESSED CONCRETE GIRDER BRIDGE (IT400) STA. 1117+48.48

IM-NH-80-9(850)

SHEET NO.	
1	TITLE PAGE
2	INDEX OF SHEETS
2-T1 - 2-T4	TYPICAL CROSS SECTIONS
2-S1 - 2-S3	SUMMARY OF QUANTITIES
2-K	SUMMARY OF SOILS & GEOTECHNICAL INFORMATION
2-W1 - 2-W9	WETLANDS
2-H1 - 2-H8	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N7	GENERAL INFORMATION & DETOUR LOCATION MAP
2-P1 - 2-P24	PHASING PLANS--REMOVALS
2-P25 - 2-P53	PHASING PLANS--CONSTRUCTION
2-L1 - 2-L7	FENCING
2-L8 - 2-L16	JOINTS & GRADES
2-L17 - 2-L33	DRAINAGE
2-L34 - 2-L42	CONSTRUCTION & REMOVALS
2-L43 - 2-L62	EROSION CONTROL
3 - 13	PLAN & PROFILE SHEETS
14 - 30	TEMPORARY TRAFFIC CONTROL PLAN--PHASE 1-5
31	TEMPORARY GLARE SCREEN INSTALLATION
32	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
33	TYPICAL TRAFFIC CONTROL--FREEWAY RAMP CLOSURE
34	TYPICAL TRAFFIC CONTROL PLAN--FREEWAY CLOSURE
35	TYPICAL TRAFFIC CONTROL PLAN--INERTIAL BARRIER SYSTEM
36 - 37	SIGN REMOVAL PLAN
38 - 39	SIGN INSTALLATION PLAN
40 - 44	DESIGN DETAILS--SPECIAL GUIDE SIGNS
45	TYPICAL SIGN INSTALLATION
46	BREAK-AWAY TYPE POST DETAILS FOR TYPE "B" SIGNS
47	TYPE "B" GUIDE SIGN PANELS--FABRICATION & MOUNTING DETAILS
48 - 50	DYNAMIC MESSAGE SIGN PLAN
51	OVERHEAD SIGN & LIGHT TOWER DETAIL
52 - 54	TRAFFIC SIGNAL PLAN--WAVERLY INTERCHANGE
55 - 63	TEMPORARY PAVEMENT MARKING--PHASES
64 - 66	PAVEMENT MARKING PLAN
67	TYPICAL PAVEMENT MARKING PLAN--4" PAVEMENT MARKING
68	TYPICAL PAVEMENT MARKING PLAN--INTERSTATE/EXPRESSWAY
69	TEMPORARY PAVEMENT MARKING PLAN
70 - 79	LIGHTING PLANS
80 - 85	EARTHWORK DATA SHEETS
86 - 111	DRAINAGE STRUCTURE CROSS SECTIONS
112 - 113	SPECIAL PLAN 1C CONCRETE FLUME, TYPE IV
114	SPECIAL PLAN 2C CONCRETE HEADWALL
115 - 116	SPECIAL PLAN 3C 5-BAR GRATE INLET WITH CURBS
117	SPECIAL PLAN 4C 5-BAR GRATE INLET (FOR LONGITUDINAL PIPE 20" OR LESS)
118 - 120	SPECIAL PLAN 5C SLOTTED VANE MOUNTABLE CURB INLET
121 - 123	SPECIAL PLAN 6C 6' X 6' SINGLE SPAN RC BOX CULVERT STA. 1024+52.67 LT
124 - 125	SPECIAL PLAN 7C 8' X 3' TWIN SPAN RC BOX CULVERT STA. 1208+73.52 RT
126 - 141	SPECIAL PLAN 8C GUARDRAIL PLAN
142	SPECIAL PLAN 9C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
143 - 144	SPECIAL PLAN 10C TEMPORARY SILT CHECKS
145 - 146	SPECIAL PLAN 11C CONCRETE PROTECTION BARRIER
R1 - R13	RIGHT-OF-WAY SHEETS
X1 - X264	CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
329-R7	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
403-R2	(2 SHEETS) BENDS AND BREAKS FOR CONCRETE BOX CULVERTS
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
710-R4	(2 SHEETS) FENCE DETAILS
804	PRECAST CONCRETE R.O.W. MARKER
901-R9	HIGHWAY DELINEATORS
902	HIGHWAY DELINEATORS FOR RAMP AND GORE LOCATIONS
910-R2	SIGNAL FACE CONFIGURATION
914-R6	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		20,767 CY
WATER		3,584 MGAL
RIGHT-OF-WAY MARKERS		4 EACH
EARTHWORK MEASURED IN EMBANKMENT		716,856 CY
SALVAGING AND PLACING TOPSOIL		341,040 SY
RIPRAP FILTER FABRIC		386 SY
REMOVE & STOCKPILE PAVEMENT		175,915 SY
SAWING PAVEMENT		3,400 LF
REMOVE FENCE		36,098 LF
REMOVE CONCRETE SLOPE PROTECTION		240 SY
ROCK RIPRAP, TYPE A		77 TON
ROCK RIPRAP, TYPE B		102 TON
ROCK RIPRAP, TYPE C		134 TON
REMOVE GUARDRAIL		7,025 LF
COVER CROP SEEDING		96 ACRE
TEMPORARY SEEDING		4 ACRE
EROSION CONTROL, CLASS 1D		108,600 SY
EROSION CONTROL, CLASS 1E		1,799 SY
EROSION CONTROL, CLASS 1F		3,354 SY
EROSION CONTROL, CLASS 2A		2,516 SY
EROSION CHECKS, TYPE 1D		315 BALE
EROSION CHECKS, TYPE 1E		56 BALE
EROSION CHECKS, TYPE 1F		147 BALE
EROSION CHECKS, TYPE 2A		56 BALE
EROSION CHECKS, TYPE WATTLE		5,041 LF
FABRIC SILT FENCE-LOW POROSITY		31,471 LF
FABRIC SILT FENCE-HIGH POROSITY		456 LF
SLASH MULCH		3,000 CY

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
FLEXIBLE POST DELINEATOR		290 EACH
CRUSHED ROCK EMBEDMENT		30,009 SY
CRUSHED ROCK SURFACE COURSE		4,486 TON
CONC 47B-3000 MEDIAN SURFACING		93 SY
10" CONC PVMT, 47B-3500		762 SY
13" DOWELED CONC PVMT, 47B-3500		307,164 SY

10" CONC PVMT, BX-3000	18,621	SY
CONC SMOOTHNESS TESTING	LUMP	LUMP
CONCRETE FLUME, TYPE IV	2	EACH
5" WHT WET RFLC POLY PVMT MRKING, GVD	61,500	LF
5" YEL WET RFLC POLY PVMT MRKING, GVD	60,250	LF
4" WHT WET RFLC PRF PVMT MKNG T4 GVD	30,750	LF
12" WHT WET RFLC PRF PVMT MKNG T4 GVD	3,200	LF
ARROW, WET RFLC PRF PVMT MKNG, T 4 GVD	6	EACH
HYDRATED LIME	5,702	TON
FOUNDATION COURSE	325,785	SY
6"		
GRANULAR SUBDRAIN	412	EACH
LONGITUDINAL SUBDRAIN	81,983	LF
STABILIZED SUBGRADE	307,164	SY
TYPE LIME		
STABILIZED SUBGRADE	18,621	SY
TYPE FLY ASH		
TEMPORARY ASPHALT SURFACING	11,525	SY
10"		
SURFACING 8"	720	SY
WATER	1,243	MGAL
EARTH SHOULDER CONSTRUCTION	1,045	STA
SUBGRADE PREPARATION	720	SY
COLD MILLING, CLASS 4	81,178	SY
TYPE A		
COLD MILLING, CLASS 4	138,298	SY
TYPE B		
SURFACE UNDER GUARDRAIL	3,335	SY
FLY ASH	615	TON
15" CULV PIPE 3,4,5,6	89	LF

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE CATCH BASIN	3	EACH
REMOVE INLET	32	EACH
CAST IRON GRATE & FRAME	20,760	LB
REMOVE FLARED- END SECTION	50	EACH
REMOVE HEADWALLS FROM CULV	25	EACH
PREPARATION OF STRUCTURE	1	EACH
AT STA. 1024+52.67		
PREPARATION OF STRUCTURE	1	EACH
AT STA. 1208+74		
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	6,678	CY
EXCAVATION FOR BOX CULVERTS	189	CY
47B-3000 CONC FOR HDWL	1	CY
47B-3000 CONC FOR BOX CULV	223	CY
47B-3000 CONC FOR INLET & JUNCTION BOXES	63	CY
47B-3000 CONC FOR CONCRETE CO	23	CY
RE-STEEL FOR HEADWALL	300	LB
RE-STEEL FOR BOX CULVERT	19,868	LB
RE-STEEL FOR INLET & JCT BOX	5,173	LB
RE-STEEL FOR COLLARS	1,497	LB
18" FLARED-END SECTION	50	EACH
24" FLARED-END SECTION	3	EACH
30" FLARED-END SECTION	2	EACH
36" FLARED-END SECTION	8	EACH
48" FLARED-END SECTION	8	EACH
36" RND EQUIV FLARED-END SECTION	1	EACH
18" METAL FLARED-END SECTION	3	EACH
30" CONCRETE FLARED-END SECTION	2	EACH
36" CONCRETE FLARED-END SECTION	2	EACH
54" CONCRETE FLARED-END SECTION	2	EACH
CULVERT SANDFILL	354	CY
18" CORR METAL SLOTTED PIPE	103	LF
REMOVE STRUCTURE	1	EACH
AT STA. 1119+82		

18" CULV PIPE 2,3,4,5,6,7,8	220 LF
24" CULV PIPE 2,3,4,5,6,7,8	312 LF
36" CULV PIPE 2,3,4,5,6,7,8	94 LF
30" CULV PIPE 2	198 LF
36" CULV PIPE 2	114 LF
54" CULV PIPE 2	119 LF
18" CULV PIPE 5	407 LF
48" CULV PIPE 2,5	360 LF
36" RND EQUIV CULV PIPE 2,5	57 LF
18" CULV PIPE 2,5,7,8	4,145 LF
24" CULV PIPE 2,5,7,8	128 LF
30" CULV PIPE 2,5,7,8	254 LF
36" CULV PIPE 2,5,7,8	685 LF
12" CULV PIPE 2,3,4,5,8	2,130 LF

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE A		51 ACRE
SEEDING, TYPE B		45 ACRE
MULCH		216 TON

GROUP 6 BRIDGE AT STA. 1077+80.58 RT.

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		270 CY
RIPRAP FILTER FABRIC		84 SY
INTERLOCKING CONCRETE PAVER BLOCK		2,058 SF
CONC FOR PVMT APPROACHES CLASS 47BD-4000		282 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		51,920 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PIER NO.2 EXCAVATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE A		146 LF
EXPANSION BEARING, TFE TYPE		24 EACH
FIXED BEARING		12 EACH
47B-3000 CONC FOR BRIDGE		824 CY
47BD-4000 CONC FOR BRIDGE		883 CY
PRECAST/PRESTRESSED CONC SUPERSTR 1077+80.58 RT.	LUMP	LUMP
REMOVE STRUCTURE AT STA. 1078+25.89 RT.		1 EACH
ACCESS BRIDGE	LUMP	LUMP
STRUC STEEL FOR SUBSTRUCTURE		2,150 LB
STEEL DIAPHRAGM		15 EACH
BROKEN CONCRETE RIPRAP		1,470 TON
ROCK RIPRAP, TYPE B		235 TON
EPOXY COATED RE-STEEL		271,655 LB
SUBSURFACE DRAINAGE MATTING		182 SY
HP 12"X53# STEEL PILING		9,570 LF
TEST PILE		4 EACH
STEEL SHEET PILING		4,151 SF
GRANULAR BACKFILL		550 CY

GROUP 6A BRIDGE AT STA. 1077+80.58 LT.

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		270 CY
RIPRAP FILTER FABRIC		84 SY
INTERLOCKING CONCRETE PAVER BLOCK		2,058 SF
CONC FOR PVMT APPROACHES CLASS 47BD-4000		282 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		51,920 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PIER NO.2 EXCAVATION	LUMP	LUMP

PREFORMED EXPANSION JOINT, TYPE A	146	LF
EXPANSION BEARING, TFE TYPE	24	EACH
FIXED BEARING	12	EACH
47B-3000 CONC FOR BRIDGE	823	CY
47BD-4000 CONC FOR BRIDGE	883	CY
PRECAST/PRESTRESSED CONC SUPERSTR 1077+80.58 LT.	LUMP	LUMP
REMOVE STRUCTURE AT STA. 1077+76.56 LT.	1	EACH
ACCESS BRIDGE	LUMP	LUMP
STRUC STEEL FOR SUBSTRUCTURE	2,150	LB
STEEL DIAPHRAGM	15	EACH
BROKEN CONCRETE RIPRAP	1,470	TON
ROCK RIPRAP, TYPE B	235	TON
EPOXY COATED RE-STEEL	271,760	LB
SUBSURFACE DRAINAGE MATTING	182	SY
HP 12"X53# STEEL PILING	9,175	LF
TEST PILE	4	EACH
STEEL SHEET PILING	4,151	SF
GRANULAR BACKFILL	550	CY

GROUP 6B BRIDGE AT STA. 1077+80.58 RT.

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	270	CY
RIPRAP FILTER FABRIC	84	SY
INTERLOCKING CONCRETE PAVER BLOCK	2,058	SF
CONC FOR PVMT APPROACHES CLASS 47BD-4000	282	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	51,920	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PIER NO.2 EXCAVATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE A	146	LF
EXPANSION BEARING, TFE TYPE	18	EACH
FIXED BEARING	6	EACH
47B-3000 CONC FOR BRIDGE	813	CY
47BD-4000 CONC FOR BRIDGE	697	CY
REMOVE STRUCTURE AT STA. 1078+25.89 RT.	1	EACH
ACCESS BRIDGE	LUMP	LUMP
STEEL SUPERSTRUCTURE 1077+80.58 RT.	LUMP	LUMP
STRUC STEEL FOR SUBSTRUCTURE	1,675	LB
BROKEN CONCRETE RIPRAP	1,470	TON
ROCK RIPRAP, TYPE B	235	TON
EPOXY COATED RE-STEEL	258,285	LB
SUBSURFACE DRAINAGE MATTING	143	SY
HP 12"X53# STEEL PILING	8,505	LF
STEEL SHEET PILING	4,717	SF
GRANULAR BACKFILL	450	CY

GROUP 6C BRIDGE AT STA. 1077+80.58 LT.

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	270	CY
RIPRAP FILTER FABRIC	84	SY
INTERLOCKING CONCRETE PAVER BLOCK	2,058	SF
CONC FOR PVMT APPROACHES CLASS 47BD-4000	282	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	51,920	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PIER NO.2 EXCAVATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE A	146	LF
EXPANSION BEARING, TFE TYPE	18	EACH
FIXED BEARING	6	EACH

47B-3000 CONC FOR BRIDGE		813	CY
47BD-4000 CONC FOR BRIDGE		697	CY
REMOVE STRUCTURE		1	EACH
AT STA. 1077+76.56 LT.			
ACCESS BRIDGE	LUMP		LUMP
STEEL SUPERSTRUCTURE	LUMP		LUMP
1077+80.58 LT.			
STRUC STEEL FOR SUBSTRUCTURE		1,675	LB
BROKEN CONCRETE RIPRAP		1,470	TON
ROCK RIPRAP, TYPE B		235	TON
EPOXY COATED RE-STEEL		258,285	LB
SUBSURFACE DRAINAGE MATTING		143	SY
HP 12"X53# STEEL PILING		8,370	LF
STEEL SHEET PILING		4,717	SF
GRANULAR BACKFILL		450	CY

GROUP 6D BRIDGE AT STA. 1172+89.08 LT.

MOBILIZATION	LUMP		LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		380	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		72,365	LB
ABUTMENT NO.1 EXCAVATION	LUMP		LUMP
ABUTMENT NO.2 EXCAVATION	LUMP		LUMP
PIER NO.1 EXCAVATION	LUMP		LUMP
PIER NO.2 EXCAVATION	LUMP		LUMP
PIER NO.3 EXCAVATION	LUMP		LUMP
PREFORMED EXPANSION JOINT, TYPE A		170	LF
EXPANSION BEARING, TFE TYPE		36	EACH
FIXED BEARING		18	EACH
47B-3000 CONC FOR BRIDGE		922	CY
47BD-4000 CONC FOR BRIDGE		1,228	CY
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP		LUMP
1172+89.08 LT.			
REMOVE STRUCTURE		1	EACH
AT STA. 1172+64.95 RT.			
REMOVE STRUCTURE		1	EACH
AT STA. 1173+14.57 LT.			
STRUC STEEL FOR SUBSTRUCTURE		6,780	LB
FLOOR DRAINS		4	EACH
CONCRETE SLOPE PROTECTION		2,122	SY
EPOXY COATED RE-STEEL		478,250	LB
SUBSURFACE DRAINAGE MATTING		140	SY
CONCRETE PILING		2,810	LF
PIPE PILING		2,280	LF
DRILLED SHAFT		585	LF
84"			
DRAINAGE SYSTEM		1	EACH
1172+89.08 LT.			
1 1/2" CONDUIT IN BRIDGE		537	LF
GRANULAR BACKFILL		710	CY

GROUP 6E BRIDGE AT STA. 1146+61.23 RT.

MOBILIZATION	LUMP		LUMP
EXCAVATION (ESTABLISHED QUANTITY)		75	CY
RIPRAP FILTER FABRIC		347	SY
INTERLOCKING CONCRETE PAVER BLOCK		1,530	SF
CONC FOR PVMT APPROACHES CLASS 47BD-4000		280	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		51,115	LB
ABUTMENT NO.1 EXCAVATION	LUMP		LUMP
ABUTMENT NO.2 EXCAVATION	LUMP		LUMP
BENT NO.1 EXCAVATION	LUMP		LUMP
BENT NO.2 EXCAVATION	LUMP		LUMP
PREFORMED EXPANSION JOINT, TYPE B		129	LF
47B-3000 CONC FOR BRIDGE		306	CY
47BD-4000 CONC FOR BRIDGE		261	CY

PRECAST/PRESTRESSED CONC SUPERSTR 1146+61.23 RT.	LUMP	LUMP
REMOVE STRUCTURE AT STA. 1146+61.23 RT.		1 EACH
ACCESS CROSSING	LUMP	LUMP
STRUC STEEL FOR SUBSTRUCTURE		835 LB
STEEL DIAPHRAGM		18 EACH
BROKEN CONCRETE RIPRAP		570 TON
ROCK RIPRAP, TYPE B		80 TON
EPOXY COATED RE-STEEL		107,700 LB
SUBSURFACE DRAINAGE MATTING		76 SY
HP 12"X53# STEEL PILING		6,540 LF
STEEL SHEET PILING		3,640 SF
TEMP BRIDGE SHORING RT.	LUMP	LUMP

GRANULAR BACKFILL		295 CY
-------------------	--	--------

GROUP 6F BRIDGE AT STA. 1146+61.23 LT.

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		75 CY
RIPRAP FILTER FABRIC		347 SY
INTERLOCKING CONCRETE PAVER BLOCK		1,530 SF
CONC FOR PVMT APPROACHES CLASS 47BD-4000		280 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		51,020 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE B		129 LF
47B-3000 CONC FOR BRIDGE		306 CY
47BD-4000 CONC FOR BRIDGE		261 CY
PRECAST/PRESTRESSED CONC SUPERSTR 1146+61.23 LT.	LUMP	LUMP
REMOVE STRUCTURE AT STA. 1146+61.23 LT.		1 EACH
ACCESS CROSSING	LUMP	LUMP
STRUC STEEL FOR SUBSTRUCTURE		835 LB
STEEL DIAPHRAGM		12 EACH
BROKEN CONCRETE RIPRAP		570 TON
ROCK RIPRAP, TYPE B		80 TON
EPOXY COATED RE-STEEL		107,830 LB
SUBSURFACE DRAINAGE MATTING		76 SY
HP 12"X53# STEEL PILING		6,540 LF
STEEL SHEET PILING		3,640 SF
GRANULAR BACKFILL		295 CY

GROUP 6G BRIDGE AT STA. 1117+48.48 RT.

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		1,210 CY
RIPRAP FILTER FABRIC		337 SY
INTERLOCKING CONCRETE PAVER BLOCK		1,530 SF
CONC FOR PVMT APPROACHES CLASS 47BD-4000		280 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		51,115 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE B		129 LF
47B-3000 CONC FOR BRIDGE		265 CY
47BD-4000 CONC FOR BRIDGE		261 CY
PRECAST/PRESTRESSED CONC SUPERSTR 1117+48.48 RT.	LUMP	LUMP
REMOVE STRUCTURE AT STA. 1117+48.48 RT.		1 EACH

ACCESS CROSSING	LUMP	LUMP
STRUC STEEL FOR SUBSTRUCTURE		630 LB
STEEL DIAPHRAGM		18 EACH
BROKEN CONCRETE RIPRAP		230 TON
ROCK RIPRAP, TYPE B		25 TON
EPOXY COATED RE-STEEL	105,970	LB
SUBSURFACE DRAINAGE MATTING		70 SY
CONCRETE PILING		3,900 LF
STEEL SHEET PILING		3,640 SF
TEMP BRIDGE SHORING	LUMP	LUMP
GRANULAR BACKFILL		295 CY

GROUP 6H BRIDGE AT STA. 1117+48.48 LT.

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		1,210 CY
RIPRAP FILTER FABRIC		337 SY
INTERLOCKING CONCRETE PAVER BLOCK		1,530 SF
CONC FOR PVMT APPROACHES CLASS 47BD-4000		280 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	51,020	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE B		129 LF
47B-3000 CONC FOR BRIDGE		265 CY
47BD-4000 CONC FOR BRIDGE		261 CY
PRECAST/PRESTRESSED CONC SUPERSTR 1117+48.48 LT.	LUMP	LUMP
REMOVE STRUCTURE AT STA. 1117+48.48 LT.		1 EACH
ACCESS CROSSING	LUMP	LUMP
STRUC STEEL FOR SUBSTRUCTURE		630 LB
STEEL DIAPHRAGM		12 EACH
BROKEN CONCRETE RIPRAP		230 TON
ROCK RIPRAP, TYPE B		25 TON
EPOXY COATED RE-STEEL	106,100	LB
SUBSURFACE DRAINAGE MATTING		70 SY
CONCRETE PILING		3,900 LF
STEEL SHEET PILING		3,640 SF
GRANULAR BACKFILL		295 CY

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		2,068 LF
IMPACT ATTENUATOR		4 EACH
BRIDGE APPROACH SECTIONS		17 EACH
GUARDRAIL END TREATMENT, TYPE I		17 EACH

GROUP 7B FENCE

MOBILIZATION	LUMP	LUMP
5' CHAIN-LINK FENCE		36,413 LF
END POST FOR 5' CH-LINK FENCE		27 EACH
CORNER POST FOR 5' CH-LNK FENCE		63 EACH
PULL POST FOR 5' CH-LNK FENCE		71 EACH

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
PULL BOX, TYPE PB-1		5 EACH
PULL BOX, TYPE PB-1A		1 EACH
VEHICLE DETECTOR, TYPE A PREFORMED		4 EACH
VEHICLE DETECTOR, TYPE B PREFORMED		6 EACH
LUMINAIRE, TYPE HML-A-1KW		4 EACH
FOUNDATION DESIGN		2 EACH

CONCRETE FOR FOUNDATION	30 CY
REINFORCING STEEL	2,426 LB
ANCHOR BOLTS	12 EACH
LIGHTING CONTROL CENTER, R-2	1 EACH
1 1/2" CONDUIT IN TRENCH	10 LF
2" CONDUIT IN TRENCH	684 LF
3" CONDUIT UNDER ROADWAY	154 LF
2" CONDUIT, JACKED	100 LF
3" CONDUIT, JACKED	63 LF
GROUNDING CONDUCTOR	181 LF
SERVICE CABLE	84 LF
NO. 1	
SERVICE CABLE	97 LF
NO. 6	
STREET LIGHT CABLE, NO. 1/0 USE	960 LF
STREET LIGHT CABLE, NO. 6 BARE	80 LF
STREET LIGHT CABLE, NO. 6 USE	460 LF
6 PAIR COMMUNICATION CABLE	362 LF
ELEC CIRCUIT MODIFICATION	1,970 LF
REMOVE LIGHTING CONTROL CENTER	1 EACH
REMOVE PULL BOX	2 EACH
REMOVE TRAFFIC SIGNAL CABLE	326 LF
RELOCATE HIGH MAST LIGHT UNIT	1 EACH
MODIFY HIGH MAST TOWER	1 EACH
CROSSOVER LIGHTING SYSTEM	1 EACH
TYPE A	
CROSSOVER LIGHTING SYSTEM	1 EACH
TYPE D	
MAINTENANCE OF LIGHTING UNITS	1,322 DAY

GROUP 8C SIGNING

	LUMP	LUMP
MOBILIZATION		
REM SIGN, STRUCTURE, AND FOUNDATION		2 EACH
CONCRETE FOR FOUNDATION		120 CY
REINFORCING STEEL		5,500 LB
SIGN STR FOUNDATION DESIGN, LOCATION		1 EACH
42		
SIGN STR FOUNDATION DESIGN, LOCATION		1 EACH
44		
SIGN STR FOUNDATION DESIGN, LOCATION		1 EACH
45		
SIGN STR FOUNDATION DESIGN, LOCATION		1 EACH
DMS I80EB407		
SIGN STR FOUNDATION DESIGN, LOCATION		1 EACH
DMS I80WB407		
OVERHEAD SIGN SUPPORT, LOCATION		1 EACH
42		
OVERHEAD SIGN SUPPORT, LOCATION		1 EACH
44		
OVERHEAD SIGN SUPPORT, LOCATION		1 EACH
45		
OVERHEAD SIGN SUPPORT, LOCATION		1 EACH
DMS I80EB407		
OVERHEAD SIGN SUPPORT, LOCATION		1 EACH
DMS I80WB407		
INSTALL DYNAMIC MESSAGE SIGN		2 EACH
INSTALL TYPE A SIGN		130 SF
TYPE B SIGN		789 SF
INSTALL TYPE B SIGN		130 SF
TYPE C SIGN		354 SF
4" X 6" WOOD SIGN SUPPORT		159 LF
STRUC STEEL FOR SIGN SUPPORTS		7,260 LB
24" SIGN SUPPORT FOOTING		4 EACH
30" SIGN SUPPORT FOOTING		14 EACH
REMOVE SIGN, POST, AND FOOTING		14 EACH
REMOVE LUMINAIRE		11 EACH

REMOVE & SALVAGE DMS BOARD, 2 EACH
CONTROLLER, AND STRUCTURE

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	175,570	B	DAY
BARRICADE, TYPE III	21,978	B	DAY
TEMPORARY SIGN DAY	2,908	E	EACH
SIGN DAY	253,121	E	EACH
CONTRACTOR FURNISHED SIGN DAY	5,664	E	EACH
REMOVABLE WET REFLECTIVE TAPE TYPE 4	9,600	L	LF
TEMP PAVEMENT MARKING REMOVAL	108,200	L	LF
PAVEMENT MARKING REMOVAL	32,700	L	LF
TEMP PVMT MARKING, TYPE PAINT	138,800	L	LF
TEMP PVMT MARKING SURF PREP	124,800	L	LF
FLASHING ARROW PANEL	447	D	DAY
FLAGGING	50	D	DAY
CONCRETE PROTECTION BARRIER	25,500	L	LF
TEMPORARY GLARE SCREEN	23,100	L	LF
RELOCATE CONC PROTECTION BARRIER	29,550	L	LF
RELOC INERTIAL BARRIER SYSTEM	5	E	EACH
INERTIAL BARRIER SYSTEM	4	E	EACH
REPLACEMENT MODULE	16	E	EACH
TRAFFIC CONTROL MANAGEMENT	983	D	DAY
FIELD OFFICE	1	E	EACH
TRAINING	6,000	H	OUR
MOBILIZATION	LUMP	L	LUMP
CONSTRUCTION STAKING AND SURVEYING	LUMP	L	LUMP
RENTAL OF LOADER, FULLY OPERATED	350	H	OUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	350	H	OUR
RENTAL OF SKID LOADER, FULLY OPERATED	350	H	OUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	350	H	OUR
TEMPORARY EROSION CONTROL	3,000	S	Y
TEMPORARY SILT CHECK	3,000	L	LF
TEMPORARY SILT FENCE	3,000	L	LF
TEMPORARY EARTH CHECK	3,000	L	LF
TEMPORARY MULCH	10	T	ON

NOTICE TO CONTRACTORS

CALL ORDER 105
 FEDERAL PROJECT NO. IM-NH-80-9(849)
 LOCATION: I-80, 70TH STREET BRIDGE, LINCOLN
 COUNTIES: LANCASTER

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 30, 2010. At that time the bids will be opened and read for GRAD,CULV,BR,GDRL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT BRIDGES GENERAL (ALL CLASSES)
 START DATE 11/01/2010 WORKING DAYS 120
 Price Range \$ 500,000 to \$ 2,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning September 07, 2010 at the Lincoln Central Office and September 13, 2010 at the District Engineer's Office at LINCOLN
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

NOTICE TO BIDDERS

To be eligible for the award of this contract, bidders shall submit a completed bidding proposal for Call Order No. 100, {Project No. IM-NH-80-9(554), IM-NH-80-9(715), IM-NH-80-9(833), IM-NH-80-9(843) and IM-NH-80-9(850)} and Call Order No. 105, {Project No. IM-NH-80-9(849)}. Award of Contract, if awarded, will be made on the combined bid for these call order nos. Separate contracts will be awarded for each Call Order Number. Please order plans and proposals accordingly.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	87	SHEETS	\$ 21.75
CROSS SECTIONS (SHEETS X1 THRU X10)	10	SHEETS	\$ 2.50
STANDARD PLANS	13	SHEETS	\$ 3.25

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-A	PHOTO MAP
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION & DETOUR LOCATION MAP
2-L1 - 2-L2	CONSTRUCTION, REMOVALS, & DRAINAGE
2-L3	GEOMETRICS
2-L4 - 2-L5	EROSION CONTROL
3 - 4	PLAN & PROFILE SHEETS
5 - 7	TEMPORARY TRAFFIC CONTROL PLAN
8	TYPICAL TRAFFIC CONTROL PLAN--FREEWAY CLOSURE
9	TYPICAL TRAFFIC CONTROL PLAN--INERTIAL BARRIER SYSTEM
10	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
11	TYPICAL TRAFFIC CONTROL--FREEWAY RAMP CLOSURE
12	TEMPORARY PAVEMENT MARKING PLAN
13	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
14	EARTHWORK DATA SHEET
15 - 16	DRAINAGE STRUCTURE CROSS SECTIONS
17 - 38	SPECIAL PLAN 1 NU1800 CONCRETE GIRDER BRIDGE STA. 9012+00.00
39 - 61	SPECIAL PLAN 2 STEEL WELDED PLATE GIRDER BRIDGE STA. 9012+00.00
62 - 63	SPECIAL PLAN 1C 5-BAR GRATE INLET WITH CURBS
64 - 70	SPECIAL PLAN 2C GUARDRAIL PLAN
71	SPECIAL PLAN 3C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS

72 - 73	SPECIAL PLAN 4C	TEMPORARY SILT CHECKS
74 - 75	SPECIAL PLAN 5C	CONCRETE PROTECTION BARRIER
R1	RIGHT-OF-WAY SHEET	
X1 - X10	CROSS SECTIONS	

STANDARD PLANS

410-R3	(2 SHEETS)	FLARED END SECTIONS FOR CULVERT PIPES
411	(4 SHEETS)	BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
425-R4		COLLARS AND ELBOWS FOR CONCRETE PIPES
501-R5	(3 SHEETS)	EROSION CONTROL
502		SILT FENCE DETAILS
920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

PERMANENT PAVEMENT MARKING PAINT	7,500	LF
MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL	5	EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER	36	MGAL
EARTHWORK MEASURED IN EMBANKMENT	7,094	CY
REMOVE ASPHALT SURFACE	3,017	SY
REMOVE FENCE	599	LF
REMOVE CONCRETE DITCH LINER	36	SY
REMOVE CONCRETE SLOPE PROTECTION	166	SY
18" DRIVE PIPE 2,3,4,5,6,7 OR 8	70	LF
REMOVE GUARDRAIL	1,418	LF
SURFACING 6"	226	SY
SURFACING 8"	2,199	SY
PREP OF INTER & DRIVE	226	SY
EARTH SHOULDER CONSTRUCTION	16	STA
SUBGRADE PREPARATION	2,199	SY
SEEDING, TYPE A	2	ACRE
SEEDING, TYPE B	1	ACRE
COVER CROP SEEDING	3	ACRE
EROSION CONTROL, CLASS 1D	7,858	SY
EROSION CONTROL, CLASS 2A	128	SY
EROSION CHECKS, TYPE 1D	21	BALE
EROSION CHECKS, TYPE WATTLE	243	LF
FABRIC SILT FENCE-LOW POROSITY	987	LF
MULCH	7	TON

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE INLET	4	EACH
CAST IRON GRATE & FRAME	2,520	LB
REMOVE HEADWALLS FROM CULV	2	EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	193	CY
47B-3000 CONC FOR INLET & JUNCTION BOXES	6	CY
47B-3000 CONC FOR CONCRETE CO	1	CY
RE-STEEL FOR INLET & JCT BOX	560	LB
RE-STEEL FOR COLLARS	115	LB
18" METAL FLARED-END SECTION	1	EACH
30" METAL FLARED-END SECTION	1	EACH
30" CONCRETE FLARED-END SECTION	2	EACH
30" CULV PIPE 2	109	LF
18" CULV PIPE 2,5,7,8	44	LF
18" CULV PIPE 3,4,5,6	49	LF

24" CULV PIPE 3,4,5,6	95 LF
30" CULV PIPE 3,4,5,6	70 LF

GROUP 6 BRIDGE AT STA. 9012+00

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		175 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		31,320 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PRECOMPRESSED POLY FOAM JOINT, TYPE B		81 LF
EXPANSION BEARING, TFE TYPE		8 EACH
FIXED BEARING		8 EACH
47B-3000 CONC FOR BRIDGE		216 CY
47BD-4000 CONC FOR BRIDGE		452 CY
PRECAST/PRESTRESSED CONC SUPERSTR 9012+00	LUMP	LUMP
REMOVE STRUCTURE AT STA. 9012+00		1 EACH
STRUC STEEL FOR SUBSTRUCTURE		265 LB
STEEL DIAPHRAGM		6 EACH
CONCRETE SLOPE PROTECTION		515 SY
EPOXY COATED RE-STEEL		127,970 LB
SUBSURFACE DRAINAGE MATTING		93 SY
CONCRETE PILING		3,295 LF
CONCRETE COATING AT STA. 9012+00	LUMP	LUMP
GRANULAR BACKFILL		415 CY

GROUP 6A BRIDGE AT STA. 9012+00

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		175 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		31,320 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PRECOMPRESSED POLY FOAM JOINT, TYPE A		81 LF
EXPANSION BEARING, TFE TYPE		8 EACH
FIXED BEARING		4 EACH
47B-3000 CONC FOR BRIDGE		207 CY
47BD-4000 CONC FOR BRIDGE		424 CY
REMOVE STRUCTURE AT STA. 9012+00		1 EACH
STEEL SUPERSTRUCTURE 9012+00	LUMP	LUMP
STRUC STEEL FOR SUBSTRUCTURE		265 LB
CONCRETE SLOPE PROTECTION		518 SY
EPOXY COATED RE-STEEL		108,430 LB
SUBSURFACE DRAINAGE MATTING		87 SY
CONCRETE PILING		3,000 LF
CONCRETE COATING AT STA. 9012+00	LUMP	LUMP
GRANULAR BACKFILL		375 CY

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		87 LF
BRIDGE APPROACH SECTIONS		4 EACH
GUARDRAIL END TREATMENT, TYPE II		4 EACH
SURFACE UNDER GUARDRAIL		46 SY

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	25,912	BDAY
BARRICADE, TYPE III	5,430	BDAY
TEMPORARY SIGN DAY	792	EACH
SIGN DAY	21,112	EACH
CONTRACTOR FURNISHED SIGN DAY	656	EACH
TEMP PAVEMENT MARKING REMOVAL	6,600	LF
PAVEMENT MARKING REMOVAL	5,400	LF
TEMP PVMT MARKING, TYPE PAINT	6,600	LF
TEMP PVMT MARKING SURF PREP	4,000	LF
FLASHING ARROW PANEL	62	DAY
CONCRETE PROTECTION BARRIER	1,350	LF
RELOCATE CONC PROTECTION BARRIER	2,050	LF
RELOC INERTIAL BARRIER SYSTEM	3	EACH
INERTIAL BARRIER SYSTEM	4	EACH
REPLACEMENT MODULE	16	EACH
TRAINING	500	HOUR
MOBILIZATION	LUMP	LUMP
CONSTRUCTION STAKING AND SURVEYING	LUMP	LUMP
TEMPORARY FENCE	524	LF
RENTAL OF LOADER, FULLY OPERATED	25	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	25	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	25	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	25	HOUR
TEMPORARY SILT CHECK	500	LF
TEMPORARY SILT FENCE	1,000	LF
TEMPORARY EARTH CHECK	500	LF
TEMPORARY MULCH	2	TON

NOTICE TO CONTRACTORS

CALL ORDER 110
 FEDERAL PROJECT NO. STPE-3005(9)
 LOCATION: ON A COUNTY ROAD, SOUTH OF JANSEN
 COUNTIES: JEFFERSON

The Nebraska Department of Roads will receive sealed bids for the COUNTY OF JEFFERSON in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on September 30, 2010. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 4.4 MILES
 START DATE 09/12/2011 WORKING DAYS 25
 Price Range \$ 500,000 to \$ 2,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning September 07, 2010 at the Lincoln Central Office and September 13, 2010 at the District Engineer's Office at LINCOLN. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	10 SHEETS	\$	2.50
STANDARD PLANS	8 SHEETS	\$	2.00

SHEET NO.

1 TITLE PAGE
 2-T TYPICAL CROSS SECTIONS OF IMPROVEMENT
 2-S SUMMARY OF QUANTITIES
 2-N GENERAL INFORMATION
 3 - 6 PLAN SHEETS
 7 TEMPORARY PAVEMENT MARKING PLAN
 8 TYPICAL PAVEMENT MARKING PLAN--4" PAVEMENT MARKING

STANDARD PLANS

308-R1 LOCAL ROADS MAILBOX TURNOUT
 309 MAILBOX SUPPORT POST
 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	6,200	B	DAY
BARRICADE, TYPE III	192	B	DAY
TEMPORARY SIGN DAY	350	E	EACH
SIGN DAY	3,484	E	EACH
OVERLAY BROKEN LINES	705	S	TA
OVERLAY SOLID LINES	1,410	S	TA
PERMANENT PAVEMENT MARKING PAINT	70,553	L	F
FLAGGING	50	D	AY
FURNISHING AND OPERATING PILOT VEHICLE	25	D	AY
MOBILIZATION	LUMP	L	UMP
SPEC SURF CRSE FOR MAILBOX TURNOUTS	44	S	Y
MAILBOX POST	1	E	ACH
HYDRATED LIME FOR ASPHALT MIXTURES	119	T	ON
ASPH CONC, TYPE SP4(0.5)	11,280	T	ON

PLACE ASPH CONC FOR DRIVE & INTER	2,061 SY
ASPH CONC FOR PATCHING, TYPE SP4(0.5)	550 TON
PERF GRADED BINDER (64-28)	591 TON
PREP OF INTER & DRIVE	299 SY
TACK COAT	11,890 GAL
RENTAL OF LOADER, FULLY OPERATED	44 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	44 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	44 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	44 HOUR
WATER	119 MGAL
EARTH SHOULDER CONSTRUCTION	470 STA
COLD MILLING, CLASS 1	239 STA
ASPH PVMT SMOOTHNESS TESTING	LUMP LUMP
SEEDING, TYPE B	5 ACRE
COVER CROP SEEDING	5 ACRE
MULCH	11 TON

NOTICE TO CONTRACTORS

CALL ORDER 115

STATE PROJECT NO. RD-77-2(1062)

LOCATION: US-77, NORTH OF PRINCETON

COUNTIES: LANCASTER

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 30, 2010. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

Length: 6.3 MILES

START DATE 04/04/2011 WORKING DAYS 25

Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning September 07, 2010 at the Lincoln Central Office and September 13, 2010 at the District Engineer's Office at LINCOLN

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	4 SHEETS	\$	1.00
STANDARD PLANS	2 SHEETS	\$	0.50

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
3	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)

STANDARD PLANS

920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	3,000	BDAY
BARRICADE, TYPE III	120	BDAY
TEMPORARY SIGN DAY	960	EACH
FLASHING ARROW PANEL	40	DAY
MOBILIZATION	LUMP	LUMP
SEALING CRACKS	1,329	LF
SEALING JOINTS	212,824	LF
SEALING CONCRETE REPAIR JOINT	974	LF

NOTICE TO CONTRACTORS

CALL ORDER 120
 FEDERAL PROJECT NO. STPC-5212(5)
 LOCATION: SOUTH STREET BRIDGE & ROAD, LINCOLN
 COUNTIES: LANCASTER

The Nebraska Department of Roads will receive sealed bids for the CITY OF LINCOLN in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on September 30, 2010. At that time the bids will be opened and read for GRAD CONC PAVE CULV BR FENCE ELEC SIGN

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES

START DATE 11/01/2010 CALENDAR DAYS 397
 Price Range \$ 1,000,000 to \$ 3,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 6.0 %

Plans and specifications may be seen beginning September 07, 2010 at the Lincoln Central Office and September 13, 2010 at the District Engineer's Office at LINCOLN. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	113	SHEETS	\$ 28.25
CROSS SECTIONS (SHEETS X1 THRU X9)	9	SHEETS	\$ 2.25
STANDARD PLANS	20	SHEETS	\$ 5.00

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-H	HORIZONTAL CONTROL
2-N1 - 2-N14	GENERAL INFORMATION
2-P1 - 2-P4	CONSTRUCTION PHASING & DETOUR PLAN
2-L1 - 2-L2	GEOMETRICS
2-L3	JOINTS & GRADES
2-L4	DRAINAGE
2-L5 - 2-L6	CONSTRUCTION
2-L7 - 2-L8	REMOVALS
2-L9 - 2-L12	SEDIMENT & EROSION CONTROL
3 - 4	PLAN & PROFILE SHEETS
5 - 7	SIGNING & PAVEMENT MARKING
8 - 11	LIGHTING
12 - 26	UTILITY RELOCATION
27 - 28	DRAINAGE PROFILE
29 - 57	SPECIAL PLAN 1 CONCRETE SLAB BRIDGE STA. 1803+08.44
58	SPECIAL PLAN 1C SIDEWALK RAMPS
59	SPECIAL PLAN 2C MONUMENT FRAME & COVER
60 - 62	SPECIAL PLAN 3C 72" CURB INLET DETAILS
63 - 64	SPECIAL PLAN 4C AREA INLET DETAIL
65 - 66	SPECIAL PLAN 5C STORM SEWER MANHOLES
67	SPECIAL PLAN 6C CONCRETE COLLARS, PLUGS, & ELBOWS
68	SPECIAL PLAN 7C SOUTH STREET RETAINING WALL
69 - 70	SPECIAL PLAN 8C TRAFFIC PAVEMENT MARKINGS
71 - 76	SPECIAL PLAN 9C SIGNS
R1 - R4	RIGHT-OF-WAY APPRAISAL PLANS
X1 - X7	ROADWAY CROSS SECTIONS
X8 - X9	CHANNEL CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
329-R7	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
428-R3	CONCRETE PLUGS AND FIELD PIPE TAP DETAILS
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
923	TRAFFIC CONTROL--ROAD CLOSURE
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		9 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		2,624 CY
WATER		4 MGAL
EARTHWORK MEASURED IN EMBANKMENT		713 CY
GABION, TYPE D		13 EACH
GABION, TYPE E		315 EACH
GABION, TYPE F		26 EACH
GABION, TYPE S1		8 EACH
GABION, TYPE S2		1 EACH
GABION, TYPE S3		10 EACH
GABION, TYPE S4		1 EACH
GABION, TYPE S5		1 EACH
GABION, TYPE S6		10 EACH
REMOVE PAVEMENT	3,686	SY
SAWING PAVEMENT	59	LF
REMOVE DRIVEWAY	661	SY
REMOVE WALK	976	SY
REMOVE FENCE	541	LF
REMOVE ORNAMENTAL IRON FENCE	96	LF
REMOVE GABION	727	SY
TYPE A SAWING	263	LF
6" REINF. CONCRETE LOW FLOW LINER	393	SY
CONCRETE SLOPE PROTECTION	28	SY
GOLF COURSE SAFETY NETTING	150	LF
CRUSHED ROCK FOUNDATION COURSE	265	TON
SEEDING, TYPE B	1	ACRE
COVER CROP SEEDING	1	ACRE
EROSION CONTROL, CLASS 1A	106	SY
FABRIC SILT FENCE-LOW POROSITY	1,712	LF
MULCH	2	TON

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
CRUSHED ROCK SURFACE COURSE		600 TON
CONC 47B-3500 BARRIER CURB		15 LF
CONC 47B-3000 SIDEWALKS		857 SY
DETECTABLE WARNING PANEL		16 SF
CONC 47B-3500 DRIVEWAY		180 SY
6" CONC PVMT, 47B-3500		825 SY
9" CONC PVMT, 47B-3500		1,195 SY

TEMPORARY SURFACING	200 SY
4" WHT POLYUREA PVMT MRKING, GROOVED	204 LF
4" YEL POLYUREA PVMT MRKING, GROOVED	749 LF
WATER	8 MGAL
EARTH SHOULDER CONSTRUCTION	6 STA
SUBGRADE PREPARATION	2,070 SY
REMOVE AND REINSTALL PULL BOX	1 EACH
SODDING	3,904 SY
MONUMENT FRAME AND COVER	1 EACH
ADJUST VALVE BOX TO GRADE	2 EACH

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE MANHOLE		1 EACH
REMOVE INLET		8 EACH
AREA INLET		2 EACH
INLET-72" STRAIGHT		4 EACH
INLET-72" CANTED		2 EACH
ADJUST MANHOLE TO GRADE		6 EACH
MANHOLE		1 EACH
AT STA. 1801+82.14- LT.		
TAPPING EXISTING MANHOLE		3 EACH
REMOVE SEWER PIPE		958 LF
REMOVE STRUCTURE		1 EACH
STA. 15+20		
47B-3000 CONC FOR HDWL		7 CY
47B-3500 CONC FOR RETAINING WALL		10 CY
47B-3500 CONCRETE FOR CONCRETE COLLARS		2 CY
EPOXY COATED RE-STEEL FOR HEADWALL		756 LB
EPOXY COATED RE-STEEL FOR RETAINING WALL		1,351 LB
EPOXY COATED RE-STEEL FOR COLLARS		215 LB
8" P.V.C. SEWER PIPE		8 LF
AREA INLET SEDIMENT FILTER		2 EACH
CURB INLET SEDIMENT FILTER		9 EACH
15" STORM SEWER PIPE 1		151 LF
18" STORM SEWER PIPE 1		84 LF
24" STORM SEWER PIPE 1		16 LF
30" STORM SEWER PIPE 1		94 LF
42" STORM SEWER PIPE 1		31 LF
48" STORM SEWER PIPE 1		37 LF
15" STORM SEWER PIPE 3,4,5 OR 6		60 LF
8" FLEXIBLE COUPLING		1 EACH

GROUP 4A WATER MAIN

MOBILIZATION	LUMP	LUMP
ABANDON MANHOLE		2 EACH
SAWING PAVEMENT		16 LF
REMOVE WALK		56 SY
REMOVE MANHOLE		4 EACH
5" CONCRETE CLASS 47B-3000 BIKEWAY		56 SY
TAPPING EXIST SANITARY SEWER MANHOLE		2 EACH
RECONSTRUCT WATER SERVICE		1 EACH
REMOVE SANITARY SEWER PIPE		627 LF
47B-3500 CONCRETE FOR CONCRETE COLLARS		1 CY
EPOXY COATED RE-STEEL FOR COLLARS		100 LB
8" SANITARY SEWER PIPE		58 LF
10" SANITARY SEWER PIPE		80 LF
12" SANITARY SEWER PIPE		86 LF
15" SANITARY SEWER PIPE		84 LF
15" PTMT SANITARY SEWER PIPE		566 LF
SANITARY MANHOLE		3 EACH
2" COPPER WATER SERVICE		5 LF
CONC 47B-3500 FOR BLOCKS AND ANCHORAGES		9 CY
EPOXY COATED RE-STEEL FOR BLKS & ANCHOR.		284 LB
6" RETAINER GLAND		35 EACH

8" RETAINER GLAND	3 EACH
12" RETAINER GLAND	27 EACH
ANCHOR COUPLING, M.J.	2 EACH
6" WATER MAIN PIPE	86 LF
6" RESTRAIN JOINT WATER MAIN PIPE	146 LF
12" RESTRAIN JOINT WATER MAIN PIPE	267 LF
CONCRETE ENCASEMENT	84 LF
6" GATE VALVE	3 EACH
12" BUTTERFLY VALVE	2 EACH
FIRE HYDRANT	1 EACH
10" FLEXIBLE COUPLING	1 EACH
12" FLEXIBLE COUPLING	1 EACH
6" X 4" TAPPING SLEEVE AND VALVE	1 EACH
6" SOLID SLEEVE	4 EACH
8" SOLID SLEEVE	1 EACH
12" SOLID SLEEVE	1 EACH
12" X 6" TEE	1 EACH
12" X 12" TEE	1 EACH
6" - 45 DEGREE BEND	6 EACH
12" - 45 DEGREE BEND	7 EACH
6" - 11 1/4 DEGREE BEND	1 EACH
12" - 11 1/4 DEGREE BEND	2 EACH
6" - 22 1/2 DEGREE BEND	4 EACH
12" X 8" REDUCER	1 EACH
12" X 6" REDUCER	1 EACH
REMOVE WATER MAIN PIPE	357 LF
REMOVE HYDRANT AND SALVAGE	1 EACH

GROUP 6 BRIDGE AT STA. 1803+08.44

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		350 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		37,245 LB
6" REINF. CONCRETE LOW FLOW LINER		540 SY
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
47B-3000 CONC FOR BRIDGE		827 CY
47BD-4000 CONC FOR BRIDGE		436 CY
REMOVE STRUCTURE STA. 1803+05		1 EACH
ACCESS CROSSING	LUMP	LUMP
STRUC STEEL FOR SUBSTRUCTURE		2,600 LB
CONCRETE SLOPE PROTECTION		1,235 SY
EPOXY COATED RE-STEEL		164,950 LB
SUBSURFACE DRAINAGE MATTING		115 SY
HP 12"X53# STEEL PILING		4,565 LF
TEST PILE		4 EACH
STEEL SHEET PILING		2,830 SF
PEDESTRIAN RAIL (CHAIN LINK TYPE)		320 LF
1 1/2" CONDUIT IN BRIDGE		123 LF
CRUSHED ROCK FOUNDATION COURSE		363 TON
GRANULAR BACKFILL		180 CY

GROUP 7B FENCE

MOBILIZATION	LUMP	LUMP
4' GATE		1 EACH
TEMPORARY FENCE		259 LF
4' CHAIN-LINK FENCE		460 LF
6' CHAIN-LINK FENCE		268 LF
6' ORNAMENTAL FENCE		96 LF
WOOD FENCE		63 LF

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
1 1/2" CONDUIT IN TRENCH		255 LF
STREET LIGHT CABLE, NO. 6 USE		680 LF
STREET LIGHT CABLE, NO. 8 BARE		340 LF
STREET LIGHTING UNIT		1 EACH
SL-A-C-40-6-3-.25-PC		
REMOVE LIGHT FOUNDATION		1 EACH
RELOCATE STREET LIGHTING UNIT		1 EACH

GROUP 8C SIGNING

MOBILIZATION	LUMP	LUMP
REMOVE SIGN		1 EACH
TYPE A SIGN		19 SF
SIGN POST		7 EACH
REMOVE SIGN AND POST		6 EACH
RELOCATE SIGN		4 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	17,650	B DAY
BARRICADE, TYPE III	3,800	B DAY
TEMPORARY SIGN DAY	80	EACH
SIGN DAY	10,983	EACH
CONTRACTOR FURNISHED SIGN DAY	1,880	EACH
FLASHING ARROW PANEL	510	DAY
FLAGGING	40	DAY
FIELD OFFICE	1	EACH
TRAINING	1,000	HOUR
MOBILIZATION	LUMP	LUMP
CONSTRUCTION STAKING AND SURVEYING	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	20	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	20	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	20	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	20	HOUR

NOTICE TO CONTRACTORS

CALL ORDER 205
 FEDERAL PROJECT NO. HSIP-50-2(132)
 LOCATION: N-50/CORNHUSKER ROAD
 COUNTIES: SARPY

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 30, 2010 . At that time the bids will be opened and read for CONC PAVE ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

START DATE 04/04/2011 WORKING DAYS 25
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning September 07, 2010 at the Lincoln Central Office and September 13, 2010 at the District Engineer's Office at OMAHA

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	22	SHEETS	\$	5.50
CROSS SECTIONS (SHEETS X1 THRU X4)	4	SHEETS	\$	1.00
STANDARD PLANS	22	SHEETS	\$	5.50
SHEET NO.				

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-A	PHOTO MAP
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
2-L1	GEOMETRICS
2-L2	GRADES
2-L3	CONSTRUCTION, REMOVALS, & DRAINAGE
2-L4	EROSION CONTROL
3 - 7	TRAFFIC SIGNAL PLAN
8	PAVEMENT MARKING PLAN
9	TYPICAL PAVEMENT MARKING PLAN--4" PAVEMENT MARKING
10	TEMPORARY PAVEMENT MARKING PLAN
11	EARTHWORK DATA SHEET
12	DRAINAGE STRUCTURE CROSS SECTION
R1	RIGHT-OF-WAY SHEET
X1 - X4	CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
329-R7	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
501-R5	(3 SHEETS) EROSION CONTROL
910-R2	SIGNAL FACE CONFIGURATION
911-R1	SIGNAL MOUNTING
912-R4	TRAFFIC SIGNAL POLE DETAILS
914-R6	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
RE-ESTABLISH PROPERTY CORNER		3 EACH
REMOVE PAVEMENT		680 SY
SAWING PAVEMENT		445 LF
TIE BARS		150 EACH
CONC 47B-3500 CURB TYPE II		178 LF
CONC 47B-3000 MEDIAN SURFACING		43 SY
8" CONC PVMT, 47B-3500		677 SY
8" IMPRINTED CONC PVMT, 47B-3500		187 SY
REMOVE FLARED- END SECTION		2 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		7 CY
47B-3000 CONC FOR CONCRETE CO		1 CY
RE-STEEL FOR COLLARS		86 LB
24" REINFORCED CONCRETE PIPE		19 LF
24" CONCRETE FLARED-END SECTION		2 EACH
THRU ARROW PREF PVMT MARKING T-4, GVD		1 EACH
ARROW, PREF PVMT MRKING T-4 GROOVED		4 EACH
12" WHT PREF PVMT MRKING T-4 GROOVED		36 LF
4" WHT WET RFLC PRF PVMT MKNG T4 GVD		1,500 LF
4" YEL WET RFLC PRF PVMT MKNG T4 GVD		850 LF
SUBGRADE PREPARATION		864 SY
CONCRETE SURFACE MILLING		63 SY
SODDING		33 SY
EROSION CONTROL, CLASS 1D		349 SY

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
PULL BOX, TYPE PB-1		3 EACH
TRAFFIC SIGNAL, TYPE TS-1		4 EACH
TRAFFIC SIGNAL, TYPE TS-1LL		1 EACH
VEHICLE DETECTOR, TYPE A PREFORMED		4 EACH
VEHICLE DETECTOR, TYPE B PREFORMED		4 EACH
C.M.A. SIG & LGHT POLE, CMP-60-12		1 EACH
C.M.A. SIG & LGHT POLE, CMP-65-12		1 EACH
2" CONDUIT IN TRENCH		56 LF
3" CONDUIT UNDER ROADWAY		84 LF
2" CONDUIT, JACKED		58 LF
12/C #14 AWG TRAF SIG CABLE		467 LF
2/C #14 AWG DETECTOR LEAD-IN CABLE		528 LF
GROUNDING CONDUCTOR		311 LF
2 PAIR COMMUNICATION CABLE		1,486 LF
INST TRAF SIG CONTROLLER, TC-2070		1 EACH
REMOVE TRAFFIC SIGNAL CONTROLLER		1 EACH
REMOVE PULL BOX		1 EACH
REMOVE COMB MAST ARM SIG AND LIGHT POLE		2 EACH
RELOCATE PULL BOX		1 EACH
TYPE PB-1		

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II		1,005 BDAY
BARRICADE, TYPE III		131 BDAY
TEMPORARY SIGN DAY		148 EACH
SIGN DAY		1,242 EACH
CONTRACTOR FURNISHED SIGN DAY		180 EACH
FLASHING ARROW PANEL		27 DAY
FLAGGING		15 DAY
TEMPORARY TRAFFIC SIGNAL		1 EACH
MOBILIZATION	LUMP	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 210
 FEDERAL PROJECT NO. IM-80-9(32)
 LOCATION: I-80, I-80/I-480 INTERCHANGE
 COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 30, 2010. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT BITUMINOUS
 START DATE 04/18/2011 WORKING DAYS 100
 Price Range \$ 2,000,000 to \$ 4,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning September 07, 2010 at the Lincoln Central Office and September 13, 2010 at the District Engineer's Office at OMAHA
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	34	SHEETS	\$	8.50
STANDARD PLANS	4	SHEETS	\$	1.00

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T8	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-N	GENERAL INFORMATION
3 - 8	PLAN SHEETS
9	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
10	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
11	TYPICAL TRAFFIC CONTROL--FREEWAY RAMP CLOSURE
12	TYPICAL TRAFFIC CONTROL PLAN--FREEWAY CLOSURE
13	TYPICAL TRAFFIC CONTROL PLAN--EXIT RAMP CONSTRUCTION
14	TEMPORARY PAVEMENT MARKING PLAN
15	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
16	TYPICAL PAVEMENT MARKING PLAN--INTERSTATE/EXPRESSWAY
17	SPECIAL PLAN 1C PAVEMENT APPROACH REPAIR
18 - 24	SPECIAL PLAN 2C GUARDRAIL PLAN
25	SPECIAL PLAN 3C BRIDGE DECK REPAIR R.P. 453+08

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	16,700	BDAY
BARRICADE, TYPE III	1,700	BDAY
TEMPORARY SIGN DAY	2,150	EACH
SIGN DAY	10,140	EACH
OVERLAY BROKEN LINES	638	STA
OVERLAY SOLID LINES	889	STA
FLASHING ARROW PANEL	140	DAY

FLAGGING		25 DAY
TRAFFIC CONTROL MANAGEMENT		175 DAY
TRAINING		500 HOUR
MOBILIZATION	LUMP	LUMP
REMOVE PLOWABLE PAVEMENT MARKER		75 EACH
CONC PVMT REPAIR TYPE A FULL DEPTH		11 CY
CONC PVMT REPAIR TYPE B FULL DEPTH		66 CY
CONC PVMT REPAIR TYPE C FULL DEPTH		590 CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH		40 CY
CONC PVMT, PR-3500		1,400 CY
JOINT REPAIR		
CLASS II REPAIR		15 SY
CLASS III REPAIR		5 SY
PR-4000 CONC FOR BRIDGE		3 CY
BRIDGE APPROACH REPAIR		60 CY
REMOVE GUARDRAIL		250 LF
GUARDRAIL END TREATMENT, TYPE I		10 EACH
W-THRIE BEAM TRANSITION SECTION		8 EACH
5" WHT WET RFLC THERMOPLSTC PVMT MRK,GVD		12,750 LF
5" YEL WET RFLC THERMOPLSTC PVMT MRK,GVD		12,900 LF
4" WHT WET RFLC PRF PVMT MKNG T4 GVD		3,550 LF
12" WHT WET RFLC PRF PVMT MKNG T4 GVD		5,000 LF
HYDRATED LIME FOR ASPHALT MIXTURES		98 TON
FOUNDATION COURSE REPLACEMENT		390 CY
ASPH CONC, TYPE SP5(0.375)		9,780 TON
ASPH CONC FOR PATCH, TYPE SP5 (0.375)		10 TON
PERF GRADED BINDER (70-28)		548 TON
TACK COAT		10,190 GAL
RENTAL OF LOADER, FULLY OPERATED		20 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED		20 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		20 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		20 HOUR
WATER		12 MGAL
EARTH SHOULDER CONSTRUCTION		47 STA
CONC SURF MILLING		67,950 SY
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 215
 FEDERAL PROJECT NO. NH-75-2(168)
 LOCATION: US-75, OREAPOLIS WETLAND BANK
 COUNTIES: CASS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 30, 2010. At that time the bids will be opened and read for GR SEED

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: GRADING

START DATE 11/01/2010 WORKING DAYS 45
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning September 07, 2010 at the Lincoln Central Office and September 13, 2010 at the District Engineer's Office at OMAHA

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	39	SHEETS	\$	9.75
CROSS SECTIONS (SHEETS X1 THRU X15)	15	SHEETS	\$	3.75
STANDARD PLANS	9	SHEETS	\$	2.25

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-K	SUMMARY OF SOILS & GEOTECHNICAL INFORMATION
2-W1 - 2-W4	WETLANDS
2-H1 - 2-H6	HORIZONTAL ALIGNMENT & CONTROL POINTS
2-N	GENERAL INFORMATION
2-L1	WETLAND GRADING PLAN KEY MAP
2-L2 - 2-L4	WETLAND SPOT ELEVATIONS
2-L5	INLET/OUTLET LOCATION & EROSION CONTROL PLAN
2-L6	WETLAND SEEDING PLAN
2-L7	WETLAND PLANTING PLAN
2-L8	TREE BERM LAYOUT PLAN
2-L9	WETLAND PLANTING DETAIL
2-L10 - 2-L11	GRADING PROJECT EROSION CONTROL
3 - 4	PLAN & PROFILE SHEETS--RELOCATED WEBSTER BLVD.
5	EAST BAY ROAD CONNECTOR & OREAPOLIS ROAD (SHOWN FOR INFORMATION ONLY)
6	EARTHWORK QUANTITIES
7	SPECIAL PLAN 1C FENCING PLAN
8	SPECIAL PLAN 2C 4-STRAND BARBED WIRE FENCE
9	SPECIAL PLAN 3C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
10 - 11	SPECIAL PLAN 4C TEMPORARY SILT CHECKS
R1 - R3	RIGHT-OF-WAY SHEETS
X1 - X6	CHANNEL CROSS SECTIONS
X7 - X15	RELOCATED WEBSTER BLVD. GRADING CROSS SECTIONS

STANDARD PLANS

501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
804	PRECAST CONCRETE R.O.W. MARKER
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION	52,498	CY
WATER	105	MGAL
RIGHT-OF-WAY MARKERS	20	EACH
RE-ESTABLISH PROPERTY CORNER	7	EACH
GABION, TYPE A	34	EACH
REJET MATTRESS, TYPE T	5	EACH
REJET MATTRESS, TYPE U	5	EACH
END POSTS	2	EACH
PULL POSTS	6	EACH
CORNER POSTS	13	EACH
14' GATE	1	EACH
BARBED WIRE FENCE	3,960	LF
COVER CROP SEEDING	22	ACRE
EROSION CONTROL, CLASS 1F	842	SY
EROSION CONTROL, CLASS 2C	54	SY
EROSION CHECKS, TYPE COIR	385	LF
FABRIC SILT FENCE-LOW POROSITY	7,100	LF

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE A	16	ACRE
SEEDING, TYPE C	8	ACRE
SEEDING, TYPE WETLAND-HIGH	36	ACRE
SEEDING, TYPE WETLAND-LOW	2	ACRE
MULCH	51	TON
BITTERNUT HICKORY RPM	20	EACH
FALSE INDIGO SHRUB RPM	150	EACH
COMMON BUTTONBUSH SHRUB RPM	170	EACH
GRAY DOGWOOD SHRUB RPM	30	EACH
ELDERBERRY SHRUB RPM	50	EACH
SILVER MAPLE RPM	90	EACH
RIVER BIRCH RPM	40	EACH
SWAMP WHITE OAK RPM	50	EACH
BUR OAK RPM	20	EACH
AMERICAN SYCAMORE RPM	40	EACH
BALCK WILLOW RPM	40	EACH
AMERICAN ELM RPM	30	EACH

GROUP 10 GENERAL ITEMS

SIGN DAY	180	EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	80	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	80	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	80	HOUR
RENT CRAWLER MNTD HYD EXCAVATOR, F.O.	80	HOUR
TEMPORARY SILT CHECK	1,000	LF
TEMPORARY SILT FENCE	1,000	LF
TEMPORARY EARTH CHECK	500	LF

NOTICE TO CONTRACTORS

CALL ORDER 220
STATE PROJECT NO. RD-80-9(1176)
LOCATION: I-80, I-80 & I-480 INTERCHANGE, OMAHA
COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 30, 2010. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY
START DATE 11/29/2010 WORKING DAYS 20
Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning September 07, 2010 at the Lincoln Central Office and September 13, 2010 at the District Engineer's Office at OMAHA
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	2 SHEETS	\$	0.50
STANDARD PLANS	2 SHEETS	\$	0.50

SHEET NO.

- 1 TITLE PAGE
& SUMMARY OF QUANTITIES
- 2 TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE
(FREEWAY-INTERSTATE)

STANDARD PLANS

920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	3,000	BDAY
BARRICADE, TYPE III	140	BDAY
TEMPORARY SIGN DAY	920	EACH
FLASHING ARROW PANEL	60	DAY
MOBILIZATION	LUMP	LUMP
CRACK SEALING BIT SURFACING	203,368	LF

NOTICE TO CONTRACTORS

CALL ORDER 225
 FEDERAL PROJECT NO. MAPA-3795(5)
 LOCATION: COUNTY WIDE RESURFACING, DOUGLAS COUNTY
 COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids for the
 COUNTY OF DOUGLAS in Room 104 of the Central Office Building at
 1500 Hwy 2 at Lincoln, until 1:30 P.M. on September 30, 2010 .
 At that time the bids will be opened and read for
 BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR
 WHO IS QUALIFIED FOR: BITUMINOUS

START DATE 08/15/2011 WORKING DAYS 40
 Price Range \$ 1,000,000 to \$ 3,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning September 07, 2010 at the Lincoln
 Central Office and September 13, 2010 at the District Engineer's Office at OMAHA
 Additional letting information may be found at the Nebraska Department of Roads
 Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal
 requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	23	SHEETS	\$	5.75
STANDARD PLANS	3	SHEETS	\$	0.75

SHEET NO.	
1	TITLE PAGE
2-S	SUMMARY OF QUANTITIES
2-T1 - 2-T3	TYPICAL CROSS SECTIONS
3 - 19	CONSTRUCTION PLAN SHEETS
20	TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS	
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and
 should not be used for bidding purposes. The Department
 reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	27,282	BDAY
BARRICADE, TYPE III	276	BDAY
TEMPORARY SIGN DAY	560	EACH
SIGN DAY	5,606	EACH
OVERLAY BROKEN LINES	1,632	STA
OVERLAY SOLID LINES	3,264	STA
FLAGGING	80	DAY
FURNISHING AND OPERATING PILOT VEHICLE	40	DAY
MOBILIZATION	LUMP	LUMP
HYDRATED LIME FOR ASPHALT MIXTURES	238	TON
ASPH CONCRETE FOR PATCHING, TYPE SP4 SPECIAL (0.5)	155	TON
ASPH CONC, TYPE SP4 SPECIAL(0.5)	23,670	TON
PLACE ASPH CONC FOR DRIVE & INTER	3,588	SY
PERF GRADED BINDER (64-28)	1,191	TON
TACK COAT	33,180	GAL
RENTAL OF LOADER, FULLY OPERATED	77	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	77	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	77	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	77	HOUR
COLD MILLING, CLASS 3	221,197	SY

NOTICE TO CONTRACTORS

CALL ORDER 300
FEDERAL PROJECT NO. STPB-87(10)
LOCATION: WINNEBAGO THUNDER WAY TRAIL
COUNTIES: THURSTON

The Nebraska Department of Roads will receive sealed bids for the WINNEBAGO TRIBE OF NEBRASKA in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on September 30, 2010 . At that time the bids will be opened and read for CONC PAVE

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT SPECIALTY
START DATE 04/04/2011 WORKING DAYS 50
Price Range \$ 250,000 to \$ 1,000,000
THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning September 07, 2010 at the Lincoln Central Office and September 13, 2010 at the District Engineer's Office at NORFOLK
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	32	SHEETS	\$	8.00
CROSS SECTIONS (SHEETS X1 THRU X10)	10	SHEETS	\$	2.50
STANDARD PLANS	7	SHEETS	\$	1.75

SHEET NO.

1	TITLE PAGE
2-S	SUMMARY OF QUANTITIES
3	COVER SHEET
4	TRAIL DETAILS
5	NOTES & SIGNAGE
6	QUANTITIES & CONTROL POINTS
7	PAVEMENT & SILT FENCE DETAILS
8	INTAKE DETAILS
9	RETAINING WALL DETAILS
10	NDOR EROSION CONTROL
11	STORM INLET & PIPING DETAILS
12	WOOD DECK DETAILS
13	DECK, CURB, & HEADWALL DETAILS
14 - 23	PLAN & PROFILE SHEETS
24	PIPING NEAR STA. 14+00
25 - 26	PIPING & RETAINING WALL NEAR STA. 30+00
27	PIPING DETAILS
28	RETAINING WALL NEAR STA. 31+00
29	PIPING & PEDESTRIAN HANDRAIL DETAILS
SW1 - SW3	STORM WATER POLLUTION PREVENTION PLAN
X1 - X10	TRAIL CROSS SECTIONS

STANDARD PLANS

303	(2 SHEETS) CURB RAMP
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 3 CONCRETE PAVEMENT

BARRICADE, TYPE II	150	B	DAY
BARRICADE, TYPE III	12	B	DAY
SIGN DAY	885	E	EACH
CONTRACTOR FURNISHED SIGN DAY	24	E	EACH
FLAGGING	40	D	DAY
MOBILIZATION	LUMP	LUMP	
LARGE TREE REMOVAL	5	E	EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP	
EXCAVATION (ESTABLISHED QUANTITY)	1,268	C	Y
EXCAVATION, BORROW	7,999	C	Y
SALVAGING AND PLACING TOPSOIL	9,000	S	Y
RIPRAP FILTER FABRIC	87	S	Y
SAWING PAVEMENT	48	L	LF
REMOVE FENCE	20	L	LF
REMOVE CONCRETE FLUME	1	E	EACH
REM & REINS DR CULV PIPE 36"	40	L	LF
CRUSHED ROCK SURFACE COURSE	48	T	TON
TIE BARS	26	E	EACH
COMB CONC 47B-3500 CURB & GUTTER	51	L	LF
DETECTABLE WARNING PANEL	120	S	SF
5" CONCRETE CLASS 47B-3000 BIKEWAY	4,552	S	Y
8" CONCRETE CLASS 47B-3000 BIKEWAY	138	S	Y
6" CONCRETE CLASS 47B-3500 BIKEWAY	44	S	Y
CONCRETE HEADER	200	L	LF
MODIFY CURB INLET	1	E	EACH
RETAINING WALL	LUMP	LUMP	
47B-3000 CONC FOR HDWL	1	C	CY
RE-STEEL FOR HEADWALL	54	L	LB
RAILING	120	L	LF
CONCRETE COLLAR 42"	1	E	EACH
18" CORRUGATED METAL PIPE	55	L	LF
24" CORRUGATED METAL PIPE	76	L	LF
36" CORRUGATED METAL PIPE	62	L	LF
30" REINF CONCRETE SEWER PIPE	35	L	LF
42" REINF CONCRETE SEWER PIPE	18	L	LF
WOOD DECK	LUMP	LUMP	
ROCK RIPRAP, TYPE A	180	T	TON
PEDESTRIAN HANDRAIL	1,317	L	LF
SPECIAL POST	18	E	EACH
INSTALL TRAFFIC SIGN & POST	39	E	EACH
REMOVABLE BOLLARD	7	E	EACH
RENTAL OF LOADER, FULLY OPERATED	5	H	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	5	H	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	5	H	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5	H	HOUR
MILLING CONCRETE CURB	48	L	LF
SEEDING, TYPE B	2	A	ACRE
EROSION CONTROL, CLASS 1D	1,625	S	Y
EROSION CONTROL, CLASS 2A	350	S	Y
FABRIC SILT FENCE-HIGH POROSITY	635	L	LF
MULCH	4	T	TON

NOTICE TO CONTRACTORS

CALL ORDER 305
STATE PROJECT NO. RD-20-5(1017)
LOCATION: US-20 IN PLAINVIEW AND US-275 IN NELIGH
COUNTIES: ANTELOPE
PIERCE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 30, 2010 . At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

START DATE 04/04/2011 WORKING DAYS 10
Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning September 07, 2010 at the Lincoln Central Office and September 13, 2010 at the District Engineer's Office at NORFOLK

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	3 SHEETS	\$	0.75
STANDARD PLANS	5 SHEETS	\$	1.25

SHEET NO.

1 TITLE PAGE
2-T TYPICAL CROSS SECTIONS
2-S SUMMARY OF QUANTITIES

STANDARD PLANS

920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
924 (3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	3,000	B	DAY
BARRICADE, TYPE III	20	B	DAY
TEMPORARY SIGN DAY	90	E	ACH
CONTRACTOR FURNISHED SIGN DAY	40	E	ACH
FLAGGING	10	D	AY
MOBILIZATION	LUMP	L	UMP
SEALING CRACKS	4,984	L	F
SEALING JOINTS	88,779	L	F
SEALING CONCRETE REPAIR JOINT	150	L	F

NOTICE TO CONTRACTORS

CALL ORDER 310
 FEDERAL PROJECT NO. STP-32-6(112)
 LOCATION: N-32, N-57 EAST
 COUNTIES: STANTON
 CUMING

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 30, 2010. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 14.9 MILES
 START DATE 08/01/2011 WORKING DAYS 50
 Price Range \$ 1,000,000 to \$ 3,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning September 07, 2010 at the Lincoln Central Office and September 13, 2010 at the District Engineer's Office at NORFOLK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	3 SHEETS	\$	0.75
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
& TYPICAL CROSS SECTIONS
- 3 TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	59,400	B	DAY
BARRICADE, TYPE III	360	B	DAY
TEMPORARY SIGN DAY	700	E	EACH
SIGN DAY	13,140	E	EACH
OVERLAY BROKEN LINES	1,591	S	TA
OVERLAY SOLID LINES	3,182	S	TA
FLAGGING	100	D	DAY
FURNISHING AND OPERATING PILOT VEHICLE	50	D	DAY
FIELD OFFICE	1	E	EACH
MOBILIZATION	LUMP	L	LUMP
HYDRATED LIME FOR ASPHALT MIXTURES	273	T	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	2	T	TON
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	200	T	TON
ASPH CONC, TYPE SPR	26,860	T	TON
ASPH CONCRETE FOR PATCHING, TYPE SPR	500	T	TON
PERF GRADED BINDER (64-34)	1,047	T	TON
TACK COAT	36,970	G	GAL
RENTAL OF LOADER, FULLY OPERATED	80	H	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	80	H	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	80	H	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	80	H	HOUR

WATER	392 MGAL
EARTH SHOULDER CONSTRUCTION	1,566 STA
COLD MILLING, CLASS 3	792 STA
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP
SEEDING, TYPE B	21 ACRE
MULCH	48 TON

NOTICE TO CONTRACTORS

CALL ORDER 315
 STATE PROJECT NO. RD-81-3(1047)
 LOCATION: US-81, IN NORFOLK & SOUTH
 COUNTIES: MADISON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 30, 2010. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

Length: 5.0 MILES
 START DATE 07/11/2011 WORKING DAYS 70
 Price Range \$ 500,000 to \$ 2,000,000

Plans and specifications may be seen beginning September 07, 2010 at the Lincoln Central Office and September 13, 2010 at the District Engineer's Office at NORFOLK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	16	SHEETS	\$	4.00
STANDARD PLANS	2	SHEETS	\$	0.50

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T5	TYPICAL CROSS SECTIONS
2-S1 - 2-S8	SUMMARY OF QUANTITIES
3	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
4	TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	34,880	B	DAY
BARRICADE, TYPE III	676	B	DAY
TEMPORARY SIGN DAY	672	E	EACH
SIGN DAY	4,440	E	EACH
TEMP PVMT MARKING, TYPE PAINT	78,000	L	LF
FLASHING ARROW PANEL	176	D	DAY
FLAGGING	20	D	DAY
MOBILIZATION	LUMP	LUMP	
CROSS STITCHING	12,472	E	EACH
CONCRETE CURB REPAIR	147	L	LF
CONC PVMT REPAIR TYPE A FULL DEPTH	91	C	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	216	C	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	804	C	CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH	8	C	CY
DIAMOND GRINDING AND TEXTURING CONC PVMT	81,938	S	SY
SEALING CRACKS	26,848	L	LF
SEALING JOINTS	238,605	L	LF
SEALING CONCRETE REPAIR JOINT	31	L	LF
CONC PVMT, PR-3500	47	C	CY
JOINT REPAIR			
CONC SMOOTHNESS TESTING	LUMP	LUMP	
FOUNDATION COURSE REPLACEMENT	72	C	CY

NOTICE TO CONTRACTORS

CALL ORDER 320
STATE PROJECT NO. RD-57-4(1008)
LOCATION: N-57, NORTH OF HARTINGTON
COUNTIES: CEDAR

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 30, 2010. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

Length: 6.7 MILES
START DATE 08/29/2011 WORKING DAYS 10
Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning September 07, 2010 at the Lincoln Central Office and September 13, 2010 at the District Engineer's Office at NORFOLK
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	3 SHEETS	\$	0.75
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

1 TITLE PAGE
2-S SUMMARY OF QUANTITIES
& TYPICAL CROSS SECTION
3 TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE III	80	BDAY
TEMPORARY SIGN DAY	80	EACH
SIGN DAY	1,120	EACH
TEMPORARY BROKEN LINES	353	STA
FLAGGING	20	DAY
FURNISHING AND OPERATING PILOT VEHICLE	10	DAY
MOBILIZATION	LUMP	LUMP
AGG FOR MICROSURFACING	1,110	TON
MIN FILLER FOR MICROSURFACING	22	TON
MICROSURFACING PLACEMENT	254	STA
EMUL ASPH FOR MICROSURFACING	38,120	GAL

NOTICE TO CONTRACTORS

CALL ORDER 400
 FEDERAL PROJECT NO. STPE-2145(10)
 LOCATION: ON A COUNTY ROAD, SOUTH OF HOLSTEIN
 COUNTIES: ADAMS

The Nebraska Department of Roads will receive sealed bids for the COUNTY OF ADAMS in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on September 30, 2010. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 4.9 MILES
 START DATE 09/12/2011 WORKING DAYS 25
 Price Range \$ 500,000 to \$ 2,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning September 07, 2010 at the Lincoln Central Office and September 13, 2010 at the District Engineer's Office at GRAND ISLAND. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	11 SHEETS	\$	2.75
STANDARD PLANS	9 SHEETS	\$	2.25

SHEET NO.

1	TITLE PAGE
2-T1	TYPICAL CROSS SECTIONS OF IMPROVEMENT
2-S1 - 2-S2	SUMMARY OF QUANTITIES
3 - 7	PLAN SHEETS
8	TEMPORARY PAVEMENT MARKING PLAN
9	TYPICAL PAVEMENT MARKING PLAN--4" PAVEMENT MARKING

STANDARD PLANS

308-R1	LOCAL ROADS MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	6,200	BDAY
BARRICADE, TYPE III	192	BDAY
TEMPORARY SIGN DAY	350	EACH
SIGN DAY	3,485	EACH
OVERLAY BROKEN LINES	521	STA
OVERLAY SOLID LINES	1,042	STA
PERMANENT PAVEMENT MARKING PAINT	78,446	LF
FLAGGING	50	DAY
FURNISHING AND OPERATING PILOT VEHICLE	25	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
SPEC SURF CRSE FOR MAILBOX TURNOUTS	116	SY
MAILBOX POST	3	EACH
HYDRATED LIME FOR ASPHALT MIXTURES	149	TON

ASPH CONC, TYPE SP4(0.5)	14,700 TON
PLACE ASPH CONC FOR DRIVE & INTER	3,780 SY
ASPH CONC FOR PATCHING, TYPE SP4(0.5)	250 TON
PERF GRADED BINDER (64-28)	747 TON
PREP OF INTER & DRIVE	912 SY
TACK COAT	13,420 GAL
RENTAL OF LOADER, FULLY OPERATED	30 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	30 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	30 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	30 HOUR
WATER	130 MGAL
EARTH SHOULDER CONSTRUCTION	521 STA
COLD MILLING, CLASS 2	1,468 SY
ASPH PVMT SMOOTHNESS TESTING	LUMP LUMP
SEEDING, TYPE B	5 ACRE
TEMPORARY SILT FENCE	500 LF
MULCH	11 TON

NOTICE TO CONTRACTORS

CALL ORDER 405

STATE PROJECT NO. MISC-D4(1016)
 LOCATION: DISTRICT 4-DISTRICTWIDE ALUMINUM POLE REPLACEMENT
 COUNTIES: FILLMORE BUFFALO
 HALL OTHERS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 30, 2010. At that time the bids will be opened and read for ELECTRICAL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: ELECTRICAL

START DATE 04/04/2011 WORKING DAYS 60
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning September 07, 2010 at the Lincoln Central Office and September 13, 2010 at the District Engineer's Office at GRAND ISLAND

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	5 SHEETS	\$	1.25
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

- 1 TITLE PAGE
& SUMMARY OF QUANTITIES
- 2 - 4 PLAN SHEETS--LIGHTING
- 5 TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE
(FREEWAY-INTERSTATE)

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8B ELECTRICAL

BARRICADE, TYPE II	600	B	DAY
TEMPORARY SIGN DAY	240	E	EACH
MOBILIZATION	LUMP	L	LUMP
LUMINAIRE, TYPE HPS-250	2	E	EACH
REPLACE	22	E	EACH
BREAKAWAY TRANSFORMER BASE			
REPLACE	172	E	EACH
ALUMINUM MASTARM LIGHT POLE,			
REPLACE	40	E	EACH
ALUMINUM MASTARM LIGHT POLE,			
REPLACE	2	E	EACH
ALUMINUM MASTARM LIGHT POLE,			
REPLACE	1	E	EACH
ALUMINUM MASTARM LIGHT POLE,			
REPLACE	12	E	EACH
ALUMINUM MASTARM LIGHT POLE,			
REPLACE	11	E	EACH
ALUMINUM MASTARM LIGHT POLE,			
REPLACE	2	E	EACH
ALUMINUM MASTARM LIGHT POLE,			

NOTICE TO CONTRACTORS

CALL ORDER 410
 STATE PROJECT NO. RD-81-2(1044)
 LOCATION: US-81, SHELBY EAST
 COUNTIES: POLK

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 30, 2010. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

Length: 2.8 MILES
 START DATE 08/22/2011 WORKING DAYS 45
 Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning September 07, 2010 at the Lincoln Central Office and September 13, 2010 at the District Engineer's Office at GRAND ISLAND

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	12	SHEETS	\$	3.00
STANDARD PLANS	4	SHEETS	\$	1.00

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T5	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
3 - 5	TYPICAL URBAN TRAFFIC CONTROL PLAN
6	TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	4,950	B DAY
BARRICADE, TYPE III	332	B DAY
TEMPORARY SIGN DAY	180	EACH
SIGN DAY	4,067	EACH
TEMP PVMT MARKING, TYPE PAINT	33,500	LF
FLAGGING	90	DAY
FURNISHING AND OPERATING PILOT VEHICLE	45	DAY
MOBILIZATION	LUMP	LUMP
CROSS STITCHING	2,331	EACH
CONCRETE CURB REPAIR	10	LF
CONC PVMT REPAIR TYPE A FULL DEPTH	25	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	74	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	354	CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH	1	CY
DIAMOND GRINDING AND TEXTURING CONC PVMT	47,257	SY
SEALING CRACKS	252	LF
SEALING JOINTS	43,692	LF
GROUP 8 SPECIALTY		

CONC PVMT, PR-3500	22	CY
JOINT REPAIR		
CONC SMOOTHNESS TESTING	LUMP	LUMP
FOUNDATION COURSE REPLACEMENT	16	CY
JOINT SEALING - ASPHALT TO CONCRETE	205	STA

NOTICE TO CONTRACTORS

CALL ORDER 415
STATE PROJECT NO. RD-80-5(1017)
LOCATION: I-80, ELM CREEK-KEARNEY
COUNTIES: BUFFALO

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 30, 2010. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY
START DATE 11/29/2010 WORKING DAYS 30
Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning September 07, 2010 at the Lincoln Central Office and September 13, 2010 at the District Engineer's Office at GRAND ISLAND
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	2 SHEETS	\$	0.50
STANDARD PLANS	2 SHEETS	\$	0.50

SHEET NO.

- 1 TITLE PAGE
& SUMMARY OF QUANTITIES
- 2 TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE
(FREEWAY-INTERSTATE)

STANDARD PLANS

920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	6,250	BDAY
BARRICADE, TYPE III	150	BDAY
TEMPORARY SIGN DAY	1,200	EACH
FLASHING ARROW PANEL	50	DAY
MOBILIZATION	LUMP	LUMP
CRACK SEALING BIT SURFACING	408,008	LF

NOTICE TO CONTRACTORS

CALL ORDER 500
 FEDERAL PROJECT NO. NH-26-1(153)
 LOCATION: US-26, MORRILL WEST
 COUNTIES: SCOTTS BLUFF
 SIOUX

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 30, 2010 . At that time the bids will be opened and read for GR CONC PAVE CULV SEED GDRL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

Length: 7.3 MILES
 START DATE 11/01/2010 WORKING DAYS 120
 Price Range \$ 3,000,000 to \$ 6,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning September 07, 2010 at the Lincoln Central Office and September 13, 2010 at the District Engineer's Office at GERING
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	96 SHEETS	\$	24.00
CROSS SECTIONS (SHEETS X1 THRU X69)	69 SHEETS	\$	17.25
STANDARD PLANS	23 SHEETS	\$	5.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T3	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-W1 - 2-W13	WETLANDS
2-H1 - 2-H4	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION
2-N2	GENERAL INFORMATION--MILLED RUMBLE STRIPS
2-N3 - 2-N4	GENERAL INFORMATION--SUPERELEVATION DIAGRAMMATIC PROFILE
2-P1 - 2-P4	PHASING PLANS
2-L1	GEOMETRICS
2-L2 - 2-L3	CONSTRUCTION & REMOVALS
3 - 9	PLAN SHEETS
10 - 12	TYPICAL URBAN TRAFFIC CONTROL PLAN
13	TEMPORARY PAVEMENT MARKING PLAN
14	PAVEMENT MARKING PLAN--LEFT TURN LANE
15 - 19	EARTHWORK DATA SHEETS
20 - 32	DRAINAGE STRUCTURE CROSS SECTIONS
33	SPECIAL PLAN 1C CONCRETE FLUME
34 - 35	SPECIAL PLAN 2C 8' X 5' SINGLE SPAN RC BOX CULVERT STA. 58+72 LT
36 - 37	SPECIAL PLAN 3C 5' X 7' SINGLE SPAN RC BOX CULVERT STA. 105+36
38	SPECIAL PLAN 4C CONCRETE COLLAR FOR 72" PIPE (W/ 0 DEGREE BEND) STA. 131+26
39	SPECIAL PLAN 5C CONCRETE COLLARS (FOR ARCH PIPE)
40	SPECIAL PLAN 6C AREA INLET WITH OPEN SIDE(S)
41 - 46	SPECIAL PLAN 7C GUARDRAIL PLAN
47 - 48	SPECIAL PLAN 8C TEMPORARY SILT CHECKS
49	SPECIAL PLAN 9C TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
50	SPECIAL PLAN 10C TYPICAL TRAFFIC CONTROL PLAN--SHOO-FLY DETOUR
R1 - R14	RIGHT-OF-WAY SHEETS
X1 - X69	CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
309	MAILBOX SUPPORT POST
329-R7	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
804	PRECAST CONCRETE R.O.W. MARKER
901-R9	HIGHWAY DELINEATORS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION	22,410	CY
WATER	372	MGAL
RIGHT-OF-WAY MARKERS	33	EACH
REMOVE PAVEMENT	2,291	SY
SAWING PAVEMENT	2,120	LF
REMOVE ASPHALT SURFACE	65,599	SY
REMOVE DRIVEWAY	2,056	SY
REMOVE DISCHARGE STRUCTURE	1	EACH
CLEAR TRACT	1	EACH
AT STA. 11+58 - STA. 13+80 RT.		
24" RD EQUIV DRIVE PIPE 2,3,4,5	448	LF
REMOVE HEADWALLS FROM CULV	1	EACH
REMOVE & SALVAGE GUARDRAIL	500	LF
COVER CROP SEEDING	18	ACRE
EROSION CONTROL, CLASS 1D	4,931	SY
FABRIC SILT FENCE-LOW POROSITY	2,271	LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE II	5	EACH
DELINEATOR, TYPE III	95	EACH
GRAVEL SURFACE COURSE	35	CY
MAILBOX POST	10	EACH
TIE BARS	26,785	EACH
CONC CLASS 47B-3500 DRIVEWAY 8"	612	SY
CONC 47B-3500 DRIVEWAY 6"	1,248	SY
8" CONC PVMT, 47B-3500	66,299	SY
9" CONC PVMT, 47B-3500	2,463	SY
TEMPORARY SURFACING	293	SY
ADJUST MANHOLE TO GRADE	1	EACH
CONCRETE FLUME	14	EACH
ARROW, PREF PVMT MRKING T-4 GROOVED	6	EACH
5" WHT WET RFLC POLY PVMT MRKING, GVD	76,870	LF
12" YEL WET RFLC POLY PVMT MRKING, GVD	180	LF
5" YEL WET RFLC POLY PVMT MRKING, GVD	29,530	LF
PREP OF INTER & DRIVE	1,860	SY
WATER	394	MGAL
EARTH SHOULDER CONSTRUCTION	746	STA
SUBGRADE PREPARATION	68,919	SY
RUMBLE STRIPS, CONCRETE	733	STA
SURFACE UNDER GUARDRAIL	396	SY

GROUP 4 CULVERTS

	LUMP	LUMP
MOBILIZATION		
CAST IRON COVER & FRAME		125 LB
REMOVE HEADWALLS FROM CULV		53 EACH
PREPARATION OF STRUCTURE		1 EACH
AT STA. 58+72		
PREPARATION OF STRUCTURE		1 EACH
AT STA. 105+36		
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		198 CY
EXCAVATION FOR BOX CULVERTS		121 CY
47B-3000 CONC FOR BOX CULV		59 CY
47B-3000 CONC FOR INLET & JUNCTION BOXES		2 CY
47B-3000 CONC FOR CONCRETE CO		62 CY
RE-STEEL FOR BOX CULVERT		4,885 LB
RE-STEEL FOR INLET & JCT BOX		472 LB
RE-STEEL FOR COLLARS		3,635 LB
18" METAL FLARED-END SECTION		2 EACH
24" METAL FLARED-END SECTION		14 EACH
30" METAL FLARED-END SECTION		2 EACH
36" METAL FLARED-END SECTION		6 EACH
42" METAL FLARED-END SECTION		2 EACH
60" METAL FLARED-END SECTION		2 EACH
72" METAL FLARED-END SECTION		2 EACH
36" RND EQUIV MTL PIPE FES		2 EACH
42" RND EQUIV MTL PIPE FES		2 EACH
48" RND EQUIV MTL PIPE FES		8 EACH
54" RND EQUIV MTL PIPE FES		8 EACH
18" CULV PIPE 3,4,5		42 LF
24" CULV PIPE 3,4,5		146 LF
30" CULV PIPE 3,4,5		16 LF
36" CULV PIPE 3,4,5		40 LF
42" CULV PIPE 3,4,5		4 LF
60" CULV PIPE 3,4,5		18 LF
72" CULV PIPE 3,4,5		38 LF
36" RND EQ CULV PIPE 3,4,5		14 LF
42" RND EQ CULV PIPE 3,4,5		8 LF
48" RND EQ CULV PIPE 3,4,5		60 LF
54" RND EQ CULV PIPE 3,4,5		48 LF

GROUP 5 SEEDING

	LUMP	LUMP
MOBILIZATION		
SEEDING, TYPE B		18 ACRE
MULCH		41 TON

GROUP 7 GUARDRAIL

	LUMP	LUMP
MOBILIZATION		
W-BEAM GUARDRAIL		237 LF
GUARDRAIL END TREATMENT, TYPE I		2 EACH
GUARDRAIL END TREATMENT, TYPE II		2 EACH

GROUP 10 GENERAL ITEMS

SURV OF TEMP TRAFFIC CONT DEVICES		181 CDAY
BARRICADE, TYPE II		33,675 BDAY
BARRICADE, TYPE III		9,656 BDAY
TEMPORARY SIGN DAY		720 EACH
SIGN DAY		17,946 EACH
CONTRACTOR FURNISHED SIGN DAY		180 EACH
TEMP PAVEMENT MARKING REMOVAL		477,950 LF
PAVEMENT MARKING REMOVAL		100,560 LF
TEMP PVMT MARKING, TYPE PAINT		477,950 LF
TEMP PVMT MARKING SURF PREP		38,362 LF
FLAGGING		200 DAY
FURNISHING AND OPERATING PILOT VEHICLE		100 DAY
FIELD OFFICE		1 EACH
TRAINING		500 HOUR

GROUP 10 GENERAL ITEMS

	LUMP	LUMP
MOBILIZATION		
RENTAL OF LOADER, FULLY OPERATED		30 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED		60 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		30 HOUR
RENTAL OF BACKHOE, FULLY OPERATED		60 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		30 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		30 HOUR
TEMPORARY SILT CHECK		500 LF
TEMPORARY SILT FENCE	1,000	LF
TEMPORARY EARTH CHECK		500 LF
TEMPORARY MULCH		2 TON

NOTICE TO CONTRACTORS

CALL ORDER 505
 STATE PROJECT NO. STR-L53C(1004)
 LOCATION: L53C, BUSHNELL LINK
 COUNTIES: KIMBALL

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 30, 2010 . At that time the bids will be opened and read for BRIDGE

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES
 START DATE 08/15/2011 WORKING DAYS 40
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning September 07, 2010 at the Lincoln Central Office and September 13, 2010 at the District Engineer's Office at GERING
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	23	SHEETS	\$	5.75
CROSS SECTIONS (SHEETS X1 THRU X3)	3	SHEETS	\$	0.75
STANDARD PLANS	6	SHEETS	\$	1.50

SHEET NO.	TITLE PAGE
1	SUMMARY OF QUANTITIES
2-S	WETLANDS
2-W	HORIZONTAL ALIGNMENT & ORIENTATION
2-H1 - 2-H2	GENERAL INFORMATION
2-N	PLAN SHEET
3	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL YIELD CONTROL FOR LOW VOLUME, ONE LANE, TWO WAY TRAFFIC (CONCRETE PROTECTION BARRIERS)
4	TEMPORARY PAVEMENT MARKING PLAN
5	EARTHWORK DATA SHEET
6	SPECIAL PLAN 1C CONCRETE SLAB BRIDGE OVERLAY & REPAIR STA. 118+30.00
7 - 10	
11 - 17	SPECIAL PLAN 2C GUARDRAIL PLAN
18 - 19	SPECIAL PLAN 3C CONCRETE PROTECTION BARRIER
X1 - X3	CROSS SECTIONS

STANDARD PLANS

501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT STA. 118+30.00

MOBILIZATION	LUMP	LUMP
WATER		15 MGAL
EARTHWORK MEASURED IN EMBANKMENT		398 CY
CLASS I REPAIR		736 SY
CLASS II REPAIR		314 SY
CLASS III REPAIR		32 SY
PLACE, FINISH, & CURE CONC OVERLAY-SF		736 SY
47BD-4000 CONC FOR BRIDGE		32 CY
CONCRETE FOR OVERLAYS-SF		245 CY
RE-STEEL FOR BRIDGE		10,760 LB

GROUP 6 BRIDGE AT STA. 118+30.00

PREP BRIDGE		1 EACH
AT STA. 118+30.00		
PAINTING PILES AND MISC STEEL	LUMP	LUMP
CONCRETE REPAIR		144 SF
W-BEAM GUARDRAIL		125 LF
REMOVE GUARDRAIL		702 LF
BRIDGE APPROACH SECTIONS		4 EACH
GUARDRAIL END TREATMENT, TYPE II		4 EACH
EROSION CONTROL, CLASS 1D		1,447 SY

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II		456 BDAY
BARRICADE, TYPE III		304 BDAY
SIGN DAY		2,128 EACH
PAVEMENT MARKING REMOVAL		2,500 LF
TEMP PVMT MARKING, TYPE PAINT		1,800 LF
TEMP PVMT MARKING SURF PREP		1,250 LF
CONCRETE PROTECTION BARRIER		550 LF
RELOCATE CONC PROTECTION BARRIER		550 LF
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		5 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		5 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		5 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		5 HOUR
TEMPORARY SILT FENCE		200 LF

NOTICE TO CONTRACTORS

CALL ORDER 510
 STATE PROJECT NO. ELEC-80-1(1031)
 LOCATION: I-80, PINE BLUFFS INTERCHANGE
 COUNTIES: KIMBALL

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 30, 2010. At that time the bids will be opened and read for ELECTRICAL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: ELECTRICAL
 START DATE 09/06/2011 WORKING DAYS 30
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning September 07, 2010 at the Lincoln Central Office and September 13, 2010 at the District Engineer's Office at GERING
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	11 SHEETS	\$	2.75
STANDARD PLANS	5 SHEETS	\$	1.25

SHEET NO.	TITLE PAGE
1	& SUMMARY OF QUANTITIES
2-H1 - 2-H3	HORIZONTAL ALIGNMENT & ORIENTATION
3 - 8	PLAN SHEETS--LIGHTING
9	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
STANDARD PLANS	
914-R6	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8B ELECTRICAL

BARRICADE, TYPE II	80	B	DAY
BARRICADE, TYPE III	272	B	DAY
TEMPORARY SIGN DAY	24	E	EACH
SIGN DAY	1,458	E	EACH
FLASHING ARROW PANEL	2	D	DAY
FLAGGING	10	D	DAY
MOBILIZATION	LUMP	L	LUMP
PULL BOX, TYPE PB-5	9	E	EACH
PULL BOX, TYPE PB-6	2	E	EACH
ST LIGHT UNIT SL-BT-40-12-0.25	3	E	EACH
LUMINAIRE, TYPE HML-A-1KW	12	E	EACH
LUMINAIRE, TYPE HML-V-1KW	8	E	EACH
HIGH MAST LIGHT UNIT T-120	2	E	EACH
HIGH MAST LIGHT UNIT T-140	2	E	EACH
FOUNDATION DESIGN	4	E	EACH
CONCRETE FOR FOUNDATION	60	C	Y
REINFORCING STEEL	4,852	L	B
ANCHOR BOLTS	24	E	EACH
LIGHTING CONTROL CENTER, D	1	E	EACH
LIGHTING CONTROL CENTER, R	2	E	EACH
1 1/2" CONDUIT IN TRENCH	3,571	L	F
1 1/2" CONDUIT, JACKED	127	L	F
STREET LIGHT CABLE, NO. 2 USE	6,286	L	F
STREET LIGHT CABLE, NO. 6 BARE	3,698	L	F
STREET LIGHT CABLE, NO. 6 USE	1,110	L	F

NOTICE TO CONTRACTORS

CALL ORDER 515
STATE PROJECT NO. RD-385-2(1008)
LOCATION: US-385, COLORADO/NEBRASKA LINE-CHAPPELL
COUNTIES: DEUEL

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 30, 2010. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 8.7 MILES
START DATE 07/11/2011 WORKING DAYS 20
Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning September 07, 2010 at the Lincoln Central Office and September 13, 2010 at the District Engineer's Office at GERING. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	3 SHEETS	\$	0.75
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

1 TITLE PAGE
2-S SUMMARY OF QUANTITIES
& TYPICAL CROSS SECTIONS
3 TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	11,968	B	DAY
BARRICADE, TYPE III	136	B	DAY
TEMPORARY SIGN DAY	280	E	EACH
SIGN DAY	2,992	E	EACH
OVERLAY BROKEN LINES	509	S	TA
OVERLAY SOLID LINES	967	S	TA
FLAGGING	40	D	DAY
FURNISHING AND OPERATING PILOT VEHICLE	20	D	DAY
MOBILIZATION	LUMP	L	LUMP
HOT IN-PLACE RECYCLING	458	S	TA
EMUL ASPH FOR HOT IN-PLACE RECYCLING	31,840	G	GAL

NOTICE TO CONTRACTORS

CALL ORDER 520
STATE PROJECT NO. RD-80-2(1017)
LOCATION: I-80, CHAPPELL-SOUTH PLATTE RIVER
COUNTIES: DEUEL

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 30, 2010. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

Length: 17.5 MILES
START DATE 11/29/2010 WORKING DAYS 20
Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning September 07, 2010 at the Lincoln Central Office and September 13, 2010 at the District Engineer's Office at GRAND ISLAND
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	2 SHEETS	\$	0.50
STANDARD PLANS	2 SHEETS	\$	0.50

SHEET NO.

- 1 TITLE PAGE
& SUMMARY OF QUANTITIES
- 2 TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE
(FREEWAY-INTERSTATE)

STANDARD PLANS

920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	5,000	B	DAY
BARRICADE, TYPE III	120	B	DAY
TEMPORARY SIGN DAY	1,200	E	ACH
FLASHING ARROW PANEL	40	D	AY
MOBILIZATION	LUMP	L	UMP
CRACK SEALING BIT SURFACING	294,180	L	FT

NOTICE TO CONTRACTORS

CALL ORDER 600

STATE PROJECT NO. MISC-D6(1021)
 LOCATION: DISTRICT 6-DISTRICTWIDE ALUMINUM POLE REPLACEMENT
 COUNTIES: LINCOLN DAWSON
 KEITH OTHERS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 30, 2010. At that time the bids will be opened and read for ELECTRICAL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: ELECTRICAL

START DATE 04/04/2011 WORKING DAYS 50
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning September 07, 2010 at the Lincoln Central Office and September 13, 2010 at the District Engineer's Office at NORTH PLATTE

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	5 SHEETS	\$	1.25
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

- 1 TITLE PAGE
& SUMMARY OF QUANTITIES
- 2 - 4 PLAN SHEETS--LIGHTING
- 5 TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE
(FREEWAY-INTERSTATE)

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8B ELECTRICAL

BARRICADE, TYPE II	500	B	DAY
TEMPORARY SIGN DAY	200	E	EACH
MOBILIZATION	LUMP	L	LUMP
REPLACE BREAKAWAY TRANSFORMER BASE	13	E	EACH
REPLACE ALUMINUM MASTARM LIGHT POLE,	119	E	EACH
REPLACE ALUMINUM MASTARM LIGHT POLE,	15	E	EACH
REPLACE ALUMINUM MASTARM LIGHT POLE,	7	E	EACH
REPLACE ALUMINUM MASTARM LIGHT POLE,	4	E	EACH
REPLACE ALUMINUM MASTARM LIGHT POLE,	30	E	EACH
REPLACE ALUMINUM MASTARM LIGHT POLE,	4	E	EACH

NOTICE TO CONTRACTORS

CALL ORDER 605
 FEDERAL PROJECT NO. STPE-1670(4)
 LOCATION: ON A COUNTY ROAD, SOUTHWEST OF BROKEN BOW
 COUNTIES: CUSTER

The Nebraska Department of Roads will receive sealed bids for the COUNTY OF CUSTER in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on September 30, 2010. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 9.9 KILOMETERS
 START DATE 08/29/2011 WORKING DAYS 30
 Price Range \$ 500,000 to \$ 2,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning September 07, 2010 at the Lincoln Central Office and September 13, 2010 at the District Engineer's Office at NORTH PLATTE. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	13 SHEETS	\$	3.25
STANDARD PLANS	10 SHEETS	\$	2.50

SHEET NO.

1	TITLE PAGE
2T	TYPICAL CROSS SECTIONS
2S	SUMMARY OF QUANTITIES
3 - 10	PLAN SHEETS
11	TEMPORARY PAVEMENT MARKING PLAN
12	TYPICAL PAVEMENT MARKING PLAN--125 mm PAVEMENT MARKING PAINT

STANDARD PLANS

M108-R2	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
M308	LOCAL ROADS MAILBOX TURNOUT
M309	MAILBOX SUPPORT POST
M502	SILT FENCE DETAILS
M920	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
M921-R1	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
M922-R3	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	21,824	B	DAY
BARRICADE, TYPE III	248	B	DAY
TEMPORARY SIGN DAY	420	E	EACH
SIGN DAY	3,968	E	EACH
OVERLAY BROKEN LINES	198	S	taM
OVERLAY SOLID LINES	396	S	taM
PERMANENT PAVEMENT MARKING PAINT	25,000	m	
FLAGGING	60	D	DAY
FURNISHING AND OPERATING PILOT VEHICLE	30	D	DAY
MOBILIZATION	LUMP	L	LUMP
SPEC SURF CRSE FOR MAILBOX TURNOUTS	28	m	2
MAILBOX POST	1	E	EACH

HYDRATED LIME FOR ASPHALT MIXTURES		197 Mg
SHOULDER SUBGRADE PREPARATION		5 StaM
ASPH CONC, TYPE SP4 SPECIAL (12.5)	19,210 Mg	
PLACE ASPH CONC FOR DRIVE & INTER	1,414 m2	
ASP CON FOR PATCH, TYPE SP4 SPEC (12.5)	480 Mg	
PERF GRADED BINDER (64-28)	984 Mg	
CONSTRUCTING ASPH CONC CURB	318 m	
PREP OF INTER & DRIVE	1,414 m2	
TACK COAT	73,660 L	
RENTAL OF LOADER, FULLY OPERATED	40 HOUR	
RENTAL OF MOTOR GRADER, FULLY OPERATED	30 HOUR	
RENTAL OF DUMP TRUCK, FULLY OPERATED	40 HOUR	
RENTAL OF SKID LOADER, FULLY OPERATED	40 HOUR	
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10 HOUR	
WATER	612 kL	
EARTH SHOULDER CONSTRUCTION	192 StaM	
ASPH PVMT SMOOTHNESS TESTING	LUMP	LUMP
SEEDING, TYPE B	11 ha	
TEMPORARY SILT FENCE	500 m	
MULCH	55 Mg	

NOTICE TO CONTRACTORS

CALL ORDER 610
 STATE PROJECT NO. RD-30-3(1016)
 LOCATION: US-30, LEXINGTON-OVERTON
 COUNTIES: DAWSON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 30, 2010. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 10.1 MILES
 START DATE 07/18/2011 WORKING DAYS 60
 Price Range \$ 2,000,000 to \$ 4,000,000

Plans and specifications may be seen beginning September 07, 2010 at the Lincoln Central Office and September 13, 2010 at the District Engineer's Office at NORTH PLATTE
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	10	SHEETS	\$	2.50
STANDARD PLANS	4	SHEETS	\$	1.00

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T5	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-N	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3	TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	22,000	BDAY
BARRICADE, TYPE III	624	BDAY
TEMPORARY SIGN DAY	840	EACH
SIGN DAY	11,232	EACH
OVERLAY BROKEN LINES	2,136	STA
OVERLAY SOLID LINES	4,272	STA
FLAGGING	120	DAY
FURNISHING AND OPERATING PILOT VEHICLE	60	DAY
TRAFFIC CONTROL MANAGEMENT	104	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
CONC PVMT REPAIR TYPE B FULL DEPTH	130	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	144	CY
HYDRATED LIME FOR ASPHALT MIXTURES	392	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	3	TON
FOUNDATION COURSE REPLACEMENT	7	CY
ASP CON ST MAIN PTCH TYPE SP4 SPEC(0.5)	300	TON
ASPH CONC, TYPE SPS	7,840	TON
ASPH CONC, TYPE SP4 SPECIAL(0.5)	11,590	TON
ASPH CONC, TYPE SPR	27,220	TON
ASPH CONCRETE FOR PATCHING, TYPE SPR	400	TON
PERF GRAD BIND (64-28)FOR ST MAINT PATCH	14	TON
PERF GRADED BINDER (64-28)	556	TON

PERF GRADED BINDER (52-34)	297 TON
PERF GRADED BINDER (64-34)	1,049 TON
TACK COAT	50,080 GAL
RENTAL OF LOADER, FULLY OPERATED	30 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	30 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	30 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	30 HOUR
COLD MILLING, CLASS 3	1,078 STA
COLD MILLING, CLASS 4	534 STA
RUMBLE STRIPS, ASPHALT	1,031 STA
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP

NOTICE TO CONTRACTORS

CALL ORDER 615
 FEDERAL PROJECT NO. STPE-1670(5)
 LOCATION: ON A COUNTY ROAD WEST OF BROKEN BOW
 COUNTIES: CUSTER

The Nebraska Department of Roads will receive sealed bids for the
 COUNTY OF CUSTER in Room 104 of the Central Office Building at
 1500 Hwy 2 at Lincoln, until 1:30 P.M. on September 30, 2010 .
 At that time the bids will be opened and read for
 BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR
 WHO IS QUALIFIED FOR: BITUMINOUS

Length: 11.3 km
 START DATE 08/29/2011 WORKING DAYS 30
 Price Range \$ 500,000 to \$ 2,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning September 07, 2010 at the Lincoln
 Central Office and September 13, 2010 at the District Engineer's Office at NORTH PLATTE
 Additional letting information may be found at the Nebraska Department of Roads
 Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal
 requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	14	SHEETS	\$	3.50
STANDARD PLANS	9	SHEETS	\$	2.25

SHEET NO.

1	TITLE PAGE
2T	TYPICAL CROSS SECTION OF IMPROVEMENT
2S	SUMMARY OF QUANTITIES
3 - 11	PLAN SHEETS
12	TEMPORARY PAVEMENT MARKING PLAN
13	TYPICAL PAVEMENT MARKING PLAN--125 mm PAVEMENT MARKING PAINT

STANDARD PLANS

M308	LOCAL ROADS MAILBOX TURNOUT
M309	MAILBOX SUPPORT POST
M502	SILT FENCE DETAILS
M920	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
M921-R1	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
M922-R3	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and
 should not be used for bidding purposes. The Department
 reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	21,824	BDAY
BARRICADE, TYPE III	248	BDAY
TEMPORARY SIGN DAY	420	EACH
SIGN DAY	4,836	EACH
OVERLAY BROKEN LINES	225	StaM
OVERLAY SOLID LINES	450	StaM
PERMANENT PAVEMENT MARKING PAINT	33,787	m
FLAGGING	60	DAY
FURNISHING AND OPERATING PILOT VEHICLE	30	DAY
MOBILIZATION	LUMP	LUMP
SPEC SURF CRSE FOR MAILBOX TURNOUTS	633	m2
MAILBOX POST	23	EACH
HYDRATED LIME FOR ASPHALT MIXTURES	174	Mg

GROUP 9 BITUMINOUS

ASPH CONC, TYPE SP4 SPECIAL(12.5)	17,130 Mg
PLACE ASPH CONC FOR DRIVE & INTER	2,502 m2
ASPH CONC FOR PATCHING, TYPE SP4(12.5)	335 Mg
PERF GRADED BINDER (64-28)	873 Mg
PREP OF INTER & DRIVE	2,502 m2
TACK COAT	70,850 L
RENTAL OF LOADER, FULLY OPERATED	50 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	40 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	50 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	50 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10 HOUR
WATER	676 kL
EARTH SHOULDER CONSTRUCTION	225 StaM
ASPH PVMT SMOOTHNESS TESTING	LUMP LUMP
SEEDING, TYPE B	11 ha
TEMPORARY SILT FENCE	500 m
MULCH	55 Mg

NOTICE TO CONTRACTORS

CALL ORDER 700
 FEDERAL PROJECT NO. STPE-1525(4)
 LOCATION: ON A COUNTY ROAD, WEST OF MCCOOK
 COUNTIES: RED WILLOW

The Nebraska Department of Roads will receive sealed bids for the COUNTY OF RED WILLOW in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on September 30, 2010. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 2.0 KILOMETERS
 START DATE 06/06/2011 WORKING DAYS 15
 Price Range \$ 0 to \$ 500,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning September 07, 2010 at the Lincoln Central Office and September 13, 2010 at the District Engineer's Office at MCCOOK. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	7 SHEETS	\$	1.75
STANDARD PLANS	9 SHEETS	\$	2.25

SHEET NO.

1	TITLE PAGE
2T	TYPICAL CROSS SECTION & ASPHALT DETAILS
2S	SUMMARY OF QUANTITIES
3 - 4	PLAN SHEETS
5	TEMPORARY PAVEMENT MARKING PLAN
6	TYPICAL PAVEMENT MARKING PLAN--125 mm PAVEMENT MARKING PAINT

STANDARD PLANS

M308	LOCAL ROADS MAILBOX TURNOUT
M309	MAILBOX SUPPORT POST
M502	SILT FENCE DETAILS
M920	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
M921-R1	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
M922-R3	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	3,888	BDAY
BARRICADE, TYPE III	54	BDAY
TEMPORARY SIGN DAY	210	EACH
SIGN DAY	1,026	EACH
OVERLAY BROKEN LINES	39	StaM
OVERLAY SOLID LINES	78	StaM
PERMANENT PAVEMENT MARKING PAINT	6,133	m
FLAGGING	30	DAY
FURNISHING AND OPERATING PILOT VEHICLE	15	DAY
MOBILIZATION	LUMP	LUMP
SPEC SURF CRSE FOR MAILBOX TURNOUTS	150	m2
MAILBOX POST	12	EACH
HYDRATED LIME FOR ASPHALT MIXTURES	29	Mg
ASPH CONC, TYPE SP4 SPECIAL(12.5)	2,870	Mg

PLACE ASPH CONC FOR DRIVE & INTER	317 m2
ASP CON FOR PATCH, TYPE SP4 SPEC (12.5)	50 Mg
PERF GRADED BINDER (64-28)	146 Mg
TACK COAT	12,470 L
RENTAL OF LOADER, FULLY OPERATED	25 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	20 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	25 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	25 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5 HOUR
WATER	120 kL
EARTH SHOULDER CONSTRUCTION	40 StaM
ASPH PVMT SMOOTHNESS TESTING	LUMP LUMP
SEEDING, TYPE B	1 ha
TEMPORARY SILT FENCE	100 m
MULCH	5 Mg

Nebraska Department of Roads
 Contracts Section, P.O. Box 94759, Lincoln, NE 68509
 (402) 479-4525

Plan and Informational Proposal Order Form
Projects to be bid on:
September 30, 2010

Payment required for plans prior to NDOR completing this order.
 dor.ContractsOnlineOrders@nebraska.gov FAX: (402) 479-4845

Document No.

<input type="checkbox"/> Check/Cash	Receipt No.
<input type="checkbox"/> Advance Plans Account No.	
Credit Card	
<input type="checkbox"/> Visa	<input type="checkbox"/> MasterCard
Expiration Date:	
Card No.:	

Please indicate: <input type="checkbox"/> Mail <input type="checkbox"/> Hold	<input type="checkbox"/> Fed Ex. Standard Overnight <input type="checkbox"/> Fed Ex. Priority Overnight <input type="checkbox"/> UPS Overnight Acct. No.	Comments:
--	---	-----------

FOR OFFICE USE ONLY	
Reference I.D.:	_____
Authorization Code:	_____ Date: _____

4-Digit Vendor No.:	Ordered By:	Grand Total - Informational Proposals: x \$5.00
Company:		All plans in letting on CD: x \$25.00
Street Address:		Grand Total - 1/2 Size Plans: x \$.25
		Grand Total - Full Size Plans: x \$.50
PO Box:	City:	State:
		Zip Code:
Phone No.:	Fax No.:	Subtotal
		Tax Code
		Sales Tax
		%
Processed by:	Date:	Proposals/CD Filled:
		Blueprint Plans/Proposals Filled:
		Date:
		Total

If requesting Plan or Proposal CD(s) only, your name will not appear on the Planholders list unless your company has been issued Bid Proposals or you submit the "Planholders Registration" from the NDOR website.

CD containing Informational Proposals for all projects in letting. (No Charge) Total Number Requested: →

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. 1/2 size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
100	IM-NH-80-9(554)				
	IM-NH-80-9(715)				
	IM-NH-80-9(833)				
	IM-NH-80-9(843)				
	IM-NH-80-9(850)				
105	IM-NH-80-9(849)				
110	STPE-3005(9)				
115	RD-77-2(1062)				
120	STPC-5212(5)				
205	HSIP-50-2(132)				
210	IM-80-9(32)				
215	NH-75-2(168)				

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. ½ size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
220	RD-80-9(1176)				
225	MAPA-3795(5)				
300	STPB-87(10)				
305	RD-20-5(1017)				
310	STP-32-6(112)				
315	RD-81-3(1047)				
320	RD-57-4(1008)				
400	STPE-2145(10)				
405	MISC-D4(1016)				
410	RD-81-2(1044)				
415	RD-80-5(1017)				
500	NH-26-1(153)				
505	STR-L53C(1004)				
510	ELEC-80-1(1031)				
515	RD-385-2(1008)				
520	RD-80-2(1017)				
600	MISC-D6(1021)				
605	STPE-1670(4)				
610	RD-30-3(1016)				
615	STPE-1670(5)				
700	STPE-1525(4)				

Standard Plans: Refer to "Publication Order Form" for complete sets of Standard Plans and Standard/Special Plans Books

Number of Sets Requested	Standard Plan No.(s)	Number of Sheets Shown in List of Plans	Check Size		Total No. of Sheets	
			1/2	Full	1/2	Full
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		

