

September 24, 2010

TO ALL CONCERNED:

The Department of Roads has scheduled a bid letting to be held in this office October 21, 2010 at 1:30 p.m.

The Notice to Contractors includes:

1. Website Information
2. Notice to all Bidders
3. Ordering Instructions
4. Notices to Contractors including time allowances and lists of plans
5. Plan and Informational Proposal Order Form
6. R-125 "Request for Bidding Proposal Forms"

Projects containing DBE Goals are indicated in the "Notice to Contractors".

**FOR CALL 205, PROJECT NH-BR-77-3(128), US-77, FREMONT SOUTH BRIDGE:**

**A BIDDER'S CONFERENCE WILL BE HELD IN THE AUDITORIUM AT THE NEBRASKA DEPARTMENT OF ROADS' CENTRAL OFFICE BUILDING, LOCATED AT 1500 NEBRASKA HWY. 2 IN LINCOLN. THE PURPOSE OF THIS CONFERENCE IS TO ALLOW BIDDERS TO ASK QUESTIONS CONCERNING THIS PROJECT AND RECEIVE ANSWERS TO THE QUESTIONS. ATTENDANCE AT THIS CONFERENCE IS STRONGLY ENCOURAGED.**

**TIME: 2:00 P.M. DATE: OCTOBER 04,2010**

Please check the important letting information on the website frequently.

The last day to submit acceptable prequalification statements for this letting is by 5:00 p.m. on Friday, October 8, 2010.

Sincerely,

Jay K. Brinkmeyer, Supervisor  
Contract Lettings Section  
Construction Division

JKB/d

### WEBSITE INFORMATION

The Nebraska Department of Roads, Contract Lettings Section, will be utilizing the Internet as our means of communicating with the contracting industry.

Documents that are posted on the web are:

- Letting Schedule
- Notices to Contractors
- Informational Proposals
- Letting Plans
- List of Prequalified Contractors
- Planholders List
- Informational Addendums
- EBS (Electronic Bidding System)
- Apparent Low Bidders
- Bid Tabulations
- Standard Item Listing
- Awarded Average Unit Prices (AUP) Report

Hard copies of these documents will be available for inspection in the Contracts Office.

There will be a charge for reproduction of any of these documents.

The Website address is: [www.Transportation.Nebraska.gov](http://www.Transportation.Nebraska.gov)

If you have any questions as you are using our Website, please contact us at:

Nebraska Department of Roads  
Contract Lettings Section  
P.O. Box 94759  
Lincoln, NE 68509-4759

Phone (402) 479-4525  
FAX (402) 479-3803

Email: [DOR.ContractLettings@nebraska.gov](mailto:DOR.ContractLettings@nebraska.gov)

## **NOTICE TO ALL BIDDERS**

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free “hotline” Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the “hotline” to report such activities.

The “hotline” is part of the DOT’s continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

## ORDERING INSTRUCTIONS FOR PLANS AND PROPOSALS

Refer to the "Notice to Contractors" for the call order number, project number, and list of plans for each project.

Order forms are available on the NDOR website in PDF and Word format. Complete the appropriate forms as follows:

### **Request for Bidding Proposal Forms (R-125)**

Bidders must submit an R-125, Request for Bidding Proposals Forms and be issued bid proposals prior to submitting bids.

Proposals to be used for bidding must be requested on this form. Bidding proposals will be issued only to contractors who are currently prequalified to bid with this department.

There is no charge for bid proposals.

### **Plan and Informational Proposal Order Form:**

Payment is required prior to NDOR completing the order. This payment is not refundable.

Proposals to be used for information only can be ordered as follows:

1. Each individual project.
2. CD that contains all projects in letting. Does not contain addenda.

Plans for each project can be ordered as follows:

1. Complete set.
2. Set less Roadway Cross-Sections and Standards.
3. Set less Standards.
4. Set less Roadway Cross-Sections.
5. Individual sheets
6. CD that contains all projects in letting.

Prices are: Informational Proposals: \$5.00 each  
CD containing Informational Proposals: No Charge  
Plans per sheet: \$.25 for half-size (12" x 18")  
\$.50 for full-size (24" x 36")  
CD containing plans: \$25.00 each

Cost shown on the list of plans is for ½ size plans. Nebraska residents add appropriate state sales tax and city tax that is determined by delivery within cities imposing a sales tax.

Select the method of payment on the plan order form:

1. Credit Card (Visa or MasterCard only)  
Orders with approved credit cards can be processed without delays.
2. Advanced payment account  
Requires a money deposit with recommended \$200 minimum. Failure to have sufficient funds in your account to cover cost of the plans may delay the processing of your order.  
This account may also be used to purchase other NDOR publications.
3. Check/cash  
Send checks made payable to the Nebraska Dept. of Roads with your completed plan order form. Please do not mail cash.

To order complete sets of standard plans (1/2 size) please use the "Publications Order Form" available on the website. Cost is \$35.00 plus applicable sales tax. As new standards become available they may be purchased at \$0.25 per sheet.

Address: Nebraska Department of Roads  
Contracts Section  
1500 Highway 2  
PO Box 94759  
Lincoln NE 68509-4759

FAX (402) 479-3803

Phone: (402) 479-4525

Email: [DOR.ContractLettings@nebraska.gov](mailto:DOR.ContractLettings@nebraska.gov)

October 10, 2008

NOTICE TO CONTRACTORS

CALL ORDER 100  
 FEDERAL PROJECT NO. CM-55(142)  
 LOCATION: NORTH/SOUTH ROAD, "K"- "Q", LINCOLN  
 COUNTIES: LANCASTER

The Nebraska Department of Roads will receive sealed bids for the  
 CITY OF LINCOLN in Room 104 of the Central Office Building at  
 1500 Hwy 2 at Lincoln, until 1:30 P.M. on October 21, 2010.  
 At that time the bids will be opened and read for  
 GRAD CONC PAVE CULV WATER MAIN SEED ELEC SIGN

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR  
 WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

START DATE 03/07/2011 CALENDAR DAYS 626  
 Price Range \$ 4,000,000 to \$ 7,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 8.0 %

Plans and specifications may be seen beginning September 28, 2010 at the Lincoln  
 Central Office and October 04, 2010 at the District Engineer's Office at LINCOLN  
 Additional letting information may be found at the Nebraska Department of Roads  
 Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal  
 requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	323	SHEETS	\$ 80.75
CROSS SECTIONS (SHEETS X1 THRU X72)	72	SHEETS	\$ 18.00
STANDARD PLANS	14	SHEETS	\$ 3.50

SHEET NO.

1	TITLE PAGE
2	INDEX OF SHEETS
2-T1 - 2-T5	TYPICAL CROSS SECTIONS
2-S1 - 2-S4	SUMMARY OF QUANTITIES
2-H1 - 2-H2	HORIZONTAL CONTROL
2-N1 - 2-N4	GENERAL INFORMATION
2-P1 - 2-P11	PHASING PLANS & DETOUR LOCATION MAP
2-L1 - 2-L14	GEOMETRICS
2-L15 - 2-L23	JOINTS & GRADES
2-L24 - 2-L37	DRAINAGE
2-L38 - 2-L51	CONSTRUCTION
2-L52 - 2-L65	REMOVALS
2-L66 - 2-L82	SEDIMENT & EROSION CONTROL
3 - 8	PLAN & PROFILE SHEETS
9 - 34	PAVEMENT MARKINGS & SIGNING
35 - 63	TRAFFIC SIGNAL PLANS
64 - 81	ROADWAY & PEDESTRIAN LIGHTING PLANS
82 - 109	UTILITY RELOCATION PLANS
110 - 117	GENERAL SITE PLANS
118 - 119	HARDSCAPE DETAILS
120 - 128	IRRIGATION ZONING PLANS
129 - 150	STORM SEWER PROFILES
151	SPECIAL PLAN 1C 6" CONCRETE ALLEY PAVEMENT
152	SPECIAL PLAN 2C CONCRETE ISLAND NOSE
153 - 154	SPECIAL PLAN 3C SIDEWALK RAMPS
155	SPECIAL PLAN 4C MONUMENT FRAME & COVER
156 - 158	SPECIAL PLAN 5C 72" CURB INLET DETAILS
159 - 160	SPECIAL PLAN 6C GRATE INLET DETAILS
161 - 162	SPECIAL PLAN 7C AREA INLET DETAILS
163 - 165	SPECIAL PLAN 8C STORM SEWER MANHOLES
166	SPECIAL PLAN 9C CONCRETE COLLARS, PLUGS, & ELBOWS
167 - 169	SPECIAL PLAN 10C CONCRETE BARRIER WALL DETAILS
170 - 172	SPECIAL PLAN 11C RETAINING WALL DETAILS
173 - 174	SPECIAL PLAN 12C CONCRETE STEP & HANDRAIL DETAILS
175	SPECIAL PLAN 13C POWER SUPPLIES
176 - 177	SPECIAL PLAN 14C TRAFFIC PAVEMENT MARKINGS

178 - 183	SPECIAL PLAN 15C SIGNS
184	SPECIAL PLAN 16C TRAFFIC SIGNAL HEAD ARRANGEMENT & LEGEND
185	SPECIAL PLAN 17C TRAFFIC SIGNAL HEAD PLACEMENT
186 - 187	SPECIAL PLAN 18C TRAFFIC POLE CABLE
188 - 189	SPECIAL PLAN 19C TRAFFIC MAST ARM POLES
190	SPECIAL PLAN 20C PEDESTAL POLES
191	SPECIAL PLAN 21C TRAFFIC POLE FOUNDATIONS & BASES
192	SPECIAL PLAN 22C TRAFFIC SIGNAL WOOD POLE INSTALLATION
193	SPECIAL PLAN 23C OVERHEAD CABLE SUSPENSION DETAILS
194	SPECIAL PLAN 24C TRAFFIC CONDUIT REPAIR, LOCATED STICK & PULL BOXES
195	SPECIAL PLAN 25C VEHICLE DETECTORS
196 - 197	SPECIAL PLAN 26C CONCRETE PROTECTION BARRIER
R1 - R18	RIGHT-OF-WAY SHEETS
X1 - X72	ROADWAY CROSS SECTIONS

#### STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
329-R7	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
428-R3	CONCRETE PLUGS AND FIELD PIPE TAP DETAILS
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

#### GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		14 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		12,995 CY
WATER		65 MGAL
REMOVE PAVEMENT		31,681 SY
SAWING PAVEMENT		3,447 LF
REMOVE ASPHALT SURFACE		1,031 SY
REMOVE DRIVEWAY		3,769 SY
REMOVE WALK		12,871 SY
REMOVE FENCE		51 LF
REMOVE STEP		1 EACH
REMOVE RETAINING WALL		213 LF
REMOVE POST		78 EACH
REMOVE BOLLARD		21 EACH
CLEAR TRACT		1 EACH
66		
CLEAR TRACT		1 EACH
72		
REMOVE SIGN		60 EACH
REMOVE SIGN AND POST		38 EACH
COVER CROP SEEDING		3 ACRE
FABRIC SILT FENCE-LOW POROSITY		3,078 LF

#### GROUP 3 CONCRETE PAVEMENT

PAVEMENT MARKING REMOVAL		4,139 LF
PAVEMENT MARKING REMOVAL		120 SF
TEMP PVMT MARKING, TYPE PAINT		2,000 LF
RAISED PAVEMENT MARKER		33 EACH
GROUND SLEEVE		14 EACH
CONCRETE PROTECTION BARRIER		150 LF
RELOCATE CONC PROTECTION BARRIER		150 LF
MOBILIZATION	LUMP	LUMP
FURNISHING AND PLACING TOPSOIL		5,626 SY
REMOVE BARRICADE		14 EACH

REMOVE	2	EACH
TUBULAR MARKER		
REMOVE	62	EACH
36" TUBULAR MARKER		
CRUSHED ROCK SURFACE COURSE	2,199	TON
PARKING METER POST	33	EACH
TIE BARS	948	EACH
CONCRETE LANDSCAPE CURB	416	LF
CONC 47B-3500 BARRIER CURB	938	LF
COMB CONC 47B-3500 CURB & GUTTER	2,009	LF
CONC 47B-3000 SIDEWALK 5"	1,084	SY
COLORED		
CONC 47B-3000 SIDEWALKS	6,825	SY
DETECTABLE WARNING PANEL	632	SF
4" COLORED CONCRETE MEDIAN SURFACING	1,215	SY
TACK-ON CONC 47B-3500 MEDIAN	22	SY
BRICK PAVERS	363	SY
CONCRETE CLASS 47B-3500 ISLAND NOSE	2	EACH
CONC 47B-3500 DRIVEWAY	2,093	SY
8" CONCRETE BASE COURSE	4,286	SY
6" CONC PVMT, 47B-3500	650	SY
10" CONC PVMT, 47B-3500	36,177	SY
10" COLORED CONC PAVE 47B-3500	1,201	SY
TEMPORARY SURFACING	1,277	SY
TYPE A SAWING	2,937	LF
ADJUST MANHOLE TO GRADE	19	EACH
4" WHITE THERMOPLASTIC, GROOVED	567	LF
4" YELLOW THERMOPLASTIC, GROOVED	4,476	LF
12" YELLOW THERMOPLASTIC, GROOVED	67	LF
24" WHITE THERMOPLASTIC, GROOVED	400	LF
LEFT/THRU ARROW PREF PVMT MARKING T-4	1	EACH
GROOVED		
ONLY, PREF PVMT MRKING T-4, GROOVED	4	EACH
LEFT ARROW PREF PVMT MARKING T-4 GROOVED	18	EACH
RT. ARROW PREF PVMT MARKING T-4 GROOVED	14	EACH
4" WHT POLYUREA PVMT MRKING, GROOVED	10,855	LF
12" WHT POLYUREA PVMT MRKING, GROOVED	2,850	LF
24" WHT POLYUREA PVMT MRKING, GROOVED	130	LF
4" YEL POLYUREA PVMT MRKING, GROOVED	958	LF
ASPHALTIC CONCRETE, TYPE 1P	210	TON
ASPHALTIC CONCRETE, TYPE 2P	588	TON
WATER	175	MGAL
EARTH SHOULDER CONSTRUCTION	153	STA
SUBGRADE PREPARATION	44,711	SY
MONUMENT FRAME AND COVER	5	EACH
ADJUST STOP BOX TO GRADE	16	EACH
ADJUST VALVE BOX TO GRADE	3	EACH

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
ABANDON MANHOLE		1 EACH
REMOVE MANHOLE		8 EACH
REMOVE INLET		46 EACH
REMOVE GRATE INLET		4 EACH
REMOVE JUNCTION BOX		1 EACH
FLOWABLE FILL CONCRETE		106 CY
AREA INLET		1 EACH
AT STA. 1001+54.26 LT.		
AREA INLET		1 EACH
AT STA. 1002+60.25 LT.		
AREA INLET		1 EACH
AT STA. 1008+98.67 LT.		
AREA INLET		1 EACH
AT STA. 1252+33.66 RT.		
INLET-72" STRAIGHT		29 EACH
INLET-72" CANTED		20 EACH

INLET-72" RADIUS	2	EACH
MODIFY INLET	1	EACH
RECONSTRUCT INLET	2	EACH
SPECIAL 72" INLET	1	EACH
AT STA. 1019+50.70 LT.		
SPECIAL 72" INLET	1	EACH
AT STA. 1203+43.00 RT		
SPECIAL 72" INLET	1	EACH
AT STA. 1206+00.00 RT.		
SPECIAL 72" INLET	1	EACH
AT STA. 1206+55.25 RT.		
MANHOLE	1	EACH
AT STA. 1008+13.60 RT.		
MANHOLE	1	EACH
AT STA. 1012+45.68 LT.		
MANHOLE	1	EACH
AT STA. 1012+52.35 RT.		
MANHOLE	1	EACH
AT STA. 1016+99.00 LT.		
MANHOLE	1	EACH
AT STA. 1018+23.00 RT.		
MANHOLE	1	EACH
AT STA. 1153+43.88 RT.		
MANHOLE	1	EACH
AT STA. 1157+51.86 RT.		
MANHOLE	1	EACH
AT STA. 1162+58.65 RT.		
MANHOLE	1	EACH
AT STA. 1162+94.00 RT.		
MANHOLE	1	EACH
AT STA. 1257+46.22 RT.		
MANHOLE	1	EACH
AT STA. 1211+98.92 LT.		
MANHOLE	1	EACH
AT STA. 1212+69.88 RT.		
MANHOLE	1	EACH
AT STA. 3008+13.61 RT.		
MANHOLE	1	EACH
AT STA. 3011+49.63 RT.		
TAPPING EXISTING MANHOLE	2	EACH
TAPPING EXISTING STRUCTURE	2	EACH
TAPPING EXISTING PIPE	3	EACH
GRATE INLET	4	EACH
REMOVE SEWER PIPE	5,488	LF
TEMPORARY SHORING	LUMP	LUMP
AT STA. 1162+93		
47B-3500 CONCRETE FOR CONCRETE COLLARS	4	CY
47B-3000 CONC FOR RET WALL & STEP	142	CY
47B-3000 CONC FOR PIPE PLUG	1	CY
EPOXY COATED RE-STEEL FOR RETAINING WALL	8,600	LB
EPOXY COATED RE-STEEL FOR COLLARS	583	LB
HANDRAIL FOR STEP	12	LF
AREA INLET SEDIMENT FILTER	7	EACH
CURB INLET SEDIMENT FILTER	61	EACH
METAL RAILING	154	LF
CONCRETE COATING	1,001	SF
15" STORM SEWER PIPE 1	2,022	LF
18" STORM SEWER PIPE 1	313	LF
24" STORM SEWER PIPE 1	707	LF
30" STORM SEWER PIPE 1	614	LF
36" STORM SEWER PIPE 1	12	LF
42" STORM SEWER PIPE 1	570	LF
48" STORM SEWER PIPE 1	49	LF
54" STORM SEWER PIPE 1	1,132	LF
60" STORM SEWER PIPE 1	409	LF
42" RND EQ STORM SEWER PIPE 1	31	LF

GROUP 4A WATER MAIN

	LUMP	LUMP
MOBILIZATION		
ABANDON WATER SERVICE		2 EACH
REMOVE MANHOLE		1 EACH
TAPPING EXIST SANITARY SEWER MANHOLE		1 EACH
RECONNECT SANITARY SERVICE		4 EACH
RECONSTRUCT WATER SERVICE		58 EACH
REMOVE SANITARY SEWER PIPE		434 LF
4" SANITARY SEWER PIPE		40 LF
8" SANITARY SEWER PIPE		593 LF
SANITARY MANHOLE		7 EACH
6" PLUG		2 EACH
8" PLUG		1 EACH
3/4" COPPER WATER SERVICE	1,723	LF
1" COPPER WATER SERVICE		242 LF
1 1/4" COPPER WATER SERVICE		14 LF
1 1/2" COPPER WATER SERVICE		9 LF
2" COPPER WATER SERVICE		177 LF
4" WATER SERVICE		12 LF
POTHOLE WATER OR SEWER SERVICE		67 EACH
CONC 47B-3500 FOR BLOCKS AND ANCHORAGES		26 CY
REINF. STEEL FOR BLOCKS & ANCHORAGES		602 LB
4" RETAINER GLAND		17 EACH
6" RETAINER GLAND		35 EACH
8" RETAINER GLAND		86 EACH
12" RETAINER GLAND		54 EACH
ANCHORING ELBOW, M.J.		6 EACH
ANCHOR COUPLING, M.J.		16 EACH
4" WATER MAIN PIPE		35 LF
6" WATER MAIN PIPE		68 LF
8" WATER MAIN PIPE	2,223	LF
12" WATER MAIN PIPE		440 LF
8" RESTRAIN JOINT WATER MAIN PIPE		36 LF
6" RESTRAIN JOINT WATER MAIN PIPE		151 LF
CONCRETE ENCASEMENT		17 LF
6" GATE VALVE		12 EACH
8" GATE VALVE		8 EACH
12" BUTTERFLY VALVE		3 EACH
FIRE HYDRANT		12 EACH
6" X 6" TAPPING SLEEVE AND VALVE		1 EACH
8" X 4" TAPPING SLEEVE AND VALVE		3 EACH
8" X 8" TAPPING SLEEVE AND VALVE		1 EACH
12" X 4" TAPPING SLEEVE AND VALVE		2 EACH
12" X 6" TAPPING SLEEVE AND VALVE		1 EACH
12" X 8" TAPPING SLEEVE AND VALVE		1 EACH
4" SOLID SLEEVE		3 EACH
6" SOLID SLEEVE		2 EACH
8" SOLID SLEEVE		2 EACH
12" SOLID SLEEVE		7 EACH
8" X 6" TEE		9 EACH
8" X 8" TEE		2 EACH
12" X 6" TEE		2 EACH
CROSS		1 EACH
12" X 12"		
4" - 45 DEGREE BEND		4 EACH
6" - 45 DEGREE BEND		8 EACH
6" - 90 DEGREE BEND		3 EACH
8" - 45 DEGREE BEND	10	EACH
8" - 90 DEGREE BEND		5 EACH
12" - 45 DEGREE BEND		8 EACH
8" - 11 1/4 DEGREE BEND		1 EACH
8" - 22 1/2 DEGREE BEND		2 EACH
12" - 22 1/2 DEGREE BEND		4 EACH
6" X 4" REDUCER		1 EACH

8" X 4" REDUCER	2 EACH
8" X 6" REDUCER	2 EACH
12" X 8" REDUCER	2 EACH
DIRECTIONAL DRILLING FOR WATER MAIN	871 LF
REMOVE TAPPING SLEEVE AND VALVE AND SALVAGE	1 EACH
REMOVE WATER MAIN PIPE	499 LF
REMOVE VALVE AND BOX AND SALVAGE	2 EACH
REMOVE HYDRANT AND SALVAGE	8 EACH
REMOVE AND RESET HYDRANT	1 EACH
BORE 3/4" WATER SERVICE	106 LF
BORING 6" WATER MAIN	20 LF
BORING 8" WATER MAIN	46 LF

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
FINISH GRADING	13,986	SY
SODDING	8,629	SY
BUFFALO GRASS SODDING	5,357	SY
COMPOST	779	CY
PLANTING BED EDGING	2,148	LF
WOODCHIP MULCH	118	CY
IRRIGATION	LUMP	LUMP

GROUP 8B ELECTRICAL

TEMPORARY TRAFFIC SIGNAL INSTALL AND REMOVE	1 EACH
MOBILIZATION	LUMP
INSTALL STREET NAME SIGN	16 EACH
PULL BOX, TYPE PB-5	3 EACH
PULL BOX, TYPE FOR-27	27 EACH
PULL BOX TYPE PB-T9	33 EACH
VEHICLE DETECTOR, TYPE A PREFORMED	197 EACH
VEHICLE DETECTOR TYPE A SAWCUT	11 EACH
LIGHTING UNIT TYPE '4A'	4 EACH
METER PEDESTAL	2 EACH
1 1/2" CONDUIT IN TRENCH	6,949 LF
2" CONDUIT IN TRENCH	2,758 LF
3" CONDUIT IN TRENCH	564 LF
4" CONDUIT IN TRENCH	3,934 LF
1 1/2" CONDUIT UNDER ROADWAY	743 LF
2" CONDUIT UNDER ROADWAY	433 LF
4" CONDUIT UNDER ROADWAY	1,372 LF
1 1/2" CONDUIT, JACKED	40 LF
2" CONDUIT, JACKED	568 LF
3" CONDUIT, JACKED	31 LF
4" CONDUIT, JACKED	366 LF
3/C #14 AWG TRAF SIG CABLE	8,329 LF
7/C #14 AWG TRAF SIG CABLE	4,435 LF
12/C #14 AWG TRAF SIG CABLE	857 LF
16/C #14 AWG TRAF SIG CABLE	2,719 LF
LEAD-IN CABLE	31,452 LF
CAMERA DETECTOR CABLE	309 LF
EMERGENCY DETECTOR CABLE	1,904 LF
TRACER WIRE	16,429 LF
12 STRAND SINGLE MODE FIBER	2,761 LF
#8 GROUNDING CONDUCTOR	2,074 LF
GROUND ROD 10"	16 EACH
LOCATE STICK	2 EACH

GROUNDING CONDUCTOR #4	148 LF	
GROUNDING CONDUCTOR #6	993 LF	
SERVICE CABLE #6	3,784 LF	
STREET LIGHT CABLE, NO. 2 USE	730 LF	
STREET LIGHT CABLE, NO. 4 BARE	217 LF	
STREET LIGHT CABLE, NO. 4 USE	10,013 LF	
STREET LIGHT CABLE, NO. 6 BARE	4,023 LF	
STREET LIGHT CABLE, NO. 6 USE	7,052 LF	
STREET LIGHT CABLE, NO. 8 BARE	3,234 LF	
STREET LIGHT CABLE, NO. 8 USE	968 LF	
STREET LIGHT CABLE, NO. 10 BARE	484 LF	
DIRECT BURIAL CABLE, NO. 8 USE	219 LF	
STREET LIGHTING UNIT	10 EACH	
TYPE SL-A-C-40-12-5-0.25-SC		
STREET LIGHTING UNIT	23 EACH	
TYPE '1A'		
STREET LIGHTING UNIT	26 EACH	
TYPE '2A'		
STREET LIGHTING UNIT	83 EACH	
TYPE '3'		
INSTALL TRAFFIC SIGNAL, TS-1	58 EACH	
INSTALL TRAFFIC SIGNAL, TS-1L	24 EACH	
INSTALL TRAFFIC SIGNAL, TS-1LL	2 EACH	
INSTALL TRAFFIC SIGNAL, TS-1RR	8 EACH	
INSTALL SIGNAL CABINET	3 EACH	
INSTALL PEDESTRIAN SIGNAL PS-1	54 EACH	
INSTALL PEDESTRIAN PUSHBUTTON	45 EACH	
INSTALL PEDESTAL POLE, TYPE 3	2 EACH	
INSTALL VIDEO CAMERA	3 EACH	
INSTALL	1 EACH	
MAST ARM, 38'		
INSTALL	1 EACH	
MAST ARM, 42'		
INSTALL	1 EACH	
MAST ARM, 44'		
INSTALL	1 EACH	
MAST ARM, 48'		
INSTALL	2 EACH	
MAST ARM, 55'		
INSTALL	2 EACH	
MAST ARM POLE, MA-1 TWIN MAST ARM		
INSTALL	6 EACH	
MAST ARM POLE, MA-1 TO 46'		
INSTALL	2 EACH	
MAST ARM POLE, MA-2 TO 46'		
INSTALL	2 EACH	
MAST ARM POLE, MA-2 > 46'		
REMOVE TRAFFIC SIGNAL	1 EACH	
REMOVE LIGHT FOUNDATION	33 EACH	
RELOCATE STREET LIGHTING UNIT	5 EACH	
GROUP 8C SIGNING		
MOBILIZATION	LUMP	LUMP
REMOVE SIGN		5 EACH
INSTALL STREET NAME SIGN		8 EACH
TYPE A SIGN		340 SF
SIGN POST		14 EACH
DECORATIVE		
SIGN POST		16 EACH
DECORATIVE (BREAKAWAY)		
SIGN POST		6 EACH
REMOVE SIGN AND POST		1 EACH
RELOCATE SIGN		30 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	43,575	BDAY
BARRICADE, TYPE III	18,430	BDAY
TEMPORARY SIGN DAY	300	EACH
SIGN DAY	8,386	EACH
CONTRACTOR FURNISHED SIGN DAY	6,498	EACH
FLASHING ARROW PANEL	182	DAY
FLAGGING	60	DAY
TRAINING	2,000	HOUR
MOBILIZATION	LUMP	LUMP
CONSTRUCTION STAKING AND SURVEYING	LUMP	LUMP
TEMPORARY FENCE	2,358	LF

NOTICE TO CONTRACTORS

CALL ORDER 105  
 FEDERAL PROJECT NO. NH-80-9(899)  
 LOCATION: I80 NOISE WALLS, LINCOLN  
 COUNTIES: LANCASTER

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on October 21, 2010 . At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY  
 START DATE 05/31/2011 WORKING DAYS 85  
 Price Range \$ 1,000,000 to \$ 3,000,000

Plans and specifications may be seen beginning September 28, 2010 at the Lincoln Central Office and October 04, 2010 at the District Engineer's Office at LINCOLN

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	42	SHEETS	\$ 10.50
CROSS SECTIONS (SHEETS X1 THRU X63)	63	SHEETS	\$ 15.75
STANDARD PLANS	10	SHEETS	\$ 2.50

SHEET NO.	
1	TITLE PAGE
2-S	SUMMARY OF QUANTITIES
2-A1 - 2-A5	PHOTO MAPS
2-H1 - 2-H3	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N7	GENERAL INFORMATION
2-L1 - 2-L5	CONSTRUCTION--WALL 1-3
2-L6 - 2-L10	LANDSCAPING & EROSION CONTROL--WALL 1-3
3 - 7	PLAN & PROFILE SHEETS
8 - 10	EARTHWORK DATA SHEETS
11	DRAINAGE STRUCTURE CROSS SECTIONS
12 - 14	SPECIAL PLAN 1C NOISE BARRIER WALL
15 - 16	SPECIAL PLAN 2C TEMPORARY SILT CHECKS
17	SPECIAL PLAN 3C TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
X1 - X63	CROSS SECTIONS

STANDARD PLANS	
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II		1,000	B DAY
BARRICADE, TYPE III		314	B DAY
TEMPORARY SIGN DAY		300	EACH
SIGN DAY		1,520	EACH
FLASHING ARROW PANEL		10	DAY
MOBILIZATION	LUMP		LUMP
GENERAL CLEARING AND GRUBBING	LUMP		LUMP
WATER		27	MGAL
CONSTRUCTION STAKING AND SURVEYING	LUMP		LUMP

GROUP 8 SPECIALTY

EARTHWORK MEASURED IN EMBANKMENT	5,330	CY
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	38	CY
15" METAL FLARED-END SECTION	2	EACH
30" METAL FLARED-END SECTION	2	EACH
NOISE BARRIER	51,680	SF
ANTI-GRAFFITI COATING	LUMP	LUMP
SPECIAL SURFACE COATING	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	50	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	50	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	50	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	50	HOUR
SEEDING, TYPE A	1	ACRE
SEEDING, TYPE B	1	ACRE
COVER CROP SEEDING	2	ACRE
EROSION CONTROL, CLASS 2C	27	SY
FABRIC SILT FENCE-LOW POROSITY	4,139	LF
TEMPORARY SILT CHECK	300	LF
TEMPORARY SILT FENCE	1,000	LF
TEMPORARY MULCH	2	TON
MULCH	6	TON
COLORADO SPRUCE 4' B&B	16	EACH
ATMN BRILLIANCE SRVCBERY 6'-7' B&B OR CG	12	EACH
COMMON HACKBERRY 1 1/2" CAL B&B	9	EACH
SHADEMASTER HONEYLOCUST 1 1/4" BB	6	EACH
KENTUCKY COFFEETREE 1 1/2" BB OR CG	9	EACH
15" CULV PIPE 3,4,5	68	LF
30" CULV PIPE 3,4,5	17	LF

NOTICE TO CONTRACTORS

CALL ORDER 110  
 FEDERAL PROJECT NO. BRD-159-7(107)  
 LOCATION: US-159, RULO BRIDGE, NEBRASKA APPROACH  
 COUNTIES: RICHARDSON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on October 21, 2010. At that time the bids will be opened and read for GRAD, CONC PAVE, CULV, BR, GDRL, ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT BRIDGES  
 START DATE 04/04/2011 CALENDAR DAYS 566  
 Price Range \$ 3,000,000 to \$ 6,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning September 28, 2010 at the Lincoln Central Office and October 04, 2010 at the District Engineer's Office at LINCOLN  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	225	SHEETS	\$ 56.25
CROSS SECTIONS (SHEETS X1 THRU X47)	47	SHEETS	\$ 11.75
STANDARD PLANS	33	SHEETS	\$ 8.25

SHEET NO.

1	TITLE PAGE
2	INDEX OF SHEETS
2-T1 - 2-T4	TYPICAL CROSS SECTIONS
2-S1 - 2-S4	SUMMARY OF QUANTITIES
2-K1 - 2-K4	SUMMARY OF SOILS & GEOTECHNICAL INFORMATION
2-W1 - 2-W3	WETLANDS
2-H1 - 2-H4	CONTROL POINT/P.I./CURVE DATA
2-N1 - 2-N2	GENERAL INFORMATION
2-P1 - 2-P7	PHASING PLANS
2-L1 - 2-L7	GEOMETRICS
2-L8 - 2-L13	JOINTS & GRADES
2-L14 - 2-L18	CONSTRUCTION
2-L19 - 2-L22	REMOVALS
2-L23 - 2-L25	EROSION CONTROL
3 - 7	PLAN & PROFILE SHEETS
8 - 11	PLAN & PROFILE SHEETS--WATER MAIN
12 - 17	TEMPORARY TRAFFIC CONTROL--PHASES
18	TYPICAL TRAFFIC CONTROL PLAN--SHOO-FLY DETOUR
19	TEMPORARY PAVEMENT MARKING PLAN
20	PAVEMENT MARKING PLAN
21	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
22	PAVEMENT MARKING PLAN--PARKING DETAIL
23 - 29	ROADWAY LIGHTING PLANS
30 - 32	EARTHWORK DATA SHEETS
33 - 39	DRAINAGE STRUCTURE CROSS SECTIONS
40 - 92	SPECIAL PLAN 1 NU CONCRETE GIRDER BRIDGE STA. 190+45.98
93 - 142	SPECIAL PLAN 2 STEEL PLATE GIRDER BRIDGE STA. 190+45.98
143 - 149	SPECIAL PLAN 1C GUARDRAIL PLAN
150 - 156	SPECIAL PLAN 2C 10' X 8' SINGLE SPAN RC BOX CULVERT STA. 182+28.13
157 - 158	SPECIAL PLAN 3C CURB INLET STA. 183+10.00 RT.
159 - 160	SPECIAL PLAN 4C AREA INLET WITH GRATE

161	SPECIAL PLAN 5C	BOULDER RELOCATION & CONCRETE FOOTING DETAILS STA. 182+38.80 LT.
162	SPECIAL PLAN 6C	EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
163 - 164	SPECIAL PLAN 7C	TEMPORARY SILT CHECKS
165 - 166	SPECIAL PLAN 8C	CONCRETE PROTECTION BARRIER
R1 - R6		RIGHT-OF-WAY SHEETS
X1 - X47		CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS)	PAVEMENT DETAILS
303	(2 SHEETS)	CURB RAMP
329-R7	(4 SHEETS)	8 TO 16 INCH CONCRETE PAVEMENT
403-R2	(2 SHEETS)	BENDS AND BREAKS FOR CONCRETE BOX CULVERTS
410-R3	(2 SHEETS)	FLARED END SECTIONS FOR CULVERT PIPES
411	(4 SHEETS)	BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
425-R4		COLLARS AND ELBOWS FOR CONCRETE PIPES
428-R3		CONCRETE PLUGS AND FIELD PIPE TAP DETAILS
443-R7	(2 SHEETS)	CURB INLETS AND JUNCTION BOX
501-R5	(3 SHEETS)	EROSION CONTROL
502		SILT FENCE DETAILS
914-R6		PULL BOX DETAIL
920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
924	(3 SHEETS)	TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		281 CY
WATER		88 MGAL
RE-ESTABLISH PROPERTY CORNER		31 EACH
EARTHWORK MEASURED IN EMBANKMENT		12,594 CY
RIPRAP FILTER FABRIC		586 SY
ABANDON WELLS		4 EACH
REMOVE PAVEMENT		13,361 SY
REMOVE DRIVEWAY		89 SY
REMOVE WALK		1,509 SY
REMOVE STEP		1 EACH
REMOVE FLUME		1 EACH
REMOVE BUILDING		1 EACH
AT STA. 183+00 LT.		
REMOVE BUILDING		1 EACH
AT STA. 186+20 LT.		
REMOVE BUILDING		1 EACH
AT STA. 186+77.18 RT.		
REMOVE BUILDING		1 EACH
AT STA. 187+00 RT.		
REMOVE BUILDING		1 EACH
AT STA. 187+10 RT.		
REMOVE BUILDING		1 EACH
AT STA. 187+77.13 RT.		
REMOVE BUILDING		1 EACH
AT STA. 188+20 RT.		
CLEAR TRACT		1 EACH
AT STA. 182+36.44 TO STA. 183+76.41 LT.		
CLEAR TRACT		1 EACH
AT STA. 186+09.52 TO STA. 187+40.45 RT.		

CLEAR TRACT	1 EACH
AT STA. 186+10.61 TO STA. 187+45.07 RT.	
CLEAR TRACT	1 EACH
AT STA. 186+12.61 TO STA. 187+59.38 LT.	
CLEAR TRACT	1 EACH
AT STA. 187+49.84 TO STA. 188+87.17 RT.	
CLEAR TRACT	1 EACH
AT STA. 4002+00 TO STA. 4002+50 RT.	
REMOVE SLAB	30 SY
REMOVE AND RESET	1 EACH
BOULDER	
REMOVE AND RESET	1 EACH
MODULAR WALL	
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	61 CY
47B-3000 CONC FOR CONCRETE CO	1 CY
CLASS 47B-3000 CONCRETE	15 CY
FOR FOOTING	
RE-STEEL FOR COLLARS	44 LB
REINFORCING STEEL	695 LB
FOR FOOTING	
ROCK RIPRAP, TYPE B	313 TON
ROCK RIPRAP, TYPE C	188 TON
REMOVE SIGN, POST, AND FOOTING	2 EACH
COVER CROP SEEDING	1 ACRE
TEMPORARY SEEDING	1 ACRE
EROSION CONTROL, CLASS 2A	87 SY
EROSION CHECKS, TYPE WATTLE	175 LF
FABRIC SILT FENCE-LOW POROSITY	1,846 LF
18" CULV PIPE 2,4,5,7,8	61 LF

GROUP 3 CONCRETE PAVEMENT

PERMANENT PAVEMENT MARKING PAINT	2,525 LF
MOBILIZATION	LUMP LUMP
GRAVEL SURFACE COURSE	132 TON
GRAVEL EMBEDMENT	1,677 SY
CRUSHED ROCK SURFACE COURSE	73 TON
CONC 47B-3000 SIDEWALKS	1,962 SY
DETECTABLE WARNING PANEL	208 SF
CONC 47B-3500 DRIVEWAY	790 SY
9" CONC PVMT, 47B-3500	924 SY
9" DOWELED CONC PVMT, 47B-3500	15,523 SY
TEMPORARY SURFACING	4,622 SY
8"	
4" PERFORATED PIPE UNDERDRAIN	1,449 LF
HANDICAPPED SYMBOL	2 EACH
24" WHT WET RFLC PRF PVMT MKNG T4 GVD	480 LF
5" YEL WET RFLC PRF PVMT MKNG T4 GVD	3,770 LF
12" YEL WET RFLC PRF PVMT MKNG T4 GVD	240 LF
FOUNDATION COURSE	8,045 SY
4"	
GRANULAR SUBDRAIN	2 EACH
STABILIZED SUBGRADE	8,045 SY
TYPE FLY ASH	
WATER	56 MGAL
EARTH SHOULDER CONSTRUCTION	74 STA
SUBGRADE PREPARATION	9,192 SY
SURFACE UNDER GUARDRAIL	135 SY
FLY ASH	305 TON
SEEDING, TYPE B	2 ACRE
SEEDING, TYPE C	2 ACRE
SEEDING, TYPE D	1 ACRE
SODDING	4,546 SY
MULCH	5 TON
HYDROMULCH	8 TON

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE INLET		6 EACH
FLOWABLE FILL CONCRETE		185 CY
CAST IRON COVER & FRAME	4,500	LB
CAST IRON GRATE & FRAME	4,470	LB
REMOVE & SALVAGE FES		2 EACH
REMOVE SEWER PIPE		130 LF
REMOVE STRUCTURE		1 EACH
AT STA. 181+92.62		
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	1,717	CY
EXCAVATION FOR BOX CULVERTS	7,104	CY
TEMPORARY SHORING	LUMP	LUMP
AT STA. 182+28.13		
47B-3000 CONC FOR HDWL		1 CY
47B-3000 CONC FOR BOX CULV		394 CY
47B-3000 CONC FOR INLET & JUNCTION BOXES		172 CY
47B-3000 CONC FOR CONCRETE CO		2 CY
47B-3000 FOR CONC BOX CULV PL		4 CY
RE-STEEL FOR HEADWALL		45 LB
RE-STEEL FOR BOX CULVERT	38,587	LB
RE-STEEL FOR INLET & JCT BOX	11,172	LB
RE-STEEL FOR COLLARS		150 LB
24" FLARED-END SECTION		1 EACH
INSTALL 54" CONC FES		2 EACH
18" RND EQUIV CONCRETE FES		2 EACH
24" RND EQUIV CONCRETE FES		2 EACH
AREA INLET SEDIMENT FILTER		6 EACH
CURB INLET SEDIMENT FILTER		36 EACH
54" CULV PIPE 2		16 LF
18" RD EQUIV CULV PIPE 2		44 LF
24" RD EQUIV CULV PIPE 2		78 LF
24" CULV PIPE 2,4,5,7,8		33 LF
18" STORM SEWER PIPE 1,7,8	2,064	LF
24" STORM SEWER PIPE 1,7,8		338 LF
30" STORM SEWER PIPE 1,7,8		563 LF

GROUP 4A WATER MAIN

MOBILIZATION	LUMP	LUMP
REMOVE		1 EACH
AND SALVAGE 2" GATE VALVE		
REMOVE		1 EACH
AND SALVAGE 2" BLOW-OFF HYDRANT		
REMOVE		9 SY
AND REPLACE 6" ASPHALTIC SURFACING		
AGGREGATE SURFACING		9 CY
1 1/2" PLUG		1 EACH
M.J.		
2" PLUG		1 EACH
M.J.		
3" PLUG		1 EACH
M.J.		
SEEDING		1 ACRE
AND MULCHING		
CURB STOP AND BOX		1 EACH
2"		
WET CUT-IN		12 EACH
3/4" SERVICE		3 EACH
CONNECTION ASSEMBLY		
1" SERVICE		2 EACH
CONNECTION ASSEMBLY		
3/4" POLYETHYLENE		35 LF
SERVICE LINE		
2" RETAINER GLAND		7 EACH
M.J.		

3" RETAINER GLAND M.J.	44 EACH
4" RETAINER GLAND M.J.	8 EACH
ANCHORING ELBOW, M.J. 2"	2 EACH
3" WATER MAIN PIPE	2,191 LF
1" WATER MAIN PIPE HDPE	506 LF
2" WATER MAIN PIPE HDPE	75 LF
4" WATER MAIN PIPE	91 LF
1" GATE VALVE M.J. W/VALVE BOX	1 EACH
2" GATE VALVE M.J. W/VALVE BOX	2 EACH
3" GATE VALVE M.J. W/VALVE BOX	7 EACH
4" GATE VALVE M.J. W/VALVE BOX	1 EACH
FLUSHING HYDRANT 2", COMPLETE	1 EACH
3" X 3" TAPPING TEE M.J.	1 EACH
4" X 4" TAPPING TEE M.J.	1 EACH
1" SLEEVE DUAL PURPOSE, M.J.	2 EACH
2" SLEEVE DUAL PURPOSE, M.J.	1 EACH
3" SLEEVE DUAL PURPOSE, M.J.	6 EACH
4" SLEEVE DUAL PURPOSE, M.J.	2 EACH
3" X 3" TEE M.J.	3 EACH
4" X 4" TEE M.J.	1 EACH
1" - 45 DEGREE BEND M.J.	1 EACH
4" - 90 DEGREE BEND M.J.	1 EACH
3" - 90 DEGREE BEND M.J.	3 EACH
3" - 45 DEGREE BEND M.J.	4 EACH
3" X 1" REDUCER M.J.	1 EACH
3" X 1 1/2" REDUCER M.J.	1 EACH
3" X 2" REDUCER M.J.	1 EACH
4" X 2" REDUCER M.J.	1 EACH
4" X 3" REDUCER M.J.	1 EACH
ABANDON WATER MAIN RELOCATE	5 EACH 1 EACH
BLOW-OFF HYDRANT ASSEMBLY	
BORING WITHOUT CASING, 1"	70 LF
BORING WITH CASING, 10"	140 LF
AIR RELEASE ASSEMBLY 2", COMPLETE	1 EACH

GROUP 6 BRIDGE AT STA. 190+45.98

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		96 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		18,450 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
PIER	LUMP	LUMP
NO. N1 EXCAVATION		
PIER	LUMP	LUMP
NO. N2 EXCAVATION		
PIER	LUMP	LUMP
NO. N3 EXCAVATION		
EXPANSION BEARING, TFE TYPE		8 EACH
FIXED BEARING		24 EACH
47B-3000 CONC FOR BRIDGE		107 CY
47BD-4000 CONC FOR BRIDGE		1,149 CY
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
190+45.98		
STRUC STEEL FOR SUBSTRUCTURE		2,333 LB
STEEL DIAPHRAGM		12 EACH
STEEL EXPANSION DIAPHRAGM		3 EACH
EPOXY COATED RE-STEEL		271,815 LB
SUBSURFACE DRAINAGE MATTING		43 SY
HP 14"X89# STEEL PILING		6,320 LF
TEST PILE		4 EACH
DRAINAGE SYSTEM		1 EACH
192+91.35		
1 1/2" CONDUIT IN BRIDGE		535 LF
STRIP SEALS		42 LF
GRANULAR BACKFILL		227 CY

GROUP 6A BRIDGE AT STA. 190+45.98

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		96 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		18,450 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
EXPANSION BEARING, TFE TYPE		8 EACH
FIXED BEARING		24 EACH
47BD-4000 CONC FOR BRIDGE		1,149 CY
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
190+45.98		
STRUC STEEL FOR SUBSTRUCTURE		2,333 LB
STEEL DIAPHRAGM		12 EACH
STEEL EXPANSION DIAPHRAGM		3 EACH
EPOXY COATED RE-STEEL		255,275 LB
SUBSURFACE DRAINAGE MATTING		43 SY
HP 14"X89# STEEL PILING		1,940 LF
TEST PILE		1 EACH
ROCK SOCKET		54 LF
66"		
ROCK SOCKET		100 LF
72"		
DRILLED SHAFT		186 LF
72"		
DRILLED SHAFT		352 LF
78"		
DRAINAGE SYSTEM		1 EACH
192+91.35		
1 1/2" CONDUIT IN BRIDGE		535 LF
STRIP SEALS		42 LF
GRANULAR BACKFILL		227 CY

GROUP 6B BRIDGE AT STA. 190+45.98

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		96 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		18,450 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
PIER	LUMP	LUMP
NO. N1 EXCAVATION		
PIER	LUMP	LUMP
NO. N2 EXCAVATION		
EXPANSION BEARING, TFE TYPE		8 EACH
FIXED BEARING		8 EACH
47B-3000 CONC FOR BRIDGE		80 CY
47BD-4000 CONC FOR BRIDGE		943 CY
STEEL SUPERSTRUCTURE	LUMP	LUMP
190+45.98		
STRUC STEEL FOR SUBSTRUCTURE		2,333 LB
EPOXY COATED RE-STEEL		240,025 LB
SUBSURFACE DRAINAGE MATTING		46 SY
HP 14"X89# STEEL PILING		4,895 LF
TEST PILE		3 EACH
DRAINAGE SYSTEM		1 EACH
192+91.35		
1 1/2" CONDUIT IN BRIDGE		535 LF
STRIP SEALS		42 LF
GRANULAR BACKFILL		238 CY

GROUP 6C BRIDGE AT STA. 190+45.98

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		96 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		18,450 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
EXPANSION BEARING, TFE TYPE		8 EACH
FIXED BEARING		8 EACH
47BD-4000 CONC FOR BRIDGE		943 CY
STEEL SUPERSTRUCTURE	LUMP	LUMP
190+45.98		
STRUC STEEL FOR SUBSTRUCTURE		2,333 LB
EPOXY COATED RE-STEEL		225,560 LB
SUBSURFACE DRAINAGE MATTING		46 SY
HP 14"X89# STEEL PILING		1,940 LF
TEST PILE		1 EACH
ROCK SOCKET		119 LF
72"		
DRILLED SHAFT		358 LF
78"		
DRAINAGE SYSTEM		1 EACH
192+91.35		
1 1/2" CONDUIT IN BRIDGE		535 LF
STRIP SEALS		42 LF
GRANULAR BACKFILL		238 CY

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		25 LF
BRIDGE APPROACH SECTIONS		2 EACH
GUARDRAIL END TREATMENT, TYPE II		2 EACH

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
PULL BOX, TYPE PB-5		6 EACH
ST LIGHT UNIT SL-A-35-2-0.20		6 EACH
ST LIGHT UNIT SL-BT-35-4-0.20		6 EACH
ST LIGHT UNIT SL-BT-40-8-0.20		1 EACH

ST LIGHT UNITSL-BT-40-10-0.20	14 EACH
LIGHTING CONTROL CENTER, R	2 EACH
1 1/2" CONDUIT IN TRENCH	2,374 LF
1 1/2" CONDUIT UNDER ROADWAY	1,250 LF
1 1/2" CONDUIT, JACKED	20 LF
STREET LIGHT CABLE, NO. 6 BARE	3,544 LF
STREET LIGHT CABLE, NO. 6 USE	7,088 LF

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	18,617 BDAY
BARRICADE, TYPE III	8,387 BDAY
SIGN DAY	13,620 EACH
CONTRACTOR FURNISHED SIGN DAY	3,627 EACH
TEMP PAVEMENT MARKING REMOVAL	5,200 LF
PAVEMENT MARKING REMOVAL	2,700 LF
TEMP PVMT MARKING, TYPE PAINT	15,500 LF
TEMP PVMT MARKING SURF PREP	4,900 LF
FLAGGING	30 DAY
CONCRETE PROTECTION BARRIER	437 LF
RELOCATE CONC PROTECTION BARRIER	200 LF
TRAFFIC CONTROL MANAGEMENT	552 DAY
FIELD OFFICE	1 EACH
TRAINING	2,000 HOUR
MOBILIZATION	LUMP LUMP
CONSTRUCTION STAKING AND SURVEYING	LUMP LUMP
RENTAL OF LOADER, FULLY OPERATED	40 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	40 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	40 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	40 HOUR
TEMPORARY SILT CHECK	1,000 LF
TEMPORARY SILT FENCE	2,000 LF
TEMPORARY EARTH CHECK	1,000 LF
TEMPORARY MULCH	8 TON

NOTICE TO CONTRACTORS

CALL ORDER 115  
 FEDERAL PROJECT NO. LCLC-5239(8)  
 LOCATION: LINCOLN CITYWIDE DURABLE MARKINGS  
 COUNTIES: LANCASTER

The Nebraska Department of Roads will receive sealed bids for the CITY OF LINCOLN in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on October 21, 2010. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY  
 START DATE 05/05/2011 CALENDAR DAYS 149  
 Price Range \$ 500,000 to \$ 2,000,000

Plans and specifications may be seen beginning September 28, 2010 at the Lincoln Central Office and October 04, 2010 at the District Engineer's Office at LINCOLN. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	4 SHEETS	\$	1.00
STANDARD PLANS	5 SHEETS	\$	1.25

SHEET NO.  
 1 TITLE PAGE  
 & SUMMARY OF QUANTITIES  
 2-N GENERAL INFORMATION  
 3 PAVEMENT MARKING DETAIL  
 4 TYPICAL TRAFFIC CONTROL PLAN--VEHICLE SIGNING  
 FOR PAVEMENT MARKING

STANDARD PLANS  
 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE  
 924 (3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

TEMPORARY SIGN DAY	2,980 EACH
PAVEMENT MARKING REMOVAL	11,180 LF
MOBILIZATION	LUMP LUMP
4" WHITE THERMOPLASTIC, GROOVED	248,571 LF
4" YELLOW THERMOPLASTIC, GROOVED	303,053 LF
8" WHITE THERMOPLASTIC, GROOVED	10,119 LF
12" WHITE THERMOPLASTIC, GROOVED	920 LF
12" YELLOW THERMOPLASTIC, GROOVED	809 LF
4" WHT POLYUREA PVMT MRKING, GROOVED	446,418 LF
8" WHT POLYUREA PVMT MRKING, GROOVED	74,962 LF
12" WHT POLYUREA PVMT MRKING, GROOVED	8,758 LF
4" YEL POLYUREA PVMT MRKING, GROOVED	145,761 LF
12" YEL POLYUREA PVMT MRKING, GROOVED	267 LF

NOTICE TO CONTRACTORS

CALL ORDER 120  
FEDERAL PROJECT NO. LCLC-5221(3)  
LOCATION: LINCOLN CITYWIDE CROSSWALKS  
COUNTIES: LANCASTER

The Nebraska Department of Roads will receive sealed bids for the CITY OF LINCOLN in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on October 21, 2010. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

START DATE 05/02/2011 CALENDAR DAYS 152  
Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning September 28, 2010 at the Lincoln Central Office and October 04, 2010 at the District Engineer's Office at LINCOLN

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	3 SHEETS	\$	0.75
STANDARD PLANS	5 SHEETS	\$	1.25

SHEET NO.

1 TITLE PAGE  
& SUMMARY OF QUANTITIES  
2-N GENERAL INFORMATION  
3 CROSSWALK DETAIL

STANDARD PLANS

920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE  
924 (3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	2,000	BDAY
TEMPORARY SIGN DAY	620	EACH
FLASHING ARROW PANEL	80	DAY
FLAGGING	40	DAY
MOBILIZATION	LUMP	LUMP
12" WHITE THERMOPLASTIC, GROOVED	481	LF
24" WHITE THERMOPLASTIC, GROOVED	16,620	LF
12" WHT POLYUREA PVMT MRKING, GROOVED	218	LF
24" WHT POLYUREA PVMT MRKING, GROOVED	8,370	LF

NOTICE TO CONTRACTORS

CALL ORDER 125  
 FEDERAL PROJECT NO. STPE-3220(6)  
 LOCATION: ON A COUNTY ROAD NORTH OF BEATRICE  
 COUNTIES: GAGE

The Nebraska Department of Roads will receive sealed bids for the  
 COUNTY OF GAGE in Room 104 of the Central Office Building at  
 1500 Hwy 2 at Lincoln, until 1:30 P.M. on October 21, 2010 .  
 At that time the bids will be opened and read for  
 GRAD,CONC PAVE

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR  
 WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

Length: 1.1 MILES  
 START DATE 09/06/2011 WORKING DAYS 35  
 Price Range \$ 500,000 to \$ 2,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning September 28, 2010 at the Lincoln  
 Central Office and October 04, 2010 at the District Engineer's Office at LINCOLN  
 Additional letting information may be found at the Nebraska Department of Roads  
 Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal  
 requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	17	SHEETS	\$ 4.25
CROSS SECTIONS (SHEETS X1 THRU X13)	13	SHEETS	\$ 3.25
STANDARD PLANS	15	SHEETS	\$ 3.75
SHEET NO.			

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTION OF IMPROVEMENT
2-S	SUMMARY OF QUANTITIES
2-N1	GENERAL INFORMATION & DETOUR LOCATION MAP
2-N2 - 2-N3	GENERAL INFORMATION--INTERSECTION DETAILS
2-N4	GENERAL INFORMATION--PAVEMENT JOINTS & SPOT ELEVATIONS
2-L	PAVEMENT MARKING PLAN
3 - 4	PLAN & PROFILE SHEETS
5	DRAINAGE STRUCTURE CROSS SECTIONS
6	SPECIAL PLAN 1C CONCRETE HEADWALL
7	SPECIAL PLAN 2C TYPICAL PAVEMENT MARKING PLAN--4" PAVEMENT MARKING
8	SPECIAL PLAN 3C TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
R1 - R2	RIGHT-OF-WAY INFORMATION
X1 - X13	CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
308-R1	LOCAL ROADS MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
329-R7	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		1 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		52 MGAL
EARTHWORK MEASURED IN EMBANKMENT		18,466 CY
REMOVE PAVEMENT		138 SY
24" DRIVEWAY CULVERT PIPE		154 LF
24" RD EQUIV DRIVEWAY CULVERT PIPE		84 LF
REMOVE CULVERT PIPE		57 LF
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		227 CY
47B-3000 CONC FOR HDWL		25 CY
RE-STEEL FOR HEADWALL		1,928 LB
72" REINFORCED CONCRETE PIPE		100 LF
COVER CROP SEEDING		10 ACRE
FABRIC SILT FENCE-HIGH POROSITY		252 LF

GROUP 3 CONCRETE PAVEMENT

PERMANENT PAVEMENT MARKING PAINT		19,894 LF
MOBILIZATION	LUMP	LUMP
CRUSHED ROCK EMBEDMENT		6 STA
CRUSHED ROCK SURFACE COURSE		306 TON
SPEC SURF CRSE FOR MAILBOX TURNOUTS		26 SY
MAILBOX POST		1 EACH
8" DOWELED CONC PAVE, CLASS 47B-3500		17,867 SY
9" CONC PVMT, 47B-3500		198 SY
FOUNDATION COURSE		18,065 SY
4"		
WATER		80 MGAL
EARTH SHOULDER CONSTRUCTION		105 STA
SUBGRADE PREPARATION		18,065 SY
SEEDING, TYPE A		7 ACRE
SEEDING, TYPE B		3 ACRE
MULCH		23 TON

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II		2,440 BDAY
BARRICADE, TYPE III		915 BDAY
SIGN DAY		2,440 EACH
CONTRACTOR FURNISHED SIGN DAY		122 EACH
FLASHING ARROW PANEL		61 DAY
FIELD OFFICE		1 EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		5 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		5 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		5 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		5 HOUR
TEMPORARY SILT FENCE		200 LF

NOTICE TO CONTRACTORS

CALL ORDER 205  
 FEDERAL PROJECT NO. NH-BR-77-3(128)  
 LOCATION: US-77, FREMONT SOUTH BRIDGE  
 COUNTIES: DODGE SAUNDERS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on October 21, 2010. At that time the bids will be opened and read for GRAD, CONC PAVE, CULV, BR, GDRL, ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES

Length: 1.8 KILOMETERS  
 START DATE 08/01/2011 CALENDAR DAYS 1645  
 Price Range \$ 17,000,000 to \$ 25,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning September 28, 2010 at the Lincoln Central Office and October 04, 2010 at the District Engineer's Office at OMAHA. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

A BIDDER'S CONFERENCE WILL BE HELD IN THE AUDITORIUM AT THE NEBRASKA DEPARTMENT OF ROADS' CENTRAL OFFICE BUILDING, LOCATED AT 1500 NEBRASKA HWY. 2 IN LINCOLN. THE PURPOSE OF THIS CONFERENCE IS TO ALLOW BIDDERS TO ASK QUESTIONS CONCERNING THIS PROJECT AND RECEIVE ANSWERS TO THE QUESTIONS. ATTENDANCE AT THIS CONFERENCE IS STRONGLY ENCOURAGED.

TIME: 2:00 P.M. DATE: OCTOBER 04, 2010

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	148	SHEETS	\$	37.00
CROSS SECTIONS (SHEETS X1 THRU X23)	23	SHEETS	\$	5.75
STANDARD PLANS	30	SHEETS	\$	7.50

SHEET NO.	TITLE PAGE
1	TITLE PAGE
2-T1 - 2-T3	TYPICAL CROSS SECTIONS
2-S1 - 2-S3	SUMMARY OF QUANTITIES & DETOUR LOCATION MAP
2-W1 - 2-W4	WETLANDS
2-H1 - 2-H3	HORIZONTAL ALIGNMENT & CONTROL POINTS
2-N1 - 2-N5	GENERAL INFORMATION
2-P1 - 2-P6	PHASING PLANS
2-L1 - 2-L5	GEOMETRICS & JOINTS
2-L6 - 2-L10	GRADES
2-L11 - 2-L15	REMOVALS
2-L16 - 2-L22	EROSION CONTROL
3 - 10	PLAN & PROFILE SHEETS
11	TYPICAL TRAFFIC CONTROL PLAN--INERTIAL BARRIER SYSTEM
12 - 13	PAVEMENT MARKING PLAN
14	TYPICAL PAVEMENT MARKING PLAN--100 mm PAVEMENT MARKING
15	TEMPORARY PAVEMENT MARKING PLAN
16 - 19	ROADWAY LIGHTING PLANS
20	EARTHWORK DATA SHEET
21 - 23	DRAINAGE STRUCTURE CROSS SECTIONS
24 - 51	SPECIAL PLAN 1 NU2000 CONCRETE GIRDER BRIDGE STA. 683+90.786
52 - 82	SPECIAL PLAN 2 WELDED PLATE GIRDER BRIDGE STA. 683+90.786
83 - 89	SPECIAL PLAN 1C GUARDRAIL PLAN
90	SPECIAL PLAN 2C HIGHWAY DELINEATORS
91	SPECIAL PLAN 3C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
92 - 93	SPECIAL PLAN 4C AREA INLET WITH GRATE
94 - 96	SPECIAL PLAN 5C WEIR STA. 681+25
97 - 100	SPECIAL PLAN 6C WEIR STA. 686+75
R1 - R3	RIGHT-OF-WAY SHEETS
X1 - X23	CROSS SECTIONS

STANDARD PLANS

M301-R3	(3 SHEETS) PAVEMENT DETAILS
M329-R4	(4 SHEETS) 200 TO 405 mm CONCRETE PAVEMENT
M410	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
M411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
M425-R1	COLLARS AND ELBOWS FOR CONCRETE PIPES
M428-R2	CONCRETE PLUGS AND FIELD PIPE TAP DETAILS
M443	(2 SHEETS) CURB INLETS AND JUNCTION BOX
M501-R3	(3 SHEETS) EROSION CONTROL
M502	SILT FENCE DETAILS
M804	PRECAST CONCRETE R.O.W. MARKER
M914-R2	PULL BOX DETAIL
M920	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
M922-R3	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
M924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		112 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION		28,244 m3
EXCAVATION, BORROW		102,051 m3
WATER		1,913 kL
RIGHT-OF-WAY MARKERS		23 EACH
RIPRAP FILTER FABRIC		660 m2
ABANDON WELLS		1 EACH
REMOVE PAVEMENT		7,334 m2
SAWING PAVEMENT		19 m
REMOVE ASPHALT SURFACE		8,973 m2
CLEAR TRACT		1 EACH
AT STA. 685+55 TO STA. 686+29 RT.		
ROCK RIPRAP, TYPE B		528 Mg
REMOVE GUARDRAIL		234 m
COVER CROP SEEDING		4 ha
TEMPORARY SEEDING		1 ha
EROSION CONTROL, CLASS 1D		11,387 m2
EROSION CHECKS, TYPE WATTLE		120 m
FABRIC SILT FENCE-LOW POROSITY		4,090 m
TURBIDITY BARRIER		122 m
SLASH MULCH		800 m3

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE I		40 EACH
DELINEATOR, TYPE II		32 EACH
GRAVEL SURFACE COURSE		1,354 Mg
GRAVEL EMBEDMENT		8,058 m2
SURFACING		2,402 m2
255 mm		
REMOVE AND RESET MAILBOX		13 EACH
255 mm DOWELED CONCRETE BASE COURSE		1,049 m2
255 mm DOWELED CONC PVMT, 47B-25		19,795 m2
TEMPORARY SURFACING		3,538 m2
255 mm		
100 mm WHT WET RFLC PRF PVMT MKNG T4 GVD		4,050 m
200 mm WHT WET RFLC PRF PVMT MKNG T4 GVD		250 m
300 mm WHT WET RFLC PRF PVMT MKNG T4 GVD		100 m
100 mm YEL WET RFLC PRF PVMT MKNG T4 GVD		6,000 m
300 mm YEL WET RFLC PRF PVMT MKNG T4 GVD		650 m
HYDRATED LIME FOR ASPHALT MIXTURES		3 Mg
FOUNDATION COURSE		26,987 m2
100 mm		
GRANULAR SUBDRAIN		65 EACH

STABILIZED SUBGRADE	30,525	m2
TYPE FLY ASH		
ASPH CONC, TYPE SP4(12.5)	355	Mg
SURFACING 150mm	3,741	m2
PERF GRADED BINDER (64-28)	17	Mg
TACK COAT	2,011	L
WATER	580	kL
EARTH SHOULDER CONSTRUCTION	32	StaM
COLD MILLING, CLASS 4	1,161	m2
FLY ASH	1,237	Mg
SEEDING, TYPE A	3	ha
SEEDING, TYPE B	1	ha
MULCH	20	Mg

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
CAST IRON GRATE & FRAME	2,016	kg
PREPARATION OF STRUCTURE	1	EACH
AT STA. 680+80		
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	324	m3
47B-20 CONC FOR INLET & JUNCTION BOXES	13	m3
CLASS 47B-20 CONCRETE	23	m3
FOR WEIR		
RE-STEEL FOR INLET & JCT BOX	412	kg
REINFORCING STEEL	1,516	kg
FOR WEIR		
1200 mm AUTO. FLOOD CONTROL GATE	1	EACH
450 mm FLARED-END SECTION	2	EACH
1500 mm FLARED-END SECTION	4	EACH
1200 mm METAL FLARED-END SECTION	1	EACH
CULVERT SANDFILL	118	m3
1500 mm CULV PIPE 2,5	56	m
1200 mm CULV PIPE 3,4,5	9	m
450 mm STORM SEWER PIPE 1,7,8	91	m
450 mm STORM SEWER PIPE 1,5,7 OR 8	31	m

GROUP 6 BRIDGE AT STA. 683+90.786

MOBILIZATION	LUMP	LUMP
RIPRAP FILTER FABRIC	1,830	m2
CONC FOR PVMT APPROACHES CLASS 47BD-30	286	m3
EPOXY COATED RE-STEEL FOR PVMT APPROACH	28,627	kg
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PIER NO.2 EXCAVATION	LUMP	LUMP
PIER NO.3 EXCAVATION	LUMP	LUMP
PIER NO.4 EXCAVATION	LUMP	LUMP
PIER NO.5 EXCAVATION	LUMP	LUMP
PIER NO.6 EXCAVATION	LUMP	LUMP
PIER NO.7 EXCAVATION	LUMP	LUMP
PIER NO.8 EXCAVATION	LUMP	LUMP
FINGER EXPANSION JOINT	50	m
EXPANSION BEARING, TFE TYPE	128	EACH
FIXED BEARING	16	EACH
47B-30 CONC FOR BRIDGE	934	m3
47B-20 CONC FOR BRIDGE	1,850	m3
47BD-30 CONC FOR BRIDGE	2,973	m3
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
683+90.786		
REMOVE STRUCTURE	1	EACH
AT STA. 684+00		
ACCESS BRIDGE	LUMP	LUMP
AT STA. 683+00 LT.		
ACCESS BRIDGE	LUMP	LUMP
AT STA. 683+00 RT.		
ACCESS BRIDGE	LUMP	LUMP
AT STA. 685+00 LT.		
ACCESS BRIDGE	LUMP	LUMP
AT STA. 685+00 RT.		
STRUC STEEL FOR SUBSTRUCTURE	4,314	kg

ROCK RIPRAP, TYPE B		1,880 Mg
SALVAGING AND PLACING TOPSOIL ON RIPRAP		450 m2
EPOXY COATED RE-STEEL		671,852 kg
SUBSURFACE DRAINAGE MATTING		190 m2
HP 310 mm X 79 kg STEEL PILING		1,610 m
HP 360 mm X 132 kg STEEL PILING		6,701 m
TEST PILE		10 EACH
STEEL SHEET PILING		716 m2
DECK DRAINAGE SYSTEM	LUMP	LUMP
GRANULAR BACKFILL		675 m3
100 mm CONDUIT ON STRUCTURE		1,340 m

GROUP 6A BRIDGE AT STA. 683+90.786

MOBILIZATION	LUMP	LUMP
RIPRAP FILTER FABRIC		1,830 m2
CONC FOR PVMT APPROACHES CLASS 47BD-30		285 m3
EPOXY COATED RE-STEEL FOR PVMT APPROACH		28,627 kg
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PIER NO.2 EXCAVATION	LUMP	LUMP
PIER NO.3 EXCAVATION	LUMP	LUMP
PIER NO.4 EXCAVATION	LUMP	LUMP
PIER NO.5 EXCAVATION	LUMP	LUMP
PIER NO.6 EXCAVATION	LUMP	LUMP
PIER NO.7 EXCAVATION	LUMP	LUMP
FINGER EXPANSION JOINT		50 m
EXPANSION BEARING, TFE TYPE		67 EACH
FIXED BEARING		5 EACH
47B-30 CONC FOR BRIDGE		822 m3
47B-20 CONC FOR BRIDGE		1,711 m3
47BD-30 CONC FOR BRIDGE		2,639 m3
REMOVE STRUCTURE		1 EACH
AT STA. 684+00		
ACCESS BRIDGE	LUMP	LUMP
AT STA. 683+00 LT.		
ACCESS BRIDGE	LUMP	LUMP
AT STA. 683+00 RT.		
ACCESS BRIDGE	LUMP	LUMP
AT STA. 685+00 LT.		
ACCESS BRIDGE	LUMP	LUMP
AT STA. 685+00 RT.		
STEEL SUPERSTRUCTURE	LUMP	LUMP
683+90.786		
STRUC STEEL FOR SUBSTRUCTURE		4,152 kg
ROCK RIPRAP, TYPE B		1,880 Mg
SALVAGING AND PLACING TOPSOIL ON RIPRAP		450 m2
EPOXY COATED RE-STEEL		536,092 kg
SUBSURFACE DRAINAGE MATTING		165 m2
HP 310 mm X 79 kg STEEL PILING		1,464 m
HP 360 mm X 132 kg STEEL PILING		5,843 m
TEST PILE		9 EACH
STEEL SHEET PILING		716 m2
DECK DRAINAGE SYSTEM	LUMP	LUMP
GRANULAR BACKFILL		610 m3
100 mm CONDUIT ON STRUCTURE		1,340 m

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		93 m
BRIDGE APPROACH SECTIONS		2 EACH
GUARDRAIL END TREATMENT, TYPE II		2 EACH

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
38 mm CONDUIT IN TRENCH		161 m
38 mm CONDUIT UNDER ROADWAY		22 m
STREET LIGHT CABLE, NO. 6 BARE		183 m
STREET LIGHT CABLE, NO. 6 USE		366 m

RELOCATE STREET LIGHTING UNIT	3	EACH
RELOCATE PULL BOX	1	EACH
TYPE PB-5		

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	34,325	BDAY
BARRICADE, TYPE III	5,607	BDAY
TEMPORARY SIGN DAY	840	EACH
SIGN DAY	53,349	EACH
CONTRACTOR FURNISHED SIGN DAY	397	EACH
TEMP PAVEMENT MARKING REMOVAL	5,300	m
PAVEMENT MARKING REMOVAL	2,900	m
TEMP PVMT MARKING, TYPE PAINT	9,600	m
TEMP PVMT MARKING SURF PREP	9,600	m
FLASHING ARROW PANEL	275	DAY
FLAGGING	120	DAY
FURNISHING AND OPERATING PILOT VEHICLE	30	DAY
INERTIAL BARRIER SYSTEM	2	EACH
REPLACEMENT MODULE	13	EACH
TRAFFIC CONTROL MANAGEMENT	915	DAY
FIELD OFFICE	1	EACH
TRAINING	6,000	HOUR
MOBILIZATION	LUMP	LUMP
CONSTRUCTION STAKING AND SURVEYING	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	300	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	300	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	300	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	300	HOUR
TEMPORARY EROSION CONTROL	1,500	m2
TEMPORARY SILT CHECK	300	m
TEMPORARY SILT FENCE	600	m
TEMPORARY MULCH	9	Mg

NOTICE TO CONTRACTORS

CALL ORDER 210  
 FEDERAL PROJECT NO. IM-80-9(27)  
 LOCATION: I-80, PLATTE RIVER DEER FENCE WEST  
 COUNTIES: CASS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on October 21, 2010 . At that time the bids will be opened and read for FENCE

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: GUARD RAIL AND FENCE  
 START DATE 12/06/2010 CALENDAR DAYS 146  
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning September 28, 2010 at the Lincoln Central Office and October 04, 2010 at the District Engineer's Office at OMAHA

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	20	SHEETS	\$	5.00
STANDARD PLANS	6	SHEETS	\$	1.50

SHEET NO.	
1	TITLE PAGE
2-S	SUMMARY OF QUANTITIES
2-W1 - 2-W4	WETLANDS
2-H	HORIZONTAL ALIGNMENT & ORIENTATION
2-L1 - 2-L4	GEOMETRICS
3 - 6	PLAN SHEETS
7	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
8 - 11	SPECIAL PLAN 1C WOVEN WIRE DEER FENCE DETAILS

STANDARD PLANS	
710-R4	(2 SHEETS) FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 7B FENCE

BARRICADE, TYPE II	900	B DAY
TEMPORARY SIGN DAY	600	EACH
MOBILIZATION	LUMP	LUMP
REMOVE FENCE	9,461	LF
EARTHEN EXIT RAMP	4	EACH
END POSTS	2	EACH
FOR DEER FENCE, 4'		
END POSTS	6	EACH
FOR DEER FENCE, 8'		
END POSTS	4	EACH
PULL POSTS	15	EACH
FOR DEER FENCE, 8'		
CORNER POSTS	22	EACH
FOR DEER FENCE, 8'		
16' VEHICLE GATE	2	EACH
DEER FENCE	116	LF
4'		
DEER FENCE	11,674	LF
8'		

NOTICE TO CONTRACTORS

CALL ORDER 215  
 FEDERAL PROJECT NO. MAPA-5049(4)  
 LOCATION: OMAHA MAJOR STREET RESURFACING-PKG 1  
 COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids for the CITY OF OMAHA in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on October 21, 2010. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

START DATE 05/09/2011 CALENDAR DAYS 125  
 Price Range \$ 3,000,000 to \$ 6,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning September 28, 2010 at the Lincoln Central Office and October 04, 2010 at the District Engineer's Office at OMAHA  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	104 SHEETS	\$	26.00
STANDARD PLANS	5 SHEETS	\$	1.25

SHEET NO.

1	TITLE PAGE
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-N	GENERAL INFORMATION
3 - 70	PLAN SHEETS--RESURFACING
71 - 97	PLAN SHEETS--STRIPING
98 - 99	SIGNS & BARRICADES
100	SPECIAL PLAN 1C ASPHALT PAVEMENT RESURFACING-- MH RING & COVER ADJUSTMENT DETAILS
101	SPECIAL PLAN 2C ASPHALT PAVEMENT RESURFACING-- INLET ADJUSTMENT DETAILS
102	SPECIAL PLAN 3C RECONSTRUCT GRATE INLET TYPE "A"

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
924	(3 SHEETS)	TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	15,909	BDAY
BARRICADE, TYPE III	414	BDAY
TEMPORARY SIGN DAY	513	EACH
SIGN DAY	281	EACH
CONTRACTOR FURNISHED SIGN DAY	235	EACH
FLASHING ARROW PANEL	259	DAY
FLAGGING	72	DAY
TOWING	16	HOUR
MOBILIZATION	LUMP	LUMP
9" CONCRETE BASE COURSE	810	SY
CAST IRON RING & COVER	22,230	LB
RECONSTRUCT INLET	4	EACH
ADJUSTING INLET TO GRADE	5	EACH

ADJUST MANHOLE TO GRADE	151 EACH
ADJUST	390 EACH
UTILITY TO GRADE	
ARROW, PREF PVMT MRKING T-4	51 EACH
ONLY, PREF PVMT MRKING T-4	53 EACH
5" WHT PREF PVMT MRKING T-4	28,794 LF
5" YEL PREF PVMT MRKING T-4	72,197 LF
ASPH CONC, TYPE CMM	36,370 TON
ASPH CONC, TYPE FMM	3,961 TON
PERF GRADED BINDER (70-28)	2,097 TON
COLD MILLING, CLASS 3	251,619 SY
CONC SURF MILLING	68,200 SY

NOTICE TO CONTRACTORS

CALL ORDER 225  
 FEDERAL PROJECT NO. ENH-28(89)  
 LOCATION: MISSOURI RIVER TRAIL - PHASE 2  
 COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids for the PAPIO-MISSOURI RIVER NATURAL RESOURCE DISTRICT in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on October 21, 2010. At that time the bids will be opened and read for GR WALL CONC PAVE CULV LS BR FENCE

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES

Length: 1.5 MILES  
 START DATE 04/04/2011 WORKING DAYS 200  
 Price Range \$ 2,000,000 to \$ 4,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning September 28, 2010 at the Lincoln Central Office and October 04, 2010 at the District Engineer's Office at OMAHA. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	127	SHEETS	\$ 31.75
CROSS SECTIONS (SHEETS X1 THRU X52)	52	SHEETS	\$ 13.00
STANDARD PLANS	21	SHEETS	\$ 5.25

SHEET NO.

1	TITLE PAGE
2-S1 - 2-S2	SUMMARY OF QUANTITIES
3	COVER SHEET
4	GENERAL NOTES
5 - 7	TYPICAL SECTIONS
8 - 11	MISCELLANEOUS DETAILS
12 - 15	SIGN DETAILS
16	HORIZONTAL ALIGNMENT DATA
17 - 32	TRAIL PLAN & PROFILE SHEETS
33 - 34	DUDA DRIVE PLAN & PROFILE SHEETS
35 - 37	ENTRANCE PLAN & PROFILE SHEETS
38 - 39	PLANTING PLANS
40 - 41	STORM SEWER PROFILE
42 - 44	CULVERT CROSS SECTIONS
45 - 47	RETAINING WALLS
48	STRUCTURAL GENERAL NOTES & QUANTITIES
49 - 59	IT-800 PRESTRESSED GIRDER BRIDGE AT STA. 218+88
60 - 70	IT-800 PRESTRESSED GIRDER BRIDGE AT STA. 220+93
71 - 81	IT-400 PRESTRESSED GIRDER BRIDGE AT STA. 223+08
82 - 93	IT-500 PRESTRESSED GIRDER BRIDGE AT STA. 230+92
94 - 105	IT-500 PRESTRESSED GIRDER BRIDGE AT STA. 232+14
106 - 116	IT-800 PRESTRESSED GIRDER BRIDGE AT STA. 235+01
117 - 121	STORM WATER POLLUTION PREVENTION PLANS
122 - 123	SPECIAL PLAN 1C GUARDRAIL HARDWARE DETAILS
R1 - R3	RIGHT-OF-WAY STRIP MAP
X1 - X46	CROSS SECTIONS
X47 - X52	DUDA'S DRIVEWAY CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
435-R1	(3 SHEETS) MANHOLE
443-R7	(2 SHEETS) CURB INLETS AND JUNCTION BOX
501-R5	(3 SHEETS) EROSION CONTROL

502 SILT FENCE DETAILS  
 710-R4 (2 SHEETS) FENCE DETAILS  
 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE  
 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		1 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		140 MGAL
EARTHWORK MEASURED IN EMBANKMENT		13,978 CY
FURNISHING AND PLACING TOPSOIL		10,758 SY
REMOVE PAVEMENT		1,180 SY
SAWING PAVEMENT		1,394 LF
18" DRIVE PIPE, TYPE 3,4 OR 5		71 LF
REMOVE HEADWALLS FROM CULV		2 EACH
18" METAL FLARED-END SECTION		2 EACH
EROSION CONTROL, CLASS 1C		8,796 SY
WITH SEED TYPE "A"		
EROSION CONTROL, CLASS 1F		6,931 SY
WITH SEED TYPE "A"		
EROSION CONTROL, CLASS 1C		1,250 SY
WITH SEED TYPE "C"		
EROSION CONTROL, CLASS 2A		288 SY
EROSION CONTROL, CLASS 2C		934 SY
FABRIC SILT FENCE-LOW POROSITY		9,570 LF

GROUP 1A WALL

MOBILIZATION	LUMP	LUMP
MODULAR BLOCK WALL		12,520 SF
LEVELING PAD		1,851 LF
CURB AND GUTTER RETAINING WALL CAP		484 LF
PEDESTRIAN HANDRAIL		3,170 LF
SEL GRAN BFILL RETAINED EARTH STR		3,890 CY

GROUP 3 CONCRETE PAVEMENT

OVERLAY BROKEN LINES		10 STA
OVERLAY SOLID LINES		20 STA
PERMANENT PAVEMENT MARKING PAINT		3,003 LF
MOBILIZATION	LUMP	LUMP
CRUSHED ROCK SURFACE COURSE		333 CY
REMOVE AND RESET MAILBOX		2 EACH
CONCRETE REST STOP		3 EACH
COMB CONC 47B-3500 CURB & GUTTER		3,342 LF
6" CONCRETE CLASS 47B-3500 BIKEWAY		8,630 SY
CONC CLASS 47B-3500 DRIVEWAY 8"		282 SY
CONC 47B-3500 DRIVEWAY		712 SY
6'		
W-BEAM GUARDRAIL		225 LF
SIGN		1 EACH
TYPE A		
SIGN		6 EACH
TYPE B		
SIGN		40 EACH
TYPE C		
TRAIL MILEAGE MARKER		15 EACH
REMOVE SIGN AND POST		2 EACH
RELOCATE SIGN		9 EACH
ASPHALTIC CONCRETE		376 TON
SURFACE COURSE, TYPE CMR		
ASPH CONC, TYPE BASE		124 TON
PERF GRADED BINDER (64-22)		6 TON

PERF GRADED BINDER (70-28)	18 TON
PREP OF INTER & DRIVE	995 SY
WATER	75 MGAL
EARTH SHOULDER CONSTRUCTION	101 STA
SUBGRADE PREPARATION	16,621 SY
COLD MILLING, CLASS 3	14 STA

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
RIPRAP FILTER FABRIC		88 SY
CAST IRON COVER & FRAME	2,000 LB	
MANHOLE		1 EACH
AT STA. 211+30.27 3.78' RT.		

GROUP 4 CULVERTS

MANHOLE		1 EACH
AT STA. 237+50.29 3.18' RT.		
REMOVE HEADWALLS FROM CULV		1 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		37 CY
47B-3000 CONC FOR INLET & JUNCTION BOXES		36 CY
RE-STEEL FOR INLET & JCT BOX	2,344 LB	
15" METAL FLARED-END SECTION		2 EACH
24" METAL FLARED-END SECTION		2 EACH
15" RND EQUIV MTL PIPE FES		4 EACH
18" RND EQUIV MTL PIPE FES		2 EACH
18" CONCRETE FLARED-END SECTION		9 EACH
30" CONCRETE FLARED-END SECTION		2 EACH
ROCK RIPRAP, TYPE B		79 TON
18" CULV PIPE 2		74 LF
30" CULV PIPE 2		20 LF
15" CULV PIPE 3,4,5		11 LF
24" CULV PIPE 3,4,5		28 LF
15" RND EQ CULV PIPE 3,4,5		21 LF
18" RND EQ CULV PIPE 3,4,5		28 LF
18" STORM SEWER PIPE 1	1,464 LF	
24" STORM SEWER PIPE 1		756 LF
24" STORM SEWER PIPE 3,4 OR 5		148 LF

GROUP 5 LANDSCAPING

MOBILIZATION	LUMP	LUMP
DEER PROTECTION FENCE	2,310 LF	
WILDFLOWER PLUG		504 EACH
RAIN GARDEN PREPARATION	1,060 SY	
BLACKHILLS SPRUCE 5' C.G.		15 EACH
COLORADO GREEN SPRUCE, 5' C.G.		6 EACH
LIMBER PINE 5' C.G.		12 EACH
BOSNIAN PINE 5' C.G.		12 EACH
DOUGLAS FIR, 5' C.G.		10 EACH
PRAIRIE PRIDE HACKBERRY 1 1/2" CAL C.G.		4 EACH
SKYLINE HONEYLOCUST 1 1/2" CAL C.G.		5 EACH
KENTUCKY COFFEETREE 1 1/2" CAL. C.G.		3 EACH
AMERICAN SYCAMORE 1 1/2" CAL C.G.		3 EACH
SWAMP WHITE OAK 1 1/2" CAL C.G.		7 EACH

GROUP 6 BRIDGE

MOBILIZATION	LUMP	LUMP
EXCAVATION	1,000 CY	
FOR ABUTMENT		
ELASTOMERIC BEARING		96 EACH
47B-3000 CONC FOR BRIDGE		123 CY
47BD-4000 CONC FOR BRIDGE		227 CY
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
AT STA. 218+88		
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
AT STA. 220+93		

GROUP 6 BRIDGE

PRECAST/PRESTRESSED CONC SUPERSTR AT STA. 223+08	LUMP	LUMP
PRECAST/PRESTRESSED CONC SUPERSTR AT STA. 230+92	LUMP	LUMP
PRECAST/PRESTRESSED CONC SUPERSTR AT STA. 232+14	LUMP	LUMP
PRECAST/PRESTRESSED CONC SUPERSTR AT STA. 235+01	LUMP	LUMP
EPOXY COATED RE-STEEL	102,216	LB
DRILLED SHAFT	1,664	LF
STEEL SHEET PILING	3,627	SF
PEDESTRIAN RAILING (CHAIN LINK-VINYL) 2'	472	LF
STRIP SEALS	478	LF
GRANULAR BACKFILL	124	CY

GROUP 7A FENCE

MOBILIZATION	LUMP	LUMP
REMOVE FENCE		924 LF
REMOVE AND REPLACE FENCE		683 LF
RIGHT-OF-WAY FENCE		3,892 LF

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	10,000	BDAY
BARRICADE, TYPE III	1,900	BDAY
TEMPORARY SIGN DAY	360	EACH
SIGN DAY	13,300	EACH
FLAGGING	210	DAY
FIELD OFFICE	1	EACH
TRAINING	500	HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	100	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	100	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	100	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	100	HOUR

NOTICE TO CONTRACTORS

CALL ORDER 230  
 FEDERAL PROJECT NO. MAPA-5011(11)  
 LOCATION: 108TH STREET, "Q" TO "L" STREET, OMAHA  
 COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids for the CITY OF OMAHA in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on October 21, 2010. At that time the bids will be opened and read for GR CONC PAVE CULV WATER MAIN ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

START DATE 04/18/2011 CALENDAR DAYS 138  
 Price Range \$ 500,000 to \$ 2,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 7.0 %

Plans and specifications may be seen beginning September 28, 2010 at the Lincoln Central Office and October 04, 2010 at the District Engineer's Office at OMAHA

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	100	SHEETS	\$ 25.00
CROSS SECTIONS (SHEETS X1 THRU X14)	14	SHEETS	\$ 3.50
STANDARD PLANS	8	SHEETS	\$ 2.00

SHEET NO.

1	TITLE PAGE
2	COVER SHEET
2-T1 - 2-T2	TYPICAL SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-H1	HORIZONTAL CONTROL
2-N1	GENERAL INFORMATION
2-P1 - 2-P4	PHASE 1--TEMPORARY SIGNING & BARRICADING
2-P5 - 2-P6	PHASE 2 & 3--TEMPORARY SIGNING & BARRICADING
2-P7 - 2-P10	PHASE 4--TEMPORARY SIGNING & BARRICADING
2-P11 - 2-P12	PERMANENT SIGNING & STRIPING
2-L1 - 2-L5	JOINTING, ELEVATIONS, & GEOMETRICS
2-L6 - 2-L10	CONSTRUCTION PLAN SHEETS
2-L11 - 2-L15	REMOVAL PLAN SHEETS
3 - 4	PLAN & PROFILE SHEETS
5 - 7	PIPE PROFILES
8 - 9	TRAFFIC SIGNALS--INTERCONNECT
10 - 11	TEMPORARY TRAFFIC SIGNALS
12 - 13	PERMANENT TRAFFIC SIGNALS
14	TRAFFIC SIGNALS--FIBER OPTIC DETAIL SHEET
15 - 16	STORM WATER POLLUTION PREVENTION PLAN
17	SPECIAL PLAN 1C 25'-0" RESIDENTIAL CONCRETE PAVEMENT
18	SPECIAL PLAN 2C 38'-0" 3-LANE CONCRETE PAVEMENT
19	SPECIAL PLAN 3C 62'-0" 5-LANE CONCRETE PAVEMENT
20	SPECIAL PLAN 4C 68'-0" 4 LANE DIVIDED CONCRETE PAVEMENT
21	SPECIAL PLAN 5C CONCRETE PAVEMENT JOINT DETAILS
22	SPECIAL PLAN 6C CONCRETE CURB DETAILS
23 - 24	SPECIAL PLAN 7C CONCRETE MEDIAN DETAILS
25	SPECIAL PLAN 8C CONCRETE DRIVEWAY DETAILS
26 - 27	SPECIAL PLAN 9C CONCRETE CURB RAMP TYPICAL DETAILS
28	SPECIAL PLAN 10C SEWER BEDDING DETAILS
29	SPECIAL PLAN 11C TYPE FA REINFORCED CONCRETE CURB INLET COVER WITH FACE ARMOR
30 - 31	SPECIAL PLAN 12C CAST IRON MANHOLE RINGS-COVER & MANHOLE STEPS
32	SPECIAL PLAN 13C GEOTEXTILE FABRIC SILT FENCE
33	SPECIAL PLAN 14C PULL BOX DETAILS

34	SPECIAL PLAN 15C	CONCRETE PAD DETAIL FOR PAD MOUNTED CONTROLLER CABINET
35	SPECIAL PLAN 16C	MAST ARM POLE FOUNDATION DETAILS
36	SPECIAL PLAN 17C	MAST ARM TRANSFORMER BASE DETAILS
37	SPECIAL PLAN 18C	PEDESTAL POLE DETAILS
38	SPECIAL PLAN 19C	MAST ARM POLE DETAILS
39	SPECIAL PLAN 20C	MAST ARM SIGNAL MOUNTING
40	SPECIAL PLAN 21C	POLE BRACKET INSTALLATION DETAILS
41	SPECIAL PLAN 22C	STREET LIGHT POLE DETAILS
42 - 43	SPECIAL PLAN 23C	WOOD POLE SPAN WIRE DETAILS
44	SPECIAL PLAN 24C	SPAN WIRE MOUNTING DETAILS
45	SPECIAL PLAN 25C	STANDARD SIGNAL FACE ARRANGEMENTS
46	SPECIAL PLAN 26C	STANDARD TRAFFIC SIGNAL WIRING CODES
47	SPECIAL PLAN 27C	ELECTRIC SERVICE PEDESTAL
48	SPECIAL PLAN 28C	POWER SERVICE DETAILS
49 - 50	SPECIAL PLAN 29C	STREET NAME SIGN LAYOUT TYPE "A", "B", & "C"
51	SPECIAL PLAN 30C	OVERHEAD MOUNTED SIGNS
52	SPECIAL PLAN 31C	POST MOUNTED SIGNS
53	SPECIAL PLAN 32C	SIGNPOST ANCHORING SYSTEMS
54 - 58	SPECIAL PLAN 33C	CURB OPENING INLET TYPE I, II, III, & IV
59	SPECIAL PLAN 34C	WALL DETAILS
60	SPECIAL PLAN 35C	WALL DETAILS
61	SPECIAL PLAN 36C	CONCRETE PAVEMENT WIDENING & MISCELLANEOUS DETAILS
62	SPECIAL PLAN 37C	SIDEWALK CONSTRUCTION DETAILS
63	SPECIAL PLAN 38C	SIDEWALK LOCATION PLATE
64 - 65	SPECIAL PLAN 39C	DOUBLE SADDLE CREEK INLET, TYPE "SC" CAST IRON GRATE & FRAME
R1 - R2		RIGHT-OF-WAY STRIP MAP
X1 - X14		CROSS SECTIONS

STANDARD PLANS

435-R1	(3 SHEETS)	MANHOLE
920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
924	(3 SHEETS)	TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		2,244 CY
REMOVE PAVEMENT		4,694 SY
REMOVE DRIVEWAY		1,763 SY
REMOVE WALK		1,007 SY
REMOVE CURB		855 LF
REMOVE CONCRETE MEDIAN SURFACING		406 SY
REMOVE TREES OVER 9" - 18" DIAMETER		3 EACH
REMOVE WALL		50 LF
CONSTRUCTION ENTRANCE	LUMP	LUMP
WALL MATERIALS		38 SF
COMPACTED EARTH LEVELING PAD		56 LF
SEL GRAN BFILL RETAINED EARTH STR		3 CY
FABRIC SILT FENCE		300 LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
REMOVE AND RESET LANDSCAPING		13 SY
TIE BARS		365 EACH

COMB CONC 47B-4000 CURB & GUTTER	250 LF
CONC CLASS 47BX-3500 SIDEWALK, 7" IMPRINTED	114 SY
CONC CLASS 47BX-3500 SIDEWALK	1,061 SY
CONC CLASS 47BX-3500 CURB WALL 8"	5 CY
CONC CLASS 47BX-3500 SIDEWALK 6"	59 SY
DETECTABLE WARNING PANEL	144 SF
6" CONC 47BX-4000 IMPRINTED MEDIAN SURF	544 SY
CONC 47B-4000 DRIVEWAY 7"	1,377 SY
TEMPORARY SURFACING	275 SY
9" CONCRETE PAVEMENT CLASS 47B-4000	400 SY
10" CONCRETE PAVEMENT CLASS 47B-4000	6,854 SY
8" CONC PAVEMENT, CLASS PR-4000 CONSTRUCT	52 SY 1 EACH
SIDEWALK GRATE WITH GUTTER	
5" WHT WET RFLC PRF PVMT MKNG T4 GVD	600 LF
5" YEL WET RFLC PRF PVMT MKNG T4 GVD	3,149 LF
7" WHT PRF WET RFLEC CON PVMT MRK T-4 GR WATER	892 LF 28 MGAL
EARTH SHOULDER CONSTRUCTION	24 STA
SUBGRADE PREPARATION	8,657 SY
SODDING	1,592 SY
ADJUST VALVE BOX TO GRADE	2 EACH

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE INLET		19 EACH
CURB INLET TYPE I		9 EACH
CURB INLET TYPE III		1 EACH
CURB INLET TYPE IV		1 EACH
CURB INLET DOUBLE SADDLE CREEK		1 EACH
ADJUST MANHOLE TO GRADE		11 EACH
MANHOLE AT STA. 17+93.84 45' RT.		1 EACH
MANHOLE AT STA. 21+57.16 45' RT.		1 EACH
MANHOLE AT STA. 24+95.00 45' RT.		1 EACH
MANHOLE AT STA. 27+26.98 45' RT.		1 EACH
TAPPING EXISTING MANHOLE		4 EACH
TAPPING EXISTING STRUCTURE		3 EACH
REMOVE & RELAY RCSP		134 LF
REMOVE SEWER PIPE		262 LF
CONCRETE PLUG 12"		1 EACH
CONCRETE COLLAR 15"		3 EACH
15" REINF CONCRETE SEWER PIPE		269 LF
18" REINF CONCRETE SEWER PIPE		913 LF
24" REINF CONCRETE SEWER PIPE		268 LF
EXTERNAL FRAME SEALS		5 EACH
CURB INLET SEDIMENT FILTER		158 LF
AGGREGATE BEDDING FOR SEWER CONSTRUCTION		420 TON

GROUP 4A WATER MAIN

MOBILIZATION	LUMP	LUMP
RELOCATE SPRINKLER HEAD		44 EACH
REMOVE AND RELOCATE SPRINKLER SYSTEM CONTROL		5 EACH
REMOVE AND RELOCATE SPRINKLER SYSTEM TRUNKLINE	2,000	LF
REMOVE WATER MAIN PIPE	2,000	LF

GROUP 8B ELECTRICAL

TEMPORARY TRAFFIC SIGNAL 108TH & MOCKINGBIRD		1 EACH
TEMPORARY TRAFFIC SIGNAL 108TH & JOHN GALT		1 EACH
MOBILIZATION	LUMP	LUMP
OVERHEAD SIGN		8 EACH
STREET NAME SIGN 18"		6 EACH
STREET NAME SIGN 30"		2 EACH
PULL BOX, TYPE PB-6		6 EACH
PULL BOX, TYPE PB-8		2 EACH
PULL BOX, TYPE PB-10		4 EACH
VEHICLE PRIORITY CONTROL SYSTEM 108TH & MOCKINGBIRD	LUMP	LUMP
VEHICLE PRIORITY CONTROL SYSTEM 108TH & JOHN GALT	LUMP	LUMP
TRAFFIC SIGNAL, TYPE TS-1		20 EACH
TRAFFIC SIGNAL, TYPE TS-1A		8 EACH
TRAF SIG CONTROL, TYPE TC-2070 (2 PHASE) FIBER OPTIC		2 EACH
TRAF SIG CONTROL, TYPE TC-2070 96TH & Q		1 EACH

GROUP 8B ELECTRICAL

WIRELESS TRAFFIC SIGNAL INTERCONNECT SYS		1 EACH
PEDESTRIAN SIGNAL, TYPE PS-1		16 EACH
PEDESTRIAN PUSHBUTTON, PPB		8 EACH
PEDESTAL POLE, TYPE PP-4		1 EACH
LUMINAIRE 200W		5 EACH
C.M.A. SIG & LGHT POLE, CMP-40-12		1 EACH
C.M.A. SIG & LGHT POLE, CMP-45-12		2 EACH
C.M.A. SIG & LGHT POLE, CMP-50-12		2 EACH
MAST ARM SIGNAL POLE, MP-30		1 EACH
MAST ARM SIGNAL POLE, MP-50		2 EACH
SERVICE DISCONNECT PEDESTAL		2 EACH
2" CONDUIT IN TRENCH	2,411	LF
3" CONDUIT IN TRENCH		125 LF
2" CONDUIT, JACKED	1,885	LF
3" CONDUIT, JACKED		55 LF
16/C #14 AWG TRAF SIG CABLE		743 LF
2/C #16 AWG PED PBUTTON LEAD-IN CABLE		743 LF
#8 GROUNDING CONDUCTOR		663 LF
SERVICE CABLE		200 LF
SERVICE ENTRANCE CABLE		600 LF
STREET LIGHT CABLE, NO. 6 3/C		663 LF
36 STRAND SINGLE MODE FIBER OPTIC CABLE	3,980	LF
BRANCH FIBER OPTIC CABLE		6 EACH
TERMINAL FUSION SPLICE POINT		2 EACH
INTERMEDIATE FUSION SPLICE POINT		2 EACH
TEST& DOCUMENT OF FIBER OPTIC COMM SYSTE	LUMP	LUMP

MODIFY		1 EACH
EXISTING CONTROLLER CABINET W/FIBER		
MODIFY		1 EACH
EXISTING CONTROLLER CABINET W/FIBER		
REMOVE TRAFFIC SIGNAL		1 EACH
108TH & MOCKINGBIRD (EXISTING SIGNALS)		
REMOVE TRAFFIC SIGNAL		1 EACH
108TH & MOCKINGBIRD (TEMP SIGNALS)		
REMOVE TRAFFIC SIGNAL		1 EACH
108TH & JOHN GALT (EXISTING SIGNALS)		
REMOVE TRAFFIC SIGNAL		1 EACH
108TH & JOHN GALT (TEMP SIGNALS)		
MODULAR VIDEO VEHICLE DETECTION SYSTEM	LUMP	LUMP
108TH & MOCKINGBIRD		
MODULAR VIDEO VEHICLE DETECTION SYSTEM	LUMP	LUMP
108TH & JOHN GALT		
REINSTALL MODULAR VIDEO VEHI DETECT SYS	LUMP	LUMP
108TH & MOCKINGBIRD		
REINSTALL MODULAR VIDEO VEHI DETECT SYS	LUMP	LUMP
108TH & JOHN GALT		

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II		10,358 BDAY
BARRICADE, TYPE III		950 BDAY
TEMPORARY SIGN DAY		300 EACH
SIGN DAY		1,538 EACH
CONTRACTOR FURNISHED SIGN DAY		728 EACH
TEMP PAVEMENT MARKING REMOVAL		4,500 LF
TEMP PVMT MARKING, TYPE PAINT		3,941 LF
FLASHING ARROW PANEL		206 DAY
FLAGGING		25 DAY
MOBILIZATION	LUMP	LUMP
SECURITY FENCE	LUMP	LUMP
SIGN		1 EACH
SWPP		
RENTAL OF LOADER, FULLY OPERATED		5 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		5 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		5 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		5 HOUR

NOTICE TO CONTRACTORS

CALL ORDER 235  
 FEDERAL PROJECT NO. MAPA-5038(16)  
 LOCATION: WEST CENTER, INDUSTRIAL-159TH STREET, OMAHA  
 COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids for the CITY OF OMAHA in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on October 21, 2010. At that time the bids will be opened and read for GRAD, CONC PAVE, CULV, ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

START DATE 03/15/2011 CALENDAR DAYS 140  
 Price Range \$ 500,000 to \$ 2,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 6.0 %

Plans and specifications may be seen beginning September 28, 2010 at the Lincoln Central Office and October 04, 2010 at the District Engineer's Office at OMAHA

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	95	SHEETS	\$ 23.75
CROSS SECTIONS (SHEETS X1 THRU X9)	9	SHEETS	\$ 2.25
STANDARD PLANS	13	SHEETS	\$ 3.25

SHEET NO.

1	TITLE PAGE
2	INDEX OF SHEETS
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-H1 - 2-H2	HORIZONTAL CONTROL & CONTROL POINT TIES
2-N	GENERAL INFORMATION
2-P1 - 2-P9	PHASING PLANS
2-L1 - 2-L5	ELEVATIONS, GEOMETRICS, & JOINTING
2-L6 - 2-L10	CONSTRUCTION
2-L11 - 2-L15	REMOVALS
2-L16 - 2-L20	EROSION CONTROL
3	DRAINAGE CROSS SECTIONS
4-5	STRIPING & SIGNING
6 - 8	INTERCONNECT
9 - 10	TRAFFIC SIGNAL PLANS
11 - 12	STORM WATER POLLUTION PREVENTION PLAN
13	SPECIAL PLAN 1C CONCRETE PAVEMENT JOINT DETAILS
14	SPECIAL PLAN 2C CONCRETE CURB DETAILS
15- 16	SPECIAL PLAN 3C CONCRETE MEDIAN DETAILS
17	SPECIAL PLAN 4C ASPHALT PAVEMENT RESURFACING ADJUSTMENT DETAILS
18	SPECIAL PLAN 5C SEWER BEDDING DETAILS
19	SPECIAL PLAN 6C TYPE FA REINFORCED CONCRETE CURB INLET COVER WITH FACE ARMOR
20 - 24	SPECIAL PLAN 7C CURB INLET DETAILS
25 - 26	SPECIAL PLAN 8C CAST IRON MANHOLE RINGS & COVER
27	SPECIAL PLAN 9C GEOTEXTILE FABRIC SILT FENCE
28	SPECIAL PLAN 10C PULL BOX DETAILS
29	SPECIAL PLAN 11C CONCRETE PAD DETAIL FOR PAD MOUNTED CONTROLLER CABINET
30	SPECIAL PLAN 12C MAST ARM POLE FOUNDATION DETAILS
31	SPECIAL PLAN 13C MAST ARM TRANSFORMER BASE DETAILS
32	SPECIAL PLAN 14C PEDESTAL POST DETAILS
33	SPECIAL PLAN 15C MAST ARM POLE DETAILS
34	SPECIAL PLAN 16C MAST ARM SIGNAL MOUNTING
35	SPECIAL PLAN 17C POLE BRACKET INSTALLATION DETAILS
36	SPECIAL PLAN 18C STREET LIGHT POLE DETAILS
37 - 38	SPECIAL PLAN 19C WOOD POLE SPAN WIRE DETAILS
39	SPECIAL PLAN 20C SPAN WIRE MOUNTING DETAILS

40	SPECIAL PLAN 21C STANDARD SIGNAL FACE ARRANGEMENTS
41	SPECIAL PLAN 22C STANDARD TRAFFIC SIGNAL WIRING CODES
42	SPECIAL PLAN 23C ELECTRIC SERVICE PEDESTAL
43	SPECIAL PLAN 24C POWER SERVICE DETAILS
44 - 45	SPECIAL PLAN 25C STREET NAME SIGN LAYOUT
46	SPECIAL PLAN 26C OVERHEAD MOUNTED SIGNS
47	SPECIAL PLAN 27C POST MOUNTED SIGNS
48	SPECIAL PLAN 28C SIGNPOST ANCHORING SYSTEMS
49	SPECIAL PLAN 29C CONCRETE PAVEMENT WIDENING & MISC. DETAILS
50	SPECIAL PLAN 30C SIDEWALK CONSTRUCTION DETAILS
51	SPECIAL PLAN 31C SIDEWALK LOCATION PLAN
52	SPECIAL PLAN 32C REINFORCED CONCRETE PIPE COUPLERS
53	SPECIAL PLAN 33C REINFORCED CONCRETE PIPE FLARED END SECTIONS & BAR GRATES
54	SPECIAL PLAN 34C CONCRETE COLLAR SEWER TAP
55	SPECIAL PLAN 35C INDUCTIVE LOOP DETECTORS
56 - 57	SPECIAL PLAN 36C SHOULDER RETROFIT
58	SPECIAL PLAN 37C TYPICAL RAIL CROSSING
R1	RIGHT-OF-WAY STRIP MAP
X1 - X9	ROADWAY CROSS SECTIONS

STANDARD PLANS

329-R7	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		30 MGAL
EARTHWORK MEASURED IN EMBANKMENT		2,104 CY
REMOVE PAVEMENT		7,010 SY
REMOVE WALK		92 SY
REMOVE CONCRETE MEDIAN SURFACING		1,292 SY
REMOVE TREE 9" TO 18" DIAMETER		1 EACH
EROSION CONTROL, CLASS 1D		3,992 SY
EROSION CONTROL, CLASS 2B		67 SY
FABRIC SILT FENCE-LOW POROSITY		3,888 LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
TIE BARS		3,237 EACH
COMB CONC 47B-4000 CURB & GUTTER		2,290 LF
CONC CLASS 47BX-3500 SIDEWALK		106 SY
6" CONC 47BX-4000 IMPRINTED MEDIAN SURF		1,022 SY
11" DOWELED CONC PVMT, 47B-4000		9,227 SY
11" DOWELED CONC PAVEMENT 47B-HE-4000		501 SY
ADJUST MANHOLE TO GRADE		2 EACH
4" PERFORATED PIPE UNDERDRAIN		1,509 LF
5" WHT WT REF PRF PVMT MRKING T-4 INLAID		7,442 LF
ARW, WET REFL PRF PVMT MRKING T-4 INLAID		2 EACH
ONLY, WET REFL PRF PVMT MRKG T-4 INLAID		1 EACH
RR XING WET RFLC PRF PVMT MKNG, T 4 INLAID		5 EACH
10" WHT WT REF PRF PVT MRKING T-4 INLAID		1,012 LF
24" WHT WT REF PRF PVT MRKING T-4 INLAID		186 LF
FOUNDATION COURSE		10,237 SY
4" GRANULAR SUBDRAIN		24 EACH

ASPH CONC, TYPE CMM	1,759	TON
PERF GRADED BINDER (70-28)	87	TON
WATER	40	MGAL
EARTH SHOULDER CONSTRUCTION	36	STA
MEDIAN CONSTRUCTION	6	STA
SUBGRADE PREPARATION	10,237	SY
COLD MILLING, CLASS 4	5,175	SY
CONC SURF MILLING	10,976	SY
SEEDING, TYPE B	1	ACRE
MULCH	3	TON

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE INLET		3 EACH
CURB INLET		4 EACH
TYPE I		
REMOVE FLARED- END SECTION		1 EACH
REMOVE SEWER PIPE		18 LF
CONCRETE COLLAR		5 EACH
36" CONCRETE FLARED-END SECTION		1 EACH
15" REINF CONCRETE SEWER PIPE		5 LF
18" REINF CONCRETE SEWER PIPE		21 LF
36" REINF CONCRETE SEWER PIPE		24 LF
CURB INLET SEDIMENT FILTER		4 EACH
AGGREGATE BEDDING		10 TON

GROUP 8B ELECTRICAL

TEMPORARY TRAFFIC SIGNAL		1 EACH
MOBILIZATION	LUMP	LUMP
LED BLANK OUT SIGN		1 EACH
OVERHEAD SIGN		2 EACH
STREET NAME SIGN		2 EACH
18"		
STREET NAME SIGN		1 EACH
30"		
PULL BOX, TYPE PB-1A		1 EACH
PULL BOX, TYPE PB-6		5 EACH
VEHICLE PRIORITY CONTROL SYSTEM	LUMP	LUMP
TRAFFIC SIGNAL, TYPE TS-1		2 EACH
TRAFFIC SIGNAL, TYPE TS-1A		1 EACH
TRAFFIC SIGNAL, TYPE TS-1B		2 EACH
TRAFFIC SIGNAL, TYPE TS-1L		2 EACH
TRAFFIC SIGNAL, TYPE TS-1RC		2 EACH
TRAFFIC SIGNAL, TYPE TS-1RCA		1 EACH
TRAF SIG CONTROL, TYPE TC-2070		1 EACH
WIRELESS TRAFFIC SIGNAL INTERCONNECT SYS		1 EACH
VEHICLE DETECTOR, TYPE A PREFORMED		8 EACH
LUMINAIRE, TYPE HPS-200		4 EACH
C.M.A. SIG & LGHT POLE, CMP-50-12		1 EACH
C.M.A. SIG & LGHT POLE, CMP-60-12		1 EACH
C.M.A. SIG & LGHT POLE CMP-70-12		1 EACH
SERVICE DISCONNECT PEDESTAL		1 EACH
2" GRS CONDUIT JACKED		205 LF
2" CONDUIT IN TRENCH		1,331 LF
2" CONDUIT, JACKED		210 LF
3" CONDUIT, JACKED		83 LF
7/C #14 AWG TRAF SIG CABLE		1,001 LF
16/C #14 AWG TRAF SIG CABLE		385 LF
2/C DETECTOR LEAD-IN CABLE		562 LF
#8 GROUNDING CONDUCTOR		435 LF
SERVICE CABLE		100 LF
SERVICE ENTRANCE CABLE		300 LF
STREET LIGHT CABLE, NO. 6 3/C		435 LF
36 STRAND SINGLE MODE FIBER OPTIC CABLE		1,722 LF
BRANCH FIBER OPTIC CABLE		2 EACH

TERMINAL FUSION SPLICE POINT		1	EACH
TERMINAL FUSION SPLICE POINT		1	EACH
IN EXISTING TERMINAL SPLICE POINT			
REMOVE LIGHTING UNIT		23	EACH
REMOVE TRAFFIC SIGNAL		1	EACH
MODULAR VIDEO VEHICLE DETECTION SYSTEM	LUMP		LUMP
TEST & DOCUMENT FIBER OPTIC COMM SYSTEM	LUMP		LUMP

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II		14,575	BDAY
BARRICADE, TYPE III		500	BDAY
TEMPORARY SIGN DAY		30	EACH
SIGN DAY		1,725	EACH
TEMP PAVEMENT MARKING REMOVAL		5,200	LF
TEMP PVMT MARKING, TYPE PAINT		5,200	LF
FLASHING ARROW PANEL		145	DAY
FLAGGING		30	DAY
TRAINING		500	HOUR
MOBILIZATION	LUMP		LUMP
RENTAL OF LOADER, FULLY OPERATED		90	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED		50	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		90	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		90	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		40	HOUR

NOTICE TO CONTRACTORS

CALL ORDER 240  
 FEDERAL PROJECT NO. HSIP-5039(1)  
 LOCATION: 66TH STREET/MAPLE STREET, OMAHA  
 COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids for the CITY OF OMAHA in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on October 21, 2010. At that time the bids will be opened and read for CONC PAVE,CULV

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT CULVERTS  
 START DATE 07/05/2011 CALENDAR DAYS 40  
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning September 28, 2010 at the Lincoln Central Office and October 04, 2010 at the District Engineer's Office at OMAHA

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	18	SHEETS	\$	4.50
STANDARD PLANS	7	SHEETS	\$	1.75

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
- 3 COVER SHEET
- 4 REMOVAL PLAN
- 5 CONSTRUCTION PLAN
- 6 SPOT ELEVATIONS & CONTROL POINTS
- 7 SPECIAL PLAN 1C DOUBLE SADDLE CREEK INLET
- 8 SPECIAL PLAN 2C TYPE "SC" CAST IRON GRATE & FRAME
- 9 SPECIAL PLAN 3C RECONSTRUCT GRATE INLET TYPE "A"
- 10 SPECIAL PLAN 4C TYPE "A" CAST IRON GRATE, FRAME, & CURB INLET
- 11 SPECIAL PLAN 5C CAST IRON MANHOLE RINGS, COVER, & MANHOLE STEPS
- 12 SPECIAL PLAN 6C SEWER BEDDING DETAILS
- 13 SPECIAL PLAN 7C CONCRETE CURB DETAILS
- 14 SPECIAL PLAN 8C CONCRETE CURB RAMP TYPICAL DETAILS
- 15 SPECIAL PLAN 9C CONCRETE CURB RAMP DETAILS
- 16 SPECIAL PLAN 10C SIDEWALK CURBWALL DETAIL
- 17 SPECIAL PLAN 11C CONCRETE PAVEMENT JOINT DETAILS
- 18 SPECIAL PLAN 12C CONCRETE PAVEMENT WIDENING & MISCELLANEOUS DETAILS

STANDARD PLANS

- 425-R4 COLLARS AND ELBOWS FOR CONCRETE PIPES
- 428-R3 CONCRETE PLUGS AND FIELD PIPE TAP DETAILS
- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 924 (3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
REMOVE PAVEMENT		247 SY
REMOVE WALK		71 SY
TIE BARS		130 EACH

CONC 47B-3500 SIDEWALK	65 SY
CONC 47B-4000 SIDEWALK	26 SY
DETECTABLE WARNING PANEL	80 SF
9" CONC 47B-4000 IMPRINTED SURFACING	52 SY
9" CONCRETE PAVEMENT	210 SY
CLASS 47B-4000	
7" CONC PVMT	3 SY
CLASS 47B-4000	
ADJUST MANHOLE TO GRADE	1 EACH
CURB WALL	50 SF
WATER	1 MGAL
SUBGRADE PREPARATION	213 SY
SODDING	59 SY
ADJUST WATER VALVE BOX TO GRADE	1 EACH
ADJUST GAS VALVE BOX TO GRADE	2 EACH

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE INLET		6 EACH
REMOVE		20 LF
SPRINKLER SYSTEM TRUNK LINE		
RELOCATE		20 LF
SPRINKLER SYSTEM TRUNK LINE		
INLET		5 EACH
TYPE A		
INLET		1 EACH
DOUBLE SADDLE CREEK		
REMOVE SEWER PIPE		24 LF
47B-3000 CONC FOR CONCRETE CO		2 CY
RE-STEEL FOR COLLARS		222 LB
15" REINF CONCRETE SEWER PIPE		45 LF
18" REINF CONCRETE SEWER PIPE		71 LF
EXTERNAL FRAME SEALS		1 EACH
AGGREGATE BEDDING		15 TON
RELOCATE SPRINKLER HEAD		1 EACH
REMOVE SPRINKLER HEAD ASSEMBLY		1 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II		2,400 BDAY
SIGN DAY		160 EACH
PAVEMENT MARKING REMOVAL		190 SF
FLAGGING		40 DAY
MOBILIZATION	LUMP	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 250  
 FEDERAL PROJECT NO. STPC-5027(1)  
 LOCATION: SERUM AVENUE/77TH STREET, RALSTON  
 COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids for the  
 CITY OF RALSTON in Room 104 of the Central Office Building at  
 1500 Hwy 2 at Lincoln, until 1:30 P.M. on October 21, 2010 .  
 At that time the bids will be opened and read for  
 CONC PAVE CULV GDRL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR  
 WHO IS QUALIFIED FOR: CONCRETE PAVEMENT CULVERTS

START DATE 03/21/2011 CALENDAR DAYS 97  
 Price Range \$ 0 to \$ 500,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 6.0 %

Plans and specifications may be seen beginning September 28, 2010 at the Lincoln  
 Central Office and October 04, 2010 at the District Engineer's Office at OMAHA  
 Additional letting information may be found at the Nebraska Department of Roads  
 Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all  
 appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	25	SHEETS	\$	6.25
STANDARD PLANS	27	SHEETS	\$	6.75
SHEET NO.				

1	TITLE PAGE
2	COVER SHEET
2S	SUMMARY OF QUANTITIES
2T	TYPICAL CROSS SECTIONS
2A	PHOTO MAP
2N1 - 2N3	GENERAL INFORMATION
2P	PHASING PLANS & TRAFFIC CONTROL
2L1	REMOVALS
2L2	CONSTRUCTION
2L3	DRAINAGE
2L4	GEOMETRICS
2L5	LANDSCAPE & JOINTING
3	PLAN & PROFILE SHEET
4	STORM WATER POLLUTION PREVENTION PLAN
5 - 6	INFORMATION ONLY
7 - 9	SPECIAL PLAN 1C GUARDRAIL PLAN
10 - 11	SPECIAL PLAN 2C TEMPORARY SILT CHECKS
12	SPECIAL PLAN 3C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
13	SPECIAL PLAN 4C CURB RAMPS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
329-R7	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
428-R3	CONCRETE PLUGS AND FIELD PIPE TAP DETAILS
435-R1	(3 SHEETS) MANHOLE
443-R7	(2 SHEETS) CURB INLETS AND JUNCTION BOX
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EARTHWORK MEASURED IN EMBANKMENT		970 CY
SALVAGING AND PLACING TOPSOIL		721 SY
REMOVE PAVEMENT		2,371 SY
SAWING PAVEMENT		360 LF
REMOVE DRIVEWAY		439 SY
REMOVE WALK		429 SY
CONC 47B-3000 BARRIER CURB		118 LF
CONC 47B-3000 SIDEWALKS		674 SY
CONC 47B-3000 IMPRINTED MEDIAN SURF		55 SY
CONC CLASS 47B-3500 DRIVEWAY 8"		346 SY
8" CONC PVMT, 47B-3500		2,530 SY
CURB INLET SEDIMENT FILTER		10 EACH
REMOVE AND REINSTALL		6 EACH
TRAFFIC SIGNS		
TEMPORARY SURFACING		343 SY
PREP OF INTER & DRIVE		346 SY
WATER		10 MGAL
EARTH SHOULDER CONSTRUCTION		13 STA
SUBGRADE PREPARATION		2,530 SY
SODDING		2,163 SY
EROSION CHECKS, TYPE WATTLE		1,200 LF
LANDSCAPE AREA		45 SY
TAXUS X MEDIA YEW 18"-24" B&B OR CG		4 EACH
SHADEMASTER HONEYLOCUST 2" CAL B&B		7 EACH

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE MANHOLE		2 EACH
REMOVE INLET		5 EACH
CAST IRON COVER & FRAME		1,760 LB
CAST IRON RING & COVER		1,035 LB
ADJUST MANHOLE TO GRADE		2 EACH
MANHOLE		1 EACH
AT STA. 2+88.00 17.1' LT.		
MANHOLE		1 EACH
AT STA. 6+44.28 27.86' LT.		
MANHOLE		1 EACH
AT STA. 1+19.15 26.45' LT.		
TAPPING EXISTING CULVERT		2 EACH
REMOVE SEWER PIPE		453 LF
47B-3000 CONC FOR INLET & JUNCTION BOXES		29 CY
47B-3000 CONC FOR PIPE PLUG		1 CY
RE-STEEL FOR INLET & JCT BOX		2,225 LB
EXTERNAL FRAME SEALS		2 EACH
46" STEEL CASING		70 LF
JACKING 46" STEEL CASING PIPE		70 LF
15" STORM SEWER PIPE 1,7,8		40 LF
18" STORM SEWER PIPE 1,7,8		11 LF
24" STORM SEWER PIPE 1,7,8		52 LF
42" STORM SEWER PIPE 1		492 LF
30" STORM SEWER PIPE, 1 CLASS IV		102 LF

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		37 LF
SURFACE UNDER GUARDRAIL		9 SY

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	1,210	BDAY
BARRICADE, TYPE III	809	BDAY
SIGN DAY	2,716	EACH
CONTRACTOR FURNISHED SIGN DAY	431	EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	5	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	5	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	5	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5	HOUR
TEMPORARY SEEDING	1	ACRE
TEMPORARY SILT CHECK	200	LF
TEMPORARY SILT FENCE	200	LF



GROUP 8B ELECTRICAL

REPAIR	53 EACH
HIGH MAST LUMINAIRE, TYPE 'B'	
REPAIR	330 LF
ELECTRICAL CIRCUIT TO TOWER NO. 5	
REPAIR	290 LF
ELECTRICAL CIRCUIT TO TOWER NO. 6	
FREE LUMINAIRE RING	8 EACH
REMOVE LIGHTING CONTROL CENTER	2 EACH
REPLACE	90 EACH
HIGH MAST LUMINAIRE, TYPE 'A'	
REPLACE	5 EACH
HIGH MAST TOWER, TYPE 'A'	
REPLACE	21 EACH
HIGH MAST LUMINAIRE, TYPE 'D'	
REPLACE	4 EACH
HIGH MAST TOWER, TYPE 'B'	
REPLACE	6 EACH
HIGH MAST INTERNAL MOTOR	
REPLACE	3 EACH
HIGH MAST STEP-DOWN TRANSFORMER	
REPLACE	3 EACH
POWER CORD	

NOTICE TO CONTRACTORS

CALL ORDER 300  
FEDERAL PROJECT NO. ENH-22(29)  
LOCATION: DAKOTA CITY DEPOT RESTORATION-PHASE 2  
COUNTIES: DAKOTA

The Nebraska Department of Roads will receive sealed bids for the CITY OF DAKOTA CITY in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on October 21, 2010. At that time the bids will be opened and read for BLDG

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BUILDING CONSTRUCTION  
START DATE 06/06/2011 CALENDAR DAYS 153  
Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning September 28, 2010 at the Lincoln Central Office and October 04, 2010 at the District Engineer's Office at NORFOLK  
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS	7 SHEETS	\$	1.75

SHEET NO.

- 1 TITLE PAGE  
& SUMMARY OF QUANTITIES
- 2 COVER SHEET, SITE PLAN, & VICINITY MAP
- 3 DEMOLITION PLAN, FLOOR PLAN, WALL & FLOOR  
REPAIR PLAN, SCHEDULES
- 4 SECTIONS, ELEVATIONS, & DETAILS
- 5 ELECTRICAL PLAN
- 6 PLUMBING PLANS
- 7 HVAC PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8A BUILDING CONSTRUCTION

MOBILIZATION	LUMP	LUMP
GENERAL CONSTRUCTION	LUMP	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 305  
FEDERAL PROJECT NO. ENH-54(15)  
LOCATION: GAVINS POINT NEBRASKA MERIDIAN TRAIL  
COUNTIES: CEDAR

The Nebraska Department of Roads will receive sealed bids for the LEWIS & CLARK NATURAL RESOURCES DISTRICT in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on October 21, 2010. At that time the bids will be opened and read for CONC PAVE

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

Length: 1.2 MILES  
START DATE 09/26/2011      WORKING DAYS      20  
Price Range \$                      0 to \$      500,000

Plans and specifications may be seen beginning September 28, 2010 at the Lincoln Central Office and October 04, 2010 at the District Engineer's Office at NORFOLK  
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	37 SHEETS	\$	9.25
STANDARD PLANS	12 SHEETS	\$	3.00

SHEET NO.

1	TITLE PAGE
2-S	SUMMARY OF QUANTITIES
3	COVER SHEET & LEGEND
4	TYPICAL SECTIONS, HORIZONTAL ALIGNMENT & CONTROL POINTS
5	SIGN DETAILS
6 - 17	PLAN & PROFILE SHEETS
18	EARTHWORK DATA SHEET
19	DRAINAGE STRUCTURE CROSS SECTIONS
20 - 31	CROSS SECTIONS
R1 - R6	RIGHT-OF-WAY SHEETS

STANDARD PLANS

410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
710-R4	(2 SHEETS) FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 3 CONCRETE PAVEMENT

SIGN DAY	164	EACH
FLAGGING	10	DAY
MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION	2,201	CY
EXCAVATION, BORROW	206	CY
RIPRAP FILTER FABRIC	66	SY
6" CONCRETE CLASS 47B-3500 BIKEWAY	511	SY
REMOVE & REINSTALL FLARED-END SECTION	4	EACH
24" CORRUGATED METAL PIPE	113	LF

24" METAL FLARED-END SECTION	4 EACH
42" RND EQUIV CM PIPE	64 LF
ROCK RIPRAP, TYPE A	66 TON
REMOVE GUARDRAIL	80 LF
4' CHAIN-LINK FENCE	118 LF
END POST FOR 4' CH-LINK FENCE	2 EACH
SIGN	1 EACH
R1-1	
SIGN	4 EACH
D11-1	
SIGN	2 EACH
M4-12	
SIGN	2 EACH
R5-3	
SIGN	1 EACH
W5-4A	
SIGN	1 EACH
W7-5	
ARMOR COAT AGG	62 CY
CC FOUNDATION COURSE	6,272 SY
CC FOUNDATION COURSE 4"	653 SY
ARMOR COAT EMULSIFIED ASPHALT	1,756 GAL
TACK COAT	941 GAL
FOG SEAL	627 GAL
RENTAL OF LOADER, FULLY OPERATED	10 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	10 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	10 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10 HOUR
SUBGRADE PREPARATION	61 STA
SEEDING, TYPE A	1 ACRE
EROSION CONTROL, CLASS 1B	1,151 SY
EROSION CONTROL, CLASS 1D	194 SY
FABRIC SILT FENCE	433 LF

NOTICE TO CONTRACTORS

CALL ORDER 310  
FEDERAL PROJECT NO. STP-D3(101)  
LOCATION: DISTRICT 3 HIGH MAST TOWERS  
COUNTIES: DAKOTA

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on October 21, 2010. At that time the bids will be opened and read for ELECTRICAL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: ELECTRICAL  
START DATE 09/06/2011 WORKING DAYS 10  
Price Range \$0 to \$500,000

Plans and specifications may be seen beginning September 28, 2010 at the Lincoln Central Office and October 04, 2010 at the District Engineer's Office at NORFOLK

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING OR STANDARDS)	5 SHEETS	\$	1.25
STANDARD PLANS	6 SHEETS	\$	1.50

SHEET NO.

1	TITLE PAGE & SUMMARY OF QUANTITIES
2	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
3 - 5	ROADWAY LIGHTING PLANS

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8B ELECTRICAL

TEMPORARY SIGN DAY		50 EACH
MOBILIZATION	LUMP	LUMP
MISCELLANEOUS ITEMS FOR LIGHTING GROUP	LUMP	LUMP
FREE LUMINAIRE RING		1 EACH

NOTICE TO CONTRACTORS

CALL ORDER 315  
 FEDERAL PROJECT NO. STP-70-5(104)  
 LOCATION: N-70, ELGIN WEST  
 COUNTIES: ANTELOPE WHEELER

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on October 21, 2010. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 10.8 MILES  
 START DATE 08/01/2011 WORKING DAYS 50  
 Price Range \$ 1,000,000 to \$ 3,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning September 28, 2010 at the Lincoln Central Office and October 04, 2010 at the District Engineer's Office at NORFOLK  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	4 SHEETS	\$	1.00
STANDARD PLANS	6 SHEETS	\$	1.50

SHEET NO.  
 1 TITLE PAGE  
 2-T TYPICAL CROSS SECTIONS  
 2-S SUMMARY OF QUANTITIES  
 3 TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS  
 307-R1 MAILBOX TURNOUT  
 309 MAILBOX SUPPORT POST  
 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE  
 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	21,200	B	DAY
BARRICADE, TYPE III	450	B	DAY
TEMPORARY SIGN DAY	700	E	EACH
SIGN DAY	11,187	E	EACH
OVERLAY BROKEN LINES	1,141	S	TA
OVERLAY SOLID LINES	2,282	S	TA
FLAGGING	100	D	DAY
FURNISHING AND OPERATING PILOT VEHICLE	50	D	DAY
FIELD OFFICE	1	E	EACH
MOBILIZATION	LUMP	L	LUMP
SPEC SURF CRSE FOR MAILBOX TURNOUTS	260	S	Y
MAILBOX POST	27	E	EACH
HYDRATED LIME FOR ASPHALT MIXTURES	128	T	ON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	5	T	ON
ASPH CONC ST MAINT PATCH TYPE SP4(0.375)	500	T	ON
ASPH CONC, TYPE SP4(0.375)	12,720	T	ON
HIGH RAP BASE	24,910	T	ON
ASPH CONCRETE FOR PATCHING, TYPE HRB	300	T	ON
PERF GRAD BIND (64-28)FOR ST MAINT PATCH	26	T	ON
PERF GRADED BINDER (64-28)	661	T	ON
PERF GRADED BINDER (64-34)	819	T	ON

TACK COAT	30,490 GAL
RENTAL OF LOADER, FULLY OPERATED	50 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	50 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	50 HOUR
WATER	285 MGAL
EARTH SHOULDER CONSTRUCTION	1,141 STA
COLD MILLING, CLASS 3	561 STA
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP
SEEDING, TYPE B	15 ACRE
MULCH	35 TON

NOTICE TO CONTRACTORS

CALL ORDER 400  
 FEDERAL PROJECT NO. STPB-88(21)  
 LOCATION: NORTH LOUP POPCORN PATH  
 COUNTIES: VALLEY

The Nebraska Department of Roads will receive sealed bids for the VILLAGE OF NORTH LOUP in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on October 21, 2010. At that time the bids will be opened and read for CONC PAVE

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT  
 START DATE 07/25/2011 WORKING DAYS 20  
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning September 28, 2010 at the Lincoln Central Office and October 04, 2010 at the District Engineer's Office at GRAND ISLAND  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	41	SHEETS	\$	10.25
STANDARD PLANS	5	SHEETS	\$	1.25

SHEET NO.

1	TITLE PAGE
2-S	SUMMARY OF QUANTITIES
2-T	TYPICAL CROSS SECTIONS
3	PROJECT LOCATION & INDEX
4	SIGNAGE DETAILS
5 - 11	RIGHT-OF-WAY SHEETS
12 - 18	PLAN & PROFILE SHEETS
19	HANDICAP RAMP DETAILS
20	TRAFFIC CONTROL
21 - 36	TRAIL CROSS SECTIONS
37	TRAIL CROSS SECTIONS--CULVERTS
38 - 40	SPECIAL PLAN 1C TYPICAL URBAN TRAFFIC CONTROL PLAN

STANDARD PLANS

502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 3 CONCRETE PAVEMENT

SIGN DAY	560	EACH
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	389	CY
REMOVE PAVEMENT	9	SY
REMOVE WALK	95	SY
REMOVE POST	4	EACH
GRAVEL SURFACE COURSE	5	CY
6" CONCRETE CLASS 47B-3000 BIKEWAY	2,373	SY
8" CONCRETE CLASS 47B-3000 BIKEWAY	82	SY
8" CONC PVMT, 47B-3500	119	SY
10" CORRUGATED METAL PIPE	68	LF

12" CORRUGATED METAL PIPE	72 LF
10" REINFORCED CONCRETE PIPE	18 LF
18" REINFORCED CONCRETE PIPE	42 LF
SIGN	23 EACH
AND POST	
RELOCATE SIGN	4 EACH
EARTH SHOULDER CONSTRUCTION	62 STA
SEEDING, TYPE B	1 ACRE
SEEDING, TYPE C	2 ACRE
BLUEGRASS	
FABRIC SILT FENCE	42 LF
MULCH	7 TON

NOTICE TO CONTRACTORS

CALL ORDER 405  
FEDERAL PROJECT NO. ENH-30(13)  
LOCATION: GENEVA WARNER FILLING STATION TOURISM CENTER  
COUNTIES: FILLMORE

The Nebraska Department of Roads will receive sealed bids for the CITY OF GENEVA in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on October 21, 2010. At that time the bids will be opened and read for BLDG

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BUILDING CONSTRUCTION  
START DATE 05/02/2011 CALENDAR DAYS 181  
Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning September 28, 2010 at the Lincoln Central Office and October 04, 2010 at the District Engineer's Office at GRAND ISLAND  
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS	17 SHEETS	\$	4.25

SHEET NO.

- 1 TITLE PAGE  
& SUMMARY OF QUANTITIES
- 2 SYMBOLS & LOCATION MAP
- 3 EXISTING SITE PLAN & UTILITIES
- 4 PROPOSED SITE PLAN & UTILITIES
- 5 DEMOLITION PLAN, FLOOR PLAN, & DETAILS
- 6 EXTERIOR ELEVATIONS--EXISTING
- 7 EXTERIOR ELEVATIONS--PROPOSED
- 8 BUILDING SECTION & DETAILS
- 9 BUILDING SECTION
- 10 PHOTOGRAPHIC DETAILS
- 11 WINDOW DETAILS
- 12 SITE PLAN--MECHANICAL & ELECTRICAL
- 13 FLOOR PLAN--DEMOLITION & MECHANICAL
- 14 FLOOR PLAN--HVAC
- 15 DETAILS, SCHEDULES, & SPECIFICATIONS
- 16 FLOOR PLAN--LIGHTING & ELECTRICAL
- 17 SYMBOLS & SPECIFICATIONS

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8A BUILDING CONSTRUCTION

BARRICADE, TYPE III	240	BDAY
MOBILIZATION	LUMP	LUMP
GENERAL CONSTRUCTION	LUMP	LUMP
FOR HISTORICAL BUILDING		

NOTICE TO CONTRACTORS

CALL ORDER 410  
 FEDERAL PROJECT NO. BRO-7063(6)  
 LOCATION: ON A COUNTY ROAD, SOUTHWEST OF FULLERTON  
 COUNTIES: NANCE

The Nebraska Department of Roads will receive sealed bids for the COUNTY OF NANCE in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on October 21, 2010. At that time the bids will be opened and read for GRAD BR GDRL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES

START DATE 08/01/2011 WORKING DAYS 65  
 Price Range \$ 0 to \$ 500,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning September 28, 2010 at the Lincoln Central Office and October 04, 2010 at the District Engineer's Office at GRAND ISLAND. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	27 SHEETS	\$	6.75
CROSS SECTIONS (SHEETS X1 THRU X12)	12 SHEETS	\$	3.00
STANDARD PLANS	6 SHEETS	\$	1.50

SHEET NO.

1	TITLE PAGE
2T	TYPICAL CROSS SECTIONS
2S	SUMMARY OF QUANTITIES
2H	CONTROL POINT/P.I./CURVE DATA
2N1 - 2N2	GENERAL INFORMATION & DETOUR LOCATION MAP
3	PLAN & PROFILE SHEET
4 - 13	SPECIAL PLAN 1 NU1100 PRESTRESSED CONCRETE BRIDGE STA. 18+46.00
14 - 21	SPECIAL PLAN 1C GUARDRAIL PLAN
22	SPECIAL PLAN 2C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
R1	RIGHT-OF-WAY DATA
X1 - X10	COUNTY ROAD CROSS-SECTIONS
X11 - X12	CHANNEL CROSS-SECTIONS

STANDARD PLANS

502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		12 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		43 MGAL
EARTHWORK MEASURED IN EMBANKMENT		3,402 CY
ROCK RIPRAP, TYPE B		120 TON

GROUP 1 GRADING

RIPRAP FILTER FABRIC	125 SY
24" CMP FOR DRIVEWAY CULVERT PIPE	40 LF
GRAVEL SURFACE COURSE	265 CY
GRAVEL EMBEDMENT	8 STA
SEEDING, TYPE A	1 ACRE
COVER CROP SEEDING	1 ACRE
EROSION CHECKS	66 BALE
FABRIC SILT FENCE-LOW POROSITY	830 LF
MULCH	2 TON

GROUP 6 BRIDGE AT STA. 18+46

MOBILIZATION	LUMP	LUMP
RIPRAP FILTER FABRIC	660 SY	
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
47B-3000 CONC FOR BRIDGE	32 CY	
47BD-4000 CONC FOR BRIDGE	93 CY	
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
AT STA. 18+46		
RE-STEEL FOR BRIDGE	15,769 LB	
REMOVE STRUCTURE	1 EACH	
AT STA. 18+48.58		
ACCESS CROSSING	LUMP	LUMP
STRUC STEEL FOR SUBSTRUCTURE	1,727 LB	
ROCK RIPRAP, TYPE B	710 TON	
PIPE PILING	780 LF	
STEEL SHEET PILING	5,970 SF	

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL	37 LF	
BRIDGE APPROACH SECTIONS	4 EACH	
MELT	4 EACH	

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE III	1,416 BDAY	
SIGN DAY	1,888 EACH	
CONTRACTOR FURNISHED SIGN DAY	236 EACH	
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	15 HOUR	
RENTAL OF MOTOR GRADER, FULLY OPERATED	15 HOUR	
RENTAL OF DUMP TRUCK, FULLY OPERATED	15 HOUR	
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	15 HOUR	
TEMPORARY SILT FENCE	200 LF	

NOTICE TO CONTRACTORS

CALL ORDER 415  
 FEDERAL PROJECT NO. STP-D4(101)  
 LOCATION: DISTRICT 4 HIGH MAST TOWERS  
 COUNTIES: BUFFALO HAMILTON  
 HALL OTHERS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on October 21, 2010. At that time the bids will be opened and read for ELECTRICAL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: ELECTRICAL  
 START DATE 04/04/2011 WORKING DAYS 135  
 Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning September 28, 2010 at the Lincoln Central Office and October 04, 2010 at the District Engineer's Office at GRAND ISLAND  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	13 SHEETS	\$	3.25
STANDARD PLANS	7 SHEETS	\$	1.75

SHEET NO.	
1	TITLE PAGE & SUMMARY OF QUANTITIES
2	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
3 - 13	ROADWAY LIGHTING PLANS

STANDARD PLANS	
914-R6	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8B ELECTRICAL

BARRICADE, TYPE II	1,400	B DAY
BARRICADE, TYPE III	60	B DAY
TEMPORARY SIGN DAY	1,360	EACH
FLASHING ARROW PANEL	20	DAY
FLAGGING	20	DAY
MOBILIZATION	LUMP	LUMP
MISCELLANEOUS ITEMS FOR LIGHTING GROUP	LUMP	LUMP
LUMINAIRE, TYPE HML-A-1KW	128	EACH
LUMINAIRE, TYPE HML-V-1KW	12	EACH
REPAIR	12	EACH
HIGH MAST LUMINAIRE, TYPE 'B'		
REPLACE	3	EACH
HIGH MAST TOWER, TYPE 'A'		
REPLACE	16	EACH
HIGH MAST TOWER, TYPE 'B'		
REPLACE	4	EACH
HIGH MAST TOWER, TYPE 'C'		
REPLACE	2	EACH
HIGH MAST TOWER, TYPE 'D'		
REPLACE	4	EACH
HIGH MAST LUMINAIRE, TYPE 'A'		
REPLACE	2	EACH
HIGH MAST LUMINAIRE, TYPE 'D'		
REPLACE	5	EACH
POWER CORD		

NOTICE TO CONTRACTORS

CALL ORDER 500  
 FEDERAL PROJECT NO. S-D5(101)  
 LOCATION: DISTRICT 5 HIGH MAST TOWERS  
 COUNTIES: CHEYENNE DEUEL  
 KIMBALL OTHERS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on October 21, 2010. At that time the bids will be opened and read for ELECTRICAL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: ELECTRICAL  
 START DATE 08/08/2011 CALENDAR DAYS 111  
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning September 28, 2010 at the Lincoln Central Office and October 04, 2010 at the District Engineer's Office at GERING

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	10 SHEETS	\$	2.50
STANDARD PLANS	7 SHEETS	\$	1.75

SHEET NO.

- 1 TITLE PAGE  
& SUMMARY OF QUANTITIES
- 2 TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE  
(FREEWAY-INTERSTATE)
- 3 - 7 ROADWAY LIGHTING PLANS
- 8 - 10 LIGHTING DETAILS

STANDARD PLANS

- 914-R6 PULL BOX DETAIL
- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8B ELECTRICAL

BARRICADE, TYPE II	1,900	B	DAY
BARRICADE, TYPE III	1,018	B	DAY
TEMPORARY SIGN DAY	760	E	EACH
SIGN DAY	5,328	E	EACH
FLASHING ARROW PANEL	30	D	DAY
FLAGGING	20	D	DAY
MOBILIZATION	LUMP	L	LUMP
MISCELLANEOUS ITEMS FOR LIGHTING GROUP	LUMP	L	LUMP
PULL BOX, TYPE PB-5	3	E	EACH
PULL BOX, TYPE PB-6	1	E	EACH
LUMINAIRE, TYPE HML-A-1KW	32	E	EACH
LIGHTING CONTROL CENTER, R-2	3	E	EACH
2" CONDUIT IN TRENCH	1,715	L	LF
3" CONDUIT IN TRENCH	120	L	LF
2" CONDUIT, JACKED	26	L	LF
STREET LIGHT CABLE, NO. 1/0 USE	105	L	LF
STREET LIGHT CABLE, NO. 2 USE	2,350	L	LF
STREET LIGHT CABLE, NO. 4 USE	480	L	LF
STREET LIGHT CABLE, NO. 6 BARE	1,856	L	LF
STREET LIGHT CABLE, NO. 6 USE	6,104	L	LF
ELEC CIRCUIT MODIFICATION, TYPE A	3,936	L	LF
ELEC CIRCUIT MODIFICATION, TYPE B	215	L	LF
ELEC CIRCUIT MODIFICATION, TYPE C	430	L	LF

GROUP 8B ELECTRICAL

ELECTRICAL CIRCUIT MODIFICATION, TYPE D	1,200 LF
ELECTRICAL CIRCUIT MODIFICATION, TYPE E	60 LF
REMOVE LIGHTING CONTROL CENTER	2 EACH
REPLACE	5 EACH
HIGH MAST LUMINAIRE TYPE HML-A-1KW	
REPLACE	1 EACH
HIGH MAST LUMINAIRE TYPE HML-V-1KW	
REPLACE	3 EACH
HIGH MAST TOWER TYPE A	
REPLACE	4 EACH
HIGH MAST TOWER TYPE B	

NOTICE TO CONTRACTORS

CALL ORDER 600  
 FEDERAL PROJECT NO. STPAA-6556(4)  
 LOCATION: 13TH STREET, HAMPTON-AIRPORT ROAD, LEXINGTON  
 COUNTIES: DAWSON

The Nebraska Department of Roads will receive sealed bids for the CITY OF LEXINGTON in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on October 21, 2010. At that time the bids will be opened and read for GRAD CONC PAVE CULV WATER MAIN SEED

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

START DATE 07/11/2011 WORKING DAYS 75  
 Price Range \$ 500,000 to \$ 2,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 6.0 %

Plans and specifications may be seen beginning September 28, 2010 at the Lincoln Central Office and October 04, 2010 at the District Engineer's Office at NORTH PLATTE. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	51	SHEETS	\$ 12.75
CROSS SECTIONS (SHEETS X1 THRU X18)	18	SHEETS	\$ 4.50
STANDARD PLANS	17	SHEETS	\$ 4.25

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-H	SURVEY CONTROL DATA
2-N	LOCATION MAP & GENERAL INFORMATION
2-P	PHASING PLAN
2-L1 - 2-L8	REMOVALS
2-L9 - 2-L10	SANITARY SEWER
2-L11 - 2-L13	WATER
2-L14 - 2-L21	PAVEMENT
3 - 6	TRAFFIC CONTROL/SIGNAGE PLAN--PHASES
7	PAVEMENT MARKING PLAN
8 - 9	EROSION CONTROL/SEEDING PLAN
10	SPECIAL PLAN 1C SANITARY SEWER DETAILS
11	SPECIAL PLAN 2C WATERLINE DETAILS
12	SPECIAL PLAN 3C STORM SEWER DETAILS
13	SPECIAL PLAN 4C CURB RAMPS
14 - 16	SPECIAL PLAN 5C TYPICAL URBAN TRAFFIC CONTROL PLAN
R1 - R9	RIGHT-OF-WAY SHEETS
X1 - X18	CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
309	MAILBOX SUPPORT POST
329-R7	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
428-R3	CONCRETE PLUGS AND FIELD PIPE TAP DETAILS
443-R7	(2 SHEETS) CURB INLETS AND JUNCTION BOX
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	7,441	CY
REMOVE PAVEMENT	8,985	SY
REMOVE DRIVEWAY	1,601	SY
REMOVE WALK	883	SY
18" DRIVE PIPE 2	152	LF
REMOVE AND RESET MAILBOX	4	EACH
COVER CROP SEEDING	2	ACRE
FABRIC SILT FENCE	1,436	LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
6" CONC 47B-3000 SIDEWALKS	613	SY
6" CONCRETE CLASS 47B-3000 BIKEWAY	3,973	SY
CONC 47B-3500 DRIVEWAY	1,745	SY
CONC FOR HEADER, 47B-3500	3	CY
8" CONC PVMT, 47B-3500	17,175	SY
ADJUST MANHOLE TO GRADE	4	EACH
WATER	58	MGAL
EARTH SHOULDER CONSTRUCTION	77	STA
SUBGRADE PREPARATION	18,919	SY
COLD MILLING, CLASS 4	6,043	SY
SODDING	539	SY
ADJUST VALVE BOX TO GRADE	6	EACH

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE MANHOLE	1	EACH
REMOVE INLET	3	EACH
CAST IRON COVER & FRAME	125	LB
AREA INLET	1	EACH
TYPE 'A'		
AREA INLET	1	EACH
TYPE 'A'		
AREA INLET	1	EACH
TYPE 'B'		
AREA INLET	1	EACH
TYPE 'B'		
CURB INLET	1	EACH
AT STA. 25+43 RT.		
CURB INLET	1	EACH
AT STA. 30+37 RT.		
CURB INLET	1	EACH
AT STA. 40+90 LT.		
RECONSTRUCT INLET	12	EACH
TAPPING EXISTING MANHOLE	2	EACH
TAPPING EXISTING STRUCTURE	3	EACH
REMOVE SEWER PIPE	81	LF
47B-3000 CONC FOR INLET & JUNCTION BOXES	1	CY
47B-3000 CONC FOR PIPE PLUG	1	CY
RE-STEEL FOR INLET & JCT BOX	19	LB
18" CONCRETE FLARED-END SECTION	7	EACH
CONCRETE HEADWALL	1	EACH
12" STORM SEWER PIPE 1	63	LF
15" STORM SEWER PIPE 1	195	LF
18" STORM SEWER PIPE 1	65	LF
24" STORM SEWER PIPE 1	512	LF

GROUP 4A WATER MAIN

MOBILIZATION	LUMP	LUMP
MANHOLE		1 EACH
AT STA. 29+50 RT.		
MANHOLE		1 EACH
AT STA. 33+97 RT.		
TAPPING EXISTING MANHOLE		1 EACH
TAPPING EXISTING STRUCTURE		1 EACH
LIFT STATION WET WELL		
REMOVE SEWER PIPE		41 LF
12" P.V.C. SEWER PIPE		897 LF
SEWER CLEANOUT		1 EACH
10" SANITARY SEWER		
12" PLUG		1 EACH
DEWATERING		2,155 LF
6" LINE STOP		2 EACH
1" WATER SERVICE		243 LF
WATER SERVICE CONNECTION		7 EACH
6" WATER MAIN PIPE		62 LF
10" WATER MAIN PIPE		12 LF
12" WATER MAIN PIPE		1,184 LF
6" GATE VALVE AND BOX		2 EACH
10" GATE VALVE AND BOX		1 EACH
12" GATE VALVE AND BOX		10 EACH
FIRE HYDRANT		1 EACH
6.5' BURY FIRE HYDRANT		
12" X 6" TEE		6 EACH
12" X 12" TEE		1 EACH
10" X 10" TEE		1 EACH
6" - 45 DEGREE BEND		8 EACH
6" - 90 DEGREE BEND		1 EACH
10" - 45 DEGREE BEND		2 EACH
12" - 45 DEGREE BEND		2 EACH
10" X 6" REDUCER		1 EACH
12" X 10" REDUCER		1 EACH
12" X 6" REDUCER		1 EACH
6" CAP		2 EACH
12" WATER MAIN LOOP		2 EACH
CONNECT TO 6" WATER MAIN		7 EACH
CONNECT TO 10" WATER MAIN		1 EACH
CONNECT TO 12" WATER MAIN		1 EACH
RECONNECT METER		7 EACH
MODIFY		1 EACH
EXISTING LIFT STATION TO MANHOLE		
REMOVE CURB STOP AND BOX		1 EACH
AND SALVAGE TO CITY		
REMOVE GATE VALVE		2 EACH
AND SALVAGE TO CITY		
REMOVE TEE		4 EACH
REMOVE WATER LINE		84 LF
REMOVE HYDRANT		1 EACH
AND SALVAGE TO CITY		
REMOVE VALVE BOX		1 EACH
BORING 1" WATER SERVICE		104 LF

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING		2 ACRE
TYPE, FESCUE MIX		
SEEDING		1 ACRE
TYPE, BLUEGRASS MIX		
MULCH		5 TON

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE III	3,018	BDAY
SIGN DAY	3,766	EACH
CONTRACTOR FURNISHED SIGN DAY	918	EACH
PERMANENT PAVEMENT MARKING	3,326	LF
PAINT		
FLAGGING	20	DAY
TRAINING	500	HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	15	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	15	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	15	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	15	HOUR

NOTICE TO CONTRACTORS

CALL ORDER 605  
 FEDERAL PROJECT NO. STP-D6(101)  
 LOCATION: DISTRICT 6 HIGH MAST TOWERS  
 COUNTIES: LINCOLN DEUEL  
 DAWSON OTHERS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on October 21, 2010. At that time the bids will be opened and read for ELECTRICAL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: ELECTRICAL  
 START DATE 04/04/2011 WORKING DAYS 135  
 Price Range \$ 500,000 to \$ 2,000,000

Plans and specifications may be seen beginning September 28, 2010 at the Lincoln Central Office and and October 04, 2010 at the District Engineer's Office at NORTH PLATTE  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.  
 This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	14	SHEETS	\$	3.50
STANDARD PLANS	7	SHEETS	\$	1.75

SHEET NO.

- 1 TITLE PAGE  
& SUMMARY OF QUANTITIES
- 2 TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE  
(FREEWAY-INTERSTATE)
- 3 - 14 ROADWAY LIGHTING PLANS

STANDARD PLANS

- 914-R6 PULL BOX DETAIL
- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8B ELECTRICAL

BARRICADE, TYPE II	1,400	B	DAY
BARRICADE, TYPE III	60	B	DAY
TEMPORARY SIGN DAY	1,360	E	EACH
FLASHING ARROW PANEL	20	D	DAY
FLAGGING	20	D	DAY
MOBILIZATION	LUMP	L	LUMP
MISCELLANEOUS ITEMS FOR LIGHTING GROUP	LUMP	L	LUMP
LUMINAIRE, TYPE HML-A-0.4KW	52	E	EACH
LUMINAIRE, TYPE HML-A-1KW	191	E	EACH
LUMINAIRE, TYPE HML-V-1KW	30	E	EACH
REPAIR	5	E	EACH
HIGH MAST LUMINAIRE, TYPE B			
FREE LUMINAIRE RING	1	E	EACH
REPLACE	15	E	EACH
HIGH MAST TOWER, TYPE A			
REPLACE	17	E	EACH
HIGH MAST TOWER, TYPE B			
REPLACE	6	E	EACH
HIGH MAST TOWER, TYPE C			
REPLACE	2	E	EACH
HIGH MAST TOWER, TYPE D			

NOTICE TO CONTRACTORS

CALL ORDER 610  
FEDERAL PROJECT NO. IM-80-4(136)  
LOCATION: I-80, BRADY EAST  
COUNTIES: LINCOLN

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on October 21, 2010. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 7.0 MILES  
START DATE 05/02/2011 WORKING DAYS 220  
Price Range \$ 4,000,000 to \$ 7,000,000  
THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning September 28, 2010 at the Lincoln Central Office and October 04, 2010 at the District Engineer's Office at NORTH PLATTE  
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	78	SHEETS	\$ 19.50
CROSS SECTIONS (SHEETS X1 THRU X5)	5	SHEETS	\$ 1.25
STANDARD PLANS	10	SHEETS	\$ 2.50

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T9	TYPICAL CROSS SECTIONS
2-S1 - 2-S18	SUMMARY OF QUANTITIES
2-W1 - 2-W14	WETLANDS
2-H1 - 2-H3	ORIENTATION & HORIZONTAL ALIGNMENT
2-N1	GENERAL INFORMATION
2-N2	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3 - 16	PLAN SHEETS
17	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
18	TRAFFIC CONTROL PLAN--RAMP CONSTRUCTION PLAN
19	TEMPORARY PAVEMENT MARKING PLAN
20	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
21	TYPICAL PAVEMENT MARKING PLAN (INTERSTATE/EXPRESSWAY)
22 - 31	SPECIAL PLAN 1C GUARDRAIL PLAN
32 - 33	SPECIAL PLAN 2C PIER COLUMN PROTECTION STA. 1419+00.00
X1 - X5	CROSS SECTIONS

STANDARD PLANS

501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
901-R9	HIGHWAY DELINEATORS
902	HIGHWAY DELINEATORS FOR RAMP AND GORE LOCATIONS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

SURV OF TEMP TRAFFIC CONT DEVICES	376	CDAY
BARRICADE, TYPE II	71,775	BDAY
BARRICADE, TYPE III	2,891	BDAY
TEMPORARY SIGN DAY	10,720	EACH
SIGN DAY	14,340	EACH
OVERLAY BROKEN LINES	2,205	STA
OVERLAY SOLID LINES	4,627	STA
FLASHING ARROW PANEL	635	DAY
FLAGGING	50	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
DELINEATOR, TYPE I	274	EACH
DELINEATOR, TYPE II	90	EACH
EARTHWORK MEASURED IN EMBANKMENT	566	CY
CONC PVMT REPAIR TYPE A FULL DEPTH	85	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	380	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	2,187	CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH	264	CY
CONC PVMT REPAIR TYPE B PARTIAL DEPTH	6	CY
CONC PVMT, PR-3500	1,315	CY
JOINT REPAIR		
47BD-4000 CONC FOR PIER PROTECTION	11	CY
EPOXY COAT RE-STEEL FOR PIER PROTECTION	3,205	LB
W-BEAM GUARDRAIL	331	LF
THRIE-BEAM GUARDRAIL	150	LF
REMOVE GUARDRAIL	706	LF
REMOVE & SALVAGE GUARDRAIL	1,075	LF
RESET GUARDRAIL	1,075	LF
BRIDGE APPROACH SECTIONS	2	EACH
BULLNOSE-12.5'	2	EACH
GUARDRAIL END TREATMENT, TYPE I	2	EACH
5" WHT WET RFLC THERMOPLSTC PVMT MRK,GVD	97,000	LF
12" WHT WET RFLC THERMO PVMT MRKING, GVD	2,800	LF
5" YEL WET RFLC THERMOPLSTC PVMT MRK,GVD	78,200	LF
5" WHT WET RFLC PRF PVMT MKNG T4 GVD	3,700	LF
5" YEL WET RFLC PRF PVMT MKNG T4 GVD	2,500	LF
HYDRATED LIME FOR ASPHALT MIXTURES	517	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	1	TON
FOUNDATION COURSE REPLACEMENT	83	CY
ASPH CONC FOR STATE MAINT PATCHING, TYPE LC	100	TON
ASPH CONC, TYPE SPS	12,970	TON
ASPH CONC, TYPE SP5(0.5)	38,680	TON
ASPH CONC, TYPE LC	13,100	TON
PERF GRAD BIND (70-28)FOR ST MAINT PATCH	5	TON
PERF GRADED BINDER (70-28)	2,930	TON
PERF GRADED BINDER (52-34)	648	TON
TACK COAT	75,330	GAL
RENTAL OF LOADER, FULLY OPERATED	5	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	5	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	5	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5	HOUR
WATER	376	MGAL
EARTH SHOULDER CONSTRUCTION	1,545	STA
MILLING CONC FOR INLAYS	9	EACH
RUMBLE STRIPS, ASPHALT	1,448	STA
SURFACE UNDER GUARDRAIL	682	SY
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B	52	ACRE
EROSION CONTROL, CLASS 1D	5,070	SY
TEMPORARY SILT FENCE	300	LF
MULCH	117	TON
MOWING	100	HOUR

NOTICE TO CONTRACTORS

CALL ORDER 615  
 FEDERAL PROJECT NO. STP-283-2(102)  
 LOCATION: US-283, ASH ST.-JEFFERSON ST., LEXINGTON  
 COUNTIES: DAWSON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on October 21, 2010. At that time the bids will be opened and read for GR CONC PAVE CULV WATER MAIN BR ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT  
 START DATE 05/02/2011 WORKING DAYS 120  
 Price Range \$ 500,000 to \$ 2,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 6.0 %

Plans and specifications may be seen beginning September 28, 2010 at the Lincoln Central Office and October 04, 2010 at the District Engineer's Office at NORTH PLATTE  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	119	SHEETS	\$ 29.75
CROSS SECTIONS (SHEETS X1 THRU X34)	34	SHEETS	\$ 8.50
STANDARD PLANS	27	SHEETS	\$ 6.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T9	TYPICAL CROSS SECTIONS
2-S1 - 2-S4	SUMMARY OF QUANTITIES
2-A1 - 2-A3	PHOTO MAPS
2-H1 - 2-H9	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
2-L1 - 2-L6	GEOMETRICS
2-L7 - 2-L16	DRAINAGE
2-L17 - 2-L26	CONSTRUCTION
2-L27 - 2-L36	REMOVALS
3 - 10	PLAN & PROFILE SHEETS
11	PLAN & PROFILE SHEET--WATER MAIN
12	TRAFFIC SIGNAL CONTROL PLAN FOR ONE LANE, TWO WAY OPERATION WITH BARRIERS & BARRELS
13	TEMPORARY TRAFFIC SIGNAL
14	PAVEMENT MARKING PLAN
15	TEMPORARY PAVEMENT MARKING PLAN
16	PAVEMENT MARKING DETAILS
17 - 20	ROADWAY LIGHTING PLANS
21 - 23	ROADWAY LIGHTING DETAILS
24 - 26	EARTHWORK DATA SHEETS
27 - 31	DRAINAGE STRUCTURE CROSS SECTIONS
32 - 40	SPECIAL PLAN 1 CONSTRUCT TURNDOWNS STA. 125+85.10
41	SPECIAL PLAN 1C MODULAR BLOCK RETAINING WALL
42 - 43	SPECIAL PLAN 2C CONCRETE PROTECTION BARRIER
44 - 45	SPECIAL PLAN 3C AREA INLET WITH GRATE
46 - 47	SPECIAL PLAN 4C TEMPORARY SILT CHECKS
R1 - R11	RIGHT-OF-WAY SHEETS
X1 - X34	CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS)	PAVEMENT DETAILS
303	(2 SHEETS)	CURB RAMP
329-R7	(4 SHEETS)	8 TO 16 INCH CONCRETE PAVEMENT

411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
428-R3	CONCRETE PLUGS AND FIELD PIPE TAP DETAILS
435-R1	(3 SHEETS) MANHOLE
443-R7	(2 SHEETS) CURB INLETS AND JUNCTION BOX
502	SILT FENCE DETAILS
914-R6	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	2,564	CY
WATER	1	MGAL
RE-ESTABLISH PROPERTY CORNER	68	EACH
REMOVE PAVEMENT	4,157	SY
REMOVE ASPHALT SURFACE	13	SY
REMOVE BRICK SURFACE	2,034	SY
REMOVE DRIVEWAY	1,471	SY
REMOVE WALK	1,120	SY
REMOVE CONCRETE MEDIAN SURFACING	46	SY
REMOVE CONCRETE SIGN BASE	1	EACH
REMOVE	1	EACH
CAR PORT		
WALL MATERIALS	132	SF
COMPACTED EARTH LEVELING PAD	68	LF
CURB INLET SEDIMENT FILTER	16	EACH
REMOVE SIGN, POST, AND FOOTING	5	EACH
SEL GRAN BFILL RETAINED EARTH STR	3	CY
SODDING	630	SY

GROUP 3 CONCRETE PAVEMENT

PERMANENT PAVEMENT MARKING PAINT	150	LF
MOBILIZATION	LUMP	LUMP
SAWING PAVEMENT	2,074	LF
TIE BARS	755	EACH
CONCRETE CURB REPAIR	153	LF
CONC 47B-3000 BARRIER CURB	738	LF
CONC 47B-3000 SIDEWALKS	1,798	SY
DETECTABLE WARNING PANEL	272	SF
CONC 47B-3000 IMPRINTED SURFACING	282	SY
4"		
CONC 47B-3000 MEDIAN SURFACING	68	SY
CONC 47B-3500 DRIVEWAY	655	SY
CONC PVMT REPAIR TYPE A FULL DEPTH	22	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	208	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	448	CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH	1	CY
6" CONC PVMT, 47B-3500	12	SY
8" CONC PVMT, 47B-3500	2,434	SY
8" DOWELED CONC PAVE, CLASS 47B-3500	5,075	SY
CONC PVMT, PR-3500	89	CY
JOINT REPAIR		
ADJUST MANHOLE TO GRADE	3	EACH
24" WHITE PREF PVMT MKING T-4 GROOVED	450	LF
FOUNDATION COURSE REPLACEMENT	76	CY
WATER	32	MGAL
EARTH SHOULDER CONSTRUCTION	26	STA

SUBGRADE PREPARATION	8,164 SY
ADJUST VALVE BOX TO GRADE	8 EACH

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE MANHOLE		3 EACH
REMOVE INLET		19 EACH
CAST IRON COVER & FRAME		2,000 LB
CAST IRON COVER, FRAME & FLANGE		4,000 LB
CAST IRON GRATE & FRAME		745 LB
MANHOLE		1 EACH
AT STA. 113+01.63 28' RT.		
MANHOLE		1 EACH
AT STA. 113+89.50 26' RT.		
MANHOLE		1 EACH
AT STA. 134+98.00 20' LT.		
MANHOLE		1 EACH
AT STA. 134+89.00 22' RT.		
MANHOLE		1 EACH
AT STA. 1003+62.00 23.50' RT.		
MANHOLE		1 EACH
AT STA. 1004+00.00 23.50 RT.		
MANHOLE		1 EACH
AT STA. 1006+06.00 23.50' RT.		
MANHOLE		1 EACH
AT STA. 1006+06.00 24.25' LT.		
TAPPING EXISTING PIPE		1 EACH
REMOVE SEWER PIPE		728 LF
47B-3000 CONC FOR INLET & JUNCTION BOXES		35 CY
47B-3000 CONC FOR CONCRETE CO		4 CY
RE-STEEL FOR INLET & JCT BOX		2,156 LB
RE-STEEL FOR COLLARS		384 LB
12" STORM SEWER PIPE 1,7,8		157 LF
15" STORM SEWER PIPE 1,7,8		281 LF
36" STORM SEWER PIPE 1,7,8		484 LF

GROUP 4A WATER MAIN

MOBILIZATION	LUMP	LUMP
4" PLUG		2 EACH
6" PLUG		2 EACH
WATER SERVICE CONNECTION		4 EACH
4" WATER MAIN PIPE		8 LF
P.V.C.		
6" WATER MAIN PIPE		362 LF
P.V.C.		
4" GATE VALVE AND BOX		2 EACH
6" GATE VALVE AND BOX		1 EACH
FIRE HYDRANT		1 EACH
ASSEMBLY		
4" X 4" TEE		2 EACH
6" X 6" TEE		3 EACH
6" - 45 DEGREE BEND		4 EACH
6" - 90 DEGREE BEND		2 EACH
6" X 4" REDUCER		2 EACH
INSTALL WATER SERVICE, CURB STOP AND BOX		4 EACH
PLUG ABANDONED WATER MAIN		2 EACH
RECONNECT WATER SERVICE		4 EACH

GROUP 6 BRIDGE AT STA. 125+85.10

MOBILIZATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE A		77 LF
47BD-4000 CONC FOR BRIDGE		86 CY
PREP BRIDGE		1 EACH
125+85.10		
EPOXY COATED RE-STEEL		8,870 LB

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
PULL BOX, TYPE PB-1		6 EACH
PULL BOX, TYPE PB-5		3 EACH
1 1/2" CONDUIT IN TRENCH		40 LF
1 1/2" CONDUIT UNDER ROADWAY		65 LF
STREET LIGHTING CABLE		90 LF
NO. 6 AWG		
STREET LIGHTING CABLE	120	LF
NO. 4 AWG		
RELOCATE STREET LIGHTING UNIT		1 EACH
TYPE SL-BT-40-8-0.25		
RELOCATE STREET LIGHTING UNIT		1 EACH
TYPE SL-BT-40-12-0.25		
RELOCATE STREET LIGHTING UNIT		1 EACH
TYPE SL-A-35-8 & 6-0.25		
RELOCATE STREET LIGHTING UNIT		4 EACH
TYPE SL-A-35-6-0.25		

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II		9,022 BDAY
BARRICADE, TYPE III		6,008 BDAY
TEMPORARY SIGN DAY		210 EACH
SIGN DAY		3,964 EACH
CONTRACTOR FURNISHED SIGN DAY		360 EACH
TEMP PAVEMENT MARKING REMOVAL		2,400 LF
PAVEMENT MARKING REMOVAL		2,750 LF
TEMP PVMT MARKING, TYPE PAINT		2,400 LF
TEMP PVMT MARKING SURF PREP		2,400 LF
FLAGGING		120 DAY
FURNISHING AND OPERATING PILOT VEHICLE		60 DAY
CONCRETE PROTECTION BARRIER		600 LF
RELOCATE CONC PROTECTION BARRIER		600 LF
TEMPORARY RUMBLE STRIP		4 EACH
TEMPORARY TRAFFIC SIGNAL		1 EACH
TRAFFIC CONTROL MANAGEMENT		209 DAY
TRAINING		500 HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		5 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		5 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		5 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		5 HOUR
TEMPORARY SILT CHECK		500 LF
TEMPORARY SILT FENCE		500 LF

NOTICE TO CONTRACTORS

CALL ORDER 800  
 FEDERAL PROJECT NO. STPE-1810(5)  
 LOCATION: ON A COUNTY ROAD, SOUTHEAST OF BASSETT  
 COUNTIES: ROCK

The Nebraska Department of Roads will receive sealed bids for the COUNTY OF ROCK in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on October 21, 2010. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 7.7 KILOMETERS  
 START DATE 09/12/2011 WORKING DAYS 25  
 Price Range \$ 250,000 to \$ 1,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning September 28, 2010 at the Lincoln Central Office and October 04, 2010 at the District Engineer's Office at AINSWORTH. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded by the American Recovery and Reinvestment Act of 2009, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	11 SHEETS	\$	2.75
STANDARD PLANS	9 SHEETS	\$	2.25

SHEET NO.

1	TITLE PAGE
2T	TYPICAL CROSS SECTIONS
2S	SUMMARY OF QUANTITIES
3 - 8	PLAN SHEETS
9	TEMPORARY PAVEMENT MARKING PLAN
10	TYPICAL PAVEMENT MARKING PLAN--125 mm PAVEMENT MARKING

STANDARD PLANS

M308	LOCAL ROADS MAILBOX TURNOUT
M309	MAILBOX SUPPORT POST
M502	SILT FENCE DETAILS
M920	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
M921-R1	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
M922-R3	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	3,000	B DAY
BARRICADE, TYPE III	192	B DAY
TEMPORARY SIGN DAY	350	EACH
SIGN DAY	2,640	EACH
OVERLAY BROKEN LINES	155	StaM
OVERLAY SOLID LINES	310	StaM
PERMANENT PAVEMENT MARKING PAINT	23,228	m
FLAGGING	50	DAY
FURNISHING AND OPERATING PILOT VEHICLE	25	DAY
MOBILIZATION	LUMP	LUMP
SPEC SURF CRSE FOR MAILBOX TURNOUTS	126	m2
MAILBOX POST	6	EACH
HYDRATED LIME FOR ASPHALT MIXTURES	107	Mg

ASPH CONCRETE FOR PATCHING, TYPE SP4 SPECIAL(12.5)	150 Mg
ASPH CONC, TYPE SP4 SPECIAL(12.5)	10,540 Mg
PLACE ASPH CONC FOR DRIVE & INTER	684 m2
PERF GRADED BINDER (64-28)	534 Mg
PREP OF INTER & DRIVE	684 m2
TACK COAT	45,600 L
RENTAL OF LOADER, FULLY OPERATED	35 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	20 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	35 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	35 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	15 HOUR
WATER	468 kL
EARTH SHOULDER CONSTRUCTION	156 StaM
SEEDING, TYPE B	3 ha
TEMPORARY SILT FENCE	500 m
MULCH	15 Mg
MOWING	20 HOUR

Nebraska Department of Roads  
 Contracts Section, P.O. Box 94759, Lincoln, NE 68509  
 (402) 479-4525

**Plan and Informational Proposal Order Form**  
**Projects to be bid on:**  
**October 21, 2010**

**Payment required for plans prior to NDOR completing this order.**  
 dor.ContractsOnlineOrders@nebraska.gov FAX: (402) 479-4845

Document No.

<input type="checkbox"/> Check/Cash	Receipt No.
<input type="checkbox"/> Advance Plans Account No.	
<b>Credit Card</b>	
<input type="checkbox"/> Visa	<input type="checkbox"/> MasterCard
Expiration Date:	
Card No.:	

Please indicate: <input type="checkbox"/> Mail <input type="checkbox"/> Hold	<input type="checkbox"/> Fed Ex. Standard Overnight <input type="checkbox"/> Fed Ex. Priority Overnight <input type="checkbox"/> UPS Overnight Acct. No.	Comments:
--	---	-----------

<b>FOR OFFICE USE ONLY</b>	
Reference I.D.:	
Authorization Code:	Date:

4-Digit Vendor No.:	Ordered By:	Grand Total - Informational Proposals: x \$5.00
Company:		All plans in letting on CD: x \$25.00
Street Address:		Grand Total - 1/2 Size Plans: x \$.25
		Grand Total - Full Size Plans: x \$.50
PO Box:	City:	State:
		Zip Code:
Phone No.:	Fax No.:	<b>Subtotal</b>
		Tax Code
		Sales Tax
		%
Processed by:	Date:	Proposals/CD Filled:
		Blueprint Plans/Proposals Filled:
		Date:
		<b>Total</b>

*If requesting Plan or Proposal CD(s) only, your name will not appear on the Planholders list unless your company has been issued Bid Proposals or you submit the "Planholders Registration" from the NDOR website.*

**CD containing Informational Proposals for all projects in letting. (No Charge) Total Number Requested: →**

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. 1/2 size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
100	CM-55(142)				
105	NH-80-9(899)				
110	BRD-159-7(107)				
115	LCLC-5239(8)				
120	LCLC-5221(3)				
125	STPE-3220(6)				
205	NH-BR-77-3(128)				
210	IM-80-9(27)				
215	MAPA-5049(4)				
225	ENH-28(89)				
230	MAPA-5011(11)				
235	MAPA-5038(16)				

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. ½ size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
240	HSIP-5039(1)				
250	STPC-5027(1)				
255	STP-D2(101)				
300	ENH-22(29)				
305	ENH-54(15)				
310	STP-D3(101)				
315	STP-70-5(104)				
400	STPB-88(21)				
405	ENH-30(13)				
410	BRO-7063(6)				
415	STP-D4(101)				
500	S-D5(101)				
600	STPAA-6556(4)				
605	STP-D6(101)				
610	IM-80-4(136)				
615	STP-283-2(102)				
800	STPE-1810(5)				

**Standard Plans:** Refer to "Publication Order Form" for complete sets of Standard Plans and Standard/Special Plans Books

Number of Sets Requested	Standard Plan No.(s)	Number of Sheets Shown in List of Plans	Check Size		Total No. of Sheets	
			1/2	Full	1/2	Full
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		



