

October 7, 2010

TO ALL CONCERNED:

The Department of Roads has scheduled a bid letting to be held in this office November 4, 2010 at 1:30 p.m.

The Notice to Contractors includes:

1. Website Information
2. Notice to all Bidders
3. Ordering Instructions
4. Notices to Contractors including time allowances and lists of plans
5. Plan and Informational Proposal Order Form
6. R-125 "Request for Bidding Proposal Forms"

Projects containing DBE Goals are indicated in the "Notice to Contractors".

For CALL 200, PROJECT NH-34-7(124), US-75/US-34, PLATTEVIEW INTERSECTION, A BIDDER'S CONFERENCE WILL BE HELD IN THE AUDITORIUM AT THE NEBRASKA DEPARTMENT OF ROADS' CENTRAL OFFICE BUILDING, LOCATED AT 1500 NEBRASKA HWY. 2 IN LINCOLN. THE PURPOSE OF THIS CONFERENCE IS TO ALLOW BIDDERS TO ASK QUESTIONS CONCERNING THIS PROJECT AND RECEIVE ANSWERS TO THE QUESTIONS. ATTENDANCE AT THIS CONFERENCE IS STRONGLY ENCOURAGED.

TIME: 10:00 AM DATE: October 22, 2010

Please check the important letting information on the website frequently.

The last day to submit acceptable prequalification statements for this letting is by 5:00 p.m. on Monday, October 25, 2010.

Sincerely,

Jay K. Brinkmeyer, Supervisor
Contract Lettings Section
Construction Division

JKB/em

WEBSITE INFORMATION

The Nebraska Department of Roads, Contract Lettings Section, will be utilizing the Internet as our means of communicating with the contracting industry.

Documents that are posted on the web are:

- Letting Schedule
- Notices to Contractors
- Informational Proposals
- Letting Plans
- List of Prequalified Contractors
- Planholders List
- Informational Addendums
- EBS (Electronic Bidding System)
- Apparent Low Bidders
- Bid Tabulations
- Standard Item Listing
- Awarded Average Unit Prices (AUP) Report

Hard copies of these documents will be available for inspection in the Contracts Office.

There will be a charge for reproduction of any of these documents.

The Website address is: www.Transportation.Nebraska.gov

If you have any questions as you are using our Website, please contact us at:

Nebraska Department of Roads
Contract Lettings Section
P.O. Box 94759
Lincoln, NE 68509-4759

Phone (402) 479-4525
FAX (402) 479-3803

Email: DOR.ContractLettings@nebraska.gov

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free “hotline” Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the “hotline” to report such activities.

The “hotline” is part of the DOT’s continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

ORDERING INSTRUCTIONS FOR PLANS AND PROPOSALS

Refer to the "Notice to Contractors" for the call order number, project number, and list of plans for each project.

Order forms are available on the NDOR website in PDF and Word format. Complete the appropriate forms as follows:

Request for Bidding Proposal Forms (R-125)

Bidders must submit an R-125, Request for Bidding Proposals Forms and be issued bid proposals prior to submitting bids.

Proposals to be used for bidding must be requested on this form. Bidding proposals will be issued only to contractors who are currently prequalified to bid with this department.

There is no charge for bid proposals.

Plan and Informational Proposal Order Form:

Payment is required prior to NDOR completing the order. This payment is not refundable.

Proposals to be used for information only can be ordered as follows:

1. Each individual project.
2. CD that contains all projects in letting. Does not contain addenda.

Plans for each project can be ordered as follows:

1. Complete set.
2. Set less Roadway Cross-Sections and Standards.
3. Set less Standards.
4. Set less Roadway Cross-Sections.
5. Individual sheets
6. CD that contains all projects in letting.

Prices are: Informational Proposals: \$5.00 each
CD containing Informational Proposals: No Charge
Plans per sheet: \$.25 for half-size (12" x 18")
\$.50 for full-size (24" x 36")
CD containing plans: \$25.00 each

Cost shown on the list of plans is for ½ size plans. Nebraska residents add appropriate state sales tax and city tax that is determined by delivery within cities imposing a sales tax.

Select the method of payment on the plan order form:

1. Credit Card (Visa or MasterCard only)
Orders with approved credit cards can be processed without delays.
2. Advanced payment account
Requires a money deposit with recommended \$200 minimum. Failure to have sufficient funds in your account to cover cost of the plans may delay the processing of your order.
This account may also be used to purchase other NDOR publications.
3. Check/cash
Send checks made payable to the Nebraska Dept. of Roads with your completed plan order form. Please do not mail cash.

To order complete sets of standard plans (1/2 size) please use the "Publications Order Form" available on the website. Cost is \$35.00 plus applicable sales tax. As new standards become available they may be purchased at \$0.25 per sheet.

Address: Nebraska Department of Roads
Contracts Section
1500 Highway 2
PO Box 94759
Lincoln NE 68509-4759

FAX (402) 479-3803

Phone: (402) 479-4525

Email: DOR.ContractLettings@nebraska.gov

October 10, 2008

NOTICE TO CONTRACTORS

CALL ORDER 100
STATE PROJECT NO. RD-77-2(1063)
LOCATION: US-77, NORTH OF CERESCO
COUNTIES: SAUNDERS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 04, 2010. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

Length: 9.9 MILES
START DATE 04/04/2011 WORKING DAYS 45
Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning October 12, 2010 at the Lincoln Central Office and October 18, 2010 at the District Engineer's Office at LINCOLN
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	4 SHEETS	\$	1.00
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
3	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	7,000	B DAY
BARRICADE, TYPE III	402	B DAY
TEMPORARY SIGN DAY	840	EACH
SIGN DAY	1,992	EACH
FLASHING ARROW PANEL	70	DAY
MOBILIZATION	LUMP	LUMP
SEALING CRACKS	124	LF
SEALING JOINTS	318,794	LF
JOINT SEALING - ASPHALT TO CONCRETE	1,040	STA
CRACK SEALING BIT SURFACING	990	LF

NOTICE TO CONTRACTORS

CALL ORDER 105
 STATE PROJECT NO. RD-S78C(1003)
 LOCATION: S78C, MEMPHIS SPUR
 COUNTIES: SAUNDERS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 04, 2010. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

START DATE 10/11/2011 WORKING DAYS 10
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning October 12, 2010 at the Lincoln Central Office and October 18, 2010 at the District Engineer's Office at LINCOLN
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	4 SHEETS	\$	1.00
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

- 1 TITLE PAGE
- 2-T TYPICAL CROSS SECTIONS
- 2-S SUMMARY OF QUANTITIES
- 3 TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	570	B	DAY
BARRICADE, TYPE III	38	B	DAY
TEMPORARY SIGN DAY	140	E	EACH
SIGN DAY	608	E	EACH
OVERLAY BROKEN LINES	42	S	TA
OVERLAY SOLID LINES	84	S	TA
FLAGGING	20	D	DAY
FURNISHING AND OPERATING PILOT VEHICLE	10	D	DAY
MOBILIZATION		L	LUMP
HYDRATED LIME FOR ASPHALT MIXTURES	6	T	TON
ASPH CONC, TYPE SPR	620	T	TON
ASPH CONCRETE FOR PATCHING, TYPE SPR	25	T	TON
PERF GRADED BINDER (64-34)	24	T	TON
TACK COAT	750	G	GAL
RENTAL OF LOADER, FULLY OPERATED	5	H	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	5	H	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	5	H	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	5	H	HOUR
WATER	6	M	MGAL
EARTH SHOULDER CONSTRUCTION	24	S	TA
COLD MILLING, CLASS 3	15	S	TA
ASPH PVMT SMOOTHNESS TESTING I/D		L	LUMP
SEEDING, TYPE B	1	A	ACRE
MULCH	1	T	TON

NOTICE TO CONTRACTORS

CALL ORDER 200
 FEDERAL PROJECT NO. NH-34-7(124)
 LOCATION: US-75/US-34, PLATTEVIEW INTERSECTION
 COUNTIES: SARPY

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 04, 2010. At that time the bids will be opened and read for GRAD,MSE,CONC PAVE,CULV,SEED,BR,GDRL,FENCE,ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: GRADING CONCRETE PAVEMENT

Length: 2.9 MILES
 START DATE 04/04/2011 CALENDAR DAYS 881
 Price Range \$ 17,000,000 to \$ 25,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning October 12, 2010 at the Lincoln Central Office and October 18, 2010 at the District Engineer's Office at OMAHA Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

A BIDDER'S CONFERENCE WILL BE HELD IN THE AUDITORIUM AT THE NEBRASKA DEPARTMENT OF ROADS' CENTRAL OFFICE BUILDING, LOCATED AT 1500 NEBRASKA HWY. 2 IN LINCOLN. THE PURPOSE OF THIS CONFERENCE IS TO ALLOW BIDDERS TO ASK QUESTIONS CONCERNING THIS PROJECT AND RECEIVE ANSWERS TO THE QUESTIONS. ATTENDANCE AT THIS CONFERENCE IS STRONGLY ENCOURAGED.

TIME: 10:00 AM DATE: October 22, 2010

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	426	SHEETS	\$ 106.50
CROSS SECTIONS (SHEETS X1 THRU X133)	133	SHEETS	\$ 33.25
STANDARD PLANS	37	SHEETS	\$ 9.25

SHEET NO.

1	TITLE PAGE
2	INDEX OF SHEETS
2-T1 - 2-T13	TYPICAL CROSS SECTIONS
2-S1 - 2-S5	SUMMARY OF QUANTITIES
2-K1 - 2-K14	SUMMARY OF SOILS & GEOTECHNICAL INFORMATION
2-W1 - 2-W9	WETLANDS
2-W10 - 2-W13	WETLANDS--MITIGATION SITE DETAILS
2-W14	WETLANDS--CENTERLINE CONTROL PLAN
2-W15	WETLANDS--CONTROL POINT/P.I./CURVE DATA
2-W16	WETLANDS--GRADING PLAN
2-W17 - 2-W18	WETLANDS--SPOT ELEVATIONS
2-W19	WETLANDS--SHEET PILE SPLIT FLOW PLAN
2-W20	WETLANDS--SEEDING PLAN
2-W21	WETLANDS--PLANTING PLAN
2-W22	WETLANDS--TREE BERM LAYOUT PLAN
2-W23	WETLANDS--PLANTING DETAIL
2-W24 - 2-W28	WETLANDS--CROSS SECTIONS
2-H1 - 2-H12	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION--NOTES & DETAILS
2-N2	GENERAL INFORMATION--EARTHWORK SUMMARY
2-N3	GENERAL INFORMATION--SUPERELEVATION PROFILES
2-N4	GENERAL INFORMATION--DRIVEWAY SUMMARY TABLE/SCOUR-HOLE DETAIL
2-N5	GENERAL INFORMATION--DELINEATOR & CHEVRON SUMMARY TABLE
2-N6	GENERAL INFORMATION--LA PLATTE ROAD DITCH
2-N7	GENERAL INFORMATION--MILLED RUMBLE STRIPS
2-P1 - 2-P18	PHASING PLANS
2-P19 - 2-P34	PHASING PLANS--TRAFFIC CONTROL
2-P35 - 2-P39	PHASING PLANS--TEMPORARY TRAFFIC SIGNALS
2-P40 - 2-P43	PHASING PLANS--TRAFFIC CONTROL DETAILS
2-L1 - 2-L13	GEOMETRICS

2-L14 - 2-L20	JOINTS
2-L21 - 2-L23	GRADES
2-L24 - 2-L39	CONSTRUCTION, DRAINAGE, REMOVAL
2-L40 - 2-L48	EROSION CONTROL
2-L49 - 2-L53	FENCING
2-L54	ROADWAY OBLITERATION PLAN
3	PLAN & PROFILE--KEY MAP
4 - 22	PLAN & PROFILE SHEETS
23 - 36	SIGNING PLAN
37 - 42	PAVEMENT MARKING PLAN
43	PAVEMENT MARKING DETAILS
44	TEMPORARY PAVEMENT MARKING PLAN
45	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
46 - 62	ROADWAY LIGHTING PLANS
63 - 68	EARTHWORK DATA SHEETS
69 - 79	DRAINAGE STRUCTURE CROSS SECTIONS
80 - 110	SPECIAL PLAN 1 PRESTRESSED CONCRETE GIRDER BRIDGE (NU2000) STA. 5601+64.57
111 - 141	SPECIAL PLAN 2 WELDED PLATE GIRDER BRIDGE STA. 5601+64.57
142	SPECIAL PLAN 1C AREA INLET WITH BAR
143 - 144	SPECIAL PLAN 2C DOUBLE GRATE INLET STA. 5603+62.22
145	SPECIAL PLAN 3C 4-STRAND BARBED WIRE FENCE
146 - 152	SPECIAL PLAN 4C 6' X 4' SINGLE SPAN RC BOX CULVERT STA. 103+38.00
153 - 154	SPECIAL PLAN 5C 8' X 6' SINGLE SPAN RC BOX CULVERT STA. 5018+04.00
155 - 157	SPECIAL PLAN 6C 5' X 4' SINGLE SPAN RC BOX CULVERT STA. 1541+51.00 LT
158 - 159	SPECIAL PLAN 7C 8' X 6' SINGLE SPAN RC BOX CULVERT STA. 313+08.00
160 - 169	SPECIAL PLAN 8C 8' X 6' SINGLE SPAN RC BOX CULVERT STA. 1525+90.00
170	SPECIAL PLAN 9C GROUND IMPROVEMENT FOR MSE WALL
171 - 172	SPECIAL PLAN 10C MSE WALL
173 - 179	SPECIAL PLAN 11C TEMPORARY GUARDRAIL INSTALLATION
180	SPECIAL PLAN 12C PAVEMENT APPROACH REPAIR REF. POST NO. 76+98
181	SPECIAL PLAN 13C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
182 - 183	SPECIAL PLAN 14C TEMPORARY SILT CHECKS
184 - 185	SPECIAL PLAN 15C CONCRETE PROTECTION BARRIER
186 - 236	SPECIAL PLAN 16C WASTE PLACEMENT AREA
237	SPECIAL PLAN 17C INERTIAL BARRIER SYSTEM
R1 - R13	RIGHT-OF-WAY SHEETS
X1 - X133	CROSS SECTIONS

STANDARD PLANS

108-R3	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
109-R2	SUPERELEVATION PLAN FOR GRAVEL SURFACING
301-R10	(3 SHEETS) PAVEMENT DETAILS
329-R7	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
403-R2	(2 SHEETS) BENDS AND BREAKS FOR CONCRETE BOX CULVERTS
404-R3	CONTROL JOINTS FOR CONCRETE BOX CULVERTS
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
428-R3	CONCRETE PLUGS AND FIELD PIPE TAP DETAILS
443-R7	(2 SHEETS) CURB INLETS AND JUNCTION BOX
501-R5	(3 SHEETS) EROSION CONTROL

502	SILT FENCE DETAILS
710-R4	(2 SHEETS) FENCE DETAILS
804	PRECAST CONCRETE R.O.W. MARKER
901-R9	HIGHWAY DELINEATORS
902	HIGHWAY DELINEATORS FOR RAMP AND GORE LOCATIONS
914-R6	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION	1,614,239	CY
WATER	4,555	MGAL
RIGHT-OF-WAY MARKERS	47	EACH
RE-ESTABLISH PROPERTY CORNER	12	EACH
RIPRAP FILTER FABRIC	371	SY
ABANDON WELLS	5	EACH
REMOVE PAVEMENT	35,223	SY
REMOVE ASPHALT SURFACE	21,743	SY
REMOVE INLET	1	EACH
REMOVE CONCRETE DITCH LINER	259	SY
REMOVE BUILDING	1	EACH
AT STA. 1526+02 LT.		
REMOVE BUILDING	1	EACH
AT STA. 1526+45 LT.		
REMOVE BUILDING	1	EACH
AT STA. 1526+56 LT.		
REMOVE BUILDING	1	EACH
AT STA. 1526+60 LT.		
REMOVE BUILDING	1	EACH
AT STA. 1526+81 - 206' LT.		
REMOVE BUILDING	1	EACH
AT STA. 1526+81 - 250' LT.		
REMOVE BUILDING	1	EACH
AT STA. 1527+56 LT.		
REMOVE BUILDING	1	EACH
AT STA. 1527+73 LT.		
REMOVE BUILDING	1	EACH
AT STA. 1527+86 LT.		
REMOVE BUILDING	1	EACH
AT STA. 1531+50 LT.		
REMOVE BUILDING	1	EACH
AT STA. 1531+80 LT.		
REMOVE BUILDING	1	EACH
AT STA. 1532+75 LT.		
REMOVE BUILDING	1	EACH
AT STA. 1534+01 LT.		
REMOVE BUILDING	1	EACH
AT STA. 1535+18 LT.		
REMOVE BUILDING	1	EACH
AT STA. 5587+34 RT.		
REMOVE BUILDING	1	EACH
AT STA. 5587+40 LT.		
REMOVE BUILDING	1	EACH
AT STA. 5587+51 RT.		
REMOVE BUILDING	1	EACH
AT STA. 5587+65 LT.		
REMOVE BUILDING	1	EACH
AT STA. 5587+95 RT.		
REMOVE BUILDING	1	EACH
AT STA. 5588+25 LT.		

REMOVE BUILDING	1 EACH
AT STA. 5588+30 RT.	
REMOVE BUILDING	1 EACH
AT STA. 5588+47 RT.	
REMOVE BUILDING	1 EACH
AT STA. 5588+85 LT.	
REMOVE BUILDING	1 EACH
AT STA. 5589+29 RT.	
CLEAR TRACT	1 EACH
AT STA. 1523+61 TO STA. 1536+90 LT.	
CLEAR TRACT	1 EACH
AT STA. 1531+36 TO STA. 1532+14 LT.	
CLEAR TRACT	1 EACH
AT STA. 1532+14 TO STA. 1536+90 LT.	
CLEAR TRACT	1 EACH
AT STA. 1532+17 TO STA. 1534+38 RT.	
CLEAR TRACT	1 EACH
AT STA. 5586+75 TO STA. 5589+75 LT. & RT	
REMOVE AND RESET HISTORICAL MARKER	1 EACH
24" DRIVE PIPE 2,3,4,5,6,7 OR 8	331 LF
36" DRIVE PIPE 2,3,4,5,6,7 OR 8	116 LF
36" DRIVE PIPE 2	60 LF
ROCK CROSS VANE STRUCTURE	7 EACH
BANK STABILIZATION	812 LF
INTERLOCKING CONCRETE PAVER BLOCK	9,486 SF
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	25 CY
47B-3000 CONC FOR INLET & JUNCTION BOXES	7 CY
RE-STEEL FOR INLET & JCT BOX	526 LB
15" FLARED-END SECTION	1 EACH
18" FLARED-END SECTION	2 EACH
24" FLARED-END SECTION	2 EACH
36" FLARED-END SECTION	2 EACH
18" METAL FLARED-END SECTION	3 EACH
CULVERT SANDFILL	5 CY
WICK DRAIN	227,869 LF
ROCK RIPRAP, TYPE B	87 TON
ROCK RIPRAP, TYPE C	441 TON
STEEL SHEET PILING	228 SF
REMOVE SIGN	2 EACH
REMOVE SIGN, POST, AND FOOTING	14 EACH
GRANULAR FILL	14,649 CY
SAND BLANKET	13,358 CY
COVER CROP SEEDING	148 ACRE
TEMPORARY SEEDING	1 ACRE
EROSION CONTROL, CLASS 1C	33,448 SY
EROSION CONTROL, CLASS 1D	67,859 SY
EROSION CONTROL, CLASS 1E	6,764 SY
EROSION CONTROL, CLASS 2A	6,491 SY
EROSION CONTROL, CLASS 2B	7,586 SY
EROSION CONTROL, CLASS 2C	2,578 SY
EROSION CHECKS, TYPE 1D	438 BALE
EROSION CHECKS, TYPE 1E	256 BALE
EROSION CHECKS, TYPE 2A	308 BALE
EROSION CHECKS, TYPE 2B	630 BALE
EROSION CHECKS, TYPE 2C	138 BALE
EROSION CHECKS, TYPE WATTLE	8,988 LF
EROSION CHECKS, TYPE LOW PROFILE	654 LF
FABRIC SILT FENCE-LOW POROSITY	18,460 LF
18" CULV PIPE 5	232 LF
18" CULV PIPE 2,5	78 LF
18" CULV PIPE 2,7,8	71 LF
15" CULV PIPE 2,5,7,8	56 LF
18" CULV PIPE 2,5,7,8	88 LF
24" CULV PIPE 2,5,7,8	41 LF
18" STORM SEWER PIPE 1,7,8	96 LF
18" STORM SEWER PIPE 3,4,5 OR 6	59 LF

GROUP 1A MSE WALL

MOBILIZATION	LUMP	LUMP
CONCRETE FACE PANELS	13,720	SF
CONCRETE LEVELING PADS	685	LF
COPING	700	LF
24" CORRUGATED METAL PIPE	1,782	LF
24" METAL FLARED-END SECTION	2	EACH
SELECT GRANULAR BACKFILL FOR MSE WALL	10,500	CY
INTERMEDIATE FOUNDATION IMPROVEMENTS	LUMP	LUMP
INTERM FOUND IMPROVEMENTS VERIFY TESTING	LUMP	LUMP
24" STORM SEWER PIPE 3,4 OR 5	340	LF

GROUP 1B MSE WALL

MOBILIZATION	LUMP	LUMP
CONCRETE FACE PANELS	14,820	SF
CONCRETE LEVELING PADS	711	LF
COPING	728	LF
24" CORRUGATED METAL PIPE	1,743	LF
24" METAL FLARED-END SECTION	2	EACH
SELECT GRANULAR BACKFILL FOR MSE WALL	12,700	CY
INTERMEDIATE FOUNDATION IMPROVEMENTS	LUMP	LUMP
INTERM FOUND IMPROVEMENTS VERIFY TESTING	LUMP	LUMP
24" STORM SEWER PIPE 3,4 OR 5	353	LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE I	88	EACH
INSTALL CHEVRONS	8	EACH
CRUSHED ROCK EMBEDMENT	1,805	SY
CRUSHED ROCK SURFACE COURSE	196	TON
CONC 47B-3000 SIDEWALKS	268	SY
CONC 47B-3000 MEDIAN SURFACING	1,604	SY
CONC PVMT REPAIR TYPE A FULL DEPTH	7	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	171	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	471	CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH	2	CY
9" CONC PVMT, 47B-3500	6,231	SY
9" DOWELED CONC PVMT, 47B-3500	6,398	SY
10" CONC PVMT, 47B-3500	697	SY
10" DOWELED CONC PVMT, 47B-3500	60,026	SY
TEMPORARY SURFACING	8,269	SY
10"		
CONC PVMT, PR-3500	128	CY
JOINT REPAIR		
CONC SMOOTHNESS TESTING	LUMP	LUMP
BRIDGE APPROACH REPAIR	20	CY
TYPE A SIGN	142	SF
TYPE B SIGN	152	SF
STRUC STEEL FOR SIGN SUPPORTS	1,387	LB
24" SIGN SUPPORT FOOTING	8	EACH
ARROW POLYUREA PVMT MRKING, GROOVED	8	EACH
ONLY POLYUREA PVMT MRKING, GROOVED	3	EACH
5" WHT WET RFLC POLY PVMT MRKING, GVD	44,500	LF
12" WHT WET RFLC POLY PVMT MRKING, GVD	2,750	LF
12" YEL WET RFLC POLY PVMT MRKING, GVD	1,200	LF
5" YEL WET RFLC POLY PVMT MRKING, GVD	33,750	LF
HYDRATED LIME FOR ASPHALT MIXTURES	93	TON
FOUNDATION COURSE REPLACEMENT	57	CY
FOUNDATION COURSE	109,626	SY
4"		
GRANULAR SUBDRAIN	100	EACH
STABILIZED SUBGRADE	109,626	SY
TYPE FLY ASH		

ASPH CONCRETE FOR PATCHING, TYPE SP4 (0.5)	200 TON
ASPH CONC, TYPE SPS	840 TON
ASPH CONC, TYPE SP4 (0.5)	2,070 TON
ASPH CONC, TYPE SP5 (0.5)	7,060 TON
SURFACING 6"	11,683 SY
SURFACING 10"	28,493 SY
PERF GRADED BINDER (70-28)	353 TON
PERF GRADED BINDER (64-28)	113 TON
PERF GRADED BINDER (52-34)	42 TON
CONSTRUCTING ASPH CONC CURB	399 LF
TACK COAT	11,036 GAL
WATER	475 MGAL
EARTH SHOULDER CONSTRUCTION	489 STA
SUBGRADE PREPARATION	7,966 SY
COLD MILLING, CLASS 3	16,415 SY
COLD MILLING, CLASS 3	2,170 SY
TYPE A	
MILLING CONC FOR INLAYS	5 EACH
RUMBLE STRIPS, ASPHALT	140 STA
RUMBLE STRIPS, CONCRETE	144 STA
FLY ASH	3,618 TON
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE INLET		2 EACH
CAST IRON COVER & FRAME		250 LB
CAST IRON GRATE & FRAME	1,548 LB	
REMOVE FLARED- END SECTION		1 EACH
REMOVE HEADWALLS FROM CULV		5 EACH
REMOVE STRUCTURE		1 EACH
AT STA. 1525+95		
REMOVE STRUCTURE		1 EACH
AT STA. 1541+53		
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	2,187 CY	
EXCAVATION FOR BOX CULVERTS	7,957 CY	
47B-3000 CONC FOR BOX CULV	906 CY	
47B-3000 CONC FOR INLET & JUNCTION BOXES	12 CY	
RE-STEEL FOR BOX CULVERT	96,637 LB	
RE-STEEL FOR INLET & JCT BOX	860 LB	
24" FLARED-END SECTION		8 EACH
18" METAL FLARED-END SECTION		1 EACH
24" METAL FLARED-END SECTION		4 EACH
54" METAL FLARED-END SECTION		6 EACH
24" RND EQUIV CONCRETE FES		2 EACH
36" RND EQUIV CONCRETE FES		4 EACH
AREA INLET SEDIMENT FILTER		10 EACH
CURB INLET SEDIMENT FILTER		2 EACH
24" RD EQUIV CULV PIPE 2		45 LF
36" RD EQUIV CULV PIPE 2		90 LF
24" CULV PIPE 5		360 LF
54" CULV PIPE 5		562 LF
48" CULV PIPE 2,5		399 LF
60" CULV PIPE 2,5		202 LF
24" CULV PIPE 2,5,7,8		52 LF
30" CULV PIPE 2,5,7,8		308 LF
24" CULV PIPE 2,3,5,7,8		66 LF
18" STORM SEWER PIPE 1,7,8		81 LF
18" STORM SEWER PIPE 3,4,5 OR 6		142 LF
18" RND EQ STORM SEWER PIPE 1		94 LF

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE A		64 ACRE
SEEDING, TYPE B		8 ACRE
SEEDING, TYPE C		7 ACRE
SEEDING, TYPE WETLAND-HIGH		4 ACRE

SEEDING, TYPE WETLAND-LOW	1	ACRE
MULCH	162	TON
HYDROMULCH	10	TON
WETLAND TREE	100	EACH

GROUP 6 BRIDGE AT STA. 5601+64.57

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000	419	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	72,065	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PRECOMPRESSED POLY FOAM JOINT, TYPE B	191	LF
FIXED BEARING	18	EACH
47B-3000 CONC FOR BRIDGE	629	CY
47BD-4000 CONC FOR BRIDGE	909	CY
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
5601+64.57		
STRUC STEEL FOR SUBSTRUCTURE	11,405	LB
CONCRETE SLOPE PROTECTION	67	SY
EPOXY COATED RE-STEEL	311,640	LB
SUBSURFACE DRAINAGE MATTING	214	SY
HP 12"X53# STEEL PILING	8,005	LF
TEST PILE	3	EACH
7' PEDESTRIAN RAIL (CHAIN LINK TYPE)	422	LF
GRANULAR BACKFILL	1,275	CY

GROUP 6A BRIDGE AT STA. 5601+64.57

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000	419	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	72,065	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PRECOMPRESSED POLY FOAM JOINT, TYPE B	191	LF
FIXED BEARING	9	EACH
47B-3000 CONC FOR BRIDGE	545	CY
47BD-4000 CONC FOR BRIDGE	813	CY
STEEL SUPERSTRUCTURE	LUMP	LUMP
5601+64.57		
STRUC STEEL FOR SUBSTRUCTURE	4,775	LB
CONCRETE SLOPE PROTECTION	66	SY
EPOXY COATED RE-STEEL	265,975	LB
SUBSURFACE DRAINAGE MATTING	156	SY
HP 12"X53# STEEL PILING	7,200	LF
TEST PILE	3	EACH
7' PEDESTRIAN RAIL (CHAIN LINK TYPE)	422	LF
GRANULAR BACKFILL	1,005	CY

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL	250	LF
BRIDGE APPROACH SECTIONS	2	EACH
GUARDRAIL END TREATMENT, TYPE I	2	EACH

GROUP 7B FENCE

MOBILIZATION	LUMP	LUMP
END POSTS	4	EACH
PULL POSTS	4	EACH
CORNER POSTS	2	EACH
5' CHAIN-LINK FENCE	9,382	LF
PRIV FENCE TERM-5' CH-LNK FENCE	2	EACH
CHNNL CRSS,TYPE A, 5' CH-LNK FENCE	1	EACH
END POST FOR 5' CH-LINK FENCE	14	EACH
CORNER POST FOR 5' CH-LNK FENCE	20	EACH
PULL POST FOR 5' CH-LNK FENCE	17	EACH

DRAIN STRUC TERM FOR 5' C-LNK FENCE	2 EACH
BARBED WIRE FENCE	2,026 LF

GROUP 8B ELECTRICAL

TEMPORARY TRAFFIC SIGNAL	1 EACH
AT PFLUG ROAD & US-75	
TEMPORARY TRAFFIC SIGNAL	1 EACH
AT HAUL ROAD & US-75	
TEMPORARY TRAFFIC SIGNAL	1 EACH
AT NORMANDY BOULEVARD & US-75	
TEMPORARY TRAFFIC SIGNAL	1 EACH
AT US-34 & US-75	
MOBILIZATION	LUMP LUMP
PULL BOX, TYPE PB-5	12 EACH
ST LIGHT UNIT, SL-BT-40-15-0.20	20 EACH
ST LIGHT UNIT SL-BT-40-12-0.20	22 EACH
LIGHTING CONTROL CENTER, R-3	4 EACH
1 1/2" CONDUIT IN TRENCH	3,986 LF
1 1/2" CONDUIT UNDER ROADWAY	1,138 LF
STREET LIGHT CABLE, NO. 6 BARE	5,124 LF
STREET LIGHT CABLE, NO. 6 USE	10,248 LF
DIRECT BURIAL CABLE, NO. 8 USE	2,794 LF
REMOVE TRAFFIC SIGNAL	1 EACH
AT PFLUG ROAD & US-75	
REMOVE TRAFFIC SIGNAL	1 EACH
AT NORMANDY BOULEVARD & US-75	
TEMP LIGHTING SYSTEM, TYPE	1 EACH
II AT STA. 1465+00	
TEMP LIGHTING SYSTEM, TYPE	1 EACH
II AT STA. 1580+00	
OPER & MAINT OF TEMP LIGHT SYSTEM, TYPE	665 DAY
II AT STA. 1465+00	
OPER & MAINT OF TEMP LIGHT SYSTEM, TYPE	665 DAY
II AT STA. 1580+00	

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	138,400 BDAY
BARRICADE, TYPE III	23,793 BDAY
TEMPORARY SIGN DAY	840 EACH
SIGN DAY	76,143 EACH
CONTRACTOR FURNISHED SIGN DAY	9,998 EACH
TEMP PAVEMENT MARKING REMOVAL	107,367 LF
TEMP PVMT MARKING, TYPE PAINT	107,367 LF
FLASHING ARROW PANEL	1,606 DAY
FLAGGING	100 DAY
CONCRETE PROTECTION BARRIER	5,442 LF
INERTIAL BARRIER SYSTEM	3 EACH
TRAFFIC CONTROL MANAGEMENT	655 DAY
FIELD OFFICE	1 EACH
TRAINING	6,000 HOUR
MOBILIZATION	LUMP LUMP
RENTAL OF LOADER, FULLY OPERATED	215 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	10 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	215 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	215 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	205 HOUR
CONTOUR CULTIVATION OF BACKSLOPES	5,000 LF
TEMPORARY SILT CHECK	1,000 LF
TEMPORARY SILT FENCE	2,000 LF
TEMPORARY EARTH CHECK	1,000 LF
TEMPORARY MULCH	10 TON

NOTICE TO CONTRACTORS

CALL ORDER 220
 FEDERAL PROJECT NO. MAPA-5038(17)
 LOCATION: OMAHA MAJOR STREET RESURFACING-PKG 2
 COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids for the CITY OF OMAHA in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on November 04, 2010. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

START DATE 07/18/2011 CALENDAR DAYS 104
 Price Range \$ 3,000,000 to \$ 6,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning October 12, 2010 at the Lincoln Central Office and October 18, 2010 at the District Engineer's Office at OMAHA. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING STANDARDS)	112	SHEETS	\$ 28.00
STANDARD PLANS	5	SHEETS	\$ 1.25

SHEET NO.

1	TITLE PAGE
2-S	SUMMARY OF QUANTITIES
2-N	GENERAL INFORMATION
3 - 69	PLAN SHEETS--RESURFACING
70 - 107	PLAN SHEETS--STRIPING
108 - 109	SIGNS & BARRICADES
110	SPECIAL PLAN 1C ASPHALT PAVEMENT RESURFACING-- MH RING & COVER ADJUSTMENT DETAILS
111	SPECIAL PLAN 2C ASPHALT PAVEMENT RESURFACING-- INLET ADJUSTMENT DETAILS

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
924	(3 SHEETS)	TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	13,649	BDAY
BARRICADE, TYPE III	320	BDAY
TEMPORARY SIGN DAY	430	EACH
SIGN DAY	186	EACH
CONTRACTOR FURNISHED SIGN DAY	396	EACH
FLASHING ARROW PANEL	117	DAY
FLAGGING	73	DAY
TOWING	16	HOUR
MOBILIZATION	LUMP	LUMP
9" CONCRETE BASE COURSE	380	SY
CAST IRON RING & COVER	10,944	LB
ADJUSTING INLET TO GRADE	13	EACH
ADJUST MANHOLE TO GRADE	71	EACH
ADJUST	95	EACH
UTILITY TO GRADE		

ARROW, PREF PVMT MRKING T-4	94 EACH
ONLY, PREF PVMT MRKING T-4	84 EACH
5" WHT PREF PVMT MRKING T-4	37,891 LF
5" YEL PREF PVMT MRKING T-4	41,627 LF
ASPH CONC, TYPE CMM	36,000 TON
ASPH CONC, TYPE FMM	2,185 TON
PLACE ASPH CONC FOR DRIVE & INTER	4,361 SY
PERF GRADED BINDER (70-28)	1,981 TON
COLD MILLING, CLASS 3	251,720 SY
COLD MILLING, CLASS 4	17,020 SY
CONC SURF MILLING	25,465 SY

NOTICE TO CONTRACTORS

CALL ORDER 300
STATE PROJECT NO. RD-98-5(1005)
LOCATION: N-98, WEST OF WAYNE
COUNTIES: PIERCE WAYNE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 04, 2010. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

Length: 13.0 MILES
START DATE 08/22/2011 WORKING DAYS 15
Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning October 12, 2010 at the Lincoln Central Office and October 18, 2010 at the District Engineer's Office at NORFOLK
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	3 SHEETS	\$	0.75
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

1 TITLE PAGE
2-S SUMMARY OF QUANTITIES
& TYPICAL CROSS SECTION
3 TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE III	108	B	DAY
TEMPORARY SIGN DAY	120	E	EACH
SIGN DAY	2,484	E	EACH
TEMPORARY BROKEN LINES	120	S	TA
OVERLAY BROKEN LINES	684	S	TA
FLAGGING	30	D	DAY
FURNISHING AND OPERATING PILOT VEHICLE	15	D	DAY
MOBILIZATION	LUMP	L	LUMP
AGG FOR MICROSURFACING	3,291	T	TON
MIN FILLER FOR MICROSURFACING	67	T	TON
MICROSURFACING PLACEMENT	384	S	TA
EMUL ASPH FOR MICROSURFACING	113,160	G	GAL

NOTICE TO CONTRACTORS

CALL ORDER 320
 STATE PROJECT NO. RD-57-4(1008)
 LOCATION: N-57, NORTH OF HARTINGTON
 COUNTIES: CEDAR

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 04, 2010. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

Length: 6.7 MILES
 START DATE 08/29/2011 WORKING DAYS 10
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning October 12, 2010 at the Lincoln Central Office and October 18, 2010 at the District Engineer's Office at NORFOLK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	3 SHEETS	\$	0.75
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

1 TITLE PAGE
 2-S SUMMARY OF QUANTITIES
 & TYPICAL CROSS SECTION
 3 TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE III	80	B	DAY
TEMPORARY SIGN DAY	80	E	EACH
SIGN DAY	1,120	E	EACH
TEMPORARY BROKEN LINES	353	S	TA
FLAGGING	20	D	DAY
FURNISHING AND OPERATING PILOT VEHICLE	10	D	DAY
MOBILIZATION	LUMP	L	LUMP
AGG FOR MICROSURFACING	1,110	T	TON
MIN FILLER FOR MICROSURFACING	22	T	TON
MICROSURFACING PLACEMENT	354	S	TA
EMUL ASPH FOR MICROSURFACING	38,120	G	GAL

NOTICE TO CONTRACTORS

CALL ORDER 500
 STATE PROJECT NO. RD-27-4(1016)
 LOCATION: N-27, NORTH OF ELLSWORTH
 COUNTIES: SHERIDAN

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 04, 2010. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 11.4 MILES
 START DATE 07/05/2011 WORKING DAYS 30
 Price Range \$ 500,000 to \$ 2,000,000

Plans and specifications may be seen beginning October 12, 2010 at the Lincoln Central Office and October 18, 2010 at the District Engineer's Office at GERING
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	3 SHEETS	\$	0.75
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

1 TITLE PAGE
 2-S SUMMARY OF QUANTITIES
 & TYPICAL CROSS SECTION
 3 TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	7,200	B	DAY
BARRICADE, TYPE III	188	B	DAY
TEMPORARY SIGN DAY	420	E	EACH
SIGN DAY	5,015	E	EACH
OVERLAY BROKEN LINES	600	S	TA
OVERLAY SOLID LINES	1,200	S	TA
FLAGGING	60	D	DAY
FURNISHING AND OPERATING PILOT VEHICLE	30	D	DAY
MOBILIZATION	LUMP	L	LUMP
COLD IN-PLACE RECYCLING	600	S	TA
EMUL ASPH FOR COLD IN-PLACE RECYCLING	380,615	G	GAL
WATER FOR COLD IN-PLACE RECY, APPLIED	480	M	GAL
COLD MILLING, CLASS 3	600	S	TA
REPULVERIZATION & AERATION	600	S	TA

Nebraska Department of Roads
 Contracts Section, P.O. Box 94759, Lincoln, NE 68509
 (402) 479-4525

Plan and Informational Proposal Order Form

Projects to be bid on: November 4, 2010

Payment required for plans prior to NDOR completing this order.
 dor.ContractsOnlineOrders@nebraska.gov FAX: (402) 479-4845

Document No.

<input type="checkbox"/> Check/Cash	Receipt No.
<input type="checkbox"/> Advance Plans Account No.	
Credit Card	
<input type="checkbox"/> Visa	<input type="checkbox"/> MasterCard
Expiration Date:	
Card No.:	

Please indicate: <input type="checkbox"/> Mail <input type="checkbox"/> Hold	<input type="checkbox"/> Fed Ex. Standard Overnight <input type="checkbox"/> Fed Ex. Priority Overnight <input type="checkbox"/> UPS Overnight Acct. No.	Comments:
--	---	-----------

FOR OFFICE USE ONLY	
Reference I.D.:	_____
Authorization Code:	_____ Date: _____

4-Digit Vendor No.:	Ordered By:	Grand Total - Informational Proposals: x \$5.00	
Company:		All plans in letting on CD: x \$25.00	
Street Address:		Grand Total - 1/2 Size Plans: x \$.25	
		Grand Total - Full Size Plans: x \$.50	
PO Box:	City:	State:	Zip Code:
Phone No.:		Fax No.:	
		Subtotal	
		Tax Code	Sales Tax
		%	
Processed by:	Date:	Proposals/CD Filled:	Blueprint Plans/Proposals Filled: Date:
		Total	

If requesting Plan or Proposal CD(s) only, your name will not appear on the Planholders list unless your company has been issued Bid Proposals or you submit the "Planholders Registration" from the NDOR website.

CD containing Informational Proposals for all projects in letting. (No Charge) Total Number Requested: →

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. 1/2 size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
100	RD-77-2(1063)				
105	RD-S78C(1003)				
200	NH-34-7(124)				
220	MAPA-5038(17)				
300	RD-98-5(1005)				
320	RD-57-4(1008)				
500	RD-27-4(1016)				

Standard Plans: Refer to "Publication Order Form" for complete sets of Standard Plans and Standard/Special Plans Books

Number of Sets Requested	Standard Plan No.(s)	Number of Sheets Shown in List of Plans	Check Size		Total No. of Sheets	
			1/2	Full	1/2	Full
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		

