

November 10, 2010

TO ALL CONCERNED:

The Department of Roads has scheduled a bid letting to be held in this office December 9, 2010 at 1:30 p.m.

The Notice to Contractors includes:

1. Website Information
2. Notice to all Bidders
3. Ordering Instructions
4. Notices to Contractors including time allowances and lists of plans
5. Plan and Informational Proposal Order Form
6. R-125 "Request for Bidding Proposal Forms"

**NEW STANDARDS EFFECTIVE FOR THIS LETTING: 108-R4, 329-R8 and 804.**

Projects containing DBE Goals are indicated in the "Notice to Contractors".

Please check the important letting information on the website frequently.

The last day to submit acceptable prequalification statements for this letting is by 5:00 p.m. on Monday, November 29, 2010.

Sincerely,

Jay K. Brinkmeyer, Supervisor  
Contract Lettings Section  
Construction Division

JKB/ekm

### WEBSITE INFORMATION

The Nebraska Department of Roads, Contract Lettings Section, will be utilizing the Internet as our means of communicating with the contracting industry.

Documents that are posted on the web are:

- Letting Schedule
- Notices to Contractors
- Informational Proposals
- Letting Plans
- List of Prequalified Contractors
- Planholders List
- Informational Addendums
- EBS (Electronic Bidding System)
- Apparent Low Bidders
- Bid Tabulations
- Standard Item Listing
- Awarded Average Unit Prices (AUP) Report

Hard copies of these documents will be available for inspection in the Contracts Office.

There will be a charge for reproduction of any of these documents.

The Website address is: [www.Transportation.Nebraska.gov](http://www.Transportation.Nebraska.gov)

If you have any questions as you are using our Website, please contact us at:

Nebraska Department of Roads  
Contract Lettings Section  
P.O. Box 94759  
Lincoln, NE 68509-4759

Phone (402) 479-4525  
FAX (402) 479-3803

Email: [DOR.ContractLettings@nebraska.gov](mailto:DOR.ContractLettings@nebraska.gov)

## **NOTICE TO ALL BIDDERS**

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free “hotline” Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the “hotline” to report such activities.

The “hotline” is part of the DOT’s continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

## ORDERING INSTRUCTIONS FOR PLANS AND PROPOSALS

Refer to the "Notice to Contractors" for the call order number, project number, and list of plans for each project.

Order forms are available on the NDOR website in PDF and Word format. Complete the appropriate forms as follows:

### **Request for Bidding Proposal Forms (R-125)**

Bidders must submit an R-125, Request for Bidding Proposals Forms and be issued bid proposals prior to submitting bids.

Proposals to be used for bidding must be requested on this form. Bidding proposals will be issued only to contractors who are currently prequalified to bid with this department.

There is no charge for bid proposals.

### **Plan and Informational Proposal Order Form:**

Payment is required prior to NDOR completing the order. This payment is not refundable.

Proposals to be used for information only can be ordered as follows:

1. Each individual project.
2. CD that contains all projects in letting. Does not contain addenda.

Plans for each project can be ordered as follows:

1. Complete set.
2. Set less Roadway Cross-Sections and Standards.
3. Set less Standards.
4. Set less Roadway Cross-Sections.
5. Individual sheets
6. CD that contains all projects in letting.

Prices are: Informational Proposals: \$5.00 each  
CD containing Informational Proposals: No Charge  
Plans per sheet: \$.25 for half-size (12" x 18")  
\$.50 for full-size (24" x 36")  
CD containing plans: \$25.00 each

Cost shown on the list of plans is for ½ size plans. Nebraska residents add appropriate state sales tax and city tax that is determined by delivery within cities imposing a sales tax.

Select the method of payment on the plan order form:

1. Credit Card (Visa or MasterCard only)  
Orders with approved credit cards can be processed without delays.
2. Advanced payment account  
Requires a money deposit with recommended \$200 minimum. Failure to have sufficient funds in your account to cover cost of the plans may delay the processing of your order.  
This account may also be used to purchase other NDOR publications.
3. Check/cash  
Send checks made payable to the Nebraska Dept. of Roads with your completed plan order form. Please do not mail cash.

To order complete sets of standard plans (1/2 size) please use the "Publications Order Form" available on the website. Cost is \$35.00 plus applicable sales tax. As new standards become available they may be purchased at \$0.25 per sheet.

Address: Nebraska Department of Roads  
Contracts Section  
1500 Highway 2  
PO Box 94759  
Lincoln NE 68509-4759

FAX (402) 479-3803

Phone: (402) 479-4525

Email: [DOR.ContractLettings@nebraska.gov](mailto:DOR.ContractLettings@nebraska.gov)

October 10, 2008

NOTICE TO CONTRACTORS

CALL ORDER 100  
 STATE PROJECT NO. RD-41-6(1008)  
 LOCATION: N-41, WILBER-CLATONIA  
 COUNTIES: GAGE SALINE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 09, 2010. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 6.3 MILES  
 START DATE 08/08/2011 WORKING DAYS 45  
 Price Range \$ 1,000,000 to \$ 3,000,000

Plans and specifications may be seen beginning November 16, 2010 at the Lincoln Central Office and November 22, 2010 at the District Engineer's Office at LINCOLN

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	34 SHEETS	\$	8.50
STANDARD PLANS	18 SHEETS	\$	4.50

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T4	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-W1 - 2-W7	WETLANDS
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N3	GENERAL INFORMATION
3 - 9	PLAN SHEETS
10	TEMPORARY PAVEMENT MARKING PLAN
11	PAVEMENT MARKING DETAILS
12 - 17	SPECIAL PLAN 1C GUARDRAIL PLAN

STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
303	(2 SHEETS) CURB RAMP
307-R1	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
443-R7	(2 SHEETS) CURB INLETS AND JUNCTION BOX
502	SILT FENCE DETAILS
901-R9	HIGHWAY DELINEATORS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	13,200 BDAY
BARRICADE, TYPE III	166 BDAY
TEMPORARY SIGN DAY	630 EACH
SIGN DAY	7,213 EACH
OVERLAY BROKEN LINES	1,003 STA
OVERLAY SOLID LINES	2,006 STA
FLAGGING	90 DAY
FURNISHING AND OPERATING PILOT VEHICLE	45 DAY

FIELD OFFICE		1 EACH
MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
DELINEATOR, TYPE III		51 EACH
INSTALL CHEVRONS		16 EACH
REMOVE ASPHALT SURFACE		835 SY
GRAVEL SURFACE COURSE		100 TON
CRUSHED ROCK SURFACE COURSE		100 TON
SPEC SURF CRSE FOR MAILBOX TURNOUTS		454 SY
MAILBOX POST		7 EACH
DETECTABLE WARNING PANEL		48 SF
CAST IRON COVER & FRAME		250 LB
RECONSTRUCT CURB INLET		1 EACH
AT STA. 1030+01 RT.		
RECONSTRUCT CURB INLET		1 EACH
AT STA. 1030+02 LT.		
GUARDRAIL POSTS		4 EACH
24" WHITE PREF PVMT MKING T-4 GROOVED		36 LF
RR XING SYMBOL PREF PVMT MRKING T-4 GRVD		1 EACH
HYDRATED LIME		275 TON
HYDRATED LIME FOR ASPHALT MIXTURES		226 TON
HYDRATED LIME SLURRY STABILIZATION		305 STA
ASPH CONCRETE FOR PATCHING, TYPE		100 TON
SP4 SPECIAL(0.5)		
ASPH CONC, TYPE SP4 SPECIAL(0.5)		22,410 TON
PLACE ASPH CONC FOR DRIVE & INTER		5,451 SY
PERF GRADED BINDER (64-34)		1,125 TON
PREP OF INTER & DRIVE		97 SY
EMUL ASPH FOR HYDRATE LIME STABILIZATION		74,800 GAL
TACK COAT		22,015 GAL
FOG SEAL		9,490 GAL
RENTAL OF LOADER, FULLY OPERATED		15 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED		10 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		15 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		15 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		5 HOUR
WATER		152 MGAL
EARTH SHOULDER CONSTRUCTION		607 STA
TRENCHED WIDENING		614 STA
COLD MILLING, CLASS 3		36 STA
RUMBLE STRIPS, ASPHALT		636 STA
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B		12 ACRE
TEMPORARY SILT FENCE		500 LF
MULCH		27 TON

NOTICE TO CONTRACTORS

CALL ORDER 105  
FEDERAL PROJECT NO. STP-136-7(121)  
LOCATION: US-136, CRAB ORCHARD EAST  
COUNTIES: JOHNSON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 09, 2010. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 7.5 MILES  
START DATE 08/01/2011 WORKING DAYS 50  
Price Range \$ 1,000,000 to \$ 3,000,000  
THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning November 16, 2010 at the Lincoln Central Office and November 22, 2010 at the District Engineer's Office at LINCOLN. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

NOTICE TO BIDDERS

To be eligible for the award of this contract, bidders shall submit a completed bidding proposal for Call Order No. 105, {Project No. STP-136-7(121)}, Call Order No. 110, {Project No. RD-S64B(1003)} and Call Order No. 115 {RD-S64G(1005)} Award of Contract, if awarded, will be made on the combined bid for these call order nos. Separate contracts will be awarded for each Call Order Number. Please order plans and proposals accordingly.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	31 SHEETS	\$	7.75
STANDARD PLANS	14 SHEETS	\$	3.50

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-W1 - 2-W8	WETLANDS
2-H	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
3 - 10	PLAN SHEETS
11	TEMPORARY PAVEMENT MARKING PLAN
12 - 18	SPECIAL PLAN 1C GUARDRAIL PLAN

STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
307-R1	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
901-R9	HIGHWAY DELINEATORS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	14,000	BDAY
BARRICADE, TYPE III	1,000	BDAY
TEMPORARY SIGN DAY	700	EACH
SIGN DAY	9,009	EACH
OVERLAY BROKEN LINES	1,187	STA
OVERLAY SOLID LINES	2,374	STA
FLAGGING	100	DAY
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE III	50	EACH
REMOVE DELINEATOR UNITS	50	EACH
ROADWAY GRADING	13	STA
REMOVE ASPHALT SURFACE	159	SY
GRAVEL SURFACE COURSE	50	TON
CRUSHED ROCK SURFACE COURSE	130	TON
SPEC SURF CRSE FOR MAILBOX TURNOUTS	201	SY
MAILBOX POST	3	EACH
REMOVE & SALVAGE GUARDRAIL	800	LF
GUARDRAIL END TREATMENT, TYPE II	16	EACH
GUARDRAIL POSTS	8	EACH
HYDRATED LIME	347	TON
HYDRATED LIME FOR ASPHALT MIXTURES	193	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	3	TON
HYDRATED LIME SLURRY STABILIZATION	384	STA
ASPH CONC ST MAINT PATCH TYPE SP4(0.375)	300	TON
ASPH CONC, TYPE SP4(0.375)	18,790	TON
PLACE ASPH CONC FOR DRIVE & INTER	4,049	SY
ASPH CONC FOR PATCH, TYPE SP4(0.375)	500	TON
PERF GRAD BIND (64-28)FOR ST MAINT PATCH	27	TON
PERF GRADED BINDER (64-28)	1,080	TON
EMUL ASPH FOR HYDRATE LIME STABILIZATION	94,220	GAL
TACK COAT	25,480	GAL
FOG SEAL	11,970	GAL
RENTAL OF LOADER, FULLY OPERATED	45	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	40	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	45	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	45	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5	HOUR
WATER	197	MGAL
EARTH SHOULDER CONSTRUCTION	786	STA
TRENCHED WIDENING	777	STA
COLD MILLING, CLASS 3	12	STA
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B	15	ACRE
EROSION CONTROL, CLASS 1D	656	SY
TEMPORARY SILT FENCE	300	LF
MULCH	34	TON

NOTICE TO CONTRACTORS

CALL ORDER 110  
 STATE PROJECT NO. RD-S64B(1003)  
 LOCATION: S64B, JOHNSON SPUR  
 COUNTIES: NEMAHA

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 09, 2010. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

START DATE 10/17/2011 WORKING DAYS 5  
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning November 16, 2010 at the Lincoln Central Office and November 22, 2010 at the District Engineer's Office at LINCOLN

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

NOTICE TO BIDDERS

To be eligible for the award of this contract, bidders shall submit a completed bidding proposal for Call Order No. 105, {Project No. STP-136-7(121)}, Call Order No. 110, {Project No. RD-S64B(1003)} and Call Order No. 115, {Project No. RD-S64G(1005)}. Award of Contract, if awarded, will be made on the combined bid for these call order nos. Separate contracts will be awarded for each Call Order Number. Please order plans and proposals accordingly.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	3 SHEETS	\$	0.75
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.  
 1 TITLE PAGE  
 2-S SUMMARY OF QUANTITIES  
 & TYPICAL CROSS SECTIONS  
 3 TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS  
 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE  
 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	250	BDAY
SIGN DAY	52	EACH
OVERLAY BROKEN LINES	43	STA
OVERLAY SOLID LINES	86	STA
FLAGGING	10	DAY
MOBILIZATION	LUMP	LUMP
HYDRATED LIME FOR ASPHALT MIXTURES	10	TON
ASPH CONC, TYPE SPR	960	TON
ASPH CONCRETE FOR PATCHING, TYPE SPR	50	TON
PERF GRADED BINDER (64-34)	38	TON
TACK COAT	1,180	GAL
RENTAL OF LOADER, FULLY OPERATED	5	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	5	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	5	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	5	HOUR
COLD MILLING, CLASS 3	21	STA
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 115  
STATE PROJECT NO. RD-S64G(1005)  
LOCATION: S64G, IN PERU  
COUNTIES: NEMAHA

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 09, 2010. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

START DATE 10/17/2011 WORKING DAYS 5  
Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning November 16, 2010 at the Lincoln Central Office and November 22, 2010 at the District Engineer's Office at LINCOLN

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

NOTICE TO BIDDERS

To be eligible for the award of this contract, bidders shall submit a completed bidding proposal for Call Order No. 105, {Project No. STP-136-7(121)}, Call Order No. 110, {Project No. RD-S64B(1003)} and Call Order No. 115 {Project No. RD-S64G(1005)}. Award of Contract, if awarded, will be made on the combined bid for these call order nos. Separate contracts will be awarded for each Call Order Number. Please order plans and proposals accordingly.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	3 SHEETS	\$	0.75
STANDARD PLANS	7 SHEETS	\$	1.75

SHEET NO.

1 TITLE PAGE  
2-S SUMMARY OF QUANTITIES  
& TYPICAL CROSS SECTIONS  
3 TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE  
922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING  
924 (3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	250	BDAY
SIGN DAY	52	EACH
OVERLAY BROKEN LINES	52	STA
OVERLAY SOLID LINES	104	STA
FLAGGING	10	DAY
MOBILIZATION	LUMP	LUMP
HYDRATED LIME FOR ASPHALT MIXTURES	4	TON
ASPH CONC, TYPE SPR	395	TON
ASPH CONCRETE FOR PATCHING, TYPE SPR	25	TON
PERF GRADED BINDER (64-34)	15	TON
TACK COAT	870	GAL

RENTAL OF LOADER, FULLY OPERATED	5 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	5 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	5 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	5 HOUR
COLD MILLING, CLASS 3	25 STA
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP

NOTICE TO CONTRACTORS

CALL ORDER 120  
 FEDERAL PROJECT NO. NH-80-9(899)  
 LOCATION: I-80, NOISE WALLS, LINCOLN  
 COUNTIES: LANCASTER

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 09, 2010. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY  
 START DATE 05/31/2011 WORKING DAYS 85  
 Price Range \$ 1,000,000 to \$ 3,000,000

Plans and specifications may be seen beginning November 16, 2010 at the Lincoln Central Office and November 22, 2010 at the District Engineer's Office at LINCOLN

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	42	SHEETS	\$ 10.50
CROSS SECTIONS (SHEETS X1 THRU X63)	63	SHEETS	\$ 15.75
STANDARD PLANS	10	SHEETS	\$ 2.50

SHEET NO.

1	TITLE PAGE
2-S	SUMMARY OF QUANTITIES
2-A1 - 2-A5	PHOTO MAPS
2-H1 - 2-H3	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N7	GENERAL INFORMATION
2-L1 - 2-L5	CONSTRUCTION--WALL 1-3
2-L6 - 2-L10	LANDSCAPING & EROSION CONTROL--WALL 1-3
3 - 7	PLAN & PROFILE SHEETS
8 - 10	EARTHWORK DATA SHEETS
11	DRAINAGE STRUCTURE CROSS SECTIONS
12 - 14	SPECIAL PLAN 1C NOISE BARRIER WALL
15 - 16	SPECIAL PLAN 2C TEMPORARY SILT CHECKS
17	SPECIAL PLAN 3C TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
X1 - X63	CROSS SECTIONS

STANDARD PLANS

410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	1,000	B DAY
BARRICADE, TYPE III	314	B DAY
TEMPORARY SIGN DAY	300	EACH
SIGN DAY	1,520	EACH
FLASHING ARROW PANEL	10	DAY
MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER	27	MGAL

CONSTRUCTION STAKING AND SURVEYING	LUMP	LUMP
EARTHWORK MEASURED IN EMBANKMENT	5,330	CY
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	38	CY
15" METAL FLARED-END SECTION	2	EACH
30" METAL FLARED-END SECTION	2	EACH
NOISE BARRIER	51,680	SF
ANTI-GRAFFITI COATING	LUMP	LUMP
SPECIAL SURFACE COATING	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	50	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	50	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	50	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	50	HOUR
SEEDING, TYPE A	1	ACRE
SEEDING, TYPE B	1	ACRE
COVER CROP SEEDING	2	ACRE
EROSION CONTROL, CLASS 2C	27	SY
FABRIC SILT FENCE-LOW POROSITY	4,139	LF
TEMPORARY SILT CHECK	300	LF
TEMPORARY SILT FENCE	1,000	LF
TEMPORARY MULCH	2	TON
MULCH	6	TON
COLORADO SPRUCE 4' B&B	16	EACH
ATMN BRILLIANCE SRVCBERY 6'-7' B&B OR CG	12	EACH
COMMON HACKBERRY 1 1/2" CAL B&B	9	EACH
SHADEMASTER HONEYLOCUST 1 1/4" BB	6	EACH
KENTUCKY COFFEETREE 1 1/2" BB OR CG	9	EACH
15" CULV PIPE 3,4,5	68	LF
30" CULV PIPE 3,4,5	17	LF

NOTICE TO CONTRACTORS

CALL ORDER 125  
 STATE PROJECT NO. STR-80-8(1041)  
 LOCATION: I-80, SEWARD INTERCHANGE BRIDGE  
 COUNTIES: SEWARD

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 09, 2010. At that time the bids will be opened and read for BR GDRL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES  
 START DATE 07/05/2011 WORKING DAYS 40  
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning November 16, 2010 at the Lincoln Central Office and November 22, 2010 at the District Engineer's Office at LINCOLN  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	23 SHEETS	\$	5.75
STANDARD PLANS	2 SHEETS	\$	0.50

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
- 3 PLAN SHEET
- 4 TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
- 5 TYPICAL TRAFFIC SIGNAL CONTROL PLAN FOR NARROW BRIDGE, ONE LANE, TWO WAY OPERATION WITH BARRIERS (10')
- 6 TEMPORARY TRAFFIC SIGNAL
- 7 TEMPORARY PAVEMENT MARKING PLAN
- 8 - 14 SPECIAL PLAN 1 REMODEL BRIDGE ENDS  
STA. 15+00.00
- 15 - 21 SPECIAL PLAN 1C GUARDRAIL PLAN
- 22 - 23 SPECIAL PLAN 2C CONCRETE PROTECTION BARRIER

STANDARD PLANS

920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT STATION 15+00.00

MOBILIZATION	LUMP	LUMP
PREFORMED SILICONE JOINT, TYPE A		64 LF
47BD-4000 CONC FOR BRIDGE		60 CY
PREP BRIDGE		1 EACH
15+00.00		
EPOXY COATED RE-STEEL	7,370	LB
GRANULAR BACKFILL		35 CY

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		443 LF
REMOVE GUARDRAIL		481 LF
BRIDGE APPROACH SECTIONS		4 EACH
GUARDRAIL END TREATMENT, TYPE II		4 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	488	BDAY
BARRICADE, TYPE III	244	BDAY
SIGN DAY	3,416	EACH
TEMP PAVEMENT MARKING REMOVAL	2,400	LF
PAVEMENT MARKING REMOVAL	2,400	LF
TEMP PVMT MARKING, TYPE PAINT	2,400	LF
TEMP PVMT MARKING SURF PREP	2,400	LF
CONCRETE PROTECTION BARRIER	500	LF
RELOCATE CONC PROTECTION BARRIER	500	LF
TEMPORARY RUMBLE STRIP	4	EACH
TEMPORARY TRAFFIC SIGNAL	1	EACH
TRAFFIC CONTROL MANAGEMENT	61	DAY
MOBILIZATION	LUMP	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 130  
 STATE PROJECT NO. RD-4-7(1009)  
 LOCATION: N-4, STEINAUER-TABLE ROCK  
 COUNTIES: PAWNEE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 09, 2010. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

Length: 7.8 MILES  
 START DATE 08/01/2011 WORKING DAYS 20  
 Price Range \$250,000 to \$1,000,000

Plans and specifications may be seen beginning November 16, 2010 at the Lincoln Central Office and November 22, 2010 at the District Engineer's Office at LINCOLN  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	3 SHEETS	\$	0.75
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES  
& TYPICAL CROSS SECTIONS
- 3 TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE III	136	BDAY
TEMPORARY SIGN DAY	224	EACH
SIGN DAY	2,176	EACH
TEMPORARY BROKEN LINES	413	STA
FLAGGING	40	DAY
FURNISHING AND OPERATING PILOT VEHICLE	20	DAY
MOBILIZATION	LUMP	LUMP
CHIP SEAL AGGREGATE	1,010	CY
HOT IN-PLACE RECYCLING	412	STA
CHIP SEAL EMULSIFIED ASPHALT	40,470	GAL
EMUL ASPH FOR HOT IN-PLACE RECYCLING	28,600	GAL

NOTICE TO CONTRACTORS

CALL ORDER 135  
STATE PROJECT NO. MISC-79-2(1018)  
LOCATION: N-79, RAYMOND NORTH CULVERT  
COUNTIES: LANCASTER

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 09, 2010. At that time the bids will be opened and read for CULVERT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CULVERTS

START DATE 04/04/2011 WORKING DAYS 10  
Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning November 16, 2010 at the Lincoln Central Office and November 22, 2010 at the District Engineer's Office at LINCOLN

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	7 SHEETS	\$	1.75
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

1 TITLE PAGE  
& SUMMARY OF QUANTITIES  
2-W WETLANDS  
3 PLAN SHEET  
4 - 6 SPECIAL PLAN 1C TWIN 10 X 5 CONCRETE BOX  
CULVERT REPAIR  
REF. POST NO. 6+90  
R1 RIGHT-OF-WAY SHEET

STANDARD PLANS

920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE  
921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 4 CULVERT AT STA. 355+35

BARRICADE, TYPE II	140	BDAY
BARRICADE, TYPE III	40	BDAY
TEMPORARY SIGN DAY	70	EACH
SIGN DAY	280	EACH
FLAGGING	14	DAY
MOBILIZATION	LUMP	LUMP
ROCK RIPRAP, TYPE B	15	TON
STEEL SHEET PILING	1,010	SF

NOTICE TO CONTRACTORS

CALL ORDER 200  
 FEDERAL PROJECT NO. NH-34-7(124)  
 LOCATION: US-75/US-34, PLATTEVIEW INTERSECTION  
 COUNTIES: SARPY

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 09, 2010. At that time the bids will be opened and read for GRAD,MSE,CONC PAVE,CULV,SEED,BR,GDRL,FENCE,ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: GRADING CONCRETE PAVEMENT

Length: 2.9 MILES  
 START DATE 04/04/2011 CALENDAR DAYS 881  
 Price Range \$ 17,000,000 to \$ 25,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning November 16, 2010 at the Lincoln Central Office and November 22, 2010 at the District Engineer's Office at OMAHA

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	426	SHEETS	\$ 106.50
CROSS SECTIONS (SHEETS X1 THRU X133)	133	SHEETS	\$ 33.25
STANDARD PLANS	37	SHEETS	\$ 9.25

SHEET NO.

1	TITLE PAGE
2	INDEX OF SHEETS
2-T1 - 2-T13	TYPICAL CROSS SECTIONS
2-S1 - 2-S5	SUMMARY OF QUANTITIES
2-K1 - 2-K14	SUMMARY OF SOILS & GEOTECHNICAL INFORMATION
2-W1 - 2-W9	WETLANDS
2-W10 - 2-W13	WETLANDS--MITIGATION SITE DETAILS
2-W14	WETLANDS--CENTERLINE CONTROL PLAN
2-W15	WETLANDS--CONTROL POINT/P.I./CURVE DATA
2-W16	WETLANDS--GRADING PLAN
2-W17 - 2-W18	WETLANDS--SPOT ELEVATIONS
2-W19	WETLANDS--SHEET PILE SPLIT FLOW PLAN
2-W20	WETLANDS--SEEDING PLAN
2-W21	WETLANDS--PLANTING PLAN
2-W22	WETLANDS--TREE BERM LAYOUT PLAN
2-W23	WETLANDS--PLANTING DETAIL
2-W24 - 2-W28	WETLANDS--CROSS SECTIONS
2-H1 - 2-H12	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION--NOTES & DETAILS
2-N2	GENERAL INFORMATION--EARTHWORK SUMMARY
2-N3	GENERAL INFORMATION--SUPERELEVATION PROFILES
2-N4	GENERAL INFORMATION--DRIVEWAY SUMMARY TABLE/SCOUR-HOLE DETAIL
2-N5	GENERAL INFORMATION--DELINEATOR & CHEVRON SUMMARY TABLE
2-N6	GENERAL INFORMATION--LA PLATTE ROAD DITCH
2-N7	GENERAL INFORMATION--MILLED RUMBLE STRIPS
2-P1 - 2-P18	PHASING PLANS
2-P19 - 2-P34	PHASING PLANS--TRAFFIC CONTROL
2-P35 - 2-P39	PHASING PLANS--TEMPORARY TRAFFIC SIGNALS
2-P40 - 2-P43	PHASING PLANS--TRAFFIC CONTROL DETAILS
2-L1 - 2-L13	GEOMETRICS
2-L14 - 2-L20	JOINTS
2-L21 - 2-L23	GRADES
2-L24 - 2-L39	CONSTRUCTION, DRAINAGE, REMOVAL
2-L40 - 2-L48	EROSION CONTROL
2-L49 - 2-L53	FENCING
2-L54	ROADWAY OBLITERATION PLAN

3	PLAN & PROFILE--KEY MAP
4 - 22	PLAN & PROFILE SHEETS
23 - 36	SIGNING PLAN
37 - 42	PAVEMENT MARKING PLAN
43	PAVEMENT MARKING DETAILS
44	TEMPORARY PAVEMENT MARKING PLAN
45	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
46 - 62	ROADWAY LIGHTING PLANS
63 - 68	EARTHWORK DATA SHEETS
69 - 79	DRAINAGE STRUCTURE CROSS SECTIONS
80 - 110	SPECIAL PLAN 1 PRESTRESSED CONCRETE GIRDER BRIDGE (NU2000) STA. 5601+64.57
111 - 141	SPECIAL PLAN 2 WELDED PLATE GIRDER BRIDGE STA. 5601+64.57
142	SPECIAL PLAN 1C AREA INLET WITH BAR
143 - 144	SPECIAL PLAN 2C DOUBLE GRATE INLET STA. 5603+62.22
145	SPECIAL PLAN 3C 4-STRAND BARBED WIRE FENCE
146 - 152	SPECIAL PLAN 4C 6' X 4' SINGLE SPAN RC BOX CULVERT STA. 103+38.00
153 - 154	SPECIAL PLAN 5C 8' X 6' SINGLE SPAN RC BOX CULVERT STA. 5018+04.00
155 - 157	SPECIAL PLAN 6C 5' X 4' SINGLE SPAN RC BOX CULVERT STA. 1541+51.00 LT
158 - 159	SPECIAL PLAN 7C 8' X 6' SINGLE SPAN RC BOX CULVERT STA. 313+08.00
160 - 169	SPECIAL PLAN 8C 8' X 6' SINGLE SPAN RC BOX CULVERT STA. 1525+90.00
170	SPECIAL PLAN 9C GROUND IMPROVEMENT FOR MSE WALL
171 - 172	SPECIAL PLAN 10C MSE WALL
173 - 179	SPECIAL PLAN 11C TEMPORARY GUARDRAIL INSTALLATION
180	SPECIAL PLAN 12C PAVEMENT APPROACH REPAIR REF. POST NO. 76+98
181	SPECIAL PLAN 13C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
182 - 183	SPECIAL PLAN 14C TEMPORARY SILT CHECKS
184 - 185	SPECIAL PLAN 15C CONCRETE PROTECTION BARRIER
186 - 236	SPECIAL PLAN 16C WASTE PLACEMENT AREA
237	SPECIAL PLAN 17C INERTIAL BARRIER SYSTEM
R1 - R13	RIGHT-OF-WAY SHEETS
X1 - X133	CROSS SECTIONS

#### STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
109-R2	SUPERELEVATION PLAN FOR GRAVEL SURFACING
301-R10	(3 SHEETS) PAVEMENT DETAILS
329-R8	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
403-R2	(2 SHEETS) BENDS AND BREAKS FOR CONCRETE BOX CULVERTS
404-R3	CONTROL JOINTS FOR CONCRETE BOX CULVERTS
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
428-R3	CONCRETE PLUGS AND FIELD PIPE TAP DETAILS
443-R7	(2 SHEETS) CURB INLETS AND JUNCTION BOX
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
710-R4	(2 SHEETS) FENCE DETAILS
804	PRECAST CONCRETE R.O.W. MARKER

901-R9	HIGHWAY DELINEATORS
902	HIGHWAY DELINEATORS FOR RAMP AND GORE LOCATIONS
914-R6	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION	1,614,239	CY
WATER	4,555	MGAL
RIGHT-OF-WAY MARKERS	112	EACH
RE-ESTABLISH PROPERTY CORNER	12	EACH
RIPRAP FILTER FABRIC	371	SY
ABANDON WELLS	5	EACH
REMOVE PAVEMENT	35,223	SY
REMOVE ASPHALT SURFACE	21,743	SY
REMOVE INLET	1	EACH
REMOVE CONCRETE DITCH LINER	259	SY
REMOVE BUILDING	1	EACH
AT STA. 1526+02 LT.		
REMOVE BUILDING	1	EACH
AT STA. 1526+45 LT.		
REMOVE BUILDING	1	EACH
AT STA. 1526+56 LT.		
REMOVE BUILDING	1	EACH
AT STA. 1526+60 LT.		
REMOVE BUILDING	1	EACH
AT STA. 1526+81 - 206' LT.		
REMOVE BUILDING	1	EACH
AT STA. 1526+81 - 250' LT.		
REMOVE BUILDING	1	EACH
AT STA. 1527+56 LT.		
REMOVE BUILDING	1	EACH
AT STA. 1527+73 LT.		
REMOVE BUILDING	1	EACH
AT STA. 1527+86 LT.		
REMOVE BUILDING	1	EACH
AT STA. 1531+50 LT.		
REMOVE BUILDING	1	EACH
AT STA. 1531+80 LT.		
REMOVE BUILDING	1	EACH
AT STA. 1532+75 LT.		
REMOVE BUILDING	1	EACH
AT STA. 1534+01 LT.		
REMOVE BUILDING	1	EACH
AT STA. 1535+18 LT.		
REMOVE BUILDING	1	EACH
AT STA. 5587+34 RT.		
REMOVE BUILDING	1	EACH
AT STA. 5587+40 LT.		
REMOVE BUILDING	1	EACH
AT STA. 5587+51 RT.		
REMOVE BUILDING	1	EACH
AT STA. 5587+65 LT.		
REMOVE BUILDING	1	EACH
AT STA. 5587+95 RT.		
REMOVE BUILDING	1	EACH
AT STA. 5588+25 LT.		
REMOVE BUILDING	1	EACH
AT STA. 5588+30 RT.		

REMOVE BUILDING	1 EACH
AT STA. 5588+47 RT.	
REMOVE BUILDING	1 EACH
AT STA. 5588+85 LT.	
REMOVE BUILDING	1 EACH
AT STA. 5589+29 RT.	
CLEAR TRACT	1 EACH
AT STA. 1523+61 TO STA. 1536+90 LT.	
CLEAR TRACT	1 EACH
AT STA. 1531+36 TO STA. 1532+14 LT.	
CLEAR TRACT	1 EACH
AT STA. 1532+14 TO STA. 1536+90 LT.	
CLEAR TRACT	1 EACH
AT STA. 1532+17 TO STA. 1534+38 RT.	
CLEAR TRACT	1 EACH
AT STA. 5586+75 TO STA. 5589+75 LT. & RT	
REMOVE AND RESET HISTORICAL MARKER	1 EACH
24" DRIVE PIPE 2,3,4,5,6,7 OR 8	331 LF
36" DRIVE PIPE 2,3,4,5,6,7 OR 8	116 LF
36" DRIVE PIPE 2	60 LF
ROCK CROSS VANE STRUCTURE	7 EACH
BANK STABILIZATION	812 LF
INTERLOCKING CONCRETE PAVER BLOCK	9,486 SF
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	25 CY
47B-3000 CONC FOR INLET & JUNCTION BOXES	7 CY
RE-STEEL FOR INLET & JCT BOX	526 LB
15" FLARED-END SECTION	1 EACH
18" FLARED-END SECTION	2 EACH
24" FLARED-END SECTION	2 EACH
36" FLARED-END SECTION	2 EACH
18" METAL FLARED-END SECTION	3 EACH
CULVERT SANDFILL	5 CY
WICK DRAIN	227,869 LF
ROCK RIPRAP, TYPE B	87 TON
ROCK RIPRAP, TYPE C	441 TON
STEEL SHEET PILING	228 SF
REMOVE SIGN	2 EACH
REMOVE SIGN, POST, AND FOOTING	14 EACH
GRANULAR FILL	14,649 CY
SAND BLANKET	13,358 CY
COVER CROP SEEDING	148 ACRE
TEMPORARY SEEDING	1 ACRE
EROSION CONTROL, CLASS 1C	33,448 SY
EROSION CONTROL, CLASS 1D	67,859 SY
EROSION CONTROL, CLASS 1E	6,764 SY
EROSION CONTROL, CLASS 2A	6,491 SY
EROSION CONTROL, CLASS 2B	7,586 SY
EROSION CONTROL, CLASS 2C	2,578 SY
EROSION CHECKS, TYPE 1D	438 BALE
EROSION CHECKS, TYPE 1E	256 BALE
EROSION CHECKS, TYPE 2A	308 BALE
EROSION CHECKS, TYPE 2B	630 BALE
EROSION CHECKS, TYPE 2C	138 BALE
EROSION CHECKS, TYPE WATTLE	8,988 LF
EROSION CHECKS, TYPE LOW PROFILE	654 LF
FABRIC SILT FENCE-LOW POROSITY	18,460 LF
18" CULV PIPE 5	232 LF
18" CULV PIPE 2,5	78 LF
18" CULV PIPE 2,7,8	71 LF
15" CULV PIPE 2,5,7,8	56 LF
18" CULV PIPE 2,5,7,8	88 LF
24" CULV PIPE 2,5,7,8	41 LF
18" STORM SEWER PIPE 1,7,8	96 LF
18" STORM SEWER PIPE 3,4,5 OR 6	59 LF

GROUP 1A MSE WALL

MOBILIZATION	LUMP	LUMP
CONCRETE FACE PANELS	13,720	SF
CONCRETE LEVELING PADS	685	LF
COPING	700	LF
24" CORRUGATED METAL PIPE	1,782	LF
24" METAL FLARED-END SECTION	2	EACH
SELECT GRANULAR BACKFILL FOR MSE WALL	10,500	CY
INTERMEDIATE FOUNDATION IMPROVEMENTS	LUMP	LUMP
INTERM FOUND IMPROVEMENTS VERIFY TESTING	LUMP	LUMP
24" STORM SEWER PIPE 3,4 OR 5	340	LF

GROUP 1B MSE WALL

MOBILIZATION	LUMP	LUMP
CONCRETE FACE PANELS	14,820	SF
CONCRETE LEVELING PADS	711	LF
COPING	728	LF
24" CORRUGATED METAL PIPE	1,743	LF
24" METAL FLARED-END SECTION	2	EACH
SELECT GRANULAR BACKFILL FOR MSE WALL	12,700	CY
INTERMEDIATE FOUNDATION IMPROVEMENTS	LUMP	LUMP
INTERM FOUND IMPROVEMENTS VERIFY TESTING	LUMP	LUMP
24" STORM SEWER PIPE 3,4 OR 5	353	LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE I	88	EACH
INSTALL CHEVRONS	8	EACH
CRUSHED ROCK EMBEDMENT	1,805	SY
CRUSHED ROCK SURFACE COURSE	196	TON
CONC 47B-3000 SIDEWALKS	268	SY
CONC 47B-3000 MEDIAN SURFACING	1,604	SY
CONC PVMT REPAIR TYPE A FULL DEPTH	7	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	171	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	471	CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH	2	CY
9" CONC PVMT, 47B-3500	6,231	SY
9" DOWELED CONC PVMT, 47B-3500	6,398	SY
10" CONC PVMT, 47B-3500	697	SY
10" DOWELED CONC PVMT, 47B-3500	60,026	SY
TEMPORARY SURFACING	8,269	SY
10"		
CONC PVMT, PR-3500	128	CY
JOINT REPAIR		
CONC SMOOTHNESS TESTING	LUMP	LUMP
BRIDGE APPROACH REPAIR	20	CY
TYPE A SIGN	142	SF
TYPE B SIGN	152	SF
STRUC STEEL FOR SIGN SUPPORTS	1,387	LB
24" SIGN SUPPORT FOOTING	8	EACH
ARROW POLYUREA PVMT MRKING, GROOVED	8	EACH
ONLY POLYUREA PVMT MRKING, GROOVED	3	EACH
5" WHT WET RFLC POLY PVMT MRKING, GVD	44,500	LF
12" WHT WET RFLC POLY PVMT MRKING, GVD	2,750	LF
12" YEL WET RFLC POLY PVMT MRKING, GVD	1,200	LF
5" YEL WET RFLC POLY PVMT MRKING, GVD	33,750	LF
HYDRATED LIME FOR ASPHALT MIXTURES	93	TON
FOUNDATION COURSE REPLACEMENT	57	CY
FOUNDATION COURSE	109,626	SY
4"		
GRANULAR SUBDRAIN	100	EACH
STABILIZED SUBGRADE	109,626	SY
TYPE FLY ASH		

ASPH CONCRETE FOR PATCHING, TYPE SP4(0.5)	200 TON
ASPH CONC, TYPE SPS	840 TON
ASPH CONC, TYPE SP4(0.5)	2,070 TON
ASPH CONC, TYPE SP5(0.5)	7,060 TON
SURFACING 6"	11,683 SY
SURFACING 10"	28,493 SY
PERF GRADED BINDER (70-28)	353 TON
PERF GRADED BINDER (64-28)	113 TON
PERF GRADED BINDER (52-34)	42 TON
CONSTRUCTING ASPH CONC CURB	399 LF
TACK COAT	11,036 GAL
WATER	475 MGAL
EARTH SHOULDER CONSTRUCTION	489 STA
SUBGRADE PREPARATION	7,966 SY
COLD MILLING, CLASS 3	16,415 SY
COLD MILLING, CLASS 3 TYPE A	2,170 SY
MILLING CONC FOR INLAYS	5 EACH
RUMBLE STRIPS, ASPHALT	140 STA
RUMBLE STRIPS, CONCRETE	144 STA
FLY ASH	3,618 TON
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP

#### GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE INLET		2 EACH
CAST IRON COVER & FRAME		250 LB
CAST IRON GRATE & FRAME	1,548	LB
REMOVE FLARED- END SECTION		1 EACH
REMOVE HEADWALLS FROM CULV		5 EACH
REMOVE STRUCTURE		1 EACH
AT STA. 1525+95		
REMOVE STRUCTURE		1 EACH
AT STA. 1541+53		
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	2,187	CY
EXCAVATION FOR BOX CULVERTS	7,957	CY
47B-3000 CONC FOR BOX CULV		906 CY
47B-3000 CONC FOR INLET & JUNCTION BOXES		12 CY
RE-STEEL FOR BOX CULVERT	96,637	LB
RE-STEEL FOR INLET & JCT BOX		860 LB
24" FLARED-END SECTION		8 EACH
18" METAL FLARED-END SECTION		1 EACH
24" METAL FLARED-END SECTION		4 EACH
54" METAL FLARED-END SECTION		6 EACH
24" RND EQUIV CONCRETE FES		2 EACH
36" RND EQUIV CONCRETE FES		4 EACH
AREA INLET SEDIMENT FILTER		10 EACH
CURB INLET SEDIMENT FILTER		2 EACH
24" RD EQUIV CULV PIPE 2		45 LF
36" RD EQUIV CULV PIPE 2		90 LF
24" CULV PIPE 5		360 LF
54" CULV PIPE 5		562 LF
30" CULV PIPE 3,4,5		308 LF
48" CULV PIPE 3,4,5		399 LF
60" CULV PIPE 3,4,5		202 LF
24" CULV PIPE 2,5,7,8		52 LF
24" CULV PIPE 2,3,5,7,8		66 LF
18" STORM SEWER PIPE 1,7,8		81 LF
18" STORM SEWER PIPE 3,4,5 OR 6		142 LF
18" RND EQ STORM SEWER PIPE 1		94 LF

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE A		64 ACRE
SEEDING, TYPE B		8 ACRE
SEEDING, TYPE C		7 ACRE
SEEDING, TYPE WETLAND-HIGH		4 ACRE
SEEDING, TYPE WETLAND-LOW		1 ACRE
MULCH		162 TON
HYDROMULCH		10 TON
WETLAND TREE		100 EACH

GROUP 6 BRIDGE AT STA. 5601+64.57

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		419 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		72,065 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PRECOMPRESSED POLY FOAM JOINT, TYPE B		191 LF
FIXED BEARING		18 EACH
47B-3000 CONC FOR BRIDGE		629 CY
47BD-4000 CONC FOR BRIDGE		909 CY
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
5601+64.57		
STRUC STEEL FOR SUBSTRUCTURE		11,405 LB
CONCRETE SLOPE PROTECTION		67 SY
EPOXY COATED RE-STEEL		311,640 LB
SUBSURFACE DRAINAGE MATTING		214 SY
HP 12"X53# STEEL PILING		8,005 LF
TEST PILE		3 EACH
7' PEDESTRIAN RAIL (CHAIN LINK TYPE)		422 LF
GRANULAR BACKFILL		1,275 CY

GROUP 6A BRIDGE AT STA. 5601+64.57

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		419 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		72,065 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PRECOMPRESSED POLY FOAM JOINT, TYPE B		191 LF
FIXED BEARING		9 EACH
47B-3000 CONC FOR BRIDGE		545 CY
47BD-4000 CONC FOR BRIDGE		813 CY
STEEL SUPERSTRUCTURE	LUMP	LUMP
5601+64.57		
STRUC STEEL FOR SUBSTRUCTURE		4,775 LB
CONCRETE SLOPE PROTECTION		66 SY
EPOXY COATED RE-STEEL		265,975 LB
SUBSURFACE DRAINAGE MATTING		156 SY
HP 12"X53# STEEL PILING		7,200 LF
TEST PILE		3 EACH
7' PEDESTRIAN RAIL (CHAIN LINK TYPE)		422 LF
GRANULAR BACKFILL		1,005 CY

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		250 LF
BRIDGE APPROACH SECTIONS		2 EACH
GUARDRAIL END TREATMENT, TYPE I		2 EACH

GROUP 7B FENCE

MOBILIZATION	LUMP	LUMP
END POSTS		4 EACH
PULL POSTS		4 EACH
CORNER POSTS		2 EACH
5' CHAIN-LINK FENCE	9,382	LF
PRIV FENCE TERM-5' CH-LNK FENCE		2 EACH
CHNNL CRSS,TYPE A, 5' CH-LNK FENCE		1 EACH
END POST FOR 5' CH-LINK FENCE		14 EACH
CORNER POST FOR 5' CH-LNK FENCE		20 EACH
PULL POST FOR 5' CH-LNK FENCE		17 EACH
DRAIN STRUC TERM FOR 5' C-LNK FENCE		2 EACH
BARBED WIRE FENCE	2,026	LF

GROUP 8B ELECTRICAL

TEMPORARY TRAFFIC SIGNAL AT PFLUG ROAD & US-75		1 EACH
TEMPORARY TRAFFIC SIGNAL AT HAUL ROAD & US-75		1 EACH
TEMPORARY TRAFFIC SIGNAL AT NORMANDY BOULEVARD & US-75		1 EACH
TEMPORARY TRAFFIC SIGNAL AT US-34 & US-75		1 EACH
MOBILIZATION	LUMP	LUMP
PULL BOX, TYPE PB-5		12 EACH
ST LIGHT UNIT, SL-BT-40-15-0.20		20 EACH
ST LIGHT UNIT SL-BT-40-12-0.20		22 EACH
LIGHTING CONTROL CENTER, R-3		4 EACH
1 1/2" CONDUIT IN TRENCH	3,986	LF
1 1/2" CONDUIT UNDER ROADWAY	1,138	LF
STREET LIGHT CABLE, NO. 6 BARE	5,124	LF
STREET LIGHT CABLE, NO. 6 USE	10,248	LF
DIRECT BURIAL CABLE, NO. 8 USE	2,794	LF
REMOVE TRAFFIC SIGNAL AT PFLUG ROAD & US-75		1 EACH
REMOVE TRAFFIC SIGNAL AT NORMANDY BOULEVARD & US-75		1 EACH
TEMP LIGHTING SYSTEM, TYPE II AT STA. 1465+00		1 EACH
TEMP LIGHTING SYSTEM, TYPE II AT STA. 1580+00		1 EACH
OPER & MAINT OF TEMP LIGHT SYSTEM, TYPE II AT STA. 1465+00		665 DAY
OPER & MAINT OF TEMP LIGHT SYSTEM, TYPE II AT STA. 1580+00		665 DAY

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	138,400	BDAY
BARRICADE, TYPE III	23,793	BDAY
TEMPORARY SIGN DAY	840	EACH
SIGN DAY	76,143	EACH
CONTRACTOR FURNISHED SIGN DAY	9,998	EACH
TEMP PAVEMENT MARKING REMOVAL	107,367	LF
TEMP PVMT MARKING, TYPE PAINT	107,367	LF
TUBULAR POST	330	EACH
CHANNELIZING BLOCK	600	EACH
FLASHING ARROW PANEL	1,606	DAY
FLAGGING	100	DAY
CONCRETE PROTECTION BARRIER	4,312	LF
INSTALL CONC PROTECT BARRIER	1,130	LF
INERTIAL BARRIER SYSTEM	3	EACH
TRAFFIC CONTROL MANAGEMENT	655	DAY
TRAINING	6,000	HOUR
MOBILIZATION	LUMP	LUMP

RENTAL OF LOADER, FULLY OPERATED	215 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	10 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	215 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	215 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	205 HOUR
CONTOUR CULTIVATION OF BACKSLOPES	5,000 LF
TEMPORARY SILT CHECK	1,000 LF
TEMPORARY SILT FENCE	2,000 LF
TEMPORARY EARTH CHECK	1,000 LF
TEMPORARY MULCH	10 TON

NOTICE TO CONTRACTORS

CALL ORDER 205  
 FEDERAL PROJECT NO. ENH-28(89)  
 LOCATION: MISSOURI RIVER TRAIL - PHASE 2  
 COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids for the PAPIO-MISSOURI RIVER NATURAL Resource District in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on December 09, 2010. At that time the bids will be opened and read for GR WALL CONC PAVE CULV LS BR FENCE

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES

Length: 1.5 MILES  
 START DATE 04/04/2011 WORKING DAYS 200  
 Price Range \$ 2,000,000 to \$ 4,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning November 16, 2010 at the Lincoln Central Office and November 22, 2010 at the District Engineer's Office at OMAHA  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	132	SHEETS	\$ 33.00
CROSS SECTIONS (SHEETS X1 THRU X52)	52	SHEETS	\$ 13.00
STANDARD PLANS	21	SHEETS	\$ 5.25

SHEET NO.

1	TITLE PAGE
2-S1 - 2-S2	SUMMARY OF QUANTITIES
3	COVER SHEET
4	GENERAL NOTES
5 - 7	TYPICAL SECTIONS
8 - 11	MISCELLANEOUS DETAILS
12 - 15	SIGN DETAILS
16	HORIZONTAL ALIGNMENT DATA
17 - 32	TRAIL PLAN & PROFILE SHEETS
33 - 34	DUDA DRIVE PLAN & PROFILE SHEETS
35 - 37	ENTRANCE PLAN & PROFILE SHEETS
38 - 39	PLANTING PLANS
40 - 41	STORM SEWER PROFILE
41A	STORM SEWER PROFILE (ADDED SHEET)
42 - 44	CULVERT CROSS SECTIONS
45 - 47	RETAINING WALLS
48	STRUCTURAL GENERAL NOTES & QUANTITIES
49 - 59	IT-800 PRESTRESSED GIRDER BRIDGE AT STA. 218+88
60 - 70	IT-800 PRESTRESSED GIRDER BRIDGE AT STA. 220+93
71 - 81	IT-400 PRESTRESSED GIRDER BRIDGE AT STA. 223+08
82 - 93	IT-500 PRESTRESSED GIRDER BRIDGE AT STA. 230+92
94 - 105	IT-500 PRESTRESSED GIRDER BRIDGE AT STA. 232+14
106 - 116	IT-800 PRESTRESSED GIRDER BRIDGE AT STA. 235+01
117 - 121	STORM WATER POLLUTION PREVENTION PLANS
122 - 123	SPECIAL PLAN 1C GUARDRAIL HARDWARE DETAILS
124 - 125	SPECIAL PLAN 2C TRAFFIC CONTROL DETAILS (ADDED SHEETS)
126 - 127	SPECIAL PLAN 3C CONCRETE PROTECTION BARRIER (ADDED SHEETS)
R1 - R3	RIGHT-OF-WAY STRIP MAP
X1 - X46	CROSS SECTIONS
X47 - X52	DUDA'S DRIVEWAY CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS)	PAVEMENT DETAILS
410-R3	(2 SHEETS)	FLARED END SECTIONS FOR CULVERT PIPES
425-R4		COLLARS AND ELBOWS FOR CONCRETE PIPES
435-R1	(3 SHEETS)	MANHOLE
443-R7	(2 SHEETS)	CURB INLETS AND JUNCTION BOX
501-R5	(3 SHEETS)	EROSION CONTROL
502		SILT FENCE DETAILS
710-R4	(2 SHEETS)	FENCE DETAILS
920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		2 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		123 MGAL
EARTHWORK MEASURED IN EMBANKMENT		12,314 CY
FURNISHING AND PLACING TOPSOIL		10,758 SY
REMOVE PAVEMENT		1,326 SY
SAWING PAVEMENT		4,815 LF
18" DRIVE PIPE, TYPE 3,4 OR 5		70 LF
REMOVE HEADWALLS FROM CULV		2 EACH
18" METAL FLARED-END SECTION		2 EACH
EROSION CONTROL, CLASS 1C		11,241 SY
WITH SEED TYPE "A"		
EROSION CONTROL, CLASS 1F		11,435 SY
WITH SEED TYPE "A"		
EROSION CONTROL, CLASS 1C		670 SY
WITH SEED TYPE "C"		
EROSION CONTROL, CLASS 2A		270 SY
EROSION CONTROL, CLASS 2C		934 SY
FABRIC SILT FENCE-LOW POROSITY		9,570 LF

GROUP 1A WALL

MOBILIZATION	LUMP	LUMP
MODULAR BLOCK WALL		12,706 SF
LEVELING PAD		1,845 LF
CURB AND GUTTER RETAINING WALL CAP		478 LF
PEDESTRIAN HANDRAIL		3,127 LF
SEL GRAN BFILL RETAINED EARTH STR		2,575 CY

GROUP 3 CONCRETE PAVEMENT

OVERLAY BROKEN LINES		10 STA
OVERLAY SOLID LINES		20 STA
PERMANENT PAVEMENT MARKING PAINT		3,003 LF
MOBILIZATION	LUMP	LUMP
CRUSHED ROCK SURFACE COURSE		333 CY
REMOVE AND RESET MAILBOX		2 EACH
CONCRETE REST STOP		3 EACH
COMB CONC 47B-3500 CURB & GUTTER		3,345 LF
6" CONCRETE CLASS 47B-3500 BIKEWAY		8,864 SY
CONC CLASS 47B-3500 DRIVEWAY 8"		300 SY
CONC 47B-3500 DRIVEWAY		713 SY
6'		
W-BEAM GUARDRAIL		225 LF
SIGN		1 EACH
TYPE A		

SIGN	6 EACH
TYPE B	
SIGN	26 EACH
TYPE C	
TRAIL MILEAGE MARKER	15 EACH
REMOVE SIGN AND POST	2 EACH
RELOCATE SIGN	9 EACH
ASPHALTIC CONCRETE	376 TON
SURFACE COURSE, TYPE CMR	
ASPH CONC, TYPE BASE	124 TON
PERF GRADED BINDER (64-22)	6 TON
PERF GRADED BINDER (70-28)	18 TON
PREP OF INTER & DRIVE	2,995 SY
WATER	61 MGAL
EARTH SHOULDER CONSTRUCTION	101 STA
SUBGRADE PREPARATION	8,774 SY
COLD MILLING, CLASS 3	14 STA

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
RIPRAP FILTER FABRIC		162 SY
CAST IRON COVER & FRAME	2,345 LB	
MANHOLE		1 EACH
AT STA. 211+30.27 3.78' RT.		
MANHOLE		1 EACH
AT STA. 237+50.29 3.18' RT.		
MANHOLE		1 EACH
AT STA. 248+28.85, 13' LT.		
REMOVE HEADWALLS FROM CULV		1 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		35 CY
47B-3000 CONC FOR INLET & JUNCTION BOXES		37 CY
RE-STEEL FOR INLET & JCT BOX	2,353 LB	
15" METAL FLARED-END SECTION		2 EACH
18" METAL FLARED-END SECTION		9 EACH
24" METAL FLARED-END SECTION		1 EACH
30" METAL FLARED-END SECTION		1 EACH
36" METAL FLARED-END SECTION		1 EACH
15" RND EQUIV MTL PIPE FES		4 EACH
18" RND EQUIV MTL PIPE FES		4 EACH
18" CONCRETE FLARED-END SECTION		1 EACH
ROCK RIPRAP, TYPE B	200 TON	
15" CULV PIPE 3,4,5		12 LF
18" CULV PIPE 3,4,5		112 LF
24" CULV PIPE 3,4,5		29 LF
15" RND EQ CULV PIPE 3,4,5		22 LF
18" RND EQ CULV PIPE 3,4,5		48 LF
18" STORM SEWER PIPE 1	1,464 LF	
24" STORM SEWER PIPE 1		756 LF
18" STORM SEWER PIPE 3,4 OR 5		42 LF
30" STORM SEWER PIPE 3,4 OR 5		52 LF
36" STORM SEWER PIPE 3,4 OR 5		149 LF

GROUP 5 LANDSCAPING

MOBILIZATION	LUMP	LUMP
DEER PROTECTION FENCE	2,310 LF	
WILDFLOWER PLUG		504 EACH
RAIN GARDEN PREPARATION	1,060 SY	
BLACKHILLS SPRUCE 5' C.G.		15 EACH
COLORADO GREEN SPRUCE, 5' C.G.		6 EACH
LIMBER PINE 5' C.G.		12 EACH
BOSNIAN PINE 5' C.G.		12 EACH
DOUGLAS FIR, 5' C.G.		10 EACH
PRAIRIE PRIDE HACKBERRY 1 1/2" CAL C.G.		4 EACH
SKYLINE HONEYLOCUST 1 1/2" CAL C.G.		5 EACH

KENTUCKY COFFEETREE 1 1/2" CAL. C.G.	3	EACH
AMERICAN SYCAMORE 1 1/2" CAL C.G.	3	EACH
SWAMP WHITE OAK 1 1/2" CAL C.G.	7	EACH

GROUP 6 BRIDGE

MOBILIZATION	LUMP	LUMP
EXCAVATION	1,000	CY
FOR ABUTMENT		
ELASTOMERIC BEARING	96	EACH
47B-3000 CONC FOR BRIDGE	131	CY
47BD-4000 CONC FOR BRIDGE	227	CY
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
AT STA. 218+88		
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
AT STA. 220+93		
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
AT STA. 223+08		
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
AT STA. 230+92		
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
AT STA. 232+14		
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
AT STA. 235+01		
EPOXY COATED RE-STEEL	65,708	LB
DRILLED SHAFT	1,664	LF
STEEL SHEET PILING	3,627	SF
PEDESTRIAN RAILING (CHAIN LINK-VINYL)	472	LF
2'		
STRIP SEALS	478	LF
GRANULAR BACKFILL	124	CY

GROUP 7A FENCE

MOBILIZATION	LUMP	LUMP
REMOVE FENCE	924	LF
REMOVE	683	LF
AND REPLACE FENCE		
RIGHT-OF-WAY FENCE	3,892	LF

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	10,000	B DAY
BARRICADE, TYPE III	1,900	B DAY
TEMPORARY SIGN DAY	360	EACH
SIGN DAY	13,300	EACH
FLAGGING	210	DAY
CONCRETE PROTECTION BARRIER	1,400	LF
TEMPORARY TRAFFIC SIGNAL	1	EACH
AT STA. 221+00		
TEMPORARY TRAFFIC SIGNAL	1	EACH
AT STA. 233+00		
FIELD OFFICE	1	EACH
TRAINING	500	HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	100	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	100	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	100	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	100	HOUR

NOTICE TO CONTRACTORS

CALL ORDER 300  
FEDERAL PROJECT NO. ENH-22(29)  
LOCATION: DAKOTA CITY DEPOT RESTORATION-PHASE 2  
COUNTIES: DAKOTA

The Nebraska Department of Roads will receive sealed bids for the CITY OF DAKOTA CITY in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on December 09, 2010. At that time the bids will be opened and read for BLDG

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BUILDING CONSTRUCTION  
START DATE 06/06/2011 CALENDAR DAYS 153  
Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning November 16, 2010 at the Lincoln Central Office and November 22, 2010 at the District Engineer's Office at NORFOLK  
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS	7 SHEETS	\$	1.75

SHEET NO.

- 1 TITLE PAGE  
& SUMMARY OF QUANTITIES
- 2 COVER SHEET, SITE PLAN, & VICINITY MAP
- 3 DEMOLITION PLAN, FLOOR PLAN, WALL & FLOOR  
REPAIR PLAN, SCHEDULES
- 4 SECTIONS, ELEVATIONS, & DETAILS
- 5 ELECTRICAL PLAN
- 6 PLUMBING PLANS
- 7 HVAC PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8A BUILDING CONSTRUCTION

MOBILIZATION	LUMP	LUMP
GENERAL CONSTRUCTION	LUMP	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 400  
 FEDERAL PROJECT NO. STP-92-4(111)  
 LOCATION: N-92, WEST OF ST. PAUL  
 COUNTIES: HOWARD

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 09, 2010. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 5.8 MILES  
 START DATE 07/25/2011 WORKING DAYS 55  
 Price Range \$ 1,000,000 to \$ 3,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning November 16, 2010 at the Lincoln Central Office and November 22, 2010 at the District Engineer's Office at GRAND ISLAND  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	10	SHEETS	\$	2.50
STANDARD PLANS	7	SHEETS	\$	1.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T3	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-N1 - 2-N2	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3	TEMPORARY PAVEMENT MARKING PLAN
4	TYPICAL PAVEMENT MARKING PLAN--RURAL LEFT TURN BAYS
5	PAVEMENT MARKING DETAILS

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS)	TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	28,960	B DAY
BARRICADE, TYPE III	388	B DAY
TEMPORARY SIGN DAY	960	EACH
SIGN DAY	5,334	EACH
OVERLAY BROKEN LINES	923	STA
OVERLAY SOLID LINES	1,847	STA
FLAGGING	920	DAY
FURNISHING AND OPERATING PILOT VEHICLE	65	DAY
MOBILIZATION	LUMP	LUMP
CONC PVMT REPAIR TYPE A FULL DEPTH	1	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	149	CY
24" WHT WET RFLC PRF PVMT MKNG T4 GVD	72	LF
RR XING SYMBOL PREF PVMT MRKING T-4 GRVD	2	EACH
HYDRATED LIME FOR ASPHALT MIXTURES	190	TON
FOUNDATION COURSE REPLACEMENT	6	CY
ASPH CONC, TYPE SPS	7,510	TON
ASPH CONC, TYPE SP4 SPECIAL(0.5)	9,210	TON

ASPH CONC, TYPE SPR	9,340 TON
ASPH CONCRETE FOR PATCHING, TYPE SPR	500 TON
ASPH CONCRETE FOR PATCHING, TYPE SPS	500 TON
PERF GRADED BINDER (52-34)	304 TON
PERF GRADED BINDER (64-34)	816 TON
TACK COAT	27,370 GAL
RENTAL OF LOADER, FULLY OPERATED	100 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	100 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	100 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	100 HOUR
COLD MILLING, CLASS 3	320 STA
COLD MILLING, CLASS 3	615 STA
TYPE 'A'	
RUMBLE STRIPS, ASPHALT	615 STA
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP

NOTICE TO CONTRACTORS

CALL ORDER 405  
FEDERAL PROJECT NO. ENH-30(13)  
LOCATION: GENEVA WARNER FILLING STATION TOURISM CENTER  
COUNTIES: FILLMORE

The Nebraska Department of Roads will receive sealed bids for the CITY OF GENEVA in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on December 09, 2010. At that time the bids will be opened and read for BLDG

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BUILDING CONSTRUCTION  
START DATE 05/02/2011 CALENDAR DAYS 181  
Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning November 16, 2010 at the Lincoln Central Office and November 22, 2010 at the District Engineer's Office at GRAND ISLAND  
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS	17 SHEETS	\$	4.25

SHEET NO.

- 1 TITLE PAGE  
& SUMMARY OF QUANTITIES
- 2 SYMBOLS & LOCATION MAP
- 3 EXISTING SITE PLAN & UTILITIES
- 4 PROPOSED SITE PLAN & UTILITIES
- 5 DEMOLITION PLAN, FLOOR PLAN, & DETAILS
- 6 EXTERIOR ELEVATIONS--EXISTING
- 7 EXTERIOR ELEVATIONS--PROPOSED
- 8 BUILDING SECTION & DETAILS
- 9 BUILDING SECTION
- 10 PHOTOGRAPHIC DETAILS
- 11 WINDOW DETAILS
- 12 SITE PLAN--MECHANICAL & ELECTRICAL
- 13 FLOOR PLAN--DEMOLITION & MECHANICAL
- 14 FLOOR PLAN--HVAC
- 15 DETAILS, SCHEDULES, & SPECIFICATIONS
- 16 FLOOR PLAN--LIGHTING & ELECTRICAL
- 17 SYMBOLS & SPECIFICATIONS

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8A BUILDING CONSTRUCTION

BARRICADE, TYPE III		240	BDAY
MOBILIZATION	LUMP		LUMP
GENERAL CONSTRUCTION	LUMP		LUMP
FOR HISTORICAL BUILDING			

NOTICE TO CONTRACTORS

CALL ORDER 410  
 FEDERAL PROJECT NO. STP-92-4(109)  
 LOCATION: N-92, EAST OF S. JCT. N-58  
 COUNTIES: SHERMAN

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 09, 2010. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 13.8 MILES  
 START DATE 08/01/2011 WORKING DAYS 50  
 Price Range \$ 1,000,000 to \$ 3,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning November 16, 2010 at the Lincoln Central Office and November 22, 2010 at the District Engineer's Office at GRAND ISLAND  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	8 SHEETS	\$	2.00
STANDARD PLANS	7 SHEETS	\$	1.75

SHEET NO.

- 1 TITLE PAGE
- 2-T TYPICAL CROSS SECTIONS
- 2-S SUMMARY OF QUANTITIES
- 3 TEMPORARY PAVEMENT MARKING PLAN
- 4 PAVEMENT MARKING PLAN
- 5 PAVEMENT MARKING DETAILS
- 6 TYPICAL PAVEMENT MARKING PLAN--RURAL LEFT TURN BAYS
- 7 TYPICAL PAVEMENT MARKING PLAN--4" PAVEMENT MARKING

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
- 924 (3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	15,750	BDAY
BARRICADE, TYPE III	810	BDAY
TEMPORARY SIGN DAY	700	EACH
SIGN DAY	15,444	EACH
OVERLAY BROKEN LINES	1,489	STA
OVERLAY SOLID LINES	2,913	STA
FLAGGING	100	DAY
FURNISHING AND OPERATING PILOT VEHICLE	45	DAY
MOBILIZATION	LUMP	LUMP
REMOVE CURB	1,936	LF
REMOVE CONCRETE MEDIAN SURFACING	487	SY
REMOVE ISLAND NOSE	2	EACH
MEMBRANE WATERPROOFING	857	SY
4" YEL WET RFLC PRF PVMT MKNG T4 GVD	3,650	LF
12" YEL WET RFLC PRF PVMT MKNG T4 GVD	150	LF
ARROW, WET RFLC PRF PVMT MKNG, T 4 GVD	6	EACH

HYDRATED LIME FOR ASPHALT MIXTURES	256 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	5 TON
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	500 TON
ASPH CONCRETE FOR PATCHING, TYPE SPR	2,000 TON
ASPH CONC, TYPE SPR	23,630 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	19 TON
PERF GRADED BINDER (64-34)	973 TON
TACK COAT	30,280 GAL
RENTAL OF LOADER, FULLY OPERATED	240 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	240 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	240 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	240 HOUR
WATER	2 MGAL
SUBGRADE PREPARATION	728 SY
COLD MILLING, CLASS 3	748 STA
COLD MILLING, CLASS 5	748 STA
COLD MILLING, CLASS 4	857 SY
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP

NOTICE TO CONTRACTORS

CALL ORDER 500  
 STATE PROJECT NO. RD-30-1(1031)  
 LOCATION: US-385/US-30, LODGEPOLE-CHAPPELL  
 COUNTIES: CHEYENNE DEUEL

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 09, 2010. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 10.5 MILES  
 START DATE 08/01/2011 WORKING DAYS 50  
 Price Range \$ 500,000 to \$ 2,000,000

Plans and specifications may be seen beginning November 16, 2010 at the Lincoln Central Office and November 22, 2010 at the District Engineer's Office at GERING  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	7 SHEETS	\$	1.75
STANDARD PLANS	7 SHEETS	\$	1.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T4	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
3	TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS)	TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	32,280	B DAY
BARRICADE, TYPE III	360	B DAY
TEMPORARY SIGN DAY	1,036	EACH
SIGN DAY	8,100	EACH
OVERLAY BROKEN LINES	1,069	STA
OVERLAY SOLID LINES	2,069	STA
FLAGGING	112	DAY
FURNISHING AND OPERATING PILOT VEHICLE	56	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
CONCRETE CURB REPAIR	65	LF
CONC PVMT REPAIR TYPE A FULL DEPTH	2	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	53	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	77	CY
HYDRATED LIME FOR ASPHALT MIXTURES	174	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	5	TON
FOUNDATION COURSE REPLACEMENT	4	CY
BIT FOUNDATION COURSE 5.5"	21,355	SY
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	500	TON
ASPH CONC, TYPE SPR	16,900	TON
ASPH CONCRETE FOR PATCHING, TYPE SPR	500	TON
PERF GRAD BIND (64-34) FOR ST MAINT PATCH	19	TON
PERF GRADED BINDER (64-34)	661	TON

TACK COAT	28,580 GAL	
RENTAL OF LOADER, FULLY OPERATED	60 HOUR	
RENTAL OF MOTOR GRADER, FULLY OPERATED	60 HOUR	
RENTAL OF DUMP TRUCK, FULLY OPERATED	60 HOUR	
RENTAL OF SKID LOADER, FULLY OPERATED	60 HOUR	
WATER	240 MGAL	
EARTH SHOULDER CONSTRUCTION	961 STA	
TRENCHED WIDENING	961 STA	
COLD MILLING, CLASS 3	502 STA	
COLD MILLING, CLASS 3	35,203 SY	
TYPE A		
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B		13 ACRE
MULCH		30 TON

NOTICE TO CONTRACTORS

CALL ORDER 505  
STATE PROJECT NO. RD-92-1(1022)  
LOCATION: N-92, MITCHELL ROAD EAST  
COUNTIES: SCOTTS BLUFF

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 09, 2010. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

Length: 4.2 MILES  
START DATE 09/12/2011 WORKING DAYS 10  
Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning November 16, 2010 at the Lincoln Central Office and November 22, 2010 at the District Engineer's Office at GERING. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	3 SHEETS	\$	0.75
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

1	TITLE PAGE
2-S	SUMMARY OF QUANTITIES & TYPICAL CROSS SECTION
3	TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE III	80	BDAY
TEMPORARY SIGN DAY	140	EACH
SIGN DAY	960	EACH
OVERLAY BROKEN LINES	219	STA
OVERLAY SOLID LINES	438	STA
FLAGGING	20	DAY
FURNISHING AND OPERATING PILOT VEHICLE	10	DAY
MOBILIZATION	LUMP	LUMP
HOT IN-PLACE RECYCLING	219	STA
EMUL ASPH FOR HOT IN-PLACE RECYCLING	17,770	GAL

NOTICE TO CONTRACTORS

CALL ORDER 510  
STATE PROJECT NO. RD-26-1(1061)  
LOCATION: US-26, MITCHELL-SCOTTSBLUFF  
COUNTIES: SCOTTS BLUFF

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 09, 2010. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

Length: 7.0 MILES  
START DATE 10/03/2011 WORKING DAYS 30  
Price Range \$0 to \$500,000

Plans and specifications may be seen beginning November 16, 2010 at the Lincoln Central Office and November 22, 2010 at the District Engineer's Office at GERING. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	5 SHEETS	\$	1.25
STANDARD PLANS	5 SHEETS	\$	1.25

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
3	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
924	(3 SHEETS)	TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	12,000	B DAY
BARRICADE, TYPE III	410	B DAY
TEMPORARY SIGN DAY	960	EACH
SIGN DAY	1,760	EACH
FLASHING ARROW PANEL	60	DAY
MOBILIZATION	LUMP	LUMP
SEALING CRACKS	5,103	LF
SEALING JOINTS	238,117	LF
JOINT SEALING - ASPHALT TO CONCRETE	1,363	STA

NOTICE TO CONTRACTORS

CALL ORDER 700  
 STATE PROJECT NO. ELEC-6-2(1038)  
 LOCATION: US-6/US-34, IN BARTLEY  
 COUNTIES: RED WILLOW

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 09, 2010. At that time the bids will be opened and read for ELECTRICAL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: ELECTRICAL  
 START DATE 09/19/2011 WORKING DAYS 20  
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning November 16, 2010 at the Lincoln Central Office and November 22, 2010 at the District Engineer's Office at MCCOOK  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	7 SHEETS	\$	1.75
STANDARD PLANS	7 SHEETS	\$	1.75

SHEET NO.

- 1 TITLE PAGE  
& SUMMARY OF QUANTITIES
- 2 - 7 ROADWAY LIGHTING PLANS

STANDARD PLANS

- 914-R6 PULL BOX DETAIL
- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8B ELECTRICAL

BARRICADE, TYPE II	300	B	DAY
TEMPORARY SIGN DAY	120	E	EACH
MOBILIZATION	LUMP	L	LUMP
PULL BOX, TYPE PB-5	6	E	EACH
PULL BOX, TYPE PB-6	1	E	EACH
ST LIGHT UNIT, SL-A-40-12-0.25F	1	E	EACH
ST LIGHT UNIT SL-BT-40-12-0.25F	12	E	EACH
LIGHTING CONTROL CENTER, R-3	1	E	EACH
1 1/2" CONDUIT IN TRENCH	2,164	L	LF
1 1/2" CONDUIT, JACKED	701	L	LF
STREET LIGHT CABLE, NO. 2 USE	5,728	L	LF
STREET LIGHT CABLE, NO. 6 BARE	2,864	L	LF
STREET LIGHT CABLE, NO. 6 USE	2,864	L	LF

NOTICE TO CONTRACTORS

CALL ORDER 705  
 STATE PROJECT NO. ELEC-6-3(1025)  
 LOCATION: US-6, HOLDREGE-FUNK  
 COUNTIES: PHELPS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 09, 2010. At that time the bids will be opened and read for ELECTRICAL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: ELECTRICAL  
 START DATE 09/06/2011 WORKING DAYS 30  
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning November 16, 2010 at the Lincoln Central Office and November 22, 2010 at the District Engineer's Office at MCCOOK  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	9 SHEETS	\$	2.25
STANDARD PLANS	5 SHEETS	\$	1.25

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
- 3 - 9 ROADWAY LIGHTING PLANS

STANDARD PLANS

- 914-R6 PULL BOX DETAIL
- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8B ELECTRICAL

SIGN DAY	324 EACH
FLAGGING	40 DAY
MOBILIZATION	LUMP LUMP
PULL BOX, TYPE PB-5	10 EACH
PULL BOX, TYPE PB-6	2 EACH
ST LIGHT UNIT SL-BT-40-12-0.25	13 EACH
ST LIGHT UNIT SL-BT-40-8-0.25	16 EACH
LIGHTING CONTROL CENTER, R	1 EACH
LIGHTING CONTROL CENTER, R-3	1 EACH
LIGHTING CONTROL CENTER, DP	1 EACH
1 1/2" CONDUIT IN TRENCH	6,822 LF
1 1/2" CONDUIT, JACKED	985 LF
STREET LIGHT CABLE, NO. 6 BARE	7,807 LF
STREET LIGHT CABLE, NO. 6 USE	15,614 LF
REMOVE LIGHTING UNIT	13 EACH

NOTICE TO CONTRACTORS

CALL ORDER 800  
 STATE PROJECT NO. RD-20-2(1034)  
 LOCATION: US-20, ELI ROAD EAST  
 COUNTIES: CHERRY

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 09, 2010. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 9.1 MILES  
 START DATE 07/25/2011 WORKING DAYS 55  
 Price Range \$ 1,000,000 to \$ 3,000,000

Plans and specifications may be seen beginning November 16, 2010 at the Lincoln Central Office and November 22, 2010 at the District Engineer's Office at AINSWORTH  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	6 SHEETS	\$	1.50
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

1	TITLE PAGE
2-S	SUMMARY OF QUANTITIES & TYPICAL CROSS SECTION
2-N1 - 2-N2	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3	TEMPORARY PAVEMENT MARKING PLAN
4	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	38,800	B	DAY
BARRICADE, TYPE III	388	B	DAY
TEMPORARY SIGN DAY	770	E	EACH
SIGN DAY	7,954	E	EACH
OVERLAY BROKEN LINES	1,444	S	TA
OVERLAY SOLID LINES	2,889	S	TA
PERMANENT PAVEMENT MARKING PAINT	143,050	L	F
FLAGGING	110	D	DAY
FURNISHING AND OPERATING PILOT VEHICLE	55	D	DAY
FIELD OFFICE	1	E	EACH
MOBILIZATION	LUMP	L	LUMP
HYDRATED LIME FOR ASPHALT MIXTURES	141	T	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	1	T	TON
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	100	T	TON
HOT IN-PLACE RECYCLING	481	S	TA
ASPH CONC, TYPE SPS	9,440	T	TON
ASPH CONC, TYPE SPR	14,010	T	TON
ASPH CONCRETE FOR PATCHING, TYPE SPR	100	T	TON
ASPH CONCRETE FOR PATCHING, TYPE SPS	100	T	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	3	T	TON
PERF GRADED BINDER (52-34)	362	T	TON

PERF GRADED BINDER (64-34)	536 TON
TACK COAT	32,100 GAL
EMUL ASPH FOR HOT IN-PLACE RECYCLING	41,410 GAL
RENTAL OF LOADER, FULLY OPERATED	40 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	40 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	40 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	40 HOUR
COLD MILLING, CLASS 3	481 STA
COLD MILLING, CLASS 3	963 STA
TYPE A	
RUMBLE STRIPS, ASPHALT	963 STA
FABRIC REINF CRACK REPAIR	23,664 LF
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP

Nebraska Department of Roads  
 Contracts Section, P.O. Box 94759, Lincoln, NE 68509  
 (402) 479-4525

# Plan and Informational Proposal Order Form

## Projects to be bid on:

# December 9, 2010

**Payment required for plans prior to NDOR completing this order.**  
 dor.ContractsOnlineOrders@nebraska.gov FAX: (402) 479-4845

Document No.

<input type="checkbox"/> Check/Cash	Receipt No.
<input type="checkbox"/> Advance Plans Account No.	
<b>Credit Card</b>	
<input type="checkbox"/> Visa	<input type="checkbox"/> MasterCard
Expiration Date:	
Card No.:	

Please indicate:	<input type="checkbox"/> Fed Ex. Standard Overnight <input type="checkbox"/> Fed Ex. Priority Overnight <input type="checkbox"/> UPS Overnight Acct. No.	Comments:	<b>FOR OFFICE USE ONLY</b>
<input type="checkbox"/> Mail			Reference I.D.:
<input type="checkbox"/> Hold			Authorization Code: _____ Date: _____

4-Digit Vendor No.:	Ordered By:	Grand Total - Informational Proposals: <b>x \$5.00</b>	
Company:		All plans in letting on CD: <b>x \$25.00</b>	
Street Address:		Grand Total - 1/2 Size Plans: <b>x \$.25</b>	
		Grand Total - Full Size Plans: <b>x \$.50</b>	
PO Box:	City:	<b>Subtotal</b>	
	State:	Tax Code	Sales Tax
Phone No.:	Fax No.:		%
Processed by:	Date:	Proposals/CD Filled:	<b>Total</b>
		Blueprint Plans/Proposals Filled:	
		Date:	

*If requesting Plan or Proposal CD(s) only, your name will not appear on the Planholders list unless your company has been issued Bid Proposals or you submit the "Planholders Registration" from the NDOR website.*

**CD containing Informational Proposals for all projects in letting. (No Charge) Total Number Requested: →**

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. 1/2 size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
100	RD-41-6(1008)				
105	STP-136-7(121)				
110	RD-S64B(1003)				
115	RD-S64G(1005)				
120	NH-80-9(899)				
125	STR-80-8(1041)				
130	RD-4-7(1009)				
135	MISC-79-2(1018)				
200	NH-34-7(124)				
205	ENH-28(89)				
300	ENH-22(29)				

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. ½ size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
400	STP-92-4(111)				
405	ENH-30(13)				
410	STP-92-4(109)				
500	RD-30-1(1031)				
505	RD-92-1(1022)				
510	RD-26-1(1061)				
700	ELEC-6-2(1038)				
705	ELEC-6-3(1025)				
800	RD-20-2(1034)				

**Standard Plans:** Refer to "Publication Order Form" for complete sets of Standard Plans and Standard/Special Plans Books

Number of Sets Requested	Standard Plan No.(s)	Number of Sheets Shown in List of Plans	Check Size		Total No. of Sheets	
			1/2	Full	1/2	Full
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		



