

February 3, 2011

TO ALL CONCERNED:

The Department of Roads has scheduled a bid letting to be held in this office March 3, 2011 at 1:30 p.m.

The Notice to Contractors includes:

1. Website Information
2. Notice to all Bidders
3. Ordering Instructions
4. Notices to Contractors including time allowances and lists of plans
5. Plan and Informational Proposal Order Form
6. R-125 "Request for Bidding Proposal Forms"

Projects containing DBE Goals are indicated in the "Notice to Contractors".

FOR CALL NO: 110, PROJECT NO: RD-77-2(1060)A BIDDER'S CONFERENCE WILL BE HELD IN THE AUDITORIUM AT THE NEBRASKA DEPARTMENT OF ROADS' CENTRAL OFFICE BUILDING, LOCATED AT 1500 NEBRASKA HWY. 2 IN LINCOLN. THE PURPOSE OF THIS CONFERENCE IS TO ALLOW BIDDERS TO ASK QUESTIONS CONCERNING THIS PROJECT AND RECEIVE ANSWERS TO THE QUESTIONS. ATTENDANCE AT THIS CONFERENCE IS STRONGLY ENCOURAGED.

TIME: 10:00 AM DATE: February 11, 2011

Please check the important letting information on the website frequently.

The last day to submit acceptable prequalification statements for this letting is by 5:00 p.m. on Tuesday, February 22, 2011.

Sincerely,

Jay K. Brinkmeyer, Supervisor  
Contract Lettings Section  
Construction Division

JKB/em

### WEBSITE INFORMATION

The Nebraska Department of Roads, Contract Lettings Section, will be utilizing the Internet as our means of communicating with the contracting industry.

Documents that are posted on the web are:

- Letting Schedule
- Notices to Contractors
- Informational Proposals
- Letting Plans
- List of Prequalified Contractors
- Planholders List
- Informational Addendums
- EBS (Electronic Bidding System)
- Apparent Low Bidders
- Bid Tabulations
- Standard Item Listing
- Awarded Average Unit Prices (AUP) Report

Hard copies of these documents will be available for inspection in the Contracts Office.

There will be a charge for reproduction of any of these documents.

The Website address is: [www.Transportation.Nebraska.gov](http://www.Transportation.Nebraska.gov)

If you have any questions as you are using our Website, please contact us at:

Nebraska Department of Roads  
Contract Lettings Section  
P.O. Box 94759  
Lincoln, NE 68509-4759

Phone (402) 479-4525  
FAX (402) 479-3803

Email: [DOR.ContractLettings@nebraska.gov](mailto:DOR.ContractLettings@nebraska.gov)

## **NOTICE TO ALL BIDDERS**

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free “hotline” Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the “hotline” to report such activities.

The “hotline” is part of the DOT’s continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

## ORDERING INSTRUCTIONS FOR PLANS AND PROPOSALS

Refer to the "Notice to Contractors" for the call order number, project number, and list of plans for each project.

Order forms are available on the NDOR website in PDF and Word format. Complete the appropriate forms as follows:

### **Request for Bidding Proposal Forms (R-125)**

Bidders must submit an R-125, Request for Bidding Proposals Forms and be issued bid proposals prior to submitting bids.

Proposals to be used for bidding must be requested on this form. Bidding proposals will be issued only to contractors who are currently prequalified to bid with this department.

There is no charge for bid proposals.

### **Plan and Informational Proposal Order Form:**

Payment is required prior to NDOR completing the order. This payment is not refundable.

Proposals to be used for information only can be ordered as follows:

1. Each individual project.
2. CD that contains all projects in letting. Does not contain addenda.

Plans for each project can be ordered as follows:

1. Complete set.
2. Set less Roadway Cross-Sections and Standards.
3. Set less Standards.
4. Set less Roadway Cross-Sections.
5. Individual sheets
6. CD that contains all projects in letting.

Prices are: Informational Proposals: \$5.00 each  
CD containing Informational Proposals: No Charge  
Plans per sheet: \$.25 for half-size (12" x 18")  
\$.50 for full-size (24" x 36")  
CD containing plans: \$25.00 each

Cost shown on the list of plans is for ½ size plans. Nebraska residents add appropriate state sales tax and city tax that is determined by delivery within cities imposing a sales tax.

Select the method of payment on the plan order form:

1. Credit Card (Visa or MasterCard only)  
Orders with approved credit cards can be processed without delays.
2. Advanced payment account  
Requires a money deposit with recommended \$200 minimum. Failure to have sufficient funds in your account to cover cost of the plans may delay the processing of your order.  
This account may also be used to purchase other NDOR publications.
3. Check/cash  
Send checks made payable to the Nebraska Dept. of Roads with your completed plan order form. Please do not mail cash.

To order complete sets of standard plans (1/2 size) please use the "Publications Order Form" available on the website. Cost is \$35.00 plus applicable sales tax. As new standards become available they may be purchased at \$0.25 per sheet.

Address: Nebraska Department of Roads  
Contracts Section  
1500 Highway 2  
PO Box 94759  
Lincoln NE 68509-4759

FAX (402) 479-3803

Phone: (402) 479-4525

Email: [DOR.ContractLettings@nebraska.gov](mailto:DOR.ContractLettings@nebraska.gov)

October 10, 2008

NOTICE TO CONTRACTORS

CALL ORDER 100  
FEDERAL PROJECT NO. IM-80-9(891)  
LOCATION: I-80, PLATTE RIVER REST AREA  
COUNTIES: CASS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on March 03, 2011. At that time the bids will be opened and read for BUILDING

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BUILDING CONSTRUCTION  
START DATE 05/02/2011 CALENDAR DAYS 377  
Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning February 08, 2011 at the Lincoln Central Office and February 14, 2011 at the District Engineer's Office at LINCOLN  
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS	49 SHEETS	\$	12.25

SHEET NO.

1	TITLE PAGE
2-S	SUMMARY OF QUANTITIES
3	COVER SHEET
4 - 48	BUILDING PLAN SHEETS
49	TYPICAL TRAFFIC CONTROL--FREEWAY RAMP CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8A BUILDING CONSTRUCTION

BARRICADE, TYPE II	5,820	BDAY
BARRICADE, TYPE III	1,358	BDAY
CONTRACTOR FURNISHED SIGN DAY	194	EACH
MOBILIZATION	LUMP	LUMP
GENERAL RESTROOM BLD CONSTRUCTION	1	EACH
MECHANICAL WORK FOR RESTROOM BUILDING	1	EACH
ELECTRICAL WORK FOR RESTROOM BUILDING	1	EACH
DEMOLITION/SITE WORK	1	EACH

NOTICE TO CONTRACTORS

CALL ORDER 105  
 FEDERAL PROJECT NO. STP-63-2(115)  
 LOCATION: HWY-63, ALVO - I-80  
 COUNTIES: CASS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on March 03, 2011. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 6.2 MILES  
 START DATE 09/26/2011 WORKING DAYS 20  
 Price Range \$ 250,000 to \$ 1,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning February 08, 2011 at the Lincoln Central Office and February 14, 2011 at the District Engineer's Office at LINCOLN  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	3 SHEETS	\$	0.75
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES  
& TYPICAL CROSS SECTIONS
- 3 TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	3,000	BDAY
BARRICADE, TYPE III	136	BDAY
TEMPORARY SIGN DAY	280	EACH
SIGN DAY	2,768	EACH
OVERLAY BROKEN LINES	650	STA
OVERLAY SOLID LINES	1,300	STA
FLAGGING	40	DAY
FURNISHING AND OPERATING PILOT VEHICLE	20	DAY
MOBILIZATION	LUMP	LUMP
HYDRATED LIME FOR ASPHALT MIXTURES	117	TON
ASPH CONC, TYPE SPR	9,270	TON
ASPH CONCRETE FOR PATCHING, TYPE SPR	2,500	TON
PERF GRADED BINDER (64-34)	447	TON
TACK COAT	12,740	GAL
RENTAL OF LOADER, FULLY OPERATED	120	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	120	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	120	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	120	HOUR
COLD MILLING, CLASS 3	325	STA
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 110  
 STATE PROJECT NO. RD-77-2(1060)  
 LOCATION: US-77, LINCOLN SOUTH  
 COUNTIES: LANCASTER

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on March 03, 2011. At that time the bids will be opened and read for GRAD,BR,GDRL,BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT SPECIALTY BITUMINOUS  
 Length: 2.4 MILES  
 START DATE 04/04/2011 CALENDAR DAYS 230  
 Price Range \$ 3,000,000 to \$ 6,000,000

Plans and specifications may be seen beginning February 08, 2011 at the Lincoln Central Office and February 14, 2011 at the District Engineer's Office at LINCOLN  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

A BIDDER'S CONFERENCE WILL BE HELD IN THE AUDITORIUM AT THE NEBRASKA DEPARTMENT OF ROADS' CENTRAL OFFICE BUILDING, LOCATED AT 1500 NEBRASKA HWY. 2 IN LINCOLN. THE PURPOSE OF THIS CONFERENCE IS TO ALLOW BIDDERS TO ASK QUESTIONS CONCERNING THIS PROJECT AND RECEIVE ANSWERS TO THE QUESTIONS. ATTENDANCE AT THIS CONFERENCE IS STRONGLY ENCOURAGED.

TIME: 10:00 AM DATE: February 11, 2011

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	153	SHEETS	\$	38.25
CROSS SECTIONS (SHEETS X1 THRU X31)	31	SHEETS	\$	7.75
STANDARD PLANS	25	SHEETS	\$	6.25

SHEET NO.

1	TITLE PAGE
2	INDEX OF SHEETS
2-T1 - 2-T20	TYPICAL CROSS SECTIONS
2-S1 - 2-S10	SUMMARY OF QUANTITIES & DETOUR LOCATION MAPS
2-W1 - 2-W6	WETLANDS
2-H1 - 2-H10	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N3	GENERAL INFORMATION
2-N4 - 2-N5	MILLED RUMBLE STRIPS
2-P1 - 2-P3	PHASING PLANS--PHASE 2
3 - 13	PLAN SHEETS
14 - 15	TRAFFIC SIGNAL PLAN
16	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
17	TRAFFIC CONTROL PLAN (WORK IN VICINITY OF EXIT & ON RAMP)
18	TYPICAL TRAFFIC CONTROL PLAN--LANE SHIFT (FREEWAY-INTERSTATE)
19 - 22	TEMPORARY TRAFFIC CONTROL--PHASES
23	TYPICAL TRAFFIC CONTROL PLAN--INERTIAL BARRIER SYSTEM
24	TEMPORARY PAVEMENT MARKING PLAN
25	PAVEMENT MARKING PLAN
26	TYPICAL PAVEMENT MARKING PLAN--INTERSTATE/EXPRESSWAY
27 - 28	EARTHWORK DATA SHEETS
29 - 37	DRAINAGE STRUCTURE CROSS SECTIONS
38 - 54	SPECIAL PLAN 1 3 SPAN CURVED WELDED PLATE STEEL GIRDER BRIDGES--REHAB STA. 588+56.71
55 - 63	SPECIAL PLAN 2 12 SPAN WELDED PLATE GIRDER BRIDGES--REHAB STA. 602+54.00
64 - 66	SPECIAL PLAN 3 12 SPAN WELDED PLATE GIRDER BRIDGE--REHAB STA. 602+54.00
67 - 68	SPECIAL PLAN 1C EXPANSION JOINT REPAIR STA. 624+81.47

69 - 70	SPECIAL PLAN 2C	EXPANSION JOINT REPAIR STA. 624+81.47
71	SPECIAL PLAN 3C	PAVEMENT APPROACH REPAIR
72 - 73	SPECIAL PLAN 4C	5-BAR GRATE INLET WITH CURB
74 - 75	SPECIAL PLAN 5C	AREA INLET
76	SPECIAL PLAN 6C	CONCRETE DITCH LINER I STA. 492+70.22 LT
77	SPECIAL PLAN 7C	CONCRETE DITCH LINER II STA. 492+90.87 LT
78	SPECIAL PLAN 8C	CONCRETE DITCH LINER III STA. 492+91.46 LT
79 - 94	SPECIAL PLAN 9C	GUARDRAIL PLAN
95 - 97	SPECIAL PLAN 10C	6 TO 8 INCH CONCRETE PAVEMENT
98 - 99	SPECIAL PLAN 11C	CONCRETE PROTECTION BARRIER
X1 - X31		CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS)	PAVEMENT DETAILS
329-R8	(4 SHEETS)	8 TO 16 INCH CONCRETE PAVEMENT
443-R7	(2 SHEETS)	CURB INLETS AND JUNCTION BOX
501-R5	(3 SHEETS)	EROSION CONTROL
502		SILT FENCE DETAILS
901-R9		HIGHWAY DELINEATORS
910-R2		SIGNAL FACE CONFIGURATION
920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING
923		TRAFFIC CONTROL--ROAD CLOSURE
924	(3 SHEETS)	TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	1,274	CY
WATER	7	MGAL
REMOVE DELINEATOR UNITS	250	EACH
REMOVE PAVEMENT	4,145	SY
REMOVE ASPHALT SURFACE	70	SY
REMOVE ASPH SURF FROM PAVEMENT	2,607	SY
REMOVE INLET	2	EACH
REMOVE CONCRETE FLUME	1	EACH
CAST IRON COVER & FRAME	250	LB
CAST IRON GRATE & FRAME	3,610	LB
CONCRETE DITCH LINING	243	LF
REMOVE & SALVAGE FES	1	EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	162	CY
47B-3000 CONC FOR INLET & JUNCTION BOXES	11	CY
RE-STEEL FOR INLET & JCT BOX	513	LB
INSTALL 18" CONC FES	1	EACH
REMOVE GUARDRAIL	2,200	LF
REMOVE & SALVAGE GUARDRAIL	2,812	LF
EROSION CONTROL, CLASS 1D	3,796	SY
18" CULV PIPE 2	60	LF
18" CULV PIPE 3,4,5,6	263	LF

GROUP 6 BRIDGE AT STA. 588+56.71 LT.

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000	215	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	35,735	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP

ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE A		110 LF
47B-3000 CONC FOR BRIDGE		29 CY
47BD-4000 CONC FOR BRIDGE		52 CY
PREP BRIDGE		1 EACH
588+56.71 LT.		
EPOXY COATED RE-STEEL	10,680	LB
SUBSURFACE DRAINAGE MATTING		53 SY
HP 12"X53# STEEL PILING	1,140	LF
BRIDGE SHORING	LUMP	LUMP
GRANULAR BACKFILL		210 CY

GROUP 6A BRIDGE AT STA. 588+28.72 RT.

MOBILIZATION	LUMP	LUMP
EXPANSION JOINT REPAIR		115 LF

GROUP 6B BRIDGE AT STA. 602+54 LT.

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		80 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	13,025	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
47B-3000 CONC FOR BRIDGE		11 CY
PREP BRIDGE		1 EACH
602+54 LT.		
EPOXY COATED RE-STEEL	1,745	LB
HP 12"X53# STEEL PILING		440 LF
GRANULAR BACKFILL		65 CY

GROUP 6C BRIDGE AT STA. 602+54 RT.

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		74 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	12,220	LB
FLOWABLE FILL CONCRETE		5 CY
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
47B-3000 CONC FOR BRIDGE		7 CY
PREP BRIDGE		1 EACH
602+54 RT.		
CONC SLOPE PROTECTION REPAIR		7 SY
EPOXY COATED RE-STEEL	1,840	LB
HP 12"X53# STEEL PILING		440 LF
CURB REPAIR		2 LF
GRANULAR BACKFILL		60 CY

GROUP 6D BRIDGE AT STA. 624+81.47 LT.

MOBILIZATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE A		85 LF
PREP BRIDGE		1 EACH
624+81.47 LT.		

GROUP 6E BRIDGE AT STA. 624+81.47 RT.

MOBILIZATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE A		85 LF
PREP BRIDGE		1 EACH
624+81.47 RT.		

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		62 LF
THRIE-BEAM GUARDRAIL	1,206	LF
RESET GUARDRAIL	2,812	LF
IMPACT ATTENUATOR		2 EACH

BRIDGE APPROACH SECTIONS	2	EACH
SPECIAL BR APPROACH SECTION	7	EACH
BULLNOSE-12.5'	7	EACH
GUARDRAIL END TREATMENT, TYPE II	8	EACH

GROUP 9 BITUMINOUS

MOBILIZATION	LUMP	LUMP
FLEXIBLE POST DELINEATOR	250	EACH
TIE BARS	1,134	EACH
CONC PVMT REPAIR TYPE A FULL DEPTH	65	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	202	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	994	CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH	39	CY
6" CONC PVMT, 47B-3500	19	SY
10" DOWELED CONC PVMT, 47B-3500	4,131	SY
CONC PVMT, PR-3500	729	CY
JOINT REPAIR		
ADJUST MANHOLE TO GRADE	3	EACH
CONCRETE FLUME	1	EACH
AT STA. 593+49 RT.		
BRIDGE APPROACH REPAIR	22	CY
ARROW WET REFL POLY PVMT MRKING, GROOVED	4	EACH
5" WHT WET RFLC POLY PVMT MRKING, GVD	29,720	LF
12" WHT WET RFLC POLY PVMT MRKING, GVD	5,285	LF
5" YEL WET RFLC POLY PVMT MRKING, GVD	36,540	LF
HYDRATED LIME FOR ASPHALT MIXTURES	212	TON
FOUNDATION COURSE REPLACEMENT	49	CY
FOUNDATION COURSE	4,131	SY
4"		
GRANULAR SUBDRAIN, TYPE A	43	EACH
GRANULAR SUBDRAIN, TYPE B	212	EACH
ASPH CONC, TYPE SPS	11,580	TON
ASPH CONC, TYPE SP5(0.5)	21,250	TON
ASPH CONCRETE FOR PATCHING, TYPE SPS	50	TON
PERF GRADED BINDER (70-28)	1,190	TON
PERF GRADED BINDER (52-34)	581	TON
TACK COAT	25,730	GAL
WATER	187	MGAL
EARTH SHOULDER CONSTRUCTION	598	STA
TRENCHED WIDENING	187	STA
SUBGRADE PREPARATION	12,309	SY
RUMBLE STRIPS, ASPHALT	337	STA
CONC SURF MILLING	99,817	SY
SURFACE UNDER GUARDRAIL	1,052	SY
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
VEHICLE DETECTOR, TYPE TD-5A	3	EACH
SEEDING, TYPE B	22	ACRE
MULCH	50	TON

GROUP 10 GENERAL ITEMS

SURV OF TEMP TRAFFIC CONT DEVICES	230	CDAY
BARRICADE, TYPE II	140,050	BDAY
BARRICADE, TYPE III	4,310	BDAY
SIGN DAY	23,831	EACH
CONTRACTOR FURNISHED SIGN DAY	220	EACH
TEMP PAVEMENT MARKING REMOVAL	11,800	LF
PAVEMENT MARKING REMOVAL	7,130	LF
TEMP PVMT MARKING, TYPE PAINT	11,800	LF
TEMP PVMT MARKING SURF PREP	11,800	LF
OVERLAY BROKEN LINES	300	STA
OVERLAY SOLID LINES	600	STA
FLASHING ARROW PANEL	460	DAY
FLAGGING	100	DAY
CONCRETE PROTECTION BARRIER	3,150	LF
RELOCATE CONC PROTECTION BARRIER	2,138	LF

RELOC INERTIAL BARRIER SYSTEM		4	EACH
INERTIAL BARRIER SYSTEM		4	EACH
REPLACEMENT MODULE		13	EACH
FIELD OFFICE		1	EACH
MOBILIZATION	LUMP		LUMP
RENTAL OF LOADER, FULLY OPERATED		100	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED		10	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		200	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		100	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		50	HOUR
TEMPORARY SILT FENCE		500	LF

NOTICE TO CONTRACTORS

CALL ORDER 205  
FEDERAL PROJECT NO. STP-275-7(190)  
LOCATION: US-275, SOUTH OMAHA BRIDGE, IOWA PEDESTRIAN TRAIL PAVING  
COUNTIES: POTTAWATTAMIE IA

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on March 03, 2011. At that time the bids will be opened and read for CONC PAVE

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT SPECIALTY  
START DATE 05/02/2011 WORKING DAYS 35  
Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning February 08, 2011 at the Lincoln Central Office and February 14, 2011 at the District Engineer's Office at OMAHA  
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

The State of Iowa contracting authority will issue an exemption certificate for the purchase or use of building materials, supplies and equipment that will be used in the performance of the construction contract, as provided by Iowa Code Sections 422.42(16), 422.42(17), and 422.47(5).

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	25	SHEETS	\$	6.25
CROSS SECTIONS (SHEETS X1 THRU X16)	16	SHEETS	\$	4.00
STANDARD PLANS	13	SHEETS	\$	3.25

SHEET NO.

1	TITLE PAGE
1-A	IOWA SIGNATURE BLOCK
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-W1 - 2-W4	WETLANDS
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & CONTROL POINTS
2-N	GENERAL INFORMATION
2-L1 - 2-L2	GEOMETRICS
3 - 7	PLAN & PROFILE SHEETS
8 - 12	FENCING PLANS
13	EARTHWORK DATA SHEET
14	SPECIAL PLAN 1C REMOVABLE BOLLARD
X1 - X16	CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
329-R8	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
502	SILT FENCE DETAILS
710-R4	(2 SHEETS) FENCE DETAILS
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 3 CONCRETE PAVEMENT

SIGN DAY	372	EACH
MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	1,237	CY
WATER	11	MGAL
FURNISHING AND PLACING TOPSOIL	3,954	SY
REMOVE FENCE	972	LF
REMOVE	1,030	LF
TEMPORARY CONCRETE PROTECTION BARRIER		
REMOVE	38	STA
ROCK SURFACING		
24" DRIVE PIPE 2,3,4,5,6,7 OR 8	24	LF
CRUSHED ROCK SURFACE COURSE	7	CY
6" CONCRETE CLASS 47B-3000 BIKEWAY	1,460	SY
8" CONCRETE CLASS 47B-3000 BIKEWAY	3,099	SY
RIGHT-OF-WAY FENCE	2,524	LF
END POSTS	5	EACH
PULL POSTS	4	EACH
CORNER POSTS	11	EACH
24' VEHICLE GATE	1	EACH
3' CHAIN-LINK FENCE	846	LF
END POST FOR 3' CH-LINK FENCE	10	EACH
CORNER POST FOR 3.0' CH-LNK FENCE	1	EACH
PULL POST FOR 3' CH-LINK FENCE	7	EACH
SMOOTH WIRE FENCE	3,927	LF
INSTALL SIGN	4	EACH
TRAIL MARKER		
REMOVABLE BOLLARD	8	EACH
AGGREGATE FOUNDATION COURSE 4"	3,535	SY
ASPH CONC, TYPE SPL	142	TON
RENTAL OF LOADER, FULLY OPERATED	10	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	10	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	10	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10	HOUR
EARTH SHOULDER CONSTRUCTION	43	STA
SEEDING, TYPE B	11	ACRE
TEMPORARY SILT FENCE	1,000	LF
TEMPORARY EARTH CHECK	300	LF
TEMPORARY MULCH	1	TON
MULCH	25	TON

NOTICE TO CONTRACTORS

CALL ORDER 210  
 STATE PROJECT NO. STR-680-9(1175)  
 LOCATION: I-680, IRVINGTON ROAD BRIDGE  
 COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on March 03, 2011. At that time the bids will be opened and read for BR,GDRL,BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES  
 START DATE 07/11/2011 WORKING DAYS 65  
 Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning February 08, 2011 at the Lincoln Central Office and February 14, 2011 at the District Engineer's Office at OMAHA  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	27 SHEETS	\$	6.75
STANDARD PLANS	8 SHEETS	\$	2.00

SHEET NO.

- 1 TITLE PAGE
- 2-T TYPICAL CROSS SECTIONS
- 2-S SUMMARY OF QUANTITIES
- 2-H HORIZONTAL ALIGNMENT & ORIENTATION
- 2-N GENERAL INFORMATION
- 3 PLAN SHEET
- 4 TYPICAL TRAFFIC CONTROL PLAN--CONCRETE BARRIER  
PLACEMENT WHEN GUARDRAIL IS REMOVED
- 5 TYPICAL TRAFFIC CONTROL PLAN--INERTIAL BARRIER SYSTEM
- 6 TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE  
(FREEWAY-INTERSTATE)
- 7 TEMPORARY PAVEMENT MARKING PLAN
- 8 - 17 SPECIAL PLAN 1 BRIDGE REPAIR  
STA. 390+56.00  
STA. 390+69.23
- 18 - 24 SPECIAL PLAN 1C GUARDRAIL PLAN

STANDARD PLANS

- 501-R5 (3 SHEETS) EROSION CONTROL
- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 924 (3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT STA. 390+56 LT.

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		19 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	5,235	LB
PREFORMED SILICONE JOINT, TYPE B		83 LF
47BD-4000 CONC FOR BRIDGE		56 CY
PREP BRIDGE		1 EACH
390+56 LT.		
EPOXY COATED RE-STEEL	10,910	LB
CONCRETE REPAIR		12 SF

GROUP 6A BRIDGE AT STA. 390+69.23 RT.

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		19 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	5,235	LB
PREFORMED SILICONE JOINT, TYPE B		83 LF
CLASS II REPAIR		10 SY
47BD-4000 CONC FOR BRIDGE		57 CY
PREP BRIDGE		1 EACH
390+69.23 RT.		
EPOXY COATED RE-STEEL	10,910	LB
CONCRETE REPAIR		28 SF

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL	1,362	LF
REMOVE GUARDRAIL	1,337	LF
REMOVE & SALVAGE GUARDRAIL		375 LF
RESET GUARDRAIL		375 LF
BRIDGE APPROACH SECTIONS		3 EACH
GUARDRAIL END TREATMENT, TYPE I		2 EACH

GROUP 9 BITUMINOUS

MOBILIZATION	LUMP	LUMP
ASPH CONC, TYPE SPL		440 TON
ASPH CONCRETE FOR PATCHING, TYPE SPL		100 TON
PERF GRADED BINDER (64-34)		23 TON
TACK COAT		440 GAL
RENTAL OF LOADER, FULLY OPERATED		10 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED		10 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		10 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		10 HOUR
COLD MILLING, CLASS 3	2,195	SY
SURFACE UNDER GUARDRAIL		527 SY
EROSION CONTROL, CLASS 1C		499 SY

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	7,770	B DAY
BARRICADE, TYPE III		444 B DAY
SIGN DAY	7,548	EACH
FLAGGING		20 DAY
INSTALL CONC PROTECT BARRIER	2,100	LF
RELOCATE CONC PROTECTION BARRIER	2,100	LF
RELOC INERTIAL BARRIER SYSTEM		2 EACH
INERTIAL BARRIER SYSTEM		2 EACH
REPLACEMENT MODULE		16 EACH
TRAFFIC CONTROL MANAGEMENT		111 DAY
MOBILIZATION	LUMP	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 300  
 FEDERAL PROJECT NO. STPD-20-6(108)  
 LOCATION: US-20, LAUREL NORTHEAST  
 COUNTIES: CEDAR

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on March 03, 2011. At that time the bids will be opened and read for GRAD, CONC PAVE, BR, GDRL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES

START DATE 04/18/2011 WORKING DAYS 95  
 Price Range \$ 500,000 to \$ 2,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning February 08, 2011 at the Lincoln Central Office and February 14, 2011 at the District Engineer's Office at NORFOLK  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	69	SHEETS	\$	17.25
CROSS SECTIONS (SHEETS X1 THRU X13)	13	SHEETS	\$	3.25
STANDARD PLANS	14	SHEETS	\$	3.50

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-W1 - 2-W2	WETLANDS
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION & DETOUR LOCATION MAP
2-N2 - 2-N3	GENERAL INFORMATION--ACCESS CROSSING
2-N4 - 2-N5	GENERAL INFORMATION--MILLED RUMBLE STRIPS
2-L1 - 2-L2	REMOVAL
2-L3 - 2-L4	EROSION CONTROL
3 - 4	PLAN & PROFILE SHEETS
5	EARTHWORK DATA SHEET
6 - 22	SPECIAL PLAN 1 IT-400 GIRDER BRIDGE STA. 278+73.00
23 - 37	SPECIAL PLAN 2 CONCRETE SLAB BRIDGE STA. 278+73.00
38 - 39	SPECIAL PLAN 1C CONCRETE FLUME STA. 277+75.00
40 - 46	SPECIAL PLAN 2C GUARDRAIL PLAN
47	SPECIAL PLAN 3C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
48 - 49	SPECIAL PLAN 4C TEMPORARY SILT CHECKS
R1 - R4	RIGHT-OF-WAY SHEETS
X1 - X13	CROSS SECTIONS

STANDARD PLANS

329-R8	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
805	R.O.W. POST
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION		1,202 CY
EXCAVATION, BORROW		13,467 CY
WATER		25 MGAL
RIGHT-OF-WAY MARKERS		8 EACH
REMOVE PAVEMENT		3,625 SY
SAWING PAVEMENT		48 LF
REMOVE ASPHALT SURFACE		2,668 SY
24" DRIVEWAY CULVERT PIPE		38 LF
REMOVE GUARDRAIL		492 LF
COVER CROP SEEDING		2 ACRE
EROSION CONTROL, CLASS 1D		7,289 SY
EROSION CHECKS, TYPE 1D		48 BALE
FABRIC SILT FENCE-LOW POROSITY		460 LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
6" CONC PVMT, 47B-3500		2,224 SY
9" DOWELED CONC PVMT, 47B-3500		3,341 SY
FLUME SPILLWAY		19 LF
CONCRETE FLUME		2 EACH
FOUNDATION COURSE 5"		5,565 SY
GRANULAR SUBDRAIN		20 EACH
WATER		23 MGAL
EARTH SHOULDER CONSTRUCTION		25 STA
SUBGRADE PREPARATION		5,565 SY
RUMBLE STRIPS, CONCRETE		25 STA
SURFACE UNDER GUARDRAIL		421 SY
SEEDING, TYPE A		1 ACRE
SEEDING, TYPE B		1 ACRE
MULCH		4 TON

GROUP 6 BRIDGE AT STA. 278+73

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		465 CY
RIPRAP FILTER FABRIC		535 SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000		214 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		36,950 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
47B-3000 CONC FOR BRIDGE		148 CY
47BD-4000 CONC FOR BRIDGE		145 CY
PRECAST/PRESTRESSED CONC SUPERSTR 278+73	LUMP	LUMP
REMOVE STRUCTURE AT STA. 278+44.03		1 EACH
ACCESS CROSSING	LUMP	LUMP
STRUC STEEL FOR SUBSTRUCTURE		3,707 LB
STRUC STEEL FOR SUPERSTRUCTURE		1,130 LB
BROKEN CONCRETE RIPRAP		335 TON
EPOXY COATED RE-STEEL		61,505 LB
PIPE PILING		3,170 LF
STEEL SHEET PILING		4,177 SF
GRANULAR BACKFILL		340 CY

GROUP 6A BRIDGE AT STA. 278+73

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		465 CY
RIPRAP FILTER FABRIC		535 SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000		215 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		36,950 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
47B-3000 CONC FOR BRIDGE		143 CY
47BD-4000 CONC FOR BRIDGE		344 CY
REMOVE STRUCTURE		1 EACH
AT STA. 278+44.03		
ACCESS CROSSING	LUMP	LUMP
STRUC STEEL FOR SUBSTRUCTURE		3,838 LB
BROKEN CONCRETE RIPRAP		335 TON
EPOXY COATED RE-STEEL		80,605 LB
PIPE PILING		3,380 LF
STEEL SHEET PILING		4,177 SF
GRANULAR BACKFILL		335 CY

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		187 LF
BRIDGE APPROACH SECTIONS		4 EACH
GUARDRAIL END TREATMENT, TYPE II		4 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE III		1,920 BDAY
SIGN DAY		2,560 EACH
CONTRACTOR FURNISHED SIGN DAY		320 EACH
TRAINING		500 HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		15 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		15 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		15 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		15 HOUR
TEMPORARY SILT CHECK		300 LF
TEMPORARY SILT FENCE		1,000 LF
TEMPORARY EARTH CHECK		300 LF
TEMPORARY MULCH		2 TON

NOTICE TO CONTRACTORS

CALL ORDER 305  
 FEDERAL PROJECT NO. NH-81-4(119)  
 LOCATION: US-81, US-20-N-59  
 COUNTIES: CEDAR PIERCE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on March 03, 2011. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 7.0 MILES  
 START DATE 06/13/2011 WORKING DAYS 85  
 Price Range \$ 2,000,000 to \$ 4,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning February 08, 2011 at the Lincoln Central Office and February 14, 2011 at the District Engineer's Office at NORFOLK  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	48 SHEETS	\$	12.00
STANDARD PLANS	16 SHEETS	\$	4.00

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T8	TYPICAL CROSS SECTIONS
2-S1 - 2-S7	SUMMARY OF QUANTITIES
2-A1 - 2-A7	PHOTO MAPS
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION
2-N2 - 2-N3	GENERAL INFORMATION--MILLED RUMBLE STRIPS
2-L1	CONSTRUCTION & REMOVALS
2-L2	EROSION CONTROL
3 - 9	PLAN SHEETS
10	PAVEMENT MARKING PLAN--LEFT TURN LANE DETAIL
11	PAVEMENT MARKING DETAILS
12	TEMPORARY PAVEMENT MARKING PLAN
13 - 19	SPECIAL PLAN 1C GUARDRAIL PLAN
20	SPECIAL PLAN 2C PAVEMENT APPROACH REPAIR STA. 109+87.00

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
309	MAILBOX SUPPORT POST
329-R8	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	10,000 BDAY
BARRICADE, TYPE III	1,175 BDAY
TEMPORARY SIGN DAY	1,190 EACH
SIGN DAY	12,844 EACH

OVERLAY BROKEN LINES		741	STA
OVERLAY SOLID LINES		1,482	STA
FLAGGING		170	DAY
FURNISHING AND OPERATING PILOT VEHICLE		160	DAY
TRAINING		500	HOUR
MOBILIZATION	LUMP		LUMP
CONSTRUCTION STAKING AND SURVEYING	LUMP		LUMP
REMOVE PAVEMENT		72	SY
SAWING PAVEMENT		342	LF
REMOVE CONCRETE MEDIAN SURFACING		83	SY
GRAVEL SURFACE COURSE		140	CY
CRUSHED ROCK SURFACE COURSE		5	CY
MAILBOX POST		2	EACH
TIE BARS		125	EACH
CROSS STITCHING		1,705	EACH
CONC 47B-3000 MEDIAN SURFACING		15	SY
8" CONCRETE BASE COURSE		140	SY
CONC PVMT REPAIR TYPE A FULL DEPTH		159	CY
CONC PVMT REPAIR TYPE B FULL DEPTH		365	CY
CONC PVMT REPAIR TYPE C FULL DEPTH		268	CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH		56	CY
CONC PVMT REPAIR TYPE B PARTIAL DEPTH		12	CY
CONC PVMT, PR-3500		117	CY
JOINT REPAIR			
BRIDGE APPROACH REPAIR		1	CY
W-BEAM GUARDRAIL		225	LF
REMOVE GUARDRAIL		580	LF
BRIDGE APPROACH SECTIONS		4	EACH
GUARDRAIL END TREATMENT, TYPE II		4	EACH
STOP AHD SYM, WET REF PRE PVMT MRK, T-4		1	EACH
5" WHT WET RFLC PRF PVMT MKNG T4 GVD		200	LF
12" WHT WET RFLC PRF PVMT MKNG T4 GVD		72	LF
5" YEL WET RFLC PRF PVMT MKNG T4 GVD		4,700	LF
12" YEL WET RFLC PRF PVMT MKNG T4 GVD		300	LF
RR XING WET RFLC PRF PVMT MKNG, T 4 GVD		2	EACH
HYDRATED LIME FOR ASPHALT MIXTURES		223	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		5	TON
FOUNDATION COURSE REPLACEMENT		24	CY
ASPH CONC ST MAINT PATCH TYPE SP4 (0.5)		500	TON
ASPH CONC, TYPE SPS		9,390	TON
ASPH CONC, TYPE SP4(0.5)		16,640	TON
ASPH CONC, TYPE LC		5,620	TON
PLACE ASPH CONC FOR DRIVE & INTER		2,702	SY
PERF GRAD BIND (64-34)FOR ST MAINT PATCH		25	TON
PERF GRADED BINDER (52-34)		469	TON
PERF GRADED BINDER (64-34)		1,259	TON
TACK COAT		38,710	GAL
FOG SEAL		830	GAL
RENTAL OF LOADER, FULLY OPERATED		10	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		10	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		10	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		10	HOUR
WATER		189	MGAL
EARTH SHOULDER CONSTRUCTION		751	STA
RUMBLE STRIPS, ASPHALT		722	STA
CONCRETE SURFACE MILLING		102,239	SY
SURFACE UNDER GUARDRAIL		310	SY
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP		LUMP
SEEDING, TYPE B		7	ACRE
EROSION CONTROL, CLASS 1D		525	SY
FABRIC SILT FENCE-LOW POROSITY		480	LF
TEMPORARY SILT FENCE		300	LF
MULCH		16	TON

NOTICE TO CONTRACTORS

CALL ORDER 310  
 STATE PROJECT NO. RD-20-5(1014)  
 LOCATION: US-20, OSMOND EAST & WEST  
 COUNTIES: PIERCE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on March 03, 2011. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

Length: 11.2 MILES  
 START DATE 06/13/2011 WORKING DAYS 90  
 Price Range \$ 500,000 to \$ 2,000,000

Plans and specifications may be seen beginning February 08, 2011 at the Lincoln Central Office and February 14, 2011 at the District Engineer's Office at NORFOLK

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	14	SHEETS	\$	3.50
STANDARD PLANS	6	SHEETS	\$	1.50

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T7	TYPICAL CROSS SECTIONS
2-S1 - 2-S4	SUMMARY OF QUANTITIES
3	TEMPORARY PAVEMENT MARKING PLAN
4	SPECIAL PLAN 1C PAVEMENT APPROACH REPAIR

STANDARD PLANS

443-R7	(2 SHEETS) CURB INLETS AND JUNCTION BOX
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	4,875	B DAY
BARRICADE, TYPE III	584	B DAY
TEMPORARY SIGN DAY	522	EACH
SIGN DAY	6,560	EACH
TEMP PVMT MARKING, TYPE PAINT	148,000	LF
FLAGGING	174	DAY
FURNISHING AND OPERATING PILOT VEHICLE	87	DAY
MOBILIZATION	LUMP	LUMP
REMOVE ASPH SURF FROM PAVEMENT	560	SY
CROSS STITCHING	224	EACH
CONCRETE CURB REPAIR	28	LF
CONC PVMT REPAIR TYPE A FULL DEPTH	98	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	165	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	1,147	CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH	3	CY
DIAMOND GRINDING AND TEXTURING CONC PVMT	146,417	SY
SEALING CRACKS	1,164	LF
SEALING JOINTS	161,544	LF
CONC PVMT, PR-3500	21	CY
JOINT REPAIR		
CONC SMOOTHNESS TESTING	LUMP	LUMP
RECONSTRUCT CURB INLET	3	EACH

BRIDGE APPROACH REPAIR	16 CY
FOUNDATION COURSE REPLACEMENT	42 CY
FOG SEAL	14,000 GAL
JOINT SEALING - ASPHALT TO CONCRETE	1,161 STA
CRACK SEALING BIT SURFACING	22,119 LF

NOTICE TO CONTRACTORS

CALL ORDER 400  
 STATE PROJECT NO. RD-41-5(1005)  
 LOCATION: N-41, GENEVA EAST  
 COUNTIES: FILLMORE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on March 03, 2011. At that time the bids will be opened and read for BITUMINOUS, GUARDRAIL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 11.4 MILES  
 START DATE 08/01/2011 WORKING DAYS 50  
 Price Range \$ 1,000,000 to \$ 3,000,000

Plans and specifications may be seen beginning February 08, 2011 at the Lincoln Central Office and February 14, 2011 at the District Engineer's Office at GRAND ISLAND  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	49	SHEETS	\$ 12.25
CROSS SECTIONS (SHEETS X1 THRU X5)	5	SHEETS	\$ 1.25
STANDARD PLANS	12	SHEETS	\$ 3.00

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T4	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-A1 - 2-A11	PHOTO MAPS
2-H1 - 2-H3	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
3 - 14	PLAN SHEETS
15	TEMPORARY PAVEMENT MARKING PLAN
16	EARTHWORK DATA SHEET
17	DRAINAGE STRUCTURE CROSS SECTION
18 - 20	SPECIAL PLAN 1C HEADWALL STA. 78+03.00 LT
21 - 22	SPECIAL PLAN 2C SAFETY SLOPED END SECTIONS CORRUGATED METAL & CONCRETE PIPE
23 - 29	SPECIAL PLAN 3C GUARDRAIL PLAN
X1 - X5	CROSS SECTIONS

STANDARD PLANS

307-R1	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		137 LF
REMOVE GUARDRAIL		443 LF
BRIDGE APPROACH SECTIONS		4 EACH
GUARDRAIL END TREATMENT, TYPE II		4 EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES	1,487	STA
OVERLAY SOLID LINES	2,974	STA
MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EARTHWORK MEASURED IN EMBANKMENT	321	CY
REMOVE ASPHALT SURFACE	478	SY
42" DRIVE PIPE, TYPE 3,4 OR 5	80	LF
GRAVEL SURFACE COURSE	120	CY
CRUSHED ROCK SURFACE COURSE	25	CY
SPEC SURF CRSE FOR MAILBOX TURNOUTS	750	SY
MAILBOX POST	7	EACH
47B-3000 CONC FOR HDWL	3	CY
RE-STEEL FOR HEADWALL	445	LB
42" SAFETY SLOPED END SECTION	2	EACH
HYDRATED LIME FOR ASPHALT MIXTURES	360	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	1	TON
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	100	TON
ASPH CONC, TYPE SPR	35,340	TON
PLACE ASPH CONC FOR DRIVE & INTER	3,539	SY
ASPH CONCRETE FOR PATCHING, TYPE SPR	600	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	3	TON
PERF GRADED BINDER (64-34)	1,365	TON
CONSTRUCTING ASPH CONC CURB	144	LF
TACK COAT	33,470	GAL
FOG SEAL	350	GAL
WATER	156	MGAL
EARTH SHOULDER CONSTRUCTION	597	STA
SUBGRADE PREPARATION	750	SY
COLD MILLING, CLASS 3	347	STA
COLD MILLING, CLASS 3	258	STA
TYPE A		
COLD MILLING, CLASS 3	21	STA
TYPE B		
SURFACE UNDER GUARDRAIL	397	SY
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B	12	ACRE
EROSION CONTROL, CLASS 1C	2,983	SY
FABRIC SILT FENCE-LOW POROSITY	1,557	LF
MULCH	27	TON

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	39,204	BDAY
BARRICADE, TYPE III	450	BDAY
TEMPORARY SIGN DAY	630	EACH
SIGN DAY	10,656	EACH
FLAGGING	90	DAY
FURNISHING AND OPERATING PILOT VEHICLE	45	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	60	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	40	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	60	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	60	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	20	HOUR
TEMPORARY SILT FENCE	750	LF

NOTICE TO CONTRACTORS

CALL ORDER 500  
 FEDERAL PROJECT NO. IM-80-1(171)  
 LOCATION: I-80, BUSHNELL-W. KIMBALL (EB)  
 COUNTIES: KIMBALL

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on March 03, 2011. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 11.3 MILES  
 START DATE 05/02/2011 WORKING DAYS 70  
 Price Range \$ 2,000,000 to \$ 4,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning February 08, 2011 at the Lincoln Central Office and February 14, 2011 at the District Engineer's Office at GERING  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	28 SHEETS	\$	7.00
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T7	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-H	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3 - 13	PLAN SHEETS
14	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
15	TRAFFIC CONTROL PLAN--RAMP CONSTRUCTION PLAN
16	TEMPORARY PAVEMENT MARKING PLAN
17	TYPICAL PAVEMENT MARKING PLAN (INTERSTATE/EXPRESSWAY)
18	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

SURV OF TEMP TRAFFIC CONT DEVICES	118 CDAY
BARRICADE, TYPE II	13,460 BDAY
BARRICADE, TYPE III	555 BDAY
TEMPORARY SIGN DAY	480 EACH
SIGN DAY	2,168 EACH
OVERLAY BROKEN LINES	1,194 STA
OVERLAY SOLID LINES	2,388 STA
FLASHING ARROW PANEL	83 DAY
FLAGGING	20 DAY
FIELD OFFICE	1 EACH
TRAINING	500 HOUR
MOBILIZATION	LUMP LUMP

REMOVE PAVEMENT	5,245 SY
SAWING PAVEMENT	1,810 LF
REMOVE ASPHALT SURFACE	2,182 SY
CONC PVMT REPAIR TYPE A FULL DEPTH	2 CY
CONC PVMT REPAIR TYPE B FULL DEPTH	286 CY
CONC PVMT REPAIR TYPE C FULL DEPTH	327 CY
CONC PVMT, PR-3500	34 CY
JOINT REPAIR	
REMOVE FLARED- END SECTION	2 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	90 CY
5" WHT WET RFLC THERMOPLSTC PVMT MRK,GVD	75,800 LF
12" WHT WET RFLC THERMO PVMT MRKING, GVD	1,300 LF
5" YEL WET RFLC THERMOPLSTC PVMT MRK,GVD	60,520 LF
HYDRATED LIME FOR ASPHALT MIXTURES	231 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	3 TON
FOUNDATION COURSE REPLACEMENT	28 CY
ASPH CONC ST MAINT PATCH TYPE SP5(0.5)	300 TON
ASPH CONC, TYPE SPS	4,860 TON
ASPH CONC, TYPE SP5(0.5)	22,060 TON
ASPH CONC FOR PATCH, TYPE SP5(0.5)	1,060 TON
PERF GRAD BIND (70-28)FOR ST MAINT PATCH	14 TON
PERF GRADED BINDER (70-28)	1,109 TON
PERF GRADED BINDER (52-34)	184 TON
TACK COAT	37,570 GAL
FOG SEAL	150 GAL
RENTAL OF LOADER, FULLY OPERATED	50 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	60 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	50 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	50 HOUR
RENT OF BULLDOZER, FULLY OPERATED	10 HOUR
COLD MILLING, CLASS 3	616 STA
RUMBLE STRIPS, ASPHALT	1,194 STA
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP
SEEDING, TYPE B	2 ACRE
MULCH	4 TON

NOTICE TO CONTRACTORS

CALL ORDER 510  
 FEDERAL PROJECT NO. NH-71-3(126)  
 LOCATION: N-71/N-88, N-88 JCT. NORTH & SOUTH  
 COUNTIES: BANNER

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on March 03, 2011. At that time the bids will be opened and read for BR GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 11.4 MILES  
 START DATE 05/02/2011 WORKING DAYS 105  
 Price Range \$ 3,000,000 to \$ 6,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning February 08, 2011 at the Lincoln Central Office and February 14, 2011 at the District Engineer's Office at GERING  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	51	SHEETS	\$	12.75
CROSS SECTIONS (SHEETS X1 THRU X7)	7	SHEETS	\$	1.75
STANDARD PLANS	10	SHEETS	\$	2.50

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-A1 - 2-A11	PHOTO MAPS
2-H1 - 2-H4	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION
2-N2 - 2-N3	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3 - 13	PLAN SHEETS
14 - 15	SPECIAL PLAN 1C BRIDGE REPAIR STA. 2201+65.00 RT
16 - 17	SPECIAL PLAN 2C BRIDGE REPAIR STA. 2305+58.00 RT
18 - 29	SPECIAL PLAN 3C GUARDRAIL PLAN
30	SPECIAL PLAN 4C TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
31	SPECIAL PLAN 5C TEMPORARY PAVEMENT MARKING PLAN
X1 - X7	CROSS SECTIONS

STANDARD PLANS

501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT STA. 2201+65.00R

MOBILIZATION	LUMP	LUMP
PREP BRIDGE		1 EACH
AT STA. 2201+65 RT.		
CONCRETE REPAIR		44 SF

GROUP 6A BRIDGE AT STA. 2305+58.00R

MOBILIZATION	LUMP	LUMP
PREP BRIDGE		1 EACH
AT STA. 2305+58 RT.		
CONCRETE REPAIR		210 SF

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		412 LF
THRIE-BEAM GUARDRAIL		387 LF
REMOVE & SALVAGE GUARDRAIL		1,340 LF
BRIDGE APPROACH SECTIONS		4 EACH
SPECIAL BR APPROACH SECTION		4 EACH
END ANCHORAGE ASSEMBLY		4 EACH
BULLNOSE-12.5'		4 EACH
GUARDRAIL END TREATMENT, TYPE II		4 EACH
EROSION CONTROL, CLASS 1D		2,587 SY

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES		2,892 STA
OVERLAY SOLID LINES		5,784 STA
MOBILIZATION	LUMP	LUMP
REMOVE ASPHALT SURFACE		116 SY
HYDRATED LIME FOR ASPHALT MIXTURES		349 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		10 TON
ASPH CONC, TYPE SP4(0.5)		34,810 TON
HIGH RAP BASE		30,280 TON
ASPH CONCRETE FOR PATCHING, TYPE HRB		500 TON
ASPH CONC FOR PATCHING, TYPE SP4(0.5)		1,000 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH		48 TON
PERF GRADED BINDER (64-34)		2,671 TON
TACK COAT		65,510 GAL
FOG SEAL		10,880 GAL
COLD MILLING, CLASS 3		1,017 STA
COLD MILLING, CLASS 3		1,583 STA
TYPE A		
RUMBLE STRIPS, ASPHALT		2,004 STA
SURFACE UNDER GUARDRAIL		387 SY
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II		15,680 BDAY
BARRICADE, TYPE III		2,166 BDAY
TEMPORARY SIGN DAY		2,400 EACH
SIGN DAY		9,696 EACH
FLASHING ARROW PANEL		242 DAY
FLAGGING		25 DAY
TRAFFIC CONTROL MANAGEMENT		181 DAY
FIELD OFFICE		1 EACH
TRAINING		500 HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		40 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED		40 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		40 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		40 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		5 HOUR
TEMPORARY SILT FENCE		200 LF

NOTICE TO CONTRACTORS

CALL ORDER 600  
 STATE PROJECT NO. STR-80-3(1051)  
 LOCATION: I-80, ROSCOE INTERCHANGE  
 COUNTIES: KEITH

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on March 03, 2011. At that time the bids will be opened and read for GRAD CONC PAVE BR GDRL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT BRIDGES  
 START DATE 06/27/2011 WORKING DAYS 60  
 Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning February 08, 2011 at the Lincoln Central Office and February 14, 2011 at the District Engineer's Office at NORTH PLATTE  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	36	SHEETS	\$	9.00
CROSS SECTIONS (SHEETS X1 THRU X9)	9	SHEETS	\$	2.25
STANDARD PLANS	14	SHEETS	\$	3.50

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-A	PHOTO MAP
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION
2-N2 - 2-N3	GENERAL INFORMATION--MILLED RUMBLE STRIPS
2-L1	CONSTRUCTION & DRAINAGE
2-L2	REMOVAL
2-L3	EROSION CONTROL
3	PLAN SHEET
4	TYPICAL TRAFFIC SIGNAL CONTROL PLAN FOR ONE LANE, TWO WAY OPERATION WITH BARRIERS
5	TEMPORARY TRAFFIC SIGNAL
6	TEMPORARY PAVEMENT MARKING PLAN
7	EARTHWORK DATA SHEET
8 - 9	DRAINAGE STRUCTURE CROSS SECTIONS
10 - 16	SPECIAL PLAN 1 PSC GIRDER BRIDGE END OF FLOOR & ABUTMENT MODIFICATION STA. 112+97.56
17 - 23	SPECIAL PLAN 1C GUARDRAIL PLAN
24	SPECIAL PLAN 2C AREA INLET
25 - 26	SPECIAL PLAN 3C CONCRETE PROTECTION BARRIER
X1 - X9	CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
329-R8	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		5 MGAL
EARTHWORK MEASURED IN EMBANKMENT		224 CY
REMOVE PAVEMENT	3,864	SY
SAWING PAVEMENT	600	LF
REMOVE ASPHALT SURFACE	1,618	SY
REMOVE GUARDRAIL	510	LF
COVER CROP SEEDING		1 ACRE
EROSION CONTROL, CLASS 1D	540	SY
FABRIC SILT FENCE-LOW POROSITY	215	LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
REMOVE INLET		4 EACH
TIE BARS		86 EACH
8" CONC PVMT, 47B-3500	1,530	SY
8" DOWELED CONC PAVE, CLASS 47B-3500	3,958	SY
CAST IRON GRATE & FRAME	2,220	LB
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	6	CY
47B-3000 CONC FOR INLET & JUNCTION BOXES	6	CY
47B-3000 CONC FOR CONCRETE CO	1	CY
RE-STEEL FOR INLET & JCT BOX	320	LB
RE-STEEL FOR COLLARS	140	LB
WATER		21 MGAL
EARTH SHOULDER CONSTRUCTION		16 STA
SUBGRADE PREPARATION	5,488	SY
RUMBLE STRIPS, CONCRETE		20 STA
SURFACE UNDER GUARDRAIL	300	SY
SEEDING, TYPE B		1 ACRE
MULCH		2 TON
15" CULV PIPE 2		12 LF

GROUP 6 BRIDGE AT STA. 112+97.66

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		157 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	23,055	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE B		59 LF
CLASS I REPAIR		785 SY
CLASS II REPAIR		157 SY
CLASS III REPAIR		5 SY
PLACE, FINISH, & CURE CONC OVERLAY-SF		785 SY
47BD-4000 CONC FOR BRIDGE		42 CY
CONCRETE FOR OVERLAYS-SF		49 CY
PREP BRIDGE		1 EACH
112+97.56		
EPOXY COATED RE-STEEL	3,579	LB
CURB REPAIR		385 SF
GRANULAR BACKFILL		30 CY

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		375 LF
BRIDGE APPROACH SECTIONS		4 EACH
GUARDRAIL END TREATMENT, TYPE II		4 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	776	BDAY
BARRICADE, TYPE III	582	BDAY
SIGN DAY	4,850	EACH
TEMP PAVEMENT MARKING REMOVAL	1,285	LF
PAVEMENT MARKING REMOVAL	2,770	LF
TEMP PVMT MARKING, TYPE PAINT	2,570	LF
TEMP PVMT MARKING SURF PREP	1,285	LF
CONCRETE PROTECTION BARRIER	637	LF
RELOCATE CONC PROTECTION BARRIER	637	LF
TEMPORARY RUMBLE STRIP	4	EACH
TEMPORARY TRAFFIC SIGNAL	1	EACH
TRAFFIC CONTROL MANAGEMENT	97	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	5	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	5	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	5	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5	HOUR
TEMPORARY SILT FENCE	200	LF
TEMPORARY MULCH	1	TON

NOTICE TO CONTRACTORS

CALL ORDER 605  
 FEDERAL PROJECT NO. NH-26-1(158)  
 LOCATION: US-26, LEWELLEN SOUTH  
 COUNTIES: GARDEN KEITH

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on March 03, 2011. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 9.7 MILES  
 START DATE 07/05/2011 WORKING DAYS 70  
 Price Range \$ 2,000,000 to \$ 4,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning February 08, 2011 at the Lincoln Central Office and February 14, 2011 at the District Engineer's Office at NORTH PLATTE  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	38 SHEETS	\$	9.50
STANDARD PLANS	15 SHEETS	\$	3.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T3	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-W1 - 2-W9	WETLANDS
2-H1 - 2-H4	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N4	GENERAL INFORMATION
2-N5	GENERAL INFORMATION--MILLED RUMBLE STRIPS
2-L	LARGE SCALE PLAN SHEET
3 - 11	PLAN SHEETS
12	TEMPORARY PAVEMENT MARKING PLAN
13	TYPICAL PAVEMENT MARKING PLAN--RURAL LEFT TURN BAYS
14 - 16	SPECIAL PLAN 1C CABLE GUARDRAIL

STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
301-R10	(3 SHEETS) PAVEMENT DETAILS
307-R1	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
901-R9	HIGHWAY DELINEATORS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	22,000 BDAY
BARRICADE, TYPE III	702 BDAY
TEMPORARY SIGN DAY	980 EACH
SIGN DAY	12,098 EACH
OVERLAY BROKEN LINES	1,537 STA

OVERLAY SOLID LINES	3,074	STA
FLAGGING	135	DAY
FURNISHING AND OPERATING PILOT VEHICLE	65	DAY
FIELD OFFICE	1	EACH
TRAINING	500	HOUR
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE II	49	EACH
DELINEATOR, TYPE III	102	EACH
INSTALL CHEVRONS	8	EACH
REMOVE DELINEATOR UNITS	151	EACH
ROADWAY GRADING	1	STA
REMOVE ASPHALT SURFACE	98	SY
REMOVE CURB	619	LF
SPEC SURF CRSE FOR MAILBOX TURNOUTS	25	SY
MAILBOX POST	1	EACH
CONCRETE 47B-3500 MEDIAN CURB	291	LF
CONC 47B-3000 MEDIAN SURFACING	63	SY
CONCRETE CLASS 47B-3500 ISLAND NOSE	1	EACH
REMOVE GUARDRAIL	48	LF
TERMINAL ANCHORAGE SECTIONS	2	EACH
4" YEL WET RFLC PRF PVMT MKNG T4 GVD	4,600	LF
12" YEL WET RFLC PRF PVMT MKNG T4 GVD	580	LF
HYDRATED LIME FOR ASPHALT MIXTURES	361	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	5	TON
ASP CON ST MAIN PTCH TYPE SP4 SPEC(0.5)	500	TON
ASPH CONC, TYPE SPS	7,810	TON
ASPH CONC, TYPE SP4 SPECIAL(0.5)	17,980	TON
ASPH CONC, TYPE SPR	18,080	TON
PLACE ASPH CONC FOR DRIVE & INTER	1,244	SY
ASPH CONCRETE FOR PATCHING, TYPE SPR	300	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	24	TON
PERF GRADED BINDER (52-34)	296	TON
PERF GRADED BINDER (64-34)	1,460	TON
CONSTRUCTING ASPH CONC CURB	619	LF
TACK COAT	45,250	GAL
FOG SEAL	250	GAL
RENTAL OF LOADER, FULLY OPERATED	125	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	120	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	125	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	125	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5	HOUR
WATER	64	MGAL
EARTH SHOULDER CONSTRUCTION	256	STA
COLD MILLING, CLASS 3	619	STA
COLD MILLING, CLASS 3	900	STA
TYPE A		
RUMBLE STRIPS, ASPHALT	841	STA
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B	3	ACRE
EROSION CONTROL, CLASS 1D	199	SY
TEMPORARY SILT FENCE	200	LF
MULCH	6	TON

NOTICE TO CONTRACTORS

CALL ORDER 700  
 FEDERAL PROJECT NO. STP-34-2(121)  
 LOCATION: US-34, US-6 WEST  
 COUNTIES: HITCHCOCK

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on March 03, 2011. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 3.6 MILES  
 START DATE 08/15/2011 WORKING DAYS 40  
 Price Range \$ 1,000,000 to \$ 3,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning February 08, 2011 at the Lincoln Central Office and February 14, 2011 at the District Engineer's Office at MCCOOK

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	11	SHEETS	\$	2.75
STANDARD PLANS	4	SHEETS	\$	1.00

SHEET NO.

- 1 TITLE PAGE
- 2-T TYPICAL CROSS SECTIONS
- 2-S SUMMARY OF QUANTITIES
- 2-H HORIZONTAL ALIGNMENT & ORIENTATION
- 2-N GENERAL INFORMATION--MILLED RUMBLE STRIPS
- 3 - 6 PLAN SHEETS
- 7 TEMPORARY PAVEMENT MARKING PLAN
- 8 TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	3,520	B	DAY
BARRICADE, TYPE III	456	B	DAY
TEMPORARY SIGN DAY	560	E	EACH
SIGN DAY	4,765	E	EACH
OVERLAY BROKEN LINES	567	S	TA
OVERLAY SOLID LINES	1,134	S	TA
PERMANENT PAVEMENT MARKING PAINT	54,200	L	F
FLAGGING	80	D	AY
TRAFFIC CONTROL MANAGEMENT	76	D	AY
MOBILIZATION	LUMP	L	UMP
HYDRATED LIME FOR ASPHALT MIXTURES	69	T	ON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	12	T	ON
ASPH CONC FOR ST MAINT PTCHING, TYPE HRB	1,250	T	ON
ASPH CONC ST MAINT PATCH TYPE SP4 (0.5)	1,250	T	ON
ASPH CONC, TYPE SPS	4,720	T	ON
ASPH CONC, TYPE SP4(0.5)	6,420	T	ON
HIGH RAP BASE	9,950	T	ON

ASPH CONCRETE FOR PATCHING, TYPE SPS	500 TON
ASPH CONCRETE FOR PATCHING, TYPE HRB	500 TON
ASPH CONC FOR PATCHING, TYPE SP4(0.5)	500 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	100 TON
PERF GRADED BINDER (52-34)	198 TON
PERF GRADED BINDER (64-34)	671 TON
TACK COAT	19,890 GAL
RENTAL OF LOADER, FULLY OPERATED	120 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	120 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	120 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	120 HOUR
COLD MILLING, CLASS 3	223 STA
COLD MILLING, CLASS 3	382 STA
TYPE A	
RUMBLE STRIPS, ASPHALT	378 STA
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP

NOTICE TO CONTRACTORS

CALL ORDER 800  
 FEDERAL PROJECT NO. NH-83-4(114)  
 LOCATION: US-83, S-16B NORTH & SOUTH  
 COUNTIES: CHERRY

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on March 03, 2011. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 10.2 MILES  
 START DATE 07/18/2011 WORKING DAYS 60  
 Price Range \$ 2,000,000 to \$ 4,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning February 08, 2011 at the Lincoln Central Office and February 14, 2011 at the District Engineer's Office at AINSWORTH  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	6 SHEETS	\$	1.50
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

1	TITLE PAGE
2-S	SUMMARY OF QUANTITIES & TYPICAL CROSS SECTION
2-N1 - 2-N2	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3	TEMPORARY PAVEMENT MARKING PLAN
4	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	22,000	BDAY
BARRICADE, TYPE III	416	BDAY
TEMPORARY SIGN DAY	840	EACH
SIGN DAY	10,410	EACH
OVERLAY BROKEN LINES	2,160	STA
OVERLAY SOLID LINES	4,320	STA
PERMANENT PAVEMENT MARKING PAINT	154,500	LF
FLAGGING	120	DAY
FURNISHING AND OPERATING PILOT VEHICLE	60	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
HYDRATED LIME FOR ASPHALT MIXTURES	369	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	1	TON
ASPH CONC FOR STATE MAINT PATCHING, TYPE SP4 SPECIAL(0.5)	100	TON
ASPH CONC, TYPE SPS	7,890	TON
ASPH CONC, TYPE SP4 SPECIAL(0.5)	18,090	TON
ASPH CONC, TYPE SPR	18,310	TON
ASPH CONCRETE FOR PATCHING, TYPE SPR	500	TON

ASPH CONCRETE FOR PATCHING, TYPE SPS	250 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	4 TON
PERF GRADED BINDER (52-34)	309 TON
PERF GRADED BINDER (64-34)	1,583 TON
TACK COAT	44,400 GAL
RENTAL OF LOADER, FULLY OPERATED	60 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	60 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	60 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	60 HOUR
COLD MILLING, CLASS 3	1,080 STA
TYPE A	
COLD MILLING, CLASS 3	540 STA
RUMBLE STRIPS, ASPHALT	1,080 STA
ASPH PVMT SMOOTHNESS TESTING	LUMP LUMP

Nebraska Department of Roads  
 Contracts Section, P.O. Box 94759, Lincoln, NE 68509  
 (402) 479-4525

**Plan and Informational Proposal Order Form**  
**Projects to be bid on:**  
**March 3, 2011**

**Payment required for plans prior to NDOR completing this order.**  
 dor.ContractsOnlineOrders@nebraska.gov FAX: (402) 479-4845

Document No.

<input type="checkbox"/> Check/Cash	Receipt No.
<input type="checkbox"/> Advance Plans Account No.	
<b>Credit Card</b>	
<input type="checkbox"/> Visa	<input type="checkbox"/> MasterCard
Expiration Date:	
Card No.:	

Please indicate: <input type="checkbox"/> Mail <input type="checkbox"/> Hold	<input type="checkbox"/> Fed Ex. Standard Overnight	Comments:
	<input type="checkbox"/> Fed Ex. Priority Overnight	
	<input type="checkbox"/> UPS Overnight	
	Acct. No.	

<b>FOR OFFICE USE ONLY</b>	
Reference I.D.:	
Authorization Code:	Date:

4-Digit Vendor No.:	Ordered By:	Grand Total - Informational Proposals: x \$5.00
Company:		All plans in letting on CD: x \$25.00
Street Address:		Grand Total - 1/2 Size Plans: x \$.25
		Grand Total - Full Size Plans: x \$.50
PO Box:	City:	State:
		Zip Code:
Phone No.:	Fax No.:	<b>Subtotal</b>
		Tax Code
		Sales Tax %
Processed by:	Date:	Proposals/CD Filled:
		Blueprint Plans/Proposals Filled:
		Date:
		<b>Total</b>

*If requesting Plan or Proposal CD(s) only, your name will not appear on the Planholders list unless your company has been issued Bid Proposals or you submit the "Planholders Registration" from the NDOR website.*

**CD containing Informational Proposals for all projects in letting. (No Charge) Total Number Requested: →**

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. 1/2 size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
100	IM-80-9(891)				
105	STP-63-2(115)				
110	RD-77-2(1060)				
205	STP-275-7(190)				
210	STR-680-9(1175)				
300	STPD-20-6(108)				
305	NH-81-4(119)				
310	RD-20-5(1014)				
400	RD-41-5(1005)				
500	IM-80-1(171)				
510	NH-71-3(126)				

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. ½ size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
600 STR-80-3(1051)					
605 NH-26-1(158)					
700 STP-34-2(121)					
800 NH-83-4(114)					

**Standard Plans:** Refer to "Publication Order Form" for complete sets of Standard Plans and Standard/Special Plans Books

Number of Sets Requested	Standard Plan No.(s)	Number of Sheets Shown in List of Plans	Check Size		Total No. of Sheets	
			1/2	Full	1/2	Full
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		



