

March 17, 2011

TO ALL CONCERNED:

The Department of Roads has scheduled a bid letting to be held in this office April 14, 2011 at 1:30 p.m.

The Notice to Contractors includes:

1. Website Information
2. Notice to all Bidders
3. Ordering Instructions
4. Notices to Contractors including time allowances and lists of plans
5. Plan and Informational Proposal Order Form
6. R-125 "Request for Bidding Proposal Forms"

Projects containing DBE Goals are indicated in the "Notice to Contractors".

Please check the important letting information on the website frequently.

The last day to submit acceptable prequalification statements for this letting is by 5:00 p.m. on Monday, April 4, 2011.

Sincerely,

Jay K. Brinkmeyer, Supervisor
Contract Lettings Section
Construction Division

JKB/em

WEBSITE INFORMATION

The Nebraska Department of Roads, Contract Lettings Section, will be utilizing the Internet as our means of communicating with the contracting industry.

Documents that are posted on the web are:

- Letting Schedule
- Notices to Contractors
- Informational Proposals
- Letting Plans
- List of Prequalified Contractors
- Planholders List
- Informational Addendums
- EBS (Electronic Bidding System)
- Apparent Low Bidders
- Bid Tabulations
- Standard Item Listing
- Awarded Average Unit Prices (AUP) Report

Hard copies of these documents will be available for inspection in the Contracts Office.

There will be a charge for reproduction of any of these documents.

The Website address is: www.Transportation.Nebraska.gov

If you have any questions as you are using our Website, please contact us at:

Nebraska Department of Roads
Contract Lettings Section
P.O. Box 94759
Lincoln, NE 68509-4759

Phone (402) 479-4525
FAX (402) 479-3803

Email: DOR.ContractLettings@nebraska.gov

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071.

The U.S. Department of Transportation (DOT) operates the above toll-free “hotline” Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the “hotline” to report such activities.

The “hotline” is part of the DOT’s continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

ORDERING INSTRUCTIONS FOR PLANS AND PROPOSALS

Refer to the "Notice to Contractors" for the call order number, project number, and list of plans for each project.

Order forms are available on the NDOR website in PDF and Word format. Complete the appropriate forms as follows:

Request for Bidding Proposal Forms (R-125)

Bidders must submit an R-125, Request for Bidding Proposals Forms and be issued bid proposals prior to submitting bids.

Proposals to be used for bidding must be requested on this form. Bidding proposals will be issued only to contractors who are currently prequalified to bid with this department.

There is no charge for bid proposals.

Plan and Informational Proposal Order Form:

Payment is required prior to NDOR completing the order. This payment is not refundable.

Proposals to be used for information only can be ordered as follows:

1. Each individual project.
2. CD that contains all projects in letting. Does not contain addenda.

Plans for each project can be ordered as follows:

1. Complete set.
2. Set less Roadway Cross-Sections and Standards.
3. Set less Standards.
4. Set less Roadway Cross-Sections.
5. Individual sheets
6. CD that contains all projects in letting.

Prices are: Informational Proposals: \$5.00 each
CD containing Informational Proposals: No Charge
Plans per sheet: \$.25 for half-size (12" x 18")
\$.50 for full-size (24" x 36")
CD containing plans: \$25.00 each

Cost shown on the list of plans is for ½ size plans. Nebraska residents add appropriate state sales tax and city tax that is determined by delivery within cities imposing a sales tax.

Select the method of payment on the plan order form:

1. Credit Card (Visa or MasterCard only)
Orders with approved credit cards can be processed without delays.
2. Advanced payment account
Requires a money deposit with recommended \$200 minimum. Failure to have sufficient funds in your account to cover cost of the plans may delay the processing of your order.
This account may also be used to purchase other NDOR publications.
3. Check/cash
Send checks made payable to the Nebraska Dept. of Roads with your completed plan order form. Please do not mail cash.

To order complete sets of standard plans (1/2 size) please use the "Publications Order Form" available on the website. Cost is \$35.00 plus applicable sales tax. As new standards become available they may be purchased at \$0.25 per sheet.

Address: Nebraska Department of Roads
Contracts Section
1500 Highway 2
PO Box 94759
Lincoln NE 68509-4759

FAX (402) 479-3803

Phone: (402) 479-4525

Email: DOR.ContractLettings@nebraska.gov

October 10, 2008

NOTICE TO CONTRACTORS

CALL ORDER 100
 STATE PROJECT NO. RD-92-6(1018)
 LOCATION: N-92, E. JCT US-81 - SURPRISE
 COUNTIES: BUTLER POLK

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 14, 2011. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 3.61 MILES
 START DATE 07/18/2011 WORKING DAYS 55
 Price Range \$ 500,000 to \$ 2,000,000

Plans and specifications may be seen beginning March 22, 2011 at the Lincoln Central Office and March 28, 2011 at the District Engineer's Office at LINCOLN
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	18	SHEETS	\$	4.50
STANDARD PLANS	7	SHEETS	\$	1.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T6	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-N1 - 2-N2	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3 - 5	PLAN SHEETS
6	TEMPORARY PAVEMENT MARKING PLAN
7	TYPICAL PAVEMENT MARKING PLAN--4" PAVEMENT MARKING
8 - 9	PAVEMENT MARKING PLAN

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS)	TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	4,428	BDAY
BARRICADE, TYPE III	582	BDAY
TEMPORARY SIGN DAY	770	EACH
SIGN DAY	9,283	EACH
TEMP PVMT MARKING, TYPE PAINT	15,500	LF
TEMP PVMT MARKING SURF PREP	7,750	LF
OVERLAY BROKEN LINES	397	STA
OVERLAY SOLID LINES	1,874	STA
FLAGGING	110	DAY
FURNISHING AND OPERATING PILOT VEHICLE	55	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
REMOVE PAVEMENT	466	SY
SAWING PAVEMENT	4,068	LF
REMOVE CONCRETE MEDIAN SURFACING	2,086	SY
TIE BARS	1,480	EACH
CROSS STITCHING	2,147	EACH
CONC PVMT REPAIR TYPE A FULL DEPTH	24	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	51	CY

CONC PVMT REPAIR TYPE C FULL DEPTH	202	CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH	3	CY
9" CONC PVMT, 47B-3500	2,552	SY
DIAMOND GRINDING AND TEXTURING CONC PVMT	50,889	SY
SEALING CRACKS	364	LF
SEALING JOINTS	47,132	LF
CONC PVMT, PR-3500	16	CY
JOINT REPAIR		
CONC SMOOTHNESS TESTING	LUMP	LUMP
4" YEL PREF PVMT MRKNG, T-4, GROOVED	5,500	LF
12" YEL PREF PVMT MRKNG T-4 GROOVED	425	LF
HYDRATED LIME FOR ASPHALT MIXTURES	139	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	2	TON
FOUNDATION COURSE REPLACEMENT	8	CY
FOUNDATION COURSE	2,552	SY
4"		
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	200	TON
ASPH CONC, TYPE SPS	3,470	TON
ASPH CONC, TYPE SPR	13,690	TON
ASPH CONCRETE FOR PATCHING, TYPE SPR	300	TON
ASPH CONCRETE FOR PATCHING, TYPE SPS	100	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	7	TON
PERF GRADED BINDER (52-34)	135	TON
PERF GRADED BINDER (64-34)	531	TON
TACK COAT	21,510	GAL
RENTAL OF LOADER, FULLY OPERATED	40	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	40	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	40	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	40	HOUR
WATER	8	MGAL
SUBGRADE PREPARATION	2,552	SY
COLD MILLING, CLASS 3	314	STA
COLD MILLING, CLASS 3	353	STA
TYPE A		
RUMBLE STRIPS, ASPHALT	353	STA
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 105
 FEDERAL PROJECT NO. HSIP-6-6(159)
 LOCATION: JCT. US-6/N-103
 COUNTIES: SEWARD

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 14, 2011. At that time the bids will be opened and read for GRAD CONC PAVE CULV SEED ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT
 START DATE 08/08/2011 WORKING DAYS 60
 Price Range \$ 500,000 to \$ 2,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning March 22, 2011 at the Lincoln Central Office and March 28, 2011 at the District Engineer's Office at LINCOLN
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.
 This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	100	SHEETS	\$ 25.00
CROSS SECTIONS (SHEETS X1 THRU X44)	44	SHEETS	\$ 11.00
STANDARD PLANS	27	SHEETS	\$ 6.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-W1 - 2-W4	WETLANDS
2-H1 - 2-H7	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N2	GENERAL INFORMATION
2-P	PHASING PLAN--DETOUR ROUTES
2-L1 - 2-L9	GEOMETRICS
2-L10 - 2-L18	GRADES
2-L19 - 2-L25	JOINTS
2-L26 - 2-L34	CONSTRUCTION & DRAINAGE
2-L35 - 2-L42	REMOVAL
2-L43 - 2-L51	EROSION CONTROL
3 - 8	PLAN & PROFILE SHEETS
9	TRAFFIC SIGNAL PLAN
10	ROUNDBOUT PAVEMENT MARKING DETAIL
11	TEMPORARY PAVEMENT MARKING PLAN
12	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
13 - 17	ROADWAY LIGHTING PLANS
18 - 20	EARTHWORK DATA SHEETS
21 - 25	DRAINAGE STRUCTURE CROSS SECTIONS
26 - 27	SPECIAL PLAN 1C TEMPORARY SILT CHECKS
28	SPECIAL PLAN 2C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
R1 - R5	RIGHT-OF-WAY SHEETS
X1 - X44	CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
329-R8	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
443-R7	(2 SHEETS) CURB INLETS AND JUNCTION BOX

501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
804	PRECAST CONCRETE R.O.W. MARKER
914-R6	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION	48,691	CY
EXCAVATION, BORROW	8,016	CY
WATER	567	MGAL
RIGHT-OF-WAY MARKERS	14	EACH
RESET RIGHT-OF-WAY MARKERS	10	EACH
REMOVE PAVEMENT	8,274	SY
SAWING PAVEMENT	152	LF
REMOVE ASPHALT SURFACE	2,200	SY
REMOVE DRIVEWAY	540	SY
REMOVE CONCRETE MEDIAN SURFACING	62	SY
REMOVE SIGN, POST, AND FOOTING	2	EACH
COVER CROP SEEDING	8	ACRE
EROSION CONTROL, CLASS 1D	5,232	SY
EROSION CONTROL, CLASS 1F	4,413	SY
EROSION CONTROL, CLASS 2A	255	SY
EROSION CHECKS, TYPE 1F	210	BALE
FABRIC SILT FENCE-LOW POROSITY	340	LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
CRUSHED ROCK EMBEDMENT	820	SY
CRUSHED ROCK SURFACE COURSE	86	TON
TIE BARS	28	EACH
CONC 47B-3000 IMPRINTED MEDIAN SURF	616	SY
CONC 47B-3500 DRIVEWAY	540	SY
10" CONC PVMT, 47B-3500	444	SY
10" IMPRINTED CONC PAVE 47B-3500	815	SY
10" DOWELED CONC PVMT, 47B-3500	12,146	SY
4" PERFORATED PIPE UNDERDRAIN	2,350	LF
YIELD WET REFL POLY PVMT MRKING, GRVD	20	EACH
5" WHT WET RFLC POLY PVMT MRKING, GVD	620	LF
5" YEL WET RFLC POLY PVMT MRKING, GVD	3,400	LF
FOUNDATION COURSE	13,461	SY
4"		
GRANULAR SUBDRAIN	24	EACH
WATER	60	MGAL
EARTH SHOULDER CONSTRUCTION	70	STA
SUBGRADE PREPARATION	14,001	SY

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
CAST IRON COVER & FRAME	1,000	LB
REMOVE FLARED- END SECTION	3	EACH
REMOVE HEADWALLS FROM CULV	7	EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	1,136	CY

47B-3000 CONC FOR INLET & JUNCTION BOXES	27	CY
RE-STEEL FOR INLET & JCT BOX	1,890	LB
15" FLARED-END SECTION	8	EACH
24" METAL FLARED-END SECTION	4	EACH
30" METAL FLARED-END SECTION	2	EACH
36" METAL FLARED-END SECTION	4	EACH
24" CULV PIPE 5	322	LF
30" CULV PIPE 5	108	LF
36" CULV PIPE 5	192	LF
15" STORM SEWER PIPE 1,7,8	190	LF

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE A		4 ACRE
SEEDING, TYPE B		3 ACRE
MULCH		17 TON

GROUP 8B ELECTRICAL

HAULING SALVAGED MATERIAL	LUMP	LUMP
MOBILIZATION	LUMP	LUMP
PULL BOX, TYPE PB-5		2 EACH
PULL BOX, TYPE PB-6		1 EACH
ST LIGHT UNIT SL-BT-40-6-0.25		8 EACH
LUMINAIRE, TYPE HML-V-0.4KW		4 EACH
HIGH MAST LIGHT UNIT T-80		1 EACH
FOUNDATION DESIGN		1 EACH
CONCRETE FOR FOUNDATION		15 CY
REINFORCING STEEL	1,213	LB
ANCHOR BOLTS		6 EACH
LIGHTING CONTROL CENTER, R-3		1 EACH
1 1/2" CONDUIT IN TRENCH	1,525	LF
1 1/2" CONDUIT UNDER ROADWAY		180 LF
STREET LIGHT CABLE, NO. 2 USE		86 LF
STREET LIGHT CABLE, NO. 6 BARE	1,525	LF
STREET LIGHT CABLE, NO. 6 USE	2,964	LF
REMOVE LIGHTING UNIT		4 EACH
REMOVE TRAFFIC SIGNAL		1 EACH
REMOVE LIGHTING CONTROL CENTER		1 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE III	2,664	B DAY
SIGN DAY	3,907	EACH
CONTRACTOR FURNISHED SIGN DAY	444	EACH
FIELD OFFICE		1 EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		10 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		10 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		10 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		10 HOUR
TEMPORARY SILT CHECK	1,000	LF
TEMPORARY SILT FENCE		500 LF
TEMPORARY EARTH CHECK	1,000	LF
TEMPORARY MULCH		2 TON

NOTICE TO CONTRACTORS

CALL ORDER 200
 STATE PROJECT NO. RD-6-7(1044)
 LOCATION: US-6, 174th ST.-126th ST., OMAHA
 COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 14, 2011. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

Length: 4.0 MILES
 START DATE 05/31/2011 CALENDAR DAYS 180
 Price Range \$ 1,000,000 to \$ 3,000,000

Plans and specifications may be seen beginning March 22, 2011 at the Lincoln Central Office and March 28, 2011 at the District Engineer's Office at OMAHA

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	22	SHEETS	\$	5.50
STANDARD PLANS	7	SHEETS	\$	1.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T6	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-H	HORIZONTAL ALIGNMENT & ORIENTATION
3 - 11	PLAN SHEETS
12 - 13	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
14	TRAFFIC CONTROL PLAN (WORK IN VICINITY OF EXIT & ON RAMP)
15	SPECIAL PLAN 1C PAVEMENT APPROACH REPAIR

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
924	(3 SHEETS)	TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	54,000	B DAY
BARRICADE, TYPE III	3,420	B DAY
TEMPORARY SIGN DAY	5,050	EACH
SIGN DAY	10,080	EACH
CONTRACTOR FURNISHED SIGN DAY	900	EACH
FLASHING ARROW PANEL	500	DAY
MOBILIZATION	LUMP	LUMP
CROSS STITCHING	5,400	EACH
CONC PVMT REPAIR TYPE A FULL DEPTH	552	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	218	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	997	CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH	2	CY
SEALING CRACKS	614	LF
SEALING JOINTS	88,422	LF
CONC PVMT, PR-3500	1,270	CY
JOINT REPAIR		
BRIDGE APPROACH REPAIR	1	CY
FOUNDATION COURSE REPLACEMENT	73	CY
JOINT SEALING - ASPHALT TO CONCRETE	20	STA

NOTICE TO CONTRACTORS

CALL ORDER 205
 FEDERAL PROJECT NO. HSIP-5011(10)
 LOCATION: 108TH/OLD MAPLE ROAD, OMAHA
 COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids for the CITY OF OMAHA in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on April 14, 2011. At that time the bids will be opened and read for GRAD CONC PAVE CULV ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

START DATE 06/06/2011 CALENDAR DAYS 69
 Price Range \$ 250,000 to \$ 1,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 7.0 %

Plans and specifications may be seen beginning March 22, 2011 at the Lincoln Central Office and March 28, 2011 at the District Engineer's Office at OMAHA. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	68 SHEETS	\$	17.00
CROSS SECTIONS (SHEETS X1 THRU X13)	13 SHEETS	\$	3.25
STANDARD PLANS	8 SHEETS	\$	2.00

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-A1 - 2-A2	PHOTO MAPS
2-H1	SURVEY & ALIGNMENT
2-N1	GENERAL INFORMATION
2-P1 - 2-P7	PHASING & BARRICADING
2-L1 - 2-L2	PAVING GEOMETRICS
2-L3 - 2-L6	REMOVALS
2-L7 - 2-L10	CONSTRUCTION
2-L11 - 2-L13	DRAINAGE
3	OLD MAPLE PLAN & PROFILE
4 - 5	ASPHALT OVERLAY
6	TRAFFIC SIGNALS
7	INTERCONNECT
8	PAVEMENT JOINTS
9 - 10	STRIPING
11	WALL & FENCE DETAILS
12	STRIP MAP
13 - 14	STORM WATER POLLUTION PREVENTION PLAN
15	SPECIAL PLAN 1C CONCRETE PAVEMENT WIDENING & MISC. DETAILS
16	SPECIAL PLAN 2C CONCRETE PAVEMENT REPAIR DETAILS PAVEMENT WIDENING & SURFACING
17	SPECIAL PLAN 3C CONCRETE PAVEMENT JOINT DETAILS
18	SPECIAL PLAN 4C CONCRETE CURB DETAILS
19	SPECIAL PLAN 5C CONCRETE DRIVEWAY DETAILS
20	SPECIAL PLAN 6C SIDEWALK CONSTRUCTION DETAILS
21 - 22	SPECIAL PLAN 7C CONCRETE CURB RAMP TYPICAL DETAILS
23	SPECIAL PLAN 8C ASPHALT PAVEMENT RESURFACING INLET ADJUSTMENT DETAILS
24	SPECIAL PLAN 9C SEWER BEDDING DETAILS
25	SPECIAL PLAN 10C TYPE FA REINFORCED CONCRETE CURB INLET COVER WITH FACE ARMOR
26	SPECIAL PLAN 11C CURB OPENING INLET TYPE I WITH TRANSVERSE PIPE
27	SPECIAL PLAN 12C CAST IRON MANHOLE RINGS-COVER MANHOLE STEPS

28	SPECIAL PLAN 13C CURB INLET TYPE, BLOCKOUT DETAILS, TEMPLATE DETAILS (GUTTER DEPRESSION)
29	SPECIAL PLAN 14C GEOTEXTILE FABRIC SILT FENCE
30	SPECIAL PLAN 15C PULL BOX DETAILS
31	SPECIAL PLAN 16C MAST ARM POLE DETAILS
32	SPECIAL PLAN 17C MAST ARM POLE FOUNDATION DETAILS
33	SPECIAL PLAN 18C MAST ARM TRANSFORMER BASE DETAILS
34	SPECIAL PLAN 19C MAST ARM SIGNAL MOUNTING
35	SPECIAL PLAN 20C POLE BRACKET INSTALLATION DETAILS
36	SPECIAL PLAN 21C STANDARD SIGNAL FACE ARRANGEMENTS
37	SPECIAL PLAN 22C STANDARD TRAFFIC SIGNAL WIRING CODES
38	SPECIAL PLAN 23C ELECTRIC SERVICE PEDESTAL
39	SPECIAL PLAN 24C STREET NAME SIGN LAYOUT TYPE "A" MAST ARM MOUNTED 18" SIGN HEIGHT
40	SPECIAL PLAN 25C OVERHEAD MOUNTED SIGNS
41	SPECIAL PLAN 26C 38'-0" 3 LANE CONCRETE PAVEMENT
42	SPECIAL PLAN 27C CONCRETE COLLAR SEWER TAP
X1 - X13	CROSS SECTIONS

STANDARD PLANS

435-R1	(3 SHEETS) MANHOLE
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		6 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		2,432 CY
REMOVE PAVEMENT		1,629 SY
REMOVE DRIVEWAY		1,039 SY
REMOVE WALK		1,111 SY
CONSTRUCTION ENTRANCE WEST OF 108th	LUMP	LUMP
CONSTRUCTION ENTRANCE EAST OF 108th	LUMP	LUMP
REMOVE AND RESET MAILBOX		7 EACH
CONCRETE MOW STRIP 4"		36 SY
WALL MATERIALS		417 SF
4' ORNAMENTAL FENCE		160 LF
FABRIC SILT FENCE		708 LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
INSTALL TIE BARS		558 EACH
CONC 47B-3500 SIDEWALK		915 SY
CONC CLASS 47BX-3500 SIDEWALK 4" IMPRINTED		9 SY
CONC CLASS 47BX-3500 SIDEWALK 6" IMPRINTED		38 SY
DETECTABLE WARNING PANEL		56 SF
CONC CLASS 47BX-3500 SIDEWALK 9" IMPRINTED		33 SY
CONC 47B-HE-3500 6" DRIVEWAY		300 SY
CONC 47B-HE-3500 7" DRIVEWAY		451 SY
10" CONCRETE PAVEMENT CLASS 47B-4000		1,250 SY

8" CONCRETE PAVEMENT	2,660 SY
CLASS 47B-4000	
CAST IRON COVER & FRAME	2,682 LB
ADJUST	6 EACH
UTILITY MANHOLE TO GRADE	
5" WHI WT REF PRF PVMT MRKING T-4 INLAID	848 LF
5" YEL WT REF PRF PVMT MRKING T-4 INLAID	5,388 LF
ASPH CONC, TYPE CMM	778 TON
COLD MILLING, CLASS 3	633 SY
CONC SURF MILLING	5,990 SY
PAVEMENT REINFORCEMENT FABRIC	999 LF
SODDING	3,363 SY
ADJUST VALVE BOX TO GRADE	3 EACH

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE INLET		3 EACH
CAST IRON COVER, FRAME & FLANGE	1,740 LB	
CURB INLET	5 EACH	
TYPE I		
MANHOLE		1 EACH
AT STA. 2+83.37 LT.		
MANHOLE		1 EACH
AT STA. 21+67.98 RT.		
MANHOLE		1 EACH
AT STA. 29+08.92 LT.		
REMOVE HEADWALLS FROM CULV		1 EACH
REMOVE SEWER PIPE	87 LF	
CONCRETE COLLAR	2 EACH	
15" REINF CONCRETE SEWER PIPE	24 LF	
18" REINF CONCRETE SEWER PIPE	90 LF	
CURB INLET SEDIMENT FILTER	75 LF	
AGGREGATE BEDDING	23 TON	
RELOCATE SPRINKLER HEAD	30 EACH	
REMOVE AND RELOCATE SPRINKLER SYSTEM	600 LF	

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
REMOVE AND REINSTALL		2 EACH
OVERHEAD SIGN		
OVERHEAD SIGN		4 EACH
STREET NAME SIGN		4 EACH
18"		
PULL BOX, TYPE PB-1A		1 EACH
PULL BOX, TYPE PB-6		4 EACH
TRAFFIC SIGNAL, TYPE TS-1	11 EACH	
TRAFFIC SIGNAL, TYPE TS-1A	4 EACH	
PEDESTRIAN SIGNAL, TYPE PS-1	8 EACH	
PEDESTRIAN PUSHBUTTON, PPB	4 EACH	
VEHICLE DETECTOR, TYPE A PREFORMED	12 EACH	
LUMINAIRE, TYPE W-200	4 EACH	
C.M.A. SIG & LGHT POLE, CMP-40-12	1 EACH	
40'		
C.M.A. SIG & LGHT POLE, CMP-45-12	1 EACH	
40'		
C.M.A. SIG & LGHT POLE, CMP-45-12	1 EACH	
35'		
C.M.A. SIG & LGHT POLE, CMP-50-12	1 EACH	
40'		
SERVICE DISCONNECT PEDESTAL		1 EACH
2" CONDUIT IN TRENCH	1,261 LF	
2" CONDUIT, JACKED	531 LF	
16/C #14 AWG TRAF SIG CABLE	361 LF	
2/C #16 AWG PED PBUTTON LEAD-IN CABLE	367 LF	
2/C DETECTOR LEAD-IN CABLE	458 LF	

#8 GROUNDING CONDUCTOR	311 LF
SERVICE CABLE	100 LF
SERVICE ENTRANCE CABLE	300 LF
STREET LIGHT CABLE, NO. 6 3/C	311 LF
INST TRAF SIG CONTROLLER, TC-2070	1 EACH
REMOVE TRAFFIC SIGNAL	1 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	1,428 BDAY
BARRICADE, TYPE III	20 BDAY
SIGN DAY	641 EACH
CONTRACTOR FURNISHED SIGN DAY	100 EACH
FLASHING ARROW PANEL	60 DAY
FLAGGING	20 DAY
MOBILIZATION	LUMP LUMP
SIGN	1 EACH
RENTAL OF LOADER, FULLY OPERATED	5 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	5 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	5 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5 HOUR

NOTICE TO CONTRACTORS

CALL ORDER 400
 STATE PROJECT NO. MISC-136-5(1015)
 LOCATION: US-136, RUSKIN EAST & WEST CULVERTS
 COUNTIES: NUCKOLLS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 14, 2011. At that time the bids will be opened and read for GRAD CULV SEED

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: GRADING CULVERTS

Length: 12.9 MILES
 START DATE 06/27/2011 WORKING DAYS 90
 Price Range \$ 500,000 to \$ 2,000,000

Plans and specifications may be seen beginning March 22, 2011 at the Lincoln Central Office and March 28, 2011 at the District Engineer's Office at GRAND ISLAND

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	125	SHEETS	\$ 31.25
CROSS SECTIONS (SHEETS X1 THRU X116)	116	SHEETS	\$ 29.00
STANDARD PLANS	16	SHEETS	\$ 4.00

SHEET NO.

1	TITLE PAGE
2	INDEX OF SHEETS
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-W1 - 2-W23	WETLANDS
2-H1 - 2-H4	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
2-L1 - 2-L12	EROSION CONTROL
3 - 14	PLAN SHEETS
15 - 22	EARTHWORK DATA SHEETS
23 - 37	DRAINAGE STRUCTURE CROSS SECTIONS
38 - 40	SPECIAL PLAN 1C 4' X 4' SINGLE SPAN RC BOX CULVERT STA. 33+63 LT
41 - 42	SPECIAL PLAN 2C 5' X 4' SINGLE SPAN RC BOX CULVERT STA. 64+67
43 - 44	SPECIAL PLAN 3C 10' X 8' TWIN SPAN RC BOX CULVERT STA. 276+54
45 - 46	SPECIAL PLAN 4C 6' X 4' SINGLE SPAN RC BOX CULVERT STA. 325+49
47 - 48	SPECIAL PLAN 5C 6' X 6' SINGLE SPAN RC BOX CULVERT STA. 407+72
49 - 50	SPECIAL PLAN 6C 4' X 3' SINGLE SPAN RC BOX CULVERT STA. 551+18.00
51 - 53	SPECIAL PLAN 7C 10' X 4' SINGLE SPAN RC BOX CULVERT STA. 557+79.00 LT
54 - 55	SPECIAL PLAN 8C 8' X 4' SINGLE SPAN RC BOX CULVERT STA. 568+47
56 - 58	SPECIAL PLAN 9C 8' X 6' SINGLE SPAN RC BOX CULVERT STA. 583+04.00 LT
59 - 60	SPECIAL PLAN 10C TEMPORARY SILT CHECKS

R1 - R23 RIGHT-OF-WAY SHEETS
 X1 - X116 CROSS SECTIONS

STANDARD PLANS

403-R2 (2 SHEETS) BENDS AND BREAKS FOR CONCRETE
 BOX CULVERTS
 410-R3 (2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
 425-R4 COLLARS AND ELBOWS FOR CONCRETE PIPES
 501-R5 (3 SHEETS) EROSION CONTROL
 502 SILT FENCE DETAILS
 804 PRECAST CONCRETE R.O.W. MARKER
 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		5 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		947 MGAL
RIGHT-OF-WAY MARKERS		220 EACH
EARTHWORK MEASURED IN EMBANKMENT		67,625 CY
REMOVE BUILDING		1 EACH
AT STA. 199+00 TO STA. 199+30 RT.		
COVER CROP SEEDING		48 ACRE
EROSION CONTROL, CLASS 1D		33,251 SY
FABRIC SILT FENCE-LOW POROSITY		15,016 LF

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
RIPRAP FILTER FABRIC		639 SY
REMOVE HEADWALLS FROM CULV		61 EACH
PREPARATION OF STRUCTURE		1 EACH
AT STA. 33+63		
PREPARATION OF STRUCTURE		1 EACH
AT STA. 64+67		
PREPARATION OF STRUCTURE		1 EACH
AT STA. 325+49		
PREPARATION OF STRUCTURE		1 EACH
AT STA. 407+72		
PREPARATION OF STRUCTURE		1 EACH
AT STA. 551+18		
PREPARATION OF STRUCTURE		1 EACH
AT STA. 557+79		
PREPARATION OF STRUCTURE		1 EACH
AT STA. 568+47		
PREPARATION OF STRUCTURE		1 EACH
AT STA. 583+04		
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		385 CY
EXCAVATION FOR BOX CULVERTS		268 CY
47B-3000 CONC FOR BOX CULV		310 CY
47B-3000 CONC FOR CONCRETE CO		2 CY
RE-STEEL FOR BOX CULVERT		26,916 LB
RE-STEEL FOR COLLARS		140 LB
42" FLARED-END SECTION		1 EACH
54" FLARED-END SECTION		1 EACH
24" METAL FLARED-END SECTION		24 EACH
30" METAL FLARED-END SECTION		11 EACH
36" METAL FLARED-END SECTION		7 EACH
48" METAL FLARED-END SECTION		4 EACH

24" CONCRETE FLARED-END SECTION	4 EACH
30" CONCRETE FLARED-END SECTION	2 EACH
42" CONCRETE FLARED-END SECTION	9 EACH
54" CONCRETE FLARED-END SECTION	3 EACH
60" CONCRETE FLARED-END SECTION	2 EACH
CULVERT SANDFILL	97 CY
JACKING 24" CULV PIPE, 2 CLASS IV	90 LF
JACK 30" CULV PIPE 2 CLASS IV	50 LF
JACKING 42" CULV PIPE, 2 CLASS IV	279 LF
JACKING 54" CULV PIPE, 2 CLASS IV	123 LF
JACKING 60" CULV PIPE, 2 CLASS IV	52 LF
ROCK RIPRAP, TYPE A	152 TON
ROCK RIPRAP, TYPE B	299 TON
24" CULV PIPE 2 CLASS IV	90 LF
30" CULV PIPE 2 CLASS IV	50 LF
42" CULV PIPE 2 CLASS IV	279 LF
54" CULV PIPE 2 CLASS IV	123 LF
60" CULV PIPE, 2 CLASS IV	52 LF
42" CULV PIPE 2,5	10 LF
54" CULV PIPE 2,5	10 LF
24" CULV PIPE 3,4,5	273 LF
30" CULV PIPE 3,4,5	265 LF
36" CULV PIPE 3,4,5	102 LF
48" CULV PIPE 3,4,5	132 LF
24" CULV PIPE 3,4,5,6	127 LF

GROUP 4A CULVERTS

MOBILIZATION	LUMP	LUMP
PREPARATION OF STRUCTURE AT STA. 276+54		1 EACH
EXCAVATION FOR BOX CULVERTS		52 CY
47B-3000 CONC FOR BOX CULV		87 CY
RE-STEEL FOR BOX CULVERT		8,306 LB

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE A		10 ACRE
SEEDING, TYPE B		38 ACRE
MULCH		108 TON

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II		1,500 BDAY
BARRICADE, TYPE III		8,620 BDAY
TEMPORARY SIGN DAY		120 EACH
SIGN DAY		10,670 EACH
FLAGGING		30 DAY
FURNISHING AND OPERATING PILOT VEHICLE		15 DAY
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		160 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		160 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		160 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		160 HOUR
TEMPORARY SILT CHECK		1,000 LF
TEMPORARY SILT FENCE		1,000 LF
TEMPORARY MULCH		4 TON

NOTICE TO CONTRACTORS

CALL ORDER 405
 FEDERAL PROJECT NO. IM-80-8(151)
 LOCATION: I-80, WACO INTERCHANGE
 COUNTIES: YORK

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 14, 2011. At that time the bids will be opened and read for ELECTRICAL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: ELECTRICAL

START DATE 08/29/2011 WORKING DAYS 15
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning March 22, 2011 at the Lincoln Central Office and March 28, 2011 at the District Engineer's Office at GRAND ISLAND

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	10	SHEETS	\$	2.50
STANDARD PLANS	4	SHEETS	\$	1.00

SHEET NO.

1	TITLE PAGE & SUMMARY OF QUANTITIES
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
3	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
4 - 9	ROADWAY LIGHTING PLANS

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8B ELECTRICAL

BARRICADE, TYPE II	600	BDAY
SIGN DAY	1,496	EACH
MOBILIZATION	LUMP	LUMP
ST LIGHT UNIT SL-BT-40-12-0.25	30	EACH
1 1/2" CONDUIT, JACKED	383	LF
DIRECT BURIAL CABLE, NO. 6 BARE	5,899	LF
DIRECT BURIAL CABLE, NO. 6 USE	11,798	LF
MODIFY LIGHTING CONTROL CENTER TYPE R	2	EACH
REMOVE TOWER FOUNDATION	4	EACH

NOTICE TO CONTRACTORS

CALL ORDER 410
 FEDERAL PROJECT NO. STPD-L41D(101)
 LOCATION: L41D, HAMPTON LINK
 COUNTIES: HAMILTON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 14, 2011. At that time the bids will be opened and read for GRAD,BR,GDRL,BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 4.1 MILES
 START DATE 05/31/2011 WORKING DAYS 95
 Price Range \$ 1,000,000 to \$ 3,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 6.0 %

Plans and specifications may be seen beginning March 22, 2011 at the Lincoln Central Office and March 28, 2011 at the District Engineer's Office at GRAND ISLAND
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	70 SHEETS	\$	17.50
CROSS SECTIONS (SHEETS X1 THRU X48)	48 SHEETS	\$	12.00
STANDARD PLANS	23 SHEETS	\$	5.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T8	TYPICAL CROSS SECTIONS
2-S1 - 2-S3	SUMMARY OF QUANTITIES
2-W1 - 2-W4	WETLANDS
2-H1 - 2-H6	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N2	GENERAL INFORMATION
2-L1 - 2-L2	EROSION CONTROL
3	PLAN & PROFILE SHEET
4 - 8	PLAN SHEETS
9 - 10	TRAFFIC SIGNAL CONTROL PLAN
11	TYPICAL TRAFFIC SIGNAL CONTROL PLAN FOR NARROW BRIDGE, ONE LANE, TWO WAY OPERATION WITH BARRIERS (11')
12	TEMPORARY TRAFFIC SIGNAL
13	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL YIELD CONTROL FOR LOW VOLUME, ONE LANE, TWO WAY TRAFFIC (BARRELS ONLY)
14	TEMPORARY PAVEMENT MARKING PLAN
15	PAVEMENT MARKING DETAILS
16	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
17 - 20	EARTHWORK DATA SHEETS
21	DRAINAGE STRUCTURE CROSS SECTIONS
22 - 30	SPECIAL PLAN 1 BRIDGE REPAIRS STA. 7+72.39
31 - 33	SPECIAL PLAN 1C REMODEL BRIDGE RAIL 113+11.00
34 - 35	SPECIAL PLAN 2C 5-BAR GRATE INLET WITH CURBS
36 - 43	SPECIAL PLAN 3C GUARDRAIL PLAN
44 - 46	SPECIAL PLAN 4C 6 TO 8 INCH CONCRETE PAVEMENT
X1 - X48	CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
307-R1	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
329-R8	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT

425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		52 MGAL
EARTHWORK MEASURED IN EMBANKMENT	3,620	CY
REMOVE PAVEMENT		349 SY
REMOVE ASPHALT SURFACE		697 SY
REMOVE INLET		4 EACH
CAST IRON GRATE & FRAME	2,520	LB
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		18 CY
47B-3000 CONC FOR INLET & JUNCTION BOXES		6 CY
47B-3000 CONC FOR CONCRETE CO		1 CY
RE-STEEL FOR INLET & JCT BOX		555 LB
RE-STEEL FOR COLLARS		140 LB
15" REINFORCED CONCRETE PIPE		24 LF
REMOVE & SALVAGE GUARDRAIL		650 LF
EROSION CONTROL, CLASS 1D	2,404	SY
FABRIC SILT FENCE-LOW POROSITY	1,252	LF

GROUP 6 BRIDGE AT STA. 7+72.39

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		120 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	20,365	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE B		56 LF
CLASS II REPAIR		162 SY
CLASS III REPAIR		16 SY
47B-3000 CONC FOR BRIDGE		24 CY
47BD-4000 CONC FOR BRIDGE		70 CY
PREP BRIDGE		1 EACH
7+72.39		
EPOXY COATED RE-STEEL	8,630	LB
CONCRETE REPAIR		17 SF
GRANULAR BACKFILL		45 CY

GROUP 6A BRIDGE AT STA. 113+11

MOBILIZATION	LUMP	LUMP
47BD-4000 CONC FOR CONC. RAIL		10 CY
EPOXY COATED RE-STEEL FOR CONC RAIL	2,515	LB
PREP BRIDGE		1 EACH
113+11		

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		575 LF
BRIDGE APPROACH SECTIONS		8 EACH
GUARDRAIL END TREATMENT, TYPE II		8 EACH

GROUP 9 BITUMINOUS

MOBILIZATION	LUMP	LUMP
GRAVEL SURFACE COURSE		100 CY
CRUSHED ROCK SURFACE COURSE		45 CY
SPEC SURF CRSE FOR MAILBOX TURNOUTS		195 SY
MAILBOX POST		2 EACH
TIE BARS		347 EACH
6" CONCRETE BASE COURSE		792 SY
CONC PVMT REPAIR TYPE A FULL DEPTH		7 CY
CONC PVMT REPAIR TYPE B FULL DEPTH		83 CY
CONC PVMT REPAIR TYPE C FULL DEPTH		797 CY
6" CONC PVMT, 47B-3500		124 SY
CONC PVMT, PR-3500		3 CY
JOINT REPAIR		
ADJUST MANHOLE TO GRADE		3 EACH
MEMBRANE WATERPROOFING		787 SY
24" WHITE PREF PVMT MKING T-4 GROOVED		36 LF
RR XING SYMBOL PREF PVMT MRKING T-4 GRVD		1 EACH
HYDRATED LIME FOR ASPHALT MIXTURES		192 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		1 TON
FOUNDATION COURSE REPLACEMENT		42 CY
ASPH CONC ST MAINT PATCH TYPE SP4 (0.5)		100 TON
ASPH CONC, TYPE SP4(0.5)	13,140	TON
ASPH CONC, TYPE LC	3,640	TON
ASPH CONC, TYPE SPR	2,850	TON
PLACE ASPH CONC FOR DRIVE & INTER	7,572	SY
ASPH CONCRETE FOR PATCHING, TYPE LC	50	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	5	TON
PERF GRADED BINDER (64-34)	1,079	TON
PREP OF INTER & DRIVE	109	SY
TACK COAT	18,100	GAL
WATER	109	MGAL
EARTH SHOULDER CONSTRUCTION	437	STA
TRENCHED WIDENING	395	STA
SUBGRADE PREPARATION	916	SY
MILLING CONC FOR INLAYS	10	EACH
SURFACE UNDER GUARDRAIL	505	SY
FABRIC REINF CRACK REPAIR	39,532	LF
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B		16 ACRE
MULCH		36 TON

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	15,704	B DAY
BARRICADE, TYPE III	1,236	B DAY
TEMPORARY SIGN DAY	1,460	EACH
SIGN DAY	13,738	EACH
PAVEMENT MARKING REMOVAL	7,650	LF
TEMP PVMT MARKING, TYPE PAINT	6,700	LF
TEMP PVMT MARKING SURF PREP	3,350	LF
OVERLAY BROKEN LINES	647	STA
OVERLAY SOLID LINES	1,294	STA
FLASHING ARROW PANEL	40	DAY
FLAGGING	146	DAY
FURNISHING AND OPERATING PILOT VEHICLE	70	DAY
CONCRETE PROTECTION BARRIER	687	LF
RELOCATE CONC PROTECTION BARRIER	687	LF
TEMPORARY RUMBLE STRIP	4	EACH
TEMPORARY TRAFFIC SIGNAL	1	EACH
TRAINING	500	HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	55	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	10	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	55	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	55	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	45	HOUR
TEMPORARY SILT FENCE	3,000	LF

NOTICE TO CONTRACTORS

CALL ORDER 415
 STATE PROJECT NO. RD-4-5(1004)
 LOCATION: N-4 & S85D, N. JCT. US-81 EAST
 COUNTIES: THAYER

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 14, 2011. At that time the bids will be opened and read for BR GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 10.9 MILES
 START DATE 06/13/2011 WORKING DAYS 85
 Price Range \$ 1,000,000 to \$ 3,000,000

Plans and specifications may be seen beginning March 22, 2011 at the Lincoln Central Office and March 28, 2011 at the District Engineer's Office at GRAND ISLAND
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	54	SHEETS	\$	13.50
CROSS SECTIONS (SHEETS X1 THRU X4)	4	SHEETS	\$	1.00
STANDARD PLANS	14	SHEETS	\$	3.50

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T5	TYPICAL CROSS SECTIONS
2-S1 - 2-S3	SUMMARY OF QUANTITIES
2-A1 - 2-A11	PHOTO MAPS
2-H1 - 2-H3	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
3 - 13	PLAN SHEETS
14	TEMPORARY PAVEMENT MARKING PLAN
15	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL YIELD CONTROL FOR LOW VOLUME, ONE LANE, TWO WAY TRAFFIC (BARRELS ONLY)
16	EARTHWORK DATA SHEET
17 - 18	SPECIAL PLAN 1C CONCRETE SLAB BRIDGE--GENERAL BRIDGE REPAIR STA. 377+96.00
19 - 20	SPECIAL PLAN 2C TWIN TEE PRESTRESSED GIRDER BRIDGE--REPAIR STA. 562+67.00
21 - 23	SPECIAL PLAN 3C SLAB BRIDGE--REHAB STA. 1040+03.00
24 - 32	SPECIAL PLAN 4C GUARDRAIL PLAN
X1 - X4	CROSS SECTIONS

STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
307-R1	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
901-R9	HIGHWAY DELINEATORS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT STA. 377+96.00

MOBILIZATION	LUMP	LUMP
ABUTMENT REPAIR		10 SF
CONCRETE REPAIR		250 SF

GROUP 6A BRIDGE AT STA. 562+67.00

MOBILIZATION	LUMP	LUMP
FLOWABLE FILL CONCRETE		1 CY
CLASS II REPAIR		12 SY
GIRDER REPAIR		4 EACH
SEALING DECK CRACKS		25 LF

GROUP 6B BRIDGE AT STA. 1040+03.00

MOBILIZATION	LUMP	LUMP
47BD-4000 CONC FOR BRIDGE		3 CY
PREP BRIDGE		1 EACH
AT STA. 1040+03.00		
EPOXY COATED RE-STEEL		520 LB
CONCRETE REPAIR		198 SF
CURB REPAIR		20 SF

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		212 LF
REMOVE GUARDRAIL		1,062 LF
BRIDGE APPROACH SECTIONS		12 EACH
GUARDRAIL END TREATMENT, TYPE II		12 EACH

GROUP 9 BITUMINOUS

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
INSTALL CHEVRONS		10 EACH
EARTHWORK MEASURED IN EMBANKMENT		737 CY
GRAVEL SURFACE COURSE		100 CY
CRUSHED ROCK SURFACE COURSE		75 CY
SPEC SURF CRSE FOR MAILBOX TURNOUTS		703 SY
MAILBOX POST		7 EACH
CONC PVMT REPAIR TYPE A FULL DEPTH		10 CY
CONC PVMT REPAIR TYPE B FULL DEPTH		99 CY
CONC PVMT REPAIR TYPE C FULL DEPTH		248 CY
MEMBRANE WATERPROOFING		926 SY
HYDRATED LIME FOR ASPHALT MIXTURES		292 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		5 TON
FOUNDATION COURSE REPLACEMENT		9 CY
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR		500 TON
ASPH CONC, TYPE SPR		29,000 TON
PLACE ASPH CONC FOR DRIVE & INTER		4,060 SY
ASPH CONCRETE FOR PATCHING, TYPE SPR		200 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH		19 TON
PERF GRADED BINDER (64-34)		1,109 TON
PREP OF INTER & DRIVE		574 SY
TACK COAT		30,430 GAL
WATER		134 MGAL
EARTH SHOULDER CONSTRUCTION		492 STA
SUBGRADE PREPARATION		188 SY
COLD MILLING, CLASS 3		332 STA
COLD MILLING, CLASS 4		928 SY
COLD MILLING, CLASS 3		18 STA
TYPE A		
COLD MILLING, CLASS 3		27 STA
TYPE B		
SURFACE UNDER GUARDRAIL		950 SY

ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B		8 ACRE
EROSION CONTROL, CLASS 1D	2,627	SY
FABRIC SILT FENCE-LOW POROSITY		855 LF
MULCH		18 TON

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	23,405	BDAY
BARRICADE, TYPE III	2,072	BDAY
TEMPORARY SIGN DAY	1,190	EACH
SIGN DAY	13,200	EACH
OVERLAY BROKEN LINES	1,329	STA
OVERLAY SOLID LINES	2,659	STA
FLAGGING	170	DAY
FURNISHING AND OPERATING PILOT VEHICLE	80	DAY
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	75	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	60	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	75	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	75	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	15	HOUR
TEMPORARY SILT FENCE	500	LF
TEMPORARY MULCH	4	TON

NOTICE TO CONTRACTORS

CALL ORDER 500
 STATE PROJECT NO. STR-80-1(1033)
 LOCATION: I-80, DISTRICT 5 I-80 BRIDGE REPAIR
 COUNTIES: CHEYENNE KIMBALL

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 14, 2011. At that time the bids will be opened and read for BRIDGES

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES
 START DATE 07/25/2011 WORKING DAYS 55
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning March 22, 2011 at the Lincoln Central Office and March 28, 2011 at the District Engineer's Office at GERING
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	18 SHEETS	\$	4.50
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
- 3 TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
- 4 - 6 SPECIAL PLAN 1C PRESTRESSED CONCRETE GIRDER BRIDGE ABUTMENT & GIRDER REPAIR
REF. POST NO. 0+48
- 7 - 9 SPECIAL PLAN 2C STEEL WELDED PLATE GIRDER BRIDGE GENERAL BRIDGE REPAIRS
REF. POST NO. 20+71
- 10 - 12 SPECIAL PLAN 3C STEEL WELDED PLATE GIRDER BRIDGE REPAIR
REF. POST NO. 29+76
- 13 - 14 SPECIAL PLAN 4C PRESTRESSED CONCRETE GIRDER BRIDGE REPLACE EXPANSION JOINT MATERIAL
REF. POST NO. 48+82
- 15 - 16 SPECIAL PLAN 5C PRESTRESSED CONCRETE GIRDER BRIDGE GIRDER REPAIR
REF. POST NO. 64+62
- 17 - 18 SPECIAL PLAN 6C PRESTRESSED CONCRETE GIRDER BRIDGE GIRDER REPAIR
REF. POST NO. 67+63

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT STA. 1015+00

MOBILIZATION	LUMP	LUMP
ABUTMENT REPAIR		120 SF
GIRDER REPAIR		3 EACH

GROUP 6A BRIDGE AT STA. 1093+23.57 LT.

MOBILIZATION	LUMP	LUMP
PRECOMPRESSED POLY FOAM JOINT, TYPE A		4 LF

CLASS II REPAIR		10 SY
ABUTMENT REPAIR		120 SF

GROUP 6B BRIDGE AT STA. 1093+23.57 RT.

MOBILIZATION	LUMP	LUMP
CLASS II REPAIR		10 SY
PREP BRIDGE		1 EACH
1093+16.67 RT.		
CONCRETE SLOPE PROTECTION		18 SY
ABUTMENT REPAIR		120 SF

GROUP 6C BRIDGE AT STA. 15+05.50

MOBILIZATION	LUMP	LUMP
FLOWABLE FILL CONCRETE		1 CY
CONCRETE SLOPE PROTECTION		17 SY
ABUTMENT REPAIR		140 SF
CONCRETE REPAIR		10 SF

GROUP 6D BRIDGE AT STA. 201+00

MOBILIZATION	LUMP	LUMP
PREFORMED SILICONE JOINT, TYPE B		102 LF

GROUP 6E BRIDGE AT STA. 12+72.35

MOBILIZATION	LUMP	LUMP
GIRDER REPAIR		2 EACH

GROUP 6F BRIDGE AT STA. 14+63.97

MOBILIZATION	LUMP	LUMP
GIRDER REPAIR		1 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II		1,200 BDAY
BARRICADE, TYPE III		582 BDAY
TEMPORARY SIGN DAY		420 EACH
SIGN DAY		3,060 EACH
FLASHING ARROW PANEL		30 DAY
FLAGGING		32 DAY
MOBILIZATION	LUMP	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 600
 STATE PROJECT NO. STR-80-5(1018)
 LOCATION: I-80, OVERTON INTERCHANGE
 COUNTIES: DAWSON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 14, 2011. At that time the bids will be opened and read for GR CONC PAVE BR GDRL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT
 START DATE 06/13/2011 WORKING DAYS 70
 Price Range \$ 500,000 to \$ 2,000,000

Plans and specifications may be seen beginning March 22, 2011 at the Lincoln Central Office and March 28, 2011 at the District Engineer's Office at NORTH PLATTE
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	66	SHEETS	\$ 16.50
CROSS SECTIONS (SHEETS X1 THRU X26)	26	SHEETS	\$ 6.50
STANDARD PLANS	19	SHEETS	\$ 4.75

SHEET NO.		
1	TITLE PAGE	
2-T1 - 2-T2	TYPICAL CROSS SECTIONS	
2-S	SUMMARY OF QUANTITIES	
2-A	PHOTO MAP	
2-H1 - 2-H3	HORIZONTAL ALIGNMENT & ORIENTATION	
2-N	GENERAL INFORMATION	
2-P1 - 2-P10	PHASING PLANS	
2-L1 - 2-L4	GEOMETRICS & GRADES	
2-L5 - 2-L8	JOINTS	
2-L9 - 2-L10	CONSTRUCTION & REMOVAL	
2-L11 - 2-L12	EROSION CONTROL	
3	PLAN & PROFILE SHEET	
4 - 8	TEMPORARY TRAFFIC CONTROL PLAN--PHASES	
9	TYPICAL TRAFFIC CONTROL PLAN--TEMPORARY TRAFFIC SIGNAL CONTROL DETAIL FOR ONE LANE, TWO WAY OPERATION	
10	TEMPORARY TRAFFIC SIGNAL	
11	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)	
12	TEMPORARY PAVEMENT MARKING PLAN	
13	EARTHWORK DATA SHEET	
14	DRAINAGE STRUCTURE CROSS SECTIONS	
15 - 24	SPECIAL PLAN 1 BRIDGE REPAIR STA. 15+00.00	
25	SPECIAL PLAN 1C CONCRETE FLUME INLET--TYPE VII	
26 - 32	SPECIAL PLAN 2C GUARDRAIL PLAN	
33 - 35	SPECIAL PLAN 3C 6 TO 8 INCH CONCRETE PAVEMENT	
36 - 37	SPECIAL PLAN 4C CONCRETE PROTECTION BARRIER	
X1 - X9	CROSS SECTIONS	
X10 - X26	CROSS SECTIONS--TEMPORARY SURFACING	

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
329-R8	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
547-R1	(2 SHEETS) CONCRETE FLUME, TYPE VII
901-R9	HIGHWAY DELINEATORS
902-R1	HIGHWAY DELINEATORS FOR RAMP AND GORE LOCATIONS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

PAVEMENT MARKING REMOVAL	8,000	SF
MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	1,401	CY
WATER	10	MGAL
REMOVE DELINEATOR UNITS	24	EACH
REMOVE PAVEMENT	6,302	SY
SAWING PAVEMENT	1,618	LF
REMOVE ASPHALT SURFACE	1,670	SY
REMOVE INLET	4	EACH
REMOVE GUARDRAIL	700	LF
COVER CROP SEEDING	2	ACRE
EROSION CONTROL, CLASS 1D	1,301	SY
FABRIC SILT FENCE-LOW POROSITY	300	LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE II	80	EACH
GRAVEL SURFACE COURSE	10	CY
6" CONC PVMT, 47B-3500	376	SY
8" CONC PVMT, 47B-3500	2,190	SY
8" DOWELED CONC PAVE, CLASS 47B-3500	6,109	SY
TEMPORARY SURFACING	4,326	SY
8"		
CAST IRON GRATE & FRAME	824	LB
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	27	CY
47B-3000 CONC FOR INLET & JUNCTION BOXES	8	CY
RE-STEEL FOR INLET & JCT BOX	560	LB
REM SALV AND RESET INT CLOSURE GATE BASE	4	EACH
WATER	34	MGAL
EARTH SHOULDER CONSTRUCTION	33	STA
SUBGRADE PREPARATION	8,675	SY
SEEDING, TYPE B	2	ACRE
MULCH	4	TON
15" CULV PIPE 3,4,5,6	224	LF

GROUP 6 BRIDGE AT STA. 15+00.00

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000	139	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	25,795	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE B	61	LF
CLASS I REPAIR	707	SY
CLASS II REPAIR	71	SY
CLASS III REPAIR	7	SY
PLACE, FINISH, & CURE CONC OVERLAY-SF	707	SY
47B-3000 CONC FOR BRIDGE	27	CY
47BD-4000 CONC FOR BRIDGE	94	CY
CONCRETE FOR OVERLAYS-SF	39	CY
PREP BRIDGE	1	EACH
15+00.00		
CONCRETE SLOPE PROTECTION	13	SY
EPOXY COATED RE-STEEL	15,065	LB
GRANULAR BACKFILL	55	CY

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		250 LF
BRIDGE APPROACH SECTIONS		4 EACH
GUARDRAIL END TREATMENT, TYPE II		4 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II		15,700 BDAY
BARRICADE, TYPE III		2,371 BDAY
TEMPORARY SIGN DAY		240 EACH
SIGN DAY		8,374 EACH
CONTRACTOR FURNISHED SIGN DAY		1,124 EACH
TEMP PAVEMENT MARKING REMOVAL		14,240 LF
TEMP PVMT MARKING, TYPE PAINT		14,240 LF
TEMP PVMT MARKING SURF PREP		7,120 LF
FLASHING ARROW PANEL		20 DAY
FLAGGING		15 DAY
CONCRETE PROTECTION BARRIER		1,075 LF
RELOCATE CONC PROTECTION BARRIER		1,975 LF
TEMPORARY RUMBLE STRIP		4 EACH
TEMPORARY TRAFFIC SIGNAL		2 EACH
TRAFFIC CONTROL MANAGEMENT		125 DAY
FIELD OFFICE		1 EACH
MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		689 CY
TEMPORARY ROAD REMOVAL		
CONSTRUCTION STAKING AND SURVEYING	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		10 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		10 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		10 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		10 HOUR
TEMPORARY SILT FENCE		300 LF

NOTICE TO CONTRACTORS

CALL ORDER 605
 FEDERAL PROJECT NO. STPD-183-3(115)
 LOCATION: US-183, SARGENT NORTH
 COUNTIES: CUSTER LOUP

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 14, 2011. At that time the bids will be opened and read for GRAD,CULV,SEED,GDRL,BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 8.2 MILES
 START DATE 05/16/2011 WORKING DAYS 105
 Price Range \$ 3,000,000 to \$ 6,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning March 22, 2011 at the Lincoln Central Office and March 28, 2011 at the District Engineer's Office at NORTH PLATTE
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	156	SHEETS	\$	39.00
CROSS SECTIONS (SHEETS X1 THRU X212)	212	SHEETS	\$	53.00
STANDARD PLANS	34	SHEETS	\$	8.50

SHEET NO.

1	TITLE PAGE
2	INDEX OF SHEETS
2-T1 - 2-T5	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-K1 - 2-K2	SUMMARY OF SOILS & GEOTECHNICAL INFORMATION
2-W1 - 2-W16	WETLANDS
2-H1 - 2-H5	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N4	GENERAL INFORMATION
2-L1	CONSTRUCTION & REMOVAL
2-L2 - 2-L31	EROSION CONTROL
3 - 18	PLAN SHEETS
19	PAVEMENT MARKING DETAILS
20	TEMPORARY PAVEMENT MARKING PLAN
21 - 27	EARTHWORK DATA SHEETS
28 - 37	DRAINAGE STRUCTURE CROSS SECTIONS--CULVERT CROSS SECTIONS
38 - 50	DRAINAGE STRUCTURE CROSS SECTIONS--DROP STRUCTURE CROSS SECTIONS
51 - 53	DRAINAGE STRUCTURE CROSS SECTIONS--FLUME CROSS SECTIONS
54 - 55	SPECIAL PLAN 1C HEADWALL WITH APRON STA. 275+16.00 RT
56	SPECIAL PLAN 2C CONCRETE HEADWALL FOR ARCH PIPES
57	SPECIAL PLAN 3C AREA INLET WITH OPEN SIDE(S)
58 - 59	SPECIAL PLAN 4C CONCRETE FLUME, TYPE VII
60 - 62	SPECIAL PLAN 5C 6' X 6' SINGLE SPAN RC BOX CULVERT STA. 309+51.00
63 - 64	SPECIAL PLAN 6C 8' X 6' SINGLE SPAN RC BOX CULVERT STA. 311+57.80
65	SPECIAL PLAN 7C CONCRETE APRON STA. 311+57.80
66 - 67	SPECIAL PLAN 8C 5' X 7' SINGLE SPAN RC BOX CULVERT STA. 480+01.40
68	SPECIAL PLAN 9C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
69 - 70	SPECIAL PLAN 10C TEMPORARY SILT CHECKS

71 - 75 SPECIAL PLAN 11C CABLE GUARDRAIL
 76 SPECIAL PLAN 12C CONCRETE FLUME, TYPE I
 R1 - R15 RIGHT-OF-WAY SHEETS
 X1 - X212 CROSS SECTIONS

STANDARD PLANS

108-R4 SUPERELEVATION PLAN FOR CONCRETE AND
 BITUMINOUS SURFACING
 301-R10 (3 SHEETS) PAVEMENT DETAILS
 303 (2 SHEETS) CURB RAMP
 307-R1 MAILBOX TURNOUT
 309 MAILBOX SUPPORT POST
 410-R3 (2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
 425-R4 COLLARS AND ELBOWS FOR CONCRETE PIPES
 428-R3 CONCRETE PLUGS AND FIELD PIPE TAP DETAILS
 435-R1 (3 SHEETS) MANHOLE
 443-R7 (2 SHEETS) CURB INLETS AND JUNCTION BOX
 501-R5 (3 SHEETS) EROSION CONTROL
 502 SILT FENCE DETAILS
 547-R1 (2 SHEETS) CONCRETE FLUME, TYPE VII
 804 PRECAST CONCRETE R.O.W. MARKER
 901-R9 HIGHWAY DELINEATORS
 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
 924 (3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		50 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION		192,396 CY
WATER		2,700 MGAL
RIGHT-OF-WAY MARKERS		130 EACH
RESET RIGHT-OF-WAY MARKERS		70 EACH
REMOVE DELINEATOR UNITS		103 EACH
RIPRAP FILTER FABRIC		444 SY
REMOVE ASPHALT SURFACE		4 SY
REMOVE DRIVEWAY		42 SY
REMOVE WALK		21 SY
REMOVE CONCRETE FLUME		7 EACH
24" DRIVE PIPE 2,3,4,5,6,7 OR 8		52 LF
ROCK RIPRAP, TYPE B		276 TON
REMOVE GUARDRAIL		624 LF
COVER CROP SEEDING		64 ACRE
TEMPORARY SEEDING		10 ACRE
EROSION CONTROL, CLASS 1D		4,709 SY
EROSION CONTROL, CLASS 1F		30,511 SY
EROSION CONTROL, CLASS 2A		5,160 SY
TRANSITION MAT		64 SY
EROSION CHECKS, TYPE 2A		18 BALE
EROSION CHECKS, TYPE WATTLE		37,432 LF
FABRIC SILT FENCE-LOW POROSITY		13,151 LF
SLASH MULCH		800 CY

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
SEALING CRACKS		20 LF
CAST IRON COVER & FRAME		625 LB
CAST IRON RING & COVER		345 LB

MANHOLE	1	EACH
AT STA. 285+02 LT.		
REMOVE & SALVAGE FES	2	EACH
REMOVE HEADWALLS FROM CULV	30	EACH
PREPARATION OF STRUCTURE	1	EACH
AT STA. 309+51		
PREPARATION OF STRUCTURE	1	EACH
AT STA. 311+57.8		
PREPARATION OF STRUCTURE	1	EACH
AT STA. 344+67		
PREPARATION OF STRUCTURE	1	EACH
AT STA. 480+01.4		
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	3,850	CY
EXCAVATION FOR BOX CULVERTS	208	CY
47B-3000 CONC FOR HDWL	3	CY
47B-3000 CONC FOR BOX CULV	125	CY
47B-3000 CONC FOR INLET & JUNCTION BOXES	18	CY
47B-3000 CONC FOR CONCRETE CO	6	CY
47B-3000 FOR CONC BOX CULV PL	5	CY
RE-STEEL FOR HEADWALL	320	LB
RE-STEEL FOR BOX CULVERT	10,152	LB
RE-STEEL FOR INLET & JCT BOX	2,955	LB
RE-STEEL FOR COLLARS	489	LB
18" METAL FLARED-END SECTION	9	EACH
24" METAL FLARED-END SECTION	32	EACH
30" METAL FLARED-END SECTION	1	EACH
36" METAL FLARED-END SECTION	1	EACH
48" METAL FLARED-END SECTION	6	EACH
60" METAL FLARED-END SECTION	4	EACH
INSTALL 48" METAL F.E.S.	1	EACH
INSTALL 72" METAL F.E.S.	1	EACH
36" RND EQUIV MTL PIPE FES	1	EACH
24" CONCRETE FLARED-END SECTION	10	EACH
CULVERT SANDFILL	36	CY
24" CULV PIPE 2	220	LF
24" RD EQUIV CULV PIPE 2	12	LF
24" CULV PIPE 3,4,5	451	LF
36" CULV PIPE 3,4,5	8	LF
48" CULV PIPE 3,4,5	136	LF
60" CULV PIPE 3,4,5	108	LF
72" CULV PIPE 3,4,5	12	LF
36" RND EQ CULV PIPE 3,4,5	90	LF
18" CULV PIPE 3,4,5,6	666	LF
24" CULV PIPE 3,4,5,6	2,153	LF
30" CULV PIPE 3,4,5,6	344	LF
36" CULV PIPE 3,4,5,6	88	LF

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE A		5 ACRE
SEEDING, TYPE B		31 ACRE
SEEDING, TYPE C		33 ACRE
SEEDING, TYPE D		1 ACRE
MULCH		81 TON
HYDROMULCH		50 TON

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
CABLE GUARDRAIL		2,704 LF
TERMINAL ANCHORAGE SECTIONS		8 EACH

GROUP 9 BITUMINOUS

MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE III		71 EACH

INSTALL CHEVRONS	32	EACH
GRAVEL SURFACE COURSE	190	CY
SPEC SURF CRSE FOR MAILBOX TURNOUTS	568	SY
MAILBOX POST	10	EACH
CONC 47B-3000 SIDEWALKS	53	SY
DETECTABLE WARNING PANEL	80	SF
CAST IRON GRATE & FRAME	2,060	LB
CONCRETE FLUME, TYPE I	2	EACH
47B-3000 CONC FOR INLET & JUNCTION BOXES	10	CY
RE-STEEL FOR INLET & JCT BOX	845	LB
15" METAL FLARED-END SECTION	8	EACH
24" WHITE PREF PVMT MKING T-4 GROOVED	42	LF
HYDRATED LIME FOR ASPHALT MIXTURES	268	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	3	TON
SHOULDER SUBGRADE PREPARATION	15	STA
ASPH CONC ST MAINT PATCH TYPE SP4 (0.5)	300	TON
ASPH CONC, TYPE SP4(0.5)	26,020	TON
PLACE ASPH CONC FOR DRIVE & INTER	2,844	SY
ASPH CONC FOR PATCHING, TYPE SP4(0.5)	800	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	15	TON
PERF GRADED BINDER (64-34)	1,341	TON
CONSTRUCTING ASPH CONC CURB	3,378	LF
PREP OF INTER & DRIVE	142	SY
TACK COAT	29,750	GAL
FOG SEAL	11,470	GAL
WATER	211	MGAL
WATER FOR CEMENT STABILIZED BITUMINOUS	650	MGAL
EARTH SHOULDER CONSTRUCTION	826	STA
WIDENING	733	STA
COLD MILLING, CLASS 3	15	STA
COLD MILLING, CLASS 3	51	STA
TYPE A		
SURFACE UNDER GUARDRAIL	1,837	SY
CEMENT STABILIZED BITUMINOUS	113,841	SY
CEMENT	3,540	TON
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
15" CULV PIPE 3,4,5,6	740	LF

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	32,216	B DAY
BARRICADE, TYPE III	2,688	B DAY
TEMPORARY SIGN DAY	1,660	EACH
SIGN DAY	11,002	EACH
OVERLAY BROKEN LINES	1,303	STA
OVERLAY SOLID LINES	2,606	STA
FLAGGING	100	DAY
FURNISHING AND OPERATING PILOT VEHICLE	50	DAY
TRAFFIC CONTROL MANAGEMENT	174	DAY
FIELD OFFICE	1	EACH
TRAINING	1,000	HOUR
MOBILIZATION	LUMP	LUMP
CONSTRUCTION STAKING AND SURVEYING	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	260	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	100	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	260	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	260	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	160	HOUR
TEMPORARY SILT CHECK	2,000	LF
TEMPORARY SILT FENCE	3,000	LF
TEMPORARY EARTH CHECK	2,000	LF
TEMPORARY MULCH	15	TON

Nebraska Department of Roads
 Contracts Section, P.O. Box 94759, Lincoln, NE 68509
 (402) 479-4525

Plan and Informational Proposal Order Form

Projects to be bid on:

April 14, 2011

Payment required for plans prior to NDOR completing this order.
 dor.ContractsOnlineOrders@nebraska.gov FAX: (402) 479-4845

Document No.

<input type="checkbox"/> Check/Cash	Receipt No.
-------------------------------------	-------------

<input type="checkbox"/> Advance Plans Account No.
--

Credit Card

<input type="checkbox"/> Visa	<input type="checkbox"/> MasterCard
-------------------------------	-------------------------------------

Expiration Date:

Card No.:

Please indicate: <input type="checkbox"/> Mail <input type="checkbox"/> Hold	<input type="checkbox"/> Fed Ex. Standard Overnight <input type="checkbox"/> Fed Ex. Priority Overnight <input type="checkbox"/> UPS Overnight Acct. No.	Comments:	FOR OFFICE USE ONLY	
			Reference I.D.:	Authorization Code: _____ Date: _____

4-Digit Vendor No.:	Ordered By:	Grand Total - Informational Proposals: x \$5.00
---------------------	-------------	--

Company:	All plans in letting on CD: x \$25.00
----------	--

Street Address:	Grand Total - 1/2 Size Plans: x \$.25
-----------------	--

	Grand Total - Full Size Plans: x \$.50
--	---

PO Box:	City:	State:	Zip Code:	Subtotal
---------	-------	--------	-----------	-----------------

Phone No. (include Area Code):	Fax No. (include Area Code):	Tax Code	Sales Tax
			%

Processed by:	Date:	Proposals/CD Filled:	Blueprint Plans/Proposals Filled:	Date:	Total
---------------	-------	----------------------	-----------------------------------	-------	--------------

If requesting Plan or Proposal CD(s) only, your name will not appear on the Planholders list unless your company has been issued Bid Proposals or you submit the "Planholders Registration" from the NDOR website.

CD containing Informational Proposals for all projects in letting. (No Charge) Total Number Requested: →

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. 1/2 size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
100	RD-92-6(1018)				
105	HSIP-6-6(159)				
200	RD-6-7(1044)				
205	HSIP-5011(10)				
400	MISC-136-5(1015)				
405	IM-80-8(151)				
410	STPD-L41D(101)				
415	RD-4-5(1004)				
500	STR-80-1(1033)				
600	STR-80-5(1018)				
605	STPD-183-3(115)				

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. 1/2 size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	

Standard Plans: Refer to "Publication Order Form" for complete sets of Standard Plans and Standard/Special Plans Books

Number of Sets Requested	Standard Plan No.(s)	Number of Sheets Shown in List of Plans	Check Size		Total No. of Sheets	
			1/2	Full	1/2	Full
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		

