

April 14, 2011

TO ALL CONCERNED:

The Department of Roads has scheduled a bid letting to be held in this office May 12, 2011 at 1:30 p.m.

The Notice to Contractors includes:

1. Website Information
2. Notice to all Bidders
3. [Ordering](#) Instructions
4. Notices to Contractors including time allowances and lists of plans
5. Plan and Informational Proposal Order Form
6. R-125 "Request for Bidding Proposal Forms"

Projects containing DBE Goals are indicated in the "Notice to Contractors".

Please check the important letting information on the website frequently.

The last day to submit acceptable prequalification statements for this letting is by 5:00 p.m. on Monday, May 2, 2011.

Sincerely,

Jay K. Brinkmeyer, Supervisor
Contract Lettings Section
Construction Division

JKB/em

WEBSITE INFORMATION

The Nebraska Department of Roads, Contract Lettings Section, will be utilizing the Internet as our means of communicating with the contracting industry.

Documents that are posted on the web are:

- Letting Schedule
- Notices to Contractors
- Informational Proposals
- Letting Plans
- List of Prequalified Contractors
- Planholders List
- Informational Addendums
- EBS (Electronic Bidding System)
- Apparent Low Bidders
- Bid Tabulations
- Standard Item Listing
- Awarded Average Unit Prices (AUP) Report

Hard copies of these documents will be available for inspection in the Contracts Office.

There will be a charge for reproduction of any of these documents.

The Website address is: www.Transportation.Nebraska.gov

If you have any questions as you are using our Website, please contact us at:

Nebraska Department of Roads
Contract Lettings Section
P.O. Box 94759
Lincoln, NE 68509-4759

Phone (402) 479-4525
FAX (402) 479-3803

Email: DOR.ContractLettings@nebraska.gov

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free “hotline” Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the “hotline” to report such activities.

The “hotline” is part of the DOT’s continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

ORDERING INSTRUCTIONS FOR PLANS AND PROPOSALS

Refer to the "Notice to Contractors" for the call order number, project number, and list of plans for each project.

Order forms are available on the NDOR website in PDF and Word format. Complete the appropriate forms as follows:

Request for Bidding Proposal Forms (R-125)

Bidders must submit an R-125, Request for Bidding Proposals Forms and be issued bid proposals prior to submitting bids.

Proposals to be used for bidding must be requested on this form. Bidding proposals will be issued only to contractors who are currently prequalified to bid with this department.

There is no charge for bid proposals.

Plan and Informational Proposal Order Form:

Payment is required prior to NDOR completing the order. This payment is not refundable.

Proposals to be used for information only can be ordered as follows:

1. Each individual project.
2. CD that contains all projects in letting. Does not contain addenda.

Plans for each project can be ordered as follows:

1. Complete set.
2. Set less Roadway Cross-Sections and Standards.
3. Set less Standards.
4. Set less Roadway Cross-Sections.
5. Individual sheets
6. CD that contains all projects in letting.

Prices are: Informational Proposals: \$5.00 each
CD containing Informational Proposals: No Charge
Plans per sheet: \$.25 for half-size (12" x 18")
\$.50 for full-size (24" x 36")
CD containing plans: \$25.00 each

Cost shown on the list of plans is for ½ size plans. Nebraska residents add appropriate state sales tax and city tax that is determined by delivery within cities imposing a sales tax.

Select the method of payment on the plan order form:

1. Credit Card (Visa or MasterCard only)
Orders with approved credit cards can be processed without delays.
2. Advanced payment account
Requires a money deposit with recommended \$200 minimum. Failure to have sufficient funds in your account to cover cost of the plans may delay the processing of your order.
This account may also be used to purchase other NDOR publications.
3. Check/cash
Send checks made payable to the Nebraska Dept. of Roads with your completed plan order form. Please do not mail cash.

To order complete sets of standard plans (1/2 size) please use the "Publications Order Form" available on the website. Cost is \$35.00 plus applicable sales tax. As new standards become available they may be purchased at \$0.25 per sheet.

Address: Nebraska Department of Roads
Contracts Section
1500 Highway 2
PO Box 94759
Lincoln NE 68509-4759

FAX (402) 479-3803

Phone: (402) 479-4525

Email: DOR.ContractLettings@nebraska.gov

October 10, 2008

NOTICE TO CONTRACTORS

CALL ORDER 100
 STATE PROJECT NO. RD-41-6(1009)
 LOCATION: N-41, CLATONIA-US-77
 COUNTIES: GAGE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on May 12, 2011. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 5.6 MILES
 START DATE 08/08/2011 WORKING DAYS 45
 Price Range \$ 500,000 to \$ 2,000,000

Plans and specifications may be seen beginning April 19, 2011 at the Lincoln Central Office and April 25, 2011 at the District Engineer's Office at LINCOLN
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	22 SHEETS	\$	5.50
STANDARD PLANS	12 SHEETS	\$	3.00

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
3 - 8	PLAN SHEETS
9	TEMPORARY PAVEMENT MARKING PLAN
10	DRAINAGE STRUCTURE CROSS SECTION
11	SPECIAL PLAN 1C CONCRETE APRON
12 - 18	SPECIAL PLAN 2C GUARDRAIL PLAN

STANDARD PLANS

307-R1	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	6,000	B DAY
BARRICADE, TYPE III	332	B DAY
TEMPORARY SIGN DAY	630	EACH
SIGN DAY	5,661	EACH
OVERLAY BROKEN LINES	885	STA
OVERLAY SOLID LINES	1,770	STA
FLAGGING	90	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
RIPRAP FILTER FABRIC	120	SY
GRAVEL SURFACE COURSE	120	TON

CRUSHED ROCK SURFACE COURSE	55 TON
SPEC SURF CRSE FOR MAILBOX TURNOUTS	231 SY
MAILBOX POST	2 EACH
47B-3000 CONC FOR BOX CULV	19 CY
ROCK RIPRAP, TYPE C	160 TON
REMOVE GUARDRAIL	150 LF
GUARDRAIL END TREATMENT, TYPE II	4 EACH
GUARDRAIL POSTS	4 EACH
HYDRATED LIME	257 TON
HYDRATED LIME FOR ASPHALT MIXTURES	162 TON
HYDRATED LIME SLURRY STABILIZATION	286 STA
ASPH CONC, TYPE SP4 SPECIAL(0.5)	15,780 TON
PLACE ASPH CONC FOR DRIVE & INTER	3,953 SY
ASP CON FOR PATCH, TYPE SP4 SPEC (0.5)	500 TON
PERF GRADED BINDER (64-34)	841 TON
EMUL ASPH FOR HYDRATE LIME STABILIZATION	70,180 GAL
TACK COAT	19,210 GAL
FOG SEAL	8,920 GAL
RENTAL OF LOADER, FULLY OPERATED	45 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	40 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	45 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	45 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5 HOUR
WATER	148 MGAL
EARTH SHOULDER CONSTRUCTION	590 STA
TRENCHED WIDENING	590 STA
COLD MILLING, CLASS 3	8 STA
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP
SEEDING, TYPE B	9 ACRE
EROSION CONTROL, CLASS 1D	291 SY
TEMPORARY SILT FENCE	500 LF
TEMPORARY MULCH	4 TON
MULCH	20 TON

NOTICE TO CONTRACTORS

CALL ORDER 105
 STATE PROJECT NO. MISC-79-2(1016)
 LOCATION: N-79, VALPARAISO NORTH
 COUNTIES: SAUNDERS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on May 12, 2011. At that time the bids will be opened and read for GRADING

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: GRADING
 START DATE 10/17/2011 WORKING DAYS 10
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning April 19, 2011 at the Lincoln Central Office and April 25, 2011 at the District Engineer's Office at LINCOLN
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	7 SHEETS	\$	1.75
STANDARD PLANS	8 SHEETS	\$	2.00

SHEET NO.

- 1 TITLE PAGE
& SUMMARY OF QUANTITIES
- 2-W WETLANDS
- 2-H HORIZONTAL ALIGNMENT & ORIENTATION
- 3 PLAN SHEET
- 4 SPECIAL PLAN 1C BANK SHAPING & ARMORING DETAIL
STA. 1132+58.00
- 5 - 6 SPECIAL PLAN 2C TEMPORARY SILT CHECKS

STANDARD PLANS

- 501-R5 (3 SHEETS) EROSION CONTROL
- 502 SILT FENCE DETAILS
- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

SIGN DAY		80 EACH
FLAGGING		20 DAY
MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		890 CY
SALVAGING AND PLACING TOPSOIL		228 SY
ROCK RIPRAP, TYPE B		350 TON
RENTAL OF LOADER, FULLY OPERATED		5 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		5 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		5 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		5 HOUR
EROSION CONTROL, CLASS 1F		338 SY
TEMPORARY SILT CHECK		150 LF
TEMPORARY SILT FENCE		200 LF

NOTICE TO CONTRACTORS

CALL ORDER 110
 FEDERAL PROJECT NO. IM-80-8(149)
 LOCATION: I-80, GOEHNER WEST
 COUNTIES: SEWARD

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on May 12, 2011. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS
 START DATE 08/01/2011 WORKING DAYS 50
 Price Range \$ 500,000 to \$ 2,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning April 19, 2011 at the Lincoln Central Office and April 25, 2011 at the District Engineer's Office at LINCOLN
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	14	SHEETS	\$	3.50
STANDARD PLANS	5	SHEETS	\$	1.25

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T5	TYPICAL CROSS SECTIONS
2-S1 - 2-S3	SUMMARY OF QUANTITIES
2-N1	GENERAL INFORMATION
2-N2 - 2-N3	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
4	TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	13,500	B	DAY
BARRICADE, TYPE III	540	B	DAY
TEMPORARY SIGN DAY	280	E	EACH
SIGN DAY	4,752	E	EACH
OVERLAY BROKEN LINES	258	S	TA
OVERLAY SOLID LINES	516	S	TA
FLASHING ARROW PANEL	90	D	AY
FLAGGING	40	D	AY
TRAFFIC CONTROL MANAGEMENT	90	D	AY
FIELD OFFICE	1	E	EACH
MOBILIZATION	LUMP	L	LUMP
CONC PVMT REPAIR TYPE A FULL DEPTH	1	C	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	9	C	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	52	C	CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH	1	C	CY
CONC PVMT, PR-3500	465	C	CY
JOINT REPAIR			

HYDRATED LIME FOR ASPHALT MIXTURES	57 TON
FOUNDATION COURSE REPLACEMENT	11 CY
GRANULAR SUBDRAIN	124 EACH
ASPH CONC, TYPE SPS	1,600 TON
ASPH CONC, TYPE SP5(0.5)	4,310 TON
ASPH CONC, TYPE LC	1,390 TON
ASPH CONCRETE FOR PATCHING, TYPE SPS	100 TON
PERF GRADED BINDER (70-28)	321 TON
PERF GRADED BINDER (52-34)	85 TON
TACK COAT	8,330 GAL
RENTAL OF LOADER, FULLY OPERATED	15 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	10 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	15 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	15 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5 HOUR
WATER	43 MGAL
EARTH SHOULDER CONSTRUCTION	172 STA
MILLING FOR ASPH CONC INLAY	4 EACH
RUMBLE STRIPS, ASPHALT	172 STA
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP
SEEDING, TYPE B	6 ACRE
TEMPORARY SILT FENCE	500 LF
MULCH	14 TON

NOTICE TO CONTRACTORS

CALL ORDER 115
 STATE PROJECT NO. S-66-7(1013)
 LOCATION: N-66/MAHONEY INTERCHANGE, PHASE 1
 COUNTIES: CASS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on May 12, 2011. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS
 START DATE 10/11/2011 WORKING DAYS 10
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning April 19, 2011 at the Lincoln Central Office and April 25, 2011 at the District Engineer's Office at LINCOLN
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	3 SHEETS	\$	0.75
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
& TYPICAL CROSS SECTION
- 3 TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	500	B	DAY
BARRICADE, TYPE III	48	B	DAY
TEMPORARY SIGN DAY	140	E	EACH
SIGN DAY	408	E	EACH
OVERLAY BROKEN LINES	70	S	TA
OVERLAY SOLID LINES	140	S	TA
FLAGGING	20	D	DAY
FURNISHING AND OPERATING PILOT VEHICLE	10	D	DAY
MOBILIZATION	LUMP	L	LUMP
HYDRATED LIME FOR ASPHALT MIXTURES	12	T	TON
ASPH CONC, TYPE SPR	1,240	T	TON
ASPH CONCRETE FOR PATCHING, TYPE SPR	50	T	TON
PERF GRADED BINDER (64-34)	64	T	TON
TACK COAT	1,700	G	GAL
RENTAL OF LOADER, FULLY OPERATED	5	H	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	5	H	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	5	H	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	5	H	HOUR
CONCRETE SURFACE MILLING	11,338	S	Y
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	L	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 200
 FEDERAL PROJECT NO. ENH-77(50)
 LOCATION: LA VISTA LINK-KEYSTONE TRAIL
 COUNTIES: SARPY

The Nebraska Department of Roads will receive sealed bids for the CITY OF LA VISTA in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on May 12, 2011. At that time the bids will be opened and read for CONCRETE PAVEMENT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

START DATE 09/06/2011 WORKING DAYS 30
 Price Range \$ 0 to \$ 500,000
 THIS PROJECT CONTAINS A DBE GOAL OF 7.0 %

Plans and specifications may be seen beginning April 19, 2011 at the Lincoln Central Office and April 25, 2011 at the District Engineer's Office at OMAHA. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	30	SHEETS	\$	7.50
STANDARD PLANS	11	SHEETS	\$	2.75

SHEET NO.

1	TITLE PAGE
2-S	SUMMARY OF QUANTITIES
2	VICINITY MAP & NOTES
3	TYPICAL SECTIONS
4	TRAIL SIGNS & DETAILS
5 - 6	GRADING & EROSION CONTROL PLAN--PART 1 & 2
7	GRADING PLAN SPECIFICATIONS
8	GRADING EROSION NOTES & PROCEDURES
9 - 11	PLAN & PROFILE SHEETS
12	TRAIL TRANSITION DETAIL
13 - 28	CROSS SECTIONS
29	RIGHT-OF-WAY PLAN

STANDARD PLANS

501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 3 CONCRETE PAVEMENT

SIGN DAY		496	EACH
FLAGGING		20	DAY
MOBILIZATION	LUMP		LUMP
GENERAL CLEARING AND GRUBBING	LUMP		LUMP
EARTHWORK MEASURED IN EMBANKMENT		2,743	CY
SALVAGING AND PLACING TOPSOIL		20,279	SY
REMOVE DRIVEWAY		230	SY
REMOVE CURB		10	LF
REMOVE FENCE		150	LF

REMOVE CABLE FENCE	830 LF
REMOVE AND RESET SIGN AND POST	1 EACH
CONSTRUCTION ENTRANCE	LUMP LUMP
GRAVEL SURFACE COURSE	290 TON
DETECTABLE WARNING PANEL	104 SF
6" CONCRETE CLASS 47B-3500 BIKEWAY	4,241 SY
8" CONCRETE CLASS 47B-3500 BIKEWAY	45 SY
CONC CLASS 47B-3500 DRIVEWAY 8"	222 SY
8" CONC PVMT, 47B-3500	4 SY
12" FLARED-END SECTION	2 EACH
15" FLARED-END SECTION	4 EACH
18" FLARED-END SECTION	2 EACH
36" FLARED-END SECTION	2 EACH
CABLE GUARDRAIL	828 LF
TERMINAL ANCHORAGE SECTIONS	4 EACH
REMOVE AND RESET FENCE	124 LF
TYPE A SIGN	45 SF
BOLLARD	1 EACH
24" WHITE PREF PVMT MKING T-4 GROOVED	64 LF
PREP OF INTER & DRIVE	222 SY
RENTAL OF LOADER, FULLY OPERATED	50 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	50 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	50 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	50 HOUR
SUBGRADE PREPARATION	4,290 SY
SEEDING, TYPE B	4 ACRE
COVER CROP SEEDING	4 ACRE
EROSION CONTROL, CLASS 1C	3,288 SY
EROSION CONTROL, CLASS 1D	6,417 SY
FABRIC SILT FENCE-LOW POROSITY	3,775 LF
FABRIC SILT FENCE, COIR FIBER	675 LF
TEMPORARY SILT FENCE	500 LF
TEMPORARY MULCH	2 TON
REMOVE AND RESET TREE	8 EACH
12" CULV PIPE 2,3,4,5,6,7,8	15 LF
15" CULV PIPE 2,3,4,5,6,7,8	131 LF
18" CULV PIPE 2,3,4,5,6,7,8	17 LF
36" CULV PIPE 2,3,4,5,6,7,8	115 LF
ADJUST VALVE BOX TO GRADE	1 EACH

NOTICE TO CONTRACTORS

CALL ORDER 205
 STATE PROJECT NO. MISC-480-9(1181)
 LOCATION: I-480 SIGN TRUSS
 COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on May 12, 2011. At that time the bids will be opened and read for SIGNING

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SIGNING

START DATE 10/17/2011 WORKING DAYS 5
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning April 19, 2011 at the Lincoln Central Office and April 25, 2011 at the District Engineer's Office at OMAHA
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	13 SHEETS	\$	3.25
STANDARD PLANS	2 SHEETS	\$	0.50

SHEET NO.

- 1 TITLE PAGE
& SUMMARY OF QUANTITIES
- 2 - 6 SIGN REMOVAL PLAN (I-480 PIER 4 SIGN
STRUCTURE REPLACEMENT)
- 7 OVERHEAD SIGN & LIGHT TOWER DETAIL
- 8 TYPE "B" GUIDE SIGN PANELS
FABRICATION & MOUNTING DETAILS
- 9 - 10 LIGHT STANDARD & SIGN SUPPORT LAYOUT
FABRICATION & MOUNTING DETAILS
- 11 TYPICAL TRAFFIC CONTROL PLAN--FREEWAY CLOSURE
- 12 TYPICAL TRAFFIC CONTROL--FREEWAY RAMP CLOSURE
- 13 TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE
(FREEWAY-INTERSTATE)

STANDARD PLANS

920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8C SIGNING

BARRICADE, TYPE II	276	B	DAY
BARRICADE, TYPE III	99	B	DAY
TEMPORARY SIGN DAY	85	E	EACH
SIGN DAY	338	E	EACH
CONTRACTOR FURNISHED SIGN DAY	24	E	EACH
FLASHING ARROW PANEL	7	D	DAY
MOBILIZATION	LUMP	L	LUMP
REMOVE OVERHEAD STRUCTURE	1	E	EACH
OVERHEAD SIGN SUPPORT, LOCATION	1	E	EACH
1			
INSTALL TYPE C SIGN	1,047	S	SF
REMOVE LUMINAIRE	6	E	EACH

NOTICE TO CONTRACTORS

CALL ORDER 210
 STATE PROJECT NO. STR-64-7(1015)
 LOCATION: N-64, VALLEY WEST BRIDGE
 COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on May 12, 2011. At that time the bids will be opened and read for BR GDRL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES

START DATE 06/27/2011 WORKING DAYS 65
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning April 19, 2011 at the Lincoln Central Office and April 25, 2011 at the District Engineer's Office at OMAHA

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	33 SHEETS	\$	8.25
CROSS SECTIONS (SHEETS X1 THRU X27)	27 SHEETS	\$	6.75
STANDARD PLANS	10 SHEETS	\$	2.50

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-W	WETLANDS
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION
2-N2 - 2-N3	GENERAL INFORMATION--ACCESS CROSSING
3	PLAN SHEET
4 - 5	TRAFFIC CONTROL PLAN--PHASE 1 - 3
6	TYPICAL TRAFFIC SIGNAL CONTROL PLAN FOR ONE LANE, TWO WAY OPERATION WITH BARRIERS
7	TEMPORARY TRAFFIC SIGNAL
8	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
9	TEMPORARY PAVEMENT MARKING PLAN
10	EARTHWORK DATA SHEET
11 - 19	SPECIAL PLAN 1 CONCRETE SLAB BRIDGE--REHAB STA. 1008+85.00
20 - 26	SPECIAL PLAN 1C GUARDRAIL PLAN
X1 - X10	CROSS SECTIONS
X11 - X27	CROSS SECTIONS--CONTRACTOR CROSSING

STANDARD PLANS

501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT STA. 1008+85.00

PERMANENT PAVEMENT MARKING PAINT	4,750	LF
MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER	1	MGAL
EARTHWORK MEASURED IN EMBANKMENT	20	CY

CLASS I REPAIR		822 SY
CLASS II REPAIR		164 SY
CLASS III REPAIR		5 SY
PLACE, FINISH, & CURE CONC OVERLAY-SF		822 SY
47B-3000 CONC FOR BRIDGE		2 CY
47BD-4000 CONC FOR BRIDGE		83 CY
CONCRETE FOR OVERLAYS-SF		57 CY
RE-STEEL FOR BRIDGE		20,875 LB
PREP BRIDGE		1 EACH
1008+85.00		
ACCESS CROSSING	LUMP	LUMP
AT STA. 1008+85.00		
PAINTING PILES AND MISC STEEL	LUMP	LUMP
CONCRETE REPAIR		97 SF
GROUP 7 GUARDRAIL		
MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		112 LF
REMOVE GUARDRAIL		237 LF
GROUP 7 GUARDRAIL		
BRIDGE APPROACH SECTIONS		2 EACH
GUARDRAIL END TREATMENT, TYPE II		2 EACH
SURFACE UNDER GUARDRAIL		84 SY
EROSION CONTROL, CLASS 1C		491 SY
GROUP 10 GENERAL ITEMS		
BARRICADE, TYPE II		417 BDAY
BARRICADE, TYPE III		624 BDAY
SIGN DAY		4,256 EACH
PAVEMENT MARKING REMOVAL		8,750 LF
TEMP PVMT MARKING, TYPE PAINT		8,000 LF
TEMP PVMT MARKING SURF PREP		4,000 LF
FLAGGING		10 DAY
RELOCATE CONC PROTECTION BARRIER		1,380 LF
TEMPORARY RUMBLE STRIP		4 EACH
TEMPORARY TRAFFIC SIGNAL		1 EACH
MOBILIZATION	LUMP	LUMP
TEMPORARY SILT FENCE		200 LF

NOTICE TO CONTRACTORS

CALL ORDER 300
 FEDERAL PROJECT NO. HSIP-91-5(123)
 LOCATION: JCT N-91/US-81
 COUNTIES: PLATTE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on May 12, 2011. At that time the bids will be opened and read for CONCRETE PAVEMENT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT
 START DATE 10/17/2011 WORKING DAYS 10
 Price Range \$ 0 to \$ 250,000

Plans and specifications may be seen beginning April 19, 2011 at the Lincoln Central Office and April 25, 2011 at the District Engineer's Office at NORFOLK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	7 SHEETS	\$	1.75
STANDARD PLANS	15 SHEETS	\$	3.75

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
- 2-H HORIZONTAL ALIGNMENT & ORIENTATION
- 2-N GENERAL INFORMATION
- 3 GEOMETRICS
- 4 CONSTRUCTION, REMOVAL, & EROSION CONTROL
- 5 TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE
(FREEWAY-INTERSTATE)

STANDARD PLANS

- 301-R10 (3 SHEETS) PAVEMENT DETAILS
- 329-R8 (4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
- 501-R5 (3 SHEETS) EROSION CONTROL
- 502 SILT FENCE DETAILS
- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 3 CONCRETE PAVEMENT

BARRICADE, TYPE II	800	BDAY
BARRICADE, TYPE III	130	BDAY
TEMPORARY SIGN DAY	120	EACH
SIGN DAY	760	EACH
FLASHING ARROW PANEL	10	DAY
FLAGGING	20	DAY
MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
REMOVE PAVEMENT	52	SY
SAWING PAVEMENT	136	LF
REMOVE CONCRETE MEDIAN SURFACING	2	SY
TIE BARS	101	EACH
CONC 47B-3000 MEDIAN SURFACING	24	SY
10" CONC PVMT, 47B-3500	109	SY
FOUNDATION COURSE	109	SY

RENTAL OF LOADER, FULLY OPERATED	5 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	5 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	5 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5 HOUR
WATER	1 MGAL
EARTH SHOULDER CONSTRUCTION	1 STA
SUBGRADE PREPARATION	109 SY
EROSION CONTROL, CLASS 1B	318 SY
TEMPORARY SILT FENCE	200 LF

NOTICE TO CONTRACTORS

CALL ORDER 305
STATE PROJECT NO. RD-30-6(1042)
LOCATION: US-30, SCHUYLER WEST & EAST
COUNTIES: COLFAX
PLATTE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on May 12, 2011. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY
START DATE 08/08/2011 WORKING DAYS 60
Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning April 19, 2011 at the Lincoln Central Office and April 25, 2011 at the District Engineer's Office at NORFOLK
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	5 SHEETS	\$	1.25
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
3	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	27,000	B DAY
BARRICADE, TYPE III	472	B DAY
TEMPORARY SIGN DAY	2,160	EACH
SIGN DAY	3,304	EACH
FLASHING ARROW PANEL	120	DAY
FLAGGING	20	DAY
MOBILIZATION	LUMP	LUMP
SEALING CRACKS	3,063	LF
SEALING JOINTS	406,428	LF
JOINT SEALING - ASPHALT TO CONCRETE	1,450	STA

NOTICE TO CONTRACTORS

CALL ORDER 310
 FEDERAL PROJECT NO. STP-15-3(113)
 LOCATION: N-15, N-32-PILGER
 COUNTIES: STANTON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on May 12, 2011. At that time the bids will be opened and read for GRAD CULV BR GDRL ELEC BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 12.9 MILES
 START DATE 06/20/2011 WORKING DAYS 90
 Price Range \$ 3,000,000 to \$ 6,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning April 19, 2011 at the Lincoln Central Office and April 25, 2011 at the District Engineer's Office at NORFOLK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	86	SHEETS	\$	21.50
CROSS SECTIONS (SHEETS X1 THRU X106)	106	SHEETS	\$	26.50
STANDARD PLANS	17	SHEETS	\$	4.25

SHEET NO.

1	TITLE PAGE
2	INDEX OF SHEETS
2-T1 - 2-T5	TYPICAL CROSS SECTIONS
2-S1 - 2-S3	SUMMARY OF QUANTITIES
2-W1 - 2-W12	WETLANDS
2-H1 - 2-H6	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION
2-N2 - 2-N3	GENERAL INFORMATION--MILLED RUMBLE STRIPS
2-L1 - 2-L8	EROSION CONTROL
3 - 14	PLAN SHEETS
15	TYPICAL TRAFFIC SIGNAL CONTROL PLAN FOR NARROW BRIDGE, ONE LANE, TWO WAY OPERATION WITH BARRIERS (10')
16	TEMPORARY TRAFFIC SIGNAL
17	TEMPORARY PAVEMENT MARKING PLAN
18	PAVEMENT MARKING PLAN
19 - 23	ROADWAY LIGHTING PLANS
24 - 26	DRAINAGE STRUCTURE CROSS SECTIONS
27 - 28	SPECIAL PLAN 1C PARAPET AND WING EXTENSION STA. 152+94.29 RT
29 - 31	SPECIAL PLAN 2C REMODEL BRIDGE CURB STA. 382+48.24
32 - 34	SPECIAL PLAN 3C BRIDGE REPAIR STA. 670+86.75
35 - 42	SPECIAL PLAN 4C GUARDRAIL PLAN
43 - 47	SPECIAL PLAN 5C CABLE GUARDRAIL
48 - 49	SPECIAL PLAN 6C CONCRETE PROTECTION BARRIER
X-1 - X-106	CROSS SECTIONS

STANDARD PLANS

307-R1	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
 924 (3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		179 MGAL
EARTHWORK MEASURED IN EMBANKMENT		11,910 CY
REMOVE ASPHALT SURFACE		188 SY
REMOVE DRIVEWAY		435 SY
REMOVE CURB		100 LF
24" DRIVE PIPE 2,3,4,5,6,7 OR 8		42 LF
REMOVE GUARDRAIL		2,684 LF
COVER CROP SEEDING		29 ACRE
EROSION CONTROL, CLASS 1D		9,404 SY
FABRIC SILT FENCE-LOW POROSITY		8,355 LF

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE HEADWALLS FROM CULV		17 EACH
24" METAL FLARED-END SECTION		10 EACH
30" METAL FLARED-END SECTION		1 EACH
42" METAL FLARED-END SECTION		2 EACH
36" RND EQUIV MTL PIPE FES		2 EACH
42" RND EQUIV MTL PIPE FES		2 EACH

GROUP 4A CULVERT AT STA. 152+94.29

MOBILIZATION	LUMP	LUMP
PREPARATION OF STRUCTURE AT STA. 152+94.29		1 EACH
47B-3000 CONC FOR BOX CULV		3 CY
EPOXY COATED RE-STEEL FOR BOX CULVERT		720 LB

GROUP 6 BRIDGE AT STA. 382+48.24

MOBILIZATION	LUMP	LUMP
47BD-4000 CONC FOR CONC. RAIL		10 CY
EPOXY COATED RE-STEEL FOR CONC RAIL		1,945 LB
PREP BRIDGE 382+48.24		1 EACH

GROUP 6A BRIDGE AT STA. 670+86.75

MOBILIZATION	LUMP	LUMP
CLASS II REPAIR		76 SY
CLASS III REPAIR		1 SY
PR3-3500 CONC FOR BRIDGE		20 CY
PREP BRIDGE 670+86.75		1 EACH

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		418 LF
CABLE GUARDRAIL		2,240 LF
BRIDGE APPROACH SECTIONS		8 EACH
TERMINAL ANCHORAGE SECTIONS		6 EACH
GUARDRAIL END TREATMENT, TYPE I		4 EACH
GUARDRAIL END TREATMENT, TYPE II		4 EACH

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
ST LIGHT UNIT SL-BT-40-12-0.25		4 EACH
LIGHTING CONTROL CENTER, R		1 EACH
1 1/2" CONDUIT IN TRENCH		427 LF
1 1/2" CONDUIT, JACKED		163 LF
STREET LIGHT CABLE, NO. 6 BARE		590 LF
STREET LIGHT CABLE, NO. 6 USE		1,180 LF

GROUP 9 BITUMINOUS

PERMANENT PAVEMENT MARKING PAINT		1,600 LF
MOBILIZATION	LUMP	LUMP
GRAVEL SURFACE COURSE		110 CY
SPEC SURF CRSE FOR MAILBOX TURNOUTS		960 SY
MAILBOX POST		15 EACH
MEMBRANE WATERPROOFING		554 SY
HYDRATED LIME FOR ASPHALT MIXTURES		501 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		4 TON
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR		200 TON
ASP CON ST MAIN PTCH TYPE SP4 SPEC(0.5)		200 TON
ASPH CONC, TYPE SP4 SPECIAL(0.5)		21,450 TON
ASPH CONC, TYPE SPR		28,280 TON
PLACE ASPH CONC FOR DRIVE & INTER		7,750 SY
ASPH CONCRETE FOR PATCHING, TYPE SPR		300 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH		17 TON
PERF GRADED BINDER (64-34)		2,115 TON
PREP OF INTER & DRIVE		695 SY
TACK COAT		39,010 GAL
WATER		344 MGAL
EARTH SHOULDER CONSTRUCTION		1,361 STA
TRENCHED WIDENING		56 STA
SUBGRADE PREPARATION		920 SY
COLD MILLING, CLASS 3		187,223 SY
COLD MILLING, CLASS 4		174 SY
COLD MILLING, CLASS 3		2,411 SY
TYPE A		
RUMBLE STRIPS, ASPHALT 8"		1,314 STA
SURFACE UNDER GUARDRAIL		2,979 SY
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE A		2 ACRE
SEEDING, TYPE B		27 ACRE
MULCH		64 TON

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II		18,600 BDAY
BARRICADE, TYPE III		984 BDAY
TEMPORARY SIGN DAY		1,260 EACH
SIGN DAY		22,153 EACH
PAVEMENT MARKING REMOVAL		4,000 LF
TEMP PVMT MARKING, TYPE PAINT		4,350 LF
TEMP PVMT MARKING SURF PREP		2,000 LF
OVERLAY BROKEN LINES		2,728 STA
OVERLAY SOLID LINES		5,456 STA
FLAGGING		180 DAY
FURNISHING AND OPERATING PILOT VEHICLE		60 DAY
CONCRETE PROTECTION BARRIER		300 LF
RELOCATE CONC PROTECTION BARRIER		300 LF
TEMPORARY RUMBLE STRIP		4 EACH
TEMPORARY TRAFFIC SIGNAL		1 EACH
FIELD OFFICE		1 EACH
TRAINING		500 HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		160 HOUR

RENTAL OF MOTOR GRADER, FULLY OPERATED	65 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	160 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	160 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	95 HOUR
TEMPORARY SILT FENCE	1,000 LF
TEMPORARY MULCH	6 TON

NOTICE TO CONTRACTORS

CALL ORDER 315
 STATE PROJECT NO. RD-32-5(1007)
 LOCATION: N-32, PERTERSBURG EAST
 COUNTIES: BOONE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on May 12, 2011. At that time the bids will be opened and read for GRAD CULV GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 8.1 MILES
 START DATE 07/18/2011 WORKING DAYS 65
 Price Range \$ 2,000,000 to \$ 4,000,000

Plans and specifications may be seen beginning April 19, 2011 at the Lincoln Central Office and April 25, 2011 at the District Engineer's Office at NORFOLK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	50	SHEETS	\$ 12.50
CROSS SECTIONS (SHEETS X1 THRU X18)	18	SHEETS	\$ 4.50
STANDARD PLANS	29	SHEETS	\$ 7.25

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T5	TYPICAL CROSS SECTIONS
2-S1 - 2-S3	SUMMARY OF QUANTITIES
2-W1 - 2-W8	WETLANDS
2-H1 - 2-H8	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
2-L1 - 2-L2	CONCRETE SIDEWALK & CURB RAMPS
3 - 10	PLAN SHEETS
11	TYPICAL PAVEMENT MARKING PLAN--4" PAVEMENT MARKING
12	PAVEMENT MARKING PLAN
13	PAVEMENT MARKING DETAILS
14	TEMPORARY PAVEMENT MARKING PLAN
15 - 16	EARTHWORK DATA SHEETS
17	DRAINAGE STRUCTURE CROSS SECTIONS
18 - 19	SPECIAL PLAN 1C HEADWALL WITH WINGS AND APRON STA. 111+51.83 RT
20 - 24	SPECIAL PLAN 2C CABLE GUARDRAIL
X1 - X18	CROSS SECTIONS

STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
301-R10	(3 SHEETS) PAVEMENT DETAILS
303	(2 SHEETS) CURB RAMP
307-R1	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
901-R9	HIGHWAY DELINEATORS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		15 MGAL
REMOVE DELINEATOR UNITS		46 EACH
EARTHWORK MEASURED IN EMBANKMENT		985 CY
RIPRAP FILTER FABRIC		78 SY
REMOVE WALK		149 SY
ROCK RIPRAP, TYPE C		112 TON
REMOVE GUARDRAIL		2,985 LF
EROSION CONTROL, CLASS 1D		2,758 SY
FABRIC SILT FENCE-LOW POROSITY		1,711 LF

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
CAST IRON COVER & FRAME		250 LB
RECONSTRUCT CURB INLET		2 EACH
REMOVE FLARED- END SECTION		2 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		790 CY
47B-3000 CONC FOR HDWL		14 CY
RE-STEEL FOR HEADWALL		1,290 LB
60" CONCRETE FLARED-END SECTION		1 EACH
CULVERT SANDFILL		59 CY
JACKING 60" CULV PIPE, 2 CLASS IV		56 LF
60" CULV PIPE 2		72 LF
60" CULV PIPE, 2 CLASS IV		56 LF

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
CABLE GUARDRAIL		3,616 LF
TERMINAL ANCHORAGE SECTIONS		14 EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES		1,262 STA
OVERLAY SOLID LINES		2,524 STA
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE III		46 EACH
INSTALL CHEVRONS		16 EACH
REMOVE ASPH SURF FROM PAVEMENT		2,419 SY
GRAVEL SURFACE COURSE		130 CY
CRUSHED ROCK SURFACE COURSE		115 CY
SPEC SURF CRSE FOR MAILBOX TURNOUTS		1,493 SY
MAILBOX POST		28 EACH
CONC 47B-3000 SIDEWALKS		205 SY
DETECTABLE WARNING PANEL		144 SF
CONC PVMT REPAIR TYPE A FULL DEPTH		25 CY
CONC PVMT REPAIR TYPE B FULL DEPTH		146 CY
CONC PVMT REPAIR TYPE C FULL DEPTH		627 CY
4" WHITE PREF PVMT MRKNG T-4 GROOVED		100 LF
24" WHITE PREF PVMT MKING T-4 GROOVED		48 LF
HYDRATED LIME FOR ASPHALT MIXTURES		277 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		5 TON
FOUNDATION COURSE REPLACEMENT		37 CY
ASPH CONC ST MAINT PATCH TYPE SP4 (0.5)		500 TON
ASPH CONC, TYPE SP4(0.5)		21,230 TON
ASPH CONC, TYPE LC		6,330 TON
PLACE ASPH CONC FOR DRIVE & INTER		7,405 SY
ASPH CONC FOR PATCHING, TYPE SP4(0.5)		50 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH		25 TON

PERF GRADED BINDER (64-34)	1,543	TON
TACK COAT	30,910	GAL
WATER	204	MGAL
CRACKING & SEATING CONC PVMT	106,861	SY
EARTH SHOULDER CONSTRUCTION	813	STA
MILLING CONC FOR INLAYS	7	EACH
SURFACE UNDER GUARDRAIL	4,370	SY
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B	22	ACRE
SODDING	176	SY
MULCH	50	TON

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	10,500	BDAY
BARRICADE, TYPE III	504	BDAY
TEMPORARY SIGN DAY	910	EACH
SIGN DAY	10,888	EACH
FLAGGING	130	DAY
FURNISHING AND OPERATING PILOT VEHICLE	55	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	70	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	40	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	70	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	70	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	30	HOUR
TEMPORARY SILT FENCE	1,000	LF

NOTICE TO CONTRACTORS

CALL ORDER 320
 STATE PROJECT NO. ELEC-30-5(1047)
 LOCATION: US-30 & US-81, COLUMBUS
 COUNTIES: PLATTE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on May 12, 2011. At that time the bids will be opened and read for ELECTRICAL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: ELECTRICAL
 START DATE 08/15/2011 WORKING DAYS 40
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning April 19, 2011 at the Lincoln Central Office and April 25, 2011 at the District Engineer's Office at NORFOLK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	30	SHEETS	\$	7.50
STANDARD PLANS	16	SHEETS	\$	4.00
SHEET NO.				

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
- 3 - 30 TRAFFIC SIGNAL PLANS

STANDARD PLANS

- 301-R10 (3 SHEETS) PAVEMENT DETAILS
- 329-R8 (4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
- 910-R2 SIGNAL FACE CONFIGURATION
- 911-R1 SIGNAL MOUNTING
- 912-R4 TRAFFIC SIGNAL POLE DETAILS
- 914-R6 PULL BOX DETAIL
- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 924 (3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8B ELECTRICAL

BARRICADE, TYPE II	1,100	B	DAY
BARRICADE, TYPE III	180	B	DAY
TEMPORARY SIGN DAY	72	E	EACH
SIGN DAY	280	E	EACH
FLASHING ARROW PANEL	40	D	DAY
FLAGGING	76	D	DAY
MOBILIZATION	LUMP	L	LUMP
REMOVE PAVEMENT	721	S	Y
SAWING PAVEMENT	171	L	F
REMOVE CONCRETE MEDIAN SURFACING	121	S	Y
TIE BARS	280	E	EACH
CONC 47B-3000 MEDIAN SURFACING	121	S	Y
9" CONC PVMT 47B-HE-3500	721	S	Y
PULL BOX, TYPE PB-1	3	E	EACH
PULL BOX, TYPE PB-1A	12	E	EACH
TRAFFIC SIGNAL, TYPE TS-1	8	E	EACH
TRAFFIC SIGNAL, TYPE TS-1A	1	E	EACH
PEDESTRIAN SIGNAL, TYPE PS-1	12	E	EACH
PEDESTRIAN PUSHBUTTON, PPB	5	E	EACH
PEDESTAL POLE, TYPE PP-10	2	E	EACH

VEHICLE DETECTOR, TYPE C PREFORMED	6 EACH
VEHICLE DETECTOR, TYPE D PREFORMED	12 EACH
VEHICLE DETECTOR, TYPE A PREFORMED	20 EACH
C.M.A. SIG & LGHT POLE, CMP-30-12	1 EACH
C.M.A. SIG & LGHT POLE, CMP-35-12	2 EACH
C.M.A. SIG & LGHT POLE, CMP-40-12	1 EACH
MAST ARM SIGNAL POLE, MP-45	1 EACH
SERVICE DISCONNECT	2 EACH
2" CONDUIT IN TRENCH	65 LF
2" CONDUIT, JACKED	284 LF
2/C #14 AWG TRAF SIG CABLE	565 LF
3/C #14 AWG TRAF SIG CABLE	335 LF
7/C #14 AWG TRAF SIG CABLE	129 LF
12/C #14 AWG TRAF SIG CABLE	607 LF
2/C #14 AWG DETECTOR LEAD-IN CABLE	410 LF
FIBER OPTIC COMMUNICATION CABLE	4,652 LF
GROUNDING CONDUCTOR	896 LF
SERVICE CABLE	230 LF
MODIFY POLE WIRING	8 EACH
MODIFY POLE FOUNDATION	4 EACH
INST TRAF SIG CONTROLLER, TC-2070	4 EACH
INSTALL TRAFFIC SIGNAL, TS-1	2 EACH
INSTALL TRAFFIC SIGNAL, TS-1LL	1 EACH
INSTALL VEHICLE DETECTOR	11 EACH
TYPE RADAR	
INSTALL RADAR DETECTOR LEAD-IN CABLE	1,395 LF
INSTALL UNINTERRUPTIBLE POWER SUPPLY	5 EACH
REMOVE TRAFFIC SIGNAL	1 EACH
REMOVE PEDESTRIAN SIGNAL HEAD	8 EACH
REMOVE TRAFFIC SIGNAL CONTROLLER	3 EACH
REMOVE PEDESTRIAN PUSHBUTTON	2 EACH
REMOVE PULL BOX	13 EACH
REMOVE MAST ARM SIGNAL POLE	1 EACH
REMOVE SERVICE DISCONNECT	2 EACH
REMOVE GROUNDING CONDUCTOR	1,592 LF
REMOVE SERVICE CABLE	14 LF
REMOVE TRAFFIC SIGNAL CABLE	3,749 LF
REMOVE	1 EACH
VEHICLE DETECTOR	
REMOVE	1 EACH
UNINTERRUPTIBLE POWER SUPPLY	
INSP AND REP TRAF SIG CONDUCTOR SPLICES	40 EACH
RELOCATE PULL BOX	5 EACH
TYPE PB-1	
RELOCATE PULL BOX	4 EACH
TYPE PB-1A	

NOTICE TO CONTRACTORS

CALL ORDER 400
FEDERAL PROJECT NO. STP-11-2(118)
LOCATION: N-11, N-92 NORTH
COUNTIES: HOWARD

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on May 12, 2011. At that time the bids will be opened and read for GRAD CULV SEED BR GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 5.8 MILES
START DATE 07/18/2011 WORKING DAYS 60
Price Range \$ 1,000,000 to \$ 3,000,000
THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning April 19, 2011 at the Lincoln Central Office and April 25, 2011 at the District Engineer's Office at GRAND ISLAND. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	38	SHEETS	\$	9.50
CROSS SECTIONS (SHEETS X1 THRU X6)	6	SHEETS	\$	1.50
STANDARD PLANS	13	SHEETS	\$	3.25

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T3	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-A1 - 2-A6	PHOTO MAPS
2-H1 - 2-H3	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION
2-N2 - 2-N3	GENERAL INFORMATION--SUPERELEVATION DIAGRAMMATIC PROFILE
2-L	ROADWAY GEOMETRICS
3 - 8	PLAN SHEETS
9	TEMPORARY PAVEMENT MARKING PLAN
10	TYPICAL PAVEMENT MARKING--TEMPORARY RURAL LEFT TURN BAYS
11	EARTHWORK DATA SHEET
12	DRAINAGE STRUCTURE CROSS SECTION
13 - 14	SPECIAL PLAN 1C BRIDGE RAIL REPAIR BRIDGE SLAB EDGE REPAIR STA. 1290+21.00
15 - 21	SPECIAL PLAN 2C GUARDRAIL PLAN
X1 - X6	CROSS SECTIONS

STANDARD PLANS

410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
901-R9	HIGHWAY DELINEATORS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		10 MGAL
EARTHWORK MEASURED IN EMBANKMENT		563 CY
REMOVE ASPHALT SURFACE		43 SY
REMOVE GUARDRAIL		584 LF
COVER CROP SEEDING		11 ACRE
EROSION CONTROL, CLASS 1C		2,603 SY
FABRIC SILT FENCE-LOW POROSITY		239 LF

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE HEADWALLS FROM CULV		2 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		5 CY
36" METAL FLARED-END SECTION		2 EACH
36" CULV PIPE 3,4,5		32 LF

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE B		11 ACRE
MULCH		25 TON

GROUP 6 BRIDGE AT STA. 1290+21.00

MOBILIZATION	LUMP	LUMP
47BD-4000 CONC FOR CONC. RAIL		2 CY
EPOXY COATED RE-STEEL FOR CONC RAIL		610 LB
PREP BRIDGE		1 EACH
AT STA. 1290+21		
CONCRETE REPAIR		65 SF

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		243 LF
BRIDGE APPROACH SECTIONS		4 EACH
GUARDRAIL END TREATMENT, TYPE II		4 EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES		923 STA
OVERLAY SOLID LINES		1,846 STA
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE III		69 EACH
INSTALL CHEVRONS		32 EACH
GRAVEL SURFACE COURSE		20 CY
HYDRATED LIME FOR ASPHALT MIXTURES		237 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		5 TON
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR		500 TON
ASPH CONC, TYPE SPR		23,620 TON
PLACE ASPH CONC FOR DRIVE & INTER		1,962 SY
ASPH CONCRETE FOR PATCHING, TYPE SPR		150 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH		25 TON
PERF GRADED BINDER (64-34)		1,188 TON
CONSTRUCTING ASPH CONC CURB		287 LF
CONST ASPH CONC ISLAND NOSE		1 EACH
TACK COAT		19,850 GAL
FOG SEAL		45,972 GAL
WATER		155 MGAL
WATER FOR FLY ASH STABILIZED BITUMINOUS		656 MGAL
EARTH SHOULDER CONSTRUCTION		615 STA
TRENCHED WIDENING		615 STA
SUBGRADE PREPARATION		129 SY

COLD MILLING, CLASS 3	307	STA
COLD MILLING, CLASS 3 TYPE A	1,337	SY
SURFACE UNDER GUARDRAIL	246	SY
FLY ASH STABILIZED BITUMINOUS	307	STA
FLY ASH	5,854	TON
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	27,456	BDAY
BARRICADE, TYPE III	596	BDAY
TEMPORARY SIGN DAY	630	EACH
SIGN DAY	6,464	EACH
FLAGGING	124	DAY
FURNISHING AND OPERATING PILOT VEHICLE	45	DAY
TRAFFIC CONTROL MANAGEMENT	104	DAY
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	35	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	25	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	35	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	35	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10	HOUR
TEMPORARY SILT FENCE	500	LF
TEMPORARY MULCH	4	TON

NOTICE TO CONTRACTORS

CALL ORDER 405
 STATE PROJECT NO. RD-4-5(1003)
 LOCATION: N-4, N. JCT. N-14 EAST
 COUNTIES: NUCKOLLS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on May 12, 2011. At that time the bids will be opened and read for BR GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 2.2 MILES
 START DATE 08/29/2011 WORKING DAYS 30
 Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning April 19, 2011 at the Lincoln Central Office and April 25, 2011 at the District Engineer's Office at GRAND ISLAND
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	28	SHEETS	\$	7.00
STANDARD PLANS	7	SHEETS	\$	1.75
SHEET NO.				

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-A1 - 2-A3	PHOTO MAPS
2-H	HORIZONTAL ALIGNMENT & ORIENTATION
3 - 5	PLAN SHEETS
6	TYPICAL TRAFFIC SIGNAL CONTROL PLAN FOR ONE LANE, TWO WAY OPERATION WITH BARRIERS
7	TEMPORARY TRAFFIC SIGNAL
8	TEMPORARY PAVEMENT MARKING PLAN
9 - 13	SPECIAL PLAN 1 REPLACE APPROACH SLABS STA. 85+28.67
14 - 20	SPECIAL PLAN 1C GUARDRAIL PLAN
21 - 22	SPECIAL PLAN 2C CONCRETE PROTECTION BARRIER

STANDARD PLANS

501-R5	(3 SHEETS) EROSION CONTROL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT STA. 85+28.67

MOBILIZATION	LUMP	LUMP
REMOVE PAVEMENT		400 SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000		154 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		27,470 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
REPLACING DECK JOINT SEALS		81 LF
PREFORMED EXPANSION JOINT, TYPE B		76 LF
PREP BRIDGE		1 EACH
85+28.67		
GRANULAR BACKFILL		30 CY

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		162 LF
REMOVE GUARDRAIL		344 LF
BRIDGE APPROACH SECTIONS		4 EACH
GUARDRAIL END TREATMENT, TYPE II		4 EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES		342 STA
OVERLAY SOLID LINES		658 STA
MOBILIZATION	LUMP	LUMP

GROUP 9 BITUMINOUS

ROADWAY GRADING		3 STA
GRAVEL SURFACE COURSE		50 CY
HYDRATED LIME FOR ASPHALT MIXTURES		69 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		4 TON
ASP CON ST MAIN PTCH TYPE SP4 SPEC(0.5)		400 TON
ASPH CONC, TYPE SP4 SPECIAL(0.5)		6,620 TON
PLACE ASPH CONC FOR DRIVE & INTER		1,376 SY
ASP CON FOR PATCH, TYPE SP4 SPEC (0.5)		200 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH		19 TON
PERF GRADED BINDER (64-34)		327 TON
TACK COAT		6,240 GAL
WATER		57 MGAL
EARTH SHOULDER CONSTRUCTION		226 STA
COLD MILLING, CLASS 3		113 STA
SURFACE UNDER GUARDRAIL		250 SY
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B		3 ACRE
EROSION CONTROL, CLASS 1D		220 SY
MULCH		6 TON

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II		2,312 BDAY
BARRICADE, TYPE III		484 BDAY
TEMPORARY SIGN DAY		154 EACH
SIGN DAY		4,476 EACH
TEMP PAVEMENT MARKING REMOVAL		4,000 LF
PAVEMENT MARKING REMOVAL		1,660 LF
TEMP PVMT MARKING, TYPE PAINT		4,000 LF
FLAGGING		22 DAY
FURNISHING AND OPERATING PILOT VEHICLE		11 DAY
CONCRETE PROTECTION BARRIER		675 LF
RELOCATE CONC PROTECTION BARRIER		675 LF
TEMPORARY RUMBLE STRIP		4 EACH
TEMPORARY TRAFFIC SIGNAL		1 EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		25 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED		20 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		25 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		25 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		5 HOUR
TEMPORARY SILT FENCE		500 LF

NOTICE TO CONTRACTORS

CALL ORDER 410
 FEDERAL PROJECT NO. IM-80-7(151)
 LOCATION: I-80, PHILLIPS-GILTNER
 COUNTIES: HAMILTON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on May 12, 2011. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 6.0 MILES
 START DATE 07/11/2011 WORKING DAYS 55
 Price Range \$ 2,000,000 to \$ 4,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 4.0%

Plans and specifications may be seen beginning April 19, 2011 at the Lincoln Central Office and April 25, 2011 at the District Engineer's Office at GRAND ISLAND
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	15	SHEETS	\$	3.75
STANDARD PLANS	3	SHEETS	\$	0.75

SHEET NO.

- 1 TITLE PAGE
- 2-T1 - 2-T3 TYPICAL CROSS SECTIONS
- 2-S1 - 2-S2 SUMMARY OF QUANTITIES
- 2-N1 - 2-N2 GENERAL INFORMATION--MILLED RUMBLE STRIPS
- 3 TRAFFIC CONTROL PLAN
- 4 TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
- 5 TYPICAL TRAFFIC CONTROL--FREEWAY RAMP CLOSURE
- 6 TYPICAL TRAFFIC CONTROL PLAN--VEHICLE SIGNING FOR PAINT STRIPING
- 7 TEMPORARY PAVEMENT MARKING PLAN
- 8 TYPICAL PAVEMENT MARKING PLAN--5" EDGELINE & 4" CENTERLINE PAVEMENT MARKING
- 9 TYPICAL PAVEMENT MARKING PLAN (INTERSTATE/EXPRESSWAY)

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 923 TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

SURV OF TEMP TRAFFIC CONT DEVICES	97	CDAY
BARRICADE, TYPE II	22,590	BDAY
BARRICADE, TYPE III	688	BDAY
TEMPORARY SIGN DAY	260	EACH
SIGN DAY	4,354	EACH
OVERLAY BROKEN LINES	1,890	STA
OVERLAY SOLID LINES	4,194	STA
FLASHING ARROW PANEL	106	DAY
FLAGGING	18	DAY
MOBILIZATION	LUMP	LUMP
CONC PVMT REPAIR TYPE A FULL DEPTH	35	CY

CONC PVMT REPAIR TYPE B FULL DEPTH	238	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	16	CY
5" WHITE THERMOPLASTIC	68,300	LF
5" YELLOW THERMOPLASTIC	67,500	LF
4" WHT WET RFLC PRF PVMT MKNG T4 GVD	16,300	LF
12" WHT WET RFLC PRF PVMT MKNG T4 GVD	1,900	LF
HYDRATED LIME FOR ASPHALT MIXTURES	241	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	5	TON
FOUNDATION COURSE REPLACEMENT	5	CY
ASPH CONC ST MAINT PATCH TYPE SP5 (0.5)	500	TON
ASPH CONC, TYPE SPS	7,230	TON
ASPH CONC, TYPE SP5(0.5)	16,160	TON
ASPH CONC, TYPE LC	7,500	TON
ASPH CONC FOR PATCH, TYPE SP5(0.5)	500	TON
PERF GRAD BIND (70-28)FOR ST MAINT PATCH	24	TON
PERF GRADED BINDER (70-28)	1,369	TON
PERF GRADED BINDER (52-34)	274	TON
TACK COAT	53,540	GAL
RENTAL OF LOADER, FULLY OPERATED	50	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	50	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	50	HOUR
COLD MILLING, CLASS 3	727	STA
COLD MILLING, CLASS 3	592	STA
TYPE A		
RUMBLE STRIPS, ASPHALT	1,260	STA
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 415
 STATE PROJECT NO. STR-34-4(1027)
 LOCATION: HASTINGS AREA BRIDGE REPAIR
 COUNTIES: ADAMS HALL

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on May 12, 2011. At that time the bids will be opened and read for BR SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES SPECIALTY
 START DATE 07/11/2011 WORKING DAYS 60
 Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning April 19, 2011 at the Lincoln Central Office and April 25, 2011 at the District Engineer's Office at GRAND ISLAND
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	45 SHEETS	\$	11.25
STANDARD PLANS	15 SHEETS	\$	3.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T3	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-A1 - 2-A7	PHOTO MAPS
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
3 - 9	PLAN SHEETS
10	TYPICAL TRAFFIC SIGNAL CONTROL PLAN FOR ONE LANE, TWO WAY OPERATION WITH BARRIERS
11	TEMPORARY TRAFFIC SIGNAL
12	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
13	TEMPORARY PAVEMENT MARKING PLAN
14 - 20	SPECIAL PLAN 1 STEEL GIRDER BRIDGE END OF FLOOR REPAIR & CURB REPAIR STA. 269+00.00
21 - 24	SPECIAL PLAN 2 REPLACE EXPANSION JOINTS STA. 44+14.00
25 - 26	SPECIAL PLAN 3 PSC GIRDER BRIDGE EXPANSION JOINT REPAIR STA. 762+00.00
27 - 31	SPECIAL PLAN 1C GUARDRAIL PLAN
32 - 33	SPECIAL PLAN 2C CONCRETE PROTECTION BARRIER

STANDARD PLANS

329-R8	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT STA. 269+00

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		202 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		31,359 LB

PREFORMED EXPANSION JOINT, TYPE B	88 LF
47BD-4000 CONC FOR BRIDGE	21 CY
PREP BRIDGE	1 EACH
269+00	
EPOXY COATED RE-STEEL	2,882 LB
CURB REPAIR	1,895 SF

GROUP 6A BRIDGE AT STA. 44+14

MOBILIZATION	LUMP	LUMP
PREFORMED SILICONE JOINT, TYPE A	149 LF	
47BD-4000 CONC FOR BRIDGE	6 CY	
PREP BRIDGE	1 EACH	
44+14		

GROUP 6B BRIDGE AT STA. 762+00 LT.

MOBILIZATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE A	41 LF	
PREP BRIDGE	1 EACH	
762+00 LT.		

GROUP 6C BRIDGE AT STA. 762+00 RT.

MOBILIZATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE A	127 LF	
PREP BRIDGE	1 EACH	
762+00 RT.		

GROUP 8 SPECIALTY

MOBILIZATION	LUMP	LUMP
REMOVE ASPHALT SURFACE	428 SY	
TIE BARS	172 EACH	
CONC PVMT REPAIR TYPE B FULL DEPTH	4 CY	
CONC PVMT REPAIR TYPE C FULL DEPTH	440 CY	
9" CONC PVMT, 47B-3500	428 SY	
REMOVE & SALVAGE GUARDRAIL	200 LF	
RESET GUARDRAIL	200 LF	
FOUNDATION COURSE REPLACEMENT	60 CY	
SHOULDER SUBGRADE PREPARATION	4 STA	
WATER	2 MGAL	
EROSION CONTROL, CLASS 1D	444 SY	

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	2,424 BDAY
BARRICADE, TYPE III	388 BDAY
TEMPORARY SIGN DAY	112 EACH
SIGN DAY	3,640 EACH
TEMP PAVEMENT MARKING REMOVAL	4,000 LF
PAVEMENT MARKING REMOVAL	1,610 LF
TEMP PVMT MARKING, TYPE PAINT	4,000 LF
FLASHING ARROW PANEL	48 DAY
FLAGGING	10 DAY
CONCRETE PROTECTION BARRIER	875 LF
RELOCATE CONC PROTECTION BARRIER	875 LF
TEMPORARY RUMBLE STRIP	4 EACH
TEMPORARY TRAFFIC SIGNAL	1 EACH
TRAFFIC CONTROL MANAGEMENT	97 DAY
MOBILIZATION	LUMP
RENTAL OF LOADER, FULLY OPERATED	5 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	5 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	5 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5 HOUR
TEMPORARY SILT FENCE	200 LF

NOTICE TO CONTRACTORS

CALL ORDER 420
FEDERAL PROJECT NO. STPD-30-5(130)
LOCATION: US-30, CHAPMAN-CENTRAL CITY
COUNTIES: MERRICK

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on May 12, 2011. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 10.3
START DATE 07/25/2011 WORKING DAYS 55
Price Range \$ 500,000 to \$ 2,000,000
THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning April 19, 2011 at the Lincoln Central Office and April 25, 2011 at the District Engineer's Office at GRAND ISLAND
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	39 SHEETS	\$	9.75
STANDARD PLANS	19 SHEETS	\$	4.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T5	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-A1 - 2-A10	PHOTO MAPS
2-H	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N2	GENERAL INFORMATION--MILLED RUMBLE STRIPS
2-L	SIDEWALK & CURB RAMP
3 - 12	PLAN SHEETS
13	TEMPORARY PAVEMENT MARKING PLAN
14	PAVEMENT MARKING DETAILS
15 - 19	SPECIAL PLAN 1C CABLE GUARDRAIL

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
303	(2 SHEETS) CURB RAMP
309	MAILBOX SUPPORT POST
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	38,870 BDAY
BARRICADE, TYPE III	388 BDAY
TEMPORARY SIGN DAY	706 EACH
SIGN DAY	10,227 EACH
OVERLAY BROKEN LINES	1,089 STA

OVERLAY SOLID LINES	2,178	STA
FLAGGING	100	DAY
FURNISHING AND OPERATING PILOT VEHICLE	53	DAY
MOBILIZATION	LUMP	LUMP
REMOVE ASPHALT SURFACE	54	SY
REMOVE WALK	40	SY
MAILBOX POST	2	EACH
CONC 47B-3000 SIDEWALKS	40	SY
DETECTABLE WARNING PANEL	40	SF
CONC PVMT REPAIR TYPE B FULL DEPTH	56	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	10	CY
CABLE GUARDRAIL	192	LF
REMOVE GUARDRAIL	222	LF
TERMINAL ANCHORAGE SECTIONS	2	EACH
24" WHITE PREF PVMT MKING T-4 GROOVED	30	LF
HYDRATED LIME FOR ASPHALT MIXTURES	162	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	2	TON
FOUNDATION COURSE REPLACEMENT	1	CY
SHOULDER SUBGRADE PREPARATION	1	STA
ASPH CONC FOR ST MAINT PTCHING, TYPE SPS	250	TON
ASPH CONC ST MAINT PATCH TYPE SP4 (0.5)	250	TON
ASPH CONC, TYPE SPS	10,110	TON
ASPH CONC, TYPE SP4(0.5)	15,780	TON
PLACE ASPH CONC FOR DRIVE & INTER	6,596	SY
ASPH CONCRETE FOR PATCHING, TYPE SPS	500	TON
ASPH CONC FOR PATCHING, TYPE SP4(0.5)	500	TON
PERF GRAD BIND (52-34)FOR ST MAINT PATCH	9	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	12	TON
PERF GRADED BINDER (52-34)	403	TON
PERF GRADED BINDER (64-34)	781	TON
TACK COAT	37,530	GAL
RENTAL OF LOADER, FULLY OPERATED	55	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	55	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	55	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5	HOUR
EARTH SHOULDER CONSTRUCTION	200	STA
COLD MILLING, CLASS 3	549	STA
COLD MILLING, CLASS 3	1,156	STA
TYPE A		
RUMBLE STRIPS, ASPHALT	915	STA
RUMBLE STRIPS, ASPHALT 8"	231	STA
SURFACE UNDER GUARDRAIL	106	SY
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B	3	ACRE
SODDING	14	SY
EROSION CONTROL, CLASS 1C	200	SY
TEMPORARY SILT FENCE	500	LF
MULCH	7	TON

NOTICE TO CONTRACTORS

CALL ORDER 500
 FEDERAL PROJECT NO. NH-385-4(133)
 LOCATION: US-385, CHADRON NORTH
 COUNTIES: DAWES

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on May 12, 2011. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 16.3 MILES
 START DATE 06/13/2011 WORKING DAYS 85
 Price Range \$ 3,000,000 to \$ 6,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning April 19, 2011 at the Lincoln Central Office and April 25, 2011 at the District Engineer's Office at GERING
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	52 SHEETS	\$	13.00
STANDARD PLANS	11 SHEETS	\$	2.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-W1 - 2-W16	WETLANDS
2-H1 - 2-H4	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION
2-N2 - 2-N3	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3 - 18	PLAN SHEETS
19	PAVEMENT MARKING DETAILS
20	TEMPORARY PAVEMENT MARKING PLAN
21 - 27	SPECIAL PLAN 1C GUARDRAIL PLAN

STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	24,500 BDAY
BARRICADE, TYPE III	417 BDAY
TEMPORARY SIGN DAY	1,190 EACH
SIGN DAY	20,183 EACH
OVERLAY BROKEN LINES	2,625 STA
OVERLAY SOLID LINES	5,250 STA
FLAGGING	170 DAY
FURNISHING AND OPERATING PILOT VEHICLE	80 DAY

FIELD OFFICE		1	EACH
TRAINING		500	HOUR
MOBILIZATION	LUMP		LUMP
ROADWAY GRADING		6	STA
REMOVE ASPHALT SURFACE		280	SY
W-BEAM GUARDRAIL		225	LF
REMOVE & SALVAGE GUARDRAIL		500	LF
BRIDGE APPROACH SECTIONS		4	EACH
GUARDRAIL END TREATMENT, TYPE II		4	EACH
24" WHITE PREF PVMT MKING T-4 GROOVED		72	LF
RR XING SYMBOL PREF PVMT MRKING T-4 GRVD		2	EACH
HYDRATED LIME FOR ASPHALT MIXTURES		515	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		10	TON
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR		1,000	TON
ASPH CONC, TYPE SPS		17,340	TON
ASPH CONC, TYPE SP4(0.5)		25,500	TON
ASPH CONC, TYPE SPR		25,860	TON
PLACE ASPH CONC FOR DRIVE & INTER		3,025	SY
ASPH CONCRETE FOR PATCHING, TYPE SPS		550	TON
ASPH CONC FOR PATCHING, TYPE SP4(0.5)		200	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH		38	TON
PERF GRADED BINDER (52-34)		679	TON
PERF GRADED BINDER (64-34)		2,216	TON
TACK COAT		70,970	GAL
RENTAL OF LOADER, FULLY OPERATED		80	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED		80	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		80	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		80	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		5	HOUR
COLD MILLING, CLASS 3		888	STA
COLD MILLING, CLASS 3		1,768	STA
TYPE A			
RUMBLE STRIPS, ASPHALT		1,776	STA
SURFACE UNDER GUARDRAIL		280	SY
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP		LUMP
EROSION CONTROL, CLASS 1C		1,155	SY
FABRIC SILT FENCE-LOW POROSITY		1,058	LF
TEMPORARY SILT FENCE		300	LF

NOTICE TO CONTRACTORS

CALL ORDER 600
 FEDERAL PROJECT NO. STPD-30-2(133)
 LOCATION: US-30, BIG SPRINGS-BRULE
 COUNTIES: DEUEL KEITH

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on May 12, 2011. At that time the bids will be opened and read for GRAD CULV GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 6.5 MILES
 START DATE 06/20/2011 WORKING DAYS 80
 Price Range \$ 1,000,000 to \$ 3,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning April 19, 2011 at the Lincoln Central Office and April 25, 2011 at the District Engineer's Office at NORTH PLATTE
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	65 SHEETS	\$	16.25
CROSS SECTIONS (SHEETS X1 THRU X11)	11 SHEETS	\$	2.75
STANDARD PLANS	14 SHEETS	\$	3.50

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T7	TYPICAL CROSS SECTIONS
2-S1 - 2-S5	SUMMARY OF QUANTITIES
2-A1 - 2-A6	PHOTO MAPS
2-H	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
2-L1 - 2-L6	EROSION CONTROL
3 - 8	PLAN SHEETS
9	TEMPORARY PAVEMENT MARKING PLAN
10 - 12	EARTHWORK DATA SHEETS
13 - 22	DRAINAGE STRUCTURE CROSS SECTIONS
23 - 24	SPECIAL PLAN 1C 4' X 5' SINGLE SPAN RC BOX CULVERT STA. 56+95.00
25 - 26	SPECIAL PLAN 2C 5' X 7' SINGLE SPAN RC BOX CULVERT STA. 117+31.85
27 - 28	SPECIAL PLAN 3C 6' X 7' SINGLE SPAN RC BOX CULVERT STA. 139+16.12
29 - 30	SPECIAL PLAN 4C 4' X 3' SINGLE SPAN RC BOX CULVERT STA. 145+66.00
31 - 32	SPECIAL PLAN 5C 9' X 8' SINGLE SPAN RC BOX CULVERT STA. 172+95.00
33 - 37	SPECIAL PLAN 6C CABLE GUARDRAIL
38	SPECIAL PLAN 7C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
39 - 40	SPECIAL PLAN 8C TEMPORARY SILT CHECKS
X1 - X11	CROSS SECTIONS

STANDARD PLANS

307-R1	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		486 MGAL
EARTHWORK MEASURED IN EMBANKMENT		12,954 CY
EROSION CONTROL, CLASS 1C		18,717 SY
EROSION CHECKS, TYPE A		12 BALE
FABRIC SILT FENCE-LOW POROSITY		3,426 LF

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE HEADWALLS FROM CULV		8 EACH
PREPARATION OF STRUCTURE AT STA. 56+95		1 EACH
PREPARATION OF STRUCTURE AT STA. 117+31.85		1 EACH
PREPARATION OF STRUCTURE AT STA. 139+16.12		1 EACH
PREPARATION OF STRUCTURE AT STA. 145+66		1 EACH
PREPARATION OF STRUCTURE AT STA. 172+95		1 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		119 CY
EXCAVATION FOR BOX CULVERTS		223 CY
47B-3000 CONC FOR BOX CULV		103 CY
RE-STEEL FOR BOX CULVERT		9,231 LB
24" CORRUGATED METAL PIPE		42 LF
30" CORRUGATED METAL PIPE		12 LF
36" CORRUGATED METAL PIPE		50 LF
42" CORRUGATED METAL PIPE		24 LF
48" CORRUGATED METAL PIPE		22 LF
24" METAL FLARED-END SECTION		2 EACH
30" METAL FLARED-END SECTION		1 EACH
36" METAL FLARED-END SECTION		3 EACH
42" METAL FLARED-END SECTION		1 EACH
48" METAL FLARED-END SECTION		1 EACH

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
CABLE GUARDRAIL		6,144 LF
TERMINAL ANCHORAGE SECTIONS		26 EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES		1,027 STA
OVERLAY SOLID LINES		2,054 STA
MOBILIZATION	LUMP	LUMP
GRAVEL SURFACE COURSE		230 CY
SPEC SURF CRSE FOR MAILBOX TURNOUTS		311 SY

MAILBOX POST	4	EACH
CONC PVMT REPAIR TYPE A FULL DEPTH	17	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	203	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	130	CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH	23	CY
CONC PVMT REPAIR TYPE B PARTIAL DEPTH	1	CY
CONC PVMT, PR-3500	161	CY
JOINT REPAIR		
HYDRATED LIME FOR ASPHALT MIXTURES	212	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	1	TON
FOUNDATION COURSE REPLACEMENT	15	CY
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	100	TON
ASPH CONC, TYPE LC	5,035	TON
ASPH CONC, TYPE SPR	16,150	TON
PLACE ASPH CONC FOR DRIVE & INTER	3,035	SY
ASPH CONCRETE FOR PATCHING, TYPE SPR	50	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	3	TON
PERF GRADED BINDER (64-34)	998	TON
TACK COAT	23,670	GAL
WATER	176	MGAL
EARTH SHOULDER CONSTRUCTION	693	STA
SUBGRADE PREPARATION	472	SY
SURFACE UNDER GUARDRAIL	5,962	SY
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B	26	ACRE
MULCH	59	TON

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	10,000	B DAY
BARRICADE, TYPE III	556	B DAY
TEMPORARY SIGN DAY	1,120	EACH
SIGN DAY	10,397	EACH
FLAGGING	160	DAY
FURNISHING AND OPERATING PILOT VEHICLE	60	DAY
FIELD OFFICE	1	EACH
TRAINING	500	HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	60	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	5	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	60	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	60	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	55	HOUR
TEMPORARY SILT CHECK	500	LF
TEMPORARY SILT FENCE	2,000	LF
TEMPORARY MULCH	4	TON

NOTICE TO CONTRACTORS

CALL ORDER 700
 STATE PROJECT NO. RD-83-1(1025)
 LOCATION: US-83, MAYWOOD NORTH & SOUTH
 COUNTIES: FRONTIER

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on May 12, 2011. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

Length: 16.87 MILES
 START DATE 08/08/2011 WORKING DAYS 25
 Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning April 19, 2011 at the Lincoln Central Office and April 25, 2011 at the District Engineer's Office at MCCOOK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	6 SHEETS	\$	1.50
STANDARD PLANS	6 SHEETS	\$	1.50

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
& TYPICAL CROSS SECTION
- 3 PAVEMENT MARKING PLAN
- 4 TYPICAL PAVEMENT MARKING PLAN--4" PAVEMENT MARKING
- 5 TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
- 6 TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE III	164	B	DAY
TEMPORARY SIGN DAY	198	E	EACH
SIGN DAY	4,032	E	EACH
TEMPORARY BROKEN LINES	891	S	TA
PERMANENT PAVEMENT MARKING PAINT	240,500	L	LF
FLAGGING	58	D	DAY
FURNISHING AND OPERATING PILOT VEHICLE	29	D	DAY
MOBILIZATION	LUMP	LUMP	LUMP
4" WHT WET RFLC PRF PVMT MKNG T4 GVD	525	L	LF
8" WHT WET RFLC PRF PVMT MKNG T4 GVD	100	L	LF
4" YEL WET RFLC PRF PVMT MKNG T4 GVD	4,000	L	LF
12" YEL WET RFLC PRF PVMT MKNG T4 GVD	350	L	LF
ARMOR COAT AGG	2,145	C	CY
ARMOR COAT EMUL ASPH	67,020	G	GAL
FOG SEAL	17,030	G	GAL
COLD MILLING, CLASS 1	893	S	TA

NOTICE TO CONTRACTORS

CALL ORDER 705
 STATE PROJECT NO. RD-25-1(1018)
 LOCATION: N-25, TRENTON - US-6
 COUNTIES: HITCHCOCK

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on May 12, 2011. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

Length: 7.66 MILES
 START DATE 08/22/2011 WORKING DAYS 15
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning April 19, 2011 at the Lincoln Central Office and April 25, 2011 at the District Engineer's Office at MCCOOK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	5 SHEETS	\$	1.25
STANDARD PLANS	6 SHEETS	\$	1.50

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
& TYPICAL CROSS SECTION
- 3 PAVEMENT MARKING DETAILS
- 4 TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
- 5 TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE III	108	BDAY
TEMPORARY SIGN DAY	80	EACH
SIGN DAY	1,624	EACH
TEMPORARY BROKEN LINES	405	STA
PERMANENT PAVEMENT MARKING PAINT	111,750	LF
FLAGGING	24	DAY
MOBILIZATION	LUMP	LUMP
STOP AHD SYM, PREF PVMT MRKING, T-4 GVD	2	EACH
24" WHITE PREF PVMT MKING T-4 GROOVED	36	LF
RR XING SYMBOL PREF PVMT MRKING T-4 GRVD	1	EACH
ARMOR COAT AGG	1,011	CY
ARMOR COAT EMUL ASPH	31,600	GAL
COLD MILLING, CLASS 1	421	STA

NOTICE TO CONTRACTORS

CALL ORDER 710
 STATE PROJECT NO. RD-25-1(1017)
 LOCATION: N-25, SWANSON RESERVOIR SOUTH
 COUNTIES: HITCHCOCK

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on May 12, 2011. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

Length: 10.18 MILES
 START DATE 08/15/2011 WORKING DAYS 20
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning April 19, 2011 at the Lincoln Central Office and April 25, 2011 at the District Engineer's Office at MCCOOK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	4 SHEETS	\$	1.00
STANDARD PLANS	6 SHEETS	\$	1.50

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
& TYPICAL CROSS SECTION
- 3 TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
- 4 TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE III	136	BDAY
TEMPORARY SIGN DAY	100	EACH
SIGN DAY	2,296	EACH
TEMPORARY BROKEN LINES	538	STA
PERMANENT PAVEMENT MARKING PAINT	152,500	LF
FLAGGING	30	DAY
MOBILIZATION	LUMP	LUMP
ARMOR COAT AGG	1,484	CY
ARMOR COAT EMUL ASPH	46,950	GAL
COLD MILLING, CLASS 1	539	STA

NOTICE TO CONTRACTORS

CALL ORDER 800
 STATE PROJECT NO. RD-183-3(1022)
 LOCATION: US-183, TAYLOR NORTH & SOUTH
 COUNTIES: LOUP

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on May 12, 2011. At that time the bids will be opened and read for GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 12.9 MILES
 START DATE 06/13/2011 WORKING DAYS 85
 Price Range \$ 3,000,000 to \$ 6,000,000

Plans and specifications may be seen beginning April 19, 2011 at the Lincoln Central Office and April 25, 2011 at the District Engineer's Office at AINSWORTH
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	73	SHEETS	\$ 18.25
CROSS SECTIONS (SHEETS X1 THRU X4)	4	SHEETS	\$ 1.00
STANDARD PLANS	24	SHEETS	\$ 6.00

SHEET NO.

1	TITLE PAGE
2	INDEX OF SHEETS
2-T1 - 2-T4	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-W1 - 2-W12	WETLANDS
2-H1 - 2-H4	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
2-L1 - 2-L3	CONSTRUCTION & REMOVALS
3 - 14	PLAN SHEETS
15	TYPICAL TRAFFIC CONTROL PLAN--VEHICLE SIGNING FOR PAINT STRIPING
16	TEMPORARY PAVEMENT MARKING PLAN
17	PAVEMENT MARKING DETAILS
18	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
19 - 35	DRAINAGE STRUCTURE CROSS SECTIONS
36	SPECIAL PLAN 1C CONCRETE FLUME, TYPE I
37	SPECIAL PLAN 2C CONCRETE FLUME, TYPE II
38 - 42	SPECIAL PLAN 3C CABLE GUARDRAIL
43 - 47	SPECIAL PLAN 4C GUARDRAIL PLAN
X1 - X4	CROSS SECTIONS

STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
301-R10	(3 SHEETS) PAVEMENT DETAILS
303	(2 SHEETS) CURB RAMP
307-R1	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
547-R1	(2 SHEETS) CONCRETE FLUME, TYPE VII
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
CABLE GUARDRAIL		208 LF
TERMINAL ANCHORAGE SECTIONS		2 EACH
GUARDRAIL END TREATMENT, TYPE II		4 EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES		1,369 STA
OVERLAY SOLID LINES		2,738 STA
PERMANENT PAVEMENT MARKING PAINT		168,750 LF
MOBILIZATION	LUMP	LUMP
SLOPE PROTECTION		14 SY
SLOPE PROTECTION MULCH		28 TON
REMOVE ASPHALT SURFACE		196 SY
REMOVE WALK		27 SY
REMOVE CONCRETE FLUME		42 EACH
REMOVE CONCRETE FLUME & INLET		14 EACH
GRAVEL SURFACE COURSE		100 CY
SPEC SURF CRSE FOR MAILBOX TURNOUTS		313 SY
MAILBOX POST		8 EACH
CONC 47B-3000 SIDEWALK		37 CY
DETECTABLE WARNING PANEL		62 SF
CAST IRON GRATE & FRAME		5,974 LB
FLUME SPILLWAY		289 LF
CONCRETE FLUME, TYPE I		10 EACH
CONCRETE FLUME, TYPE II		24 EACH
47B-3000 CONC FOR INLET & JUNCTION BOXES		45 CY
47B-3000 CONC FOR CONCRETE CO		5 CY
RE-STEEL FOR INLET & JCT BOX		3,820 LB
RE-STEEL FOR COLLARS		490 LB
REMOVE GUARDRAIL		248 LF
REMOVE & SALVAGE GUARDRAIL		150 LF
24" WHITE PREF PVMT MKING T-4 GROOVED		50 LF
HYDRATED LIME FOR ASPHALT MIXTURES		251 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		1 TON
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR		100 TON
ASPH CONC, TYPE SPR		25,030 TON
HIGH RAP BASE		36,410 TON
PLACE ASPH CONC FOR DRIVE & INTER		2,880 SY
ASPH CONCRETE FOR PATCHING, TYPE HRB		500 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH		3 TON
PERF GRADED BINDER (64-34)		2,150 TON
CONSTRUCTING ASPH CONC CURB		1,014 LF
3"		
PREP OF INTER & DRIVE		180 SY
TACK COAT		55,870 GAL
WATER		334 MGAL
EARTH SHOULDER CONSTRUCTION		1,332 STA
SUBGRADE PREPARATION		287 SY
COLD MILLING, CLASS 3		11,342 SY
TYPE A		
COLD MILLING, CLASS 3		667 STA
SURFACE UNDER GUARDRAIL		179 SY
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SODDING		19 SY
EROSION CONTROL, CLASS 1C		3,802 SY
FABRIC SILT FENCE-LOW POROSITY		257 LF
15" CULV PIPE 3,4,5,6		999 LF

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	18,000	B	DAY
BARRICADE, TYPE III	984	B	DAY
TEMPORARY SIGN DAY	1,190	E	EACH
SIGN DAY	13,812	E	EACH
FLAGGING	170	D	DAY
FURNISHING AND OPERATING PILOT VEHICLE	70	D	DAY
MOBILIZATION	LUMP	L	LUMP
RENTAL OF LOADER, FULLY OPERATED	70	H	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	60	H	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	70	H	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	70	H	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10	H	HOUR
TEMPORARY SILT FENCE	500	L	LF
MOWING	40	H	HOUR

Plan and Informational Proposal Order Form
Projects to be bid on:
May 12, 2011

Payment required for plans prior to NDOR completing this order.
 dor.ContractsOnlineOrders@nebraska.gov FAX: (402) 479-4845

Document No.

<input type="checkbox"/> Check/Cash	Receipt No.
<input type="checkbox"/> Advance Plans Account No.	
Credit Card	
<input type="checkbox"/> Visa	<input type="checkbox"/> MasterCard
Expiration Date:	
Card No.:	
FOR OFFICE USE ONLY	
Reference I.D.:	
Authorization Code: _____ Date: _____	

Please indicate: <input type="checkbox"/> Mail <input type="checkbox"/> Hold	<input type="checkbox"/> Fed Ex. Standard Overnight	Comments:
	<input type="checkbox"/> Fed Ex. Priority Overnight	
	<input type="checkbox"/> UPS Overnight	
	Acct. No.	

4-Digit Vendor No.:	Ordered By:	Grand Total - Informational Proposals: x \$5.00
Company:		All plans in letting on CD: x \$25.00
Street Address:		Grand Total - 1/2 Size Plans: x \$.25
		Grand Total - Full Size Plans: x \$.50
PO Box:	City:	State:
		Zip Code:
		Subtotal
Phone No. (include Area Code):	Fax No. (include Area Code):	Tax Code
		Sales Tax
		%
Processed by:	Date:	Proposals/CD Filled:
		Blueprint Plans/Proposals Filled:
		Date:
Total		

If requesting Plan or Proposal CD(s) only, your name will not appear on the Planholders list unless your company has been issued Bid Proposals or you submit the "Planholders Registration" from the NDOR website.

CD containing Informational Proposals for all projects in letting. (No Charge) Total Number Requested: →

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. 1/2 size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
100	RD-41-6(1009)				
105	MISC-79-2(1016)				
110	IM-80-8(149)				
115	S-66-7(1013)				
200	ENH-77(50)				
205	MISC-480-9(1181)				
210	STR-64-7(1015)				
300	HSIP-91-5(123)				
305	RD-30-6(1042)				
310	STP-15-3(113)				
315	RD-32-5(1007)				
320	ELEC-30-5(1047)				

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. ½ size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
400 STP-11-2(118)					
405 RD-4-5(1003)					
410 IM-80-7(151)					
415 STR-34-4(1027)					
420 STPD-30-5(130)					
500 NH-385-4(133)					
600 STPD-30-2(133)					
700 RD-83-1(1025)					
705 RD-25-1(1018)					
710 RD-25-1(1017)					
800 RD-183-3(1022)					

Standard Plans: Refer to "Publication Order Form" for complete sets of Standard Plans and Standard/Special Plans Books

Number of Sets Requested	Standard Plan No.(s)	Number of Sheets Shown in List of Plans	Check Size		Total No. of Sheets	
			1/2	Full	1/2	Full
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		

