

July 28, 2011

TO ALL CONCERNED:

The Department of Roads has scheduled a bid letting to be held in this office August 25, 2011 at 1:30 p.m.

The Notice to Contractors includes:

1. Website Information
2. Notice to all Bidders
3. Ordering Instructions
4. Notices to Contractors including time allowances and lists of plans
5. Plan and Informational Proposal Order Form
6. R-125 "Request for Bidding Proposal Forms"

Projects containing DBE Goals are indicated in the "Notice to Contractors".

Please check the important letting information on the website frequently.

The last day to submit acceptable prequalification statements for this letting is by 5:00 p.m. on Monday, August 15, 2011.

Sincerely,

Jay K. Brinkmeyer, Supervisor  
Contract Lettings Section  
Construction Division

JKB/em

### WEBSITE INFORMATION

The Nebraska Department of Roads, Contract Lettings Section, will be utilizing the Internet as our means of communicating with the contracting industry.

Documents that are posted on the web are:

- Letting Schedule
- Notices to Contractors
- Informational Proposals
- Letting Plans
- List of Prequalified Contractors
- Planholders List
- Informational Addendums
- EBS (Electronic Bidding System)
- Apparent Low Bidders
- Bid Tabulations
- Standard Item Listing
- Awarded Average Unit Prices (AUP) Report

Hard copies of these documents will be available for inspection in the Contracts Office.

There will be a charge for reproduction of any of these documents.

The Website address is: [www.Transportation.Nebraska.gov](http://www.Transportation.Nebraska.gov)

If you have any questions as you are using our Website, please contact us at:

Nebraska Department of Roads  
Contract Lettings Section  
P.O. Box 94759  
Lincoln, NE 68509-4759

Phone (402) 479-4525  
FAX (402) 479-3803

Email: [DOR.ContractLettings@nebraska.gov](mailto:DOR.ContractLettings@nebraska.gov)

## **NOTICE TO ALL BIDDERS**

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free “hotline” Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the “hotline” to report such activities.

The “hotline” is part of the DOT’s continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

## ORDERING INSTRUCTIONS FOR PLANS AND PROPOSALS

Refer to the "Notice to Contractors" for the call order number, project number, and list of plans for each project.

Order forms are available on the NDOR website in PDF and Word format. Complete the appropriate forms as follows:

### **Request for Bidding Proposal Forms (R-125)**

Bidders must submit an R-125, Request for Bidding Proposals Forms and be issued bid proposals prior to submitting bids.

Proposals to be used for bidding must be requested on this form. Bidding proposals will be issued only to contractors who are currently prequalified to bid with this department.

There is no charge for bid proposals.

### **Plan and Informational Proposal Order Form:**

Payment is required prior to NDOR completing the order. This payment is not refundable.

Proposals to be used for information only can be ordered as follows:

1. Each individual project.
2. CD that contains all projects in letting. Does not contain addenda.

Plans for each project can be ordered as follows:

1. Complete set.
2. Set less Roadway Cross-Sections and Standards.
3. Set less Standards.
4. Set less Roadway Cross-Sections.
5. Individual sheets
6. CD that contains all projects in letting.

Prices are: Informational Proposals: \$5.00 each  
CD containing Informational Proposals: No Charge  
Plans per sheet: \$.25 for half-size (12" x 18")  
\$.50 for full-size (24" x 36")  
CD containing plans: \$25.00 each

Cost shown on the list of plans is for ½ size plans. Nebraska residents add appropriate state sales tax and city tax that is determined by delivery within cities imposing a sales tax.

Select the method of payment on the plan order form:

1. Credit Card (Visa or MasterCard only)  
Orders with approved credit cards can be processed without delays.
2. Advanced payment account  
Requires a money deposit with recommended \$200 minimum. Failure to have sufficient funds in your account to cover cost of the plans may delay the processing of your order.  
This account may also be used to purchase other NDOR publications.
3. Check/cash  
Send checks made payable to the Nebraska Dept. of Roads with your completed plan order form. Please do not mail cash.

To order complete sets of standard plans (1/2 size) please use the "Publications Order Form" available on the website. Cost is \$35.00 plus applicable sales tax. As new standards become available they may be purchased at \$0.25 per sheet.

Address: Nebraska Department of Roads  
Contracts Section  
1500 Highway 2  
PO Box 94759  
Lincoln NE 68509-4759

FAX (402) 479-3803

Phone: (402) 479-4525

Email: [DOR.ContractLettings@nebraska.gov](mailto:DOR.ContractLettings@nebraska.gov)

October 10, 2008

NOTICE TO CONTRACTORS

CALL ORDER 100  
 STATE PROJECT NO. MISC-77-1(1026)  
 LOCATION: US-77, BEATRICE NORTH CULVERT  
 COUNTIES: GAGE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on August 25, 2011. At that time the bids will be opened and read for CULVERT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CULVERTS  
 START DATE 10/11/2011 WORKING DAYS 25  
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning August 02, 2011 at the Lincoln Central Office and August 08, 2011 at the District Engineer's Office at LINCOLN  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	18 SHEETS	\$	4.50
STANDARD PLANS	8 SHEETS	\$	2.00

SHEET NO.  
 1 TITLE PAGE  
 & SUMMARY OF QUANTITIES  
 2-A PHOTO MAP  
 2-H HORIZONTAL ALIGNMENT & ORIENTATION  
 2-L EROSION CONTROL  
 3 PLAN SHEET  
 4 DRAINAGE STRUCTURE CROSS SECTIONS  
 5 SPECIAL PLAN 1C CONCRETE HEADWALL  
 6 - 16 SPECIAL PLAN 2C MULTIPLE SPAN CONCRETE  
 BOX CULVERT  
 STA. 1+28.80

STANDARD PLANS

501-R5 (3 SHEETS) EROSION CONTROL  
 502 SILT FENCE DETAILS  
 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE  
 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 4 CULVERT AT STA. 1+28.80

BARRICADE, TYPE II	250	BDAY
BARRICADE, TYPE III	270	BDAY
SIGN DAY	324	EACH
MOBILIZATION	LUMP	LUMP
REMOVAL OF UNSUITABLE MATERIAL	17	CY
PREPARATION OF STRUCTURE	1	EACH
AT STA. 1+28.80		
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	16	CY
EXCAVATION FOR BOX CULVERTS	41	CY
47B-3000 CONC FOR HDWL	1	CY
47B-3000 CONC FOR BOX CULV	50	CY
RE-STEEL FOR HEADWALL	112	LB
RE-STEEL FOR BOX CULVERT	4,225	LB
STEEL SHEET PILING	546	SF
GRANULAR BACKFILL	51	CY
EROSION CONTROL, CLASS 1D	127	SY
TEMPORARY SILT FENCE	100	LF
24" CULV PIPE 3,4,5,6	50	LF

NOTICE TO CONTRACTORS

CALL ORDER 105  
 FEDERAL PROJECT NO. IM-NH-80-9(855)  
 LOCATION: I-80, 14TH STREET BRIDGE, LINCOLN  
 COUNTIES: LANCASTER

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on August 25, 2011. At that time the bids will be opened and read for GRAD MSE CONC PAVE CULV BR

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES  
 START DATE 10/17/2011 CALENDAR DAYS 398  
 Price Range \$ 2,000,000 to \$ 4,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning August 02, 2011 at the Lincoln Central Office and August 08, 2011 at the District Engineer's Office at LINCOLN  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.  
 This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	114	SHEETS	\$ 28.50
CROSS SECTIONS (SHEETS X1 THRU X15)	15	SHEETS	\$ 3.75
STANDARD PLANS	23	SHEETS	\$ 5.75

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-K1 - 2-K2	SUMMARY OF SOILS & GEOTECHNICAL INFORMATION
2-A	PHOTO MAP
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION & DETOUR LOCATION MAP
2-N2	GENERAL INFORMATION--TEMPORARY SHORING
2-L1	FENCING
2-L2	DRAINAGE
2-L3 - 2-L4	CONSTRUCTION & REMOVAL
2-L5	EROSION CONTROL
3	PLAN & PROFILE SHEET
4	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
5	TYPICAL TRAFFIC CONTROL--FREEWAY RAMP CLOSURE
6	TYPICAL TRAFFIC CONTROL PLAN--FREEWAY CLOSURE
7	TYPICAL TRAFFIC CONTROL PLAN--INERTIAL BARRIER SYSTEM
8	TEMPORARY TRAFFIC CONTROL PLAN--14TH ST. BRIDGE CONSTRUCTION
9	TEMPORARY TRAFFIC CONTROL PLAN--I-180 EB ON RAMP CROSSOVER
10	TEMPORARY PAVEMENT MARKING PLAN
11	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
12	TYPICAL PAVEMENT MARKING PLAN--INTERSTATE/EXPRESSWAY
13 - 14	DRAINAGE STRUCTURE CROSS SECTIONS
15 - 52	SPECIAL PLAN 1 PRESTRESSED NU1100 GIRDER BRIDGE STA. 147+73.26
53 - 92	SPECIAL PLAN 2 WELDED PLATE GIRDER BRIDGE STA. 147+73.26
93	SPECIAL PLAN 1C AREA INLET WITH OPEN SIDE(S) STA. 150+20.00 RT
94 - 95	SPECIAL PLAN 2C CONCRETE MEDIAN BARRIER TRANSITION
96	SPECIAL PLAN 3C CONCRETE MEDIAN BARRIER
97 - 99	SPECIAL PLAN 4C MSE WALLS
100 - 101	SPECIAL PLAN 5C CONCRETE PROTECTION BARRIER
X1 - X15	CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS)	PAVEMENT DETAILS
329-R9	(4 SHEETS)	8 TO 16 INCH CONCRETE PAVEMENT
410-R3	(2 SHEETS)	FLARED END SECTIONS FOR CULVERT PIPES
425-R4		COLLARS AND ELBOWS FOR CONCRETE PIPES
443-R8	(2 SHEETS)	CURB INLETS AND JUNCTION BOX
501-R5	(3 SHEETS)	EROSION CONTROL
502		SILT FENCE DETAILS
710-R4	(2 SHEETS)	FENCE DETAILS
920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
924	(3 SHEETS)	TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		70 MGAL
EARTHWORK MEASURED IN EMBANKMENT		7,000 CY
REMOVE PAVEMENT		410 SY
REMOVE CONCRETE BARRIER		104 LF
TEMPORARY SHORING	LUMP	LUMP
REMOVE GUARDRAIL		698 LF
COVER CROP SEEDING		1 ACRE
EROSION CONTROL, CLASS 1D		2,718 SY

GROUP 1A MSE WALL

MOBILIZATION	LUMP	LUMP
EXCAVATION FOR MSE WALL		5,940 CY
CONCRETE FACE PANELS		10,050 SF
CONCRETE LEVELING PADS		595 LF
COPING		604 LF
24" CORRUGATED METAL PIPE		1,224 LF
SELECT GRANULAR BACKFILL FOR MSE WALL		5,590 CY

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
CONC 47BD-4000 MEDIAN BARRIER		56 LF
10" CONC PVMT, 47B-3500		601 SY
13" DOWELED CONC PVMT, 47B-3500		388 SY
47BD-4000 CONC FOR BARRIER		2 CY
EPOXY COATED RE-STEEL FOR BARRIER		360 LB
5' CHAIN-LINK FENCE		2,010 LF
CORNER POST FOR 5' CH-LNK FENCE		5 EACH
5" WHT WET RFLC POLY PVMT MRKING, GVD		5,000 LF
5" YEL WET RFLC POLY PVMT MRKING, GVD		4,100 LF
5" WHT WET RFLC PRF PVMT MKNG T4 GVD		2,400 LF

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
CAST IRON COVER & FRAME		125 LB
REMOVE FLARED- END SECTION		5 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		444 CY
47B-3000 CONC FOR INLET & JUNCTION BOXES		2 CY
47B-3000 CONC FOR CONCRETE CO		1 CY
RE-STEEL FOR INLET & JCT BOX		481 LB
RE-STEEL FOR COLLARS		65 LB
24" FLARED-END SECTION		3 EACH
CULVERT SANDFILL		56 CY
24" CULV PIPE 2,3,4,5,6,7,8		716 LF

18" CULV PIPE 2	165 LF
36" CULV PIPE 2	6 LF
42" CULV PIPE 2	20 LF

GROUP 6 BRIDGE AT STA. 147+73.26

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000	517	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	90,960	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE B	254	LF
FIXED BEARING	22	EACH
47B-3000 CONC FOR BRIDGE	588	CY
47BD-4000 CONC FOR BRIDGE	756	CY
PRECAST/PRESTRESSED CONC SUPERSTR 147+73.26	LUMP	LUMP
PREP BRIDGE 147+73.26		1 EACH
STRUC STEEL FOR SUBSTRUCTURE	13,755	LB
CONCRETE SLOPE PROTECTION	136	SY
EPOXY COATED RE-STEEL	256,675	LB
SUBSURFACE DRAINAGE MATTING	165	SY
HP 12"X53# STEEL PILING	8,105	LF
PEDESTRIAN BARRIER RAIL	704	LF
PEDESTRIAN RAIL (CHAIN LINK TYPE)	717	LF
1 1/2" CONDUIT IN BRIDGE	801	LF
CONCRETE COATING	LUMP	LUMP
GRANULAR BACKFILL	965	CY
4" CONDUIT ON STRUCTURE	343	LF

GROUP 6A BRIDGE AT STA. 147+73.26

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000	517	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	90,960	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE B	254	LF
FIXED BEARING	11	EACH
47B-3000 CONC FOR BRIDGE	547	CY
47BD-4000 CONC FOR BRIDGE	647	CY
PREP BRIDGE 147+73.26		1 EACH
STEEL SUPERSTRUCTURE 147+73.26	LUMP	LUMP
STRUC STEEL FOR SUBSTRUCTURE	12,655	LB
CONCRETE SLOPE PROTECTION	136	SY
EPOXY COATED RE-STEEL	218,995	LB
SUBSURFACE DRAINAGE MATTING	165	SY
HP 12"X53# STEEL PILING	7,195	LF
PEDESTRIAN BARRIER RAIL	704	LF
PEDESTRIAN RAIL (CHAIN LINK TYPE)	717	LF
1 1/2" CONDUIT IN BRIDGE	801	LF
CONCRETE COATING	LUMP	LUMP
GRANULAR BACKFILL	965	CY
4" CONDUIT ON STRUCTURE	343	LF

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	20,546	B DAY
BARRICADE, TYPE III	6,870	B DAY
TEMPORARY SIGN DAY	740	EACH
SIGN DAY	16,572	EACH
CONTRACTOR FURNISHED SIGN DAY	3,546	EACH

TEMP PAVEMENT MARKING REMOVAL	19,700 LF
PAVEMENT MARKING REMOVAL	11,500 LF
TEMP PVMT MARKING, TYPE PAINT	19,700 LF
TEMP PVMT MARKING SURF PREP	19,700 LF
FLASHING ARROW PANEL	50 DAY
CONCRETE PROTECTION BARRIER	1,937 LF
RELOCATE CONC PROTECTION BARRIER	825 LF
INERTIAL BARRIER SYSTEM	4 EACH
REPLACEMENT MODULE	18 EACH
TRAINING	500 HOUR
MOBILIZATION	LUMP LUMP
TEMPORARY FENCE	500 LF
RENTAL OF LOADER, FULLY OPERATED	5 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	5 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	5 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5 HOUR
TEMPORARY SEEDING	1 ACRE
TEMPORARY SILT FENCE	500 LF
TEMPORARY MULCH	1 TON

NOTICE TO CONTRACTORS

CALL ORDER 110  
 FEDERAL PROJECT NO. BRO-7076(16)  
 LOCATION: ON A COUNTY ROAD SOUTHEAST OF DORCHESTER  
 COUNTIES: SALINE

The Nebraska Department of Roads will receive sealed bids for the COUNTY OF SALINE in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on August 25, 2011. At that time the bids will be opened and read for BRIDGE

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES  
 START DATE 07/02/2012 WORKING DAYS 85  
 Price Range \$ 250,000 to \$ 1,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning August 02, 2011 at the Lincoln Central Office and August 08, 2011 at the District Engineer's Office at LINCOLN  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	26	SHEETS	\$	6.50
CROSS SECTIONS (SHEETS X1 THRU X3)	3	SHEETS	\$	0.75
STANDARD PLANS	11	SHEETS	\$	2.75

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS OF IMPROVEMENT
2-S	SUMMARY OF QUANTITIES
2-W	WETLANDS
2-N	GENERAL INFORMATION & DETOUR LOCATION MAP
2-L	EROSION CONTROL
3	PLAN & PROFILE SHEET
4	DRAINAGE STRUCTURE CROSS SECTIONS
5 - 12	SPECIAL PLAN 1 CONCRETE SLAB BRIDGE STA. 10+07.50
13 - 20	SPECIAL PLAN 1C GUARDRAIL PROTECTION
21	SPECIAL PLAN 2C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
R1	RIGHT-OF-WAY DATA
X1 - X3	CROSS SECTIONS

STANDARD PLANS

410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT STA. 10+07.50

BARRICADE, TYPE III	2,128	B DAY
SIGN DAY	2,736	EACH
CONTRACTOR FURNISHED SIGN DAY	608	EACH
MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL	4	EACH

GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		90 MGAL
EARTHWORK MEASURED IN EMBANKMENT	6,393	CY
RIPRAP FILTER FABRIC	1,136	SY
24" DRIVE PIPE 2,3,4,5,6,7 OR 8		106 LF
CRUSHED ROCK EMBEDMENT		12 STA
CRUSHED ROCK SURFACE COURSE	466	TON
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		94 CY
24" METAL FLARED-END SECTION		1 EACH
36" METAL FLARED-END SECTION		1 EACH
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
47B-3000 CONC FOR BRIDGE		234 CY
47BD-4000 CONC FOR BRIDGE		294 CY
RE-STEEL FOR BRIDGE	64,105	LB
REMOVE STRUCTURE		1 EACH
AT STA. 10+20.00		
ACCESS CROSSING	LUMP	LUMP
STRUC STEEL FOR SUBSTRUCTURE	2,765	LB
ROCK RIPRAP, TYPE B		940 TON
SALVAGING AND PLACING TOPSOIL ON RIPRAP	1,136	SY
HP 10"X42# STEEL PILING	1,710	LF
BRIDGE APPROACH SECTIONS		4 EACH
MELT		4 EACH
RENTAL OF LOADER, FULLY OPERATED		10 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		10 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		10 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		10 HOUR
SEEDING, TYPE A		2 ACRE
COVER CROP SEEDING		2 ACRE
EROSION CONTROL, CLASS 1D	2,600	SY
EROSION CHECKS, TYPE 1D		72 BALE
FABRIC SILT FENCE-LOW POROSITY		310 LF
TEMPORARY SILT FENCE		500 LF
MULCH		5 TON
24" CULV PIPE 3,4,5,6		77 LF
36" CULV PIPE 3,4,5,6		88 LF

NOTICE TO CONTRACTORS

CALL ORDER 200  
 FEDERAL PROJECT NO. STPE-3460(4)  
 LOCATION: ON A COUNTY ROAD, FREMONT WEST  
 COUNTIES: DODGE

The Nebraska Department of Roads will receive sealed bids for the COUNTY OF DODGE in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on August 25, 2011. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 2.3 MILES  
 START DATE 09/10/2012 WORKING DAYS 25  
 Price Range \$ 500,000 to \$ 2,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning August 02, 2011 at the Lincoln Central Office and August 08, 2011 at the District Engineer's Office at OMAHA  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	16 SHEETS	\$	4.00
STANDARD PLANS	12 SHEETS	\$	3.00

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS OF IMPROVEMENT
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-N	GENERAL INFORMATION
3 - 5	PLAN SHEETS
6 - 11	SPECIAL PLAN 1C GUARDRAIL PROTECTION
12	TEMPORARY PAVEMENT MARKING PLAN
13	TYPICAL PAVEMENT MARKING PLAN--4" PAVEMENT MARKING

STANDARD PLANS

308-R1	LOCAL ROADS MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	1,200	B	DAY
TEMPORARY SIGN DAY	40	E	EACH
SIGN DAY	1,742	E	EACH
OVERLAY BROKEN LINES	369	S	TA
OVERLAY SOLID LINES	738	S	TA
PERMANENT PAVEMENT MARKING PAINT	36,534	L	FT
FLAGGING	50	D	AY
FURNISHING AND OPERATING PILOT VEHICLE	10	D	AY
MOBILIZATION	LUMP	L	UMP
SPEC SURF CRSE FOR MAILBOX TURNOUTS	165	S	Y
MAILBOX POST	1	E	EACH

W-BEAM GUARDRAIL	4,228 LF
REMOVE GUARDRAIL	4,394 LF
MELT	4 EACH
HYDRATED LIME FOR ASPHALT MIXTURES	88 TON
ASPH CONC, TYPE SP4(0.5)	8,550 TON
PLACE ASPH CONC FOR DRIVE & INTER	2,572 SY
ASPH CONC FOR PATCHING, TYPE SP4(0.5)	200 TON
PERF GRADED BINDER (64-34)	420 TON
TACK COAT	7,050 GAL
RENTAL OF LOADER, FULLY OPERATED	25 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	20 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	25 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	25 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5 HOUR
WATER	59 MGAL
EARTH SHOULDER CONSTRUCTION	236 STA
COLD MILLING, CLASS 3	122 STA
RAP INCENTIVE PAYMENT	14,500 EACH
SEEDING, TYPE B	5 ACRE
TEMPORARY SILT FENCE	500 LF
MULCH	11 TON

NOTICE TO CONTRACTORS

CALL ORDER 210  
 FEDERAL PROJECT NO. NH-34-7(118)  
 LOCATION: US-34, MISSOURI RIVER BRIDGE APPROACH, BELLEVUE  
 COUNTIES: SARPY

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on August 25, 2011. At that time the bids will be opened and read for GRAD CONC PAVE CULV SEED GDRL ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: GRADING CONCRETE PAVEMENT

Length: 2.0 MILES  
 START DATE 04/02/2012 WORKING DAYS 240  
 Price Range \$ 7,000,000 to \$ 12,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning August 02, 2011 at the Lincoln Central Office and August 08, 2011 at the District Engineer's Office at OMAHA  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	146	SHEETS	\$	36.50
CROSS SECTIONS (SHEETS X1 THRU X49)	49	SHEETS	\$	12.25
STANDARD PLANS	33	SHEETS	\$	8.25

SHEET NO.

1	TITLE PAGE
2	INDEX OF SHEETS
2-T1 - 2-T4	TYPICAL CROSS SECTIONS
2-T5	TYPICAL CROSS SECTIONS--RURAL INTERSECTIONS & DRIVEWAYS
2-T6	TYPICAL CROSS SECTIONS OF OLD ROAD OBLITERATION
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-K1 - 2-K6	SUMMARY OF SOILS & GEOTECHNICAL INFORMATION
2-W1 - 2-W5	WETLANDS
2-H1 - 2-H4	HORIZONTAL ALIGNMENT & CONTROL POINTS
2-N1 - 2-N2	GENERAL INFORMATION
2-N3	GENERAL INFORMATION--CUL-DE-SAC GRADING PLAN
2-N4 - 2-N5	GENERAL INFORMATION--MILLED RUMBLE STRIPS
2-N6	GENERAL INFORMATION--APPROACH SLAB DRAINAGE INLETS
2-N7	GENERAL INFORMATION--BNSF RR ACCESS ROAD (ADDED SHEET)
2-P	PHASING PLAN
2-L1 - 2-L10	GEOMETRICS
2-L11 - 2-L19	JOINTS & GRADES
2-L20 - 2-L33	CONSTRUCTION, DRAINAGE, REMOVAL
2-L34 - 2-L45	EROSION CONTROL
3 - 14	PLAN & PROFILE SHEETS
15 - 16	TRAFFIC SIGNAL PLAN
17 - 19	PAVEMENT MARKING PLAN
20	TEMPORARY PAVEMENT MARKING PLAN
21	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
22 - 26	ROADWAY LIGHTING PLANS
27 - 30	EARTHWORK DATA SHEETS
31 - 42	DRAINAGE STRUCTURE CROSS SECTIONS
43 - 44	SPECIAL PLAN 1C 4' X 4' TWIN SPAN RC BOX CULVERT STA. 152+09.00
45 - 46	SPECIAL PLAN 2C 6' X 4' TWIN SPAN RC BOX CULVERT STA. 204+16.00

47 - 48	SPECIAL PLAN 3C	6' X 4' SINGLE SPAN RC BOX CULVERT STA. 210+55.00
49 - 50	SPECIAL PLAN 4C	6' X 4' SINGLE SPAN RC BOX CULVERT STA. 3210+20.00
51	SPECIAL PLAN 5C	GRATE INLET
52 - 53	SPECIAL PLAN 6C	5-BAR GRATE INLET WITH CURBS STA. 3210+20.00
54 - 61	SPECIAL PLAN 7C	GUARDRAIL PLAN
62	SPECIAL PLAN 8C	EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
63 - 64	SPECIAL PLAN 9C	TEMPORARY SILT CHECKS
R1 - R6		RIGHT-OF-WAY SHEETS
X1 - X49		CROSS SECTIONS

STANDARD PLANS

102-R1	SUPERELEVATION PLAN FOR DUAL HIGHWAYS (RAISED MEDIAN)
108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
109-R2	SUPERELEVATION PLAN FOR GRAVEL SURFACING
301-R10	(3 SHEETS) PAVEMENT DETAILS
329-R9	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
404-R3	CONTROL JOINTS FOR CONCRETE BOX CULVERTS
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
804	PRECAST CONCRETE R.O.W. MARKER
901-R9	HIGHWAY DELINEATORS
902-R1	HIGHWAY DELINEATORS FOR RAMP AND GORE LOCATIONS
910-R2	SIGNAL FACE CONFIGURATION
914-R6	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION		77,107 CY
EXCAVATION, BORROW		696,240 CY
REMOVAL OF UNSUITABLE MATERIAL		95,308 CY
WATER		1,540 MGAL
RIGHT-OF-WAY MARKERS		32 EACH
RE-ESTABLISH PROPERTY CORNER		21 EACH
RIPRAP FILTER FABRIC		70 SY
REMOVE PAVEMENT		5,630 SY
REMOVE ASPHALT SURFACE		490 SY
24" DRIVE PIPE 2,3,4,5,6,7 OR 8		344 LF
24" FLARED-END SECTION		12 EACH
ROCK RIPRAP, TYPE B		28 TON
SAND BLANKET		1,174 CY
COVER CROP SEEDING		46 ACRE
EROSION CONTROL, CLASS 1C		20,165 SY
EROSION CONTROL, CLASS 1D		60,173 SY
EROSION CONTROL, CLASS 2A		162 SY
EROSION CHECKS, TYPE 1C		10 BALE

EROSION CHECKS, TYPE 1D	90	BALE
EROSION CHECKS, TYPE 2A	10	BALE
EROSION CHECKS, TYPE WATTLE	11,284	LF
FABRIC SILT FENCE-LOW POROSITY	31,282	LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE I	88	EACH
DELINEATOR, TYPE II	16	EACH
DELINEATOR, TYPE III	24	EACH
INSTALL CHEVRONS	6	EACH
CRUSHED ROCK EMBEDMENT	6,279	SY
CRUSHED ROCK EMBEDMENT TYPE A	327	SY
CRUSHED ROCK SURFACE COURSE	1,110	TON
CRUSHED ROCK SURFACE COURSE TYPE A	36	TON
CRUSHED ROCK SURFACE COURSE TYPE B	34	TON
CONC 47B-3000 MEDIAN SURFACING	13,212	SY
10" CONC PVMT, 47B-3500	3,260	SY
10" DOWELED CONC PVMT, 47B-3500	75,880	SY
CONC SMOOTHNESS TESTING	LUMP	LUMP
ADJUST MANHOLE TO GRADE	1	EACH
5" WHT WET RFLC POLY PVMT MRKING, GVD	34,000	LF
5" YEL WET RFLC POLY PVMT MRKING, GVD	27,250	LF
HYDRATED LIME FOR ASPHALT MIXTURES	41	TON
FOUNDATION COURSE 4"	90,814	SY
GRANULAR SUBDRAIN	140	EACH
STABILIZED SUBGRADE TYPE FLY ASH	99,184	SY
ASPH CONC, TYPE SP4(0.5)	4,060	TON
PLACE ASPH CONC FOR DRIVE & INTER SURFACING 6"	494	SY
PERF GRADED BINDER (64-34)	11,674	SY
PREP OF INTER & DRIVE	203	TON
TACK COAT	494	SY
WATER	840	GAL
EARTH SHOULDER CONSTRUCTION	377	MGAL
RUMBLE STRIPS, CONCRETE	226	STA
SURFACE UNDER GUARDRAIL	208	STA
FLY ASH	396	SY
RAP INCENTIVE PAYMENT	3,520	TON
	6,902	EACH

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
CAST IRON GRATE & FRAME	10,736	LB
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	6,823	CY
EXCAVATION FOR BOX CULVERTS	4,153	CY
47B-3000 CONC FOR BOX CULV	591	CY
47B-3000 CONC FOR INLET & JUNCTION BOXES	72	CY
RE-STEEL FOR BOX CULVERT	53,944	LB
RE-STEEL FOR INLET & JCT BOX	5,150	LB
18" FLARED-END SECTION	1	EACH
24" FLARED-END SECTION	8	EACH
36" FLARED-END SECTION	2	EACH
18" METAL FLARED-END SECTION	3	EACH
30" RND EQUIV CONCRETE FES	4	EACH
AREA INLET SEDIMENT FILTER	48	EACH
30" RD EQUIV CULV PIPE 2	78	LF
24" CULV PIPE 3,4,5	12	LF
36" CULV PIPE 3,4,5	294	LF
18" SLOTTED CULV PIPE 3,4 OR 5	432	LF
24" CULV PIPE 2,5,7,8	377	LF
36" CULV PIPE 2,5,7,8	168	LF

18" STORM SEWER PIPE 1,7,8	3,222 LF
24" STORM SEWER PIPE 1,7,8	450 LF
18" STORM SEWER PIPE 3,4,5 OR 6	614 LF

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE A		38 ACRE
SEEDING, TYPE B		8 ACRE
SEEDING, TYPE C		2 ACRE
MULCH		104 TON
HYDROMULCH		3 TON

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		275 LF
IMPACT ATTENUATOR		1 EACH
BRIDGE APPROACH SECTIONS		3 EACH
GUARDRAIL END TREATMENT, TYPE I		3 EACH

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
PULL BOX, TYPE PB-1		8 EACH
PULL BOX, TYPE PB-1A		2 EACH
PULL BOX, TYPE PB-2		2 EACH
PULL BOX, TYPE PB-6		2 EACH
VEHICLE DETECTOR, TYPE A PREFORMED		16 EACH
VEHICLE DETECTOR, TYPE B PREFORMED		14 EACH
ST LIGHT UNIT SL-BT-40-12-0.20		2 EACH
ST LIGHT UNIT SL-BT-45-12-0.20		6 EACH
ST LIGHT UNIT SL-BT-50-12-0.40		2 EACH
LIGHTING CONTROL CENTER, R		1 EACH
1 1/2" CONDUIT IN TRENCH		1,695 LF
2" CONDUIT IN TRENCH		64 LF
1 1/2" CONDUIT UNDER ROADWAY		285 LF
3" CONDUIT UNDER ROADWAY		380 LF
STREET LIGHT CABLE, NO. 6 BARE		1,980 LF
STREET LIGHT CABLE, NO. 6 USE		3,960 LF

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE III		17,992 BDAY
SIGN DAY		4,618 EACH
CONTRACTOR FURNISHED SIGN DAY		3,016 EACH
FLAGGING		50 DAY
TRAINING		5,000 HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		325 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		325 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		325 HOUR
RENTAL OF TRACTOR & SCRAPER, F.O.		10 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		325 HOUR
CONTOUR CULTIVATION OF BACKSLOPES		5,000 LF
TEMPORARY SILT CHECK		500 LF
TEMPORARY SILT FENCE		1,000 LF
TEMPORARY EARTH CHECK		1,000 LF
TEMPORARY MULCH		10 TON

NOTICE TO CONTRACTORS

CALL ORDER 300  
 STATE PROJECT NO. RD-75-4(1009)  
 LOCATION: US-75, HOMER-DAKOTA CITY  
 COUNTIES: DAKOTA

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on August 25, 2011. At that time the bids will be opened and read for BR GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 5.4 MILES  
 START DATE 07/09/2012 WORKING DAYS 65  
 Price Range \$ 1,000,000 to \$ 3,000,000

Plans and specifications may be seen beginning August 02, 2011 at the Lincoln Central Office and August 08, 2011 at the District Engineer's Office at NORFOLK  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	39	SHEETS	\$	9.75
STANDARD PLANS	9	SHEETS	\$	2.25

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T3	TYPICAL CROSS SECTIONS
2-S1 - 2-S3	SUMMARY OF QUANTITIES
2-W1 - 2-W6	WETLANDS
2-H	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N2	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3 - 8	PLAN SHEETS
9	TYPICAL TRAFFIC SIGNAL CONTROL PLAN FOR TWO LANE, TWO WAY OPERATION WITH BARRIERS
10	TYPICAL TRAFFIC CONTROL PLAN--INERTIAL BARRIER SYSTEM
11	TEMPORARY PAVEMENT MARKING PLAN
12 - 16	SPECIAL PLAN 1 STEEL GIRDER BRIDGE--CONCRETE REPAIR STA. 1413+54.77
17 - 23	SPECIAL PLAN 1C GUARDRAIL PLAN
24 - 25	SPECIAL PLAN 2C CONCRETE PROTECTION BARRIER

STANDARD PLANS

309	MAILBOX SUPPORT POST
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT STA. 1413+54.77

MOBILIZATION	LUMP	LUMP
CLASS II REPAIR		15 SY
CLASS III REPAIR		5 SY
47BD-4000 CONC FOR BRIDGE		5 CY
PREP BRIDGE		1 EACH
1413+54.77		
EPOXY COATED RE-STEEL		535 LB
CONCRETE REPAIR		80 SF

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL	287	LF
BRIDGE APPROACH SECTIONS	4	EACH
GUARDRAIL END TREATMENT, TYPE II	4	EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES	861	STA
OVERLAY SOLID LINES	1,722	STA
MOBILIZATION	LUMP	LUMP
CRUSHED ROCK SURFACE COURSE	150	CY
MAILBOX POST	6	EACH
CONC PVMT REPAIR TYPE B FULL DEPTH	527	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	336	CY
REMOVE GUARDRAIL	612	LF
HYDRATED LIME FOR ASPHALT MIXTURES	127	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	1	TON
FOUNDATION COURSE REPLACEMENT	15	CY
ASPH CONC ST MAINT PATCH TYPE SP4 (0.5)	100	TON
ASPH CONC, TYPE SPS	4,800	TON
ASPH CONC, TYPE SP4(0.5)	12,410	TON
PLACE ASPH CONC FOR DRIVE & INTER	5,953	SY
ASPH CONCRETE FOR PATCHING, TYPE SPS	500	TON
ASPH CONC FOR PATCHING, TYPE SP4(0.5)	300	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	4	TON
PERF GRADED BINDER (52-34)	201	TON
PERF GRADED BINDER (64-34)	610	TON
PREP OF INTER & DRIVE	399	SY
TACK COAT	23,990	GAL
COLD MILLING, CLASS 3	289	STA
COLD MILLING, CLASS 5	5,953	SY
COLD MILLING, CLASS 3	578	STA
TYPE A		
RUMBLE STRIPS, ASPHALT 8"	574	STA
SURFACE UNDER GUARDRAIL	280	SY
RAP INCENTIVE PAYMENT	30,620	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
EROSION CONTROL, CLASS 1D	480	SY

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	14,850	B DAY
BARRICADE, TYPE III	444	B DAY
TEMPORARY SIGN DAY	910	EACH
SIGN DAY	8,669	EACH
TEMP PAVEMENT MARKING REMOVAL	9,000	LF
PAVEMENT MARKING REMOVAL	2,600	LF
TEMP PVMT MARKING, TYPE PAINT	9,000	LF
TEMP PVMT MARKING SURF PREP	9,000	LF
FLAGGING	130	DAY
FURNISHING AND OPERATING PILOT VEHICLE	60	DAY
CONCRETE PROTECTION BARRIER	800	LF
RELOCATE CONC PROTECTION BARRIER	800	LF
RELOC INERTIAL BARRIER SYSTEM	2	EACH
INERTIAL BARRIER SYSTEM	2	EACH
REPLACEMENT MODULE	14	EACH
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	70	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	60	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	70	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	70	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10	HOUR
TEMPORARY SILT FENCE	1,000	LF

NOTICE TO CONTRACTORS

CALL ORDER 305  
STATE PROJECT NO. STR-30-6(1043)  
LOCATION: US-30, SCHUYLER EAST BRIDGE REPAIR  
COUNTIES: COLFAX

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on August 25, 2011. At that time the bids will be opened and read for BRIDGE

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES  
START DATE 10/13/2011 WORKING DAYS 10  
Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning August 02, 2011 at the Lincoln Central Office and August 08, 2011 at the District Engineer's Office at NORFOLK  
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	6 SHEETS	\$	1.50
STANDARD PLANS	8 SHEETS	\$	2.00

SHEET NO.

1 TITLE PAGE  
& SUMMARY OF QUANTITIES  
2-W WETLANDS  
3 - 6 SPECIAL PLAN 1 TIMBER PILE SPLICE  
REF. POST NO. 400+04

STANDARD PLANS

501-R5 (3 SHEETS) EROSION CONTROL  
502 SILT FENCE DETAILS  
920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE  
921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT STA. 207+14.00

SIGN DAY	80 EACH
FLAGGING	2 DAY
MOBILIZATION	LUMP
FLOWABLE FILL CONCRETE	10 CY
PREP BRIDGE 207+14.00	1 EACH
TIMBER PILE SPLICE	2 EACH
EROSION CONTROL, CLASS 1C	480 SY
TEMPORARY SILT FENCE	300 LF

NOTICE TO CONTRACTORS

CALL ORDER 405  
FEDERAL PROJECT NO. IM-80-6(103)  
LOCATION: I-80, GIBBON-SHELTON  
COUNTIES: BUFFALO

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on August 25, 2011. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 7.3 MILES  
START DATE 05/14/2012 WORKING DAYS 75  
Price Range \$ 2,000,000 to \$ 4,000,000  
THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning August 02, 2011 at the Lincoln Central Office and August 08, 2011 at the District Engineer's Office at GRAND ISLAND  
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

NOTICE TO BIDDERS

To be eligible for the award of this contract, bidders shall submit a completed bidding proposal for Call Order No. 405, {Project No. IM-80-6(103)} and Call Order No. 410, {Project No. IM-80-6(104)}. Award of Contract, if awarded, will be made on the combined bid for these call order nos. Separate contracts will be awarded for each Call Order Number. Please order plans and proposals accordingly.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	16 SHEETS	\$	4.00
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T4	TYPICAL CROSS SECTIONS
2-S1 - 2-S3	SUMMARY OF QUANTITIES
2-N1 - 2-N2	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3	PLAN SHEET--GIBBON INTERCHANGE
4	TRAFFIC CONTROL PLAN--WORK IN VICINITY OF EXIT RAMP & ON RAMP
5	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
6	TEMPORARY PAVEMENT MARKING PLAN
7	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
8	TYPICAL PAVEMENT MARKING PLAN--INTERSTATE/EXPRESSWAY

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

SURV OF TEMP TRAFFIC CONT DEVICES	125 CDAY
BARRICADE, TYPE II	37,400 BDAY
BARRICADE, TYPE III	712 BDAY
TEMPORARY SIGN DAY	480 EACH
SIGN DAY	5,750 EACH

OVERLAY BROKEN LINES	2,300	STA
OVERLAY SOLID LINES	5,010	STA
FLASHING ARROW PANEL	220	DAY
FLAGGING	40	DAY
TRAINING	500	HOUR
MOBILIZATION	LUMP	LUMP
CONC PVMT REPAIR TYPE A FULL DEPTH	41	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	361	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	35	CY
CONC PVMT, PR-3500	15	CY
JOINT REPAIR		
5" WHT WET RFLC THERMOPLSTC PVMT MRK,GVD	104,900	LF
5" YEL WET RFLC THERMOPLSTC PVMT MRK,GVD	85,200	LF
12" WHT WET RFLC PRF PVMT MKNG T4 GVD	2,500	LF
HYDRATED LIME FOR ASPHALT MIXTURES	279	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	3	TON
FOUNDATION COURSE REPLACEMENT	10	CY
ASPH CONC ST MAINT PATCH TYPE SP5 (0.5)	250	TON
ASPH CONC, TYPE SPS	9,360	TON
ASPH CONC, TYPE SP5(0.5)	19,660	TON
ASPH CONC, TYPE LC	7,900	TON
ASPH CONCRETE FOR PATCHING, TYPE LC	250	TON
PERF GRAD BIND (70-28)FOR ST MAINT PATCH	12	TON
PERF GRADED BINDER (70-28)	1,363	TON
PERF GRADED BINDER (52-34)	355	TON
TACK COAT	60,420	GAL
RENTAL OF LOADER, FULLY OPERATED	30	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	30	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	30	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	30	HOUR
COLD MILLING, CLASS 3	769	STA
COLD MILLING, CLASS 3	766	STA
TYPE A		
COLD MILLING, CLASS 3	90	STA
TYPE B		
COLD MILLING, CLASS 4	90	STA
RUMBLE STRIPS, ASPHALT	1,534	STA
RAP INCENTIVE PAYMENT	63,189	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 410  
FEDERAL PROJECT NO. IM-80-6(104)  
LOCATION: I-80, SHELTON-WOOD RIVER  
COUNTIES: BUFFALO HALL

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on August 25, 2011. At that time the bids will be opened and read for BR BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 8.4 MILES  
START DATE 05/14/2012 WORKING DAYS 90  
Price Range \$ 3,000,000 to \$ 6,000,000  
THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning August 02, 2011 at the Lincoln Central Office and August 08, 2011 at the District Engineer's Office at GRAND ISLAND  
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

NOTICE TO BIDDERS

To be eligible for the award of this contract, bidders shall submit a completed bidding proposal for Call Order No. 405, {Project No. IM-80-6(103)} and Call Order No. 410, {Project No. IM-80-6(104)}. Award of Contract, if awarded, will be made on the combined bid for these call order nos. Separate contracts will be awarded for each Call Order Number. Please order plans and proposals accordingly.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	22 SHEETS	\$	5.50
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T3	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-N1 - 2-N2	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3	PLAN SHEET
4	TRAFFIC CONTROL PLAN--WORK IN VICINITY OF EXIT RAMP & ON RAMP
5	TYPICAL TRAFFIC CONTROL PLAN FOR LANE CLOSURE WITH CONCRETE BARRIER
6	TYPICAL TRAFFIC CONTROL PLAN--INERTIAL BARRIER SYSTEM
7	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
8	TEMPORARY PAVEMENT MARKING PLAN
9	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
10	TYPICAL PAVEMENT MARKING PLAN--INTERSTATE/EXPRESSWAY
11 - 14	SPECIAL PLAN 1 JOINT REPAIR AT END OF FLOOR STA. 1558+19.30
15 - 16	SPECIAL PLAN 1C CONCRETE PROTECTION BARRIER

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT STA. 1558+19.30 LT.

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		9 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		370 LB
PREFORMED EXPANSION JOINT, TYPE A		92 LF
47BD-4000 CONC FOR BRIDGE		11 CY
PREP BRIDGE		1 EACH
1558+19.30 LT.		
EPOXY COATED RE-STEEL		1,195 LB

GROUP 6A BRIDGE AT STA. 1558+19.30 RT.

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		9 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		370 LB
PREFORMED EXPANSION JOINT, TYPE A		92 LF
47BD-4000 CONC FOR BRIDGE		11 CY
PREP BRIDGE		1 EACH
1558+19.30 RT.		
EPOXY COATED RE-STEEL		1,195 LB

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES		2,686 STA
OVERLAY SOLID LINES		5,700 STA
MOBILIZATION	LUMP	LUMP
CONC PVMT REPAIR TYPE A FULL DEPTH		55 CY
CONC PVMT REPAIR TYPE B FULL DEPTH		167 CY
5" WHT WET RFLC THERMOPLSTC PVMT MRK,GVD		119,500 LF
5" YEL WET RFLC THERMOPLSTC PVMT MRK,GVD		96,700 LF
12" WHT WET RFLC PRF PVMT MKNG T4 GVD		2,150 LF
HYDRATED LIME FOR ASPHALT MIXTURES		315 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		5 TON
FOUNDATION COURSE REPLACEMENT		4 CY
ASPH CONC ST MAINT PATCH TYPE SP5 (0.5)		500 TON
ASPH CONC, TYPE SPS		10,800 TON
ASPH CONC, TYPE SP5(0.5)		22,210 TON
ASPH CONC, TYPE LC		9,120 TON
ASPH CONC FOR PATCH, TYPE SP5(0.5)		200 TON
PERF GRAD BIND (70-28)FOR ST MAINT PATCH		24 TON
PERF GRADED BINDER (70-28)		1,768 TON
PERF GRADED BINDER (52-34)		410 TON
TACK COAT		71,430 GAL
RENTAL OF LOADER, FULLY OPERATED		80 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED		80 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		80 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		80 HOUR
COLD MILLING, CLASS 3		964 STA
COLD MILLING, CLASS 3		885 STA
TYPE A		
RUMBLE STRIPS, ASPHALT		1,770 STA
RAP INCENTIVE PAYMENT		56,460 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

GROUP 10 GENERAL ITEMS

SURV OF TEMP TRAFFIC CONT DEVICES		146 CDAY
BARRICADE, TYPE II		21,650 BDAY
BARRICADE, TYPE III		876 BDAY
TEMPORARY SIGN DAY		304 EACH
SIGN DAY		7,270 EACH
CONTRACTOR FURNISHED SIGN DAY		100 EACH
TEMP PAVEMENT MARKING REMOVAL		5,200 LF
PAVEMENT MARKING REMOVAL		2,600 LF
TEMP PVMT MARKING, TYPE PAINT		5,200 LF
TEMP PVMT MARKING SURF PREP		5,200 LF

FLASHING ARROW PANEL	244	DAY
FLAGGING	36	DAY
CONCRETE PROTECTION BARRIER	1,300	LF
RELOCATE CONC PROTECTION BARRIER	1,300	LF
RELOC INERTIAL BARRIER SYSTEM	2	EACH
INERTIAL BARRIER SYSTEM	2	EACH
REPLACEMENT MODULE	18	EACH
TRAINING	500	HOUR
MOBILIZATION	LUMP	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 415  
 FEDERAL PROJECT NO. BR-S40D(105)  
 LOCATION: S40D, PROSSER SPUR  
 COUNTIES: HALL

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on August 25, 2011. At that time the bids will be opened and read for GRAD CONC PAVE CULV SEED BR GDRL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES

Length: 1.1 MILES  
 START DATE 09/26/2011 WORKING DAYS 170  
 Price Range \$ 3,000,000 to \$ 6,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning August 02, 2011 at the Lincoln Central Office and August 08, 2011 at the District Engineer's Office at GRAND ISLAND  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	141	SHEETS	\$ 35.25
CROSS SECTIONS (SHEETS X1 THRU X28)	28	SHEETS	\$ 7.00
STANDARD PLANS	27	SHEETS	\$ 6.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S1 - 2-S3	SUMMARY OF QUANTITIES & DETOUR LOCATION MAP
2-W1 - 2-W2	WETLANDS
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N3	GENERAL INFORMATION
2-L1 - 2-L2	GEOMETRICS
2-L3 - 2-L8	DRAINAGE
2-L9 - 2-L13	EROSION CONTROL
3 - 5	PLAN & PROFILE SHEETS
6 - 7	EARTHWORK DATA SHEETS
8 - 12	DRAINAGE STRUCTURE CROSS SECTIONS
13 - 35	SPECIAL PLAN 1 NU-1600 CONCRETE GIRDER BRIDGE STA. 1051+10.00
36 - 58	SPECIAL PLAN 2 WELDED PLATE STEEL GIRDER BRIDGE STA. 1051+10.00
59 - 76	SPECIAL PLAN 3 PRESTRESSED CONCRETE GIRDER BRIDGE (NU-1100) STA. 1073+03.00
77 - 99	SPECIAL PLAN 4 STEEL GIRDER BRIDGE STA. 1073+03.00
100	SPECIAL PLAN 1C AREA INLET WITH OPEN SIDE(S)
101	SPECIAL PLAN 2C 5 BAR GRATE AREA INLET
102 - 103	SPECIAL PLAN 3C 8' X 4' TRIPLE SPAN RC BOX CULVERT STA. 1091+50.00
104 - 112	SPECIAL PLAN 4C GUARDRAIL PLAN
113	SPECIAL PLAN 5C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
114 - 115	SPECIAL PLAN 6C TEMPORARY SILT CHECKS
R1 - R2	RIGHT-OF-WAY SHEETS
X1 - X28	CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
307-R1	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
329-R9	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
403-R2	(2 SHEETS) BENDS AND BREAKS FOR CONCRETE BOX CULVERTS
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
443-R8	(2 SHEETS) CURB INLETS AND JUNCTION BOX
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
805	R.O.W. POST
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		28 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		351 MGAL
RIGHT-OF-WAY POST		25 EACH
EARTHWORK MEASURED IN EMBANKMENT		31,768 CY
REMOVE ASPHALT SURFACE		12,382 SY
24" DRIVE PIPE 2,3,4,5,6,7 OR 8		38 LF
REMOVE GUARDRAIL		220 LF
REMOVE SIGN, POST, AND FOOTING		1 EACH
COVER CROP SEEDING		6 ACRE
EROSION CONTROL, CLASS 1D		7,025 SY
EROSION CHECKS, TYPE WATTLE		44 LF
FABRIC SILT FENCE-LOW POROSITY		4,965 LF
SLASH MULCH		225 CY

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
GRAVEL SURFACE COURSE		2,197 CY
GRAVEL EMBEDMENT		54 STA
MAILBOX POST		4 EACH
CONC CLASS 47B-3500 DRIVEWAY 8"		977 SY
8" CONC PVMT, 47B-3500		506 SY
8" DOWELED CONC PAVE, CLASS 47B-3500		12,014 SY
CONC SMOOTHNESS TESTING	LUMP	LUMP
STABILIZED SUBGRADE		12,014 SY
TYPE FLY ASH		
PREP OF INTER & DRIVE		1,483 SY
WATER		70 MGAL
EARTH SHOULDER CONSTRUCTION		90 STA
SURFACE UNDER GUARDRAIL		1,252 SY
FLY ASH		497 TON

GROUP 4 CULVERT

MOBILIZATION	LUMP	LUMP
CAST IRON COVER & FRAME		500 LB
CAST IRON GRATE & FRAME		10,080 LB
REMOVE HEADWALLS FROM CULV		2 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		585 CY
47B-3000 CONC FOR INLET & JUNCTION BOXES		34 CY
RE-STEEL FOR INLET & JCT BOX		3,668 LB

36" FLARED-END SECTION		2 EACH
15" CULV PIPE 2,4,5,7,8		694 LF
36" CULV PIPE 2,4,5,7,8		46 LF

GROUP 4A CONCRETE BOX CULVERT AT STA. 1091+57

MOBILIZATION	LUMP	LUMP
PREPARATION OF STRUCTURE AT STATION 1091+57.00		1 EACH
EXCAVATION FOR BOX CULVERTS		35 CY
47B-3000 CONC FOR BOX CULV		44 CY
RE-STEEL FOR BOX CULVERT		4,134 LB

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE A		3 ACRE
SEEDING, TYPE B		3 ACRE
MULCH		14 TON

GROUP 6 BRIDGE AT STA. 1051+10.00

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		990 CY
RIPRAP FILTER FABRIC		204 SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000		160 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		28,230 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PIER NO.2 EXCAVATION	LUMP	LUMP
PIER NO.3 EXCAVATION	LUMP	LUMP
PIER NO.4 EXCAVATION	LUMP	LUMP
PERFORMED EXPANSION JOINT, TYPE A		69 LF
EXPANSION BEARING, TFE TYPE		32 EACH
FIXED BEARING		8 EACH
47B-3000 CONC FOR BRIDGE		370 CY
47BD-4000 CONC FOR BRIDGE		859 CY
PRECAST/PRESTRESSED CONC SUPERSTR 1051+10.00	LUMP	LUMP
REMOVE STRUCTURE AT STATION 1051+10.00		1 EACH
ACCESS BRIDGE	LUMP	LUMP
STRUC STEEL FOR SUBSTRUCTURE		3,995 LB
ROCK RIPRAP, TYPE B		115 TON
SALVAGING AND PLACING TOPSOIL ON RIPRAP		50 SY
EPOXY COATED RE-STEEL		228,055 LB
SUBSURFACE DRAINAGE MATTING		59 SY
PIPE PILING		6,580 LF
STEEL SHEET PILING		3,608 SF
GRANULAR BACKFILL		370 CY

GROUP 6A BRIDGE AT STA. 1051+10.00

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		990 CY
RIPRAP FILTER FABRIC		204 SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000		158 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		28,700 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PIER NO.2 EXCAVATION	LUMP	LUMP
PIER NO.3 EXCAVATION	LUMP	LUMP
EXPANSION BEARING, TFE TYPE		16 EACH
FIXED BEARING		4 EACH
47B-3000 CONC FOR BRIDGE		238 CY

47BD-4000 CONC FOR BRIDGE	759	CY
REMOVE STRUCTURE	1	EACH
AT STATION 1051+10.00		
ACCESS BRIDGE	LUMP	LUMP
STEEL SUPERSTRUCTURE	LUMP	LUMP
1051+10.00		
STRUC STEEL FOR SUBSTRUCTURE	3,695	LB
ROCK RIPRAP, TYPE B	115	TON
SALVAGING AND PLACING TOPSOIL ON RIPRAP	50	SY
EPOXY COATED RE-STEEL	187,745	LB
SUBSURFACE DRAINAGE MATTING	59	SY
PIPE PILING	5,200	LF
STEEL SHEET PILING	3,608	SF
STRIP SEALS	69	LF
GRANULAR BACKFILL	370	CY

GROUP 6B BRIDGE AT STA. 1073+03.00

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	710	CY
RIPRAP FILTER FABRIC	210	SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000	160	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	28,215	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE B	79	LF
EXPANSION BEARING, TFE TYPE	8	EACH
FIXED BEARING	16	EACH
47B-3000 CONC FOR BRIDGE	128	CY
47BD-4000 CONC FOR BRIDGE	381	CY
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
AT STATION 1073+03.00		
REMOVE STRUCTURE	1	EACH
AT STATION 1073+03.00		
ACCESS BRIDGE	LUMP	LUMP
STRUC STEEL FOR SUBSTRUCTURE	2,910	LB
ROCK RIPRAP, TYPE B	125	TON
SALVAGING AND PLACING TOPSOIL ON RIPRAP	50	SY
EPOXY COATED RE-STEEL	96,905	LB
SUBSURFACE DRAINAGE MATTING	62	SY
PIPE PILING	2,300	LF
STEEL SHEET PILING	3,522	SF
GRANULAR BACKFILL	320	CY

GROUP 6C BRIDGE AT STA. 1073+03.00

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	710	CY
RIPRAP FILTER FABRIC	210	SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000	160	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	28,215	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE A	79	LF
EXPANSION BEARING, TFE TYPE	8	EACH
FIXED BEARING	8	EACH
47B-3000 CONC FOR BRIDGE	120	CY
47BD-4000 CONC FOR BRIDGE	327	CY
REMOVE STRUCTURE	1	EACH
AT STATION 1073+03.00		
ACCESS BRIDGE	LUMP	LUMP
STEEL SUPERSTRUCTURE	LUMP	LUMP
1073+03.00		

STRUC STEEL FOR SUBSTRUCTURE	2,910 LB
ROCK RIPRAP, TYPE B	125 TON
SALVAGING AND PLACING TOPSOIL ON RIPRAP	50 SY
EPOXY COATED RE-STEEL	81,055 LB
SUBSURFACE DRAINAGE MATTING	56 SY
PIPE PILING	2,005 LF
STEEL SHEET PILING	3,522 SF
GRANULAR BACKFILL	320 CY

GROUP 6D BRIDGE AT STA. 1073+03.00

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		710 CY
RIPRAP FILTER FABRIC		210 SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000		160 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		28,215 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE A		79 LF
EXPANSION BEARING, TFE TYPE		8 EACH
FIXED BEARING		8 EACH
47B-3000 CONC FOR BRIDGE		120 CY
47BD-4000 CONC FOR BRIDGE		325 CY
REMOVE STRUCTURE		1 EACH
AT STATION 1073+03.00		
ACCESS BRIDGE	LUMP	LUMP
STEEL SUPERSTRUCTURE	LUMP	LUMP
1073+03.00		
STRUC STEEL FOR SUBSTRUCTURE		2,910 LB
ROCK RIPRAP, TYPE B		125 TON
SALVAGING AND PLACING TOPSOIL ON RIPRAP		50 SY
EPOXY COATED RE-STEEL		81,055 LB
SUBSURFACE DRAINAGE MATTING		56 SY
PIPE PILING		2,005 LF
STEEL SHEET PILING		3,522 SF
GRANULAR BACKFILL		320 CY

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		400 LF
BRIDGE APPROACH SECTIONS		8 EACH
GUARDRAIL END TREATMENT, TYPE II		8 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE III		6,492 BDAY
SIGN DAY		8,657 EACH
CONTRACTOR FURNISHED SIGN DAY		1,082 EACH
TRAINING		2,000 HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		65 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		65 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		65 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		65 HOUR
TEMPORARY SILT CHECK		500 LF
TEMPORARY SILT FENCE		1,500 LF
TEMPORARY EARTH CHECK		500 LF
TEMPORARY MULCH		4 TON

NOTICE TO CONTRACTORS

CALL ORDER 600  
 FEDERAL PROJECT NO. STP-97-4(111)  
 LOCATION: N-97, BROWNLEE ROAD SOUTH  
 COUNTIES: CHERRY

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on August 25, 2011. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

Length: 17.2 MILES  
 START DATE 07/09/2012 WORKING DAYS 15  
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning August 02, 2011 at the Lincoln Central Office and August 08, 2011 at the District Engineer's Office at NORTH PLATTE  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	3 SHEETS	\$	0.75
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

1	TITLE PAGE
2-S	SUMMARY OF QUANTITIES & TYPICAL CROSS SECTIONS
3	TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE III	68	BDAY
TEMPORARY SIGN DAY	120	EACH
SIGN DAY	2,430	EACH
TEMPORARY BROKEN LINES	907	STA
FLAGGING	30	DAY
FURNISHING AND OPERATING PILOT VEHICLE	15	DAY
MOBILIZATION	LUMP	LUMP
ARMOR COAT AGG	2,230	CY
ARMOR COAT EMUL ASPH	70,460	GAL
FOG SEAL	1,370	GAL

NOTICE TO CONTRACTORS

CALL ORDER 605  
FEDERAL PROJECT NO. STP-61-3(110)  
LOCATION: N-61, ARTHUR/GRANT COUNTY LINE - HYANNIS  
COUNTIES: GRANT

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on August 25, 2011. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

Length: 19.8 MILES  
START DATE 07/09/2012 WORKING DAYS 15  
Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning August 02, 2011 at the Lincoln Central Office and August 08, 2011 at the District Engineer's Office at NORTH PLATTE. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	3	SHEETS	\$	0.75
STANDARD PLANS	4	SHEETS	\$	1.00

SHEET NO.

1 TITLE PAGE  
2-S SUMMARY OF QUANTITIES  
& TYPICAL CROSS SECTIONS  
3 TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE  
922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE III	68	BDAY
TEMPORARY SIGN DAY	120	EACH
SIGN DAY	2,862	EACH
TEMPORARY BROKEN LINES	1,046	STA
FLAGGING	30	DAY
FURNISHING AND OPERATING PILOT VEHICLE	15	DAY
MOBILIZATION	LUMP	LUMP
ARMOR COAT AGG	2,880	CY
ARMOR COAT EMUL ASPH	91,070	GAL
FOG SEAL	7,970	GAL

NOTICE TO CONTRACTORS

CALL ORDER 800  
 FEDERAL PROJECT NO. NH-20-2(137)  
 LOCATION: US-20 KILGORE EAST  
 COUNTIES: CHERRY

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on August 25, 2011. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 6.7 MILES  
 START DATE 07/30/2012 WORKING DAYS 50  
 Price Range \$ 1,000,000 to \$ 3,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning August 02, 2011 at the Lincoln Central Office and August 08, 2011 at the District Engineer's Office at AINSWORTH  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	22	SHEETS	\$	5.50
STANDARD PLANS	7	SHEETS	\$	1.75

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-A1 - 2-A7	PHOTO MAPS
2-H	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N2	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3 - 9	PLAN SHEETS
10	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
11	TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS)	TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	31,680	BDAY
BARRICADE, TYPE III	360	BDAY
TEMPORARY SIGN DAY	700	EACH
SIGN DAY	6,300	EACH
OVERLAY BROKEN LINES	705	STA
OVERLAY SOLID LINES	1,410	STA
PERMANENT PAVEMENT MARKING PAINT	81,750	LF
FLAGGING	100	DAY
FURNISHING AND OPERATING PILOT VEHICLE	50	DAY
MOBILIZATION	LUMP	LUMP
HYDRATED LIME FOR ASPHALT MIXTURES	111	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	1	TON
ASP CON ST MAIN PTCH TYPE SP4 SPEC(0.5)	100	TON
HOT IN-PLACE RECYCLING	352	STA
ASPH CONC, TYPE SPS	6,970	TON

ASPH CONC, TYPE SP4 SPECIAL(0.5)	10,380 TON
PLACE ASPH CONC FOR DRIVE & INTER	2,409 SY
ASP CON FOR PATCH, TYPE SP4 SPEC (0.5)	700 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	4 TON
PERF GRADED BINDER (52-34)	264 TON
PERF GRADED BINDER (64-34)	531 TON
TACK COAT	14,360 GAL
EMUL ASPH FOR HOT IN-PLACE RECYCLING	24,370 GAL
RENTAL OF LOADER, FULLY OPERATED	60 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	60 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	60 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	60 HOUR
COLD MILLING, CLASS 3	352 STA
COLD MILLING, CLASS 3	2,409 SY
TYPE B	
COLD MILLING, CLASS 3	706 STA
TYPE A	
RUMBLE STRIPS, ASPHALT	691 STA
FABRIC REINF CRACK REPAIR	15,768 LF
RAP INCENTIVE PAYMENT	30,685 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP

**Plan and Informational Proposal Order Form**  
**Projects to be bid on:**  
**August 25, 2011**

**Payment required for plans prior to NDOR completing this order.**  
 dor.ContractsOnlineOrders@nebraska.gov FAX: (402) 479-4845

Document No.

<input type="checkbox"/> Check/Cash	Receipt No.
<input type="checkbox"/> Advance Plans Account No.	
<b>Credit Card</b>	
<input type="checkbox"/> Visa	<input type="checkbox"/> MasterCard
Expiration Date:	
Card No.:	
<b>FOR OFFICE USE ONLY</b>	
Reference I.D.:	
Authorization Code: _____ Date: _____	

Please indicate: <input type="checkbox"/> Mail <input type="checkbox"/> Hold	<input type="checkbox"/> Fed Ex. Standard Overnight	Comments:
	<input type="checkbox"/> Fed Ex. Priority Overnight	
	<input type="checkbox"/> UPS Overnight	
	Acct. No.	

4-Digit Vendor No.:	Ordered By:	Grand Total - Informational Proposals: x \$5.00
Company:		All plans in letting on CD: x \$25.00
Street Address:		Grand Total - 1/2 Size Plans: x \$.25
		Grand Total - Full Size Plans: x \$.50
PO Box:	City:	State:
		Zip Code:
Phone No. (include Area Code):		Fax No. (include Area Code):
		Tax Code
		Sales Tax
		%
Processed by:	Date:	Proposals/CD Filled:
		Blueprint Plans/Proposals Filled:
		Date:
<b>Total</b>		

*If requesting Plan or Proposal CD(s) only, your name will not appear on the Planholders list unless your company has been issued Bid Proposals or you submit the "Planholders Registration" from the NDOR website.*

**CD containing Informational Proposals for all projects in letting. (No Charge) Total Number Requested: →**

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. 1/2 size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
100	MISC-77-1(1026)				
105	IM-NH-80-9(855)				
110	BRO-7076(16)				
200	STPE-3460(4)				
210	NH-34-7(118)				
300	RD-75-4(1009)				
305	STR-30-6(1043)				
405	IM-80-6(103)				
410	IM-80-6(104)				
415	BR-S40D(105)				
600	STP-97-4(111)				
605	STP-61-3(110)				

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. ½ size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
<b>800 NH-20-2(137)</b>					

**Standard Plans:** Refer to "Publication Order Form" for complete sets of Standard Plans and Standard/Special Plans Books

Number of Sets Requested	Standard Plan No.(s)	Number of Sheets Shown in List of Plans	Check Size		Total No. of Sheets	
			1/2	Full	1/2	Full
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		



