

September 1, 2011

TO ALL CONCERNED:

The Department of Roads has scheduled a bid letting to be held in this office September 29, 2011 at 1:30 p.m.

The Notice to Contractors includes:

1. Website Information
2. Notice to all Bidders
3. Ordering Instructions
4. Notices to Contractors including time allowances and lists of plans
5. Plan and Informational Proposal Order Form
6. R-125 "Request for Bidding Proposal Forms"

Projects containing DBE Goals are indicated in the "Notice to Contractors".

Please check the important letting information on the website frequently.

The last day to submit acceptable prequalification statements for this letting is by 5:00 p.m. on Monday, September 19, 2011.

Sincerely,

Kendall Stege  
Contract Lettings Manager  
Construction Division

KS/em

### WEBSITE INFORMATION

The Nebraska Department of Roads, Contract Lettings Section, will be utilizing the Internet as our means of communicating with the contracting industry.

Documents that are posted on the web are:

- Letting Schedule
- Notices to Contractors
- Informational Proposals
- Letting Plans
- List of Prequalified Contractors
- Planholders List
- Informational Addendums
- EBS (Electronic Bidding System)
- Apparent Low Bidders
- Bid Tabulations
- Standard Item Listing
- Awarded Average Unit Prices (AUP) Report

Hard copies of these documents will be available for inspection in the Contracts Office.

There will be a charge for reproduction of any of these documents.

The Website address is: [www.Transportation.Nebraska.gov](http://www.Transportation.Nebraska.gov)

If you have any questions as you are using our Website, please contact us at:

Nebraska Department of Roads  
Contract Lettings Section  
P.O. Box 94759  
Lincoln, NE 68509-4759

Phone (402) 479-4525  
FAX (402) 479-3803

Email: [DOR.ContractLettings@nebraska.gov](mailto:DOR.ContractLettings@nebraska.gov)

## **NOTICE TO ALL BIDDERS**

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free “hotline” Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the “hotline” to report such activities.

The “hotline” is part of the DOT’s continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

## ORDERING INSTRUCTIONS FOR PLANS AND PROPOSALS

Refer to the "Notice to Contractors" for the call order number, project number, and list of plans for each project.

Order forms are available on the NDOR website in PDF and Word format. Complete the appropriate forms as follows:

### **Request for Bidding Proposal Forms (R-125)**

Bidders must submit an R-125, Request for Bidding Proposals Forms and be issued bid proposals prior to submitting bids.

Proposals to be used for bidding must be requested on this form. Bidding proposals will be issued only to contractors who are currently prequalified to bid with this department.

There is no charge for bid proposals.

### **Plan and Informational Proposal Order Form:**

Payment is required prior to NDOR completing the order. This payment is not refundable.

Proposals to be used for information only can be ordered as follows:

1. Each individual project.
2. CD that contains all projects in letting. Does not contain addenda.

Plans for each project can be ordered as follows:

1. Complete set.
2. Set less Roadway Cross-Sections and Standards.
3. Set less Standards.
4. Set less Roadway Cross-Sections.
5. Individual sheets
6. CD that contains all projects in letting.

Prices are: Informational Proposals: \$5.00 each  
CD containing Informational Proposals: No Charge  
Plans per sheet: \$.25 for half-size (12" x 18")  
\$.50 for full-size (24" x 36")  
CD containing plans: \$25.00 each

Cost shown on the list of plans is for ½ size plans. Nebraska residents add appropriate state sales tax and city tax that is determined by delivery within cities imposing a sales tax.

Select the method of payment on the plan order form:

1. Credit Card (Visa or MasterCard only)  
Orders with approved credit cards can be processed without delays.
2. Advanced payment account  
Requires a money deposit with recommended \$200 minimum. Failure to have sufficient funds in your account to cover cost of the plans may delay the processing of your order.  
This account may also be used to purchase other NDOR publications.
3. Check/cash  
Send checks made payable to the Nebraska Dept. of Roads with your completed plan order form. Please do not mail cash.

To order complete sets of standard plans (1/2 size) please use the "Publications Order Form" available on the website. Cost is \$35.00 plus applicable sales tax. As new standards become available they may be purchased at \$0.25 per sheet.

Address: Nebraska Department of Roads  
Contracts Section  
1500 Highway 2  
PO Box 94759  
Lincoln NE 68509-4759

FAX (402) 479-3803

Phone: (402) 479-4525

Email: [DOR.ContractLettings@nebraska.gov](mailto:DOR.ContractLettings@nebraska.gov)

October 10, 2008

NOTICE TO CONTRACTORS

CALL ORDER 100  
 FEDERAL PROJECT NO. IM-NH-80-9(845)  
 LOCATION: I-80, 98TH STREET BRIDGE, LINCOLN  
 COUNTIES: LANCASTER

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 29, 2011 . At that time the bids will be opened and read for GRAD BR GDRL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES GRADING  
 START DATE 10/31/2011 WORKING DAYS 105  
 Price Range \$ 1,000,000 to \$ 3,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning September 06, 2011 at the Lincoln Central Office and September 12, 2011 at the District Engineer's Office at LINCOLN  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	84	SHEETS	\$	21.00
CROSS SECTIONS (SHEETS X1 THRU X17)	17	SHEETS	\$	4.25
STANDARD PLANS	16	SHEETS	\$	4.00

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-W	WETLANDS
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION & DETOUR LOCATION MAP
2-L1 - 2-L2	CONSTRUCTION
2-L3 - 2-L4	EROSION CONTROL
3 - 4	PLAN & PROFILE SHEETS
5	TEMPORARY TRAFFIC CONTROL PLAN
6	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
7	TYPICAL TRAFFIC CONTROL--FREEWAY RAMP CLOSURE
8	TYPICAL TRAFFIC CONTROL PLAN--FREEWAY CLOSURE
9	SIGN INSTALLATION PLAN
10	TEMPORARY PAVEMENT MARKING PLAN
11	EARTHWORK DATA SHEET
12	DRAINAGE STRUCTURE CROSS SECTIONS
13 - 32	SPECIAL PLAN 1 NU1600 CONCRETE GIRDER BRIDGE STA. 9218+95.01
33 - 53	SPECIAL PLAN 2 WELDED PLATE STEEL GIRDER BRIDGE STA. 9218+95.01
54 - 57	SPECIAL PLAN 1C SIGN SUPPORT STRUCTURE (NU1600 CONCRETE GIRDER BRIDGE) STA. 9218+95.01
58 - 61	SPECIAL PLAN 2C SIGN SUPPORT STRUCTURE (WELDED PLATE STEEL GIRDER BRIDGE) STA. 9218+95.01
62 - 68	SPECIAL PLAN 3C GUARDRAIL PLAN
69 - 70	SPECIAL PLAN 4C 5-BAR GRATE INLET WITH SLOPED CURB
71	SPECIAL PLAN 5C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
72 - 73	SPECIAL PLAN 6C TEMPORARY SILT CHECKS
74 - 75	SPECIAL PLAN 7C CONCRETE PROTECTION BARRIER
X1 - X17	CROSS SECTIONS

## STANDARD PLANS

410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
804	PRECAST CONCRETE R.O.W. MARKER
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

## GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		160 MGAL
RIGHT-OF-WAY MARKERS		11 EACH
EARTHWORK MEASURED IN EMBANKMENT		79,714 CY
SALVAGING AND PLACING TOPSOIL		21,040 SY
ABANDON WELLS		1 EACH
24" DRIVE PIPE 2,3,4,5,6,7 OR 8		88 LF
GRAVEL SURFACE COURSE		252 TON
CRUSHED ROCK EMBEDMENT		18 STA
CRUSHED ROCK SURFACE COURSE		650 TON
CAST IRON GRATE & FRAME		2,520 LB
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		322 CY
47B-3000 CONC FOR INLET & JUNCTION BOXES		5 CY
RE-STEEL FOR INLET & JCT BOX		520 LB
18" METAL FLARED-END SECTION		2 EACH
OVERHEAD SIGN SUPPORT, LOCATION		1 EACH
TYPE C SIGN		253 SF
COVER CROP SEEDING		8 ACRE
EROSION CONTROL, CLASS 1D		26,360 SY
EROSION CONTROL, CLASS 2A		112 SY
EROSION CHECKS, TYPE 1D		36 BALE
FABRIC SILT FENCE-LOW POROSITY		2,447 LF
18" CULV PIPE 3,4,5,6		102 LF
18" CULV PIPE 2,4,5,7,8		86 LF

## GROUP 6 BRIDGE AT STA. 9218+95.01

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		175 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		31,250 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PRECOMPRESSED POLY FOAM JOINT, TYPE B		81 LF
EXPANSION BEARING, TFE TYPE		8 EACH
FIXED BEARING		8 EACH
47B-3000 CONC FOR BRIDGE		201 CY
47BD-4000 CONC FOR BRIDGE		405 CY
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
9218+95.01		
STRUC STEEL FOR SUBSTRUCTURE		1,060 LB
CONCRETE SLOPE PROTECTION		469 SY
EPOXY COATED RE-STEEL		121,905 LB
SUBSURFACE DRAINAGE MATTING		90 SY
PIPE PILING		5,405 LF
CONCRETE COATING	LUMP	LUMP
GRANULAR BACKFILL		380 CY

GROUP 6A BRIDGE AT STA. 9218+95.01

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		175 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		31,235 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PRECOMPRESSED POLY FOAM JOINT, TYPE A		81 LF
EXPANSION BEARING, TFE TYPE		8 EACH
FIXED BEARING		4 EACH
47B-3000 CONC FOR BRIDGE		197 CY
47BD-4000 CONC FOR BRIDGE		379 CY
STEEL SUPERSTRUCTURE	LUMP	LUMP
9218+95.01		
STRUC STEEL FOR SUBSTRUCTURE		1,060 LB
CONCRETE SLOPE PROTECTION		468 SY
EPOXY COATED RE-STEEL		103,115 LB
SUBSURFACE DRAINAGE MATTING		87 SY
PIPE PILING		4,775 LF
CONCRETE COATING	LUMP	LUMP
GRANULAR BACKFILL		365 CY

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		100 LF
BRIDGE APPROACH SECTIONS		4 EACH
GUARDRAIL END TREATMENT, TYPE II		4 EACH
SURFACE UNDER GUARDRAIL		49 SY

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II		1,434 BDAY
BARRICADE, TYPE III		5,008 BDAY
TEMPORARY SIGN DAY		420 EACH
SIGN DAY		13,508 EACH
CONTRACTOR FURNISHED SIGN DAY		650 EACH
FLASHING ARROW PANEL		36 DAY
CONCRETE PROTECTION BARRIER		262 LF
FIELD OFFICE		1 EACH
TRAINING		500 HOUR
MOBILIZATION	LUMP	LUMP
TEMPORARY FENCE		500 LF
RENTAL OF LOADER, FULLY OPERATED		30 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		30 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		30 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		30 HOUR
TEMPORARY SILT CHECK		200 LF
TEMPORARY SILT FENCE		300 LF
TEMPORARY EARTH CHECK		200 LF
TEMPORARY MULCH		2 TON

NOTICE TO CONTRACTORS

CALL ORDER 105  
FEDERAL PROJECT NO. HSIP-5239(7)  
LOCATION: COUNTDOWN SIGNAL HEAD PROJECT, LINCOLN  
COUNTIES: LANCASTER

The Nebraska Department of Roads will receive sealed bids for the CITY OF LINCOLN in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on September 29, 2011. At that time the bids will be opened and read for ELECTRICAL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: ELECTRICAL

START DATE 12/05/2011 CALENDAR DAYS 236  
Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning September 06, 2011 at the Lincoln Central Office and September 12, 2011 at the District Engineer's Office at LINCOLN. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	7 SHEETS	\$	1.75
STANDARD PLANS	5 SHEETS	\$	1.25

SHEET NO.

1 TITLE PAGE  
& SUMMARY OF QUANTITIES  
2 - 7 PLAN SHEETS

STANDARD PLANS

920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE  
924 (3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8B ELECTRICAL

BARRICADE, TYPE II	400	BDAY
BARRICADE, TYPE III	40	BDAY
TEMPORARY SIGN DAY	240	EACH
FLASHING ARROW PANEL	40	DAY
MOBILIZATION	LUMP	LUMP
PEDESTRIAN SIGNAL, TYPE PS-1	176	EACH
LED PED SIGNAL MODULE, TYPE COUNTDOWN	462	EACH
REMOVE PEDESTRIAN SIGNAL HEAD	176	EACH

NOTICE TO CONTRACTORS

CALL ORDER 200  
 FEDERAL PROJECT NO. MAPA-5089(3)  
 LOCATION: 20TH STREET, OMAHA TRAFFIC SIGNALS PACKAGE 5  
 COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids for the CITY OF OMAHA in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on September 29, 2011. At that time the bids will be opened and read for ELECTRICAL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: ELECTRICAL

START DATE 04/16/2012 CALENDAR DAYS 75  
 Price Range \$ 0 to \$ 500,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning September 06, 2011 at the Lincoln Central Office and September 12, 2011 at the District Engineer's Office at OMAHA Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>. This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	26 SHEETS	\$	6.50
STANDARD PLANS	5 SHEETS	\$	1.25

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
- 3 - 6 TRAFFIC SIGNALS
- 7 - 10 REMOVAL & CONSTRUCTION
- 11 - 12 CONCRETE CURB RAMP DETAILS
- 13 PULL BOX DETAILS
- 14 PEDESTAL POLE DETAILS
- 15 MAST ARM POLE DETAILS
- 16 MAST ARM POLE FOUNDATION DETAILS
- 17 MAST ARM TRANSFORMER BASE DETAILS
- 18 MAST ARM SIGNAL MOUNTING
- 19 POLE BRACKET INSTALLATION DETAILS
- 20 STANDARD SIGNAL FACE ARRANGEMENTS
- 21 STANDARD TRAFFIC SIGNAL WIRING CODES
- 22 ELECTRIC SERVICE PEDESTAL
- 23 STREET NAME SIGN LAYOUT TYPE "A"  
 MAST ARM MOUNTED 18" SIGN HEIGHT
- 24 OVERHEAD MOUNTED SIGNS
- 25 POST MOUNTED SIGNS
- 26 SIGN POST ANCHORING SYSTEMS

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8B ELECTRICAL

BARRICADE, TYPE II	640	BDAY
TEMPORARY SIGN DAY	96	EACH
SIGN DAY	1,650	EACH
FLASHING ARROW PANEL	32	DAY
MOBILIZATION	LUMP	LUMP
REMOVE PAVEMENT	85	SY
REMOVE WALK	374	SY
REMOVE CURB	388	LF
COMB CONC 47B-3500 CURB & GUTTER	388	LF

CONC 47B-3500 SIDEWALK 6"	336 SY
DETECTABLE WARNING PANEL	192 SF
CONC CLASS 47B-3500 9" IMPRINTED OVERHEAD SIGN	38 SY 8 EACH
TRAFFIC SIGN AND POST	2 EACH
STREET NAME SIGN 18"	7 EACH
PULL BOX, TYPE PB-6	8 EACH
TRAFFIC SIGNAL, TYPE TS-1	27 EACH
TRAFFIC SIGNAL, TYPE TS-1A	8 EACH
TRAFFIC SIGNAL, TYPE TS-1A	1 EACH
PEDESTAL POLE MOUNTING TRAF SIG CONTROL, TYPE TC-2070	3 EACH
PEDESTAL POLE, TYPE PP-10	1 EACH
PEDESTAL POLE, TYPE PP-10 ON EXISTING FOUNDATION	1 EACH
LUMINAIRE	14 EACH
400W METAL HALIDE STREET LIGHTING C.M.A. SIG & LGHT POLE, CMP-0-0	5 EACH
C.M.A. SIG & LGHT POLE, CMP-0-0 ON EXISTING FOUNDATION	1 EACH
C.M.A. SIGNAL & LIGHT POLE, CMP-45-0	1 EACH
C.M.A. SIG & LGHT POLE, CMP-60-0	1 EACH
C.M.A. SIG & LGHT POLE, CMP-65-0	4 EACH
C.M.A. SIG & LGHT POLE, CMP-70-0	1 EACH
MAST ARM SIGNAL POLE, MP-25	1 EACH
SERVICE DISCONNECT PEDESTAL	3 EACH
2" CONDUIT, JACKED	2,403 LF
16/C #14 AWG TRAF SIG CABLE	1,559 LF
#8 GROUNDING CONDUCTOR	1,251 LF
SERVICE CABLE	300 LF
SERVICE ENTRANCE CABLE	900 LF
STREET LIGHT CABLE, NO. 6 3/C	1,125 LF
6 PAIR COMMUNICATION CABLE	464 LF
INSTALL PEDESTRIAN SIGNAL PS-1	30 EACH
REMOVE TRAFFIC SIGNAL AT 20TH & DODGE	1 EACH
REMOVE TRAFFIC SIGNAL AT 20TH & DOUGLAS	1 EACH
REMOVE TRAFFIC SIGNAL AT 20TH & FARNAM	1 EACH
REMOVE TRAFFIC SIGNAL AT 20TH & HARNEY	1 EACH
REMOVE PULL BOX	1 EACH
REMOVE AND REINSTALL OVERHEAD SIGN	21 EACH
RE-ENTERABLE ENCAPSULATED SPLICE	6 EACH

NOTICE TO CONTRACTORS

CALL ORDER 205  
 FEDERAL PROJECT NO. MAPA-5091(4)  
 LOCATION: SOUTH 19th STREET, OMAHA TRAFFIC SIGNALS-PKG 4  
 COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids for the CITY OF OMAHA in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on September 29, 2011. At that time the bids will be opened and read for ELECTRICAL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: ELECTRICAL

START DATE 04/02/2012 CALENDAR DAYS 75  
 Price Range \$ 0 to \$ 500,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning September 06, 2011 at the Lincoln Central Office and September 12, 2011 at the District Engineer's Office at OMAHA. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	22 SHEETS	\$	5.50
STANDARD PLANS	5 SHEETS	\$	1.25

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
- 3 - 5 TRAFFIC SIGNALS
- 6 - 8 REMOVAL & CONSTRUCTION
- 9 - 10 CONCRETE CURB RAMP DETAILS
- 11 PULL BOX DETAILS
- 12 PEDESTAL POLE DETAILS
- 13 MAST ARM POLE DETAILS
- 14 MAST ARM POLE FOUNDATION DETAILS
- 15 MAST ARM TRANSFORMER BASE DETAILS
- 16 MAST ARM SIGNAL MOUNTING
- 17 POLE BRACKET INSTALLATION DETAILS
- 18 STANDARD SIGNAL FACE ARRANGEMENTS
- 19 STANDARD TRAFFIC SIGNAL WIRING CODES
- 20 ELECTRIC SERVICE PEDESTAL
- 21 STREET NAME SIGN LAYOUT TYPE "A"
- MAST ARM MOUNTED 18" SIGN HEIGHT
- 22 OVERHEAD MOUNTED SIGNS

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 924 (3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8B ELECTRICAL

BARRICADE, TYPE II	500	B	DAY
TEMPORARY SIGN DAY	75	E	EACH
SIGN DAY	1,350	E	EACH
FLASHING ARROW PANEL	25	D	DAY
MOBILIZATION	LUMP	L	LUMP
REMOVE PAVEMENT	78	S	SY
REMOVE WALK	305	S	SY

REMOVE CURB	322 LF
COMB CONC 47B-3500 CURB & GUTTER	322 LF
CONC 47B-3500 SIDEWALK	280 SY
6"	
DETECTABLE WARNING PANEL	144 SF
CONC CLASS 47B-3500 9" IMPRINTED	27 SY
OVERHEAD SIGN	6 EACH
STREET NAME SIGN	6 EACH
18"	
PULL BOX, TYPE PB-6	4 EACH
TRAFFIC SIGNAL, TYPE TS-1	23 EACH
TRAFFIC SIGNAL, TYPE TS-1A	6 EACH
TRAF SIG CONTROL, TYPE TC-2070	3 EACH
PEDESTAL POLE, TYPE PP-10	1 EACH
ON EXISTING FOUNDATION	
LUMINAIRE	11 EACH
400W METAL HALIDE STREET LIGHTING	
C.M.A. SIG & LIGHT POLE, CMP-30-0	1 EACH
C.M.A. SIG & LIGHT POLE CMP-35-0	1 EACH
C.M.A. SIGNAL & LIGHT POLE, CMP-35/40-0	1 EACH
C.M.A. SIG & LGHT POLE, CMP-0-0	3 EACH
C.M.A. SIG & LGHT POLE, CMP-0-0	2 EACH
ON EXISTING FOUNDATION	
C.M.A. SIGNAL & LIGHT POLE, CMP-50-0	1 EACH
C.M.A. SIG & LGHT POLE, CMP-55-0	1 EACH
C.M.A. SIG & LGHT POLE, CMP-70-0	1 EACH
MAST ARM SIGNAL POLE, MP-55	1 EACH
SERVICE DISCONNECT PEDESTAL	3 EACH
2" CONDUIT, JACKED	1,590 LF
3" CONDUIT, JACKED	87 LF
16/C #14 AWG TRAF SIG CABLE	1,037 LF
#8 GROUNDING CONDUCTOR	914 LF
SERVICE CABLE	300 LF
SERVICE ENTRANCE CABLE	900 LF
STREET LIGHT CABLE, NO. 6 3/C	817 LF
6 PAIR COMMUNICATION CABLE	370 LF
INSTALL PEDESTRIAN SIGNAL PS-1	24 EACH
REMOVE TRAFFIC SIGNAL	1 EACH
AT 19TH & DODGE	
REMOVE TRAFFIC SIGNAL	1 EACH
AT 19TH & DOUGLAS	
REMOVE TRAFFIC SIGNAL	1 EACH
AT 19TH & FARNAM	
REMOVE	18 EACH
AND REINSTALL OVERHEAD SIGN	
RE-ENTERABLE ENCAPSULATED SPLICE	4 EACH

NOTICE TO CONTRACTORS

CALL ORDER 210  
 FEDERAL PROJECT NO. STP-91-7(108)  
 LOCATION: N-91, US-275 EAST  
 COUNTIES: DODGE WASHINGTON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 29, 2011. At that time the bids will be opened and read for GRAD CULV SEED BR GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 6.7 MILES  
 START DATE 10/31/2011 WORKING DAYS 135  
 Price Range \$ 3,000,000 to \$ 6,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning September 06, 2011 at the Lincoln Central Office and September 12, 2011 at the District Engineer's Office at OMAHA

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	179	SHEETS	\$ 44.75
CROSS SECTIONS (SHEETS X1 THRU X164)	164	SHEETS	\$ 41.00
STANDARD PLANS	18	SHEETS	\$ 4.50

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T6	TYPICAL CROSS SECTIONS
2-S1 - 2-S3	SUMMARY OF QUANTITIES
2-W1 - 2-W9	WETLANDS
2-H1 - 2-H7	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
2-L1 - 2-L18	EROSION CONTROL
3 - 11	PLAN & PROFILE SHEETS
12	TYPICAL TRAFFIC SIGNAL CONTROL PLAN FOR NARROW BRIDGE, ONE LANE, TWO WAY OPERATION WITH BARRIERS (10')
13	TEMPORARY TRAFFIC SIGNAL
14	TEMPORARY PAVEMENT MARKING PLAN
15	PAVEMENT MARKING DETAILS
16 - 24	EARTHWORK DATA SHEETS
25 - 58	DRAINAGE STRUCTURE CROSS SECTIONS--CULVERTS
59 - 68	DRAINAGE STRUCTURE CROSS SECTIONS--FLUMES
69 - 73	SPECIAL PLAN 1 BRIDGE REPAIR STA. 311+10.00
74 - 77	SPECIAL PLAN 2 BRIDGE REPAIR STA. 407+97.00
78 - 81	SPECIAL PLAN 3 BRIDGE REPAIR STA. 464+58.00
82 - 86	SPECIAL PLAN 4 BRIDGE REPAIR STA. 491+91.00
87 - 88	SPECIAL PLAN 1C 5' X 7' SINGLE SPAN RC BOX CULVERT STA. 10+00.00
89 - 90	SPECIAL PLAN 2C 12' X 10' TWIN SPAN RC BOX CULVERT STA. 107+96.70
91 - 92	SPECIAL PLAN 3C 7' X 7' SINGLE SPAN RC BOX CULVERT STA. 170+95.80
93 - 96	SPECIAL PLAN 4C 10' X 8' TRIPLE SPAN RC BOX CULVERT STA. 324+60.70 RT.
97	SPECIAL PLAN 5C 10' X 6' TRIPLE SPAN RAISE PARAPET STA. 324+60.70 LT
98 - 102	SPECIAL PLAN 6C CABLE GUARDRAIL
103 - 113	SPECIAL PLAN 7C GUARDRAIL PLAN

114	SPECIAL PLAN 8C	EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
115 - 116	SPECIAL PLAN 9C	TEMPORARY SILT CHECKS
117 - 118	SPECIAL PLAN 10C	CONCRETE PROTECTION BARRIER
R1 - R18	RIGHT-OF-WAY SHEETS	
X1 - X164	CROSS SECTIONS	

STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
307-R1	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
428-R3	CONCRETE PLUGS AND FIELD PIPE TAP DETAILS
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
548-R1	(2 SHEETS) CONCRETE FLUME, TYPE VIII
804	PRECAST CONCRETE R.O.W. MARKER
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		78 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION		23,702 CY
WATER		237 MGAL
RIGHT-OF-WAY MARKERS		42 EACH
ROADWAY GRADING		6 STA
MAILBOX POST		13 EACH
REMOVE GUARDRAIL		2,327 LF
COVER CROP SEEDING		30 ACRE
EROSION CONTROL, CLASS 1D		15,398 SY
EROSION CONTROL, CLASS 1E		11,475 SY
EROSION CONTROL, CLASS 2A		1,949 SY
EROSION CONTROL, CLASS 2C		1,669 SY
EROSION CHECKS, TYPE 1E		192 BALE
EROSION CHECKS, TYPE 2A		36 BALE
EROSION CHECKS, TYPE 2C		100 BALE
FABRIC SILT FENCE-LOW POROSITY		7,681 LF
FABRIC SILT FENCE-HIGH POROSITY		384 LF

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE FLARED- END SECTION		7 EACH
REMOVE & SALVAGE FES		1 EACH
REINSTALL		1 EACH
24" CONCRETE FLARED END SECTION		
REMOVE HEADWALLS FROM CULV		18 EACH
PREPARATION OF STRUCTURE		1 EACH
AT STA. 10+00.00		
PREPARATION OF STRUCTURE		1 EACH
AT STA. 170+95.80		
PREPARATION OF STRUCTURE		1 EACH
AT STA. 193+12.00		
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		381 CY
EXCAVATION FOR BOX CULVERTS		175 CY
47B-3000 CONC FOR BOX CULV		75 CY
47B-3000 CONC FOR CONCRETE CO		11 CY
47B-3000 FOR CONC BOX CULV PL		3 CY
RE-STEEL FOR BOX CULVERT		6,100 LB
RE-STEEL FOR COLLARS		842 LB

24" METAL FLARED-END SECTION	10 EACH
30" METAL FLARED-END SECTION	1 EACH
36" METAL FLARED-END SECTION	3 EACH
42" METAL FLARED-END SECTION	4 EACH
48" METAL FLARED-END SECTION	1 EACH
24" CONCRETE FLARED-END SECTION	4 EACH
30" CONCRETE FLARED-END SECTION	8 EACH
36" CONCRETE FLARED-END SECTION	2 EACH
42" CONCRETE FLARED-END SECTION	2 EACH
CULVERT SANDFILL	49 CY
24" CULV PIPE 2	12 LF
30" CULV PIPE 2	58 LF
36" CULV PIPE 2	22 LF
42" CULV PIPE 2	29 LF
24" CULV PIPE 3,4,5	12 LF
36" CULV PIPE 3,4,5	28 LF
42" CULV PIPE 3,4,5	24 LF
48" CULV PIPE 3,4,5	8 LF
24" CULV PIPE 3,4,5,6	244 LF

GROUP 4A CULVERTS AT STA. 107+96.70

MOBILIZATION	LUMP	LUMP
PREPARATION OF STRUCTURE AT STA. 107+96.70		1 EACH
EXCAVATION FOR BOX CULVERTS		598 CY
47B-3000 CONC FOR BOX CULV		145 CY
RE-STEEL FOR BOX CULVERT		13,766 LB

GROUP 4B CULVERTS AT STA. 324+60.70

MOBILIZATION	LUMP	LUMP
PREPARATION OF STRUCTURE AT STA. 324+60.70		1 EACH
EXCAVATION FOR BOX CULVERTS		124 CY
47B-3000 CONC FOR BOX CULV		41 CY
RE-STEEL FOR BOX CULVERT		2,735 LB

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE A		2 ACRE
SEEDING, TYPE B		28 ACRE
MULCH		67 TON

GROUP 6 BRIDGE AT STA. 311+10.00

MOBILIZATION	LUMP	LUMP
BR DECK REPAIR, PARTIAL DEPTH		69 SY
BR DECK REPAIR, FULL DEPTH		5 SY
47BD-4000 CONC FOR BRIDGE		17 CY
PREP BRIDGE 311+10.00		1 EACH
EPOXY COATED RE-STEEL		3,930 LB
ABUTMENT REPAIR		10 SF
CONCRETE REPAIR		40 SF

GROUP 6A BRIDGE AT STA. 407+97.00

MOBILIZATION	LUMP	LUMP
47BD-4000 CONC FOR BRIDGE		24 CY
PREP BRIDGE 407+97.00		1 EACH
EPOXY COATED RE-STEEL		5,350 LB
ABUTMENT REPAIR		25 SF

GROUP 6B BRIDGE AT STA. 464+58.00

MOBILIZATION	LUMP	LUMP
47BD-4000 CONC FOR BRIDGE		15 CY
PREP BRIDGE		1 EACH
464+58.00		
EPOXY COATED RE-STEEL	3,465	LB
ABUTMENT REPAIR		7 SF
CONCRETE REPAIR		40 SF

GROUP 6C BRIDGE AT STA. 491+91.00

MOBILIZATION	LUMP	LUMP
BR DECK REPAIR, PARTIAL DEPTH		59 SY
BR DECK REPAIR, FULL DEPTH		5 SY
47BD-4000 CONC FOR BRIDGE		15 CY
PREP BRIDGE		1 EACH
491+91.00		
EPOXY COATED RE-STEEL	3,475	LB
ABUTMENT REPAIR		10 SF
CONCRETE REPAIR		40 SF

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		1,200 LF
CABLE GUARDRAIL		3,052 LF
BRIDGE APPROACH SECTIONS		20 EACH
TERMINAL ANCHORAGE SECTIONS		4 EACH
GUARDRAIL END TREATMENT, TYPE II		20 EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES		1,530 STA
OVERLAY SOLID LINES		3,060 STA
MOBILIZATION	LUMP	LUMP
GRAVEL SURFACE COURSE		95 TON
SPEC SURF CRSE FOR MAILBOX TURNOUTS		384 SY
CAST IRON GRATE & FRAME		4,532 LB
47B-3000 CONC FOR INLET & JUNCTION BOXES		25 CY
RE-STEEL FOR INLET & JCT BOX		2,200 LB
MEMBRANE WATERPROOFING		1,375 SY
24" WHITE PREF PVMT MKING T-4 GROOVED		72 LF
RR XING SYMBOL PREF PVMT MRKING T-4 GRVD		2 EACH
HYDRATED LIME		447 TON
HYDRATED LIME FOR ASPHALT MIXTURES		306 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		1 TON
HYDRATED LIME SLURRY STABILIZATION		496 STA
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR		100 TON
ASPH CONC, TYPE SPR		29,390 TON
PLACE ASPH CONC FOR DRIVE & INTER		6,963 SY
ASPH CONCRETE FOR PATCHING, TYPE SPR		1,200 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH		3 TON
PERF GRADED BINDER (64-34)		1,162 TON
EMUL ASPH FOR HYDRATE LIME STABILIZATION		121,670 GAL
TACK COAT		35,870 GAL
FOG SEAL		15,450 GAL
WATER		275 MGAL
EARTH SHOULDER CONSTRUCTION		1,012 STA
TRENCHED WIDENING		993 STA
SUBGRADE PREPARATION		6,966 SY
COLD MILLING, CLASS 3		474 STA
COLD MILLING, CLASS 4		1,375 SY
COLD MILLING, CLASS 3		1 STA
TYPE A		
COLD MILLING, CLASS 3		26 STA

TYPE B

COLD MILLING, CLASS 3	8 STA
TYPE C	
SURFACE UNDER GUARDRAIL	2,970 SY
RAP INCENTIVE PAYMENT	52,003 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP
15" CULV PIPE 3,4,5,6	475 LF

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	23,000 BDAY
BARRICADE, TYPE III	6,410 BDAY
TEMPORARY SIGN DAY	1,890 EACH
SIGN DAY	49,456 EACH
TEMP PAVEMENT MARKING REMOVAL	4,000 LF
TEMP PVMT MARKING, TYPE PAINT	4,000 LF
FLAGGING	270 DAY
FURNISHING AND OPERATING PILOT VEHICLE	50 DAY
CONCRETE PROTECTION BARRIER	737 LF
RELOCATE CONC PROTECTION BARRIER	1,400 LF
TEMPORARY RUMBLE STRIP	20 EACH
TEMPORARY TRAFFIC SIGNAL	5 EACH
TRAFFIC CONTROL MANAGEMENT	250 DAY
FIELD OFFICE	1 EACH
TRAINING	1,000 HOUR
MOBILIZATION	LUMP LUMP
CONSTRUCTION STAKING AND SURVEYING	LUMP LUMP
RENTAL OF LOADER, FULLY OPERATED	230 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	130 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	230 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	230 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	100 HOUR
TEMPORARY SILT CHECK	1,500 LF
TEMPORARY SILT FENCE	2,000 LF
TEMPORARY EARTH CHECK	1,500 LF
TEMPORARY MULCH	6 TON

NOTICE TO CONTRACTORS

CALL ORDER 215  
FEDERAL PROJECT NO. MAPA-5121(2)  
LOCATION: 13TH STREET/HARNEY ST. & HOWARD ST., OMAHA  
COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids for the CITY OF OMAHA in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on September 29, 2011. At that time the bids will be opened and read for ELECTRICAL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: ELECTRICAL

START DATE 07/09/2012 CALENDAR DAYS 50  
Price Range \$ 0 to \$ 500,000  
THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning September 06, 2011 at the Lincoln Central Office and September 12, 2011 at the District Engineer's Office at OMAHA

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	19 SHEETS	\$	4.75
STANDARD PLANS	5 SHEETS	\$	1.25

SHEET NO.

1	TITLE PAGE
2-S	SUMMARY OF QUANTITIES
3 - 4	TRAFFIC SIGNALS
5	REMOVAL
6	CONSTRUCTION
7	CONCRETE CURB RAMP DETAILS
8	CONCRETE CURB RAMP TYPICAL DETAILS
9	PULL BOX DETAILS
10	MAST ARM POLE DETAILS
11	MAST ARM POLE FOUNDATION DETAILS
12	MAST ARM TRANSFORMER BASE DETAILS
13	MAST ARM SIGNAL MOUNTING
14	POLE BRACKET INSTALLATION DETAILS
15	STANDARD SIGNAL FACE ARRANGEMENTS
16	STANDARD TRAFFIC SIGNAL WIRING CODES
17	ELECTRIC SERVICE PEDESTAL
18	STREET NAME SIGN LAYOUT TYPE "A", MAST ARM MOUNTED 18" SIGN HEIGHT
19	OVERHEAD MOUNTED SIGNS

STANDARD PLANS

920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8B ELECTRICAL

BARRICADE, TYPE II		400	B	DAY
TEMPORARY SIGN DAY		60	E	EACH
SIGN DAY		900	E	EACH
FLASHING ARROW PANEL		20	D	DAY
MOBILIZATION	LUMP		L	LUMP
REMOVE PAVEMENT		48	S	Y
REMOVE WALK		250	S	Y
REMOVE CURB		256	L	F
COMB CONC 47B-3500 CURB & GUTTER		256	L	F
CONC 47B-3500 SIDEWALKS		234	S	Y
6"				
DETECTABLE WARNING PANEL		192	S	F
CONC CLASS 47B-3500 9" IMPRINTED		16	S	Y
STREET NAME SIGN		2	E	EACH
18"				
PULL BOX, TYPE PB-6		3	E	EACH
TRAFFIC SIGNAL, TYPE TS-1		8	E	EACH
TRAFFIC SIGNAL, TYPE TS-1A		2	E	EACH
TRAF SIG CONTROL, TYPE TC-2070		1	E	EACH
LUMINAIRE		5	E	EACH
400W METAL HALIDE STREET LIGHTING				
C.M.A. SIG & LIGHT POLE CMP-35-0		1	E	EACH
C.M.A. SIG & LGHT POLE, CMP-45/35-0		1	E	EACH
C.M.A. SIG & LGHT POLE, CMP-0-0		2	E	EACH
C.M.A. SIGNAL & LIGHT POLE, CMP-50-0		1	E	EACH
SERVICE DISCONNECT PEDESTAL		2	E	EACH
2" CONDUIT, JACKED		1,031	L	F
HDPE				
16/C #14 AWG TRAF SIG CABLE		457	L	F
#8 GROUNDING CONDUCTOR		462	L	F
SERVICE CABLE		200	L	F
SERVICE ENTRANCE CABLE		600	L	F
STREET LIGHT CABLE, NO. 6 3/C		466	L	F
6 PAIR COMMUNICATION CABLE		7	L	F
PAINT	LUMP		L	LUMP
EXISTING GALVANIZED SIGNAL POLES				
INSTALL PEDESTRIAN SIGNAL PS-1		10	E	EACH
REMOVE TRAFFIC SIGNAL		1	E	EACH
13TH AND HARNEY				
REMOVE PEDESTAL POLE		1	E	EACH
REMOVE PULL BOX		1	E	EACH
REMOVE		6	E	EACH
AND REINSTALL OVERHEAD SIGN				
REMOVE	LUMP		L	LUMP
AND REINSTALL SIGNS & SIGNALS				
RE-ENTERABLE ENCAPSULATED SPLICE		1	E	EACH

NOTICE TO CONTRACTORS

CALL ORDER 220  
FEDERAL PROJECT NO. MAPA-5097(1)  
LOCATION: 15ST./FARNAM ST. IN OMAHA  
COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids for the CITY OF OMAHA in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on September 29, 2011. At that time the bids will be opened and read for ELECTRICAL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: ELECTRICAL  
START DATE 05/21/2012 CALENDAR DAYS 28  
Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning September 06, 2011 at the Lincoln Central Office and September 12, 2011 at the District Engineer's Office at OMAHA

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	14 SHEETS	\$	3.50
STANDARD PLANS	2 SHEETS	\$	0.50

SHEET NO.

1	TITLE PAGE
2-S	SUMMARY OF QUANTITIES
3	TRAFFIC SIGNAL PLAN
4	PULL BOX DETAILS
5	MAST ARM POLE DETAILS
6	MAST ARM POLE FOUNDATION DETAILS
7	MAST ARM TRANSFORMER BASE DETAILS
8	MAST ARM SIGNAL MOUNTING
9	POLE BRACKET INSTALLATION DETAILS
10	STANDARD SIGNAL FACE ARRANGEMENTS
11	STANDARD TRAFFIC SIGNAL WIRING CODES
12	ELECTRIC SERVICE PEDESTAL
13	STREET NAME SIGN LAYOUT TYPE "A", MAST ARM MOUNTED 18" SIGN HEIGHT
14	OVERHEAD MOUNTED SIGNS

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
924	(3 SHEETS)	TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8B ELECTRICAL

BARRICADE, TYPE II	140	B DAY
TEMPORARY SIGN DAY	21	EACH
SIGN DAY	336	EACH
FLASHING ARROW PANEL	7	DAY
MOBILIZATION	LUMP	LUMP
STREET NAME SIGN	2	EACH
PULL BOX, TYPE PB-6	1	EACH

GROUP 8B ELECTRICAL

TRAFFIC SIGNAL, TYPE TS-1	4 EACH
TRAFFIC SIGNAL, TYPE TS-1A	2 EACH
TRAF SIG CONTROL, TYPE TC-2070	1 EACH
PEDESTAL POLE, TYPE PP-10	1 EACH
LUMINAIRE	4 EACH
400W METAL HALIDE STREET LIGHTING	
C.M.A. SIG & LGHT POLE, CMP-0/0-0	1 EACH
C.M.A. SIGNAL & LIGHT POLE, CMP-50-0	1 EACH
C.M.A. SIGNAL & LIGHT POLE, CMP-45-0	1 EACH
SERVICE DISCONNECT PEDESTAL	1 EACH
2" CONDUIT, JACKED	531 LF
16/C #14 AWG TRAF SIG CABLE	295 LF
#8 GROUNDING CONDUCTOR	270 LF
SERVICE CABLE	100 LF
SERVICE ENTRANCE CABLE	300 LF
STREET LIGHT CABLE, NO. 6 3/C	206 LF
6 PAIR COMMUNICATION CABLE	24 LF
INSTALL PEDESTRIAN SIGNAL PS-1	8 EACH
REMOVE TRAFFIC SIGNAL	1 EACH
REMOVE	6 EACH
AND REINSTALL OVERHEAD SIGN	
RE-ENTERABLE ENCAPSULATED SPLICE	3 EACH

NOTICE TO CONTRACTORS

CALL ORDER 225  
 FEDERAL PROJECT NO. MAPA-5099(1)  
 LOCATION: TRAFFIC SIGNALS, OMAHA  
 COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids for the CITY OF OMAHA in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on September 29, 2011. At that time the bids will be opened and read for ELECTRICAL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: ELECTRICAL

START DATE 07/09/2012 CALENDAR DAYS 85  
 Price Range \$ 250,000 to \$ 1,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning September 06, 2011 at the Lincoln Central Office and September 12, 2011 at the District Engineer's Office at OMAHA. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	24 SHEETS	\$	6.00
STANDARD PLANS	5 SHEETS	\$	1.25

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
- 3 - 8 TRAFFIC SIGNALS
- 9 - 11 REMOVAL & CONSTRUCTION
- 12 CONCRETE CURB RAMP DETAILS
- 13 CONCRETE CURB RAMP TYPICAL DETAILS
- 14 PULL BOX DETAILS
- 15 MAST ARM POLE DETAILS
- 16 MAST ARM POLE FOUNDATION DETAILS
- 17 MAST ARM TRANSFORMER BASE DETAILS
- 18 MAST ARM SIGNAL MOUNTING
- 19 POLE BRACKET INSTALLATION DETAILS
- 20 STANDARD SIGNAL FACE ARRANGEMENTS
- 21 STANDARD TRAFFIC SIGNAL WIRING CODES
- 22 ELECTRIC SERVICE PEDESTAL
- 23 STREET NAME SIGN LAYOUT TYPE "A",  
MAST ARM MOUNTED 18" SIGN HEIGHT
- 24 OVERHEAD MOUNTED SIGNS

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 924 (3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8B ELECTRICAL

BARRICADE, TYPE II	800	BDAY
TEMPORARY SIGN DAY	120	EACH
SIGN DAY	4,080	EACH
FLASHING ARROW PANEL	40	DAY
MOBILIZATION	LUMP	LUMP
REMOVE PAVEMENT	44	SY
REMOVE WALK	173	SY

REMOVE CURB	182	LF
COMB CONC 47B-3500 CURB & GUTTER	177	LF
CONC 47B-3500 SIDEWALKS	137	SY
6"		
DETECTABLE WARNING PANEL	72	SF
CONC CLASS 47B-3500 9" IMPRINTED	33	SY
OVERHEAD SIGN	8	EACH
INSTALL STREET NAME SIGN	5	EACH
18"		
STREET NAME SIGN	13	EACH
18"		
PULL BOX, TYPE PB-6	10	EACH
TRAFFIC SIGNAL, TYPE TS-1	36	EACH
TRAFFIC SIGNAL, TYPE TS-1A	18	EACH
TRAF SIG CONTROL, TYPE TC-2070	5	EACH
WIRELESS INTERCONNECT RADIO SYSTEM	LUMP	LUMP
PEDESTRIAN SIGNAL, TYPE PS-1	30	EACH
PEDESTRIAN PUSHBUTTON, PPB	26	EACH
LUMINAIRE	4	EACH
400W METAL HALIDE STREET LIGHTING		
LUMINAIRE	11	EACH
200W STREET LIGHTING		
LUMINAIRE	2	EACH
400W HIGH PRESSURE SODIUM ST. LIGHTING		
C.M.A. SIG & LGHT P. CMP-0-12	1	EACH
C.M.A. SIG & LIGHT POLE CMP-20-0	1	EACH
C.M.A. SIG & LIGHT POLE, CMP-30-0	1	EACH
C.M.A. SIG & LGHT POLE, CMP-35-12/12	1	EACH
C.M.A. SIGNAL & LIGHT POLE, CMP-35/40-0	1	EACH
C.M.A. SIGNAL & LIGHT POLE, CMP-40-0	2	EACH
C.M.A. SIG & LGHT POLE, CMP-40-12	1	EACH
C.M.A. SIG & LGHT POLE, CMP-0-0	1	EACH
C.M.A. SIG & LGHT POLE, CMP-70-12	5	EACH
C.M.A. SIG & LGHT POLE, CMP-55-12	1	EACH
C.M.A. SIG & LGHT POLE, CMP-65-12	1	EACH
MAST ARM SIGNAL POLE, MP-20	1	EACH
MAST ARM SIGNAL POLE, MP-35	1	EACH
MAST ARM SIGNAL POLE, MP-50	1	EACH
MAST ARM SIGNAL POLE, MP-70	1	EACH
SERVICE DISCONNECT PEDESTAL	5	EACH
2" CONDUIT IN TRENCH	725	LF
3" CONDUIT IN TRENCH	112	LF
2" CONDUIT, JACKED	1,916	LF
3" CONDUIT, JACKED	820	LF
16/C #14 AWG TRAF SIG CABLE	2,128	LF
2/C #16 AWG PED PBUTTON LEAD-IN CABLE	3,039	LF
#8 GROUNDING CONDUCTOR	1,641	LF
SERVICE CABLE	500	LF
SERVICE ENTRANCE CABLE	1,500	LF
STREET LIGHT CABLE, NO. 6 3/C	1,641	LF
6 PAIR COMMUNICATION CABLE	204	LF
INSTALL PEDESTRIAN SIGNAL PS-1	8	EACH
REMOVE TRAFFIC SIGNAL	1	EACH
AT 13TH AND JACKSON		
REMOVE TRAFFIC SIGNAL	1	EACH
AT 14TH AND JACKSON		
REMOVE TRAFFIC SIGNAL	1	EACH
AT 46TH AND DODGE		
REMOVE	5	EACH
AND INSTALL OVERHEAD SIGN		
RE-ENTERABLE ENCAPSULATED SPLICE	4	EACH
MODULAR VIDEO VEHICLE DETECTION SYSTEM	LUMP	LUMP
AT 46TH AND DODGE		
MODULAR VIDEO VEHICLE DETECTION SYSTEM	LUMP	LUMP
AT HWS CLEV & W MAPLE		
MODULAR VIDEO VEHICLE DETECTION SYSTEM	LUMP	LUMP
AT 180TH & W MAPLE		
MODULAR VIDEO VEHICLE DETECTION SYSTEM	LUMP	LUMP
AT 192ND & W MAPLE		

NOTICE TO CONTRACTORS

CALL ORDER 400  
 STATE PROJECT NO. STR-80-6(1041)  
 LOCATION: I-80, GRAND ISLAND WEST BRIDGES  
 COUNTIES: HALL

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 29, 2011. At that time the bids will be opened and read for BRIDGE

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES  
 START DATE 07/30/2012 WORKING DAYS 30  
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning September 06, 2011 at the Lincoln Central Office and September 12, 2011 at the District Engineer's Office at GRAND ISLAND  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	20 SHEETS	\$	5.00
STANDARD PLANS	2 SHEETS	\$	0.50

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
- 3 TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
- 4 TEMPORARY PAVEMENT MARKING PLAN
- 5 - 14 SPECIAL PLAN 1 TWIN PRESTRESSED CONCRETE GIRDER BRIDGES--REPAIR REF. POST NO. 311+28
- 15 - 20 SPECIAL PLAN 2 TWIN PRESTRESSED CONCRETE GIRDER BRIDGES--REPAIR REF. POST NO. 311+45

STANDARD PLANS

920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT STA. 314+85.00 LT.

MOBILIZATION	LUMP	LUMP
EXPANSION JOINT REPAIR		115 LF
PREP BRIDGE		1 EACH
314+85.00 LT.		
STRUC STEEL FOR SUBSTRUCTURE		1,300 LB
CONCRETE REPAIR		14 SY

GROUP 6A BRIDGE AT STA. 314+85.00 RT.

MOBILIZATION	LUMP	LUMP
EXPANSION JOINT REPAIR		115 LF
PREP BRIDGE		1 EACH
314+85.00 RT.		
STRUC STEEL FOR SUBSTRUCTURE		1,300 LB
CONCRETE REPAIR		15 SY

GROUP 6B BRIDGE AT STA. 323+85.00 LT.

MOBILIZATION	LUMP	LUMP
EXPANSION JOINT REPAIR		109 LF
PREP BRIDGE		1 EACH
323+85.00 LT.		
STRUC STEEL FOR SUBSTRUCTURE	1,300	LB
CONCRETE REPAIR		10 SY

GROUP 6C BRIDGE AT STA. 323+85.00 RT.

MOBILIZATION	LUMP	LUMP
EXPANSION JOINT REPAIR		109 LF
PREP BRIDGE		1 EACH
323+85.00 RT.		
STRUC STEEL FOR SUBSTRUCTURE	1,300	LB
CONCRETE REPAIR		11 SY

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	600	BDAY
BARRICADE, TYPE III	204	BDAY
TEMPORARY SIGN DAY	120	EACH
SIGN DAY	1,344	EACH
FLASHING ARROW PANEL	12	DAY
TRAFFIC CONTROL MANAGEMENT	48	DAY
MOBILIZATION	LUMP	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 600  
 FEDERAL PROJECT NO. IM-80-4(138)  
 LOCATION: I-80, COZAD-DARR  
 COUNTIES: DAWSON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 29, 2011. At that time the bids will be opened and read for CULV SEED GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 14.9 MILES  
 START DATE 04/02/2012 WORKING DAYS 210  
 Price Range \$ 10,000,000 to \$ 15,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 6.0 %

Plans and specifications may be seen beginning September 06, 2011 at the Lincoln Central Office and September 12, 2011 at the District Engineer's Office at NORTH PLATTE  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	107	SHEETS	\$	26.75
STANDARD PLANS	14	SHEETS	\$	3.50

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T9	TYPICAL CROSS SECTIONS
2-S1 - 2-S28	SUMMARY OF QUANTITIES
2-A1 - 2-A14	PHOTO MAPS
2-H1 - 2-H6	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION
2-N2 - 2-N3	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3 - 16	PLAN SHEETS
17	TRAFFIC CONTROL PLAN--WORK IN THE VICINITY OF EXIT RAMP & ON RAMP
18	TYPICAL TRAFFIC CONTROL PLAN--INERTIAL BARRIER SYSTEM
19	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
20	TYPICAL TRAFFIC CONTROL PLAN--PIER COLUMN PROTECTION & CONCRETE BARRIER PLACEMENT
21	TYPICAL TRAFFIC CONTROL PLAN FOR LANE CLOSURE WITH CONCRETE BARRIERS
22	TEMPORARY PAVEMENT MARKING PLAN
23	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
24	TYPICAL PAVEMENT MARKING PLAN--INTERSTATE/EXPRESSWAY
25	PAVEMENT MARKING PLAN--PARKING DETAIL
26 - 41	SPECIAL PLAN 1C GUARDRAIL PLAN
42 - 43	SPECIAL PLAN 2C PIER COLUMN PROTECTION STA. 2183+03.00
44 - 45	SPECIAL PLAN 3C PIER COLUMN PROTECTION STA. 2358+51.00
46	SPECIAL PLAN 4C PAVEMENT APPROACH REPAIR
47 - 48	SPECIAL PLAN 5C CONCRETE PROTECTION BARRIER

STANDARD PLANS

410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
413-R2	BAR GRATE FOR FLARED END SECTIONS
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
901-R9	HIGHWAY DELINEATORS

902-R1 HIGHWAY DELINEATORS FOR RAMP AND GORE LOCATIONS  
 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE  
 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE FLARED- END SECTION		3 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		2 CY
47B-3000 CONC FOR CONCRETE CO		1 CY
RE-STEEL FOR COLLARS		38 LB
BAR GRATE FOR 18" CONC FES		3 EACH
18" REINFORCED CONCRETE PIPE		4 LF
18" CONCRETE FLARED-END SECTION		3 EACH

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE B		44 ACRE
MULCH		99 TON

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		4,093 LF
THRIE-BEAM GUARDRAIL		312 LF
REMOVE GUARDRAIL		5,119 LF
REMOVE & SALVAGE GUARDRAIL		1,299 LF
RESET GUARDRAIL		1,299 LF
BRIDGE APPROACH SECTIONS		16 EACH
END ANCHORAGE ASSEMBLY		3 EACH
BULLNOSE-12.5'		4 EACH
GUARDRAIL END TREATMENT, TYPE I		17 EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES		4,708 STA
OVERLAY SOLID LINES		9,572 STA
PERMANENT PAVEMENT MARKING PAINT		8,000 LF
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE II		548 EACH
REMOVE DELINEATOR UNITS		538 EACH
ROADWAY GRADING		35 STA
CONC PVMT REPAIR TYPE A FULL DEPTH		55 CY
CONC PVMT REPAIR TYPE B FULL DEPTH		461 CY
CONC PVMT REPAIR TYPE C FULL DEPTH		2,257 CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH		473 CY
CONC PVMT REPAIR TYPE B PARTIAL DEPTH		2 CY
CONC PVMT, PR-3500		736 CY
JOINT REPAIR		
PREPARATION OF STRUCTURE		1 EACH
AT STA. 2183+03.00		
PREPARATION OF STRUCTURE		1 EACH
AT STA. 2358+51.00		
47BD-4000 CONC FOR PIER PROTECTION		24 CY
EPOXY COAT RE-STEEL FOR PIER PROTECTION		6,570 LB
CONCRETE REPAIR		11 SY
BRIDGE APPROACH REPAIR		25 CY
HANDICAPPED SYMBOL		4 EACH
5" WHT WET RFLC THERMOPLSTC PVMT MRK,GVD		201,800 LF
5" YEL WET RFLC THERMOPLSTC PVMT MRK,GVD		162,100 LF
12" WHT WET RFLC PRF PVMT MKNG T4 GVD		4,200 LF
HYDRATED LIME FOR ASPHALT MIXTURES		1,069 TON

HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	5 TON
FOUNDATION COURSE REPLACEMENT	78 CY
ASPH CONC ST MAIN PATCH TYPE SP5 (0.375)	500 TON
ASPH CONC, TYPE SPS	33,130 TON
ASPH CONC, TYPE SP5(0.375)	106,800 TON
ASPH CONC FOR PATCH, TYPE SP5 (0.375)	100 TON
PERF GRAD BIND (70-28)FOR ST MAINT PATCH	24 TON
PERF GRADED BINDER (70-28)	5,131 TON
PERF GRADED BINDER (52-34)	1,258 TON
TACK COAT	161,300 GAL
WATER	817 MGAL
EARTH SHOULDER CONSTRUCTION	3,266 STA
MILLING CONC FOR INLAYS	20 EACH
RUMBLE STRIPS, ASPHALT	3,059 STA
CONC SURF MILLING	57,199 SY
SURFACE UNDER GUARDRAIL	4,202 SY
RAP INCENTIVE PAYMENT	237,881 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP
EROSION CONTROL, CLASS 1D	5,018 SY

GROUP 10 GENERAL ITEMS

SURV OF TEMP TRAFFIC CONT DEVICES	369 CDAY
BARRICADE, TYPE II	112,800 BDAY
BARRICADE, TYPE III	2,180 BDAY
SIGN DAY	16,137 EACH
CONTRACTOR FURNISHED SIGN DAY	7,280 EACH
TEMP PAVEMENT MARKING REMOVAL	4,000 LF
PAVEMENT MARKING REMOVAL	2,500 LF
TEMP PVMT MARKING, TYPE PAINT	4,000 LF
TEMP PVMT MARKING SURF PREP	4,000 LF
FLASHING ARROW PANEL	530 DAY
CONCRETE PROTECTION BARRIER	2,000 LF
RELOCATE CONC PROTECTION BARRIER	2,125 LF
RELOC INERTIAL BARRIER SYSTEM	4 EACH
INERTIAL BARRIER SYSTEM	4 EACH
REPLACEMENT MODULE	18 EACH
FIELD OFFICE	1 EACH
TRAINING	5,000 HOUR
MOBILIZATION	LUMP LUMP
RENTAL OF LOADER, FULLY OPERATED	20 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	10 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	20 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	20 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10 HOUR
TEMPORARY SILT FENCE	1,000 LF
TEMPORARY MULCH	4 TON
MOWING	100 HOUR

NOTICE TO CONTRACTORS

CALL ORDER 700  
 FEDERAL PROJECT NO. STP-183-1(115)  
 LOCATION: US-183, ALMA NORTH & SOUTH  
 COUNTIES: HARLAN

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 29, 2011. At that time the bids will be opened and read for GRAD GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 9.1 MILES  
 START DATE 06/18/2012 WORKING DAYS 80  
 Price Range \$ 2,000,000 to \$ 4,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning September 06, 2011 at the Lincoln Central Office and September 12, 2011 at the District Engineer's Office at MCCOOK  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	50 SHEETS	\$	12.50
STANDARD PLANS	13 SHEETS	\$	3.25

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T7	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-A1 - 2-A9	PHOTO MAPS
2-H1 - 2-H3	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION
2-N2 - 2-N3	GENERAL INFORMATION--MILLED RUMBLE STRIPS
2-L1	GEOMETRICS
2-L2 - 2-L4	EROSION CONTROL
3 - 10	PLAN SHEETS
11	TEMPORARY PAVEMENT MARKING PLAN
12	PAVEMENT MARKING PLAN
13	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
14	PAVEMENT MARKING DETAILS
15 - 23	SPECIAL PLAN 1C GUARDRAIL PLAN

STANDARD PLANS

309	MAILBOX SUPPORT POST
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
901-R9	HIGHWAY DELINEATORS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
REMOVE PAVEMENT		71 SY
REMOVE ASPHALT SURFACE		4,544 SY
CLEAR TRACT		1 EACH
AT STA. 66+00 - 72+00 RT.		

REMOVE GUARDRAIL	11,164	LF
EROSION CONTROL, CLASS 1D	701	SY
FABRIC SILT FENCE-LOW POROSITY	414	LF

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL	10,907	LF
BRIDGE APPROACH SECTIONS	8	EACH
END ANCHORAGE ASSEMBLY	1	EACH
GUARDRAIL END TREATMENT, TYPE II	7	EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES	1,472	STA
OVERLAY SOLID LINES	2,945	STA
PERMANENT PAVEMENT MARKING PAINT	129,200	LF
MOBILIZATION	LUMP	LUMP
GRAVEL SURFACE COURSE	65	CY
MAILBOX POST	5	EACH
CONC PVMT REPAIR TYPE A FULL DEPTH	20	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	7	CY
24" WHITE PREF PVMT MKING T-4 GROOVED	72	LF
4" WHT WET RFLC PRF PVMT MKNG T4 GVD	5,000	LF
12" WHT WET RFLC PRF PVMT MKNG T4 GVD	150	LF
4" YEL WET RFLC PRF PVMT MKNG T4 GVD	6,900	LF
12" YEL WET RFLC PRF PVMT MKNG T4 GVD	900	LF
RR XING SYMBOL PREF PVMT MRKING T-4 GRVD	2	EACH
HYDRATED LIME FOR ASPHALT MIXTURES	341	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	30	TON
FOUNDATION COURSE REPLACEMENT	1	CY
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	1,500	TON
ASPH CONC ST MAINT PATCH TYPE SP4 (0.5)	1,500	TON
ASPH CONC, TYPE SPS	8,740	TON
ASPH CONC, TYPE SP4(0.5)	14,570	TON
ASPH CONC, TYPE SPR	18,520	TON
PLACE ASPH CONC FOR DRIVE & INTER	3,216	SY
ASPH CONCRETE FOR PATCHING, TYPE SPR	800	TON
ASPH CONCRETE FOR PATCHING, TYPE SPS	500	TON
ASPH CONC FOR PATCHING, TYPE SP4(0.5)	200	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	129	TON
PERF GRADED BINDER (52-34)	351	TON
PERF GRADED BINDER (64-34)	1,443	TON
TACK COAT	40,480	GAL
FOG SEAL	4,910	GAL
WATER	139	MGAL
EARTH SHOULDER CONSTRUCTION	516	STA
SUBGRADE PREPARATION	2,922	SY
COLD MILLING, CLASS 3	389	STA
COLD MILLING, CLASS 4	3,115	SY
COLD MILLING, CLASS 3	363	STA
TYPE A		
RUMBLE STRIPS, ASPHALT	727	STA
SURFACE UNDER GUARDRAIL	3,344	SY
RAP INCENTIVE PAYMENT	71,000	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B	2	ACRE
MULCH	4	TON

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	33,800	B DAY
BARRICADE, TYPE III	528	B DAY
TEMPORARY SIGN DAY	820	EACH
SIGN DAY	10,303	EACH
FLAGGING	100	DAY
FURNISHING AND OPERATING PILOT VEHICLE	50	DAY

TRAFFIC CONTROL MANAGEMENT		132 DAY
TRAINING		500 HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		140 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED		130 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		140 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		140 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		10 HOUR
TEMPORARY SILT FENCE		500 LF
TEMPORARY MULCH		4 TON

NOTICE TO CONTRACTORS

CALL ORDER 800  
 FEDERAL PROJECT NO. STP-281-4(117)  
 LOCATION: US-281, SPENCER NORTH  
 COUNTIES: BOYD

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 29, 2011. At that time the bids will be opened and read for BR BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 9.2 MILES  
 START DATE 07/23/2012 WORKING DAYS 55  
 Price Range \$ 2,000,000 to \$ 4,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning September 06, 2011 at the Lincoln Central Office and September 12, 2011 at the District Engineer's Office at AINSWORTH  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	31 SHEETS	\$	7.75
STANDARD PLANS	10 SHEETS	\$	2.50

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-A1 - 2-A9	PHOTO MAPS
2-H	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N2	GENERAL INFORMATION--SUPERELEVATION DIAGRAMMATIC PROFILES
3 - 11	PLAN SHEETS
12 - 13	PAVEMENT MARKING PLAN
14	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
15	TEMPORARY PAVEMENT MARKING PLAN
16 - 18	SPECIAL PLAN 1 STEEL GIRDER BRIDGE--REPAIR ABUTMENT STA. 38+82.00

STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT STA. 38+82.00

MOBILIZATION	LUMP	LUMP
CONCRETE REPAIR		28 SF

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	35,200 BDAY
BARRICADE, TYPE III	496 BDAY
TEMPORARY SIGN DAY	630 EACH
SIGN DAY	8,398 EACH

OVERLAY BROKEN LINES	1,445	STA
OVERLAY SOLID LINES	2,910	STA
PERMANENT PAVEMENT MARKING PAINT	137,600	LF
FLAGGING	90	DAY
FURNISHING AND OPERATING PILOT VEHICLE	45	DAY
MOBILIZATION	LUMP	LUMP
REMOVE CURB	1,367	LF
4" WHT WET RFLC PRF PVMT MKNG T4 GVD	1,200	LF
12" WHT WET RFLC PRF PVMT MKNG T4 GVD	200	LF
4" YEL WET RFLC PRF PVMT MKNG T4 GVD	11,600	LF
12" YEL WET RFLC PRF PVMT MKNG T4 GVD	1,100	LF
HYDRATED LIME FOR ASPHALT MIXTURES	356	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	1	TON
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	100	TON
ASPH CONC, TYPE GGCRM	13,950	TON
ASPH CONC, TYPE SPR	21,230	TON
ASPH CONCRETE FOR PATCHING, TYPE SPR	500	TON
ASPHALT-RUBBER BINDER	1,185	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	3	TON
PERF GRADED BINDER (64-34)	825	TON
CONSTRUCTING ASPH CONC CURB	1,367	LF
TACK COAT	26,910	GAL
RENTAL OF LOADER, FULLY OPERATED	50	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	50	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	50	HOUR
COLD MILLING, CLASS 3	488	STA
COLD MILLING, CLASS 3	77	STA
TYPE A		
RAP INCENTIVE PAYMENT	60,656	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 805  
 FEDERAL PROJECT NO. NH-83-4(115)  
 LOCATION: US-83, NORTH LOUP RIVER NORTH  
 COUNTIES: CHERRY

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 29, 2011. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 8.6 MILES  
 START DATE 07/30/2012 WORKING DAYS 50  
 Price Range \$ 1,000,000 to \$ 3,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning September 06, 2011 at the Lincoln Central Office and September 12, 2011 at the District Engineer's Office at AINSWORTH  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	13	SHEETS	\$	3.25
STANDARD PLANS	7	SHEETS	\$	1.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T4	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION
2-N2 - 2-N3	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3	TEMPORARY PAVEMENT MARKING PLAN
4	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING

STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	31,680	B DAY
BARRICADE, TYPE III	360	B DAY
TEMPORARY SIGN DAY	700	EACH
SIGN DAY	7,560	EACH
OVERLAY BROKEN LINES	1,364	STA
OVERLAY SOLID LINES	2,728	STA
PERMANENT PAVEMENT MARKING PAINT	115,900	LF
FLAGGING	100	DAY
FURNISHING AND OPERATING PILOT VEHICLE	50	DAY
MOBILIZATION	LUMP	LUMP
REMOVE ASPHALT SURFACE	178	SY
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	138	CY
GEOGRID	322	SY
HYDRATED LIME FOR ASPHALT MIXTURES	239	TON

HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	5 TON
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	500 TON
ASPH CONC, TYPE SPS	7,650 TON
ASPH CONC, TYPE SPR	23,350 TON
ASPH CONCRETE FOR PATCHING, TYPE SPR	500 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	19 TON
PERF GRADED BINDER (52-34)	290 TON
PERF GRADED BINDER (64-34)	906 TON
TACK COAT	36,220 GAL
RENTAL OF LOADER, FULLY OPERATED	50 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	50 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	50 HOUR
COLD MILLING, CLASS 3	230 STA
COLD MILLING, CLASS 3 TYPE A	225 STA
COLD MILLING, CLASS 3 TYPE B	459 STA
COLD MILLING, CLASS 3 TYPE C	431 STA
RUMBLE STRIPS, ASPHALT	910 STA
RAP INCENTIVE PAYMENT	53,550 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP
SEEDING, TYPE B	2 ACRE
HYDROMULCH	3 TON

NOTICE TO CONTRACTORS

CALL ORDER 810  
FEDERAL PROJECT NO. NH-20-2(138)  
LOCATION: US-20, CROOKSTON - VALENTINE  
COUNTIES: CHERRY

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 29, 2011. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 10.6 MILES  
START DATE 07/02/2012 WORKING DAYS 70  
Price Range \$ 3,000,000 to \$ 6,000,000  
THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning September 06, 2011 at the Lincoln Central Office and September 12, 2011 at the District Engineer's Office at AINSWORTH  
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	6 SHEETS	\$	1.50
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

1	TITLE PAGE
2-S	SUMMARY OF QUANTITIES & TYPICAL CROSS SECTIONS
2-N1 - 2-N2	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3	TEMPORARY PAVEMENT MARKING PLAN
4	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	28,600	B DAY
BARRICADE, TYPE III	472	B DAY
TEMPORARY SIGN DAY	980	EACH
SIGN DAY	12,850	EACH
OVERLAY BROKEN LINES	1,686	STA
OVERLAY SOLID LINES	3,372	STA
PERMANENT PAVEMENT MARKING PAINT	141,300	LF
FLAGGING	140	DAY
FURNISHING AND OPERATING PILOT VEHICLE	65	DAY
TRAINING	500	HOUR
MOBILIZATION	LUMP	LUMP

GROUP 9 BITUMINOUS

HYDRATED LIME FOR ASPHALT MIXTURES	410 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	4 TON
ASP CON ST MAIN PTCH TYPE SP4 SPEC(0.5)	400 TON
ASPH CONC, TYPE SPS	10,940 TON
ASPH CONC, TYPE SP4 SPECIAL(0.5)	16,230 TON
ASPH CONC, TYPE SPR	24,450 TON
ASPH CONCRETE FOR PATCHING, TYPE SPR	400 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	19 TON
PERF GRADED BINDER (52-34)	415 TON
PERF GRADED BINDER (64-34)	1,727 TON
TACK COAT	46,110 GAL
RENTAL OF LOADER, FULLY OPERATED	50 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	50 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	50 HOUR
COLD MILLING, CLASS 3	561 STA
COLD MILLING, CLASS 3	1,125 STA
TYPE A	
RUMBLE STRIPS, ASPHALT	1,115 STA
RAP INCENTIVE PAYMENT	89,114 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP

NOTICE TO CONTRACTORS

CALL ORDER 815  
 FEDERAL PROJECT NO. NH-20-4(123)  
 LOCATION: US-275/US-20, INMAN EAST & WEST  
 COUNTIES: HOLT

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 29, 2011. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 6.0 MILES  
 START DATE 08/20/2012 WORKING DAYS 40  
 Price Range \$ 1,000,000 to \$ 3,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning September 06, 2011 at the Lincoln Central Office and September 12, 2011 at the District Engineer's Office at AINSWORTH  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	21	SHEETS	\$	5.25
STANDARD PLANS	4	SHEETS	\$	1.00

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-A1 - 2-A6	PHOTO MAPS
2-H	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION
2-N2 - 2-N3	GENERAL INFORMATION-MILLED RUMBLE STRIPS
3 - 8	PLAN SHEETS
9	TEMPORARY PAVEMENT MARKING PLAN
10	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	24,288	BDAY
TEMPORARY SIGN DAY	560	EACH
SIGN DAY	276	EACH
OVERLAY BROKEN LINES	945	STA
OVERLAY SOLID LINES	1,890	STA
PERMANENT PAVEMENT MARKING PAINT	78,300	LF
5"		
FLAGGING	80	DAY
FURNISHING AND OPERATING PILOT VEHICLE	40	DAY
MOBILIZATION	LUMP	LUMP
GRAVEL SURFACE COURSE	225	CY
HYDRATED LIME FOR ASPHALT MIXTURES	219	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	1	TON
ASPH CONC FOR ST MAINT PTCHING, TYPE SP4(0.5)	100	TON
ASPH CONC, TYPE SPS	6,380	TON

ASPH CONC, TYPE SP4(0.5)	9,640 TON
ASPH CONC, TYPE SPR	11,530 TON
PLACE ASPH CONC FOR DRIVE & INTER	6,508 SY
ASPH CONCRETE FOR PATCHING, TYPE SPR	700 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	4 TON
PERF GRADED BINDER (52-34)	242 TON
PERF GRADED BINDER (64-34)	927 TON
TACK COAT	26,160 GAL
RENTAL OF LOADER, FULLY OPERATED	60 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	60 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	60 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	60 HOUR
COLD MILLING, CLASS 3	314 STA
COLD MILLING, CLASS 3 TYPE B	6,508 SY
COLD MILLING, CLASS 3 TYPE A	629 STA
RUMBLE STRIPS, ASPHALT	604 STA
RAP INCENTIVE PAYMENT	46,835 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP

**Plan and Informational Proposal Order Form**  
**Projects to be bid on:**

**September 29, 2011**

Payment required for plans prior to NDOR completing this order.  
 dor.ContractsOnlineOrders@nebraska.gov FAX: (402) 479-4845

Document No.

<input type="checkbox"/> Check/Cash	Receipt No.
<input type="checkbox"/> Advance Plans Account No.	
<b>Credit Card</b>	
<input type="checkbox"/> Visa	<input type="checkbox"/> MasterCard
Expiration Date:	
Card No.:	
<b>FOR OFFICE USE ONLY</b>	
Reference I.D.:	
Authorization Code: _____ Date: _____	

Please indicate: <input type="checkbox"/> Mail <input type="checkbox"/> Hold	<input type="checkbox"/> Fed Ex. Standard Overnight	Comments:
	<input type="checkbox"/> Fed Ex. Priority Overnight	
	<input type="checkbox"/> UPS Overnight	
	Acct. No.	

4-Digit Vendor No.:	Ordered By:	Grand Total - Informational Proposals: x \$5.00
Company:		All plans in letting on CD: x \$25.00
Street Address:		Grand Total - 1/2 Size Plans: x \$.25
		Grand Total - Full Size Plans: x \$.50
PO Box:	City:	State:
		Zip Code:
Phone No. (include Area Code):		Fax No. (include Area Code):
		Tax Code
		Sales Tax
		%
Processed by:	Date:	Proposals/CD Filled:
		Blueprint Plans/Proposals Filled:
		Date:
		<b>Total</b>

*If requesting Plan or Proposal CD(s) only, your name will not appear on the Planholders list unless your company has been issued Bid Proposals or you submit the "Planholders Registration" from the NDOR website.*

**CD containing Informational Proposals for all projects in letting. (No Charge) Total Number Requested: →**

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. 1/2 size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
100	IM-NH-80-9(845)				
105	HSIP-5239(7)				
200	MAPA-5089(3)				
205	MAPA-5091(4)				
210	STP-91-7(108)				
215	MAPA-5121(2)				
220	MAPA-5097(1)				
225	MAPA-5099(1)				
400	STR-80-6(1041)				
600	IM-80-4(138)				
700	STP-183-1(115)				
800	STP-281-4(117)				

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. ½ size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
805 NH-83-4(115)					
810 NH-20-2(138)					
815 NH-20-4(123)					

**Standard Plans:** Refer to "Publication Order Form" for complete sets of Standard Plans and Standard/Special Plans Books

Number of Sets Requested	Standard Plan No.(s)	Number of Sheets Shown in List of Plans	Check Size		Total No. of Sheets	
			1/2	Full	1/2	Full
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		



