

October 6, 2011

TO ALL CONCERNED:

The Department of Roads has scheduled a bid letting to be held in this office November 3, 2011 at 1:30 p.m.

The Notice to Contractors includes:

1. Website Information
2. Notice to all Bidders
3. Ordering Instructions
4. Notices to Contractors including time allowances and lists of plans
5. Plan and Informational Proposal Order Form
6. R-125 "Request for Bidding Proposal Forms"

Projects containing DBE Goals are indicated in the "Notice to Contractors".

Please check the important letting information on the website frequently.

The last day to submit acceptable prequalification statements for this letting is by 5:00 p.m. on Monday, October 24, 2011.

Sincerely,

Kimberly K. Baker, Supervisor
Contract Lettings Section
Construction Division

KKB/em

WEBSITE INFORMATION

The Nebraska Department of Roads, Contract Lettings Section, will be utilizing the Internet as our means of communicating with the contracting industry.

Documents that are posted on the web are:

- Letting Schedule
- Notices to Contractors
- Informational Proposals
- Letting Plans
- List of Prequalified Contractors
- Planholders List
- Informational Addendums
- EBS (Electronic Bidding System)
- Apparent Low Bidders
- Bid Tabulations
- Standard Item Listing
- Awarded Average Unit Prices (AUP) Report

Hard copies of these documents will be available for inspection in the Contracts Office.

There will be a charge for reproduction of any of these documents.

The Website address is: www.Transportation.Nebraska.gov

If you have any questions as you are using our Website, please contact us at:

Nebraska Department of Roads
Contract Lettings Section
P.O. Box 94759
Lincoln, NE 68509-4759

Phone (402) 479-4525
FAX (402) 479-3803

Email: DOR.ContractLettings@nebraska.gov

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free “hotline” Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the “hotline” to report such activities.

The “hotline” is part of the DOT’s continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

ORDERING INSTRUCTIONS FOR PLANS AND PROPOSALS

Refer to the "Notice to Contractors" for the call order number, project number, and list of plans for each project.

Order forms are available on the NDOR website in PDF and Word format. Complete the appropriate forms as follows:

Request for Bidding Proposal Forms (R-125)

Bidders must submit an R-125, Request for Bidding Proposals Forms and be issued bid proposals prior to submitting bids.

Proposals to be used for bidding must be requested on this form. Bidding proposals will be issued only to contractors who are currently prequalified to bid with this department.

There is no charge for bid proposals.

Plan and Informational Proposal Order Form:

Payment is required prior to NDOR completing the order. This payment is not refundable.

Proposals to be used for information only can be ordered as follows:

1. Each individual project.
2. CD that contains all projects in letting. Does not contain addenda.

Plans for each project can be ordered as follows:

1. Complete set.
2. Set less Roadway Cross-Sections and Standards.
3. Set less Standards.
4. Set less Roadway Cross-Sections.
5. Individual sheets
6. CD that contains all projects in letting.

Prices are: Informational Proposals: \$5.00 each
CD containing Informational Proposals: No Charge
Plans per sheet: \$.25 for half-size (12" x 18")
\$.50 for full-size (24" x 36")
CD containing plans: \$25.00 each

Cost shown on the list of plans is for ½ size plans. Nebraska residents add appropriate state sales tax and city tax that is determined by delivery within cities imposing a sales tax.

Select the method of payment on the plan order form:

1. Credit Card (Visa or MasterCard only)
Orders with approved credit cards can be processed without delays.
2. Advanced payment account
Requires a money deposit with recommended \$200 minimum. Failure to have sufficient funds in your account to cover cost of the plans may delay the processing of your order.
This account may also be used to purchase other NDOR publications.
3. Check/cash
Send checks made payable to the Nebraska Dept. of Roads with your completed plan order form. Please do not mail cash.

To order complete sets of standard plans (1/2 size) please use the "Publications Order Form" available on the website. Cost is \$35.00 plus applicable sales tax. As new standards become available they may be purchased at \$0.25 per sheet.

Address: Nebraska Department of Roads
Contracts Section
1500 Highway 2
PO Box 94759
Lincoln NE 68509-4759

FAX (402) 479-3803

Phone: (402) 479-4525

Email: DOR.ContractLettings@nebraska.gov

October 10, 2008

NOTICE TO CONTRACTORS

CALL ORDER 100
 FEDERAL PROJECT NO. STP-BR-63-2(114)
 LOCATION: N-63, ALVO NORTH BRIDGES
 COUNTIES: CASS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 03, 2011. At that time the bids will be opened and read for GRAD CULV

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CULVERTS

START DATE 07/02/2012 WORKING DAYS 70
 Price Range \$ 250,000 to \$ 1,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 7.0 %

Plans and specifications may be seen beginning October 11, 2011 at the Lincoln Central Office and October 17, 2011 at the District Engineer's Office at LINCOLN

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	45	SHEETS	\$ 11.25
CROSS SECTIONS (SHEETS X1 THRU X42)	42	SHEETS	\$ 10.50
STANDARD PLANS	14	SHEETS	\$ 3.50

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-K	SUMMARY OF SOILS & GEOTECHNICAL INFORMATION
2-W1 - 2-W2	WETLANDS
2-H1 - 2-H6	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
3 - 6	PLAN & PROFILE SHEETS
7 - 8	PLAN SHEETS--EROSION CONTROL
9	TYPICAL TRAFFIC CONTROL PLAN--CONCRETE BARRIER PLACEMENT
10	TYPICAL TRAFFIC SIGNAL CONTROL PLAN FOR ONE LANE, TWO WAY OPERATION WITH BARRIERS
11	TEMPORARY TRAFFIC SIGNAL
12	TEMPORARY PAVEMENT MARKING PLAN
13 - 15	EARTHWORK DATA SHEETS
16 - 19	DRAINAGE STRUCTURE CROSS SECTIONS
20 - 21	SPECIAL PLAN 1C 9' X 9' TWIN SPAN RC BOX CULVERT STA. 240+20.50
22 - 23	SPECIAL PLAN 2C 12' X 8' TWIN SPAN RC BOX CULVERT STA. 318+48.50
24 - 25	SPECIAL PLAN 3C CONCRETE HEADWALL (FOR 36" - 60" CORRUGATED METAL PIPES WITH NO SKEW)
26	SPECIAL PLAN 4C CONCRETE HEADWALL (FOR 12" - 30" CORRUGATED METAL PIPES WITH NO SKEW)
27	SPECIAL PLAN 5C CONCRETE HEADWALL (FOR 36" - 60" CORRUGATED METAL PIPES WITH NO SKEW)
28	SPECIAL PLAN 6C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
29 - 30	SPECIAL PLAN 7C TEMPORARY SILT CHECKS
31 - 32	SPECIAL PLAN 8C CONCRETE PROTECTION BARRIER
R1 - R2	RIGHT-OF-WAY SHEETS
X1 - X42	CROSS SECTIONS

STANDARD PLANS

329-R9	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
804	PRECAST CONCRETE R.O.W. MARKER
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION	3,585	CY
EXCAVATION, BORROW	3,030	CY
WATER	22	MGAL
RIGHT-OF-WAY MARKERS	10	EACH
REMOVE ASPHALT SURFACE	150	SY
24" DRIVE PIPE 2,3,4,5,6,7 OR 8	88	LF
GRAVEL SURFACE COURSE	5	TON
8" DOWELED CONC PAVE, CLASS 47B-3500	294	SY
TEMPORARY SURFACING	1,422	SY
8"		
STABILIZED SUBGRADE	294	SY
TYPE FLY ASH		
EARTH SHOULDER CONSTRUCTION	2	STA
FLY ASH	9	TON
COVER CROP SEEDING	1	ACRE
EROSION CONTROL, CLASS 1D	7,927	SY
EROSION CONTROL, CLASS 2A	692	SY
EROSION CHECKS, TYPE 1D	66	BALE
EROSION CHECKS, TYPE 2A	60	BALE
FABRIC SILT FENCE-LOW POROSITY	1,255	LF

GROUP 4 CULVERT AT STA. 240+20.50

MOBILIZATION	LUMP	LUMP
REMOVAL OF UNSUITABLE MATERIAL	158	CY
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	51	CY
EXCAVATION FOR BOX CULVERTS	423	CY
TEMPORARY SHORING	LUMP	LUMP
47B-3000 CONC FOR HDWL	1	CY
47B-3000 CONC FOR BOX CULV	245	CY
RE-STEEL FOR HEADWALL	270	LB
RE-STEEL FOR BOX CULVERT	22,136	LB
REMOVE STRUCTURE	1	EACH
AT STA. 240+20.50		
GRANULAR BACKFILL	198	TON
24" CULV PIPE 3,4,5,6	40	LF
36" CULV PIPE 3,4,5,6	30	LF

GROUP 4A CULVERT AT STA. 318+48.50

MOBILIZATION	LUMP	LUMP
REMOVAL OF UNSUITABLE MATERIAL	174	CY
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	87	CY
EXCAVATION FOR BOX CULVERTS	428	CY
TEMPORARY SHORING	LUMP	LUMP
47B-3000 CONC FOR HDWL	6	CY
47B-3000 CONC FOR BOX CULV	299	CY
RE-STEEL FOR HEADWALL	982	LB
RE-STEEL FOR BOX CULVERT	22,384	LB

REMOVE STRUCTURE	1 EACH
AT STA. 318+52.22	
GRANULAR BACKFILL	218 TON
48" CULV PIPE 3,4,5	58 LF
24" CULV PIPE 3,4,5,6	34 LF

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	1,880 BDAY
BARRICADE, TYPE III	1,410 BDAY
SIGN DAY	7,730 EACH
CONTRACTOR FURNISHED SIGN DAY	360 EACH
TEMP PAVEMENT MARKING REMOVAL	5,400 LF
PAVEMENT MARKING REMOVAL	4,400 LF
TEMP PVMT MARKING, TYPE PAINT	9,200 LF
TEMP PVMT MARKING SURF PREP	5,400 LF
FLAGGING	10 DAY
CONCRETE PROTECTION BARRIER	1,225 LF
RELOCATE CONC PROTECTION BARRIER	475 LF
TEMPORARY RUMBLE STRIP	8 EACH
TEMPORARY TRAFFIC SIGNAL	2 EACH
TRAFFIC CONTROL MANAGEMENT	125 DAY
FIELD OFFICE	1 EACH
MOBILIZATION	LUMP LUMP
RENTAL OF LOADER, FULLY OPERATED	20 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	20 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	20 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	20 HOUR
TEMPORARY SILT CHECK	200 LF
TEMPORARY SILT FENCE	500 LF
TEMPORARY MULCH	1 TON

NOTICE TO CONTRACTORS

CALL ORDER 105
 FEDERAL PROJECT NO. STPD-8-7(113)
 LOCATION: N-99/N-8, BURCHARD SOUTH
 COUNTIES: PAWNEE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 03, 2011. At that time the bids will be opened and read for CULV GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 4.6 MILES
 START DATE 05/29/2012 WORKING DAYS 60
 Price Range \$ 1,000,000 to \$ 3,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning October 11, 2011 at the Lincoln Central Office and October 17, 2011 at the District Engineer's Office at LINCOLN. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	39 SHEETS	\$	9.75
CROSS SECTIONS (SHEETS X1 THRU X30)	30 SHEETS	\$	7.50
STANDARD PLANS	13 SHEETS	\$	3.25

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T3	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-W1 - 2-W5	WETLANDS
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
3 - 7	PLAN SHEETS
8	TEMPORARY PAVEMENT MARKING PLAN
9	EARTHWORK DATA SHEET
10 - 12	DRAINAGE STRUCTURE CROSS SECTIONS
13 - 14	SPECIAL PLAN 1C 4' X 4' SINGLE SPAN RC BOX CULVERT STA. 891+65.00
15	SPECIAL PLAN 2C CONCRETE APRON STA. 891+65.00
16 - 17	SPECIAL PLAN 3C 8' X 5' SINGLE SPAN RC BOX CULVERT STA. 925+08.00
18 - 19	SPECIAL PLAN 4C 5' X 4' SINGLE SPAN RC BOX CULVERT STA. 955+60.00
20 - 24	SPECIAL PLAN 5C CABLE GUARDRAIL
R1 - R3	RIGHT-OF-WAY SHEETS
X1 - X29	CROSS SECTIONS

STANDARD PLANS

307-R1	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
804	PRECAST CONCRETE R.O.W. MARKER
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
RIPRAP FILTER FABRIC		116 SY
PREPARATION OF STRUCTURE AT STA. 891+65.00		1 EACH
PREPARATION OF STRUCTURE AT STA. 925+08.00		1 EACH
PREPARATION OF STRUCTURE AT STA. 955+60.00		1 EACH
EXCAVATION FOR BOX CULVERTS		41 CY
47B-3000 CONC FOR BOX CULV		40 CY
RE-STEEL FOR BOX CULVERT		2,640 LB
ROCK RIPRAP, TYPE B		92 TON

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
CABLE GUARDRAIL		2,752 LF
TERMINAL ANCHORAGE SECTIONS		12 EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES		726 STA
OVERLAY SOLID LINES		1,452 STA
MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
RIGHT-OF-WAY MARKERS		10 EACH
EARTHWORK MEASURED IN EMBANKMENT		3,556 CY
GRAVEL SURFACE COURSE		90 TON
CRUSHED ROCK SURFACE COURSE		55 TON
SPEC SURF CRSE FOR MAILBOX TURNOUTS		94 SY
MAILBOX POST		5 EACH
REMOVE GUARDRAIL		2,960 LF
HYDRATED LIME		221 TON
HYDRATED LIME FOR ASPHALT MIXTURES		138 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		10 TON
HYDRATED LIME SLURRY STABILIZATION		244 STA
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR		1,000 TON
ASPH CONC, TYPE SPR		13,310 TON
PLACE ASPH CONC FOR DRIVE & INTER		3,159 SY
ASPH CONCRETE FOR PATCHING, TYPE SPR		500 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH		50 TON
PERF GRADED BINDER (64-34)		390 TON
EMUL ASPH FOR HYDRATE LIME STABILIZATION		60,010 GAL
TACK COAT		16,000 GAL
FOG SEAL		7,620 GAL
WATER		142 MGAL
EARTH SHOULDER CONSTRUCTION		496 STA
TRENCHED WIDENING		480 STA
SURFACE UNDER GUARDRAIL		2,646 SY
RAP INCENTIVE PAYMENT		23,477 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B		18 ACRE
EROSION CONTROL, CLASS 1C		7,010 SY
FABRIC SILT FENCE-LOW POROSITY		3,699 LF
MULCH		41 TON

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	9,856	BDAY
BARRICADE, TYPE III	1,776	BDAY
TEMPORARY SIGN DAY	270	EACH
SIGN DAY	5,872	EACH
FLAGGING	50	DAY
FURNISHING AND OPERATING PILOT VEHICLE	25	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	90	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	90	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	90	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	40	HOUR
TEMPORARY SILT FENCE	500	LF
TEMPORARY MULCH	4	TON

NOTICE TO CONTRACTORS

CALL ORDER 110
 FEDERAL PROJECT NO. STPD-103-1(108)
 LOCATION: N-103, CRETE NORTH
 COUNTIES: SALINE SEWARD

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 03, 2011. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 10.8 MILES
 START DATE 05/29/2012 WORKING DAYS 90
 Price Range \$ 3,000,000 to \$ 6,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning October 11, 2011 at the Lincoln Central Office and October 17, 2011 at the District Engineer's Office at LINCOLN
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	72 SHEETS	\$	18.00
STANDARD PLANS	10 SHEETS	\$	2.50

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T8	TYPICAL CROSS SECTIONS
2-S1 - 2-S4	SUMMARY OF QUANTITIES
2-A1 - 2-A22	PHOTO MAPS
2-H1 - 2-H7	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION
2-N2 - 2-N3	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3 - 24	PLAN SHEETS
25	TYPICAL TRAFFIC SIGNAL CONTROL PLAN--ONE LANE, TWO WAY OPERATION WITHOUT BARRIERS
26	TEMPORARY TRAFFIC SIGNAL
27	TEMPORARY PAVEMENT MARKING PLAN
28	PAVEMENT MARKING DETAILS
29	SPECIAL PLAN 1C PAVEMENT APPROACH REPAIR

STANDARD PLANS

307-R1	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
502	SILT FENCE DETAILS
901-R9	HIGHWAY DELINEATORS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	22,570 BDAY
BARRICADE, TYPE III	871 BDAY
TEMPORARY SIGN DAY	1,260 EACH
SIGN DAY	19,885 EACH
OVERLAY BROKEN LINES	1,643 STA
OVERLAY SOLID LINES	3,286 STA

FLAGGING	180 DAY
FURNISHING AND OPERATING PILOT VEHICLE	85 DAY
TEMPORARY RUMBLE STRIP	8 EACH
TEMPORARY TRAFFIC SIGNAL	2 EACH
TRAINING	500 HOUR
MOBILIZATION	LUMP LUMP
DELINEATOR, TYPE III	24 EACH
INSTALL CHEVRONS	16 EACH
REMOVE ASPH SURF FROM PAVEMENT	462 SY
GRAVEL SURFACE COURSE	180 TON
SPEC SURF CRSE FOR MAILBOX TURNOUTS	1,390 SY
MAILBOX POST	23 EACH
CONCRETE CURB REPAIR	47 LF
CONC PVMT REPAIR TYPE A FULL DEPTH	18 CY
CONC PVMT REPAIR TYPE B FULL DEPTH	187 CY
CONC PVMT REPAIR TYPE C FULL DEPTH	566 CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH	23 CY
CONC PVMT REPAIR TYPE B PARTIAL DEPTH	1 CY
CONC PVMT, PR-3500	459 CY
JOINT REPAIR	
BRIDGE APPROACH REPAIR	71 CY
24" WHT WET RFLC PRF PVMT MKNG T4 GVD	48 LF
RR XING WET RFLC PRF PVMT MKNG, T 4 GVD	1 EACH
HYDRATED LIME FOR ASPHALT MIXTURES	446 TON
FOUNDATION COURSE REPLACEMENT	34 CY
ASPH CONC, TYPE LC	8,430 TON
ASPH CONC, TYPE SPR	35,980 TON
PLACE ASPH CONC FOR DRIVE & INTER	6,876 SY
ASPH CONCRETE FOR PATCHING, TYPE LC	100 TON
PERF GRADED BINDER (70-34)	648 TON
PERF GRADED BINDER (64-34)	1,367 TON
TACK COAT	43,800 GAL
RENTAL OF LOADER, FULLY OPERATED	20 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	10 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	20 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	20 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10 HOUR
WATER	249 MGAL
EARTH SHOULDER CONSTRUCTION	994 STA
TRENCHED WIDENING	991 STA
COLD MILLING, CLASS 3	72 STA
RUMBLE STRIPS, ASPHALT 8"	1,145 STA
RUMBLE STRIPS, CONCRETE 8"	72 STA
RAP INCENTIVE PAYMENT	75,684 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP
SEEDING, TYPE B	18 ACRE
COVER CROP SEEDING	1 ACRE
TEMPORARY SILT FENCE	1,000 LF
TEMPORARY MULCH	4 TON
MULCH	41 TON

NOTICE TO CONTRACTORS

CALL ORDER 115
FEDERAL PROJECT NO. URB-6217(3)
LOCATION: 4TH CORSO-NEBRASKA CITY
COUNTIES: OTOE

The Nebraska Department of Roads will receive sealed bids for the CITY OF NEBRASKA CITY in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on November 03, 2011. At that time the bids will be opened and read for GRAD ELEC BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 2.9 MILES
START DATE 05/14/2012 WORKING DAYS 70
Price Range \$ 1,000,000 to \$ 3,000,000
THIS PROJECT CONTAINS A DBE GOAL OF 7.0 %

Plans and specifications may be seen beginning October 11, 2011 at the Lincoln Central Office and October 17, 2011 at the District Engineer's Office at LINCOLN

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	63 SHEETS	\$	15.75
STANDARD PLANS	22 SHEETS	\$	5.50

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-H	HORIZONTAL CONTROL
2-N1 - 2-N5	GENERAL INFORMATION
2-N6 - 2-N9	GENERAL INFORMATION--INTERSECTION DETAILS
2-P1 - 2-P4	PHASING PLANS--CONSTRUCTION PHASING
2-L1	GEOMETRICS, JOINTS, & GRADES
2-L2 - 2-L12	CONSTRUCTION
2-L13 - 2-L23	EROSION CONTROL
3	PLAN SHEET--RETAINING WALL PROFILES
4 - 6	PLAN SHEETS--TRAFFIC SIGNALS
7 - 20	PLAN SHEETS--PAVEMENT MARKING & SIGNING
21	TEMPORARY PAVEMENT MARKING PLAN
22	SPECIAL PLAN 1C CURB RAMPS
23	SPECIAL PLAN 2C CURB WALLS
24	SPECIAL PLAN 3C WALL STEP DETAILS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
309	MAILBOX SUPPORT POST
329-R9	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
502	SILT FENCE DETAILS
910-R2	SIGNAL FACE CONFIGURATION
911-R1	SIGNAL MOUNTING
912-R4	TRAFFIC SIGNAL POLE DETAILS
914-R6	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
REMOVE PAVEMENT	2,026	SY
REMOVE ASPHALT SURFACE	177	SY
REMOVE BRICK SURFACE	4,867	SY
REMOVE WALK	1,086	SY
REMOVE	1,451	SY
GRAVEL SURFACING		
REMOVE AND RESET MAILBOX AND POST	69	EACH
REMOVE GUARDRAIL	293	LF
FABRIC SILT FENCE-LOW POROSITY	1,476	LF

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
STREET NAME SIGN	4	EACH
TYPE A SIGN	1,372	SF
SIGN POST	181	EACH
PULL BOX, TYPE PB-1	1	EACH
PULL BOX, TYPE PB-1A	4	EACH
PULL BOX, TYPE PB-2	4	EACH
TRAFFIC SIGNAL, TYPE TS-1	8	EACH
TRAF SIG CONTROL, TYPE TC-2070	1	EACH
PEDESTRIAN SIGNAL, TYPE PS-1	8	EACH
PEDESTRIAN PUSHBUTTON, PPB	8	EACH
PEDESTAL POLE, TYPE PP-10	2	EACH
VEHICLE DETECTOR, TYPE A PREFORMED	16	EACH
C.M.A. SIG & LGHT POLE, CMP-25-12	1	EACH
C.M.A. SIG & LGHT POLE, CMP-40-12	2	EACH
C.M.A. SIG & LGHT POLE, CMP-45-12	1	EACH
2" CONDUIT IN TRENCH	89	LF
3" CONDUIT IN TRENCH	27	LF
4" CONDUIT IN TRENCH	12	LF
2" CONDUIT, JACKED	53	LF
3" CONDUIT, JACKED	263	LF
2/C #14 AWG TRAF SIG CABLE	784	LF
3/C #14 AWG TRAF SIG CABLE	784	LF
12/C #14 AWG TRAF SIG CABLE	370	LF
2/C #14 AWG DETECTOR LEAD-IN CABLE	903	LF
GROUNDING CONDUCTOR	229	LF
1/C #6 BARE		
GROUNDING CONDUCTOR	73	LF
1/C #8 BARE		
STREET LIGHT CABLE, NO. 4 USE	446	LF
STREET LIGHT CABLE, NO. 6 USE	60	LF
UNINTERRUPTIBLE POWER SUPPLY	1	EACH
REMOVE TRAFFIC SIGNAL	1	EACH

GROUP 9 BITUMINOUS

PAVEMENT MARKING REMOVAL	2,868	LF
OVERLAY BROKEN LINES	427	STA
OVERLAY SOLID LINES	528	STA
MOBILIZATION	LUMP	LUMP
SAWING PAVEMENT	2,202	LF
CONCRETE CURB REPAIR	727	LF

CONC 47B-3000 SIDEWALKS	1,532	SY
DETECTABLE WARNING PANEL	664	SF
6" CONCRETE BASE COURSE	1,684	SY
CONC PVMT REPAIR TYPE A FULL DEPTH	16	SY
CONC PVMT REPAIR TYPE B FULL DEPTH	70	SY
CONC PVMT REPAIR TYPE C FULL DEPTH	1,584	SY
10" CONC PVMT, 47B-3500	478	SY
CONC PVMT, PR-3500	100	SY
JOINT REPAIR		
47BD-3500 CONCRETE FOR CURB WALL	6	CY
47BD-3500 CONC FOR STEP	2	CY
RE-STEEL FOR CURB WALL	1,546	LB
RE-STEEL FOR STEP	155	LB
AREA INLET SEDIMENT FILTER	10	EACH
CURB INLET SEDIMENT FILTER	14	EACH
PEDESTRIAN HANDRAIL	38	LF
4" YELLOW THERMOPLASTIC	20,048	LF
4" WHITE THERMOPLASTIC	16,217	LF
12" WHITE THERMOPLASTIC	168	LF
12" YELLOW THERMOPLASTIC	157	LF
24" WHITE THERMOPLASTIC	420	LF
LEFT ARROW PREF PVMT MARKING T-4 GROOVED	4	EACH
RT. ARROW PREF PVMT MARKING T-4 GROOVED	4	EACH
4" WHT POLYUREA PVMT MRKING, GROOVED	5,084	LF
12" WHT POLYUREA PVMT MRKING, GROOVED	24	LF
4" YEL POLYUREA PVMT MRKING, GROOVED	5,263	LF
RR XING SYMBOL PREF PVMT MRKING T-4 GRVD	2	EACH
HYDRATED LIME FOR ASPHALT MIXTURES	121	TON
FOUNDATION COURSE REPLACEMENT	140	CY
ASPH CONC, TYPE SPR	13,560	TON
PERF GRADED BINDER (64-34)	459	TON
TACK COAT	12,090	GAL
WATER	49	MGAL
EARTH SHOULDER CONSTRUCTION	166	STA
SUBGRADE PREPARATION	2,162	SY
COLD MILLING, CLASS 3	36,972	SY
COLD MILLING, CLASS 3	12,960	SY
TYPE A		
CONC SURF MILLING	11,329	SY
FABRIC REINF CRACK REPAIR	1,000	LF
RAP INCENTIVE PAYMENT	20,553	EACH
ASPH PVMT SMOOTHNESS TESTING	LUMP	LUMP
SODDING	4,732	SY

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	4,200	BDAY
BARRICADE, TYPE III	78	BDAY
TEMPORARY SIGN DAY	1,000	EACH
SIGN DAY	5,028	EACH
CONTRACTOR FURNISHED SIGN DAY	26	EACH
FLAGGING	280	DAY
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	15	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	15	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	15	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	15	HOUR

NOTICE TO CONTRACTORS

CALL ORDER 120
 FEDERAL PROJECT NO. LCLC-5249(7)
 LOCATION: LINCOLN CITY STREET MICROSURFACE
 COUNTIES: LANCASTER

The Nebraska Department of Roads will receive sealed bids for the CITY OF LINCOLN in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on November 03, 2011. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

START DATE 05/29/2012 CALENDAR DAYS 74
 Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning October 11, 2011 at the Lincoln Central Office and October 17, 2011 at the District Engineer's Office at LINCOLN. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	54	SHEETS	\$	13.50
STANDARD PLANS	5	SHEETS	\$	1.25

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T8	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-H1 - 2-H6	HORIZONTAL & VERTICAL CONTROL
2-N	GENERAL NOTES
3 - 6	DETOUR LOCATION MAPS
7 - 36	PAVEMENT MARKING & SIGNING
37	SPECIAL PLAN--CROSSWALK LAYOUT
38	SPECIAL PLAN--PARKING LAYOUT
39	SPECIAL PLAN--GENERAL MARKINGS LAYOUT

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
924	(3 SHEETS)	TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	3,000	BDAY
BARRICADE, TYPE III	313	BDAY
TEMPORARY SIGN DAY	979	EACH
CONTRACTOR FURNISHED SIGN DAY	313	EACH
TEMPORARY LANE MARKERS, WHITE	1,338	EACH
TEMPORARY LANE MARKERS, YELLOW	1,022	EACH
PAVEMENT MARKING REMOVAL	61,382	LF
TEMPORARY PAVEMENT MARKING	14,567	LF
TYPE PAINT, 4" WHITE		
TEMPORARY PAVEMENT MARKING	32,643	LF
TYPE PAINT, 4" YELLOW		
TEMPORARY PAVEMENT MARKING	4,272	LF
TYPE PAINT, 8" WHITE		
TEMPORARY PAVEMENT MARKING	331	LF
TYPE PAINT, 12" WHITE		
FLASHING ARROW PANEL	57	DAY

FLAGGING	86 DAY
MOBILIZATION	LUMP
REMOVE	8 EACH
PAVEMENT MARKING SYMBOLS	
4" YELLOW THERMOPLASTIC	32,643 LF
4" WHITE THERMOPLASTIC	14,567 LF
8" WHITE THERMOPLASTIC	4,272 LF
12" WHITE THERMOPLASTIC	331 LF
24" WHITE THERMOPLASTIC	3,140 LF
ARROW, PREF PVMT MRKING T-4	7 EACH
ONLY, PREF PVMT MRKING T-4	1 EACH
AGG FOR MICROSURFACING	1,605 TON
MIN FILLER FOR MICROSURFACING	33 TON
MICROSURFACING PLACEMENT	297 STA
EMUL ASPH FOR MICROSURFACING	55,160 GAL

NOTICE TO CONTRACTORS

CALL ORDER 125
 FEDERAL PROJECT NO. LCLC-5230(2)
 LOCATION: LINCOLN DOWNTOWN STREET RESURFACING
 COUNTIES: LANCASTER

The Nebraska Department of Roads will receive sealed bids for the CITY OF LINCOLN in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on November 03, 2011 . At that time the bids will be opened and read for ELEC BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

START DATE 03/12/2012 CALENDAR DAYS 236
 Price Range \$ 3,000,000 to \$ 6,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 8.0 %

Plans and specifications may be seen beginning October 11, 2011 at the Lincoln Central Office and October 17, 2011 at the District Engineer's Office at LINCOLN Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	186	SHEETS	\$	46.50
STANDARD PLANS	5	SHEETS	\$	1.25

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL SECTIONS
2-S	SUMMARY OF QUANTITIES
2-H	HORIZONTAL & VERTICAL CONTROL
2-N	GENERAL NOTES
2-L1 - 2-L54	CONSTRUCTION & REMOVAL
2-L55 - 2-L108	CURB RAMP/SIDEWALK CONSTRUCTION/REMOVAL
3 - 31	PAVEMENT MARKING
32 - 50	TRAFFIC SIGNAL & LIGHTING
51	SPECIAL PLAN--CURBSIDE MAIL BOX INSTALLATION
52	SPECIAL PLAN--TYPICAL UTILITY ADJUSTMENT
53	SPECIAL PLAN--GROUND SLEEVE LOCATION
54	SPECIAL PLAN--SIGNAL HEAD ARRANGEMENT & LEGEND
55	SPECIAL PLAN--CONDUIT REPAIR, LOCATE STICK, & PULL BOXES
56	SPECIAL PLAN--FOUNDATIONS & BASES
57	SPECIAL PLAN--POLE CABLE
58 - 60	SPECIAL PLAN--MAST ARM POLES
61	SPECIAL PLAN--PEDESTAL MOUNTED
62	SPECIAL PLAN--VEHICLE DETECTORS
63	SPECIAL PLAN--STREET LIGHT POLES
64	SPECIAL PLAN--SIGNAL HEAD PLACEMENT
65	SPECIAL PLAN--MONUMENT BOX
66 - 68	SPECIAL PLAN--SIDEWALK/CURB RAMP RETROFIT APPLICATIONS
69	SPECIAL PLAN--CURB DETAILS
70	SPECIAL PLAN--CROSSWALK LAYOUT
71	SPECIAL PLAN--BIKE LANE & PARKING LAYOUT
72	SPECIAL PLAN--GENERAL MARKINGS LAYOUT
73	SPECIAL PLAN--RAISED PAVEMENT MARKER LAYOUT
74	SPECIAL PLAN--METRO STREET SIGN LAYOUT
75	SPECIAL PLAN--AREAWAY MAP

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
924	(3 SHEETS)	TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8B ELECTRICAL

GROUND SLEEVE		1 EACH
MOBILIZATION	LUMP	LUMP
TYPE A SIGN		414 SF
SIGN POST		78 LF
U CHANNEL		
RELOCATE SIGN		14 EACH
PULL BOX, TYPE PB-9		56 EACH
PULL BOX, TYPE FOR-27		37 EACH
TRAFFIC SIGNAL, TYPE TS-1		66 EACH
CABINET		7 EACH
TYPE C		
PEDESTRIAN SIGNAL, TYPE PS-1		52 EACH
PEDESTAL POLE		1 EACH
TYPE 3		
VEHICLE DETECTOR		30 EACH
4 TURNS		
ST LIGHT UNIT, SL-A-35-6/6		1 EACH
ST LIGHT UNIT SL-A-40-6		9 EACH
LUMINAIRE		27 EACH
TYPE 400W		
C.M.A. SIG & LGHT P CMP-24-6		1 EACH
C.M.A. SIG & LGHT P CMP-26-6		1 EACH
C.M.A. SIG & LGHT POLE, CMP-34-6		1 EACH
C.M.A. SIG & LIGHT POLE CMP-46-6		1 EACH
C.M.A. SIG & LGHT POLE, CMP-55-6		7 EACH
C.M.A. SIG & LGHT POLE, CMP-55-6/6		1 EACH
C.M.A. SIG & LGHT POLE, CMP-65-6		2 EACH
C.M.A. SIGNAL & LIGHT POLE CMP-75-6		1 EACH
1/2" CONDUIT IN TRENCH		160 LF
1 1/2" CONDUIT IN TRENCH		137 LF
2" CONDUIT IN TRENCH		170 LF
3" CONDUIT IN TRENCH		348 LF
4" CONDUIT IN TRENCH		241 LF
1 1/2" CONDUIT, JACKED		33 LF
2" CONDUIT, JACKED		1,504 LF
3" CONDUIT, JACKED		156 LF
4" CONDUIT, JACKED		2,828 LF
3/C #14 AWG TRAF SIG CABLE		7,351 LF
5/C #14 AWG TRAF SIG CABLE		1,431 LF
12/C #14 AWG TRAF SIG CABLE		2,080 LF
LEAD-IN CABLE		9,363 LF
CAMERA CONTROL CABLE		125 LF
CAMERA POWER CABLE		37 LF
EMERGENCY DETECTOR CABLE		440 LF
TRACER WIRE		11,937 LF
12 STRAND SINGLE MODE FIBER		2,845 LF
GROUND ROD		9 EACH
SERVICE CABLE		632 LF
NO. 4		
SERVICE CABLE		4,478 LF
NO. 6		
STREET LIGHT CABLE, NO. 2 USE		706 LF
STREET LIGHT CABLE, NO. 4 BARE		293 LF
STREET LIGHT CABLE, NO. 4 USE		1,192 LF
STREET LIGHT CABLE, NO. 6 BARE		441 LF
STREET LIGHT CABLE, NO. 6 USE		6,558 LF
STREET LIGHT CABLE, NO. 8 BARE		3,888 LF
STREET LIGHT CABLE, NO. 8 USE		150 LF
REMOVE TRAFFIC SIGNAL		1 EACH
AT 13TH AND N STREET		
REMOVE TRAFFIC SIGNAL		1 EACH
AT 14TH AND N STREET		

REMOVE TRAFFIC SIGNAL AT CENTENNIAL MALL AND N STREET	1 EACH
REMOVE TRAFFIC SIGNAL AT 9TH AND Q STREET	1 EACH
REMOVE TRAFFIC SIGNAL AT 10TH AND Q STREET	1 EACH
REMOVE TRAFFIC SIGNAL AT 16TH AND Q STREET	1 EACH
REMOVE TRAFFIC SIGNAL AT 17TH AND Q STREET	1 EACH
REMOVE PULL BOX	43 EACH
RELOCATE CABLE	722 LF
RELOCATE AND ADJUST EMERGENCY RECEIVER	5 EACH
TRAFFIC MONITORING CAMERA HARDWARE	1 EACH

GROUP 9 BITUMINOUS

PERMANENT PAVEMENT MARKING PAINT	9,039 LF
MOBILIZATION	LUMP LUMP
REMOVE PAVEMENT	290 SY
SAWING PAVEMENT	13,229 LF
REMOVE BRICK PAVER	1,079 SY
REMOVE WALK	6,870 SY
REMOVE COMBINATION CURB AND GUTTER	637 LF
REMOVE BARRIER CURB	3,713 LF
CONC 47B-3500 BARRIER CURB	3,247 LF
CONC 47B-3500 BARRIER CURB COLORED	463 LF
COMB CONC 47B-3500 CURB & GUTTER	637 LF
6" CONC 47B-3000 SIDEWALKS	6,838 SY
6" CONC 47B-3000 SIDEWALKS COLORED	378 SY
DETECTABLE WARNING PANEL	3,942 SF
INSTALL BRICK PAVERS	913 SY
ADJUST MANHOLE TO GRADE	91 EACH
CURB INLET SEDIMENT FILTER	300 EACH
SEALING CONCRETE SURFACES	7,321 SY
4" WHITE THERMOPLASTIC, GROOVED	38,637 LF
4" YELLOW THERMOPLASTIC, GROOVED	5,685 LF
6" WHITE THERMOPLASTIC, GROOVED	6,570 LF
12" WHITE THERMOPLASTIC, GROOVED	212 LF
12" YELLOW THERMOPLASTIC, GROOVED	214 LF
24" WHITE THERMOPLASTIC, GROOVED	11,307 LF
THRU ARROW PREF PVMT MARKING T-4, GVD	3 EACH
ONLY, PREF PVMT MRKING T-4, GROOVED	18 EACH
ARROW, PREF PVMT MRKING T-4 GROOVED	72 EACH
RIGHT/THRU ARROW PREF PVMT MKING T-4 GVD	10 EACH
LEFT/THRU ARROW PREF PVMT MKING T-4 GVD	7 EACH
END SYM PREF PVMT MRKING T-4, GVD	2 EACH
BIKE SYM PREF PVMT MRKING T-4, GVD	26 EACH
BIKE ARROW PREF PVMT MRKING T-4, GVD	24 EACH
BASE REPAIR	250 SY
CLASS PR1-3500 ASPHALTIC CONCRETE	18,855 TON
TYPE 1	
COLD MILLING, CLASS 3	163,754 SY
SEEDING, TYPE B	1 ACRE
ADJUST WATER VALVE BOX & COVER TO GRADE	116 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	16,640	B	DAY
BARRICADE, TYPE III	360	B	DAY
TEMPORARY SIGN DAY	8,178	E	EACH
SIGN DAY	3,720	E	EACH
CONTRACTOR FURNISHED SIGN DAY	620	E	EACH
FLASHING ARROW PANEL	222	D	DAY
FLAGGING	700	D	DAY
TRAINING	500	H	OUR
MOBILIZATION	LUMP	L	LUMP
CONSTRUCTION STAKING AND SURVEYING	LUMP	L	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 130
 FEDERAL PROJECT NO. ENH-34(38)
 LOCATION: BEATRICE HOMESTEAD TRAIL CORTLAND-PICKRELL
 COUNTIES: GAGE

The Nebraska Department of Roads will receive sealed bids for the CITY OF BEATRICE in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on November 03, 2011. At that time the bids will be opened and read for GRADING

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: GRADING

Length: 8.8 MILES
 START DATE 06/18/2012 WORKING DAYS 95
 Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning October 11, 2011 at the Lincoln Central Office and October 17, 2011 at the District Engineer's Office at LINCOLN. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS	25	SHEETS	\$	6.25

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
- 3 LOCATION MAP
- 4 SYMBOLS & ABBREVIATIONS
- 5 SIGN & BOLLARD DETAILS
- 6 BOLLARD & SWING GATE DETAILS
- 7 TYPICAL TRAIL CROSS SECTION
- 8 - 22 CENTERLINE CHAIN & SECTION TIES
- 23 - 25 PLAN & PROFILE SHEETS
- BRIDGE DETAILS

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

BARRICADE, TYPE III	508	BDAY
SIGN DAY	3,340	EACH
CONTRACTOR FURNISHED SIGN DAY	254	EACH
MOBILIZATION	LUMP	LUMP
LINEAR GRADING	8	MILE
CRUSHED ROCK SURFACE COURSE	5,678	CY
BRIDGE RAIL	3,598	LF
BRIDGE DECKING	2,089	SF
BRIDGE DECK SUPPORTS	30	EACH
AT STA. 431+79.84		
WIDENING OF DECK	160	LF
ON BRIDGE #3 & #16		
SWING GATE	16	EACH
CABLE FENCE	1,045	LF
AT R-O-W		
REMOVE SIGN	2	EACH

SIGN	14 EACH
R1-1/R5-3	
SIGN	2 EACH
R1-1	
SIGN	2 EACH
R5-3	
SIGN	14 EACH
W11-1	
SIGN	2 EACH
W11-1 (MATERIAL ONLY)	
SIGN	2 EACH
D11-1 (MATERIAL ONLY)	
TRAIL MILEAGE MARKER	35 EACH
SEEDING, TYPE B	17 ACRE
MULCH	38 TON

NOTICE TO CONTRACTORS

CALL ORDER 135
 FEDERAL PROJECT NO. BR-77-2(159)
 LOCATION: US-77, OTOE CREEK BRIDGE NORTH OF N-64
 COUNTIES: SAUNDERS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 03, 2011 . At that time the bids will be opened and read for GRAD CONC PAVE CULV BR GDRL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES

START DATE 05/21/2012 WORKING DAYS 115
 Price Range \$ 500,000 to \$ 2,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning October 11, 2011 at the Lincoln Central Office and October 17, 2011 at the District Engineer's Office at LINCOLN

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	76	SHEETS	\$	19.00
CROSS SECTIONS (SHEETS X1 THRU X29)	29	SHEETS	\$	7.25
STANDARD PLANS	16	SHEETS	\$	4.00

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES & DETOUR LOCATION MAP
2-W	WETLANDS
2-H1 - 2-H3	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N2	GENERAL INFORMATION
2-L1 - 2-L2	EROSION CONTROL
3	PLAN & PROFILE SHEET
4	PLAN SHEET
5	TYPICAL TRAFFIC CONTROL PLAN--YIELD CONTROL FOR LOW VOLUME, ONE LANE, TWO WAY TRAFFIC (CONCRETE PROTECTION BARRIERS)
6	EARTHWORK DATA SHEET
7 - 8	DRAINAGE STRUCTURE CROSS SECTIONS
9 - 29	SPECIAL PLAN 1 NU1350 PRESTRESSED CONCRETE GIRDER BRIDGE STA. 108+10.00
30 - 51	SPECIAL PLAN 2 STEEL WELDED PLATE GIRDER BRIDGE STA. 108+10.00
52 - 54	SPECIAL PLAN 1C HEADWALL WITH WINGS & PAVED APRON STA. 108+50.00
55 - 61	SPECIAL PLAN 2C GUARDRAIL PLAN
62	SPECIAL PLAN 3C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
63 - 64	SPECIAL PLAN 4C TEMPORARY SILT CHECKS
65 - 66	SPECIAL PLAN 5C CONCRETE PROTECTION BARRIER
X1 - X29	CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
329-R9	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		92 MGAL
EARTHWORK MEASURED IN EMBANKMENT		9,248 CY
REMOVE PAVEMENT		2,483 SY
REMOVE & SALVAGE GUARDRAIL		300 LF
EROSION CONTROL, CLASS 1D		12,304 SY
EROSION CONTROL, CLASS 1F		137 SY
EROSION CHECKS, TYPE 1D		36 BALE
EROSION CHECKS, TYPE WATTLE		60 LF
FABRIC SILT FENCE-LOW POROSITY		505 LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
10" DOWELED CONC PVMT, 47B-3500		1,276 SY
12" DOWELED CONC PVMT, 47B-3500		110 SY
FOUNDATION COURSE		1,702 SY
4"		
GRANULAR SUBDRAIN		6 EACH
STABILIZED SUBGRADE		1,702 SY
TYPE FLY ASH		
SURFACING 6"		426 SY
WATER		8 MGAL
EARTH SHOULDER CONSTRUCTION		8 STA
SUBGRADE PREPARATION		110 SY
SURFACE UNDER GUARDRAIL		528 SY
FLY ASH		56 TON

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE STRUCTURE		1 EACH
AT STA. 579+41.00		
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		1,535 CY
TEMPORARY SHORING	LUMP	LUMP
AT STA. 579+41.00		
47B-3000 CONC FOR HDWL		6 CY
RE-STEEL FOR HEADWALL		622 LB
60" METAL FLARED-END SECTION		1 EACH
60" CULV PIPE 3,4,5		224 LF

GROUP 6 BRIDGE AT STA. 108+10.00

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		3,460 CY
RIPRAP FILTER FABRIC		1,390 SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000		211 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		36,890 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE B		100 LF
EXPANSION BEARING, TFE TYPE		5 EACH
FIXED BEARING		5 EACH
47B-3000 CONC FOR BRIDGE		115 CY
47BD-4000 CONC FOR BRIDGE		217 CY
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
108+10.00		
REMOVE STRUCTURE		1 EACH
AT STA. 108+10.00		
ACCESS BRIDGE	LUMP	LUMP
BROKEN CONCRETE RIPRAP		295 TON
ROCK RIPRAP, TYPE B		975 TON

SALVAGING AND PLACING TOPSOIL ON RIPRAP	710 SY
EPOXY COATED RE-STEEL	42,615 LB
SUBSURFACE DRAINAGE MATTING	109 SY
CONCRETE PILING	2,665 LF
STEEL SHEET PILING	4,525 SF
GRANULAR BACKFILL	380 CY

GROUP 6A BRIDGE AT STA. 108+10.00

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	3,460	CY
RIPRAP FILTER FABRIC	1,390	SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000	211	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	36,890	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE B	100	LF
EXPANSION BEARING, TFE TYPE	5	EACH
FIXED BEARING	5	EACH
47B-3000 CONC FOR BRIDGE	115	CY
47BD-4000 CONC FOR BRIDGE	204	CY
REMOVE STRUCTURE	1	EACH
AT STA. 108+10.00		
ACCESS BRIDGE	LUMP	LUMP
STEEL SUPERSTRUCTURE	LUMP	LUMP
108+10.00		
BROKEN CONCRETE RIPRAP	295	TON
ROCK RIPRAP, TYPE B	975	TON
SALVAGING AND PLACING TOPSOIL ON RIPRAP	710	SY
EPOXY COATED RE-STEEL	44,565	LB
SUBSURFACE DRAINAGE MATTING	110	SY
CONCRETE PILING	2,480	LF
STEEL SHEET PILING	4,525	SF
GRANULAR BACKFILL	385	CY

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL	225	LF
BRIDGE APPROACH SECTIONS	4	EACH
GUARDRAIL END TREATMENT, TYPE II	4	EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	540	B DAY
BARRICADE, TYPE III	3,588	B DAY
SIGN DAY	3,829	EACH
CONTRACTOR FURNISHED SIGN DAY	482	EACH
CONCRETE PROTECTION BARRIER	250	LF
RELOCATE CONC PROTECTION BARRIER	250	LF
TRAFFIC CONTROL MANAGEMENT	181	DAY
FIELD OFFICE	1	EACH
TRAINING	500	HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	15	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	15	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	15	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	15	HOUR
TEMPORARY SEEDING	1	ACRE
TEMPORARY EROSION CONTROL	500	SY
TEMPORARY SILT CHECK	300	LF
TEMPORARY SILT FENCE	1,000	LF
TEMPORARY EARTH CHECK	300	LF

NOTICE TO CONTRACTORS

CALL ORDER 200
 FEDERAL PROJECT NO. MAPA-5046(3)
 LOCATION: ST. MARYS/PARK AVENUE, OMAHA
 COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids for the
 CITY OF OMAHA in Room 104 of the Central Office Building at
 1500 Hwy 2 at Lincoln, until 1:30 P.M. on November 03, 2011 .
 At that time the bids will be opened and read for
 ELECTRICAL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR
 WHO IS QUALIFIED FOR: ELECTRICAL

START DATE 07/16/2012 CALENDAR DAYS 35
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning October 11, 2011 at the Lincoln
 Central Office and October 17, 2011 at the District Engineer's Office at OMAHA
 Additional letting information may be found at the Nebraska Department of Roads
 Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal
 requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	15	SHEETS	\$	3.75
STANDARD PLANS	5	SHEETS	\$	1.25

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
- 3 - 4 TRAFFIC SIGNALS
- 5 PEDESTAL POLE DETAILS
- 6 MAST ARM POLE DETAILS
- 7 MAST ARM POLE FOUNDATION DETAILS
- 8 MAST ARM TRANSFORMER BASE DETAILS
- 9 MAST ARM SIGNAL MOUNTING
- 10 POLE BRACKET INSTALLATION DETAILS
- 11 STANDARD SIGNAL FACE ARRANGEMENTS
- 12 STANDARD TRAFFIC SIGNAL WIRING CODES
- 13 ELECTRIC SERVICE PEDESTAL
- 14 STREET NAME SIGN LAYOUT TYPE "A",
MAST ARM MOUNTED 18" SIGN HEIGHT
- 15 OVERHEAD MOUNTED SIGNS

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 924 (3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and
 should not be used for bidding purposes. The Department
 reserves the right to change these quantities without notice.

GROUP 8B ELECTRICAL

BARRICADE, TYPE II		500	B	DAY
TEMPORARY SIGN DAY		75	E	EACH
SIGN DAY		840	E	EACH
FLASHING ARROW PANEL		25	D	DAY
MOBILIZATION	LUMP		L	LUMP
OVERHEAD SIGN		1	E	EACH

STREET NAME SIGN 18"	2	EACH
TRAFFIC SIGNAL, TYPE TS-1	3	EACH
TRAFFIC SIGNAL, TYPE TS-1A	2	EACH
TRAF SIG CONTROL, TYPE TC-2070	1	EACH
PEDESTRIAN SIGNAL, TYPE PS-1	8	EACH
PEDESTRIAN PUSHBUTTON, PPB	4	EACH
PEDESTAL POLE, TYPE PP-10	1	EACH
LUMINAIRE	3	EACH
400W METAL HALIDE STREET LIGHTING		
C.M.A. SIG & LIGHT POLE, CMP-30-0	1	EACH
C.M.A. SIGNAL & LIGHT POLE, CMP-40-0	1	EACH
C.M.A. SIG & LGHT POLE, CMP-0-0	1	EACH
MAST ARM SIGNAL POLE, MP-25	1	EACH
SERVICE DISCONNECT PEDESTAL	1	EACH
2" CONDUIT IN TRENCH	150	LF
GROUP 8B ELECTRICAL		
2" CONDUIT, JACKED	324	LF
3" CONDUIT, JACKED	64	LF
16/C #14 AWG TRAF SIG CABLE	258	LF
2/C #16 AWG PED PBUTTON LEAD-IN CABLE	258	LF
#8 GROUNDING CONDUCTOR	244	LF
SERVICE CABLE	100	LF
SERVICE ENTRANCE CABLE	300	LF
STREET LIGHT CABLE, NO. 6 3/C	175	LF
6 PAIR COMMUNICATION CABLE	64	LF
REMOVE TRAFFIC SIGNAL	1	EACH
REMOVE MAST ARM SIGNAL POLE	1	EACH
REMOVE	6	EACH
AND INSTALL OVERHEAD SIGN		
MODULAR VIDEO VEHICLE DETECTION SYSTEM	LUMP	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 205
 FEDERAL PROJECT NO. MAPA-5109(8)
 LOCATION: BELLEVUE SIGNALS
 COUNTIES: SARPY

The Nebraska Department of Roads will receive sealed bids for the CITY OF BELLEVUE in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on November 03, 2011. At that time the bids will be opened and read for ELECTRICAL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: ELECTRICAL

START DATE 05/21/2012 CALENDAR DAYS 97
 Price Range \$ 500,000 to \$ 2,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning October 11, 2011 at the Lincoln Central Office and October 17, 2011 at the District Engineer's Office at OMAHA. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	37 SHEETS	\$	9.25
STANDARD PLANS	12 SHEETS	\$	3.00

SHEET NO.

- 1 TITLE PAGE
- 2 GENERAL INFORMATION
- 3 SUMMARY OF QUANTITIES
- 4 DETAILS
- 5 - 9 REMOVALS & CONSTRUCTION PLANS
- 10 - 14 SPOT ELEVATION PLANS
- 15 - 16 SIGNAL & WIRING PLANS--GALVIN & AVERY
- 17 - 18 SIGNAL & WIRING PLANS--HARVELL & LINCOLN
- 19 - 20 SIGNAL & WIRING PLANS--LINCOLN & MISSION
- 21 - 23 INTERCONNECT PLANS--LINCOLN & MISSION
- 24 - 25 SIGNAL & WIRING PLANS--MISSION & WASHINGTON
- 26 - 27 SIGNAL & WIRING PLANS--MISSION & FRANKLIN
- 28 - 34 SIGNAGE & PAVEMENT MARKINGS PLANS
- 35 MAST ARM POLE DETAILS
- 36 MAST ARM POLE FOUNDATION DETAILS
- 37 MAST ARM TRANSFORMER BASE DETAILS

STANDARD PLANS

- 303 (2 SHEETS) CURB RAMP
- 910-R2 SIGNAL FACE CONFIGURATION
- 911-R1 SIGNAL MOUNTING
- 914-R6 PULL BOX DETAIL
- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 924 (3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8B ELECTRICAL

BARRICADE, TYPE II	1,200 BDAY
TEMPORARY SIGN DAY	180 EACH
SIGN DAY	1,552 EACH
PERMANENT PAVEMENT MARKING PAINT	6,617 LF

FLASHING ARROW PANEL	60 DAY
CHANGEABLE MESSAGE SIGN	60 DAY
MOBILIZATION	LUMP LUMP
REMOVE PAVEMENT	694 SY
SAWING PAVEMENT	1,432 LF
REMOVE ASPHALT SURFACE	22 SY
REMOVE	4 EACH
AND SALVAGE POST MOUNTED SIGN	
REMOVE	2 EACH
CONCRETE PAD AND FOOTING	
COMB CONC 47B-3500 CURB & GUTTER	1,158 LF
6" CONC 47B-3000 SIDEWALKS	4,670 SY
DETECTABLE WARNING PANEL	328 SF
8" CONC PVMT, 47B-3500	92 SY
ILLUMINATED SIGN	20 EACH
SIGN	12 EACH
TYPE 'A'	
8" WHITE PERMANENT PVMT MARKING PAINT	156 LF
RIGHT/THRU ARROW PREF PVMT MARKING T-4	1 EACH
LEFT/THRU ARROW PREF PVMT MARKING T-4	1 EACH
ONLY, PREF PVMT MRKING T-4, GROOVED	9 EACH
LEFT ARROW PREF PVMT MARKING T-4 GROOVED	19 EACH
RT. ARROW PREF PVMT MARKING T-4 GROOVED	11 EACH
12" WHT PREF PVMT MRKING T-4 GROOVED	501 LF
24" WHITE PERM PVMT MKING T-4 GROOVED	919 LF
ASPHALTIC CONCRETE	3 TON
2"	
PULL BOX, TYPE PB-1	7 EACH
PULL BOX, TYPE PB-2	2 EACH
PULL BOX, TYPE PB-7	6 EACH
TRAFFIC SIGNAL, TYPE TS-1	49 EACH
EMERGENCY VEHICLE PRE-EMPTION SYSTEM	14 EACH
TRAFFIC SIGNAL, TYPE TS-1LL	4 EACH
TRAFFIC SIGNAL, TYPE TS-1L	1 EACH
TRAFFIC SIGNAL, TYPE TS-1LB	2 EACH
TRAFFIC SIGNAL, TYPE TS-1RR	3 EACH
TRAF SIG CONTROL, TYPE TC-170	2 EACH
E/336	
TRAF SIG CONTROL, TYPE TC-170	2 EACH
E/303	
TRAF SIG CONTROL, TYPE TC-170	1 EACH
E/332	
TRAFFIC SIGNAL INTERCONNECT CABLE	2,095 LF
7/C	
AUDIBLE PEDESTRIAN SIGNAL	8 EACH
PEDESTRIAN SIGNAL, TYPE PS-1	38 EACH
PEDESTRIAN PUSHBUTTON, PPB	30 EACH
PEDESTAL POLE, TYPE PP-20	4 EACH
AND B-4 MOUNTING	
PEDESTAL POLE, TYPE PP-10	4 EACH
AND P-1 MOUNTING	
RADAR VEHICLE DETECTOR	16 EACH
RADAR VEHICLE DETECT COMM/PWR CABLE	1,689 LF
C.M.A. SIG & LGHT POLE, CMP-25-30-12	2 EACH
C.M.A. SIG & LIGHT POLE CMP-25-40-12	1 EACH
C.M.A. SIG & LGHT POLE, CMP-30-40-12	1 EACH
C.M.A. SIG & LIGHT POLE CMP-30-30-12	1 EACH
C.M.A. SIG & LGHT POLE, CMP-35-30-12	1 EACH
C.M.A. SIG & LGHT POLE, CMP-40-40-12	2 EACH
C.M.A. SIG & LGHT POLE, CMP-40-30-12	1 EACH
C.M.A. SIGNAL & LIGHT POLE, CMP-45-30-12	3 EACH
MAST ARM SIGNAL POLE, MP-30	2 EACH
MAST ARM SIGNAL POLE, MP-35	3 EACH
MAST ARM MOUNTED SIGN	7 EACH
FOUR CORD MONOTUBE SIGNAL SUPPORT TRUSS	1 EACH
140'	
2" NON-METALLIC CONDUIT	2,300 LF
HDPE	
3" NON-METALLIC CONDUIT	2,040 LF
HDPE	

5/C #14 AWG TRAF SIG CABLE	1,042 LF
9/C #14 AWG TRAF SIG CABLE	236 LF
12/C #14 AWG TRAF SIG CABLE	1,920 LF
EMERGENCY VEHICLE PRE-EMPTION CABLE	716 LF
3/C #14 AWG, PEDESTR PUSH BUTTON CABLE	2,323 LF
GROUNDING CONDUCTOR	2,595 LF
1/C #8 BARE COPPER	
CIRCUIT BREAKER BOX	4 EACH
SERVICE CABLE	2,594 LF
1/C #6 AWG COPPER USE	
STREET LIGHTING CABLE	1,380 LF
1/C #6 AWG COPPER USE	
INSTALL LUMINAIRE	16 EACH
12' 200W	
REMOVE TRAFFIC SIGNAL	5 EACH
AND SALVAGE	

NOTICE TO CONTRACTORS

CALL ORDER 210
 FEDERAL PROJECT NO. STPC-5001(15)
 LOCATION: 144TH ST, WEST DODGE-FRANKLIN, OMAHA
 COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids for the CITY OF OMAHA in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on November 03, 2011. At that time the bids will be opened and read for GRAD CONC PAVE CULV ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT
 START DATE 03/05/2012 CALENDAR DAYS 241
 Price Range \$ 3,000,000 to \$ 6,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 8.0 %

Plans and specifications may be seen beginning October 11, 2011 at the Lincoln Central Office and October 17, 2011 at the District Engineer's Office at OMAHA

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	173	SHEETS	\$ 43.25
CROSS SECTIONS (SHEETS X1 THRU X43)	43	SHEETS	\$ 10.75
STANDARD PLANS	13	SHEETS	\$ 3.25

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T3	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-A1	AERIAL PHOTO MAP
2-H1 - 2-H2	HORIZONTAL CONTROL
2-N1	GENERAL INFORMATION
2-P1 - 2-P28	CONSTRUCTION SEQUENCING/BARRICADING
2-L1 - 2-L11	JOINTS, GEOMETRICS, GRADES, & INTERCONNECT
2-L12 - 2-L21	REMOVALS
2-L22 - 2-L31	CONSTRUCTION
2-L32 - 2-L40	EROSION CONTROL
3 - 12	PLAN & PROFILE SHEETS
13 - 17	TRAFFIC SIGNALS
18 - 26	SIGNING & STRIPING
27 - 33	PIPE PROFILES
34	DETENTION PLAN/DETAILS
35 - 41	LANDSCAPE PLANS
42 - 43	STORM WATER POLLUTION PREVENTION PLAN
44	SPECIAL PLAN 1C 25'-0" RESIDENTIAL CONCRETE PAVEMENT
45	SPECIAL PLAN 2C 68'-0" 4 LANE DIVIDED CONCRETE PAVEMENT
46	SPECIAL PLAN 3C CONCRETE PAVEMENT JOINT DETAILS
47	SPECIAL PLAN 4C CONCRETE CURB DETAILS
48	SPECIAL PLAN 5C CONCRETE MEDIAN DETAILS
49	SPECIAL PLAN 6C CONCRETE MEDIAN DETAILS
50	SPECIAL PLAN 7C CONCRETE PAVEMENT WIDENING & MISC. DETAILS
51	SPECIAL PLAN 8C CONCRETE DRIVEWAY DETAILS
52 - 53	SPECIAL PLAN 9C CONCRETE CURB RAMP DETAILS
54	SPECIAL PLAN 10C SEWER BEDDING DETAILS
55	SPECIAL PLAN 11C SANITARY SEWER MANHOLE--54" I.D.
56	SPECIAL PLAN 12C SANITARY SEWER MANHOLE--60" I.D. TO 96" I.D.
57	SPECIAL PLAN 13C AREA INLET TYPE 1
58	SPECIAL PLAN 14C AREA INLET TYPE 2
59 - 63	SPECIAL PLAN 15C CURB OPENING INLET DETAILS
64	SPECIAL PLAN 16C TYPE FA REINFORCED CONCRETE CURB INLET COVER WITH FACE ARMOR
65	SPECIAL PLAN 17C REINFORCED CONCRETE PIPE FLARED END SECTIONS & BAR GRATES

66	SPECIAL PLAN 18C	CAST IRON MANHOLE RINGS-COVER	MANHOLE STEPS
67	SPECIAL PLAN 19C	MANHOLE RING & BOLT DOWN COVER	GRATE TYPE MANHOLE COVER
68	SPECIAL PLAN 20C	GEOTEXTILE FABRIC	SILT FENCE
69	SPECIAL PLAN 21C	CHANNEL & SLOPE	SOIL STABILIZATION MAT DETAILS
70	SPECIAL PLAN 22C	PULL BOX	DETAILS
71	SPECIAL PLAN 23C	CONCRETE PAD	DETAIL FOR PAD MOUNTED CONTROLLER CABINET
72	SPECIAL PLAN 24C	PEDESTAL POLE	DETAILS
73	SPECIAL PLAN 25C	MAST ARM POLE	DETAILS
74	SPECIAL PLAN 26C	MAST ARM POLE	FOUNDATION DETAILS
75	SPECIAL PLAN 27C	MAST ARM TRANSFORMER	BASE DETAILS
76	SPECIAL PLAN 28C	MAST ARM	SIGNAL MOUNTING
77 - 78	SPECIAL PLAN 29C	WOOD POLE	SPAN WIRE DETAILS
79	SPECIAL PLAN 30C	SPAN WIRE	MOUNTING DETAILS
80	SPECIAL PLAN 31C	POLE BRACKET	INSTALLATION DETAILS
81	SPECIAL PLAN 32C	STREET LIGHT POLE	DETAILS
82	SPECIAL PLAN 33C	STANDARD SIGNAL	FACE ARRANGEMENTS
83	SPECIAL PLAN 34C	INDUCTIVE LOOP	DETECTORS
84	SPECIAL PLAN 35C	MAGNETIC DETECTOR	INSTALLATION DETAILS
85	SPECIAL PLAN 36C	STANDARD TRAFFIC	SIGNAL WIRING CODES
86	SPECIAL PLAN 37C	ELECTRIC SERVICE	PEDESTAL
87	SPECIAL PLAN 38C	POWER SERVICE	DETAILS
88 - 89	SPECIAL PLAN 39C	STREET NAME SIGN	LAYOUT TYPE "A" MAST ARM MOUNTED 18" SIGN HEIGHT TYPES "B" & "C" SIDE STREETS
90	SPECIAL PLAN 40C	OVERHEAD MOUNTED	SIGNS
91	SPECIAL PLAN 41C	POST MOUNTED	SIGNS
92	SPECIAL PLAN 42C	SIGNPOST ANCHORING	SYSTEMS
93	SPECIAL PLAN 43C	CONSTRUCTION	SIGN
R1 - R4		RIGHT-OF-WAY	SHEETS
X1 - X43		CROSS SECTIONS	

STANDARD PLANS

425-R4	COLLARS AND ELBOWS	FOR CONCRETE PIPES
435-R1	(3 SHEETS)	MANHOLE
501-R5	(3 SHEETS)	EROSION CONTROL
502	SILT FENCE	DETAILS
920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
924	(3 SHEETS)	TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	38,608	CY
WATER	118	MGAL
REMOVE PAVEMENT	26,544	SY
REMOVE DRIVEWAY	755	SY
REMOVE WALK	2,681	SY
REMOVE RAILROAD TIE WALL	1,394	SF
REMOVE CONCRETE MEDIAN SURFACING	968	SY
REMOVE TREES OVER 9" TO 18" DIAMETER	98	EACH
REMOVE TREES OVER 18" TO 27" DIAMETER	17	EACH
REMOVE TREES OVER 27" TO 36" DIAMETER	8	EACH
REMOVE TREES OVER 36" TO 48" DIAMETER	2	EACH
REMOVE FLAG POLE	1	EACH
REMOVE FLARED- END SECTION	1	EACH
EROSION CONTROL, CLASS 1D	32,194	SY
FABRIC SILT FENCE	5,933	LF

GROUP 3 CONCRETE PAVEMENT

PERMANENT PAVEMENT MARKING	2,538	LF
PAINT 10"		
MOBILIZATION	LUMP	LUMP
INFILTRATION CELL	89	CY
RAIN GARDEN		
CONSTRUCTION ENTRANCE	LUMP	LUMP
CRUSHED ROCK SURFACE COURSE	500	TON
TIE BARS	92	EACH
COMB CONC 47B-4000 CURB & GUTTER	39	LF
CONC 47B-3500 SIDEWALKS	335	SY
CONC CLASS 47BX-3500 SIDEWALK, 7"	153	SY
CONC CLASS 47BX-3500 SIDEWALK	62	SY
7" IMPRINTED		
CONC 47B-3500 SIDEWALK	5,964	SY
6"		
DETECTABLE WARNING PANEL	216	SF
6" CONC 47BX-3500 IMPRINTED MEDIAN SURF	2,230	SY
CONC 47B-4000 DRIVEWAY	239	SY
CONC 47B-HE-4000 DRIVEWAY	175	SY
7"		
TEMPORARY SURFACING	3,380	SY
7" CONC PVMT	3,158	SY
CLASS 47B-4000		
10" CONC PVMT	33,044	SY
CLASS 47B-4000		
ADJUST CURB INLET TO GRADE	3	EACH
ADJUST MANHOLE TO GRADE	14	EACH
6" PERFORATED PIPE UNDERDRAIN	762	LF
SIGN	1	EACH
SWPP		
12" WHT PRF WET RFLC CONT PVT MRK T-4 GR	437	LF
5" WHT PRF WET RFLC CONT PVMT MRK T-4 GR	3,325	LF
24" WHT PRF WET RFLC CONT PVT MRK T-4 GR	882	LF
PREP OF INTER & DRIVE	414	SY
WATER	135	MGAL
EARTH SHOULDER CONSTRUCTION	101	STA
MEDIAN CONSTRUCTION	41	STA
SUBGRADE PREPARATION	36,202	SY
SEEDING	3,600	SY
RAIN GARDEN		
SODDING	11,168	SY
ADJUST VALVE BOX TO GRADE	19	EACH

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE MANHOLE	3	EACH
REMOVE INLET	8	EACH
REMOVE AREA INLET	7	EACH
RELOCATE	22,000	LF
SPRINKLER TRUNK LINE		
CURB INLET	18	EACH
TYPE I		
CURB INLET	4	EACH
TYPE II		
CURB INLET	3	EACH
TYPE III		
AREA INLET	1	EACH
TYPE I		
AREA INLET	1	EACH
TYPE II		
RECONSTRUCT MANHOLE	13	EACH
MANHOLE	1	EACH
AT STA. 108+15 LT.		
MANHOLE	1	EACH
AT STA. 109+12.28 LT.		
MANHOLE	1	EACH

GROUP 4 CULVERTS

AT STA. 110+73.39 LT. MANHOLE		1	EACH
AT STA. 110+83.81 RT. MANHOLE		1	EACH
AT STA. 130+97.45 RT. MANHOLE		1	EACH
AT STA. 130+99.28 LT. MANHOLE		1	EACH
AT STA. 135+67.41 RT. MANHOLE		1	EACH
AT STA. 140+00 RT. MANHOLE		1	EACH
AT STA. 144+90 RT. MANHOLE		1	EACH
AT STA. 145+65 LT. MANHOLE		1	EACH
AT STA. 145+75.23 LT. MANHOLE		1	EACH
AT STA. 148+65 LT. MANHOLE		1	EACH
AT STA. 151+65 LT. MANHOLE		1	EACH
AT STA. 151+77.06 LT. MANHOLE		1	EACH
AT STA. 152+11.39 LT. MANHOLE		1	EACH
AT STA. 152+65.44 LT. TAPPING EXISTING STRUCTURE		6	EACH
REMOVE FLARED- END SECTION		2	EACH
REMOVE SEWER PIPE	1,553		LF
REMOVE SANITARY SEWER PIPE	680		LF
BAR GRATE FOR 18" CONC FES		1	EACH
BAR GRATE FOR 48" CONC FES		1	EACH
18" CONCRETE FLARED-END SECTION		1	EACH
48" CONCRETE FLARED-END SECTION		1	EACH
18" REINF CONCRETE SEWER PIPE	1,497		LF
24" REINF CONCRETE SEWER PIPE	210		LF
30" REINF CONCRETE SEWER PIPE	27		LF
36" REINF CONCRETE SEWER PIPE	147		LF
48" REINF CONCRETE SEWER PIPE	162		LF
8" SANITARY SEWER PIPE	684		LF
EXTERNAL FRAME SEALS		11	EACH
CURB INLET SEDIMENT FILTER		600	LF
DETENTION CELL	LUMP		LUMP
AGGREGATE BEDDING	1,686		TON
RELOCATE SPRINKLER HEAD	256		EACH
RELOCATE		10	EACH
SPRINKLER CONTROL BOX			

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP		LUMP
LED BLANK OUT SIGN		1	EACH
OVERHEAD SIGN		9	EACH
STREET NAME SIGN 18"		10	EACH
STREET NAME SIGN 30"		2	EACH
PULL BOX, TYPE PB-1A		14	EACH
PULL BOX, TYPE PB-6		31	EACH
PULL BOX, TYPE PB-8		2	EACH
PULL BOX, TYPE PB-10		4	EACH
VEHICLE PRIORITY CONTROL SYSTEM AT 144TH STREET AND ELDORADO DRIVE	LUMP		LUMP
VEHICLE PRIORITY CONTROL SYSTEM AT 144TH AND HAMILTON STREET	LUMP		LUMP
VEHICLE PRIORITY CONTROL SYSTEM AT 144TH AND FRANKLIN STREET	LUMP		LUMP

GROUP 8B ELECTRICAL

TRAFFIC SIGNAL, TYPE TS-1	29	EACH
TRAFFIC SIGNAL, TYPE TS-1LL	3	EACH
TRAFFIC SIGNAL, TYPE TS-1A	13	EACH
TRAFFIC SIGNAL, TYPE TS-1L	2	EACH
TRAFFIC SIGNAL, TYPE TS-1RR	3	EACH
TRAF SIG CONTROL, TYPE TC-2070	3	EACH
WIRELESS INTERCONNECT RADIO SYSTEM	LUMP	LUMP
PEDESTRIAN SIGNAL, TYPE PS-1	24	EACH
PEDESTRIAN PUSHBUTTON, PPB	20	EACH
PEDESTAL POLE, TYPE PP-4	7	EACH
VEHICLE DETECTOR, TYPE C PREFORMED	2	EACH
VEHICLE DETECTOR, TYPE D PREFORMED	3	EACH
VEHICLE DETECTOR, TYPE E PREFORMED	1	EACH
VEHICLE DETECTOR, TYPE A PREFORMED	67	EACH
VEHICLE DETECTOR, TYPE B PREFORMED	5	EACH
LUMINAIRE, TYPE HPS-400	14	EACH
C.M.A. SIG & LIGHT POLE CMP-35-0	1	EACH
C.M.A. SIGNAL & LIGHT POLE, CMP-40-0	1	EACH
C.M.A. SIG & LGHT POLE, CMP-55-0/0	2	EACH
C.M.A. SIGNAL & LIGHT POLE, CMP-45-0	1	EACH
C.M.A. SIG & LGHT POLE, CMP-55-0	1	EACH
C.M.A. SIG & LGHT POLE, CMP-65-0	4	EACH
C.M.A. SIG & LGHT POLE, CMP-70-0	2	EACH
SERVICE DISCONNECT SWITCH	2	EACH
SERVICE DISCONNECT PEDESTAL	3	EACH
2" CONDUIT ON STRUCTURE	155	LF
2" CONDUIT IN TRENCH	7,502	LF
3" CONDUIT IN TRENCH	676	LF
2" CONDUIT, JACKED	381	LF
16/C #14 AWG TRAF SIG CABLE	1,857	LF
2/C #16 AWG PED PBUTTON LEAD-IN CABLE	3,601	LF
2/C DETECTOR LEAD-IN CABLE	3,541	LF
#8 GROUNDING CONDUCTOR	1,822	LF
SERVICE CABLE	900	LF
SUPPORT CABLE	372	LF
SERVICE ENTRANCE CABLE	1,260	LF
STREET LIGHT CABLE, NO. 6 3/C	1,822	LF
36 STRAND SINGLE MODE FIBER OPTIC CABLE	5,781	LF
FIBER OPTIC DISTRIBUTION ASSEMBLY	6	EACH
TERMINAL FUSION SPLICE POINT	2	EACH
INTERMEDIATE FUSION SPLICE POINT	2	EACH
MODIFY CONTROLLER CABINET, TYPE TC-170/332	1	EACH
INST TRAF SIG CONTROLLER	1	EACH
REMOVE TRAFFIC SIGNAL AT 144TH STREET AND ELDORADO DRIVE	1	EACH
REMOVE TRAFFIC SIGNAL AT 144TH AND HAMILTON STREET	1	EACH
REMOVE TRAFFIC SIGNAL AT 144TH AND FRANKLIN STREET	1	EACH
REMOVE TRAFFIC SIGNAL CONTROLLER CABINET AND PAD	1	EACH
MODULAR VIDEO VEHICLE DETECTION SYSTEM AT 144TH STREET AND ELDORADO DRIVE	LUMP	LUMP
MODULAR VIDEO VEHICLE DETECTION SYSTEM AT 144TH AND HAMILTON STREET	LUMP	LUMP
REWIRE SIGNAL HEADS	LUMP	LUMP
TEST & DOCUMENT FIBER OPTIC COMM SYSTEM	LUMP	LUMP

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	61,918	B DAY
BARRICADE, TYPE III	9,365	B DAY
SIGN DAY	723	EACH
CONTRACTOR FURNISHED SIGN DAY	12,581	EACH

GROUP 10 GENERAL ITEMS

TEMP PAVEMENT MARKING REMOVAL	28,900	LF
TEMP PVMT MARKING, TYPE PAINT	46,700	LF
FLASHING ARROW PANEL	50	DAY
FLAGGING	50	DAY
TRAINING	2,000	HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	65	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	65	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	65	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	65	HOUR
TEMPORARY SILT FENCE	500	LF

NOTICE TO CONTRACTORS

CALL ORDER 215
 FEDERAL PROJECT NO. MAPA-5103(14)
 LOCATION: 10TH STREET BRIDGE, FARNAM-DOUGLAS, OMAHA
 COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids for the
 CITY OF OMAHA in Room 104 of the Central Office Building at
 1500 Hwy 2 at Lincoln, until 1:30 P.M. on November 03, 2011 .
 At that time the bids will be opened and read for
 CONC PAVE CULV BR ELEC BLDG

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR
 WHO IS QUALIFIED FOR: BRIDGES

START DATE 12/05/2011 CALENDAR DAYS 365
 Price Range \$ 2,000,000 to \$ 4,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning October 11, 2011 at the Lincoln
 Central Office and October 17, 2011 at the District Engineer's Office at OMAHA
 Additional letting information may be found at the Nebraska Department of Roads
 Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal
 requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING STANDARDS)	174	SHEETS	\$ 43.50
STANDARD PLANS	8	SHEETS	\$ 2.00

SHEET NO.

1	TITLE PAGE
2T1	TYPICAL CROSS SECTION
2S1 - 2S2	SUMMARY OF QUANTITIES
2A1	AERIAL PHOTO PLAN
2W1	WORKSITE REQUIREMENTS
2W2	CONSTRUCTION LIMITS
2H1	SURVEY DATA
2N1	GENERAL INFORMATION
2P1 - 2P8	CONSTRUCTION PHASING
2P9 - 2P13	TRAFFIC CONTROL PLANS
2L1 - 2L3	GEOMETRICS & CURB ELEVATIONS
2L4	BRIDGE REMOVAL PLAN
2L5 - 2L6	REMOVAL
2L7 - 2L8	CONSTRUCTION
2L9	GRANITE CURB SCHEDULE
3 - 10	ELECTRICAL PLANS & DETAILS
11 - 15	TRAFFIC SIGNALS & INTERCONNECT
16 - 17	STRIPING
18 - 19	STORM SEWER PLAN & PROFILE
20 - 79	BRIDGE PLANS
80 - 107	ARCHITECTURAL PLANS
108	SPECIAL PLAN 1C SIDEWALK CONSTRUCTION DETAILS
109	SPECIAL PLAN 2C SIDEWALK LOCATION PLATE
110	SPECIAL PLAN 3C RECONSTRUCT GRATE INLET TYPE "A"
111	SPECIAL PLAN 4C GRATE INLET TYPE "2A"
112	SPECIAL PLAN 5C GRATE INLET TYPE "2A"
113	SPECIAL PLAN 6C STANDARD DETAIL OF MANHOLE
114	SPECIAL PLAN 7C SANITARY MANHOLE FOR SEWERS 24" THRU 48" (I.D.)
115	SPECIAL PLAN 8C CONCRETE COLLAR SEWER TAP
116	SPECIAL PLAN 9C SINGLE BASIN GRATE INLET TYPE "B-B"
117	SPECIAL PLAN 10C CAST IRON MANHOLE RINGS-COVER MANHOLE STEPS
118	SPECIAL PLAN 11C SEWER BEDDING DETAILS
119	SPECIAL PLAN 12C TYPE "A" CAST IRON GRATE FRAME & CURB INLET
120	SPECIAL PLAN 13C CONCRETE PAVEMENT JOINT DETAILS
121	SPECIAL PLAN 14C CONCRETE PAVEMENT WIDENING & MISC. DETAILS
122	SPECIAL PLAN 15C CONCRETE PAVEMENT REPAIR DETAILS PAVEMENT WIDENING & RESURFACING

123	SPECIAL PLAN 16C	GRANITE CURB DETAILS
124	SPECIAL PLAN 17C	CONCRETE CURB RAMP TYPICAL DETAILS GENERAL NOTES & MEASUREMENT DETAILS
125	SPECIAL PLAN 18C	CONCRETE CURB RAMP DETAILS TYPICAL NEW CONSTRUCTION OPTIONS
126	SPECIAL PLAN 19C	CONCRETE CURB RAMP DETAILS TYPICAL RETRO-FIT OPTIONS
127	SPECIAL PLAN 20C	CONCRETE CURB RAMP DETAILS CENTRAL BUSINESS DISTRICT
128	SPECIAL PLAN 21C	PULL BOX DETAILS--TYPES PB-1, PB-1A, PB-2, PB-6, PB-8, PB-10
129	SPECIAL PLAN 22C	MAST ARM POLE DETAILS
130	SPECIAL PLAN 23C	MAST ARM POLE FOUNDATION DETAILS
131	SPECIAL PLAN 24C	MAST ARM TRANSFORMER BASE DETAILS
132	SPECIAL PLAN 25C	MAST ARM SIGNAL MOUNTING
133	SPECIAL PLAN 26C	WOOD POLE SPAN WIRE DETAILS
134	SPECIAL PLAN 27C	WOOD POLE SPAN WIRE DETAILS
135	SPECIAL PLAN 28C	SPAN WIRE MOUNTING DETAILS
136	SPECIAL PLAN 29C	POLE BRACKET INSTALLATION DETAILS
137	SPECIAL PLAN 30C	STANDARD SIGNAL FACE ARRANGEMENTS
138	SPECIAL PLAN 31C	STANDARD TRAFFIC SIGNAL WIRING CODES
139	SPECIAL PLAN 32C	ELECTRIC SERVICE PEDESTAL
140	SPECIAL PLAN 33C	POWER SERVICE DETAILS
141	SPECIAL PLAN 34C	OVERHEAD MOUNTED SIGNS
142	SPECIAL PLAN 35C	POST MOUNTED SIGNS
143	SPECIAL PLAN 36C	SIGNPOST ANCHORING SYSTEMS
144 - 145	SPECIAL PLAN 37C	CONCRETE PROTECTION BARRIER

STANDARD PLANS

435-R1	(3 SHEETS)	MANHOLE
920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
924	(3 SHEETS)	TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 3 CONCRETE PAVEMENT

PAVEMENT MARKING REMOVAL		2,855 LF
PAVEMENT MARKING REMOVAL		2,702 SF
SYMBOLS		
MOBILIZATION	LUMP	LUMP
REMOVE PAVEMENT		375 SY
SAWING PAVEMENT		498 LF
REMOVE WALK		280 SY
GRANITE CURB		386 LF
REMOVE & SALVAGE GRANITE CURB		358 LF
REMOVE & SALVAGE BRICK PAVERS		176 SY
CONC CLASS 47BX-4000 SIDEWALK		259 SY
DETECTABLE WARNING PANEL		192 SF
BRICK PAVERS		15 SY
INSTALL BRICK PAVERS		97 SY
TEMPORARY SURFACING		43 SY
10" CONCRETE PAVEMENT		346 SY
CLASS 47B-4000		
TEMPORARY	LUMP	LUMP
6' CHAIN-LINK FENCE		
5" WHITE PERMANENT PVMT MARKING PAINT		1,210 LF
5" YEL PERMANENT PVMT MARKING PAINT		2,597 LF
24" WHITE LINE		241 LF
ARROW		7 EACH
LEFT		
ARROW		4 EACH
RIGHT		
ARROW		1 EACH
THROUGH-LEFT		
ARROW		1 EACH
THROUGH		

ONLY		7 EACH
CROSSWALK LINE		1,110 LF
24" WHITE		
FABRIC SILT FENCE-LOW POROSITY		244 LF

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE INLET		5 EACH
INLET		1 EACH
TYPE A		
INLET		1 EACH
TYPE AA		
INLET		4 EACH
TYPE B-B		
MANHOLE		8 VFT
54"		
TAPPING EXISTING STRUCTURE		3 EACH
REMOVE SEWER PIPE		111 LF
CONCRETE COLLAR		1 EACH
15"		
12" REINF CONCRETE SEWER PIPE		115 LF
15" REINF CONCRETE SEWER PIPE		78 LF
INTERNAL FRAME SEAL		10 EACH
CURB INLET SEDIMENT FILTER		16 EACH
AGGREGATE BEDDING		45 TON

GROUP 6 BRIDGE AT STA. 1003+16.40

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		380 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		95,025 LB
FLOWABLE FILL CONCRETE		100 CY
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PRECOMPRESSED POLY FOAM JOINT, TYPE A		154 LF
ELASTOMERIC BEARING		20 EACH
CLASS I REPAIR		137 SY
PLACE, FINISH, & CURE CONC OVERLAY-SF		137 SY
47B-4000 CONC FOR BRIDGE		316 CY
47BD-4000 CONC FOR BRIDGE		454 CY
CONCRETE FOR OVERLAYS-SF		15 CY
BIRD SPIKES		550 LF
PREP BRIDGE		1 EACH
1003+16.40		
GIRDER RELOCATION		2 EACH
STEEL SUPERSTRUCTURE	LUMP	LUMP
1003+16.4		
EPOXY COATED RE-STEEL		116,875 LB
MICROPILES		3,850 LF
MICROPILES VERIFICATION LOAD TEST		1 EACH
MICROPILES PROOF LOAD TEST		3 EACH
METAL RAILING		541 LF
PEDESTRIAN BARRIER RAIL		487 LF
PAINTING STRUCTURE AT	LUMP	LUMP
STA. 1003+16.4		
TEMP BRIDGE SHORING	LUMP	LUMP
CONCRETE REPAIR		1,200 SF
CLASS A		
CONCRETE REPAIR		300 LF
CLASS B		
CONCRETE REPAIR		1 CY
CLASS D		
CONCRETE REPAIR		150 SF
CLASS C		
PRECAST CONC POST FOR LIGHT POLE		6 EACH

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
OVERHEAD SIGN		3 EACH
PULL BOX, TYPE PB-6		2 EACH
PULL BOX, TYPE PB-8		1 EACH
PULL BOX, TYPE PB-10		2 EACH
TRAFFIC SIGNAL, TYPE TS-1		9 EACH
TRAFFIC SIGNAL, TYPE TS-1A		5 EACH
TRAFFIC SIGNAL, TYPE TS-1LL		1 EACH
TRAFFIC SIGNAL, TYPE TS-1L		3 EACH
TRAF SIG CONTROL, TYPE TC-2070		1 EACH
WIRELESS INTERCONNECT RADIO SYSTEM	LUMP	LUMP
PEDESTRIAN SIGNAL, TYPE PS-1		6 EACH
LUMINAIRE		3 EACH
200W STREET LIGHTING		
LUMINAIRE		16 EACH
UNDER BRIDGE		
LUMINAIRE		3 EACH
400W METAL HALIDE STRET LIGHTING		
C.M.A. SIG & LGHT POLE, CMP-0-0		1 EACH
C.M.A. SIGNAL & LIGHT POLE, CMP-45-0		1 EACH
C.M.A. SIGNAL & LIGHT POLE, CMP-50-0		1 EACH
WOOD POLE		3 EACH
40' WITH 12' LUMINAIRE ARM DOUBLE GUYED		
WOOD POLE		3 EACH
40'		
LED CHANGEABLE		1 EACH
"THRU/SHARED THRU-RT" SIGN		
SERVICE DISCONNECT		1 EACH
SWITCH		
SERVICE DISCONNECT PEDESTAL		1 EACH
2" CONDUIT ON STRUCTURE		285 LF
3" CONDUIT ON STRUCTURE		316 LF
1 1/2" CONDUIT IN TRENCH		130 LF
2" CONDUIT IN TRENCH		333 LF
3" CONDUIT IN TRENCH		8 LF
1 1/2" CONDUIT, JACKED		250 LF
2" CONDUIT, JACKED		764 LF
3" CONDUIT, JACKED		171 LF
16/C #14 AWG TRAF SIG CABLE		987 LF
#10 AWG CU CONDUCTOR		1,080 LF
#8 GROUNDING CONDUCTOR		893 LF
#10 GROUNDING CONDUCTOR		540 LF
SERVICE CABLE		200 LF
SUPPORT CABLE		497 LF
TETHER CABLE		268 LF
SERVICE ENTRANCE CABLE		600 LF
STREET LIGHT CABLE, NO. 6 3/C		893 LF
STREET LIGHT CABLE, NO. 8 BARE		810 LF
STREET LIGHT CABLE, NO. 8 XHHW		1,620 LF
STREET LIGHT CABLE, NO. 12 BARE		408 LF
STREET LIGHT CABLE, NO. 12 THWN		204 LF
6 PAIR COMMUNICATION CABLE		201 LF
36 STRAND SINGLE MODE FIBER OPTIC CABLE		827 LF
FIBER OPTIC		2 EACH
DISTRIBUTION ASSEMBLY		
TERMINAL FUSION SPLICE POINT		2 EACH
TEST& DOCUMENT OF FIBER OPTIC COMM SYSTE	LUMP	LUMP
STREET LIGHTING UNIT		6 EACH
ORNAMENTAL		
REM & REIN PEDESTRIAN SIGNAL		6 EACH
MODIFY		1 EACH
CONTROLLER CABINET		
INSTALL PULL BOX		1 EACH
INST TRAF SIG CONTROLLER		1 EACH
INSTALL TRAFFIC SIGNAL		5 EACH
INSTALL		1 EACH
CIRCUIT TO EXISTING MANHOLE		

INSTALL		1	EACH
CIRCUIT TO EXISTING PANEL			
INSTALL		1	EACH
CLASS 2 MAST ARM POLE			
REMOVE TRAFFIC SIGNAL		1	EACH
10TH & FARNAM EXISTING			
REMOVE TRAFFIC SIGNAL		1	EACH
10TH & DOUGLAS EXISTING			
REMOVE TRAFFIC SIGNAL		1	EACH
10TH & FARNAM TEMPORARY			
REMOVE TRAFFIC SIGNAL		1	EACH
10TH & DOUGLAS TEMPORARY			
REMOVE TRAFFIC SIGNAL HEAD		1	EACH
REMOVE		28	EACH
INSTALL OVERHEAD SIGN			
REMOVE		1	EACH
INSTALL TRAFFIC SIGN & POST			
ELECTRICAL WORK	LUMP		LUMP
MISCELLANEOUS DEMOLITION & RELOCATION			

GROUP 8A BUILDING CONSTRUCTION

MOBILIZATION	LUMP		LUMP
GENERAL CLEARING AND GRUBBING	LUMP		LUMP
EXCAVATION		108	CY
RELOCATE	LUMP		LUMP
SCULPTURE			
CONC CLASS 47BX-4000 SIDEWALK		135	SY
CONCRETE CLASS 47BX-4000		271	SY
BRICK PAVERS		408	SY
INSTALL BRICK PAVERS		462	SY
LIMESTONE WALL		1,100	CF
REINFORCING STEEL		4,879	LB
CONCRETE FORMWORK	LUMP		LUMP
, SANDBLASTING & COLOR			
SPRINKLER	LUMP		LUMP
LAWN			
DOOR	LUMP		LUMP
HARDWARE			
METAL DOORS AND FRAMES	LUMP		LUMP
DEMOLITION	LUMP		LUMP
PAINTING		3,550	SF
PLATFORM LIFT	LUMP		LUMP
PIPE RAILING		139	LF
DECORATIVE METAL RAILING		44	LF
D 4'			
DECORATIVE METAL RAILING		15	LF
E MODIFICATION			
DECORATIVE METAL RAILING		20	LF
F 5'			
DECORATIVE METAL RAILING		16	LF
@ STAIR D			
METAL STAIR		16	LF
CONCRETE STAIR		52	CY
, WALLS & FOUNDATION			
MECHANICAL	LUMP		LUMP
ITEMS			
GRANULAR FILL		155	TON
SODDING		243	SY
THORNLESS HAWTHORN 2" CAL B&B		5	EACH
VANGUARD ELM 2" CAL B&B		3	EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II		6,703	B DAY
BARRICADE, TYPE III		86,257	B DAY
SIGN DAY		6,024	EACH
CONTRACTOR FURNISHED SIGN DAY		798	EACH
TEMP PVMT MARKING, TYPE PAINT		4,974	LF
FLASHING ARROW PANEL		134	DAY

CONCRETE PROTECTION BARRIER		812 LF
RELOCATE CONC PROTECTION BARRIER		800 LF
TRAINING		1,000 HOUR
MOBILIZATION	LUMP	LUMP
CONSTRUCTION STAKING AND SURVEYING	LUMP	LUMP
TEMP IMPACT ATTENUATOR		1 EACH
STOP LINE		126 LF
24" TEMPORARY		
ARROW		5 EACH
TEMPORARY		
RENTAL OF LOADER, FULLY OPERATED		5 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		5 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		5 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		5 HOUR

NOTICE TO CONTRACTORS

CALL ORDER 220
 FEDERAL PROJECT NO. MAPA-5001(18)
 LOCATION: OMAHA CONCRETE REPAIR, PACKAGE 1
 COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids for the
 CITY OF OMAHA in Room 104 of the Central Office Building at
 1500 Hwy 2 at Lincoln, until 1:30 P.M. on November 03, 2011 .
 At that time the bids will be opened and read for
 SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR
 WHO IS QUALIFIED FOR: SPECIALTY
 START DATE 04/30/2012 CALENDAR DAYS 125
 Price Range \$ 500,000 to \$ 2,000,000

Plans and specifications may be seen beginning October 11, 2011 at the Lincoln
 Central Office and October 17, 2011 at the District Engineer's Office at OMAHA
 Additional letting information may be found at the Nebraska Department of Roads
 Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal
 requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	25 SHEETS	\$	6.25
STANDARD PLANS	17 SHEETS	\$	4.25

SHEET NO.		
1	TITLE PAGE	
2-T1 - 2-T2	TYPICAL CROSS SECTIONS	
2-S	SUMMARY OF QUANTITIES	
2-N	GENERAL INFORMATION	
2-L1 - 2-L16	CONSTRUCTION & REMOVAL	
3	BARRICADING PLANS	
4	SPECIAL PLAN 1C CONCRETE CURB DETAILS	
5	SPECIAL PLAN 2C CAST IRON MANHOLE RINGS & COVER MANHOLE STEPS	
6	SPECIAL PLAN 3C CURB INLET BLOCKOUT DETAILS & TEMPLATE DETAILS (GUTTER DEPRESSION)	
STANDARD PLANS		
301-R10	(3 SHEETS) PAVEMENT DETAILS	
329-R9	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT	
435-R1	(3 SHEETS) MANHOLE	
443-R8	(2 SHEETS) CURB INLETS AND JUNCTION BOX	
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE	
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN	

Quantities shown herein are FOR INFORMATION ONLY and
 should not be used for bidding purposes. The Department
 reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	6,000	B	DAY
BARRICADE, TYPE III	150	B	DAY
TEMPORARY SIGN DAY	960	E	ACH
FLASHING ARROW PANEL	150	D	AY
MOBILIZATION	LUMP	L	UMP
REMOVE DRIVEWAY	91	S	Y
REMOVE WALK	59	S	Y
CONC 47B-3500 SIDEWALKS	59	S	Y
CONC 47B-HE-3500 DRIVEWAY	91	S	Y
CONC PVMT REPAIR TYPE A FULL DEPTH	8	S	Y
CONC PVMT REPAIR TYPE B FULL DEPTH	299	S	Y
CONC PVMT REPAIR TYPE C FULL DEPTH	16,178	S	Y
CAST IRON RING & COVER	2,359	L	B

CURB INLET SEDIMENT FILTER	27 EACH
ONLY, PREF PVMT MRKING T-4, GROOVED	1 EACH
ARROW, PREF PVMT MRKING T-4 GROOVED	2 EACH
4" WHITE PREF PVMT MRKNG T-4 GROOVED	1,296 LF
4" YEL PREF PVMT MRKNG, T-4, GROOVED	349 LF
12" WHT PREF PVMT MRKING T-4 GROOVED	56 LF
24" WHITE PREF PVMT MKING T-4 GROOVED	77 LF
FOUNDATION COURSE REPLACEMENT	140 CY
VEHICLE DETECTOR, TYPE TD-5	10 EACH

NOTICE TO CONTRACTORS

CALL ORDER 300
 FEDERAL PROJECT NO. STP-24-6(102)
 LOCATION: N-24, NORFOLK-STANTON
 COUNTIES: MADISON
 STANTON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 03, 2011 . At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 9.0 MILES
 START DATE 04/02/2012 WORKING DAYS 130
 Price Range \$ 3,000,000 to \$ 6,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning October 11, 2011 at the Lincoln Central Office and October 17, 2011 at the District Engineer's Office at NORFOLK Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING OR STANDARDS)	47 SHEETS	\$	11.75
STANDARD PLANS	11 SHEETS	\$	2.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T7	TYPICAL CROSS SECTIONS
2-S1 - 2-S5	SUMMARY OF QUANTITIES
2-A1 - 2-A9	PHOTO MAPS
2-H	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION
2-N2 - 2-N3	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3 - 11	PLAN SHEETS
12	TEMPORARY TRAFFIC SIGNAL
13	TYPICAL TRAFFIC SIGNAL CONTROL PLAN--ONE LANE, TWO WAY OPERATION WITHOUT BARRIERS
14	TEMPORARY PAVEMENT MARKING PLAN
15	SPECIAL PLAN 1C PAVEMENT APPROACH REPAIR REF. POST NO. 6+59 REF. POST NO. 8+53
16 - 23	SPECIAL PLAN 2C GUARDRAIL PLAN

STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
309	MAILBOX SUPPORT POST
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
901-R9	HIGHWAY DELINEATORS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	21,080	B	DAY
BARRICADE, TYPE III	968	B	DAY
TEMPORARY SIGN DAY	960	E	EACH
SIGN DAY	15,288	E	EACH
OVERLAY BROKEN LINES	1,424	S	STA
OVERLAY SOLID LINES	2,848	S	STA
FLAGGING	280	D	DAY
FURNISHING AND OPERATING PILOT VEHICLE	140	D	DAY
TEMPORARY RUMBLE STRIP	8	E	EACH
TEMPORARY TRAFFIC SIGNAL	2	E	EACH
FIELD OFFICE	1	E	EACH
TRAINING	1,000	H	HOUR
MOBILIZATION	LUMP	L	LUMP
DELINEATOR, TYPE III	79	E	EACH
INSTALL CHEVRONS	16	E	EACH
REMOVE DELINEATOR UNITS	80	E	EACH
ROADWAY GRADING	10	S	STA
REMOVE ASPH SURF FROM PAVEMENT	5,984	S	SY
GRAVEL SURFACE COURSE	140	C	CY
CRUSHED ROCK SURFACE COURSE	115	C	CY
MAILBOX POST	19	E	EACH
CONC PVMT REPAIR TYPE A FULL DEPTH	18	C	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	95	C	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	564	C	CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH	1	C	CY
CONC PVMT, PR-3500	648	C	CY
JOINT REPAIR			
BRIDGE APPROACH REPAIR	2	C	CY
W-BEAM GUARDRAIL	400	L	LF
REMOVE GUARDRAIL	900	L	LF
BRIDGE APPROACH SECTIONS	8	E	EACH
GUARDRAIL END TREATMENT, TYPE II	8	E	EACH
HYDRATED LIME FOR ASPHALT MIXTURES	285	T	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	5	T	TON
FOUNDATION COURSE REPLACEMENT	49	C	CY
GRANULAR SUBDRAIN	76	E	EACH
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	500	T	TON
ASPH CONC, TYPE SPS	14,550	T	TON
ASPH CONC, TYPE LC	6,830	T	TON
ASPH CONC, TYPE SPR	21,590	T	TON
PLACE ASPH CONC FOR DRIVE & INTER	2,868	S	SY
ASPH CONCRETE FOR PATCHING, TYPE SPS	500	T	TON
PERF GRAD BIND (64-28)FOR ST MAINT PATCH	25	T	TON
PERF GRADED BINDER (70-34)	579	T	TON
PERF GRADED BINDER (52-34)	752	T	TON
PERF GRADED BINDER (64-34)	1,079	T	TON
TACK COAT	44,600	G	GAL
RENTAL OF LOADER, FULLY OPERATED	60	H	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50	H	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	60	H	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	60	H	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10	H	HOUR
WATER	240	M	MGAL
CRACKING & SEATING CONC PVMT	127,589	S	SY
EARTH SHOULDER CONSTRUCTION	956	S	STA
MILLING CONC FOR INLAYS	7	E	EACH
RUMBLE STRIPS, ASPHALT	908	S	STA
SURFACE UNDER GUARDRAIL	860	S	SY
RAP INCENTIVE PAYMENT	46,533	E	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	L	LUMP
SEEDING, TYPE B	18	A	ACRE
EROSION CONTROL, CLASS 1D	3,692	S	SY
TEMPORARY SILT FENCE	1,000	L	LF
MULCH	41	T	TON

NOTICE TO CONTRACTORS

CALL ORDER 305
 FEDERAL PROJECT NO. URB-6001(1)
 LOCATION: 25th STREET, US-275-BENJAMIN AVE., NORFOLK
 COUNTIES: MADISON

The Nebraska Department of Roads will receive sealed bids for the CITY OF NORFOLK in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on November 03, 2011 . At that time the bids will be opened and read for GRAD CONC PAVE CULV WATER MAIN SEED BR GDRL FENCE ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

Length: 1.2 MILES
 START DATE 04/02/2012 WORKING DAYS 180
 Price Range \$ 4,000,000 to \$ 7,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 7.0 %

Plans and specifications may be seen beginning October 11, 2011 at the Lincoln Central Office and October 17, 2011 at the District Engineer's Office at NORFOLK Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	245 SHEETS	\$	61.25
CROSS SECTIONS (SHEETS X1 THRU X65)	65 SHEETS	\$	16.25
STANDARD PLANS	38 SHEETS	\$	9.50

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T4	TYPICAL CROSS SECTIONS
2-S1 - 2-S3	SUMMARY OF QUANTITIES
2-K	SUMMARY OF SOIL & MATERIALS
2-W1 - 2-W5	WETLANDS
2-H1 - 2-H3	HORIZONTAL CONTROL
2-N1 - 2-N4	GENERAL INFORMATION
2-P1 - 2-P10	PHASING & DETOUR PLANS
2-L1 - 2-L15	GEOMETRICS
2-L16 - 2-L26	JOINTS & GRADES
2-L27 - 2-L40	DRAINAGE
2-L41 - 2-L56	CONSTRUCTION
2-L57	WETLAND MITIGATION PLAN
2-L58 - 2-L73	REMOVALS
2-L74 - 2-L89	EROSION CONTROL
3 - 11	PLAN & PROFILE SHEETS
12 - 17	TRAIL PLAN & PROFILE SHEETS
18 - 20	RETAINING WALL PLAN & PROFILE SHEETS
21 - 23	TRAFFIC SIGNAL PLANS
24 - 29	ROADWAY LIGHTING PLANS
30 - 44	PAVEMENT MARKING PLANS
45 - 57	STORM SEWER PROFILE SHEETS
58 - 67	WATER MAIN RECONSTRUCTION PLANS
68 - 88	SPECIAL PLAN 1 PRESTRESSED CONCRETE (IT500) GIRDER BRIDGE STA. 156+50.00
89 - 95	SPECIAL PLAN 2 PREFABRICATED PEDESTRIAN BRIDGE STA. 1614+00.00
96 - 102	SPECIAL PLAN 1C GUARDRAIL PLAN
103 - 104	SPECIAL PLAN 2C AREA INLET WITH GRATE
105 - 107	SPECIAL PLAN 3C 12' X 4' SINGLE SPAN RC BOX CULVERT STA. 103+85.40
108	SPECIAL PLAN 4C 4-STRAND BARBED WIRE FENCE
R1 - R19	RIGHT-OF-WAY PLANS
X1 - X57	ROADWAY CROSS SECTIONS
X58 - X65	TRAIL CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
303	(2 SHEETS) CURB RAMP
309	MAILBOX SUPPORT POST
329-R9	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
435-R1	(3 SHEETS) MANHOLE
443-R8	(2 SHEETS) CURB INLETS AND JUNCTION BOX
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
710-R4	(2 SHEETS) FENCE DETAILS
910-R2	SIGNAL FACE CONFIGURATION
911-R1	SIGNAL MOUNTING
912-R4	TRAFFIC SIGNAL POLE DETAILS
914-R6	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		11 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
REM AND REP'MENT OF UNSUITABLE MATERIAL		5,000 CY
WATER		74 MGAL
EARTHWORK MEASURED IN EMBANKMENT		18,607 CY
REMOVE PAVEMENT		25,846 SY
SAWING PAVEMENT		1,452 LF
REMOVE DRIVEWAY		2,465 SY
REMOVE WALK		2,911 SY
REMOVE FENCE		609 LF
REMOVE RETAINING WALL		110 LF
CLEAR TRACT		1 EACH
AT STA. 134+00		
REMOVE		2 EACH
& RECONSTRUCT BRICK PILLARS		
REMOVE AND RESET MAILBOX		17 EACH
WALL MATERIALS		3,173 SF
REMOVE GUARDRAIL		1,062 LF
TEMPORARY FENCE		420 LF
REM AND RESET CHAIN-LINK FENCE		28 LF
REMOVE AND RESET FENCE		540 LF
IRON		
COVER CROP SEEDING		8 ACRE
EROSION CONTROL, CLASS 1D		11,216 SY
EROSION CONTROL, CLASS 2B		247 SY
FABRIC SILT FENCE-LOW POROSITY		3,002 LF
FABRIC SILT FENCE-HIGH POROSITY		6,993 LF
FABRIC SILT FENCE, COIR FIBER		1,781 LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
GRAVEL SURFACE COURSE		280 TON
CRUSHED ROCK SURFACE COURSE		1,354 TON
LIMESTONE SCREENINGS		168 TON
CONC 47B-3000 SIDEWALK 5"		3,665 SY
DETECTABLE WARNING PANEL		716 SF
6" CONCRETE CLASS 47B-3500 BIKEWAY		6,456 SY
CONCRETE BIKEWAY FOOTING		120 LF

6" CONCRETE 47B-3000 IMPRINTED SURFACING	14 SY
CONC 47B-3000 IMPRINTED MEDIAN SURF 5"	45 SY
CONC 47B-3500 DRIVEWAY	3,248 SY
CONC 47B-HE-3500 DRIVEWAY	100 SY
9" DOWELED CONC PVMT, 47B-3500	32,105 SY
9" DOWELED CONC PVMT 47B-HE-3500	5,000 SY
ADJUST MANHOLE TO GRADE	25 EACH
SIGN	16 EACH
TRAIL	
REMOVABLE BOLLARD	3 EACH
ARROW POLYUREA PVMT MRKING, GROOVED	31 EACH
8" YEL POLYUREA PVMT MRKING GROOVED	98 LF
4" WHT POLYUREA PVMT MRKING, GROOVED	357 LF
8" WHT POLYUREA PVMT MRKING, GROOVED	966 LF
12" WHT POLYUREA PVMT MRKING, GROOVED	33 LF
24" WHT POLYUREA PVMT MRKING, GROOVED	741 LF
4" YEL POLYUREA PVMT MRKING, GROOVED	14,646 LF
WATER	122 MGAL
EARTH SHOULDER CONSTRUCTION	62 STA
SUBGRADE PREPARATION	35,348 SY
SODDING	13,268 SY
ADJUST VALVE BOX TO GRADE	7 EACH

GROUP 4 CULVERTS

	LUMP	LUMP
MOBILIZATION		
REMOVE INLET		22 EACH
AREA INLET		2 EACH
CURB INLET		50 EACH
(Y=8)		
CURB INLET		2 EACH
(Y=10)		
CURB INLET		3 EACH
(Y=12)		
JUNCTION BOX		1 EACH
MANHOLE		1 EACH
AT STA . 105+20		
MANHOLE		1 EACH
AT STA. 109+00		
MANHOLE		1 EACH
AT STA. 112+60		
MANHOLE		1 EACH
AT STA. 115+33.9		
MANHOLE		1 EACH
AT STA. 116+81.3		
MANHOLE		1 EACH
AT STA. 116+81.8		
MANHOLE		1 EACH
AT STA. 117+75		
MANHOLE		1 EACH
AT STA. 121+10		
MANHOLE		1 EACH
AT STA. 123+70		
MANHOLE		1 EACH
AT STA. 126+09.9		
MANHOLE		1 EACH
AT STA. 127+30.5		
MANHOLE		1 EACH
AT STA. 128+25		
MANHOLE		1 EACH
AT STA. 900+47.1		
MANHOLE		1 EACH
AT STA. 130+03.4		
MANHOLE		1 EACH
AT STA. 131+20.5		
MANHOLE		1 EACH
AT STA. 133+50		

MANHOLE	1 EACH
AT STA. 136+68.1	
MANHOLE	1 EACH
AT STA. 143+61.2	
MANHOLE	1 EACH
AT STA. 147+71.7	
MANHOLE	1 EACH
AT STA. 149+75	
MANHOLE	1 EACH
AT STA. 151+30	
MANHOLE	1 EACH
AT STA. 153+85.5	
MANHOLE	1 EACH
AT STA. 157+06.7	
MANHOLE	1 EACH
AT STA. 157+39.2	
MANHOLE	1 EACH
AT STA. 159+14.8	
REMOVE FLARED- END SECTION	3 EACH
REMOVE & REINSTALL CONCRETE FES	2 EACH
REMOVE SEWER PIPE	2,620 LF
EXCAVATION FOR BOX CULVERTS	5 CY
47B-3000 CONC FOR BOX CULV	31 CY
47B-3000 CONC FOR CONCRETE CO	5 CY
RE-STEEL FOR BOX CULVERT	4,035 LB
RE-STEEL FOR COLLARS	417 LB
18" FLARED-END SECTION	1 EACH
12" METAL FLARED-END SECTION	2 EACH
42" CONCRETE FLARED-END SECTION	1 EACH
18" RND EQUIV CONCRETE FES	1 EACH
CURB INLET SEDIMENT FILTER	55 EACH
12" STORM SEWER PIPE 1,7,8	24 LF
15" STORM SEWER PIPE 1,7,8	1,316 LF
18" STORM SEWER PIPE 1,7,8	1,384 LF
24" STORM SEWER PIPE 1,7,8	750 LF
30" STORM SEWER PIPE 1,7,8	621 LF
36" STORM SEWER PIPE 1,7,8	2,404 LF
36" STORM SEWER PIPE 1	381 LF
42" STORM SEWER PIPE 1	288 LF
12" STORM SEWER PIPE 3,4 OR 5	10 LF
18" RND EQ STORM SEWER PIPE 1	227 LF
24" RND EQ STORM SEWER PIPE 1	13 LF

GROUP 4A WATER MAIN

	LUMP	LUMP
MOBILIZATION		
6" PLUG		1 EACH
8" PLUG		1 EACH
10" PLUG		3 EACH
INSTALL		21 LF
2" CAST IRON WATER MAIN		
CURB STOP		8 EACH
1"		
WET TAP CUT-IN		26 EACH
1" CORPORATION STOP		8 EACH
1" SERVICE		324 LF
TUBING		
6" WATER MAIN PIPE		641 LF
8" WATER MAIN PIPE		513 LF
10" WATER MAIN PIPE		970 LF
12" WATER MAIN PIPE		1,048 LF
2" GATE VALVE		1 EACH
6" GATE VALVE		4 EACH
8" GATE VALVE		5 EACH
10" GATE VALVE		5 EACH
12" GATE VALVE		7 EACH
FIRE HYDRANT		1 EACH
5.5' BURY		

FIRE HYDRANT	1 EACH
6' BURY	
FIRE HYDRANT	1 EACH
7' BURY	
FIRE HYDRANT	1 EACH
7.5' BURY	
FIRE HYDRANT	1 EACH
8' BURY	
FIRE HYDRANT	3 EACH
8.5' BURY	
FIRE HYDRANT	1 EACH
9' BURY	
SALVAGE FIRE HYDRANT	4 EACH
FLUSHING HYDRANT	3 EACH
6" SLEEVE	5 EACH
SOLID	
8" SLEEVE	8 EACH
SOLID	
10" SLEEVE	9 EACH
SOLID	
12" SLEEVE	2 EACH
SOLID	
TEE	1 EACH
12"	
8" X 6" TEE	3 EACH
10" X 8" TEE	1 EACH
10" X 6" TEE	2 EACH
12" X 6" TEE	3 EACH
TEE	1 EACH
8" X 3"	
8" TEE	2 EACH
10" TEE	3 EACH
6" TEE	2 EACH
CROSS	1 EACH
12"	
6" - 45 DEGREE BEND	14 EACH
6" - 90 DEGREE BEND	1 EACH
8" - 45 DEGREE BEND	19 EACH
8" - 90 DEGREE BEND	1 EACH
12" - 90 DEGREE BEND	1 EACH
10" - 45 DEGREE BEND	18 EACH
12" - 45 DEGREE BEND	6 EACH
10" - 90 DEGREE BEND	3 EACH
12" - 22 1/2 DEGREE BEND	1 EACH
3" X 2" REDUCER	1 EACH
12" X 10" REDUCER	2 EACH
12" X 6" REDUCER	1 EACH
RECONNECT WATER SERVICE	4 EACH
REMOVE WATER MAIN PIPE	1,071 LF
TEMPORARY	1 EACH
12" X 6" TEE	
TEMPORARY	1 EACH
10" X 6" TEE	
TEMPORARY	1 EACH
8" X 6" TEE	
TEMPORARY	1 EACH
12" PLUG	
TEMPORARY	1 EACH
10" PLUG	
TEMPORARY	1 EACH
8" PLUG	
TEMPORARY	2 EACH
6" PLUG W/2" TAP	

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE A		3 ACRE
SEEDING, TYPE B		2 ACRE

SEEDING, TYPE WETLAND		1 ACRE
MULCH		10 TON

GROUP 6 BRIDGE AT STA. 156+50

MOBILIZATION	LUMP	LUMP
RIPRAP FILTER FABRIC		325 SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000		165 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		19,545 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
ELASTOMERIC BEARING		32 EACH
47B-3000 CONC FOR BRIDGE		148 CY
47BD-4000 CONC FOR BRIDGE		65 CY
PRECAST/PRESTRESSED CONC SUPERSTR 156+50	LUMP	LUMP
REMOVE STRUCTURE AT STA. 156+50		1 EACH
STEEL DIAPHRAGM		6 EACH
ROCK RIPRAP, TYPE B		440 TON
EPOXY COATED RE-STEEL		20,485 LB
ANTI-GRAFFITI COATING	LUMP	LUMP
SUBSURFACE DRAINAGE MATTING		35 SY
PIPE PILING		2,800 LF
STEEL SHEET PILING		4,170 SF
PEDESTRIAN BARRIER RAIL		94 LF
PEDESTRIAN RAILING		108 LF
1 1/2" CONDUIT IN BRIDGE		130 LF
CONCRETE COATING AT STA. 156+50	LUMP	LUMP
GRANULAR BACKFILL		72 CY

GROUP 6A BRIDGE AT STA. 1614+00

MOBILIZATION	LUMP	LUMP
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
47B-3000 CONC FOR BRIDGE		15 CY
REMOVE STRUCTURE AT STA. 156+30		1 EACH
PEDESTRIAN BRIDGE	LUMP	LUMP
EPOXY COATED RE-STEEL		1,630 LB
PIPE PILING		810 LF
PEDESTRIAN RAILING		51 LF

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		900 LF
BRIDGE APPROACH SECTIONS		4 EACH
GUARDRAIL END TREATMENT, TYPE I		4 EACH

GROUP 7B FENCE

MOBILIZATION	LUMP	LUMP
4' GATE DECORATIVE		1 EACH
4' CHAIN-LINK FENCE		29 LF
FENCE		1,064 LF
4' DECORATIVE FENCE		120 LF
5' DECORATIVE		

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
STREET NAME SIGN ILLUMINATED		4 EACH
PULL BOX, TYPE PB-1		4 EACH
PULL BOX, TYPE PB-1A		8 EACH

PULL BOX, TYPE PB-5	2 EACH
TRAFFIC SIGNAL, TYPE TS-1	8 EACH
T36	
TRAF SIG CONTROL, TYPE TC-170	1 EACH
PEDESTRIAN SIGNAL, TYPE PS-1	6 EACH
PEDESTRIAN PUSHBUTTON, PPB	6 EACH
VEHICLE DETECTOR, TYPE A PREFORMED	16 EACH
VEHICLE DETECTOR, TYPE B PREFORMED	8 EACH
STREET LIGHTING UNIT	8 EACH
, TYPE SL-BT-30-6-0.25	
ST LIGHT UNIT, SL-BT-35-6-0.25	29 EACH
LUMINAIRE, TYPE HPS-250W	2 EACH
C.M.A. SIG & LGHT POLE, CMP-40-12	1 EACH
C.M.A. SIG & LGHT POLE, CMP-45-12	1 EACH
METER PEDESTAL	1 EACH
MAST ARM SIGNAL POLE, MP-35	1 EACH
MAST ARM SIGNAL POLE, MP-50	1 EACH
LIGHTING CONTROL CENTER, R	2 EACH
1 1/2" CONDUIT IN TRENCH	5,225 LF
2" CONDUIT IN TRENCH	262 LF
3" CONDUIT IN TRENCH	45 LF
4" CONDUIT IN TRENCH	28 LF
1 1/2" CONDUIT UNDER ROADWAY	924 LF
3" CONDUIT UNDER ROADWAY	225 LF
2/C #14 AWG TRAF SIG CABLE	563 LF
3/C #14 AWG TRAF SIG CABLE	563 LF
12/C #14 AWG TRAF SIG CABLE	418 LF
2/C #14 AWG DETECTOR LEAD-IN CABLE	1,683 LF
GROUNDING CONDUCTOR	225 LF
#6	
GROUNDING CONDUCTOR	59 LF
#8	
STREET LIGHT CABLE, NO. 4 USE	12,556 LF
STREET LIGHT CABLE, NO. 6 BARE	6,278 LF
STREET LIGHT CABLE, NO. 6 USE	162 LF
REMOVE TRAFFIC SIGNAL	1 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	5,580 BDAY
BARRICADE, TYPE III	4,590 BDAY
SIGN DAY	14,730 EACH
CONTRACTOR FURNISHED SIGN DAY	1,458 EACH
TEMP PVMT MARKING, TYPE PAINT	8,000 LF
FLAGGING	50 DAY
TRAINING	2,000 HOUR
MOBILIZATION	LUMP LUMP
RENTAL OF LOADER, FULLY OPERATED	120 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	120 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	120 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	120 HOUR
TEMPORARY SILT CHECK	500 LF
TEMPORARY SILT FENCE	500 LF

NOTICE TO CONTRACTORS

CALL ORDER 310
 FEDERAL PROJECT NO. BRO-7014(31)
 LOCATION: ON A COUNTY ROAD, SOUTHEAST OF HARTINGTON
 COUNTIES: CEDAR

The Nebraska Department of Roads will receive sealed bids for the COUNTY OF CEDAR in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on November 03, 2011 . At that time the bids will be opened and read for GRAD CULV SEED BR GDRL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES

START DATE 07/23/2012 WORKING DAYS 70
 Price Range \$ 0 to \$ 500,000
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning October 11, 2011 at the Lincoln Central Office and October 17, 2011 at the District Engineer's Office at NORFOLK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	28	SHEETS	\$	7.00
CROSS SECTIONS (SHEETS X1 THRU X5)	5	SHEETS	\$	1.25
STANDARD PLANS	14	SHEETS	\$	3.50

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS OF IMPROVEMENT
2-S	SUMMARY OF QUANTITIES
2-W	WETLANDS
2-N1 - 2-N2	GENERAL INFORMATION & DETOUR LOCATION MAP
2-L	EROSION CONTROL
3	PLAN & PROFILE SHEET
4	DRAINAGE STRUCTURE CROSS SECTIONS
5 - 12	SPECIAL PLAN 1 CONCRETE SLAB BRIDGE STA. 25+70.00
13 - 20	SPECIAL PLAN 1C GUARDRAIL PLAN
21 - 22	SPECIAL PLAN 2C TEMPORARY SILT CHECKS
R-1	RIGHT-OF-WAY SHEET
X-1 - X-5	CROSS SECTIONS

STANDARD PLANS

308-R1	LOCAL ROADS MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		1 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP

WATER	64	MGAL
EARTHWORK MEASURED IN EMBANKMENT	4,579	CY
24" DRIVE PIPE 2,3,4,5,6,7 OR 8	98	LF
CRUSHED ROCK EMBEDMENT	12	STA
CRUSHED ROCK SURFACE COURSE	401	CY
SPEC SURF CRSE FOR MAILBOX TURNOUTS	22	SY
MAILBOX POST	1	EACH
COVER CROP SEEDING	2	ACRE
EROSION CONTROL, CLASS 1D	2,661	SY
FABRIC SILT FENCE-LOW POROSITY	681	LF

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	98	CY
24" METAL FLARED-END SECTION	2	EACH
8" NONPERFORATED PIPE UNDERDRAIN	30	LF
24" CULV PIPE 3,4,5,6	134	LF

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE A	2	ACRE
MULCH	5	TON

GROUP 6 BRIDGE AT STA. 25+70

MOBILIZATION	LUMP	LUMP
RIPRAP FILTER FABRIC	814	SY
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
47B-3000 CONC FOR BRIDGE	201	CY
47BD-4000 CONC FOR BRIDGE	173	CY
RE-STEEL FOR BRIDGE	44,380	LB
REMOVE STRUCTURE	1	EACH
AT STA 25+70.5		
ACCESS CROSSING	LUMP	LUMP
STRUC STEEL FOR SUBSTRUCTURE	2,580	LB
ROCK RIPRAP, TYPE B	670	TON
SALVAGING AND PLACING TOPSOIL ON RIPRAP	814	SY
HP 12"X53# STEEL PILING	960	LF

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
BRIDGE APPROACH SECTIONS	4	EACH
MELT	4	EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE III	1,584	B DAY
SIGN DAY	2,112	EACH
CONTRACTOR FURNISHED SIGN DAY	528	EACH
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	10	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	10	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	10	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10	HOUR
TEMPORARY SILT CHECK	200	LF
TEMPORARY SILT FENCE	600	LF
TEMPORARY EARTH CHECK	200	LF
TEMPORARY MULCH	2	TON

NOTICE TO CONTRACTORS

CALL ORDER 315
 FEDERAL PROJECT NO. NH-81-3(139)
 LOCATION: US-81, NORFOLK SOUTH
 COUNTIES: MADISON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 03, 2011 . At that time the bids will be opened and read for BR GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 2.3 MILES
 START DATE 05/14/2012 WORKING DAYS 100
 Price Range \$ 2,000,000 to \$ 4,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning October 11, 2011 at the Lincoln Central Office and October 17, 2011 at the District Engineer's Office at NORFOLK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	51	SHEETS	\$	12.75
CROSS SECTIONS (SHEETS X1 THRU X15)	15	SHEETS	\$	3.75
STANDARD PLANS	18	SHEETS	\$	4.50

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T8	TYPICAL CROSS SECTIONS
2-S1 - 2-S8	SUMMARY OF QUANTITIES
2-W1 - 2-W3	WETLANDS
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
2-L	CONSTRUCTION & REMOVAL
3 - 5	PLAN SHEETS
6	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
7	TEMPORARY PAVEMENT MARKING PLAN
8	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
9	PAVEMENT MARKING DETAILS
10	EARTHWORK DATA SHEET
11 - 18	SPECIAL PLAN 1 JOINT REPAIR STA. 724+19.40
19	SPECIAL PLAN 1C PAVEMENT APPROACH REPAIR
20 - 29	SPECIAL PLAN 2C GUARDRAIL PLAN
X1 - X15	CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
303	(2 SHEETS) CURB RAMP
443-R8	(2 SHEETS) CURB INLETS AND JUNCTION BOX
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT STA. 724+19.40

MOBILIZATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE A		128 LF
47BD-4000 CONC FOR BRIDGE		15 CY
PREP BRIDGE		1 EACH
724+19.40		
EPOXY COATED RE-STEEL		905 LB
GRANULAR BACKFILL		5 CY

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		4,037 LF
REMOVE GUARDRAIL		4,668 LF
BRIDGE APPROACH SECTIONS		7 EACH
END ANCHORAGE ASSEMBLY		2 EACH
GUARDRAIL END TREATMENT, TYPE I		2 EACH
GUARDRAIL END TREATMENT, TYPE II		5 EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES		500 STA
OVERLAY SOLID LINES		414 STA
MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		3 MGAL
EARTHWORK MEASURED IN EMBANKMENT		190 CY
REMOVE WALK		1,236 SY
CROSS STITCHING		1,153 EACH
CONCRETE CURB REPAIR TACK-ON CURB		10 LF
CONCRETE CURB REPAIR		223 LF
CONC 47B-3000 SIDEWALKS		722 SY
DETECTABLE WARNING PANEL		16 SF
CONC PVMT REPAIR TYPE A FULL DEPTH		37 CY
CONC PVMT REPAIR TYPE B FULL DEPTH		99 CY
CONC PVMT REPAIR TYPE C FULL DEPTH		570 CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH		98 CY
CONC PVMT, PR-3500		610 CY
JOINT REPAIR		
CAST IRON COVER & FRAME		250 LB
STRUCTURAL STEEL FOR FACE ARMOR		200 LB
RECONSTRUCT CURB INLET		2 EACH
ADJUST MANHOLE TO GRADE		2 EACH
BRIDGE APPROACH REPAIR		45 CY
ARROW, PREF PVMT MRKING T-4 GROOVED		18 EACH
5" WHT WET RFLC THERMOPLSTC PVMT MRK,GVD		26,600 LF
5" YEL WET RFLC THERMOPLSTC PVMT MRK,GVD		5,000 LF
HYDRATED LIME FOR ASPHALT MIXTURES		181 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		5 TON
FOUNDATION COURSE REPLACEMENT		31 CY
ASPH CONC ST MAINT PATCH TYPE SP5 (0.5)		500 TON
ASPH CONC, TYPE SPS		1,840 TON
ASPH CONC, TYPE SP5(0.5)		12,000 TON
ASPH CONC, TYPE LC		6,080 TON
PLACE ASPH CONC FOR DRIVE & INTER		1,417 SY
PERF GRAD BIND (70-34)FOR ST MAINT PATCH		25 TON
PERF GRADED BINDER (70-34)		1,062 TON
PERF GRADED BINDER (52-34)		92 TON
TACK COAT		25,400 GAL
MILLING CONC FOR INLAYS		17 EACH
CONC SURF MILLING		126,303 SY
SURFACE UNDER GUARDRAIL		2,098 SY
RAP INCENTIVE PAYMENT		23,528 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B		9 ACRE
SODDING		2 SY
EROSION CONTROL, CLASS 1D		1,479 SY
HYDROMULCH		20 TON

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	27,000	BDAY
BARRICADE, TYPE III	618	BDAY
TEMPORARY SIGN DAY	4,455	EACH
SIGN DAY	4,593	EACH
FLASHING ARROW PANEL	270	DAY
TRAFFIC CONTROL MANAGEMENT	174	DAY
TRAINING	1,000	HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	5	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	5	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	5	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5	HOUR
TEMPORARY SILT FENCE	300	LF

NOTICE TO CONTRACTORS

CALL ORDER 500
 FEDERAL PROJECT NO. URB-5720(1)
 LOCATION: 27TH STREET, AVE.I-HIGHWAY 26, SCOTTSBLUFF
 COUNTIES: SCOTTS BLUFF

The Nebraska Department of Roads will receive sealed bids for the CITY OF SCOTTSBLUFF in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on November 03, 2011. At that time the bids will be opened and read for CONCRETE PAVEMENT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

Length: 1.3 MILES
 START DATE 07/09/2012 WORKING DAYS 65
 Price Range \$ 500,000 to \$ 2,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 6.0 %

Plans and specifications may be seen beginning October 11, 2011 at the Lincoln Central Office and October 17, 2011 at the District Engineer's Office at GERING
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	32	SHEETS	\$	8.00
STANDARD PLANS	15	SHEETS	\$	3.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T3	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-N	GENERAL INFORMATION
3 - 14	CONCRETE REPAIR
15 - 20	MILL & OVERLAY PLANS
21 - 26	PAVEMENT MARKING PLANS
27 - 28	SPECIAL PLAN 1C CONSTRUCTION DETAILS

STANDARD PLANS

303	(2 SHEETS) CURB RAMP
329-R9	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 3 CONCRETE PAVEMENT

BARRICADE, TYPE II	3,000	B DAY
BARRICADE, TYPE III	540	B DAY
TEMPORARY SIGN DAY	450	EACH
SIGN DAY	2,068	EACH
FLASHING ARROW PANEL	70	DAY
FLAGGING	25	DAY
TRAINING	500	HOUR
MOBILIZATION	LUMP	LUMP
WATER	11	MGAL

REMOVE PAVEMENT	3,618 SY
REMOVE WALK	1,132 SY
REMOVE COMBINATION CURB AND GUTTER	4,665 LF
REMOVE INLET	18 EACH
COMB CONC 47B-3500 CURB & GUTTER 24 INCH, TYPE I	896 LF
COMB CONC 47B-3500 CURB & GUTTER 24 INCH, TYPE II	2,580 LF
COMB CONC 47B-3500 CURB & GUTTER 30 INCH, TYPE I	849 LF
COMB CONC 47B-3500 CURB & GUTTER 30 INCH, TYPE II	340 LF
CONC 47B-3500 SIDEWALKS 5"	1,132 SY
DETECTABLE WARNING PANEL	448 SF
8" CONC PVMT, 47B-3500	3,618 SY
CURB INLET	1 EACH
AT STA. 1+67 LT.	
CURB INLET	1 EACH
AT STA. 3+28 RT.	
CURB INLET	1 EACH
AT STA. 9+12 LT.	
CURB INLET	1 EACH
AT STA. 12+89 RT.	
CURB INLET	1 EACH
AT STA. 26+95 RT.	
CURB INLET	1 EACH
AT STA. 28+39 RT.	
CURB INLET	1 EACH
AT STA. 31+00 RT.	
CURB INLET	1 EACH
AT STA. 32+27 LT.	
CURB INLET	1 EACH
AT STA. 39+29 LT.	
CURB INLET	1 EACH
AT STA. 46+14 LT.	
CURB INLET	1 EACH
AT STA. 46+65 LT.	
CURB INLET	1 EACH
AT STA. 50+13 LT.	
CURB INLET	1 EACH
AT STA. 56+88 LT.	
CURB INLET	1 EACH
AT STA. 57+40 RT.	
CURB INLET	1 EACH
AT STA. 57+59 LT.	
CURB INLET	1 EACH
AT STA. 59+79 LT.	
CURB INLET	1 EACH
AT STA. 60+32 RT.	
CURB INLET	1 EACH
AT STA. 63+06 LT.	
ADJUST CURB INLET TO GRADE	13 EACH
ADJUST MANHOLE TO GRADE	33 EACH
24" WHITE PREF PVMT MKING T-4 GROOVED	526 LF
4" WHT WET RFLC PRF PVMT MKNG T4 GVD	2,688 LF
6" WHT WET RFLC PRF PVMT MKNG T4 GVD	3,034 LF
4" YEL WET RFLC PRF PVMT MKNG T4 GVD	11,194 LF
12" YEL WET RFLC PRF PVMT MKNG T4 GVD	100 LF
ARROW, WET RFLC PRF PVMT MKNG, T 4 GVD	59 EACH
HYDRATED LIME FOR ASPHALT MIXTURES	66 TON
ASPH CONC, TYPE SP4 SPECIAL(0.5)	6,480 TON
ASP CON FOR PATCH, TYPE SP4 SPEC (0.5)	120 TON
PERF GRADED BINDER (64-34)	330 TON

TACK COAT	8,050 GAL
RENTAL OF LOADER, FULLY OPERATED	15 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	15 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	15 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	15 HOUR
SUBGRADE PREPARATION	3,618 SY
COLD MILLING, CLASS 3	7,723 SY
COLD MILLING, CLASS 5	5,934 SY
MILLING CONCRETE FOR INLAYS	3,953 SY
CONCRETE SURFACE MILLING	12,050 SY
NON-WOVEN PVMT OVERLAY FABRIC	40,239 SY
RAP INCENTIVE PAYMENT	11,000 EACH
ADJUST PULL BOX TO GRADE	8 EACH
ADJUST VALVE BOX TO GRADE	12 EACH

NOTICE TO CONTRACTORS

CALL ORDER 600
 FEDERAL PROJECT NO. IM-80-4(137)
 LOCATION: I-80, GOTHENBURG EAST & WEST
 COUNTIES: DAWSON LINCOLN

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 03, 2011 . At that time the bids will be opened and read for CULV SEED BR GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 9.9 MILES
 START DATE 04/02/2012 WORKING DAYS 120
 Price Range \$ 4,000,000 to \$ 7,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning October 11, 2011 at the Lincoln Central Office and October 17, 2011 at the District Engineer's Office at NORTH PLATTE

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	75	SHEETS	\$	18.75
CROSS SECTIONS (SHEETS X1 THRU X6)	6	SHEETS	\$	1.50
STANDARD PLANS	11	SHEETS	\$	2.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T9	TYPICAL CROSS SECTIONS
2-S1 - 2-S8	SUMMARY OF QUANTITIES
2-S9 - 2-S11	SUMMARY OF QUANTITIES--EXISTING FIELD CONDITIONS & PROPOSED CONCRETE MILLING/TEMPLATE CORRECTION
2-A1 - 2-A10	PHOTO MAPS
2-H1 - 2-H3	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION
2-N2 - 2-N3	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3 - 12	PLAN SHEETS
13	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
14	TYPICAL TRAFFIC CONTROL PLAN--PIER COLUMN PROTECTION CONCRETE BARRIER PLACEMENT
15	TYPICAL TRAFFIC CONTROL PLAN--INERTIAL BARRIER SYSTEM
16	TRAFFIC CONTROL PLAN--WORK IN VICINITY OF EXIT RAMP & ON RAMP
17	TEMPORARY PAVEMENT MARKING PLAN
18	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
19	TYPICAL PAVEMENT MARKING PLAN--INTERSTATE/EXPRESSWAY
20	EARTHWORK DATA SHEET
21 - 22	SPECIAL PLAN 1 BRIDGE REPAIR STA. 1841+60.00
23 - 24	SPECIAL PLAN 1C PIER COLUMN PROTECTION STA. 1639+30.00
25 - 26	SPECIAL PLAN 2C PIER COLUMN PROTECTION STA. 1889+87.00
27	SPECIAL PLAN 3C PAVEMENT APPROACH REPAIR REF. POST NO. 210+88
28 - 36	SPECIAL PLAN 4C GUARDRAIL PLAN
37 - 38	SPECIAL PLAN 5C SAFETY SLOPED END SECTIONS (CORRUGATED METAL & CONCRETE PIPE)
39 - 40	SPECIAL PLAN 6C CONCRETE PROTECTION BARRIER
X1 - X6	CROSS SECTIONS

STANDARD PLANS

410-R3 (2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
 413-R2 BAR GRATE FOR FLARED END SECTIONS
 501-R5 (3 SHEETS) EROSION CONTROL
 502 SILT FENCE DETAILS
 901-R9 HIGHWAY DELINEATORS
 902-R1 HIGHWAY DELINEATORS FOR RAMP AND GORE LOCATIONS
 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE FLARED- END SECTION		9 EACH
BAR GRATE FOR 18" CONC FES		7 EACH
18" SAFETY SLOPED END SECTION		1 EACH
18" CONCRETE FLARED-END SECTION		8 EACH

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE B		17 ACRE
MULCH		34 TON

GROUP 6 BRIDGE AT STA. 1841+60.00 RT.

MOBILIZATION	LUMP	LUMP
ABUTMENT REPAIR		45 SF

GROUP 6A BRIDGE AT STA. 1841+60.00 LT.

MOBILIZATION	LUMP	LUMP
CONCRETE REPAIR		24 SF

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
PREPARATION OF STRUCTURE AT STA. 1639+30.00		1 EACH
PREPARATION OF STRUCTURE AT STA. 1889+87.00		1 EACH
47BD-4000 CONC FOR PIER PROTECTION		14 CY
EPOXY COAT RE-STEEL FOR PIER PROTECTION	3,855 LB	
W-BEAM GUARDRAIL	725 LF	
REMOVE GUARDRAIL	956 LF	
BRIDGE APPROACH SECTIONS	4 EACH	
GUARDRAIL END TREATMENT, TYPE I	4 EACH	

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES	2,026 STA
OVERLAY SOLID LINES	4,108 STA
MOBILIZATION	LUMP LUMP
EXCAVATION (ESTABLISHED QUANTITY)	186 CY
DELINEATOR, TYPE I	258 EACH
DELINEATOR, TYPE II	78 EACH
REMOVE DELINEATOR UNITS	336 EACH
REMOVE PAVEMENT	281 SY
CONC PVMT REPAIR TYPE A FULL DEPTH	3 CY
CONC PVMT REPAIR TYPE B FULL DEPTH	138 CY
CONC PVMT REPAIR TYPE C FULL DEPTH	319 CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH	112 CY
CONC PVMT, PR-3500	664 CY
JOINT REPAIR	

BRIDGE APPROACH REPAIR	1	CY
5" WHT WET RFLC THERMOPLSTC PVMT MRK,GVD	134,200	LF
5" YEL WET RFLC THERMOPLSTC PVMT MRK,GVD	110,300	LF
12" WHT WET RFLC PRF PVMT MKNG T4 GVD	3,200	LF
HYDRATED LIME FOR ASPHALT MIXTURES	476	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	1	TON
FOUNDATION COURSE REPLACEMENT	24	CY
ASPH CONC ST MAINT PATCH TYPE SP5 (0.5)	100	TON
ASPH CONC, TYPE SPS	11,770	TON
ASPH CONC, TYPE SP5(0.5)	46,720	TON
PERF GRAD BIND (70-28)FOR ST MAINT PATCH	5	TON
PERF GRADED BINDER (70-28)	2,616	TON
PERF GRADED BINDER (52-34)	588	TON
TACK COAT	71,220	GAL
WATER	357	MGAL
EARTH SHOULDER CONSTRUCTION	1,427	STA
MILLING FOR ASPH CONC INLAY	5	EACH
MILLING CONC FOR INLAYS	6	EACH
RUMBLE STRIPS, ASPHALT	1,366	STA
CONCRETE SURFACE MILLING	236	STA
CONCRETE SURFACE MILLING	44	STA
TYPE A		
SURFACE UNDER GUARDRAIL	1,074	SY
RAP INCENTIVE PAYMENT	99,433	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
FABRIC SILT FENCE-LOW POROSITY	1,091	LF

GROUP 10 GENERAL ITEMS

SURV OF TEMP TRAFFIC CONT DEVICES	216	CDAY
BARRICADE, TYPE II	41,200	BDAY
BARRICADE, TYPE III	1,276	BDAY
TEMPORARY SIGN DAY	2,688	EACH
SIGN DAY	8,659	EACH
FLASHING ARROW PANEL	412	DAY
CONCRETE PROTECTION BARRIER	1,000	LF
INERTIAL BARRIER SYSTEM	2	EACH
REPLACEMENT MODULE	18	EACH
FIELD OFFICE	1	EACH
TRAINING	1,000	HOURL
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	25	HOURL
RENTAL OF DUMP TRUCK, FULLY OPERATED	25	HOURL
RENTAL OF SKID LOADER, FULLY OPERATED	25	HOURL
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	25	HOURL
TEMPORARY SILT FENCE	1,500	LF
TEMPORARY MULCH	4	TON

NOTICE TO CONTRACTORS

CALL ORDER 605
 FEDERAL PROJECT NO. URB-6558(1)
 LOCATION: 17TH STREET, MADISON-VAN BUREN, LEXINGTON
 COUNTIES: DAWSON

The Nebraska Department of Roads will receive sealed bids for the CITY OF LEXINGTON in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on November 03, 2011 . At that time the bids will be opened and read for GRAD CONC PAVE CULV

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

START DATE 05/29/2012 WORKING DAYS 80
 Price Range \$ 500,000 to \$ 2,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning October 11, 2011 at the Lincoln Central Office and October 17, 2011 at the District Engineer's Office at NORTH PLATTE
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	46	SHEETS	\$ 11.50
CROSS SECTIONS (SHEETS X1 THRU X9)	9	SHEETS	\$ 2.25
STANDARD PLANS	17	SHEETS	\$ 4.25

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T3	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-H	SURVEY CONTROL
2-N	GENERAL INFORMATION
2-P1 - 2-P6	TRAFFIC CONTROL PLAN--PHASES
2-L1 - 2-L8	REMOVALS
2-L9 - 2-L16	GEOMETRICS & CONSTRUCTION
2-L17 - 2-L24	DRAINAGE & UTILITIES
3 - 4	PLAN & PROFILE SHEETS
5 - 6	EROSION & SEDIMENT CONTROL
7	STORM DRAIN PROFILES
8	SPECIAL PLAN 1C STORM SEWER DETAILS
9	SPECIAL PLAN 2C RECONSTRUCT INLET DECK
10 - 11	SPECIAL PLAN 3C PAVING DETAILS
X1 - X6	CROSS SECTIONS--WALNUT STREET
X7 - X9	CROSS SECTIONS--17TH STREET

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
303	(2 SHEETS) CURB RAMP
329-R9	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
428-R3	CONCRETE PLUGS AND FIELD PIPE TAP DETAILS
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

	LUMP	LUMP
MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	1,253	CY
REMOVE PAVEMENT	7,214	SY
SAWING PAVEMENT	2,590	LF
REMOVE DRIVEWAY	772	SY
REMOVE WALK	1,738	SY
FABRIC SILT FENCE-LOW POROSITY	516	LF
FABRIC SILT FENCE-HIGH POROSITY	60	LF

GROUP 3 CONCRETE PAVEMENT

	LUMP	LUMP
MOBILIZATION	LUMP	LUMP
CONC 47B-3000 SIDEWALK 5"	2,504	SY
DETECTABLE WARNING PANEL	304	SF
CONC 47B-3500 DRIVEWAY	760	SY
CONC PVMT REPAIR TYPE C FULL DEPTH	4,171	SY
7" CONC PVMT 47B-3500	1,366	SY
9" CONC PVMT, 47B-3500	5,847	SY
ADJUST MANHOLE TO GRADE	11	EACH
FOUNDATION COURSE REPLACEMENT	400	SY
WATER	30	MGAL
EARTH SHOULDER CONSTRUCTION	25	STA
SUBGRADE PREPARATION	7,973	SY
SEEDING, TYPE C	1	ACRE
MULCH	1	TON
ADJUST VALVE BOX TO GRADE	11	EACH

GROUP 4 CULVERTS

	LUMP	LUMP
MOBILIZATION	LUMP	LUMP
REMOVE INLET	2	EACH
CURB INLET	1	EACH
AT STA. 5+50 RT.		
CURB INLET	1	EACH
AT STA. 122+53 LT.		
RECONSTRUCT CURB INLET	10	EACH
TAPPING EXISTING PIPE	1	EACH
REMOVE SEWER PIPE	29	LF
47B-3000 CONC FOR CONCRETE CO	1	CY
47B-3000 CONC FOR PIPE PLUG	1	CY
RE-STEEL FOR COLLARS	36	LB
12" REINF CONCRETE SEWER PIPE	6	LF
18" REINF CONCRETE SEWER PIPE	4	LF
CURB INLET SEDIMENT FILTER	108	LF

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	6,579	BDAY
BARRICADE, TYPE III	1,733	BDAY
SIGN DAY	2,439	EACH
CONTRACTOR FURNISHED SIGN DAY	1,569	EACH
TEMP PVMT MARKING, TYPE PAINT	5,866	LF
TUBULAR POST	42	EACH
FLASHING ARROW PANEL	144	DAY
FLAGGING	56	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	10	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	10	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	10	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10	HOUR

NOTICE TO CONTRACTORS

CALL ORDER 700
 FEDERAL PROJECT NO. STPE-1955(2)
 LOCATION: ON A COUNTY ROAD SOUTH OF HILDRETH
 COUNTIES: FRANKLIN

The Nebraska Department of Roads will receive sealed bids for the
 COUNTY OF FRANKLIN in Room 104 of the Central Office Building at
 1500 Hwy 2 at Lincoln, until 1:30 P.M. on November 03, 2011 .
 At that time the bids will be opened and read for
 BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR
 WHO IS QUALIFIED FOR: BITUMINOUS

Length: 2.7 MILES
 START DATE 09/10/2012 WORKING DAYS 25
 Price Range \$ 250,000 to \$ 1,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning October 11, 2011 at the Lincoln
 Central Office and October 17, 2011 at the District Engineer's Office at MCCOOK
 Additional letting information may be found at the Nebraska Department of Roads
 Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal
 requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	8 SHEETS	\$	2.00
STANDARD PLANS	8 SHEETS	\$	2.00

SHEET NO.

1 TITLE PAGE
 2-T TYPICAL CROSS SECTIONS
 2-S SUMMARY OF QUANTITIES
 3 - 5 PLAN SHEETS
 6 TEMPORARY PAVEMENT MARKING PLAN
 7 TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING

STANDARD PLANS

308-R1 LOCAL ROADS MAILBOX TURNOUT
 309 MAILBOX SUPPORT POST
 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and
 should not be used for bidding purposes. The Department
 reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	10,648	BDAY
BARRICADE, TYPE III	220	BDAY
TEMPORARY SIGN DAY	280	EACH
SIGN DAY	1,150	EACH
OVERLAY BROKEN LINES	290	STA
OVERLAY SOLID LINES	580	STA
PERMANENT PAVEMENT MARKING PAINT	43,520	LF
FLAGGING	40	DAY
FURNISHING AND OPERATING PILOT VEHICLE	20	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
SPEC SURF CRSE FOR MAILBOX TURNOUTS	22	SY
MAILBOX POST	1	EACH
HYDRATED LIME FOR ASPHALT MIXTURES	95	TON

ASPH CONC, TYPE SP4 SPECIAL(0.5)	9,370 TON
PLACE ASPH CONC FOR DRIVE & INTER	214 SY
ASPH CONC FOR PATCHING, TYPE SP4(0.5)	100 TON
PERF GRADED BINDER (64-34)	473 TON
TACK COAT	7,430 GAL
RENTAL OF LOADER, FULLY OPERATED	10 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	10 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	10 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	10 HOUR
WATER	73 MGAL
EARTH SHOULDER CONSTRUCTION	290 STA
NON-WOVEN PVMT OVERLAY FABRIC	34,972 SY
RAP INCENTIVE PAYMENT	16,099 EACH
SEEDING, TYPE B	4 ACRE
MULCH	9 TON

NOTICE TO CONTRACTORS

CALL ORDER 705
FEDERAL PROJECT NO. NH-6-3(125)
LOCATION: US-6/US-34, N-46 - HOLDREGE
COUNTIES: HARLAN PHELPS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 03, 2011. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

Length: 16.3 MILES
START DATE 01/23/2012 WORKING DAYS 15
Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning October 11, 2011 at the Lincoln Central Office and October 17, 2011 at the District Engineer's Office at MCCOOK
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	1 SHEETS	\$	0.25
STANDARD PLANS	7 SHEETS	\$	1.75

SHEET NO.
1 TITLE PAGE
& SUMMARY OF QUANTITIES

STANDARD PLANS

920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
924 (3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	2,250	BDAY
BARRICADE, TYPE III	220	BDAY
TEMPORARY SIGN DAY	210	EACH
SIGN DAY	2,915	EACH
FLAGGING	30	DAY
FURNISHING AND OPERATING PILOT VEHICLE	15	DAY
MOBILIZATION	LUMP	LUMP
CRACK SEALING BIT SURFACING	210,000	LF

NOTICE TO CONTRACTORS

CALL ORDER 800
 FEDERAL PROJECT NO. STPE-1810(4)
 LOCATION: ON A COUNTY ROAD SOUTH OF BASSETT
 COUNTIES: ROCK

The Nebraska Department of Roads will receive sealed bids for the
 COUNTY OF ROCK in Room 104 of the Central Office Building at
 1500 Hwy 2 at Lincoln, until 1:30 P.M. on November 03, 2011 .
 At that time the bids will be opened and read for
 BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR
 WHO IS QUALIFIED FOR: BITUMINOUS

Length: 9.3 KL
 START DATE 08/27/2012 WORKING DAYS 35
 Price Range \$ 1,000,000 to \$ 3,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning October 11, 2011 at the Lincoln
 Central Office and October 17, 2011 at the District Engineer's Office at AINSWORTH
 Additional letting information may be found at the Nebraska Department of Roads
 Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal
 requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	12 SHEETS	\$	3.00
STANDARD PLANS	9 SHEETS	\$	2.25

SHEET NO.

1	TITLE PAGE
2T	TYPICAL CROSS SECTIONS
2S	SUMMARY OF QUANTITIES
3 - 9	PLAN SHEETS
10	TEMPORARY PAVEMENT MARKING PLAN
11	TYPICAL PAVEMENT MARKING PLAN (125 mm PAVEMENT MARKING PAINT)

STANDARD PLANS

M308	LOCAL ROADS MAILBOX TURNOUT
M309	MAILBOX SUPPORT POST
M502	SILT FENCE DETAILS
M920	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
M921-R1	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
M922-R3	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and
 should not be used for bidding purposes. The Department
 reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	15,840	B DAY
BARRICADE, TYPE III	248	B DAY
TEMPORARY SIGN DAY	350	EACH
SIGN DAY	4,092	EACH
OVERLAY BROKEN LINES	186	StaM
OVERLAY SOLID LINES	372	StaM
PERMANENT PAVEMENT MARKING PAINT	27,945	m
FLAGGING	50	DAY
FURNISHING AND OPERATING PILOT VEHICLE	25	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
SPEC SURF CRSE FOR MAILBOX TURNOUTS	63	m2
MAILBOX POST	3	EACH

HYDRATED LIME FOR ASPHALT MIXTURES	141 Mg
ASPH CONC, TYPE SP4 SPECIAL (12.5)	13,870 Mg
PLACE ASPH CONC FOR DRIVE & INTER	360 m2
ASP CON FOR PATCH, TYPE SP4 SPEC (12.5)	200 Mg
PERF GRADED BINDER (64-34)	703 Mg
TACK COAT	54,890 L
RENTAL OF LOADER, FULLY OPERATED	30 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	20 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	30 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	30 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10 HOUR
WATER	563 kL
EARTH SHOULDER CONSTRUCTION	187 StaM
RAP INCENTIVE PAYMENT	23,919 EACH
SEEDING, TYPE B	9 ha
TEMPORARY SILT FENCE	305 m
TEMPORARY MULCH	4 Mg
MULCH	45 Mg
MOWING	50 HOUR

Plan and Informational Proposal Order Form
Projects to be bid on:
November 3, 2011

Payment required for plans prior to NDOR completing this order.
 dor.ContractsOnlineOrders@nebraska.gov FAX: (402) 479-4845

Document No.

<input type="checkbox"/> Check/Cash	Receipt No.
<input type="checkbox"/> Advance Plans Account No.	
Credit Card	
<input type="checkbox"/> Visa	<input type="checkbox"/> MasterCard
Expiration Date:	
Card No.:	

Please indicate: <input type="checkbox"/> Mail <input type="checkbox"/> Hold	<input type="checkbox"/> Fed Ex. Standard Overnight	Comments:
	<input type="checkbox"/> Fed Ex. Priority Overnight	
	<input type="checkbox"/> UPS Overnight	
	Acct. No.	

FOR OFFICE USE ONLY	
Reference I.D.:	_____
Authorization Code:	_____ Date: _____

4-Digit Vendor No.:	Ordered By:	Grand Total - Informational Proposals: x \$5.00
Company:		All plans in letting on CD: x \$25.00
Street Address:		Grand Total - 1/2 Size Plans: x \$.25
		Grand Total - Full Size Plans: x \$.50
PO Box:	City:	State:
		Zip Code:
Phone No. (include Area Code):	Fax No. (include Area Code):	Subtotal
		Tax Code
		Sales Tax
		%
Processed by:	Date:	Proposals/CD Filled:
		Blueprint Plans/Proposals Filled:
		Date:
		Total

If requesting Plan or Proposal CD(s) only, your name will not appear on the Planholders list unless your company has been issued Bid Proposals or you submit the "Planholders Registration" from the NDOR website.

CD containing Informational Proposals for all projects in letting. (No Charge) Total Number Requested: →

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. 1/2 size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
100	STP-BR-63-2(114)				
105	STPD-8-7(113)				
110	STPD-103-1(108)				
115	URB-6217(3)				
120	LCLC-5249(7)				
125	LCLC-5230(2)				
130	ENH-34(38)				
135	BR-77-2(159)				
200	MAPA-5046(3)				
205	MAPA-5109(8)				
210	STPC-5001(15)				
215	MAPA-5103(14)				

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. ½ size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
220	MAPA-5001(18)				
300	STP-24-6(102)				
305	URB-6001(1)				
310	BRO-7014(31)				
315	NH-81-3(139)				
500	URB-5720(1)				
600	IM-80-4(137)				
605	URB-6558(1)				
700	STPE-1955(2)				
705	NH-6-3(125)				
800	STPE-1810(4)				

Standard Plans: Refer to "Publication Order Form" for complete sets of Standard Plans and Standard/Special Plans Books

Number of Sets Requested	Standard Plan No.(s)	Number of Sheets Shown in List of Plans	Check Size		Total No. of Sheets	
			1/2	Full	1/2	Full
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		

