

NOTICE TO CONTRACTORS

CALL ORDER 750
 FEDERAL PROJECT NO. NH-STP-6-4(124)
 LOCATION: US-34/US-6, MINDEN EAST & SOUTH
 COUNTIES: KEARNEY

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 17, 2011 . At that time the bids will be opened and read for GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 10.1 MILES
 START DATE 04/02/2012 WORKING DAYS 135
 Price Range \$ 4,000,000 to \$ 7,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning October 25, 2011 at the Lincoln Central Office and October 31, 2011 at the District Engineer's Office at MCCOOK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	93 SHEETS	\$	23.25
STANDARD PLANS	30 SHEETS	\$	7.50

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T16	TYPICAL CROSS SECTIONS
2-S1 - 2-S7	SUMMARY OF QUANTITIES
2-A1 - 2-A13	PHOTO MAPS
2-H1 - 2-H4	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION
2-N2 - 2-N3	GENERAL INFORMATION--MILLED RUMBLE STRIPS
2-L1 - 2-L6	CONSTRUCTION & REMOVALS
3 - 14	PLAN SHEETS
15 - 16	TRAFFIC SIGNAL PLAN
17 - 23	PAVEMENT MARKING PLAN
24	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
25	PAVEMENT MARKING DETAILS
26	TEMPORARY PAVEMENT MARKING PLAN
27 - 38	SPECIAL PLAN 1C GUARDRAIL PLAN
39 - 40	SPECIAL PLAN 2C TEMPORARY SILT CHECKS
R1 - R5	RIGHT-OF-WAY SHEETS

STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
301-R10	(3 SHEETS) PAVEMENT DETAILS
303	(2 SHEETS) CURB RAMP
309	MAILBOX SUPPORT POST
329-R9	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
435-R1	(3 SHEETS) MANHOLE
443-R8	(2 SHEETS) CURB INLETS AND JUNCTION BOX
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
901-R9	HIGHWAY DELINEATORS
910-R2	SIGNAL FACE CONFIGURATION
914-R6	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
CABLE GUARDRAIL	1,888	LF
REMOVE GUARDRAIL	890	LF
REMOVE & SALVAGE GUARDRAIL	1,306	LF
RESET GUARDRAIL	1,306	LF
TERMINAL ANCHORAGE SECTIONS	4	EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES	1,946	STA
OVERLAY SOLID LINES	3,238	STA
PERMANENT PAVEMENT MARKING PAINT	99,100	LF
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE III	46	EACH
INSTALL CHEVRONS	25	EACH
REMOVE DELINEATOR UNITS	106	EACH
REMOVE PAVEMENT	29	SY
SAWING PAVEMENT	178	LF
REMOVE ASPH SURF FROM PAVEMENT	1,013	SY
REMOVE WALK	311	SY
REMOVE INLET	1	EACH
REMOVE DISCHARGE STRUCTURE	1	EACH
CLEAR TRACT	1	EACH
AT STA 1000+00 TO STA 1006+00 RT		
GRAVEL SURFACE COURSE	170	CY
CRUSHED ROCK SURFACE COURSE	35	CY
MAILBOX POST	3	EACH
CROSS STITCHING	1,386	EACH
CONCRETE CURB REPAIR	288	LF
CONC 47B-3000 SIDEWALKS	375	SY
DETECTABLE WARNING PANEL	304	SF
CONC 47B-3000 MEDIAN SURFACING	3,556	SY
CONC PVMT REPAIR TYPE A FULL DEPTH	93	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	765	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	941	CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH	35	CY
8" CONC PVMT, 47B-3500	15	SY
CONC PVMT, PR-3500	464	CY
JOINT REPAIR		
CAST IRON COVER & FRAME	750	LB
STRUCTURAL STEEL FOR FACE ARMOR	1,290	LB
RECONSTRUCT CURB INLET	5	EACH
ADJUST MANHOLE TO GRADE	17	EACH
47B-3000 CONC FOR INLET & JUNCTION BOXES	4	CY
RE-STEEL FOR INLET & JCT BOX	2	LB
24" WHITE THERMOPLASTIC, GROOVED	250	LF
ARROW, THERMOPLASTIC, GROOVED	35	EACH
5" WHT WET RFLC THERMOPLSTC PVMT MRK,GVD	21,300	LF
12" WHT WET RFLC THERMO PVMT MRKING, GVD	1,100	LF
5" YEL WET RFLC THERMOPLSTC PVMT MRK,GVD	32,100	LF
12" YEL WET RFLC THERMOPLST PVMT MRK,GVD	1,400	LF
RR XING SYM THRMOPLSTC PVMT MKING GRV	2	EACH
HYDRATED LIME FOR ASPHALT MIXTURES	395	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	25	TON
FOUNDATION COURSE REPLACEMENT	67	CY
GRANULAR SUBDRAIN	94	EACH
ULTRATHIN BONDED ASPHALT WEARING COURSE	1,370	TON
ASPH CONC, TYPE SPS	13,610	TON
ASPH CONC, TYPE SP4(0.375)	29,420	TON
ASPH CONC, TYPE LC	10,020	TON
PLACE ASPH CONC FOR DRIVE & INTER	11,028	SY
ASPH CONCRETE FOR PATCHING, TYPE LC	100	TON
ASPH CONC FOR PATCH, TYPE SP4(0.375)	2,500	TON

PERF GRAD BIND (64-34)FOR ST MAINT PATCH	125 TON
PERF GRADED BINDER (70-34)	769 TON
PERF GRADED BINDER (52-34)	680 TON
PERF GRADED BINDER (64-34)	1,724 TON
TACK COAT	64,360 GAL
FOG SEAL	21,340 GAL
WATER	252 MGAL
WATER FOR FLY ASH STABILIZED BITUMINOUS	444 MGAL
EARTH SHOULDER CONSTRUCTION	987 STA
SUBGRADE PREPARATION	2,069 SY
COLD MILLING, CLASS 3	42 STA
RUMBLE STRIPS, ASPHALT	1,020 STA
CONC SURF MILLING	62,911 SY
CONCRETE SURFACE MILLING	24,526 SY
TYPE A	
SURFACE UNDER GUARDRAIL	853 SY
FLY ASH STABILIZED BITUMINOUS	1,000 STA
FLY ASH	3,400 TON
RAP INCENTIVE PAYMENT	73,321 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP
VEHICLE DETECTOR, TYPE A PREFORMED	6 EACH
VEHICLE DETECTOR, TYPE B PREFORMED	6 EACH
SEEDING, TYPE B	9 ACRE
SODDING	263 SY
EROSION CONTROL, CLASS 1D	1,489 SY
MULCH	20 TON
ADJUST VALVE BOX TO GRADE	8 EACH
RELOCATE SPRINKLER HEAD	1 EACH
REMOVE SPRINKLER HEAD ASSEMBLY	1 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	44,000 BDAY
BARRICADE, TYPE III	1,952 BDAY
TEMPORARY SIGN DAY	1,890 EACH
SIGN DAY	36,502 EACH
FLAGGING	270 DAY
FURNISHING AND OPERATING PILOT VEHICLE	125 DAY
TRAFFIC CONTROL MANAGEMENT	244 DAY
TRAINING	2,000 HOUR
MOBILIZATION	LUMP LUMP
RENTAL OF LOADER, FULLY OPERATED	55 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	55 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	55 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5 HOUR
TEMPORARY SILT CHECK	500 LF
TEMPORARY SILT FENCE	500 LF