

October 20, 2011

TO ALL CONCERNED:

The Department of Roads has scheduled a bid letting to be held in this office November 17, 2011 at 1:30 p.m.

The Notice to Contractors includes:

1. Website Information
2. Notice to all Bidders
3. Ordering Instructions
4. Notices to Contractors including time allowances and lists of plans
5. Plan and Informational Proposal Order Form
6. R-125 "Request for Bidding Proposal Forms"

Projects containing DBE Goals are indicated in the "Notice to Contractors".

Please check the important letting information on the website frequently.

The last day to submit acceptable prequalification statements for this letting is by 5:00 p.m. on Monday, November 7, 2011.

Sincerely,

Kimberly K. Baker, Supervisor
Contract Lettings Section
Construction Division

KKB/em

WEBSITE INFORMATION

The Nebraska Department of Roads, Contract Lettings Section, will be utilizing the Internet as our means of communicating with the contracting industry.

Documents that are posted on the web are:

- Letting Schedule
- Notices to Contractors
- Informational Proposals
- Letting Plans
- List of Prequalified Contractors
- Planholders List
- Informational Addendums
- EBS (Electronic Bidding System)
- Apparent Low Bidders
- Bid Tabulations
- Standard Item Listing
- Awarded Average Unit Prices (AUP) Report

Hard copies of these documents will be available for inspection in the Contracts Office.

There will be a charge for reproduction of any of these documents.

The Website address is: www.Transportation.Nebraska.gov

If you have any questions as you are using our Website, please contact us at:

Nebraska Department of Roads
Contract Lettings Section
P.O. Box 94759
Lincoln, NE 68509-4759

Phone (402) 479-4525
FAX (402) 479-3803

Email: DOR.ContractLettings@nebraska.gov

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free “hotline” Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the “hotline” to report such activities.

The “hotline” is part of the DOT’s continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

ORDERING INSTRUCTIONS FOR PLANS AND PROPOSALS

Refer to the "Notice to Contractors" for the call order number, project number, and list of plans for each project.

Order forms are available on the NDOR website in PDF and Word format. Complete the appropriate forms as follows:

Request for Bidding Proposal Forms (R-125)

Bidders must submit an R-125, Request for Bidding Proposals Forms and be issued bid proposals prior to submitting bids.

Proposals to be used for bidding must be requested on this form. Bidding proposals will be issued only to contractors who are currently prequalified to bid with this department.

There is no charge for bid proposals.

Plan and Informational Proposal Order Form:

Payment is required prior to NDOR completing the order. This payment is not refundable.

Proposals to be used for information only can be ordered as follows:

1. Each individual project.
2. CD that contains all projects in letting. Does not contain addenda.

Plans for each project can be ordered as follows:

1. Complete set.
2. Set less Roadway Cross-Sections and Standards.
3. Set less Standards.
4. Set less Roadway Cross-Sections.
5. Individual sheets
6. CD that contains all projects in letting.

Prices are: Informational Proposals: \$5.00 each
CD containing Informational Proposals: No Charge
Plans per sheet: \$.25 for half-size (12" x 18")
\$.50 for full-size (24" x 36")
CD containing plans: \$25.00 each

Cost shown on the list of plans is for ½ size plans. Nebraska residents add appropriate state sales tax and city tax that is determined by delivery within cities imposing a sales tax.

Select the method of payment on the plan order form:

1. Credit Card (Visa or MasterCard only)
Orders with approved credit cards can be processed without delays.
2. Advanced payment account
Requires a money deposit with recommended \$200 minimum. Failure to have sufficient funds in your account to cover cost of the plans may delay the processing of your order.
This account may also be used to purchase other NDOR publications.
3. Check/cash
Send checks made payable to the Nebraska Dept. of Roads with your completed plan order form. Please do not mail cash.

To order complete sets of standard plans (1/2 size) please use the "Publications Order Form" available on the website. Cost is \$35.00 plus applicable sales tax. As new standards become available they may be purchased at \$0.25 per sheet.

Address: Nebraska Department of Roads
Contracts Section
1500 Highway 2
PO Box 94759
Lincoln NE 68509-4759

FAX (402) 479-3803

Phone: (402) 479-4525

Email: DOR.ContractLettings@nebraska.gov

October 10, 2008

NOTICE TO CONTRACTORS

CALL ORDER 150
 FEDERAL PROJECT NO. STP-4-7(105)
 LOCATION: N-4, HUMBOLDT EAST & WEST
 COUNTIES: RICHARDSON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 17, 2011 . At that time the bids will be opened and read for CULV BR GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 8.9 MILES
 START DATE 04/02/2012 WORKING DAYS 120
 Price Range \$ 2,000,000 to \$ 4,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning October 25, 2011 at the Lincoln Central Office and October 31, 2011 at the District Engineer's Office at LINCOLN
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	75	SHEETS	\$	18.75
CROSS SECTIONS (SHEETS X1 THRU X42)	42	SHEETS	\$	10.50
STANDARD PLANS	13	SHEETS	\$	3.25
SHEET NO.				

1	TITLE PAGE
2-T1 - 2-T4	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-W1 - 2-W9	WETLANDS
2-H1 - 2-H3	HORIZONTAL ALIGNMENT & CONTROL POINTS
2-N	GENERAL INFORMATION
2-L1 - 2-L5	EROSION CONTROL
3 - 11	PLAN SHEETS
12	TYPICAL TRAFFIC SIGNAL CONTROL PLAN FOR NARROW BRIDGE, ONE LANE, TWO WAY OPERATION WITH BARRIERS (10')
13	TEMPORARY TRAFFIC SIGNAL
14	TEMPORARY PAVEMENT MARKING PLAN
15 - 18	EARTHWORK DATA SHEETS
19 - 20	DRAINAGE STRUCTURE CROSS SECTIONS
21 - 26	SPECIAL PLAN 1 BRIDGE REPAIR STA. 725+43.00
27 - 28	SPECIAL PLAN 1C CONCRETE HEADWALL (FOR 36" - 60" CORRUGATED METAL PIPES WITH NO SKEW)
29 - 34	SPECIAL PLAN 2C 12' X 13' TWIN SPAN RC BOX CULVERT STA. 613+99.00
35 - 43	SPECIAL PLAN 3C GUARDRAIL PLAN
44 - 48	SPECIAL PLAN 4C CABLE GUARDRAIL
49 - 50	SPECIAL PLAN 5C CONCRETE PROTECTION BARRIER
R1 - R2	RIGHT-OF-WAY SHEETS
X1 - X42	CROSS SECTIONS

STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
307-R1	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
804	PRECAST CONCRETE R.O.W. MARKER
901-R9	HIGHWAY DELINEATORS

920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 4 CONCRETE BOX CULVERT AT STA. 613+99

MOBILIZATION	LUMP	LUMP
PREPARATION OF STRUCTURE		1 EACH
AT STA 613+99		
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		30 CY
EXCAVATION FOR BOX CULVERTS		543 CY
47B-3000 CONC FOR HDWL		1 CY
47B-3000 CONC FOR BOX CULV		135 CY
RE-STEEL FOR HEADWALL		158 LB
RE-STEEL FOR BOX CULVERT	10,835	LB
36" CULV PIPE 2,3,4,5,6,7,8		46 LF

GROUP 6 BRIDGE AT STA. 725+43

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		4 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		250 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
CLASS II REPAIR		94 SY
CLASS III REPAIR		5 SY
47B-3000 CONC FOR BRIDGE		12 CY
47BD-4000 CONC FOR BRIDGE		26 CY
PREP BRIDGE		1 EACH
725+43		
EPOXY COATED RE-STEEL	7,210	LB

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL	1,906	LF
CABLE GUARDRAIL	4,192	LF
REMOVE GUARDRAIL	7,434	LF
BRIDGE APPROACH SECTIONS		4 EACH
END ANCHORAGE ASSEMBLY		2 EACH
TERMINAL ANCHORAGE SECTIONS		26 EACH
GUARDRAIL END TREATMENT, TYPE I		1 EACH
GUARDRAIL END TREATMENT, TYPE II		7 EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES	1,314	STA
OVERLAY SOLID LINES	2,721	STA
MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
RIGHT-OF-WAY MARKERS		4 EACH
DELINEATOR, TYPE III		22 EACH
INSTALL CHEVRONS		12 EACH
EARTHWORK MEASURED IN EMBANKMENT	4,134	CY
REMOVE ASPHALT SURFACE	1,538	SY
GRAVEL SURFACE COURSE	20	TON
SPEC SURF CRSE FOR MAILBOX TURNOUTS	1,411	SY
MAILBOX POST	15	EACH
MEMBRANE WATERPROOFING	627	SY
HYDRATED LIME FOR ASPHALT MIXTURES	297	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	5	TON
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	500	TON
ASPH CONC, TYPE SPR	29,200	TON
PLACE ASPH CONC FOR DRIVE & INTER	925	SY
ASPH CONCRETE FOR PATCHING, TYPE SPR	500	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	19	TON

PERF GRADED BINDER (64-34)	1,128	TON
PREP OF INTER & DRIVE	925	SY
TACK COAT	26,160	GAL
WATER	262	MGAL
EARTH SHOULDER CONSTRUCTION	915	STA
SUBGRADE PREPARATION	392	SY
COLD MILLING, CLASS 3	487	STA
COLD MILLING, CLASS 4	472	SY
SURFACE UNDER GUARDRAIL	9,485	SY
RAP INCENTIVE PAYMENT	50,490	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B	22	ACRE
EROSION CONTROL, CLASS 1D	14,200	SY
FABRIC SILT FENCE-LOW POROSITY	2,410	LF
MULCH	48	TON

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	50,224	BDAY
BARRICADE, TYPE III	1,542	BDAY
TEMPORARY SIGN DAY	980	EACH
SIGN DAY	17,884	EACH
TEMP PAVEMENT MARKING REMOVAL	3,000	LF
PAVEMENT MARKING REMOVAL	125	LF
TEMP PVMT MARKING, TYPE PAINT	3,000	LF
FLAGGING	140	DAY
FURNISHING AND OPERATING PILOT VEHICLE	70	DAY
CONCRETE PROTECTION BARRIER	412	LF
RELOCATE CONC PROTECTION BARRIER	412	LF
TEMPORARY RUMBLE STRIP	4	EACH
TEMPORARY TRAFFIC SIGNAL	1	EACH
FIELD OFFICE	1	EACH
TRAINING	1,000	HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	80	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	80	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	80	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	30	HOUR
TEMPORARY SILT FENCE	750	LF

NOTICE TO CONTRACTORS

CALL ORDER 250
 FEDERAL PROJECT NO. MAPA-5026(14)
 LOCATION: OMAHA CONCRETE REPAIR, PKG 2
 COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids for the CITY OF OMAHA in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on November 17, 2011. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY
 START DATE 05/29/2012 CALENDAR DAYS 89
 Price Range \$ 1,000,000 to \$ 3,000,000

Plans and specifications may be seen beginning October 25, 2011 at the Lincoln Central Office and October 31, 2011 at the District Engineer's Office at OMAHA. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	29 SHEETS	\$	7.25
STANDARD PLANS	17 SHEETS	\$	4.25

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-L1 - 2-L19	CONSTRUCTION & REMOVAL
3	BARRICADING PLANS
4	DETOUR PLANS
5	SPECIAL PLAN 1C CONCRETE CURB DETAILS
6	SPECIAL PLAN 2C CAST IRON MANHOLE RINGS COVER MANHOLE STEPS
7	SPECIAL PLAN 3C CURB INLET BLOCKOUT DETAILS TEMPLATE DETAILS (GUTTER DEPRESSION)

STANDARD PLANS

301-R10	(3 SHEETS)	PAVEMENT DETAILS
329-R9	(4 SHEETS)	8 TO 16 INCH CONCRETE PAVEMENT
435-R1	(3 SHEETS)	MANHOLE
443-R8	(2 SHEETS)	CURB INLETS AND JUNCTION BOX
920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
924	(3 SHEETS)	TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	6,000	B DAY
BARRICADE, TYPE III	300	B DAY
TEMPORARY SIGN DAY	930	EACH
CONTRACTOR FURNISHED SIGN DAY	120	EACH
FLASHING ARROW PANEL	150	DAY
FLAGGING	50	DAY
TOWING	5	HOUR
MOBILIZATION	LUMP	LUMP
REMOVE DRIVEWAY	65	SY
REMOVE WALK	87	SY

CONC 47B-3500 SIDEWALKS	87 SY
CONC 47B-HE-3500 DRIVEWAY	65 SY
CONC PVMT REPAIR TYPE A FULL DEPTH	7 SY
CONC PVMT REPAIR TYPE B FULL DEPTH	365 SY
CONC PVMT REPAIR TYPE C FULL DEPTH	13,419 SY
CAST IRON RING & COVER	6,066 LB
CURB INLET SEDIMENT FILTER	33 EACH
4" WHITE PREF PVMT MRKNG T-4 GROOVED	970 LF
4" YEL PREF PVMT MRKNG, T-4, GROOVED	1,790 LF
12" WHT PREF PVMT MRKING T-4 GROOVED	3 LF
FOUNDATION COURSE REPLACEMENT	115 CY
VEHICLE DETECTOR, TYPE TD-5	4 EACH

NOTICE TO CONTRACTORS

CALL ORDER 455
 FEDERAL PROJECT NO. IM-80-7(158)
 LOCATION: I-80, GILTNER EAST AND WEST
 COUNTIES: HAMILTON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 17, 2011. At that time the bids will be opened and read for GRAD SEED BR GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 4.4 MILES
 START DATE 04/02/2012 WORKING DAYS 135
 Price Range \$ 4,000,000 to \$ 7,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning October 25, 2011 at the Lincoln Central Office and October 31, 2011 at the District Engineer's Office at GRAND ISLAND
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	93	SHEETS	\$	23.25
CROSS SECTIONS (SHEETS X1 THRU X23)	23	SHEETS	\$	5.75
STANDARD PLANS	11	SHEETS	\$	2.75

SHEET NO.	TITLE
1	TITLE PAGE
2-T1 - 2-T8	TYPICAL CROSS SECTIONS
2-S1 - 2-S5	SUMMARY OF QUANTITIES
2-A1 - 2-A5	PHOTO MAPS
2-H1 - 2-H7	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION
2-N2 - 2-N3	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3 - 7	PLAN SHEETS
8	TYPICAL TRAFFIC CONTROL PLAN FOR LANE CLOSURE WITH CONCRETE BARRIER
9	TYPICAL TRAFFIC CONTROL PLAN--INERTIAL BARRIER SYSTEM
10	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
11	TYPICAL TRAFFIC CONTROL PLAN--VEHICLE SIGNING FOR PAINT STRIPING
12	BRIDGE CURB/RAIL REPAIR
13	TYPICAL TRAFFIC CONTROL PLAN--PIER COLUMN PROTECTION CONCRETE BARRIER PLACEMENT
14	TEMPORARY PAVEMENT MARKING PLAN
15	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
16 - 17	EARTHWORK DATA SHEETS
18	DRAINAGE STRUCTURE CROSS SECTION
19 - 21	SPECIAL PLAN 1 BRIDGE REPAIR STA. 1168+82.00
22 - 32	SPECIAL PLAN 2 BRIDGE REPAIR STA. 1194+36.29
33 - 41	SPECIAL PLAN 3 BRIDGE REPAIR STA. 1205+44.00
42 - 43	SPECIAL PLAN 1C PIER COLUMN PROTECTION STA. 1100+89.00
44	SPECIAL PLAN 2C PAVEMENT APPROACH REPAIR REF. POST NO. 327+44
45 - 59	SPECIAL PLAN 3C GUARDRAIL PLAN
60 - 64	SPECIAL PLAN 4C CABLE GUARDRAIL
65 - 66	SPECIAL PLAN 5C CONCRETE PROTECTION BARRIER
X1 - X23	CROSS SECTIONS

STANDARD PLANS

410-R3 (2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
 501-R5 (3 SHEETS) EROSION CONTROL
 502 SILT FENCE DETAILS
 901-R9 HIGHWAY DELINEATORS
 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		33 MGAL
REMOVE DELINEATOR UNITS		183 EACH
EARTHWORK MEASURED IN EMBANKMENT		2,464 CY
REMOVE GUARDRAIL		6,877 LF
EROSION CONTROL, CLASS 1D		2,909 SY
FABRIC SILT FENCE-LOW POROSITY		1,761 LF

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE B		14 ACRE
MULCH		31 TON

GROUP 6 BRIDGE AT STA. 1168+82.00 LT.

MOBILIZATION	LUMP	LUMP
47BD-4000 CONC FOR BRIDGE		2 CY
PREP BRIDGE		1 EACH
1168+82.00 LT.		
EPOXY COATED RE-STEEL		195 LB
CONCRETE REPAIR		60 SF

GROUP 6A BRIDGE AT STA. 1168+82.00 RT.

MOBILIZATION	LUMP	LUMP
47BD-4000 CONC FOR BRIDGE		2 CY
PREP BRIDGE		1 EACH
1168+82.00 RT.		
EPOXY COATED RE-STEEL		195 LB
CONCRETE REPAIR		60 SF

GROUP 6B BRIDGE AT STA. 1194+36.29 LT.

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		210 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		38,525 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE B		120 LF
CLASS I REPAIR		831 SY
CLASS II REPAIR		166 SY
CLASS III REPAIR		5 SY
PLACE, FINISH, & CURE CONC OVERLAY-SF		831 SY
47B-3000 CONC FOR BRIDGE		40 CY
47BD-4000 CONC FOR BRIDGE		24 CY
CONCRETE FOR OVERLAYS-SF		62 CY
PREP BRIDGE		1 EACH
1194+36.29 LT.		
EPOXY COATED RE-STEEL		6,694 LB
CONCRETE REPAIR		25 SF
GRANULAR BACKFILL		72 CY

GROUP 6C BRIDGE AT STA. 1194+36.29 RT.

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		210 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		38,525 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE B		120 LF
CLASS I REPAIR		831 SY
CLASS II REPAIR		166 SY
CLASS III REPAIR		5 SY
PLACE, FINISH, & CURE CONC OVERLAY-SF		831 SY
47B-3000 CONC FOR BRIDGE		40 CY
47BD-4000 CONC FOR BRIDGE		24 CY
CONCRETE FOR OVERLAYS-SF		62 CY
PREP BRIDGE		1 EACH
1194+36.29 RT.		
EPOXY COATED RE-STEEL		6,694 LB
CONCRETE REPAIR		25 SF
GRANULAR BACKFILL		72 CY

GROUP 6D BRIDGE AT STA. 1205+44.00 LT.

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		177 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		33,279 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE B		82 LF
CLASS I REPAIR		429 SY
CLASS II REPAIR		86 SY
CLASS III REPAIR		5 SY
PLACE, FINISH, & CURE CONC OVERLAY-SF		429 SY
47B-3000 CONC FOR BRIDGE		26 CY
47BD-4000 CONC FOR BRIDGE		1 CY
CONCRETE FOR OVERLAYS-SF		42 CY
PREP BRIDGE		1 EACH
1205+44.00 LT.		
EPOXY COATED RE-STEEL		1,767 LB
GRANULAR BACKFILL		55 CY

GROUP 6E BRIDGE AT STA. 1205+44.00 RT.

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		177 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		33,279 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE B		82 LF
CLASS I REPAIR		429 SY
CLASS II REPAIR		86 SY
CLASS III REPAIR		5 SY
PLACE, FINISH, & CURE CONC OVERLAY-SF		429 SY
47B-3000 CONC FOR BRIDGE		26 CY
47BD-4000 CONC FOR BRIDGE		1 CY
CONCRETE FOR OVERLAYS-SF		42 CY
PREP BRIDGE		1 EACH
1205+44.00 RT.		
EPOXY COATED RE-STEEL		1,767 LB
GRANULAR BACKFILL		55 CY

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
47BD-4000 CONC FOR PIER PROTECTION		12 CY
EPOXY COAT RE-STEEL FOR PIER PROTECTION		3,360 LB
W-BEAM GUARDRAIL		4,400 LF
THRIE-BEAM GUARDRAIL		175 LF
CABLE GUARDRAIL		1,008 LF
REMOVE & SALVAGE GUARDRAIL		475 LF

GROUP 7 GUARDRAIL

RESET GUARDRAIL	475	LF
BRIDGE APPROACH SECTIONS	12	EACH
END ANCHORAGE ASSEMBLY	1	EACH
BULLNOSE-12.5'	2	EACH
TERMINAL ANCHORAGE SECTIONS	8	EACH
GUARDRAIL END TREATMENT, TYPE I	9	EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES	1,482	STA
OVERLAY SOLID LINES	2,964	STA
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE I	183	EACH
CONC PVMT REPAIR TYPE A FULL DEPTH	24	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	124	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	289	CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH	43	CY
CONC PVMT, PR-3500	267	CY
JOINT REPAIR		
REMOVE FLARED- END SECTION	1	EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	1	CY
18" CORRUGATED METAL PIPE	5	LF
18" METAL FLARED-END SECTION	1	EACH
BRIDGE APPROACH REPAIR	8	CY
5" WHT WET RFLC THERMOPLSTC PVMT MRK,GVD	62,000	LF
5" YEL WET RFLC THERMOPLSTC PVMT MRK,GVD	49,600	LF
HYDRATED LIME FOR ASPHALT MIXTURES	314	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	5	TON
FOUNDATION COURSE REPLACEMENT	14	CY
ASPH CONC ST MAINT PATCH TYPE SP5 (0.5)	500	TON
ASPH CONC, TYPE SPS	8,850	TON
ASPH CONC, TYPE SP5(0.5)	22,990	TON
ASPH CONC, TYPE LC	7,920	TON
ASPH CONCRETE FOR PATCHING, TYPE SPS	250	TON
ASPH CONCRETE FOR PATCHING, TYPE LC	250	TON
PERF GRAD BIND (70-34)FOR ST MAINT PATCH	25	TON
PERF GRADED BINDER (70-34)	1,770	TON
PERF GRADED BINDER (52-34)	455	TON
TACK COAT	46,300	GAL
WATER	243	MGAL
EARTH SHOULDER CONSTRUCTION	965	STA
SUBGRADE PREPARATION	630	SY
MILLING FOR ASPH CONC INLAY	4	EACH
MILLING CONC FOR INLAYS	4	EACH
RUMBLE STRIPS, ASPHALT	987	STA
SURFACE UNDER GUARDRAIL	5,055	SY
RAP INCENTIVE PAYMENT	68,442	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

GROUP 10 GENERAL ITEMS

SURV OF TEMP TRAFFIC CONT DEVICES	244	CDAY
BARRICADE, TYPE II	70,400	BDAY
BARRICADE, TYPE III	1,924	BDAY
TEMPORARY SIGN DAY	1,680	EACH
SIGN DAY	13,156	EACH
CONTRACTOR FURNISHED SIGN DAY	180	EACH
TEMP PAVEMENT MARKING REMOVAL	22,900	LF
PAVEMENT MARKING REMOVAL	6,000	LF
TEMP PVMT MARKING, TYPE PAINT	25,000	LF
TEMP PVMT MARKING SURF PREP	25,000	LF
FLASHING ARROW PANEL	400	DAY
CONCRETE PROTECTION BARRIER	2,550	LF
RELOCATE CONC PROTECTION BARRIER	3,550	LF
RELOC INERTIAL BARRIER SYSTEM	4	EACH
INERTIAL BARRIER SYSTEM	4	EACH
REPLACEMENT MODULE	18	EACH

GROUP 10 GENERAL ITEMS

TRAINING	2,000	HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	70	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	70	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	70	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	20	HOUR
TEMPORARY SILT FENCE	300	LF

NOTICE TO CONTRACTORS

CALL ORDER 460
 FEDERAL PROJECT NO. BH-8-5(109)
 LOCATION: N-8, ROSE CREEK BRIDGE, NORTHEAST OF HUBBELL
 COUNTIES: THAYER

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 17, 2011 . At that time the bids will be opened and read for BR BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES

START DATE 05/29/2012 WORKING DAYS 90
 Price Range \$ 250,000 to \$ 1,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning October 25, 2011 at the Lincoln Central Office and October 31, 2011 at the District Engineer's Office at GRAND ISLAND

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	37	SHEETS	\$	9.25
STANDARD PLANS	7	SHEETS	\$	1.75

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-W	WETLANDS
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION & DETOUR LOCATION MAP
2-L	EROSION CONTROL
3	PLAN SHEET
4 - 21	SPECIAL PLAN 1 PRESTRESSED CONCRETE GIRDER BRIDGE REHAB STA. 558+65.00
22 - 28	SPECIAL PLAN 1C GUARDRAIL PLAN
29 - 30	SPECIAL PLAN 2C TEMPORARY SILT CHECKS
R1	RIGHT-OF-WAY SHEET

STANDARD PLANS

501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT STA. 558+65

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		381 CY
CONC FOR PVMT APPROACHES CLASS 47BD-4000		122 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		19,965 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE B		56 LF
ELASTOMERIC BEARING		8 EACH
47B-3000 CONC FOR BRIDGE		89 CY
47BD-4000 CONC FOR BRIDGE		178 CY

PREP BRIDGE		1 EACH
558+65		
ACCESS BRIDGE	LUMP	LUMP
STRUC STEEL FOR SUBSTRUCTURE		2,285 LB
BROKEN CONCRETE RIPRAP		115 TON
ROCK RIPRAP, TYPE B		180 TON
EPOXY COATED RE-STEEL		39,495 LB
SUBSURFACE DRAINAGE MATTING		61 SY
HP 12"X53# STEEL PILING		1,620 LF
STEEL SHEET PILING		5,640 SF
TEMPORARY SUPPORTS		8 EACH
GRANULAR BACKFILL		155 CY

GROUP 9 BITUMINOUS

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		5 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
REMOVE ASPHALT SURFACE		368 SY
REMOVE & SALVAGE GUARDRAIL		568 LF
RESET GUARDRAIL		568 LF
ASPHALTIC CONCRETE		170 TON
TACK COAT		70 GAL
WATER		2 MGAL
EARTH SHOULDER CONSTRUCTION		5 STA
COLD MILLING, CLASS 4		4 STA
SURFACE UNDER GUARDRAIL		368 SY
EROSION CONTROL, CLASS 1D		1,604 SY
FABRIC SILT FENCE-LOW POROSITY		372 LF

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE III		1,908 BDAY
SIGN DAY		2,544 EACH
CONTRACTOR FURNISHED SIGN DAY		180 EACH
FIELD OFFICE		1 EACH
MOBILIZATION	LUMP	LUMP
CONSTRUCTION STAKING AND SURVEYING	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		10 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		10 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		10 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		10 HOUR
TEMPORARY SEEDING		1 ACRE
TEMPORARY SILT CHECK		200 LF
TEMPORARY SILT FENCE		300 LF
TEMPORARY EARTH CHECK		200 LF

NOTICE TO CONTRACTORS

CALL ORDER 650
 FEDERAL PROJECT NO. NH-83-2(138)
 LOCATION: US-83, NORTH PLATTE NORTH
 COUNTIES: LINCOLN

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 17, 2011. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 5.3 MILES
 START DATE 08/06/2012 WORKING DAYS 50
 Price Range \$ 500,000 to \$ 2,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning October 25, 2011 at the Lincoln Central Office and October 31, 2011 at the District Engineer's Office at NORTH PLATTE
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	22	SHEETS	\$	5.50
STANDARD PLANS	5	SHEETS	\$	1.25

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-A1 - 2-A6	PHOTO MAPS
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION
2-N2 - 2-N3	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3 - 8	PLAN SHEETS
9	TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

309	MAILBOX SUPPORT POST
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	7,500	BDAY
BARRICADE, TYPE III	360	BDAY
TEMPORARY SIGN DAY	700	EACH
SIGN DAY	6,237	EACH
OVERLAY BROKEN LINES	696	STA
OVERLAY SOLID LINES	1,392	STA
FLAGGING	100	DAY
FURNISHING AND OPERATING PILOT VEHICLE	50	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
MAILBOX POST	21	EACH
HYDRATED LIME FOR ASPHALT MIXTURES	177	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	5	TON
ASPH CONC ST MAINT PATCH TYPE SP4 (0.5)	500	TON
ASPH CONC, TYPE SPS	5,510	TON

GROUP 9 BITUMINOUS

ASPH CONC, TYPE SP4(0.5)	17,490 TON
PLACE ASPH CONC FOR DRIVE & INTER	6,540 SY
ASPH CONC FOR PATCHING, TYPE SP4(0.5)	200 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	24 TON
PERF GRADED BINDER (52-34)	209 TON
PERF GRADED BINDER (64-34)	849 TON
TACK COAT	24,040 GAL
FOG SEAL	90 GAL
RENTAL OF LOADER, FULLY OPERATED	20 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	20 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	20 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	20 HOUR
COLD MILLING, CLASS 3	206 STA
COLD MILLING, CLASS 3	91 STA
TYPE A	
COLD MILLING, CLASS 3	114 STA
TYPE B	
COLD MILLING, CLASS 3	503 STA
TYPE C	
RUMBLE STRIPS, ASPHALT	544 STA
RAP INCENTIVE PAYMENT	39,440 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP

NOTICE TO CONTRACTORS

CALL ORDER 655
 FEDERAL PROJECT NO. STP-25-2(108)
 LOCATION: N-25, SUTHERLAND SOUTH
 COUNTIES: LINCOLN

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 17, 2011 . At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 9.5 MILES
 START DATE 07/16/2012 WORKING DAYS 60
 Price Range \$ 1,000,000 to \$ 3,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning October 25, 2011 at the Lincoln Central Office and October 31, 2011 at the District Engineer's Office at NORTH PLATTE
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	50 SHEETS	\$	12.50
STANDARD PLANS	7 SHEETS	\$	1.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-A1 - 2-A17	PHOTO MAPS
2-H1 - 2-H4	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION
2-N2 - 2-N4	GENERAL INFORMATION--SUPERELEVATION
	DIAGRAMMATIC PROFILE
2-N5 - 2-N6	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3 - 11	PLAN SHEETS
12	TEMPORARY PAVEMENT MARKING PLAN
13 - 21	SPECIAL PLAN 1C GUARDRAIL PLAN

STANDARD PLANS

901-R9	HIGHWAY DELINEATORS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	12,000	B	DAY
BARRICADE, TYPE III	444	B	DAY
TEMPORARY SIGN DAY	840	E	EACH
SIGN DAY	12,454	E	EACH
OVERLAY BROKEN LINES	1,003	S	TA
OVERLAY SOLID LINES	2,006	S	TA
FLAGGING	120	D	DAY
FURNISHING AND OPERATING PILOT VEHICLE	55	D	DAY
FIELD OFFICE	1	E	EACH
MOBILIZATION	LUMP	L	LUMP
DELINEATOR, TYPE II	11	E	EACH

DELINEATOR, TYPE III	125 EACH
INSTALL CHEVRONS	63 EACH
REMOVE ASPHALT SURFACE	575 SY
W-BEAM GUARDRAIL	450 LF
REMOVE GUARDRAIL	915 LF
BRIDGE APPROACH SECTIONS	8 EACH
END ANCHORAGE ASSEMBLY	1 EACH
GUARDRAIL END TREATMENT, TYPE II	7 EACH
HYDRATED LIME FOR ASPHALT MIXTURES	271 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	1 TON
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	100 TON
ASPH CONC, TYPE SPR	27,040 TON
PLACE ASPH CONC FOR DRIVE & INTER	6,117 SY
ASPH CONCRETE FOR PATCHING, TYPE SPR	100 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	3 TON
PERF GRADED BINDER (64-34)	1,031 TON
TACK COAT	33,280 GAL
FOG SEAL	120 GAL
RENTAL OF LOADER, FULLY OPERATED	40 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	40 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	40 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	40 HOUR
WATER	225 MGAL
EARTH SHOULDER CONSTRUCTION	899 STA
COLD MILLING, CLASS 3	510 STA
COLD MILLING, CLASS 5	6,117 SY
COLD MILLING, CLASS 3	88 STA
TYPE A	
RUMBLE STRIPS, ASPHALT 8"	985 STA
SURFACE UNDER GUARDRAIL	554 SY
RAP INCENTIVE PAYMENT	46,138 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP
SEEDING, TYPE B	9 ACRE
MULCH	21 TON

NOTICE TO CONTRACTORS

CALL ORDER 750
 FEDERAL PROJECT NO. NH-STP-6-4(124)
 LOCATION: US-34/US-6, MINDEN EAST & SOUTH
 COUNTIES: KEARNEY

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 17, 2011 . At that time the bids will be opened and read for GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 10.1 MILES
 START DATE 04/02/2012 WORKING DAYS 135
 Price Range \$ 4,000,000 to \$ 7,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning October 25, 2011 at the Lincoln Central Office and October 31, 2011 at the District Engineer's Office at MCCOOK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	93 SHEETS	\$	23.25
STANDARD PLANS	30 SHEETS	\$	7.50

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T16	TYPICAL CROSS SECTIONS
2-S1 - 2-S7	SUMMARY OF QUANTITIES
2-A1 - 2-A13	PHOTO MAPS
2-H1 - 2-H4	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION
2-N2 - 2-N3	GENERAL INFORMATION--MILLED RUMBLE STRIPS
2-L1 - 2-L6	CONSTRUCTION & REMOVALS
3 - 14	PLAN SHEETS
15 - 16	TRAFFIC SIGNAL PLAN
17 - 23	PAVEMENT MARKING PLAN
24	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
25	PAVEMENT MARKING DETAILS
26	TEMPORARY PAVEMENT MARKING PLAN
27 - 38	SPECIAL PLAN 1C GUARDRAIL PLAN
39 - 40	SPECIAL PLAN 2C TEMPORARY SILT CHECKS
R1 - R5	RIGHT-OF-WAY SHEETS

STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
301-R10	(3 SHEETS) PAVEMENT DETAILS
303	(2 SHEETS) CURB RAMP
309	MAILBOX SUPPORT POST
329-R9	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
435-R1	(3 SHEETS) MANHOLE
443-R8	(2 SHEETS) CURB INLETS AND JUNCTION BOX
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
901-R9	HIGHWAY DELINEATORS
910-R2	SIGNAL FACE CONFIGURATION
914-R6	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
CABLE GUARDRAIL	1,888	LF
REMOVE GUARDRAIL	890	LF
REMOVE & SALVAGE GUARDRAIL	1,306	LF
RESET GUARDRAIL	1,306	LF
TERMINAL ANCHORAGE SECTIONS	4	EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES	1,946	STA
OVERLAY SOLID LINES	3,238	STA
PERMANENT PAVEMENT MARKING PAINT	99,100	LF
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE III	46	EACH
INSTALL CHEVRONS	25	EACH
REMOVE DELINEATOR UNITS	106	EACH
REMOVE PAVEMENT	29	SY
SAWING PAVEMENT	178	LF
REMOVE ASPH SURF FROM PAVEMENT	1,013	SY
REMOVE WALK	311	SY
REMOVE INLET	1	EACH
REMOVE DISCHARGE STRUCTURE	1	EACH
CLEAR TRACT	1	EACH
AT STA 1000+00 TO STA 1006+00 RT		
GRAVEL SURFACE COURSE	170	CY
CRUSHED ROCK SURFACE COURSE	35	CY
MAILBOX POST	3	EACH
CROSS STITCHING	1,386	EACH
CONCRETE CURB REPAIR	288	LF
CONC 47B-3000 SIDEWALKS	375	SY
DETECTABLE WARNING PANEL	304	SF
CONC 47B-3000 MEDIAN SURFACING	3,556	SY
CONC PVMT REPAIR TYPE A FULL DEPTH	93	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	765	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	941	CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH	35	CY
8" CONC PVMT, 47B-3500	15	SY
CONC PVMT, PR-3500	464	CY
JOINT REPAIR		
CAST IRON COVER & FRAME	750	LB
STRUCTURAL STEEL FOR FACE ARMOR	1,290	LB
RECONSTRUCT CURB INLET	5	EACH
ADJUST MANHOLE TO GRADE	17	EACH
47B-3000 CONC FOR INLET & JUNCTION BOXES	4	CY
RE-STEEL FOR INLET & JCT BOX	2	LB
24" WHITE THERMOPLASTIC, GROOVED	250	LF
ARROW, THERMOPLASTIC, GROOVED	35	EACH
5" WHT WET RFLC THERMOPLSTC PVMT MRK,GVD	21,300	LF
12" WHT WET RFLC THERMO PVMT MRKING, GVD	1,100	LF
5" YEL WET RFLC THERMOPLSTC PVMT MRK,GVD	32,100	LF
12" YEL WET RFLC THERMOPLST PVMT MRK,GVD	1,400	LF
RR XING SYM THRMOPPLSTC PVMT MKING GRV	2	EACH
HYDRATED LIME FOR ASPHALT MIXTURES	395	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	25	TON
FOUNDATION COURSE REPLACEMENT	67	CY
GRANULAR SUBDRAIN	94	EACH
ULTRATHIN BONDED ASPHALT WEARING COURSE	1,370	TON
ASPH CONC, TYPE SPS	13,610	TON
ASPH CONC, TYPE SP4(0.375)	29,420	TON
ASPH CONC, TYPE LC	10,020	TON
PLACE ASPH CONC FOR DRIVE & INTER	11,028	SY
ASPH CONCRETE FOR PATCHING, TYPE LC	100	TON
ASPH CONC FOR PATCH, TYPE SP4(0.375)	2,500	TON

PERF GRAD BIND (64-34)FOR ST MAINT PATCH	125 TON
PERF GRADED BINDER (70-34)	769 TON
PERF GRADED BINDER (52-34)	680 TON
PERF GRADED BINDER (64-34)	1,724 TON
TACK COAT	64,360 GAL
FOG SEAL	21,340 GAL
WATER	252 MGAL
WATER FOR FLY ASH STABILIZED BITUMINOUS	444 MGAL
EARTH SHOULDER CONSTRUCTION	987 STA
SUBGRADE PREPARATION	2,069 SY
COLD MILLING, CLASS 3	42 STA
RUMBLE STRIPS, ASPHALT	1,020 STA
CONC SURF MILLING	62,911 SY
CONCRETE SURFACE MILLING	24,526 SY
TYPE A	
SURFACE UNDER GUARDRAIL	853 SY
FLY ASH STABILIZED BITUMINOUS	1,000 STA
FLY ASH	3,400 TON
RAP INCENTIVE PAYMENT	73,321 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP
VEHICLE DETECTOR, TYPE A PREFORMED	6 EACH
VEHICLE DETECTOR, TYPE B PREFORMED	6 EACH
SEEDING, TYPE B	9 ACRE
SODDING	263 SY
EROSION CONTROL, CLASS 1D	1,489 SY
MULCH	20 TON
ADJUST VALVE BOX TO GRADE	8 EACH
RELOCATE SPRINKLER HEAD	1 EACH
REMOVE SPRINKLER HEAD ASSEMBLY	1 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	44,000 BDAY
BARRICADE, TYPE III	1,952 BDAY
TEMPORARY SIGN DAY	1,890 EACH
SIGN DAY	36,502 EACH
FLAGGING	270 DAY
FURNISHING AND OPERATING PILOT VEHICLE	125 DAY
TRAFFIC CONTROL MANAGEMENT	244 DAY
TRAINING	2,000 HOUR
MOBILIZATION	LUMP LUMP
RENTAL OF LOADER, FULLY OPERATED	55 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	55 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	55 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5 HOUR
TEMPORARY SILT CHECK	500 LF
TEMPORARY SILT FENCE	500 LF

NOTICE TO CONTRACTORS

CALL ORDER 850
 FEDERAL PROJECT NO. NH-20-2(136)
 LOCATION: US-20, SHERIDAN COUNTY LINE EAST
 COUNTIES: CHERRY

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 17, 2011 . At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 6.3 MILES
 START DATE 08/13/2012 WORKING DAYS 45
 Price Range \$ 1,000,000 to \$ 3,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning October 25, 2011 at the Lincoln Central Office and October 31, 2011 at the District Engineer's Office at AINSWORTH
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	21	SHEETS	\$	5.25
STANDARD PLANS	4	SHEETS	\$	1.00

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-W1 - 2-W6	WETLANDS
2-N1	GENERAL INFORMATION
2-N2 - 2-N3	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3 - 8	PLAN SHEETS
9	TYPICAL TRAFFIC CONTROL PLAN--VEHICLE SIGNING FOR PAINT STRIPING
10	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
11	TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	6,000	BDAY
BARRICADE, TYPE III	332	BDAY
TEMPORARY SIGN DAY	630	EACH
SIGN DAY	5,021	EACH
OVERLAY BROKEN LINES	999	STA
OVERLAY SOLID LINES	1,998	STA
PERMANENT PAVEMENT MARKING PAINT	97,400	LF
FLAGGING	90	DAY
FURNISHING AND OPERATING PILOT VEHICLE	45	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
CRUSHED ROCK SURFACE COURSE	20	CY
HYDRATED LIME FOR ASPHALT MIXTURES	198	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	4	TON

ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	400 TON
ASPH CONC, TYPE SPS	6,780 TON
ASPH CONC, TYPE SPR	19,340 TON
PLACE ASPH CONC FOR DRIVE & INTER	637 SY
ASPH CONCRETE FOR PATCHING, TYPE SPR	500 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	15 TON
PERF GRADED BINDER (52-34)	257 TON
PERF GRADED BINDER (64-34)	753 TON
TACK COAT	24,520 GAL
FOG SEAL	240 GAL
RENTAL OF LOADER, FULLY OPERATED	40 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	40 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	40 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	40 HOUR
COLD MILLING, CLASS 3	333 STA
COLD MILLING, CLASS 5	637 SY
COLD MILLING, CLASS 3	666 STA
TYPE A	
RUMBLE STRIPS, ASPHALT	666 STA
RAP INCENTIVE PAYMENT	45,254 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP

Plan and Informational Proposal Order Form
Projects to be bid on:
November 17, 2011

Payment required for plans prior to NDOR completing this order.
 dor.ContractsOnlineOrders@nebraska.gov FAX: (402) 479-4845

Document No.

<input type="checkbox"/> Check/Cash	Receipt No.
<input type="checkbox"/> Advance Plans Account No.	
Credit Card	
<input type="checkbox"/> Visa	<input type="checkbox"/> MasterCard
Expiration Date:	
Card No.:	

Please indicate: <input type="checkbox"/> Mail <input type="checkbox"/> Hold	<input type="checkbox"/> Fed Ex. Standard Overnight	Comments:	FOR OFFICE USE ONLY	
	<input type="checkbox"/> Fed Ex. Priority Overnight		Reference I.D.:	_____
<input type="checkbox"/> UPS Overnight	Acct. No.		Authorization Code:	_____ Date: _____

4-Digit Vendor No.:	Ordered By:	Grand Total - Informational Proposals: x \$5.00	
Company:		All plans in letting on CD: x \$25.00	
Street Address:		Grand Total - 1/2 Size Plans: x \$.25	
		Grand Total - Full Size Plans: x \$.50	
PO Box:	City:	State:	
		Zip Code:	
		Subtotal	
Phone No. (include Area Code):	Fax No. (include Area Code):	Tax Code	
		Sales Tax	
		%	
Processed by:	Date:	Proposals/CD Filled:	
		Blueprint Plans/Proposals Filled:	
		Date:	
			Total

If requesting Plan or Proposal CD(s) only, your name will not appear on the Planholders list unless your company has been issued Bid Proposals or you submit the "Planholders Registration" from the NDOR website.

CD containing Informational Proposals for all projects in letting. (No Charge) Total Number Requested: →

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. 1/2 size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
150	STP-4-7 (105)				
250	MAPA-5026 (14)				
455	IM-80-7 (158)				
460	BH-8-5 (109)				
650	NH-83-2 (138)				
655	STP-25-2 (108)				
750	NH-STP-6-4 (124)				
850	NH-20-2 (136)				

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. 1/2 size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	

Standard Plans: Refer to "Publication Order Form" for complete sets of Standard Plans and Standard/Special Plans Books

Number of Sets Requested	Standard Plan No.(s)	Number of Sheets Shown in List of Plans	Check Size		Total No. of Sheets	
			1/2	Full	1/2	Full
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		

