

November 17, 2011

TO ALL CONCERNED:

The Department of Roads has scheduled a bid letting to be held in this office December 15, 2011 at 1:30 p.m.

The Notice to Contractors includes:

1. Website Information
2. Notice to all Bidders
3. Ordering Instructions
4. Notices to Contractors including time allowances and lists of plans
5. Plan and Informational Proposal Order Form
6. R-125 "Request for Bidding Proposal Forms"

Projects containing DBE Goals are indicated in the "Notice to Contractors".

Please check the important letting information on the website frequently.

The last day to submit acceptable prequalification statements for this letting is by 5:00 p.m. on Monday, December 5, 2011.

Sincerely,

Kimberly K. Baker, Supervisor
Contract Lettings Section
Construction Division

KKB/ekm

WEBSITE INFORMATION

The Nebraska Department of Roads, Contract Lettings Section, will be utilizing the Internet as our means of communicating with the contracting industry.

Documents that are posted on the web are:

- Letting Schedule
- Notices to Contractors
- Informational Proposals
- Letting Plans
- List of Prequalified Contractors
- Planholders List
- Informational Addendums
- EBS (Electronic Bidding System)
- Apparent Low Bidders
- Bid Tabulations
- Standard Item Listing
- Awarded Average Unit Prices (AUP) Report

Hard copies of these documents will be available for inspection in the Contracts Office.

There will be a charge for reproduction of any of these documents.

The Website address is: www.Transportation.Nebraska.gov

If you have any questions as you are using our Website, please contact us at:

Nebraska Department of Roads
Contract Lettings Section
P.O. Box 94759
Lincoln, NE 68509-4759

Phone (402) 479-4525
FAX (402) 479-3803

Email: DOR.ContractLettings@nebraska.gov

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free “hotline” Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the “hotline” to report such activities.

The “hotline” is part of the DOT’s continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

ORDERING INSTRUCTIONS FOR PLANS AND PROPOSALS

Refer to the "Notice to Contractors" for the call order number, project number, and list of plans for each project.

Order forms are available on the NDOR website in PDF and Word format. Complete the appropriate forms as follows:

Request for Bidding Proposal Forms (R-125)

Bidders must submit an R-125, Request for Bidding Proposals Forms and be issued bid proposals prior to submitting bids.

Proposals to be used for bidding must be requested on this form. Bidding proposals will be issued only to contractors who are currently prequalified to bid with this department.

There is no charge for bid proposals.

Plan and Informational Proposal Order Form:

Payment is required prior to NDOR completing the order. This payment is not refundable.

Proposals to be used for information only can be ordered as follows:

1. Each individual project.
2. CD that contains all projects in letting. Does not contain addenda.

Plans for each project can be ordered as follows:

1. Complete set.
2. Set less Roadway Cross-Sections and Standards.
3. Set less Standards.
4. Set less Roadway Cross-Sections.
5. Individual sheets
6. CD that contains all projects in letting.

Prices are: Informational Proposals: \$5.00 each
CD containing Informational Proposals: No Charge
Plans per sheet: \$.25 for half-size (12" x 18")
\$.50 for full-size (24" x 36")
CD containing plans: \$25.00 each

Cost shown on the list of plans is for ½ size plans. Nebraska residents add appropriate state sales tax and city tax that is determined by delivery within cities imposing a sales tax.

Select the method of payment on the plan order form:

1. Credit Card (Visa or MasterCard only)
Orders with approved credit cards can be processed without delays.
2. Advanced payment account
Requires a money deposit with recommended \$200 minimum. Failure to have sufficient funds in your account to cover cost of the plans may delay the processing of your order.
This account may also be used to purchase other NDOR publications.
3. Check/cash
Send checks made payable to the Nebraska Dept. of Roads with your completed plan order form. Please do not mail cash.

To order complete sets of standard plans (1/2 size) please use the "Publications Order Form" available on the website. Cost is \$35.00 plus applicable sales tax. As new standards become available they may be purchased at \$0.25 per sheet.

Address: Nebraska Department of Roads
Contracts Section
1500 Highway 2
PO Box 94759
Lincoln NE 68509-4759

FAX (402) 479-3803

Phone: (402) 479-4525

Email: DOR.ContractLettings@nebraska.gov

October 10, 2008

NOTICE TO CONTRACTORS

CALL ORDER 100
 STATE PROJECT NO. RD-99-1(1004)
 LOCATION: N-99, BURCHARD NORTH & SOUTH
 COUNTIES: PAWNEE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 15, 2011. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 5.4 MILES
 START DATE 09/04/2012 WORKING DAYS 30
 Price Range \$ 1,000,000 to \$ 3,000,000

Plans and specifications may be seen beginning November 22, 2011 at the Lincoln Central Office and November 28, 2011 at the District Engineer's Office at LINCOLN

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	4 SHEETS	\$	1.00
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

1	TITLE PAGE
2-S1 - 2-S2	SUMMARY OF QUANTITIES & TYPICAL CROSS SECTIONS
3	TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	4,500	B DAY
BARRICADE, TYPE III	305	B DAY
TEMPORARY SIGN DAY	420	EACH
SIGN DAY	4,160	EACH
OVERLAY BROKEN LINES	857	STA
OVERLAY SOLID LINES	1,714	STA
FLAGGING	60	DAY
FURNISHING AND OPERATING PILOT VEHICLE	30	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
HYDRATED LIME FOR ASPHALT MIXTURES	191	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	3	TON
ASPH CONC 4 ST MAIN PTCHING TY SPR(FINE)	300	TON
ASPH CONC, TYPE SPR (FINE)	18,500	TON
PLACE ASPH CONC FOR DRIVE & INTER	4,926	SY
ASPH CONC FOR PATCHING, TYPE SPR (FINE)	600	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	12	TON
PERF GRADED BINDER (64-34)	802	TON
TACK COAT	17,650	GAL
RENTAL OF LOADER, FULLY OPERATED	40	HOUR

RENTAL OF MOTOR GRADER, FULLY OPERATED	40 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	40 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	40 HOUR
COLD MILLING, CLASS 3	80,607 SY
COLD MILLING, CLASS 3 TYPE A	5,248 SY
COLD MILLING, CLASS 3 TYPE B	4,926 SY
RAP INCENTIVE PAYMENT	32,470 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP

NOTICE TO CONTRACTORS

CALL ORDER 105
 STATE PROJECT NO. RD-92-6(1015)
 LOCATION: N-92, WAHOO WEST
 COUNTIES: SAUNDERS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 15, 2011 . At that time the bids will be opened and read for BR GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 4.0 MILES
 START DATE 07/09/2012 WORKING DAYS 65
 Price Range \$ 1,000,000 to \$ 3,000,000

Plans and specifications may be seen beginning November 22, 2011 at the Lincoln Central Office and November 28, 2011 at the District Engineer's Office at LINCOLN
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	42	SHEETS	\$	10.50
STANDARD PLANS	6	SHEETS	\$	1.50

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T4	TYPICAL CROSS SECTIONS
2-S1 - 2-S3	SUMMARY OF QUANTITIES
2-A1 - 2-A5	PHOTO MAPS
2-H1 - 2-H4	HORIZONTAL ALIGNMENT & CONTROL POINTS
2-N1 - 2-N2	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3 - 7	PLAN SHEETS
8	TYPICAL TRAFFIC SIGNAL CONTROL PLAN FOR ONE LANE, TWO WAY OPERATION WITH BARRIERS @ STA. 395+00
9	TEMPORARY TRAFFIC SIGNAL
10	TEMPORARY PAVEMENT MARKING PLAN
11 - 13	SPECIAL PLAN 1C CONCRETE SLAB BRIDGE STA. 395+20.00
14 - 23	SPECIAL PLAN 2C GUARDRAIL PLAN
24 - 25	SPECIAL PLAN 3C CONCRETE PROTECTION BARRIER

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT STA 395+20.00

MOBILIZATION	LUMP	LUMP
47BD-4000 CONC FOR BRIDGE		4 CY
EPOXY COATED RE-STEEL FOR CONC RAIL		605 LB
PREP BRIDGE		1 EACH
395+20		

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
CULV MOUNTED GDRL POST		4 EACH
W-BEAM GUARDRAIL		612 LF
REMOVE GUARDRAIL		692 LF

BRIDGE APPROACH SECTIONS	4	EACH
GUARDRAIL END TREATMENT, TYPE I	12	EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES	758	STA
OVERLAY SOLID LINES	1,516	STA
MOBILIZATION	LUMP	LUMP
GRAVEL SURFACE COURSE	150	TON
CONC PVMT REPAIR TYPE A FULL DEPTH	707	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	210	CY
HYDRATED LIME FOR ASPHALT MIXTURES	152	TON
FOUNDATION COURSE REPLACEMENT	17	CY
ASPH CONC, TYPE SPS	4,240	TON
ASPH CONC, TYPE RLC	3,110	TON
ASPH CONC, TYPE SPR	11,870	TON
PLACE ASPH CONC FOR DRIVE & INTER	1,980	SY
ASPH CONCRETE FOR PATCHING, TYPE SPR	200	TON
PERF GRADED BINDER (52-34)	161	TON
PERF GRADED BINDER (64-34)	625	TON
TACK COAT	22,260	GAL
RENTAL OF LOADER, FULLY OPERATED	20	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	20	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	20	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	20	HOUR
COLD MILLING, CLASS 3	255	STA
COLD MILLING, CLASS 3 TYPE A	37,619	SY
COLD MILLING, CLASS 5	1,980	SY
MILLING CONC FOR INLAYS	2	EACH
RUMBLE STRIPS, ASPHALT	426	STA
RUMBLE STRIPS, ASPHALT 8"	427	STA
SURFACE UNDER GUARDRAIL	732	SY
RAP INCENTIVE PAYMENT	33,014	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	7,500	B DAY
BARRICADE, TYPE III	632	B DAY
TEMPORARY SIGN DAY	910	EACH
SIGN DAY	9,216	EACH
TEMP PAVEMENT MARKING REMOVAL	2,600	LF
PAVEMENT MARKING REMOVAL	1,650	LF
TEMP PVMT MARKING, TYPE PAINT	2,600	LF
FLAGGING	130	DAY
FURNISHING AND OPERATING PILOT VEHICLE	50	DAY
CONCRETE PROTECTION BARRIER	437	LF
RELOCATE CONC PROTECTION BARRIER	437	LF
TEMPORARY RUMBLE STRIP	4	EACH
TEMPORARY TRAFFIC SIGNAL	1	EACH
MOBILIZATION	LUMP	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 110
 STATE PROJECT NO. MISC-62-7(1006)
 LOCATION: N-62, ELK CREEK EAST CULVERT
 COUNTIES: JOHNSON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 15, 2011 . At that time the bids will be opened and read for CULVERTS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CULVERTS

START DATE 09/10/2012 WORKING DAYS 40
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning November 22, 2011 at the Lincoln Central Office and November 28, 2011 at the District Engineer's Office at LINCOLN

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	20	SHEETS	\$	5.00
CROSS SECTIONS (SHEETS X1 THRU X4)	4	SHEETS	\$	1.00
STANDARD PLANS	11	SHEETS	\$	2.75

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-W	WETLANDS
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
3	PLAN SHEET--REMOVAL/CONSTRUCTION/EROSION CONTROL
4	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL YIELD CONTROL FOR LOW VOLUME, ONE LANE, TWO WAY TRAFFIC (CONCRETE PROTECTION BARRIERS)
5	TEMPORARY PAVEMENT MARKING PLAN
6	DRAINAGE STRUCTURE CROSS SECTION
7 - 9	SPECIAL PLAN 1C 10' X 14' TWIN SPAN RC BOX CULVERT STA. 171+16.00
10	SPECIAL PLAN 2C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
11 - 12	SPECIAL PLAN 3C TEMPORARY SILT CHECKS
13 - 14	SPECIAL PLAN 4C CONCRETE PROTECTION BARRIER
R1	RIGHT-OF-WAY SHEET
X1 - X4	CROSS SECTIONS

STANDARD PLANS

403-R2	(2 SHEETS) BENDS AND BREAKS FOR CONCRETE BOX CULVERTS
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
804	PRECAST CONCRETE R.O.W. MARKER
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 4 CULVERTS AT STA. 171+16.00

BARRICADE, TYPE II	1,245	BDAY
BARRICADE, TYPE III	332	BDAY
SIGN DAY	2,490	EACH
TEMP PAVEMENT MARKING REMOVAL	2,420	LF
PAVEMENT MARKING REMOVAL	130	LF
TEMP PVMT MARKING, TYPE PAINT	2,420	LF
TEMP PVMT MARKING SURF PREP	2,420	LF
CONCRETE PROTECTION BARRIER	250	LF
MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL	1	EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER	7	MGAL
RIGHT-OF-WAY MARKERS	4	EACH
EARTHWORK MEASURED IN EMBANKMENT	809	CY
PREPARATION OF STRUCTURE	1	EACH
AT STA. 171+16.00		
EXCAVATION FOR BOX CULVERTS	163	CY
47B-3000 CONC FOR BOX CULV	135	CY
RE-STEEL FOR BOX CULVERT	10,521	LB
CRUSHED ROCK FOR BASE COURSE	31	CY
EROSION CONTROL, CLASS 1D	1,040	SY
EROSION CHECKS, TYPE WATTLE	185	LF
TEMPORARY SILT CHECK	100	LF
TEMPORARY SILT FENCE	100	LF

NOTICE TO CONTRACTORS

CALL ORDER 115
 STATE PROJECT NO. RD-4-7(1011)
 LOCATION: N-4, LEWISTON-N-99
 COUNTIES: PAWNEE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 15, 2011. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 3.3 MILES
 START DATE 10/01/2012 WORKING DAYS 15
 Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning November 22, 2011 at the Lincoln Central Office and November 28, 2011 at the District Engineer's Office at LINCOLN
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	4 SHEETS	\$	1.00
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.
 1 TITLE PAGE
 2-T TYPICAL CROSS SECTION
 2-S SUMMARY OF QUANTITIES
 3 TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS
 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	1,500	B	DAY
BARRICADE, TYPE III	136	B	DAY
TEMPORARY SIGN DAY	210	E	EACH
SIGN DAY	1,870	E	EACH
OVERLAY BROKEN LINES	530	S	TA
OVERLAY SOLID LINES	1,060	S	TA
FLAGGING	30	D	DAY
FURNISHING AND OPERATING PILOT VEHICLE	15	D	DAY
MOBILIZATION	LUMP	L	LUMP
HYDRATED LIME FOR ASPHALT MIXTURES	109	T	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	3	T	TON
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	300	T	TON
ASPH CONC, TYPE SPR	10,630	T	TON
PLACE ASPH CONC FOR DRIVE & INTER	1,632	S	Y
ASPH CONCRETE FOR PATCHING, TYPE SPR	250	T	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	11	T	TON
PERF GRADED BINDER (64-34)	413	T	TON
TACK COAT	9,730	G	GAL
RENTAL OF LOADER, FULLY OPERATED	20	H	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	20	H	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	20	H	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	20	H	HOUR
COLD MILLING, CLASS 3	177	S	TA
COLD MILLING, CLASS 5	1,632	S	Y
RAP INCENTIVE PAYMENT	18,496	E	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	L	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 200
 FEDERAL PROJECT NO. NH-75-2(173)
 LOCATION: US-75, PLATTSMOUTH-BELLEVUE, PLATTE RIVER & SOUTH
 COUNTIES: CASS SARPY

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 15, 2011. At that time the bids will be opened and read for GRAD WALL CONC PAVE CULV SEED BR GDRL FENCE ELEC SIGN

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES GENERAL (ALL CLASSES)

Length: 3.8 MILES
 START DATE 04/02/2012 CALENDAR DAYS 1315
 Price Range \$ 50,000,000 to \$ 80,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning October 11, 2011 at the Lincoln Central Office and October 17, 2011 at the District Engineer's Office at OMAHA

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	872	SHEETS	\$ 218.00
CROSS SECTIONS (SHEETS X1 THRU X309)	309	SHEETS	\$ 77.25
STANDARD PLANS	49	SHEETS	\$ 12.25

SHEET NO.

PLAN CONTROL NUMBER 21849H - PROJECT NO. NH-75-2(173)

1	TITLE PAGE
2	INDEX OF SHEETS
2-S1 - 2-S6	SUMMARY OF QUANTITIES

PLAN CONTROL NUMBER 21849A - PROJECT NO. NH-75-2(163)

2-T1 - 2-T4	TYPICAL CROSS SECTIONS
2-K1 - 2-K6	SUMMARY OF SOILS & GEOTECHNICAL INFORMATION
2-W1 - 2-W10	WETLANDS
2-H1 - 2-H14	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N7	GENERAL INFORMATION
2-L1 - 2-L10	GEOMETRICS
2-L11 - 2-L13	JOINTS
2-L14 - 2-L17	GRADES
2-L18	GRADING DETAILS
2-L19 - 2-L40	CONSTRUCTION, DRAINAGE, REMOVAL
2-L41 - 2-L45	EROSION CONTROL
2-L46	FENCING
2-L47 - 2-L48	ROADWAY OBLITERATION PLAN
3 - 25	PLAN & PROFILE SHEETS
26 - 32	SIGN LOCATION PLAN
33 - 35	TRAFFIC SIGNAL PLAN
36	PAVEMENT MARKING PLAN
37	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
38 - 46	ROADWAY LIGHTING PLANS
47 - 60	DRAINAGE STRUCTURE CROSS SECTIONS
61 - 80	SPECIAL PLAN 1 PRESTRESSED CONCRETE GIRDER BRIDGE (NU2000) STA. 2031+29.19
81 - 101	SPECIAL PLAN 2 WELDED STEEL PLATE GIRDER BRIDGE STA. 2031+29.19
102 - 137	SPECIAL PLAN 3 WELDED PLATE GIRDER BRIDGE STA. 2023+21.50

138 - 139	SPECIAL PLAN 1C	8' X 5' TWIN SPAN RC BOX CULVERT STA. 2045+32.00
140 - 141	SPECIAL PLAN 2C	12' X 12' TRIPLE SPAN RC BOX CULVERT STA. 2077+56.00
142 - 144	SPECIAL PLAN 3C	5' X 6' SINGLE SPAN RC BOX CULVERT STA. 2082+60.00 LT
145 - 146	SPECIAL PLAN 4C	10' X 7' TRIPLE SPAN RC BOX CULVERT STA. 502+02.00
147 - 148	SPECIAL PLAN 5C	10' X 7' TRIPLE SPAN RC BOX CULVERT STA. 808+79.00
149 - 155	SPECIAL PLAN 6C	7' X 6' SINGLE SPAN RC BOX CULVERT STA. 4017+53.00
156 - 157	SPECIAL PLAN 7C	12' X 12' TRIPLE SPAN RC BOX CULVERT STA. 8021+74.00
158 - 159	SPECIAL PLAN 8C	8' X 6' TRIPLE SPAN RC BOX CULVERT STA. 3022+96.00
160 - 161	SPECIAL PLAN 9C	DOUBLE GRATE INLET
162 - 164	SPECIAL PLAN 10C	5 BAR GRATE INLET
165 - 166	SPECIAL PLAN 11C	CONCRETE HEADWALL WITH AUTOMATIC FLOOD CONTROL GATE STA. 2502+05.00
167	SPECIAL PLAN 12C	CONCRETE COLLAR STA. 1397+90.00
168 - 177	SPECIAL PLAN 13C	GUARDRAIL PLAN
178 - 185	SPECIAL PLAN 14C	SOLDIER PILE PLAN
186	SPECIAL PLAN 15C	EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
187 - 188	SPECIAL PLAN 16C	TEMPORARY SILT CHECKS
189 - 190	SPECIAL PLAN 17C	SAFETY SLOPED END SECTIONS (CORRUGATED METAL & CONCRETE PIPE)
191 - 192	SPECIAL PLAN 18C	GEOGRID WELDED WIRE WALL

PLAN CONTROL NUMBER 21849E - PROJECT NO.NH-75-2(167)

2-T1 - 2-T5	TYPICAL CROSS SECTIONS
2-K1 - 2-K9	SUMMARY OF SOILS & GEOTECHNICAL INFORMATION
2-W1 - 2-W10	WETLANDS
2-H1 - 2-H16	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N8	GENERAL INFORMATION
2-N9 - 2-N10	GENERAL INFORMATION--MILLED RUMBLE STRIPS
2-P1 - 2-P74	PHASING PLANS
2-L1 - 2-L10	GEOMETRICS
2-L11 - 2-L18	JOINTS
2-L19 - 2-L25	GRADES
2-L26 - 2-L48	CONSTRUCTION, DRAINAGE, REMOVAL
2-L49 - 2-L55	EROSION CONTROL
2-L56 - 2-L60	FENCING
3 - 27	PLAN & PROFILE SHEETS
28 - 31	TRAFFIC SIGNAL PLAN
32 - 48	SIGNING PLANS
49	PAVEMENT MARKING PLAN
50	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
51	TYPICAL PAVEMENT MARKING PLAN--INTERSTATE/EXPRESSWAY
52 - 68	ROADWAY LIGHTING PLANS
69 - 83	EARTHWORK DATA SHEETS
84 - 117	DRAINAGE STRUCTURE CROSS SECTIONS
118 - 154	SPECIAL PLAN 1 WELDED PLATE GIRDER BRIDGE STA. 1375+45.00

155 - 182	SPECIAL PLAN 2	WELDED PLATE GIRDER BRIDGE STA. 1408+57.10
183 - 210	SPECIAL PLAN 3	NU-1600 GIRDER BRIDGE STA. 1408+38.15
211 - 238	SPECIAL PLAN 4	WELDED PLATE GIRDER BRIDGE STA. 1407+76.14
239 - 268	SPECIAL PLAN 5	NU1600 CONCRETE GIRDER BRIDGE STA. 1407+95.09
269 - 284	SPECIAL PLAN 6	CONCRETE SLAB BRIDGE STA. 1425+25.00
285 - 293	SPECIAL PLAN 7	BRIDGE REPAIR STA. 1454+15.12 LT
294 - 337	SPECIAL PLAN 8	STEEL WELDED PLATE GIRDER BRIDGE STA. 1454+15.12
338 - 345	SPECIAL PLAN 1C	10' X 10' SINGLE SPAN RC BOX CULVERT STA. 1323+95.00 LT
346 - 347	SPECIAL PLAN 2C	10' X 7' TRIPLE SPAN RC BOX CULVERT STA. 1396+10.00
348 - 349	SPECIAL PLAN 3C	10' X 10' TRIPLE SPAN RC BOX CULVERT STA. 1414+25.00
350	SPECIAL PLAN 4C	GRATE INLET
351	SPECIAL PLAN 5C	AREA INLET
352 - 353	SPECIAL PLAN 6C	DOUBLE GRATE INLET
354	SPECIAL PLAN 7C	5-BAR AREA GRATE INLET STA. 3500+48.50
355 - 356	SPECIAL PLAN 8C	5-BAR GRATE INLET WITH CURBS
357 - 374	SPECIAL PLAN 9C	GUARDRAIL PLAN
375	SPECIAL PLAN 10C	EROSION CHECKS (ALL TYPES) AND FABRIC SILT CHECKS
376 - 377	SPECIAL PLAN 11C	TEMPORARY SILT CHECKS
378 - 379	SPECIAL PLAN 12C	CONCRETE PROTECTION BARRIER
380 - 384	SPECIAL PLAN 13C	CONCRETE RETAINING WALL STA. 1406+41.27
385	SPECIAL PLAN 14C	INERTIAL BARRIER SYSTEM
R1 - R18		RIGHT-OF-WAY SHEETS - NH-75-2(163) & NH-75-2(167)
X1 - X309		ROADWAY CROSS SECTIONS - NH-75-2(163) & NH-75-2(167)

STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
109-R2	SUPERELEVATION PLAN FOR GRAVEL SURFACING
301-R10	(3 SHEETS) PAVEMENT DETAILS
309	MAILBOX SUPPORT POST
329-R9	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
403-R2	(2 SHEETS) BENDS AND BREAKS FOR CONCRETE BOX CULVERTS
404-R3	CONTROL JOINTS FOR CONCRETE BOX CULVERTS
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
428-R3	CONCRETE PLUGS AND FIELD PIPE TAP DETAILS
435-R1	(3 SHEETS) MANHOLE
443-R8	(2 SHEETS) CURB INLETS AND JUNCTION BOX
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
710-R4	(2 SHEETS) FENCE DETAILS
804	PRECAST CONCRETE R.O.W. MARKER
901-R9	HIGHWAY DELINEATORS
902-R1	HIGHWAY DELINEATORS FOR RAMP AND GORE LOCATIONS
910-R2	SIGNAL FACE CONFIGURATION
911-R1	SIGNAL MOUNTING
912-R4	TRAFFIC SIGNAL POLE DETAILS

914-R6	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
923	TRAFFIC CONTROL--ROAD CLOSURE
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION	362,266	CY
EXCAVATION, BORROW	1,786,111	CY
WATER	4,297	MGAL
RIGHT-OF-WAY MARKERS	81	EACH
RE-ESTABLISH PROPERTY CORNER	119	EACH
RIPRAP FILTER FABRIC	48	SY
FILTER FABRIC	2,873	SY
REMOVE PAVEMENT	109,108	SY
REMOVE ASPHALT SURFACE	56,189	SY
REMOVE DRIVEWAY	1,822	SY
REMOVE WALK	41	SY
REMOVE CURB	275	LF
REMOVE RETAINING WALL	1	EACH
REMOVE FLUME	2	EACH
REMOVE SCALE	1	EACH
AT STA. 1423+57 RT.		
REMOVE BUILDING	1	EACH
AT STA. 1423+57 RT.		
REMOVE BUILDING	1	EACH
AT STA. 8010+94 RT.		
REMOVE BUILDING	1	EACH
AT STA. 8011+65 RT.		
CLEAR TRACT	1	EACH
AT STA. 1335+44 TO STA. 1337+42 RT.		
CLEAR TRACT	1	EACH
AT STA. 1381+45 TO STA. 1398+37 LT.		
CLEAR TRACT	1	EACH
AT STA. 1393+33 TO STA. 1401+33 LT.		
CLEAR TRACT	1	EACH
AT STA. 1406+43 TO STA. 1413+86 RT.		
CLEAR TRACT	1	EACH
AT STA. 1407+31 TO STA. 1409+11 RT.		
CLEAR TRACT	1	EACH
AT STA. 1444+23 TO STA. 1448+40 LT.		
CLEAR TRACT	1	EACH
AT STA. 2017+71 LT. TO STA. 2019+66 RT.		
18" DRIVE PIPE 2,3,4,5,6,7 OR 8	248	LF
24" DRIVE PIPE 2,3,4,5,6,7 OR 8	422	LF
48" RD EQUIV DRIVE PIPE 2	394	LF
SOIL GRID CONFINEMENT SYSTEM	99,396	SF
CAST IRON GRATE & FRAME	13,170	LB
REMOVE & SALVAGE FES	1	EACH
REMOVE STRUCTURE	1	EACH
AT STA. 8012+50 RT.		
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	844	CY
47B-3000 CONC FOR INLET & JUNCTION BOXES	87	CY
47B-3000 CONC FOR CONCRETE CO	1	CY
RE-STEEL FOR INLET & JCT BOX	5,260	LB
EPOXY RE-STEEL FOR INLET & JCT. BOX	653	LB
RE-STEEL FOR COLLARS	63	LB
15" FLARED-END SECTION	1	EACH
18" FLARED-END SECTION	30	EACH
36" FLARED-END SECTION	1	EACH

18" METAL FLARED-END SECTION	19 EACH
24" METAL FLARED-END SECTION	1 EACH
INSTALL 36" CONC FES	1 EACH
CULVERT SANDFILL	27 CY
JACKING 48" CULV PIPE, 2 CLASS IV	104 LF
ROCK RIPRAP, TYPE B	54 TON
ROCK RIPRAP, TYPE C	14,590 TON
REMOVE GUARDRAIL	13,003 LF
REMOVE SIGN STRUCTURE	1 EACH
AT STA. 1279+83 LT.	
GRANULAR FILL	1,130 CY
COVER CROP SEEDING	256 ACRE
EROSION CONTROL, CLASS 1B	6,019 SY
EROSION CONTROL, CLASS 1C	166,964 SY
EROSION CONTROL, CLASS 1D	29,165 SY
EROSION CONTROL, CLASS 1E	3,615 SY
EROSION CONTROL, CLASS 1F	9,678 SY
EROSION CONTROL, CLASS 2A	6,318 SY
EROSION CONTROL, CLASS 2B	1,960 SY
EROSION CONTROL, CLASS 2C	9,162 SY
OPEN WEAVE TEXTILE, TYPE C	3,707 SY
EROSION CHECKS, TYPE 1D	408 BALE
EROSION CHECKS, TYPE 1E	132 BALE
EROSION CHECKS, TYPE 1F	323 BALE
EROSION CHECKS, TYPE 2A	203 BALE
EROSION CHECKS, TYPE 2B	119 BALE
EROSION CHECKS, TYPE 2C	238 BALE
EROSION CHECKS, TYPE SYNTHETIC	1,272 LF
EROSION CHECKS, TYPE WATTLE	2,947 LF
EROSION CHECKS, TYPE LOW PROFILE	273 LF
FABRIC SILT FENCE-LOW POROSITY	26,865 LF
36" CULV PIPE 2	21 LF
48" CULV PIPE 2 CLASS IV	104 LF
8" CULV PIPE 5	1,820 LF
18" CULV PIPE 5	211 LF
15" CULV PIPE 2,7,8	80 LF
18" CULV PIPE 2,5,7	84 LF
12" CULV PIPE 2,5,7,8	57 LF
15" CULV PIPE 2,5,7,8	73 LF
18" CULV PIPE 2,5,7,8	99 LF
36" CULV PIPE 2,5,7,8	273 LF
18" STORM SEWER PIPE 1,7,8	1,456 LF
18" STORM SEWER PIPE 3,4,5 OR 6	730 LF
24" STORM SEWER PIPE 3,4,5,6	90 LF
18" STORM SEWER PIPE 5	1,330 LF
18" STORM SEWER PIPE 1,5,7 OR 8	485 LF
18" STORM SEWER PIPE 1,5 OR 7	69 LF

GROUP 1A SOLDIER PILE WALL

MOBILIZATION	LUMP	LUMP
PRECAST CONC PLANK	LUMP	LUMP
SOLDIER PILE		300 LF
TIEBACKS		10 EACH
DRAINAGE MATTING		9 SY
CONC CLASS 47B-4000		4 CY
FOR RETAINING WALL		
RE-STEEL FOR RETAINING WALL		192 LB
SHOTCRETE		9 SY

GROUP 1B CONCRETE RETAINING WALL AT STA. 1406+41.27

MOBILIZATION	LUMP	LUMP
INTERLOCKING CONCRETE PAVER BLOCK		4,005 SF
47B-3000 CONC FOR RETAINING WALL		497 CY
EPOXY COATED RE-STEEL FOR RETAINING WALL		69,343 LB
SUBSURFACE DRAINAGE MATTING		270 SY
HP 12"X53# STEEL PILING		2,230 LF

4' CHAIN-LINK FENCE	339 LF
GRANULAR BACKFILL	1,300 CY

GROUP 3 CONCRETE PAVEMENT

PERMANENT PAVEMENT MARKING PAINT	71,050 LF
MOBILIZATION	LUMP LUMP
DELINEATOR, TYPE I	127 EACH
DELINEATOR, TYPE II	69 EACH
DELINEATOR, TYPE III	100 EACH
INSTALL CHEVRONS	32 EACH
CRUSHED ROCK EMBEDMENT	14,228 SY
CRUSHED ROCK EMBEDMENT TYPE A	3,714 SY
CRUSHED ROCK SURFACE COURSE	1,778 TON
CRUSHED ROCK SURFACE COURSE TYPE A	387 TON
CRUSHED ROCK SURFACE COURSE TYPE B	387 TON
MAILBOX POST	24 EACH
CONC 47B-3000 SIDEWALKS	35 SY
CONC 47B-3000 MEDIAN SURFACING	9,088 SY
CONC CLASS 47B-3500 DRIVEWAY 5"	299 SY
CONC CLASS 47B-3500 DRIVEWAY 7"	327 SY
CONC 47B-3500 DRIVEWAY	922 SY
CONC 47B-3500 DRIVEWAY 9"	1,503 SY
7" CONC PVMT 47B-3500	3,134 SY
9" CONC PVMT, 47B-3500	5,444 SY
9" DOWELED CONC PVMT, 47B-3500	46,424 SY
10" CONC PVMT, 47B-3500	3,633 SY
10" DOWELED CONC PVMT, 47B-3500	121,197 SY
TEMPORARY SURFACING 10"	34,415 SY
CONC SMOOTHNESS TESTING	LUMP LUMP
12" PERMANENT PVMT MARKING, PAINT	1,045 LF
5" WHT WET RFLC POLY PVMT MRKING, GVD	56,400 LF
5" WHT WET RFLC POLY PVMT MRKING	1,950 LF
12" YEL WET RFLC POLY PVMT MRKNG	650 LF
5" YEL WET RFLC POLY PVMT MRKING, GVD	42,900 LF
5" YEL WET RFLC POLY PVMT MRKING	3,850 LF
12" WHT WET RFLC PRF PVMT MKNG T4 GVD	1,600 LF
HYDRATED LIME FOR ASPHALT MIXTURES	126 TON
FOUNDATION COURSE 4"	211,828 SY
GRANULAR SUBDRAIN	321 EACH
STABILIZED SUBGRADE TYPE FLY ASH	156,251 SY
ASPH CONC, TYPE SP4 SPECIAL(0.5)	12,670 TON
PLACE ASPH CONC FOR DRIVE & INTER SURFACING 6"	1,907 SY
PERF GRADED BINDER (64-34)	31,508 SY
PREP OF INTER & DRIVE	633 TON
TACK COAT	4,958 SY
WATER	2,890 GAL
EARTH SHOULDER CONSTRUCTION	1,015 MGAL
MEDIAN CONSTRUCTION	984 STA
SUBGRADE PREPARATION	59 STA
COLD MILLING, CLASS 3	82,035 SY
RUMBLE STRIPS, CONCRETE	256 SY
SURFACE UNDER GUARDRAIL	389 STA
FLY ASH	1,389 SY
RAP INCENTIVE PAYMENT	5,737 TON
	21,539 EACH

GROUP 4 CULVERTS

MOBILIZATION	LUMP LUMP
REMOVE INLET	3 EACH
CAST IRON COVER & FRAME	375 LB

CAST IRON GRATE & FRAME	6,288 LB
CAST IRON RING & COVER	690 LB
MANHOLE	1 EACH
AT STA. 1702+27 RT.	
MANHOLE	1 EACH
AT STA. 1905+40 LT.	
REMOVE FLARED- END SECTION	23 EACH
REMOVE & SALVAGE FES	8 EACH
REMOVE HEADWALLS FROM CULV	21 EACH
REMOVE SEWER PIPE	264 LF
PREPARATION OF STRUCTURE	1 EACH
AT STA. 1323+95	
PREPARATION OF STRUCTURE	1 EACH
AT STA. 1397+89	
PREPARATION OF STRUCTURE	1 EACH
AT STA. 2082+60	
REMOVE STRUCTURE	1 EACH
AT STA. 1395+67 RT.	
REMOVE STRUCTURE	1 EACH
AT STA. 1397+89	
REMOVE STRUCTURE	1 EACH
AT STA. 1415+33	
REMOVE STRUCTURE	1 EACH
AT STA. 1415+33 RT.	
REMOVE STRUCTURE	1 EACH
AT STA. 2078+24	
REMOVE STRUCTURE	1 EACH
AT STA. 2081+04 RT	
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	4,065 CY
EXCAVATION FOR BOX CULVERTS	537 CY
47B-3000 CONC FOR HDWL	1 CY
47B-3000 CONC FOR BOX CULV	865 CY
47B-3000 CONC FOR INLET & JUNCTION BOXES	34 CY
47B-3000 CONC FOR CONCRETE CO	2 CY
RE-STEEL FOR HEADWALL	147 LB
RE-STEEL FOR BOX CULVERT	84,357 LB
RE-STEEL FOR INLET & JCT BOX	2,610 LB
RE-STEEL FOR COLLARS	356 LB
36" AUTO. FLOOD CONTROL GATE	1 EACH
18" FLARED-END SECTION	5 EACH
24" FLARED-END SECTION	7 EACH
36" FLARED-END SECTION	2 EACH
48" RD EQUIV SAFETY SLOPED END SECTION	1 EACH
18" METAL FLARED-END SECTION	2 EACH
24" METAL FLARED-END SECTION	3 EACH
36" METAL FLARED-END SECTION	6 EACH
INSTALL 24" METAL F.E.S.	2 EACH
60" RND EQUIV MTL PIPE FES	1 EACH
18" CONCRETE FLARED-END SECTION	2 EACH
24" CONCRETE FLARED-END SECTION	3 EACH
36" CONCRETE FLARED-END SECTION	2 EACH
42" CONCRETE FLARED-END SECTION	4 EACH
48" CONCRETE FLARED-END SECTION	4 EACH
60" CONCRETE FLARED-END SECTION	8 EACH
INSTALL 36" RD EQUIV CONC FES	6 EACH
24" RND EQUIV CONCRETE FES	2 EACH
30" RND EQUIV CONCRETE FES	4 EACH
36" RND EQUIV CONCRETE FES	8 EACH
48" RND EQUIV CONCRETE FES	1 EACH
60" RND EQUIV CONCRETE FES	2 EACH
CULVERT SANDFILL	249 CY
JACKING 24" CULV PIPE, 2 CLASS IV	83 LF
JACK 36" CULV PIPE 2 CLASS IV	67 LF
JACKING 60" CULV PIPE, 2 CLASS V	188 LF
AREA INLET SEDIMENT FILTER	60 EACH
18" CULV PIPE 2	51 LF
24" CULV PIPE 2	8 LF
36" CULV PIPE 2	62 LF

42" CULV PIPE 2	152 LF
48" CULV PIPE 2	62 LF
36" RD EQUIV CULV PIPE 2 CLASS IV	191 LF
60" RD EQUIV CULV PIPE 2 CLASS IV	222 LF
24" RD EQUIV CULV PIPE 2	58 LF
30" RD EQUIV CULV PIPE 2	192 LF
36" RD EQUIV CULV PIPE 2	175 LF
48" RD EQUIV CULV PIPE 2	131 LF
24" CULV PIPE 2 CLASS IV	144 LF
36" CULV PIPE 2 CLASS IV	125 LF
42" CULV PIPE 2 CLASS IV	155 LF
48" CULV PIPE 2 CLASS IV	251 LF
60" CULV PIPE, 2 CLASS IV	588 LF
60" CULV PIPE, 2 CLASS V	308 LF
24" CULV PIPE 5	208 LF
36" CULV PIPE 5	108 LF
60" RD EQUIV CULV PIPE 5	30 LF
36" CULV PIPE 3,4,5	154 LF
12" CULV PIPE 2,5,7,8	92 LF
18" CULV PIPE 2,5,7,8	86 LF
24" CULV PIPE 2,5,7,8	158 LF
36" CULV PIPE 2,5,7,8	31 LF
15" STORM SEWER PIPE 1,7,8	365 LF
18" STORM SEWER PIPE 1,7,8	979 LF
24" STORM SEWER PIPE 1,7,8	50 LF
18" STORM SEWER PIPE 3,4,5 OR 6	56 LF
12" STORM SEWER PIPE 8	48 LF

GROUP 4A CULVERT AT STA. 1396+10

MOBILIZATION	LUMP	LUMP
REMOVE STRUCTURE		1 EACH
AT STA. 1396+80		
EXCAVATION FOR BOX CULVERTS		1,265 CY
47B-3000 CONC FOR BOX CULV		490 CY
RE-STEEL FOR BOX CULVERT		51,579 LB

GROUP 4B CULVERT AT STA. 502+02

MOBILIZATION	LUMP	LUMP
EXCAVATION FOR BOX CULVERTS		347 CY
47B-3000 CONC FOR BOX CULV		539 CY
RE-STEEL FOR BOX CULVERT		48,506 LB

GROUP 4C CULVERT AT STA. 808+79

MOBILIZATION	LUMP	LUMP
EXCAVATION FOR BOX CULVERTS		481 CY
47B-3000 CONC FOR BOX CULV		1,043 CY
RE-STEEL FOR BOX CULVERT		72,083 LB

GROUP 4D CULVERT AT STA. 1414+25

MOBILIZATION	LUMP	LUMP
EXCAVATION FOR BOX CULVERTS		7,137 CY
47B-3000 CONC FOR BOX CULV		1,581 CY
RE-STEEL FOR BOX CULVERT		139,973 LB
18" STORM SEWER PIPE 1,7,8		34 LF

GROUP 4E CULVERT AT STA. 3022+96

MOBILIZATION	LUMP	LUMP
EXCAVATION FOR BOX CULVERTS		61 CY
47B-3000 CONC FOR BOX CULV		166 CY
RE-STEEL FOR BOX CULVERT		16,855 LB

GROUP 4F CULVERT AT STA. 8021+74

MOBILIZATION	LUMP	LUMP
EXCAVATION FOR BOX CULVERTS		1,605 CY
47B-3000 CONC FOR BOX CULV		303 CY
RE-STEEL FOR BOX CULVERT		29,397 LB

GROUP 4G CULVERT AT STA. 2077+56

MOBILIZATION	LUMP	LUMP
EXCAVATION FOR BOX CULVERTS		2,345 CY
47B-3000 CONC FOR BOX CULV		451 CY
RE-STEEL FOR BOX CULVERT		48,278 LB
REMOVE STRUCTURE AT STA. 2077+56		1 EACH

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE A		71 ACRE
SEEDING, TYPE B		27 ACRE
SEEDING, TYPE WETLAND		1 ACRE
MULCH		221 TON

GROUP 6 BRIDGE AT STA. 1375+45

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		738 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		133,974 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PIER NO.2 EXCAVATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE A		284 LF
EXPANSION BEARING, TFE TYPE		30 EACH
FIXED BEARING		10 EACH
47B-3000 CONC FOR BRIDGE		1,496 CY
47BD-4000 CONC FOR BRIDGE		1,557 CY
REMOVE STRUCTURE AT STA. 1377+00		1 EACH
STEEL SUPERSTRUCTURE 1375+45	LUMP	LUMP
CONCRETE SLOPE PROTECTION		2,506 SY
EPOXY COATED RE-STEEL		524,598 LB
SUBSURFACE DRAINAGE MATTING		340 SY
HP 12"X53# STEEL PILING		21,385 LF
TEST PILE		12 EACH
7' PEDESTRIAN RAIL (CHAIN LINK TYPE)		323 LF
DRAINAGE SYSTEM 1375+45		1 EACH
TEMP BRIDGE SHORING	LUMP	LUMP
1 1/2" CONDUIT IN BRIDGE		1,101 LF
GRANULAR BACKFILL		1,097 CY

GROUP 6A BRIDGE AT STA. 2031+29.19

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		265 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		48,730 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE A		147 LF
FIXED BEARING		12 EACH
47B-3000 CONC FOR BRIDGE		403 CY
47BD-4000 CONC FOR BRIDGE		557 CY
PRECAST/PRESTRESSED CONC SUPERSTR 2031+29.19	LUMP	LUMP

STRUC STEEL FOR SUBSTRUCTURE	4,030	LB
CONCRETE SLOPE PROTECTION	1,122	SY
EPOXY COATED RE-STEEL	160,910	LB
SUBSURFACE DRAINAGE MATTING	180	SY
HP 12"X53# STEEL PILING	4,750	LF
TEST PILE	3	EACH
GRANULAR BACKFILL	505	CY

GROUP 6B BRIDGE AT STA. 2031+29.19

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000	265	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	48,730	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE A	147	LF
FIXED BEARING	6	EACH
47B-3000 CONC FOR BRIDGE	393	CY
47BD-4000 CONC FOR BRIDGE	489	CY
STEEL SUPERSTRUCTURE	LUMP	LUMP
2031+29.19		
STRUC STEEL FOR SUBSTRUCTURE	3,905	LB
CONCRETE SLOPE PROTECTION	1,122	SY
EPOXY COATED RE-STEEL	152,040	LB
SUBSURFACE DRAINAGE MATTING	180	SY
HP 12"X53# STEEL PILING	4,450	LF
TEST PILE	3	EACH
GRANULAR BACKFILL	505	CY

GROUP 6C BRIDGE AT STA. 1408+57.10 LT.

MOBILIZATION	LUMP	LUMP
INTERLOCKING CONCRETE PAVER BLOCK	1,762	SF
CONC FOR PVMT APPROACHES CLASS 47BD-4000	274	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	50,283	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PIER NO.2 EXCAVATION	LUMP	LUMP
PIER NO.3 EXCAVATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE A	147	LF
EXPANSION BEARING, TFE TYPE	24	EACH
FIXED BEARING	6	EACH
47B-3000 CONC FOR BRIDGE	1,116	CY
47BD-4000 CONC FOR BRIDGE	791	CY
REMOVE STRUCTURE	1	EACH
AT STA. 1409+00 LT.		
STEEL SUPERSTRUCTURE	LUMP	LUMP
1408+57.10 LT.		
CONCRETE SLOPE PROTECTION	961	SY
EPOXY COATED RE-STEEL	351,685	LB
SUBSURFACE DRAINAGE MATTING	178	SY
HP 12"X53# STEEL PILING	6,650	LF
TEST PILE	8	EACH
7' PEDESTRIAN RAIL (CHAIN LINK TYPE)	566	LF
DRAINAGE SYSTEM	1	EACH
1408+57.10 LT.		
1 1/2" CONDUIT IN BRIDGE	541	LF
GRANULAR BACKFILL	372	CY

GROUP 6D BRIDGE AT STA. 1408+38.15 LT.

MOBILIZATION	LUMP	LUMP
INTERLOCKING CONCRETE PAVER BLOCK	1,762	SF
CONC FOR PVMT APPROACHES CLASS 47BD-4000	270	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	50,165	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP

ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PIER NO.2 EXCAVATION	LUMP	LUMP
PIER NO.3 EXCAVATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE A		146 LF
EXPANSION BEARING, TFE TYPE		36 EACH
FIXED BEARING		12 EACH
47B-3000 CONC FOR BRIDGE		982 CY
47BD-4000 CONC FOR BRIDGE		1,017 CY
PRECAST/PRESTRESSED CONC SUPERSTR 1408+38.15 LT.	LUMP	LUMP
REMOVE STRUCTURE AT STA. 1409+00 LT.		1 EACH
STRUC STEEL FOR SUBSTRUCTURE		2,585 LB
CONCRETE SLOPE PROTECTION		958 SY
EPOXY COATED RE-STEEL	409,990	LB
SUBSURFACE DRAINAGE MATTING		188 SY
HP 12"X53# STEEL PILING		7,680 LF
TEST PILE		8 EACH
7' PEDESTRIAN RAIL (CHAIN LINK TYPE)		566 LF
DRAINAGE SYSTEM 1408+38.15 LT.		1 EACH
1 1/2" CONDUIT IN BRIDGE		540 LF
GRANULAR BACKFILL		505 CY

GROUP 6E BRIDGE AT STA. 1407+76.14 RT.

MOBILIZATION	LUMP	LUMP
INTERLOCKING CONCRETE PAVER BLOCK		1,762 SF
CONC FOR PVMT APPROACHES CLASS 47BD-4000		267 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		48,864 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PIER NO.2 EXCAVATION	LUMP	LUMP
PIER NO.3 EXCAVATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE A		146 LF
EXPANSION BEARING, TFE TYPE		24 EACH
FIXED BEARING		6 EACH
47B-3000 CONC FOR BRIDGE		1,092 CY
47BD-4000 CONC FOR BRIDGE		794 CY
REMOVE STRUCTURE AT STA. 1409+00 RT.		1 EACH
STEEL SUPERSTRUCTURE 1407+76.14 RT.	LUMP	LUMP
CONCRETE SLOPE PROTECTION		982 SY
EPOXY COATED RE-STEEL	350,065	LB
SUBSURFACE DRAINAGE MATTING		179 SY
HP 12"X53# STEEL PILING		6,835 LF
TEST PILE		8 EACH
7' PEDESTRIAN RAIL (CHAIN LINK TYPE)		446 LF
DRAINAGE SYSTEM 1407+76.14 RT.		1 EACH
1 1/2" CONDUIT IN BRIDGE		542 LF
GRANULAR BACKFILL		372 CY

GROUP 6F BRIDGE AT STA. 1407+95.09 RT.

MOBILIZATION	LUMP	LUMP
INTERLOCKING CONCRETE PAVER BLOCK		1,760 SF
CONC FOR PVMT APPROACHES CLASS 47BD-4000		265 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		49,105 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PIER NO.2 EXCAVATION	LUMP	LUMP
PIER NO.3 EXCAVATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE A		149 LF

EXPANSION BEARING, TFE TYPE	36	EACH
FIXED BEARING	12	EACH
47B-3000 CONC FOR BRIDGE	975	CY
47BD-4000 CONC FOR BRIDGE	999	CY
PRECAST/PRESTRESSED CONC SUPERSTR 1407+95.09 RT.	LUMP	LUMP
PREP BRIDGE 1407+95.09 RT.	1	EACH
STRUC STEEL FOR SUBSTRUCTURE	655	LB
STEEL DIAPHRAGM	5	EACH
CONCRETE SLOPE PROTECTION	1,036	SY
EPOXY COATED RE-STEEL	355,440	LB
SUBSURFACE DRAINAGE MATTING	175	SY
HP 12"X53# STEEL PILING	7,325	LF
TEST PILE	8	EACH
7' PEDESTRIAN RAIL (CHAIN LINK TYPE)	446	LF
DRAINAGE SYSTEM 1407+95.09 RT.	1	EACH
1 1/2" CONDUIT IN BRIDGE	541	LF
GRANULAR BACKFILL	490	CY

GROUP 6G BRIDGE AT STA. 1425+25 LT.

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	1,825	CY
RIPRAP FILTER FABRIC	300	SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000	193	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	35,320	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
47B-3000 CONC FOR BRIDGE	79	CY
47BD-4000 CONC FOR BRIDGE	239	CY
STRUC STEEL FOR SUBSTRUCTURE	4,500	LB
ROCK RIPRAP, TYPE B	325	TON
SALVAGING AND PLACING TOPSOIL ON RIPRAP	75	SY
EPOXY COATED RE-STEEL	73,355	LB
HP 12"X53# STEEL PILING	2,735	LF
TEST PILE	4	EACH
STEEL SHEET PILING	2,990	SF
GRANULAR BACKFILL	360	CY

GROUP 6H BRIDGE AT STA. 1425+25 RT.

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	1,825	CY
RIPRAP FILTER FABRIC	300	SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000	193	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	35,320	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
47B-3000 CONC FOR BRIDGE	79	CY
47BD-4000 CONC FOR BRIDGE	239	CY
STRUC STEEL FOR SUBSTRUCTURE	4,500	LB
ROCK RIPRAP, TYPE B	325	TON
SALVAGING AND PLACING TOPSOIL ON RIPRAP	75	SY
EPOXY COATED RE-STEEL	73,355	LB
HP 12"X53# STEEL PILING	2,735	LF
TEST PILE	4	EACH
STEEL SHEET PILING	2,990	SF
GRANULAR BACKFILL	360	CY

GROUP 6I BRIDGE AT STA. 1454+15.12 LT.

SANDBLASTING	840	LF
MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000	173	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	24,455	LB
PREFORMED EXPANSION JOINT, TYPE A	616	LF
CLASS I REPAIR	6,449	SY
CLASS II REPAIR	1,290	SY
CLASS III REPAIR	129	SY
PLACE, FINISH, & CURE CONC OVERLAY-SF	6,449	SY
47BD-4000 CONC FOR BRIDGE	114	CY
CONCRETE FOR OVERLAYS-SF	358	CY
PREP BRIDGE	1	EACH
1454+15.12 LT.		
STRUC STEEL FOR SUBSTRUCTURE	23,670	LB
EPOXY COATED RE-STEEL	4,230	LB
CONCRETE COATING	LUMP	LUMP
CONCRETE REPAIR	20	SF

GROUP 6J BRIDGE AT STA. 1454+15.12 RT.

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000	191	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	35,612	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PIER NO.2 EXCAVATION	LUMP	LUMP
PIER NO.3 EXCAVATION	LUMP	LUMP
PIER NO.4 EXCAVATION	LUMP	LUMP
PIER NO.5 EXCAVATION	LUMP	LUMP
PIER NO.6 EXCAVATION	LUMP	LUMP
PIER NO.7 EXCAVATION	LUMP	LUMP
PIER NO.8 EXCAVATION	LUMP	LUMP
PIER NO.9 EXCAVATION	LUMP	LUMP
PIER NO.10 EXCAVATION	LUMP	LUMP
PIER NO.11 EXCAVATION	LUMP	LUMP
PIER NO.12 EXCAVATION	LUMP	LUMP
PIER NO.13 EXCAVATION	LUMP	LUMP
PIER NO.14 EXCAVATION	LUMP	LUMP
DECK JOINT SEAL, TYPE IV	78	LF
EXPANSION BEARING, TFE TYPE	90	EACH
FIXED BEARING	18	EACH
47B-3000 CONC FOR BRIDGE	2,675	CY
47BD-4000 CONC FOR BRIDGE	1,897	CY
PREP BRIDGE	1	EACH
1454+15.12 RT.		
ACCESS BRIDGE	LUMP	LUMP
STEEL SUPERSTRUCTURE	LUMP	LUMP
1454+15.12 RT.		
STRUC STEEL FOR SUBSTRUCTURE	8,690	LB
EPOXY COATED RE-STEEL	892,693	LB
SUBSURFACE DRAINAGE MATTING	60	SY
HP 12"X53# STEEL PILING	18,815	LF
TEST PILE	30	EACH
STEEL SHEET PILING	6,379	SF
DECK DRAINAGE SYSTEM	LUMP	LUMP
STRIP SEALS	78	LF
GRANULAR BACKFILL	356	CY

GROUP 6K BRIDGE AT STA. 2023+21.50

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000	288	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	55,200	LB
GEOGRID WALL	17,205	SF
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP

PREFORMED EXPANSION JOINT, TYPE B	148	LF
EXPANSION BEARING, TFE TYPE	8	EACH
FIXED BEARING	8	EACH
47B-3000 CONC FOR BRIDGE	1,945	CY
47BD-4000 CONC FOR BRIDGE	296	CY
STEEL SUPERSTRUCTURE	LUMP	LUMP
2023+21.50		
STRUC STEEL FOR SUBSTRUCTURE	14,005	LB
EPOXY COATED RE-STEEL	232,995	LB
SUBSURFACE DRAINAGE MATTING	1,335	SY
HP 12"X53# STEEL PILING	6,110	LF
TEST PILE	4	EACH
7' PEDESTRIAN RAIL (CHAIN LINK TYPE)	222	LF
GRANULAR BACKFILL	3,735	CY
SELECT GRANULAR BACKFILL	25,168	CY

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL	1,543	LF
THRIE-BEAM GUARDRAIL	1,912	LF
BRIDGE APPROACH SECTIONS	20	EACH
SPECIAL BR APPROACH SECTION	6	EACH
BULLNOSE-12.5'	7	EACH
GUARDRAIL END TREATMENT, TYPE I	15	EACH
GUARDRAIL END TREATMENT, TYPE II	8	EACH
W-THRIE BEAM TRANSITION SECTION	2	EACH

GROUP 7B FENCE

MOBILIZATION	LUMP	LUMP
6' CHAIN-LINK FENCE	23,022	LF
CHNNL CRSS,TYPE A, 6' CH-LNK FENCE	9	EACH
END POST FOR 6' CH-LINK FENCE	16	EACH
CORNER POST FOR 6' CH-LNK FENCE	84	EACH
PULL POST FOR 6' CH-LNK FENCE	56	EACH
DRAIN STRUC TERM FOR 6' C-LNK FENCE	6	EACH
45' VEHICLE GATE FOR 6' CH-LNK FENCE	1	EACH

GROUP 8B ELECTRICAL

TEMPORARY TRAFFIC SIGNAL	1	EACH
AT OAK HILL ROAD		
TEMPORARY TRAFFIC SIGNAL	1	EACH
AT TEMPORARY RAMP 3000		
TEMPORARY TRAFFIC SIGNAL	1	EACH
AT BAY ROAD		
MOBILIZATION	LUMP	LUMP
PULL BOX, TYPE PB-1	20	EACH
PULL BOX, TYPE PB-1A	4	EACH
PULL BOX, TYPE PB-2	2	EACH
PULL BOX, TYPE PB-2A	2	EACH
PULL BOX, TYPE PB-5	13	EACH
PULL BOX, TYPE PB-6	1	EACH
TRAFFIC SIGNAL, TYPE TS-1	8	EACH
TRAFFIC SIGNAL, TYPE TS-2	3	EACH
PEDESTAL POLE, TYPE PP-10	3	EACH
VEHICLE DETECTOR, TYPE A PREFORMED	8	EACH
VEHICLE DETECTOR, TYPE B PREFORMED	54	EACH
VEHICLE DETECTOR, TYPE TD-3	2	EACH
ST LIGHT UNIT, SL-BT-40-15-0.20	47	EACH
ST LIGHT UNIT, SL-S-40-4-0.20	11	EACH
ST LIGHT UNIT SL-BT-40-12-0.20	4	EACH
UNDERDECK LUMINAIRE, TYPE UD-200	8	EACH
MAST ARM SIGNAL POLE, MP-35	2	EACH
MAST ARM SIGNAL POLE, MP-60	2	EACH
LIGHTING CONTROL CENTER, R-3	6	EACH
1 1/2" CONDUIT IN TRENCH	7,154	LF

2" CONDUIT IN TRENCH	2,210 LF
3" CONDUIT IN TRENCH	84 LF
1 1/2" CONDUIT UNDER ROADWAY	1,082 LF
2" CONDUIT UNDER ROADWAY	255 LF
3" CONDUIT UNDER ROADWAY	570 LF
3/C #14 AWG TRAF SIG CABLE	1,611 LF
12/C #14 AWG TRAF SIG CABLE	539 LF
2/C #14 AWG DETECTOR LEAD-IN CABLE	3,298 LF
GROUNDING CONDUCTOR	1,788 LF
SERVICE CABLE	66 LF
STREET LIGHT CABLE, NO. 6 BARE	11,178 LF
STREET LIGHT CABLE, NO. 6 USE	22,355 LF
UNINTERRUPTIBLE POWER SUPPLY	1 EACH
INST TRAF SIG CONTROLLER, TC-2070	1 EACH
REMOVE TRAFFIC SIGNAL AT OAK HILL ROAD	1 EACH
RELOCATE LIGHT POLE	9 EACH
TEMP LIGHTING SYSTEM, TYPE II	1 EACH
OPER & MAINT OF TEMP LIGHT SYSTEM, TYPE II	1,000 DAY

GROUP 8C SIGNING

	LUMP	LUMP
MOBILIZATION		
REMOVE SIGN		2 EACH
TYPE A SIGN	171 SF	
TYPE B SIGN	851 SF	
4" X 4" WOOD SIGN SUPPORT	32 LF	
4" X 6" WOOD SIGN SUPPORT	119 LF	
STRUC STEEL FOR SIGN SUPPORTS	8,583 LB	
24" SIGN SUPPORT FOOTING	8 EACH	
30" SIGN SUPPORT FOOTING	6 EACH	
36" SIGN SUPPORT FOOTING	4 EACH	
REMOVE SIGN, POST, AND FOOTING	20 EACH	

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	190,950 BDAY
BARRICADE, TYPE III	47,560 BDAY
TEMPORARY SIGN DAY	910 EACH
SIGN DAY	118,350 EACH
CONTRACTOR FURNISHED SIGN DAY	26,300 EACH
TEMP PAVEMENT MARKING REMOVAL	300,570 LF
TEMP PVMT MARKING, TYPE PAINT	301,778 LF
TUBULAR POST	600 EACH
CHANNELIZING BLOCK	900 EACH
FLASHING ARROW PANEL	6,449 DAY
CONCRETE PROTECTION BARRIER	8,287 LF
INERTIAL BARRIER SYSTEM	13 EACH
REPLACEMENT MODULE	14 EACH
TRAFFIC CONTROL MANAGEMENT	955 DAY
TRAINING	12,000 HOUR
MOBILIZATION	LUMP LUMP
RENTAL OF LOADER, FULLY OPERATED	375 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	1,200 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	1,200 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	375 HOUR
TEMPORARY SEEDING	10 ACRE
CONTOUR CULTIVATION OF BACKSLOPES	7,000 LF
TEMPORARY SILT CHECK	13,000 LF
TEMPORARY SILT FENCE	10,000 LF
TEMPORARY EARTH CHECK	2,000 LF
TEMPORARY MULCH	20 TON

NOTICE TO CONTRACTORS

CALL ORDER 205
 FEDERAL PROJECT NO. MAPA-5009(4)
 LOCATION: OMAHA CONCRETE REPAIR, PACKAGE 3
 COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids for the
 CITY OF OMAHA in Room 104 of the Central Office Building at
 1500 Hwy 2 at Lincoln, until 1:30 P.M. on December 15, 2011 .
 At that time the bids will be opened and read for
 SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR
 WHO IS QUALIFIED FOR: SPECIALTY

START DATE 06/25/2012 CALENDAR DAYS 90
 Price Range \$ 1,000,000 to \$ 3,000,000

Plans and specifications may be seen beginning November 22, 2011 at the Lincoln
 Central Office and November 28, 2011 at the District Engineer's Office at OMAHA
 Additional letting information may be found at the Nebraska Department of Roads
 Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal
 requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	23 SHEETS	\$	5.75
STANDARD PLANS	17 SHEETS	\$	4.25

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-N	GENERAL INFORMATION
2-L1 - 2-L13	CONSTRUCTION & REMOVAL
3	BARRICADING PLANS
4	DETOUR PLANS
5	SPECIAL PLAN 1C CONCRETE CURB DETAILS
6	SPECIAL PLAN 2C CAST IRON MANHOLE RINGS COVER MANHOLE STEPS
7	SPECIAL PLAN 3C CURB INLET BLOCKOUT DETAILS TEMPLATE DETAILS (GUTTER DEPRESSION)

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
329-R9	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
435-R1	(3 SHEETS) MANHOLE
443-R8	(2 SHEETS) CURB INLETS AND JUNCTION BOX
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and
 should not be used for bidding purposes. The Department
 reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	6,000	B DAY
BARRICADE, TYPE III	240	B DAY
TEMPORARY SIGN DAY	930	EACH
SIGN DAY	120	EACH
FLASHING ARROW PANEL	150	DAY
FLAGGING	50	DAY
TOWING	5	HOUR
MOBILIZATION	LUMP	LUMP
REMOVE DRIVEWAY	13	SY

REMOVE WALK	28 SY
CONC 47B-3500 SIDEWALKS	28 SY
CONC 47B-HE-3500 DRIVEWAY	13 SY
CONC PVMT REPAIR TYPE B FULL DEPTH	176 SY
CONC PVMT REPAIR TYPE C FULL DEPTH	13,328 SY
CAST IRON RING & COVER	2,696 LB
CURB INLET SEDIMENT FILTER	8 EACH
ONLY, PREF PVMT MRKING T-4, GROOVED	3 EACH
ARROW, PREF PVMT MRKING T-4 GROOVED	1 EACH
4" WHITE PREF PVMT MRKNG T-4 GROOVED	2,379 LF
4" YEL PREF PVMT MRKNG, T-4, GROOVED	1,229 LF
12" WHT PREF PVMT MRKING T-4 GROOVED	24 LF
24" WHITE PREF PVMT MKING T-4 GROOVED	4 LF
FOUNDATION COURSE REPLACEMENT	113 CY
VEHICLE DETECTOR, TYPE TD-5	12 EACH

NOTICE TO CONTRACTORS

CALL ORDER 210
 STATE PROJECT NO. MISC-S13H(1003)
 LOCATION: S13H, CEDAR CREEK EAST
 COUNTIES: CASS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 15, 2011 . At that time the bids will be opened and read for CONC PAVE CULV

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT CULVERTS
 START DATE 09/10/2012 WORKING DAYS 40
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning November 22, 2011 at the Lincoln Central Office and November 28, 2011 at the District Engineer's Office at OMAHA
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	26	SHEETS	\$	6.50
CROSS SECTIONS (SHEETS X1 THRU X2)	2	SHEETS	\$	0.50
STANDARD PLANS	16	SHEETS	\$	4.00

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-A	PHOTO MAP
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
2-P	PHASING PLANS
2-L	EROSION CONTROL
3	PLAN SHEET
4	TYPICAL TRAFFIC CONTROL PLAN--INERTIAL BARRIER SYSTEM
5	TEMPORARY PAVEMENT MARKING PLAN
6	PAVEMENT MARKING PLAN--WORK ZONE TRAFFIC CONTROL
7	EARTHWORK DATA SHEET
8 - 9	DRAINAGE STRUCTURE CROSS SECTIONS
10 - 13	SPECIAL PLAN 1C 6' X 4' TWIN SPAN RC BOX CULVERT STA. 1013+15.50
14	SPECIAL PLAN 2C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
15 - 16	SPECIAL PLAN 3C TEMPORARY SILT CHECKS
17 - 18	SPECIAL PLAN 4C CONCRETE PROTECTION BARRIER
R1	RIGHT-OF-WAY SHEET
X1 - X2	CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
329-R9	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
804	PRECAST CONCRETE R.O.W. MARKER
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		558 CY
RIGHT-OF-WAY MARKERS		4 EACH
SAWING PAVEMENT		30 LF
REMOVE DRIVEWAY		22 SY
CONC 47B-3500 DRIVEWAY		22 SY
8" DOWELED CONC PAVE, CLASS 47B-3500		67 SY
TEMPORARY SURFACING		175 SY
8"		
EARTH SHOULDER CONSTRUCTION		1 STA
SUBGRADE PREPARATION		89 SY
EROSION CONTROL, CLASS 1D		1,274 SY
EROSION CHECKS, TYPE 1D		20 BALE

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE FLARED- END SECTION		2 EACH
REMOVE HEADWALLS FROM CULV		3 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		129 CY
EXCAVATION FOR BOX CULVERTS		136 CY
TEMPORARY SHORING	LUMP	LUMP
AT STA. 1013+15.5		
47B-3000 CONC FOR BOX CULV		79 CY
RE-STEEL FOR BOX CULVERT		6,290 LB
CRUSHED ROCK FOR BASE COURSE		25 CY

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II		1,444 BDAY
BARRICADE, TYPE III		646 BDAY
SIGN DAY		2,584 EACH
CONTRACTOR FURNISHED SIGN DAY		76 EACH
TEMP PAVEMENT MARKING REMOVAL		1,800 LF
PAVEMENT MARKING REMOVAL		500 LF
TEMP PVMT MARKING, TYPE PAINT		2,200 LF
TEMP PVMT MARKING SURF PREP		1,800 LF
CONCRETE PROTECTION BARRIER		375 LF
RELOCATE CONC PROTECTION BARRIER		200 LF
INERTIAL BARRIER SYSTEM		1 EACH
REPLACEMENT MODULE		7 EACH
MOBILIZATION	LUMP	LUMP
TEMPORARY SILT CHECK		200 LF
TEMPORARY SILT FENCE		200 LF
TEMPORARY EARTH CHECK		200 LF

NOTICE TO CONTRACTORS

CALL ORDER 215
 STATE PROJECT NO. RD-50-2(1024)
 LOCATION: N-50, N-1-LOUISVILLE
 COUNTIES: CASS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 15, 2011. At that time the bids will be opened and read for GRAD BR GDRL ELEC BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 6.1 MILES
 START DATE 04/30/2012 WORKING DAYS 110
 Price Range \$ 3,000,000 to \$ 6,000,000

Plans and specifications may be seen beginning November 22, 2011 at the Lincoln Central Office and November 28, 2011 at the District Engineer's Office at OMAHA

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	110	SHEETS	\$ 27.50
CROSS SECTIONS (SHEETS X1 THRU X71)	71	SHEETS	\$ 17.75
STANDARD PLANS	17	SHEETS	\$ 4.25

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T10	TYPICAL CROSS SECTIONS
2-S1 - 2-S4	SUMMARY OF QUANTITIES
2-W1 - 2-W7	WETLANDS
2-H1 - 2-H6	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION
2-N2 - 2-N3	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3 - 10	PLAN SHEETS
11	TYPICAL TRAFFIC SIGNAL CONTROL PLAN FOR NARROW BRIDGE, ONE LANE, TWO WAY OPERATION WITH BARRIERS (11')
12	TEMPORARY TRAFFIC SIGNAL
13	TEMPORARY PAVEMENT MARKING PLAN
14 - 15	PAVEMENT MARKING PLAN--N-1 TO LOUISVILLE
16 - 19	ROADWAY LIGHTING PLANS
20 - 24	EARTHWORK DATA SHEETS
25	DRAINAGE STRUCTURE CROSS SECTION--CULVERT
26 - 42	SPECIAL PLAN 1 DECK STEEL GIRDER VIADUCT--REPAIR STA. 694+36.61
43 - 61	SPECIAL PLAN 2 DECK STEEL GIRDER VIADUCT--REPAIR STA. 694+36.61
62 - 64	SPECIAL PLAN 1C RAISE PARAPET & WING WALLS STA. 410+94.00
65 - 72	SPECIAL PLAN 2C GUARDRAIL PLAN
73 - 77	SPECIAL PLAN 3C CABLE GUARDRAIL
78 - 79	SPECIAL PLAN 4C TEMPORARY SILT CHECKS
80 - 81	SPECIAL PLAN 5C CONCRETE PROTECTION BARRIER
X1 - X71	CROSS SECTIONS

STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
309	MAILBOX SUPPORT POST
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
901-R9	HIGHWAY DELINEATORS
914-R6	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		60 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		125 MGAL
REMOVE DELINEATOR UNITS		49 EACH
EARTHWORK MEASURED IN EMBANKMENT		8,572 CY
SAWING PAVEMENT		65 LF
REMOVE CURB		881 LF
REMOVE PAVEMENT		7 SY
24" DRIVE PIPE 2,3,4,5,6,7 OR 8		106 LF
PREPARATION OF STRUCTURE AT STA. 410+94		1 EACH
47B-3000 CONC FOR BOX CULV		3 CY
RE-STEEL FOR BOX CULVERT		515 LB
REMOVE GUARDRAIL		6,007 LF
COVER CROP SEEDING		9 ACRE
EROSION CONTROL, CLASS 1C		1,949 SY
EROSION CONTROL, CLASS 1D		7,234 SY
EROSION CONTROL, CLASS 1F		949 SY
FABRIC SILT FENCE-LOW POROSITY		6,339 LF

GROUP 6 BRIDGE AT STA. 694+36.61

MOBILIZATION	LUMP	LUMP
PREFORMED SILICONE JOINT, TYPE A		205 LF
PRECOMPRESSED POLY FOAM JOINT, TYPE B		50 LF
BR DECK REPAIR, PARTIAL DEPTH		211 SY
BR DECK REPAIR, FULL DEPTH		10 SY
47BD-4000 CONC FOR BRIDGE		33 CY
PREP BRIDGE 694+36.61		1 EACH
STRUC STEEL FOR SUPERSTRUCTURE		770 LB
EPOXY COATED RE-STEEL		4,680 LB
PAINTING PILES AND MISC STEEL	LUMP	LUMP
ABUTMENT REPAIR		120 SF
CONCRETE REPAIR		25 SF

GROUP 6A BRIDGE AT STA. 694+36.61

MOBILIZATION	LUMP	LUMP
PREFORMED SILICONE JOINT, TYPE A		205 LF
PRECOMPRESSED POLY FOAM JOINT, TYPE B		50 LF
BR DECK REPAIR, PARTIAL DEPTH		211 SY
BR DECK REPAIR, FULL DEPTH		10 SY
47BD-4000 CONC FOR BRIDGE		33 CY
PREP BRIDGE 694+36.61		1 EACH
STRUC STEEL FOR SUPERSTRUCTURE		6,710 LB
EPOXY COATED RE-STEEL		4,680 LB
PAINTING PILES AND MISC STEEL	LUMP	LUMP
ABUTMENT REPAIR		120 SF
CONCRETE REPAIR		25 SF

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
CULV MOUNTED GDRL POST		5 EACH
W-BEAM GUARDRAIL		3,981 LF
CABLE GUARDRAIL		2,706 LF
BRIDGE APPROACH SECTIONS		4 EACH
TERMINAL ANCHORAGE SECTIONS		14 EACH
GUARDRAIL END TREATMENT, TYPE II		16 EACH

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
PULL BOX, TYPE PB-5		2 EACH
1 1/2" CONDUIT IN TRENCH		26 LF
STREET LIGHT CABLE, NO. 6 BARE		130 LF
STREET LIGHT CABLE, NO. 6 USE		260 LF
RELOCATE STREET LIGHTING UNIT		2 EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES		994 STA
OVERLAY SOLID LINES		1,978 STA
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE II		28 EACH
DELINEATOR, TYPE III		49 EACH
INSTALL CHEVRONS		24 EACH
REMOVE ASPH SURF FROM PAVEMENT		1,109 SY
GRAVEL SURFACE COURSE		95 TON
MAILBOX POST		13 EACH
CONC PVMT REPAIR TYPE A FULL DEPTH		62 CY
CONC PVMT REPAIR TYPE B FULL DEPTH		120 CY
CONC PVMT REPAIR TYPE C FULL DEPTH		393 CY
CONC PVMT, PR-3500		40 CY
JOINT REPAIR		
4" WHT WET RFLC PRF PVMT MKNG T4 GVD		1,500 LF
4" YEL WET RFLC PRF PVMT MKNG T4 GVD		12,100 LF
12" YEL WET RFLC PRF PVMT MKNG T4 GVD		800 LF
HYDRATED LIME FOR ASPHALT MIXTURES		286 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		10 TON
FOUNDATION COURSE REPLACEMENT		22 CY
ASPH CONC ST MAINT PATCH TYPE SPH (0.5)		1,000 TON
ASPH CONC, TYPE SPS		10,530 TON
ASPH CONC, TYPE LC		5,980 TON
ASPH CONC, TYPE SPR		5,460 TON
ASPH CONC, TYPE SPH (0.5)		17,131 TON
PLACE ASPH CONC FOR DRIVE & INTER		3,539 SY
ASPH CONCRETE FOR PATCHING, TYPE SPR		200 TON
ASPH CONCRETE FOR PATCHING, TYPE SPS		300 TON
PERF GRAD BIND (70-34) FOR ST MAINT PATCH		48 TON
PERF GRADED BINDER (70-34)		1,276 TON
PERF GRADED BINDER (52-34)		541 TON
PERF GRADED BINDER (64-34)		283 TON
CONSTRUCTING ASPH CONC CURB		881 LF
PREP OF INTER & DRIVE		226 SY
TACK COAT		37,090 GAL
WATER		174 MGAL
CRACKING & SEATING CONC PVMT		74,724 SY
EARTH SHOULDER CONSTRUCTION		671 STA
TRENCHED WIDENING		642 STA
SUBGRADE PREPARATION		2,101 SY
COLD MILLING, CLASS 3		1 STA
MILLING FOR ASPH CONC INLAY		1 EACH
MILLING CONC FOR INLAYS		3 EACH
RUMBLE STRIPS, ASPHALT		648 STA
RUMBLE STRIPS, ASPHALT 8"		648 STA
CONC SURF MILLING		3,972 SY
SURFACE UNDER GUARDRAIL		4,738 SY
FABRIC REINF CRACK REPAIR		64,204 LF
RAP INCENTIVE PAYMENT		57,018 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE A		1 ACRE
SEEDING, TYPE B		8 ACRE
MULCH		20 TON

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	23,052	B	DAY
BARRICADE, TYPE III	1,856	B	DAY
TEMPORARY SIGN DAY	1,400	E	EACH
SIGN DAY	19,661	E	EACH
TEMP PAVEMENT MARKING REMOVAL	1,800	L	LF
PAVEMENT MARKING REMOVAL	3,800	L	LF
TEMP PVMT MARKING, TYPE PAINT	2,600	L	LF
TEMP PVMT MARKING SURF PREP	2,600	L	LF
FLAGGING	200	D	DAY
FURNISHING AND OPERATING PILOT VEHICLE	90	D	DAY
CONCRETE PROTECTION BARRIER	800	L	LF
RELOCATE CONC PROTECTION BARRIER	800	L	LF
TEMPORARY RUMBLE STRIP	4	E	EACH
TEMPORARY TRAFFIC SIGNAL	1	E	EACH
TRAFFIC CONTROL MANAGEMENT	195	D	DAY
MOBILIZATION	LUMP	L	LUMP
RENTAL OF LOADER, FULLY OPERATED	155	H	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	40	H	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	155	H	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	155	H	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	115	H	HOUR
TEMPORARY SILT CHECK	1,000	L	LF
TEMPORARY SILT FENCE	5,000	L	LF
TEMPORARY MULCH	4	T	TON

NOTICE TO CONTRACTORS

CALL ORDER 300
 STATE PROJECT NO. RD-9-4(1010)
 LOCATION: N-9, ALLEN NORTH & SOUTH
 COUNTIES: DIXON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 15, 2011 . At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 12.7 MILES
 START DATE 05/29/2012 WORKING DAYS 90
 Price Range \$ 3,000,000 to \$ 6,000,000

Plans and specifications may be seen beginning November 22, 2011 at the Lincoln Central Office and November 28, 2011 at the District Engineer's Office at NORFOLK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	35	SHEETS	\$	8.75
STANDARD PLANS	9	SHEETS	\$	2.25

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-A1 - 2-A12	PHOTO MAPS
2-H1 - 2-H3	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
3 - 14	PLAN SHEETS
15	TEMPORARY PAVEMENT MARKING PLAN
16	PAVEMENT MARKING PLAN--ALLEN NORTH & SOUTH
	CROSSWALK PLAN WITH ADVANCE SIGNING
17	PAVEMENT MARKING DETAILS

STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
307-R1	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
502	SILT FENCE DETAILS
901-R9	HIGHWAY DELINEATORS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	23,250	B	DAY
BARRICADE, TYPE III	954	B	DAY
TEMPORARY SIGN DAY	1,260	E	ACH
SIGN DAY	22,737	E	ACH
OVERLAY BROKEN LINES	2,051	S	T
OVERLAY SOLID LINES	4,102	S	T
FLAGGING	180	D	AY
FURNISHING AND OPERATING PILOT VEHICLE	70	D	AY
FIELD OFFICE	1	E	ACH
MOBILIZATION	LUMP	L	UMP
GENERAL CLEARING AND GRUBBING	LUMP	L	UMP

DELINEATOR, TYPE I	78 EACH
DELINEATOR, TYPE III	77 EACH
INSTALL CHEVRONS	39 EACH
REMOVE DELINEATOR UNITS	97 EACH
REMOVE ASPHALT SURFACE	649 SY
REMOVE WALK	2 SY
GRAVEL SURFACE COURSE	200 CY
CRUSHED ROCK SURFACE COURSE	125 CY
SPEC SURF CRSE FOR MAILBOX TURNOUTS	1,439 SY
MAILBOX POST	23 EACH
4" NONPERF P.V.C. PIPE UNDERDRAIN	780 LF
4" PERFORATED PIPE UNDERDRAIN	18,916 LF
24" WHITE PREF PVMT MKING T-4 GROOVED	36 LF
HYDRATED LIME FOR ASPHALT MIXTURES	474 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	5 TON
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	500 TON
ASPH CONC, TYPE SPR	45,410 TON
PLACE ASPH CONC FOR DRIVE & INTER	9,317 SY
ASPH CONCRETE FOR PATCHING, TYPE SPR	2,000 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	24 TON
PERF GRADED BINDER (64-34)	2,370 TON
PREP OF INTER & DRIVE	354 SY
TACK COAT	46,530 GAL
FOG SEAL	76,370 GAL
RENTAL OF LOADER, FULLY OPERATED	105 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	100 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	105 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	105 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5 HOUR
WATER	313 MGAL
WATER FOR FLY ASH STABILIZED BITUMINOUS	1,005 MGAL
EARTH SHOULDER CONSTRUCTION	1,250 STA
WIDENING	1,023 STA
TRENCHED WIDENING	257 STA
COLD MILLING, CLASS 3	52 STA
COLD MILLING, CLASS 3	128 STA
TYPE A	
FLY ASH STABILIZED BITUMINOUS	511 STA
FLY ASH	7,622 TON
RAP INCENTIVE PAYMENT	80,597 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP
SEEDING, TYPE B	43 ACRE
TEMPORARY SILT FENCE	500 LF
MULCH	97 TON

NOTICE TO CONTRACTORS

CALL ORDER 305
 STATE PROJECT NO. RD-59-5(1005)
 LOCATION: N-59, N-14 - CREIGHTON
 COUNTIES: KNOX

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 15, 2011 . At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 6.4 MILES
 START DATE 08/27/2012 WORKING DAYS 35
 Price Range \$ 1,000,000 to \$ 3,000,000

Plans and specifications may be seen beginning November 22, 2011 at the Lincoln Central Office and November 28, 2011 at the District Engineer's Office at NORFOLK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	4 SHEETS	\$	1.00
STANDARD PLANS	7 SHEETS	\$	1.75

SHEET NO.
 1 TITLE PAGE
 2-T TYPICAL CROSS SECTIONS
 2-S SUMMARY OF QUANTITIES
 3 TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS
 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
 924 (3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	6,125	B	DAY
BARRICADE, TYPE III	434	B	DAY
TEMPORARY SIGN DAY	490	E	EACH
SIGN DAY	6,206	E	EACH
OVERLAY BROKEN LINES	1,316	S	TA
OVERLAY SOLID LINES	2,541	S	TA
FLAGGING	70	D	DAY
FURNISHING AND OPERATING PILOT VEHICLE	35	D	DAY
FIELD OFFICE	1	E	EACH
MOBILIZATION	LUMP	L	LUMP
HYDRATED LIME FOR ASPHALT MIXTURES	266	T	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	5	T	TON
ASPH CONC 4 ST MAIN PTCHING TY SPR(FINE)	500	T	TON
ASPH CONC, TYPE SPR (FINE)	25,560	T	TON
PLACE ASPH CONC FOR DRIVE & INTER	6,387	S	Y
ASPH CONC FOR PATCHING, TYPE SPR (FINE)	500	T	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	21	T	TON
PERF GRADED BINDER (64-34)	1,094	T	TON
TACK COAT	31,360	G	GAL
RENTAL OF LOADER, FULLY OPERATED	40	H	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	40	H	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	40	H	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	40	H	HOUR

COLD MILLING, CLASS 3	316 STA
COLD MILLING, CLASS 3 TYPE A	12,613 SY
COLD MILLING, CLASS 3 TYPE B	49,286 SY
RAP INCENTIVE PAYMENT	44,302 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP

NOTICE TO CONTRACTORS

CALL ORDER 310
 STATE PROJECT NO. RD-121-3(1004)
 LOCATION: N-121, IN BATTLE CREEK
 COUNTIES: MADISON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 15, 2011. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS
 START DATE 10/15/2012 WORKING DAYS 5
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning November 22, 2011 at the Lincoln Central Office and November 28, 2011 at the District Engineer's Office at NORFOLK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	4 SHEETS	\$	1.00
STANDARD PLANS	7 SHEETS	\$	1.75

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
& TYPICAL CROSS SECTIONS
- 3 TEMPORARY PAVEMENT MARKING PLAN
- 4 PAVEMENT MARKING DETAILS

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
- 924 (3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	500	BDAY
BARRICADE, TYPE III	24	BDAY
SIGN DAY	240	EACH
OVERLAY BROKEN LINES	81	STA
OVERLAY SOLID LINES	18	STA
FLAGGING	10	DAY
MOBILIZATION	LUMP	LUMP
24" WHITE PREF PVMT MKING T-4 GROOVED	100	LF
HYDRATED LIME FOR ASPHALT MIXTURES	8	TON
ASPH CONC, TYPE SPR (FINE)	780	TON
ASPH CONC FOR PATCHING, TYPE SPR (FINE)	50	TON
PERF GRADED BINDER (64-34)	34	TON
TACK COAT	1,720	GAL
RENTAL OF LOADER, FULLY OPERATED	5	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	5	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	5	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	5	HOUR
COLD MILLING, CLASS 3	42	STA
RAP INCENTIVE PAYMENT	1,326	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 400
STATE PROJECT NO. RD-34-4(1024)
LOCATION: IN HASTINGS
COUNTIES: ADAMS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 15, 2011. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY
START DATE 06/18/2012 WORKING DAYS 10
Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning November 22, 2011 at the Lincoln Central Office and November 28, 2011 at the District Engineer's Office at GRAND ISLAND
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	3 SHEETS	\$	0.75
STANDARD PLANS	5 SHEETS	\$	1.25

SHEET NO.

- 1 TITLE PAGE
- 2-T TYPICAL CROSS SECTIONS
- 2-S SUMMARY OF QUANTITIES

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 924 (3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	600	B	DAY
BARRICADE, TYPE III	5	B	DAY
TEMPORARY SIGN DAY	10	E	EACH
SIGN DAY	52	E	EACH
FLASHING ARROW PANEL	10	D	DAY
MOBILIZATION	LUMP	L	LUMP
SEALING CRACKS	1,549	L	LF
SEALING JOINTS	52,007	L	LF
SEALING CONCRETE REPAIR JOINT	38	L	LF

NOTICE TO CONTRACTORS

CALL ORDER 405
STATE PROJECT NO. RD-81-1(1044)
LOCATION: US-81, GENEVA SOUTH
COUNTIES: FILLMORE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 15, 2011. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY
START DATE 02/27/2012 WORKING DAYS 45
Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning November 22, 2011 at the Lincoln Central Office and November 28, 2011 at the District Engineer's Office at GRAND ISLAND
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	5 SHEETS	\$	1.25
STANDARD PLANS	2 SHEETS	\$	0.50

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
3	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)

STANDARD PLANS

920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	31,500	B	DAY
BARRICADE, TYPE III	506	B	DAY
TEMPORARY SIGN DAY	1,080	E	ACH
SIGN DAY	5,512	E	ACH
FLASHING ARROW PANEL	45	D	AY
MOBILIZATION	LUMP	L	UMP
SEALING CRACKS	6,140	L	F
SEALING JOINTS	337,000	L	F
JOINT SEALING - ASPHALT TO CONCRETE	1,174	S	TA

NOTICE TO CONTRACTORS

CALL ORDER 410
STATE PROJECT NO. RD-81-2(1046)
LOCATION: US-81, YORK NORTH
COUNTIES: YORK

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 15, 2011. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY
START DATE 03/19/2012 WORKING DAYS 25
Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning November 22, 2011 at the Lincoln Central Office and November 28, 2011 at the District Engineer's Office at GRAND ISLAND
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	4 SHEETS	\$	1.00
STANDARD PLANS	2 SHEETS	\$	0.50

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
3	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)

STANDARD PLANS

920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	7,000	B	DAY
BARRICADE, TYPE III	270	B	DAY
TEMPORARY SIGN DAY	600	E	EACH
SIGN DAY	2,970	E	EACH
FLASHING ARROW PANEL	50	D	DAY
MOBILIZATION	LUMP	L	LUMP
SEALING CRACKS	445	L	LF
SEALING JOINTS	193,136	L	LF
JOINT SEALING - ASPHALT TO CONCRETE	593	S	STA

NOTICE TO CONTRACTORS

CALL ORDER 505
 STATE PROJECT NO. RD-385-3(1019)
 LOCATION: US-385, BRIDGEPORT SOUTHEAST
 COUNTIES: MORRILL

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 15, 2011. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 10.2 MILES
 START DATE 06/18/2012 WORKING DAYS 80
 Price Range \$ 3,000,000 to \$ 6,000,000

Plans and specifications may be seen beginning November 22, 2011 at the Lincoln Central Office and November 28, 2011 at the District Engineer's Office at GERING. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING OR STANDARDS)	36	SHEETS	\$	9.00
STANDARD PLANS	10	SHEETS	\$	2.50

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-A1 - 2-A10	PHOTO MAPS
2-H1 - 2-H3	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
2-L1	EROSION CONTROL
2-L2	CONSTRUCTION
3 - 12	PLAN SHEETS
13	TEMPORARY PAVEMENT MARKING PLAN
14 - 18	SPECIAL PLAN 1C GUARDRAIL PLAN

STANDARD PLANS

501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	15,400	B DAY
BARRICADE, TYPE III	834	B DAY
TEMPORARY SIGN DAY	1,120	EACH
SIGN DAY	16,360	EACH
OVERLAY BROKEN LINES	1,606	STA
OVERLAY SOLID LINES	3,212	STA
FLAGGING	160	DAY
FURNISHING AND OPERATING PILOT VEHICLE	70	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
REMOVE & SALVAGE GUARDRAIL	450	LF
RESET GUARDRAIL	450	LF
HYDRATED LIME	397	TON
HYDRATED LIME FOR ASPHALT MIXTURES	242	TON

HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	23 TON
HYDRATED LIME SLURRY STABILIZATION	549 STA
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	2,300 TON
ASPH CONC, TYPE SPS	15,000 TON
ASPH CONC, TYPE SPR	24,370 TON
ASPH CONCRETE FOR PATCHING, TYPE SPR	300 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	80 TON
PERF GRADED BINDER (52-34)	525 TON
PERF GRADED BINDER (64-34)	863 TON
EMUL ASPH FOR HYDRATE LIME STABILIZATION	134,610 GAL
TACK COAT	29,580 GAL
FOG SEAL	17,580 GAL
RENTAL OF LOADER, FULLY OPERATED	30 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	20 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	30 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	30 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10 HOUR
WATER	274 MGAL
EARTH SHOULDER CONSTRUCTION	1,093 STA
COLD MILLING, CLASS 3	549 STA
COLD MILLING, CLASS 3	5 STA
TYPE A	
COLD MILLING, CLASS 3	1,065 STA
TYPE B	
COLD MILLING, CLASS 3	10 STA
TYPE C	
SURFACE UNDER GUARDRAIL	183 SY
RAP INCENTIVE PAYMENT	67,439 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP
SEEDING, TYPE B	40 ACRE
TEMPORARY SEEDING	1 ACRE
EROSION CONTROL, CLASS 1D	940 SY
FABRIC SILT FENCE-LOW POROSITY	596 LF
TEMPORARY SILT FENCE	200 LF
TEMPORARY MULCH	4 TON
MULCH	90 TON

NOTICE TO CONTRACTORS

CALL ORDER 510
 STATE PROJECT NO. RD-26-1(1069)
 LOCATION: US-26, IN MORRILL
 COUNTIES: SCOTTS BLUFF

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 15, 2011. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 1.6 MILES
 START DATE 09/17/2012 WORKING DAYS 20
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning November 22, 2011 at the Lincoln Central Office and November 28, 2011 at the District Engineer's Office at GERING. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	9 SHEETS	\$	2.25
STANDARD PLANS	7 SHEETS	\$	1.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T4	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
3	TEMPORARY PAVEMENT MARKING PLAN
4	TYPICAL PAVEMENT MARKING PLAN--4" PAVEMENT MARKING
5	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY - INTERSTATE)

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS)	TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	5,520	B DAY
BARRICADE, TYPE III	95	B DAY
SIGN DAY	908	EACH
CONTRACTOR FURNISHED SIGN DAY	52	EACH
OVERLAY BROKEN LINES	105	STA
OVERLAY SOLID LINES	457	STA
FLASHING ARROW PANEL	28	DAY
TRAFFIC CONTROL MANAGEMENT	40	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
CONCRETE CURB REPAIR	50	LF
CONC PVMT REPAIR TYPE A FULL DEPTH	7	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	81	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	88	CY
ARROW, PREF PVMT MRKING T-4 GROOVED	19	EACH
4" WHT WET RFLC PRF PVMT MKNG T4 GVD	300	LF
4" YEL WET RFLC PRF PVMT MKNG T4 GVD	6,200	LF
HYDRATED LIME FOR ASPHALT MIXTURES	19	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	10	TON
FOUNDATION COURSE REPLACEMENT	4	CY

ASPH CONC 4 ST MAIN PTCHING TY SPR(FINE)	1,000 TON
ASPH CONC, TYPE SPR (FINE)	1,710 TON
ASPH CONC FOR PATCHING, TYPE SPR (FINE)	100 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	35 TON
PERF GRADED BINDER (64-34)	63 TON
TACK COAT	3,340 GAL
RENTAL OF LOADER, FULLY OPERATED	10 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	10 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	10 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	10 HOUR
COLD MILLING, CLASS 3	83 STA
RAP INCENTIVE PAYMENT	3,077 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP

NOTICE TO CONTRACTORS

CALL ORDER 600
 STATE PROJECT NO. RD-30-2(1032)
 LOCATION: US-30, HERSHEY-NORTH PLATTE
 COUNTIES: LINCOLN

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 15, 2011 . At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 11.2 MILES
 START DATE 07/30/2012 WORKING DAYS 50
 Price Range \$ 1,000,000 to \$ 3,000,000

Plans and specifications may be seen beginning November 22, 2011 at the Lincoln Central Office and November 28, 2011 at the District Engineer's Office at NORTH PLATTE

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	9 SHEETS	\$	2.25
STANDARD PLANS	7 SHEETS	\$	1.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T4	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-N1 - 2-N2	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3	TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS)	TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	12,000	B DAY
BARRICADE, TYPE III	388	B DAY
TEMPORARY SIGN DAY	700	EACH
SIGN DAY	11,843	EACH
OVERLAY BROKEN LINES	1,182	STA
OVERLAY SOLID LINES	2,364	STA
FLAGGING	100	DAY
FURNISHING AND OPERATING PILOT VEHICLE	48	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
CONC PVMT REPAIR TYPE B FULL DEPTH	379	CY
HYDRATED LIME FOR ASPHALT MIXTURES	180	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	8	TON
FOUNDATION COURSE REPLACEMENT	7	CY
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	800	TON
ASPH CONC, TYPE SPS	11,360	TON
ASPH CONC, TYPE SPR	17,500	TON
ASPH CONCRETE FOR PATCHING, TYPE SPR	500	TON
PERF GRAD BIND (64-34) FOR ST MAINT PATCH	30	TON
PERF GRADED BINDER (52-34)	431	TON
PERF GRADED BINDER (64-34)	684	TON
TACK COAT	39,510	GAL

RENTAL OF LOADER, FULLY OPERATED	60 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	60 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	60 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	60 HOUR
COLD MILLING, CLASS 3	601 STA
COLD MILLING, CLASS 3 TYPE A	1,159 STA
RUMBLE STRIPS, ASPHALT	1,159 STA
RAP INCENTIVE PAYMENT	49,912 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP

NOTICE TO CONTRACTORS

CALL ORDER 800
 STATE PROJECT NO. RD-7-4(1012)
 LOCATION: N-7, US-183 EAST
 COUNTIES: KEYA PAHA

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 15, 2011. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 7.3 MILES
 START DATE 08/20/2012 WORKING DAYS 40
 Price Range \$ 1,000,000 to \$ 3,000,000

Plans and specifications may be seen beginning November 22, 2011 at the Lincoln Central Office and November 28, 2011 at the District Engineer's Office at AINSWORTH
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	4 SHEETS	\$	1.00
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
& TYPICAL CROSS SECTION
- 3 TEMPORARY PAVEMENT MARKING PLAN
- 4 TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	8,000	BDAY
BARRICADE, TYPE III	345	BDAY
TEMPORARY SIGN DAY	560	EACH
SIGN DAY	5,085	EACH
OVERLAY BROKEN LINES	768	STA
OVERLAY SOLID LINES	1,536	STA
PERMANENT PAVEMENT MARKING PAINT	93,800	LF
FLAGGING	80	DAY
FURNISHING AND OPERATING PILOT VEHICLE	40	DAY
MOBILIZATION	LUMP	LUMP
HYDRATED LIME FOR ASPHALT MIXTURES	268	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	2	TON
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	250	TON
ASPH CONC, TYPE SPR	26,320	TON
PLACE ASPH CONC FOR DRIVE & INTER	3,202	SY
ASPH CONCRETE FOR PATCHING, TYPE SPR	500	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	9	TON
PERF GRADED BINDER (64-34)	1,019	TON
TACK COAT	24,380	GAL
RENTAL OF LOADER, FULLY OPERATED	40	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	40	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	40	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	40	HOUR

COLD MILLING, CLASS 3
COLD MILLING, CLASS 5
RAP INCENTIVE PAYMENT
ASPH PVMT SMOOTHNESS TESTING I/D
MOWING

384 STA
3,202 SY
45,594 EACH
LUMP LUMP
20 HOUR

Plan and Informational Proposal Order Form
Projects to be bid on:
December 15, 2011

Payment required for plans prior to NDOR completing this order.
 dor.ContractsOnlineOrders@nebraska.gov FAX: (402) 479-4845

Document No.

<input type="checkbox"/> Check/Cash	Receipt No.
<input type="checkbox"/> Advance Plans Account No.	
Credit Card	
<input type="checkbox"/> Visa	<input type="checkbox"/> MasterCard
Expiration Date:	
Card No.:	
FOR OFFICE USE ONLY	
Reference I.D.:	
Authorization Code: _____ Date: _____	

Please indicate:	<input type="checkbox"/> Fed Ex. Standard Overnight	Comments:
<input type="checkbox"/> Mail	<input type="checkbox"/> Fed Ex. Priority Overnight	
<input type="checkbox"/> Hold	<input type="checkbox"/> UPS Overnight	
	Acct. No.	

4-Digit Vendor No.:	Ordered By:	Grand Total - Informational Proposals: x \$5.00
Company:		All plans in letting on CD: x \$25.00
Street Address:		Grand Total - 1/2 Size Plans: x \$.25
		Grand Total - Full Size Plans: x \$.50
PO Box:	City:	State:
		Zip Code:
Phone No. (include Area Code):		Fax No. (include Area Code):
		Tax Code
		Sales Tax
		%
Processed by:	Date:	Proposals/CD Filled:
		Blueprint Plans/Proposals Filled:
		Date:
		Total

If requesting Plan or Proposal CD(s) only, your name will not appear on the Planholders list unless your company has been issued Bid Proposals or you submit the "Planholders Registration" from the NDOR website.

CD containing Informational Proposals for all projects in letting. (No Charge) Total Number Requested: →

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. 1/2 size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
100	RD-99-1(1004)				
105	RD-92-6(1015)				
110	MISC-62-7(1006)				
115	RD-4-7(1011)				
200	NH-75-2(173)				
	NH-75-2(163)				
	NH-75-2(167)				
205	MAPA-5009(4)				

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. ½ size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
210 MISC-S13H(1003)					
215 RD-50-2(1024)					
300 RD-9-4(1010)					
305 RD-59-5(1005)					
310 RD-121-3(1004)					
400 RD-34-4(1024)					
405 RD-81-1(1044)					
410 RD-81-2(1046)					
505 RD-385-3(1019)					
510 RD-26-1(1069)					
600 RD-30-2(1032)					
800 RD-7-4(1012)					

Standard Plans: Refer to "Publication Order Form" for complete sets of Standard Plans and Standard/Special Plans Books

Number of Sets Requested	Standard Plan No.(s)	Number of Sheets Shown in List of Plans	Check Size		Total No. of Sheets	
			1/2	Full	1/2	Full
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		

