

March 16, 2012

TO ALL CONCERNED:

The Department of Roads has scheduled a bid letting to be held in this office April 12, 2012 at 1:30 p.m.

The Notice to Contractors includes:

1. Website Information
2. Notice to all Bidders
3. Ordering Instructions
4. Notices to Contractors including time allowances and lists of plans
5. Plan and Informational Proposal Order Form
6. R-125 "Request for Bidding Proposal Forms"

Projects containing DBE Goals are indicated in the "Notice to Contractors".

Please check the important letting information on the website frequently.

The last day to submit acceptable prequalification statements for this letting is by 5:00 p.m. on Monday, April 2, 2012.

Sincerely,

Kimberly K. Baker, Supervisor
Contract Lettings Section
Construction Division

KKB/amh

WEBSITE INFORMATION

The Nebraska Department of Roads, Contract Lettings Section, will be utilizing the Internet as our means of communicating with the contracting industry.

Documents that are posted on the web are:

- Letting Schedule
- Notices to Contractors
- Informational Proposals
- Letting Plans
- List of Prequalified Contractors
- Planholders List
- Informational Addendums
- EBS (Electronic Bidding System)
- Apparent Low Bidders
- Bid Tabulations
- Standard Item Listing
- Awarded Average Unit Prices (AUP) Report

Hard copies of these documents will be available for inspection in the Contracts Office.

There will be a charge for reproduction of any of these documents.

The Website address is: www.Transportation.Nebraska.gov

If you have any questions as you are using our Website, please contact us at:

Nebraska Department of Roads
Contract Lettings Section
P.O. Box 94759
Lincoln, NE 68509-4759

Phone (402) 479-4525
FAX (402) 479-3803

Email: DOR.ContractLettings@nebraska.gov

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free “hotline” Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the “hotline” to report such activities.

The “hotline” is part of the DOT’s continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

ORDERING INSTRUCTIONS FOR PLANS AND PROPOSALS

Refer to the "Notice to Contractors" for the call order number, project number, and list of plans for each project.

Order forms are available on the NDOR website in PDF and Word format. Complete the appropriate forms as follows:

Request for Bidding Proposal Forms (R-125)

Bidders must submit an R-125, Request for Bidding Proposals Forms and be issued bid proposals prior to submitting bids.

Proposals to be used for bidding must be requested on this form. Bidding proposals will be issued only to contractors who are currently prequalified to bid with this department.

There is no charge for bid proposals.

Plan and Informational Proposal Order Form:

Payment is required prior to NDOR completing the order. This payment is not refundable.

Proposals to be used for information only can be ordered as follows:

1. Each individual project.
2. CD that contains all projects in letting. Does not contain addenda.

Plans for each project can be ordered as follows:

1. Complete set.
2. Set less Roadway Cross-Sections and Standards.
3. Set less Standards.
4. Set less Roadway Cross-Sections.
5. Individual sheets
6. CD that contains all projects in letting.

Prices are: Informational Proposals: \$5.00 each
CD containing Informational Proposals: No Charge
Plans per sheet: \$.25 for half-size (12" x 18")
\$.50 for full-size (24" x 36")
CD containing plans: \$25.00 each

Cost shown on the list of plans is for ½ size plans. Nebraska residents add appropriate state sales tax and city tax that is determined by delivery within cities imposing a sales tax.

Select the method of payment on the plan order form:

1. Credit Card (Visa or MasterCard only)
Orders with approved credit cards can be processed without delays.
2. Advanced payment account
Requires a money deposit with recommended \$200 minimum. Failure to have sufficient funds in your account to cover cost of the plans may delay the processing of your order.
This account may also be used to purchase other NDOR publications.
3. Check/cash
Send checks made payable to the Nebraska Dept. of Roads with your completed plan order form. Please do not mail cash.

To order complete sets of standard plans (1/2 size) please use the "Publications Order Form" available on the website. Cost is \$35.00 plus applicable sales tax. As new standards become available they may be purchased at \$0.25 per sheet.

Address: Nebraska Department of Roads
Contracts Section
1500 Highway 2
PO Box 94759
Lincoln NE 68509-4759

FAX (402) 479-3803

Phone: (402) 479-4525

Email: DOR.ContractLettings@nebraska.gov

October 10, 2008

NOTICE TO CONTRACTORS

CALL ORDER 100
STATE PROJECT NO. RD-180-9(1182)
LOCATION: I-180, I-80-CORNHUSKER HWY, LINCOLN
COUNTIES: LANCASTER

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 12, 2012 . At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

Length: 1.6 MILES
START DATE 08/20/2012 WORKING DAYS 5
Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning March 20, 2012 at the Lincoln Central Office and March 26, 2012 at the District Engineer's Office at LINCOLN
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	5 SHEETS	\$	1.25
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

1	TITLE PAGE
2-S	SUMMARY OF QUANTITIES
3	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
4	TRAFFIC CONTROL PLAN--WORK IN VICINITY OF EXIT RAMP & ON RAMP
5	TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	1,100	BDAY
BARRICADE, TYPE III	34	BDAY
TEMPORARY SIGN DAY	140	EACH
SIGN DAY	172	EACH
OVERLAY BROKEN LINES	170	STA
OVERLAY SOLID LINES	606	STA
FLASHING ARROW PANEL	10	DAY
MOBILIZATION	LUMP	LUMP
FOG SEAL	13,200	GAL

NOTICE TO CONTRACTORS

CALL ORDER 105
 FEDERAL PROJECT NO. STP-103-1(110)
 LOCATION: N-103, N-4 TO WILBER
 COUNTIES: GAGE SALINE
 JEFFERSON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 12, 2012. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 13.0 MILES
 START DATE 08/27/2012 WORKING DAYS 35
 Price Range \$ 1,000,000 to \$ 3,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning March 20, 2012 at the Lincoln Central Office and March 26, 2012 at the District Engineer's Office at LINCOLN
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	5 SHEETS	\$	1.25
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
& TYPICAL CROSS SECTIONS
- 3 TEMPORARY PAVEMENT MARKING PLAN
- 4 PAVEMENT MARKING DETAILS
- 5 TYPICAL PAVEMENT MARKING PLAN--RURAL LEFT TURN BAYS

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	10,325	B	DAY
BARRICADE, TYPE III	345	B	DAY
TEMPORARY SIGN DAY	490	E	EACH
SIGN DAY	7,970	E	EACH
OVERLAY BROKEN LINES	1,358	S	TA
OVERLAY SOLID LINES	2,756	S	TA
FLAGGING	70	D	DAY
FURNISHING AND OPERATING PILOT VEHICLE	35	D	DAY
FIELD OFFICE	1	E	EACH
MOBILIZATION	LUMP	L	LUMP
24" WHITE PREF PVMT MKING T-4 GROOVED	72	L	LF
4" WHT WET RFLC PRF PVMT MKNG T4 GVD	350	L	LF
4" YEL WET RFLC PRF PVMT MKNG T4 GVD	3,800	L	LF
12" YEL WET RFLC PRF PVMT MKNG T4 GVD	800	L	LF
RR XING SYMBOL PREF PVMT MRKING T-4 GRVD	2	E	EACH
HYDRATED LIME FOR ASPHALT MIXTURES	240	T	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	3	T	TON
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	300	T	TON
ASPH CONC, TYPE SPR	23,800	T	TON

ASPH CONCRETE FOR PATCHING, TYPE SPR	200 TON
PERF GRAD BIND (64-34) FOR ST MAINT PATCH	10 TON
PERF GRADED BINDER (64-34)	840 TON
TACK COAT	32,770 GAL
RENTAL OF LOADER, FULLY OPERATED	40 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	40 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	40 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	40 HOUR
COLD MILLING, CLASS 3	702 STA
RAP INCENTIVE PAYMENT	40,800 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP

NOTICE TO CONTRACTORS

CALL ORDER 110
 FEDERAL PROJECT NO. ER-73-1(117)
 LOCATION: US-73, FALLS CITY-US-75
 COUNTIES: RICHARDSON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 12, 2012 . At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 13.7 MILES
 START DATE 05/14/2012 CALENDAR DAYS 174
 Price Range \$ 4,000,000 to \$ 7,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning March 20, 2012 at the Lincoln Central Office and March 26, 2012 at the District Engineer's Office at LINCOLN
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	11 SHEETS	\$	2.75
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T5	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-N1 - 2-N2	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3	TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	23,500	B DAY
BARRICADE, TYPE III	870	B DAY
TEMPORARY SIGN DAY	2,184	EACH
SIGN DAY	26,412	EACH
OVERLAY SOLID LINES	2,735	STA
FLAGGING	312	DAY
FURNISHING AND OPERATING PILOT VEHICLE	156	DAY
TRAFFIC CONTROL MANAGEMENT	139	DAY
FIELD OFFICE	1	EACH
TRAINING	1,000	HOUR
MOBILIZATION	LUMP	LUMP
CONC PVMT REPAIR TYPE A FULL DEPTH	16	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	147	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	329	CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH	3	CY
CONC PVMT, PR-3500	82	CY
JOINT REPAIR		
HYDRATED LIME FOR ASPHALT MIXTURES	430	TON
FOUNDATION COURSE REPLACEMENT	50	CY

STABILIZED SUBGRADE	1,361 STA
TYPE FLY ASH	
ASPH CONC, TYPE SPR	42,880 TON
ASPH CONCRETE FOR PATCHING, TYPE SPR	50 TON
PERF GRADED BINDER (64-34)	1,502 TON
TACK COAT	8,170 GAL
RENTAL OF LOADER, FULLY OPERATED	5 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	5 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	5 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	5 HOUR
WATER	340 MGAL
EARTH SHOULDER CONSTRUCTION	1,361 STA
COLD MILLING, CLASS 4	1,361 STA
RUMBLE STRIPS, ASPHALT	1,361 STA
FLY ASH	5,037 TON
RAP INCENTIVE PAYMENT	72,986 EACH

NOTICE TO CONTRACTORS

CALL ORDER 115
 FEDERAL PROJECT NO. ER-75-1(106)
 LOCATION: US-75, KANSAS STATE LINE-AUBURN
 COUNTIES: NEMAHA RICHARDSON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 12, 2012. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 26.8 MILES
 START DATE 05/14/2012 CALENDAR DAYS 174
 Price Range \$ 7,000,000 to \$ 12,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning March 20, 2012 at the Lincoln Central Office and March 26, 2012 at the District Engineer's Office at LINCOLN
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	17	SHEETS	\$	4.25
STANDARD PLANS	4	SHEETS	\$	1.00

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T7	TYPICAL CROSS SECTIONS
2-S1 - 2-S4	SUMMARY OF QUANTITIES
2-N1	GENERAL INFORMATION
2-N2 - 2-N3	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3	TEMPORARY PAVEMENT MARKING PLAN
4	SPECIAL PLAN 1C PAVEMENT APPROACH REPAIR

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	53,250	B	DAY
BARRICADE, TYPE III	696	B	DAY
TEMPORARY SIGN DAY	2,660	E	ACH
SIGN DAY	43,448	E	ACH
OVERLAY BROKEN LINES	3,342	S	TA
OVERLAY SOLID LINES	6,684	S	TA
FLAGGING	380	D	AY
FURNISHING AND OPERATING PILOT VEHICLE	190	D	AY
TRAFFIC CONTROL MANAGEMENT	174	D	AY
FIELD OFFICE	1	E	ACH
TRAINING	500	H	OUR
MOBILIZATION	LUMP	LUMP	
CONC PVMT REPAIR TYPE A FULL DEPTH	14	CY	
CONC PVMT REPAIR TYPE B FULL DEPTH	1,437	CY	
CONC PVMT REPAIR TYPE C FULL DEPTH	814	CY	
BRIDGE APPROACH REPAIR	11	CY	
HYDRATED LIME FOR ASPHALT MIXTURES	800	TON	

FOUNDATION COURSE REPLACEMENT	45	CY
ASPH CONC, TYPE SPS	29,000	TON
ASPH CONC, TYPE RLC	13,910	TON
ASPH CONC, TYPE SPR	5,690	TON
ASPH CONC, TYPE SPH	59,700	TON
PLACE ASPH CONC FOR DRIVE & INTER	15,449	SY
ASPH CONCRETE FOR PATCHING, TYPE SPR	750	TON
PERF GRADED BINDER (70-34)	2,856	TON
PERF GRADED BINDER (52-34)	1,015	TON
PERF GRADED BINDER (64-34)	1,282	TON
TACK COAT	117,550	GAL
RENTAL OF LOADER, FULLY OPERATED	80	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	80	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	80	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	80	HOUR
TRENCHED WIDENING	948	STA
COLD MILLING, CLASS 3	955	STA
COLD MILLING, CLASS 5	15,449	SY
COLD MILLING, CLASS 3	48	STA
TYPE A		
COLD MILLING, CLASS 3	516	STA
TYPE B		
COLD MILLING, CLASS 3	2,479	STA
TYPE C		
RUMBLE STRIPS, ASPHALT	2,739	STA
RAP INCENTIVE PAYMENT	161,738	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 200
 FEDERAL PROJECT NO. IM-80-9(34)
 LOCATION: I-80, 84TH STREET INTERCHANGE, OMAHA
 COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 12, 2012. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

START DATE 07/09/2012 WORKING DAYS 40
 Price Range \$ 250,000 to \$ 1,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning March 20, 2012 at the Lincoln Central Office and March 26, 2012 at the District Engineer's Office at OMAHA

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	24 SHEETS	\$	6.00
STANDARD PLANS	12 SHEETS	\$	3.00

SHEET NO.

- 1 TITLE PAGE
- 2-T1 - 2-T4 TYPICAL CROSS SECTIONS
- 2-S1 - 2-S2 SUMMARY OF QUANTITIES
- 2-A1 - 2-A3 PHOTO MAPS
- 2-H HORIZONTAL ALIGNMENT & ORIENTATION
- 2-N GENERAL INFORMATION
- 3 - 5 PLAN SHEETS
- 6 TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
- 7 TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
- 8 TRAFFIC CONTROL PLAN--WORK IN VICINITY OF EXIT RAMP & ON RAMP
- 9 TEMPORARY PAVEMENT MARKING PLAN
- 10 TYPICAL PAVEMENT MARKING PLAN--INTERSTATE/EXPRESSWAY
- 11 SIGN INSTALLATION PLAN--84TH STREET INTERCHANGE
- 12 - 13 DESIGN DETAILS--SPECIAL GUIDE SIGNS
- 14 SPECIAL PLAN 1C PAVEMENT APPROACH REPAIR

STANDARD PLANS

- 443-R8 (2 SHEETS) CURB INLETS AND JUNCTION BOX
- 501-R5 (3 SHEETS) EROSION CONTROL
- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
- 924 (3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	2,950 BDAY
BARRICADE, TYPE III	368 BDAY
TEMPORARY SIGN DAY	556 EACH
SIGN DAY	819 EACH
CONTRACTOR FURNISHED SIGN DAY	40 EACH

OVERLAY BROKEN LINES	176	STA
OVERLAY SOLID LINES	835	STA
FLASHING ARROW PANEL	88	DAY
MOBILIZATION	LUMP	LUMP
CONC PVMT REPAIR TYPE A FULL DEPTH	51	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	14	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	31	CY
CONC PVMT, PR-3500	122	CY
JOINT REPAIR		
CAST IRON COVER & FRAME	125	LB
RECONSTRUCT CURB INLET AT STA. 21020+13	1	EACH
BRIDGE APPROACH REPAIR	36	CY
REMOVE SIGN	4	EACH
TYPE C SIGN	544	SF
5" WHT WET RFLC PRF PVMT MKNG T4 GVD	5,000	LF
12" WHT WET RFLC PRF PVMT MKNG T4 GVD	1,000	LF
5" YEL WET RFLC PRF PVMT MKNG T4 GVD	2,850	LF
HYDRATED LIME FOR ASPHALT MIXTURES	33	TON
FOUNDATION COURSE REPLACEMENT	4	CY
ASPH CONC, TYPE SPH	3,260	TON
PERF GRADED BINDER (70-34)	169	TON
TACK COAT	3,940	GAL
WATER	3	MGAL
EARTH SHOULDER CONSTRUCTION	10	STA
CONCRETE SURFACE MILLING	19,997	SY
RAP INCENTIVE PAYMENT	5,542	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
REMOVE LUMINAIRE	7	EACH
EROSION CONTROL, CLASS 1C	1,450	SY

NOTICE TO CONTRACTORS

CALL ORDER 210
 FEDERAL PROJECT NO. SRTS-77(51)
 LOCATION: BELLEVUE-CHANDLER VIEW SCHOOL SIDEWALK
 COUNTIES: SARPY

The Nebraska Department of Roads will receive sealed bids for the CITY OF BELLEVUE in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on April 12, 2012. At that time the bids will be opened and read for CULVERTS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CULVERTS

START DATE 07/16/2012 WORKING DAYS 30
 Price Range \$ 0 to \$ 500,000
 THIS PROJECT CONTAINS A DBE GOAL OF 6.0 %

Plans and specifications may be seen beginning March 20, 2012 at the Lincoln Central Office and March 26, 2012 at the District Engineer's Office at OMAHA
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	12 SHEETS	\$	3.00
STANDARD PLANS	23 SHEETS	\$	5.75

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
- 2 GENERAL NOTES
- 3 AERIAL WITH PROJECT BASE LINE
- 4 DETAIL SHEET
- 5 - 6 PLAN & PROFILE SHEETS
- 7 RIGHT OF WAY PLAN
- 8 CROSS SECTIONS
- 9 TEMPORARY TRAFFIC CONTROL
- 10 - 11 SPECIAL PLAN 1C AREA INLET WITH GRATE

STANDARD PLANS

- 301-R10 (3 SHEETS) PAVEMENT DETAILS
- 329-R9 (4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
- 410-R3 (2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
- 435-R1 (3 SHEETS) MANHOLE
- 443-R8 (2 SHEETS) CURB INLETS AND JUNCTION BOX
- 501-R5 (3 SHEETS) EROSION CONTROL
- 502 SILT FENCE DETAILS
- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 924 (3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 4 CULVERT

BARRICADE, TYPE II	900	BDAY
BARRICADE, TYPE III	246	BDAY
SIGN DAY	369	EACH
CONTRACTOR FURNISHED SIGN DAY	82	EACH
FLAGGING	60	DAY
MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP

EARTHWORK MEASURED IN EMBANKMENT	4,283	CY
REMOVE PAVEMENT	232	SY
SAWING PAVEMENT	128	LF
REMOVE DRIVEWAY	163	SY
REMOVE WALK	44	SY
REMOVE CURB	16	LF
REMOVE RETAINING WALL	62	LF
REMOVE CONCRETE FLUME	3	EACH
REMOVE AND RESET MAILBOX	2	EACH
COMB CONC 47B-3500 CURB & GUTTER	497	LF
CONC 47B-3000 SIDEWALKS	360	SY
DETECTABLE WARNING PANEL	32	SF
CONC 47B-3500 DRIVEWAY	194	SY
8" CONC PVMT, 47B-3500	159	SY
CAST IRON COVER & FRAME	625	LB
CAST IRON RING & COVER	1,380	LB
AREA INLET	1	EACH
AT STA 8+25 RT		
AREA INLET	1	EACH
AT STA 7+88 RT		
MANHOLE	1	EACH
AT STA 1+44 RT		
MANHOLE	1	EACH
AT STA 4+62 RT		
MANHOLE	1	EACH
AT STA 6+17 RT		
MANHOLE	1	EACH
AT STA 6+81 RT		
47B-3000 CONC FOR INLET & JUNCTION BOXES	24	CY
EPOXY RE-STEEL FOR INLET & JCT. BOX	1,489	LB
18" FLARED-END SECTION	1	EACH
CURB INLET SEDIMENT FILTER	5	EACH
REMOVE SIGN AND POST	4	EACH
EROSION CONTROL, CLASS 1B	1,228	SY
FABRIC SILT FENCE-LOW POROSITY	200	LF
18" STORM SEWER PIPE 1,7,8	81	LF
24" STORM SEWER PIPE 1,7,8	36	LF
30" STORM SEWER PIPE 1,7,8	646	LF
ADJUST VALVE BOX TO GRADE	5	EACH

NOTICE TO CONTRACTORS

CALL ORDER 300
 FEDERAL PROJECT NO. HSIP-STWD(112)
 LOCATION: STATEWIDE CENTERLINE RUMBLE STRIPS
 COUNTIES: WASHINGTON CASS
 PLATTE OTHERS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 12, 2012. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY
 START DATE 05/29/2012 CALENDAR DAYS 180
 Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning March 20, 2012 at the Lincoln Central Office and March 26, 2012 at the District Engineer's Office at NORFOLK

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	8 SHEETS	\$	2.00
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

- 1 TITLE PAGE
& SUMMARY OF QUANTITIES
- 2-N1 GENERAL INFORMATION
- 2-N2 - 2-N3 GENERAL INFORMATION--MILLED RUMBLE STRIPS
- 3 TYPICAL TRAFFIC CONTROL PLAN--TRAFFIC CONTROL
DEVICES FOR CENTERLINE RUMBLE STRIPS WHEN
TRAFFIC IS MAINTAINED
- 4 TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
- 5 TEMPORARY PAVEMENT MARKING PLAN
- 6 TYPICAL TRAFFIC CONTROL PLAN--MOBILE OPERATIONS

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

TEMPORARY SIGN DAY	360 EACH
OVERLAY BROKEN LINES	22,739 STA
PERMANENT PAVEMENT MARKING PAINT	666,500 LF
FLAGGING	360 DAY
MOBILIZATION	LUMP LUMP
RUMBLE STRIPS, ASPHALT 8"	33,212 STA
RUMBLE STRIPS, CONCRETE 8"	12,265 STA

NOTICE TO CONTRACTORS

CALL ORDER 305
 FEDERAL PROJECT NO. STPD-14-3(114)
 LOCATION: N-14, ALBION-PETERSBURG
 COUNTIES: BOONE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 12, 2012. At that time the bids will be opened and read for GRAD BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 11.7 MILES
 START DATE 06/11/2012 WORKING DAYS 85
 Price Range \$ 3,000,000 to \$ 6,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning March 20, 2012 at the Lincoln Central Office and March 26, 2012 at the District Engineer's Office at NORFOLK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	99 SHEETS	\$	24.75
CROSS SECTIONS (SHEETS X1 THRU X90)	90 SHEETS	\$	22.50
STANDARD PLANS	18 SHEETS	\$	4.25

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T3	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-W1 - 2-W11	WETLANDS
2-H1 - 2-H8	HORIZONTAL ALIGNMENT & CONTROL POINTS
2-N1 - 2-N4	GENERAL INFORMATION
2-L1 - 2-L18	EROSION CONTROL
3 - 13	PLAN SHEETS
14	PAVEMENT MARKING PLAN
15	TEMPORARY PAVEMENT MARKING PLAN
16 - 19	EARTHWORK DATA SHEETS
20 - 22	DRAINAGE STRUCTURE CROSS SECTIONS
23	SPECIAL PLAN 1C CONCRETE DITCH LINER STA. 136+00.00
24 - 25	SPECIAL PLAN 2C HEADWALL WITH WINGS & PAVED APRON STA. 213+20.00
26 - 27	SPECIAL PLAN 3C EXTEND PARAPET & WING WALLS STA. 235+29.00 LT.
28 - 29	SPECIAL PLAN 4C TEMPORARY SILT CHECKS
R1 - R25	RIGHT-OF-WAY SHEETS
X1 - X90	CROSS SECTIONS

STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
301-R10	(3 SHEETS) PAVEMENT DETAILS
307-R1	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
804	PRECAST CONCRETE R.O.W. MARKER
901-R9	HIGHWAY DELINEATORS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION	11,373	CY
WATER	59	MGAL
RIGHT-OF-WAY MARKERS	45	EACH
RIPRAP FILTER FABRIC	60	SY
REMOVE ASPHALT SURFACE	215	SY
REMOVE DRIVEWAY	428	SY
24" DRIVE PIPE 2,3,4,5,6,7 OR 8	58	LF
36" DRIVE PIPE 2,3,4,5,6,7 OR 8	288	LF
48" DRIVE PIPE 2,3,4 OR 5	120	LF
CONCRETE DITCH LINING	80	SY
REMOVE FLARED- END SECTION	2	EACH
CULVERT CLEANOUT	1	EACH
AT STA. 626+64		
CULVERT CLEANOUT	1	EACH
AT STA. 626+84		
PREPARATION OF STRUCTURE	1	EACH
AT STA. 235+29		
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	5	CY
47B-3000 CONC FOR HDWL	4	CY
47B-3000 CONC FOR BOX CULV	1	CY
RE-STEEL FOR HEADWALL	220	LB
RE-STEEL FOR BOX CULVERT	280	LB
24" METAL FLARED-END SECTION	1	EACH
ROCK RIPRAP, TYPE B	43	TON
COVER CROP SEEDING	25	ACRE
EROSION CONTROL, CLASS 1E	4,626	SY
FABRIC SILT FENCE-LOW POROSITY	2,540	LF
24" CULV PIPE 3,4,5	8	LF
30" CULV PIPE 3,4,5	12	LF

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES	1,857	STA
OVERLAY SOLID LINES	3,714	STA
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE III	31	EACH
GRAVEL SURFACE COURSE	235	CY
SPEC SURF CRSE FOR MAILBOX TURNOUTS	1,441	SY
MAILBOX POST	22	EACH
CONC 47B-3500 DRIVEWAY	145	SY
4" WHT WET RFLC PRF PVMT MKNG T4 GVD	400	LF
4" YEL WET RFLC PRF PVMT MKNG T4 GVD	7,900	LF
12" YEL WET RFLC PRF PVMT MKNG T4 GVD	700	LF
HYDRATED LIME FOR ASPHALT MIXTURES	707	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	5	TON
GRANULAR SUBDRAIN	100	EACH
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	500	TON
ASPH CONC, TYPE SPR	70,160	TON
PLACE ASPH CONC FOR DRIVE & INTER	5,043	SY
ASPH CONCRETE FOR PATCHING, TYPE SPR	500	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	19	TON
PERF GRADED BINDER (64-34)	2,685	TON
PREP OF INTER & DRIVE	630	SY
TACK COAT	38,280	GAL
WATER	310	MGAL
EARTH SHOULDER CONSTRUCTION	1,238	STA
TRENCHED WIDENING	1,191	STA
COLD MILLING, CLASS 3	167,792	SY
COLD MILLING, CLASS 5	541	SY
RAP INCENTIVE PAYMENT	120,122	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

SEEDING, TYPE A	4 ACRE
SEEDING, TYPE B	21 ACRE
MULCH	56 TON

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	20,625 BDAY
BARRICADE, TYPE III	584 BDAY
TEMPORARY SIGN DAY	1,190 EACH
SIGN DAY	17,987 EACH
FLAGGING	170 DAY
FURNISHING AND OPERATING PILOT VEHICLE	80 DAY
FIELD OFFICE	1 EACH
TRAINING	500 HOUR
MOBILIZATION	LUMP LUMP
RENTAL OF LOADER, FULLY OPERATED	105 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	60 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	105 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	105 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	45 HOUR
TEMPORARY SILT CHECK	1,000 LF
TEMPORARY SILT FENCE	2,000 LF
TEMPORARY MULCH	4 TON

NOTICE TO CONTRACTORS

CALL ORDER 400
 FEDERAL PROJECT NO. BR-2065(4)
 LOCATION: IN ASHTON
 COUNTIES: SHERMAN

The Nebraska Department of Roads will receive sealed bids for the COUNTY OF SHERMAN in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on April 12, 2012. At that time the bids will be opened and read for GR BR GDRL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES

START DATE 07/30/2012 WORKING DAYS 65
 Price Range \$ 0 to \$ 500,000
 THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning March 20, 2012 at the Lincoln Central Office and March 26, 2012 at the District Engineer's Office at GRAND ISLAND. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	24	SHEETS	\$	6.00
CROSS SECTIONS (SHEETS X1 THRU X2)	2	SHEETS	\$	0.50
STANDARD PLANS	11	SHEETS	\$	2.75

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS & DETOUR LOCATION MAP
2-S	SUMMARY OF QUANTITIES
3	PLAN & PROFILE SHEET
4	CHANNEL CROSS SECTIONS & CULVERT CROSS SECTION
5 - 13	SPECIAL PLAN 1 INVERTED TEE GIRDER BRIDGE STA. 10+10.00
14 - 21	SPECIAL PLAN 1C GUARDRAIL PROTECTION
22	SPECIAL PLAN 2C CONCRETE HEADWALL
R1	RIGHT-OF-WAY PLAN
X1 - X2	ROADWAY CROSS SECTIONS

STANDARD PLANS

410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		1 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		1,543 CY
WATER		10 MGAL
SALVAGING AND PLACING TOPSOIL		1,673 SY
RIPRAP FILTER FABRIC		47 SY
GRAVEL SURFACE COURSE		80 CY
GRAVEL EMBEDMENT		2 STA

EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	168	CY
47B-3000 CONC FOR HDWL	1	CY
RE-STEEL FOR HEADWALL	32	LB
18" METAL FLARED-END SECTION	1	EACH
ROCK RIPRAP, TYPE B	24	TON
COVER CROP SEEDING	1	ACRE
EROSION CONTROL, CLASS 1D	1,270	SY
FABRIC SILT FENCE-LOW POROSITY	344	LF
18" CULV PIPE 3,4,5,6	71	LF

GROUP 6 BRIDGE AT STA 10+10.00

MOBILIZATION	LUMP	LUMP
RIPRAP FILTER FABRIC	400	SY
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
47B-3000 CONC FOR BRIDGE	60	CY
47BD-4000 CONC FOR BRIDGE	64	CY
PRECAST/PRESTRESSED CONC SUPERSTR 10+10.00	LUMP	LUMP
RE-STEEL FOR BRIDGE	13,810	LB
REMOVE STRUCTURE AT STA 10+10.00	1	EACH
ACCESS CROSSING	LUMP	LUMP
STRUC STEEL FOR SUPERSTRUCTURE	650	LB
ROCK RIPRAP, TYPE B	265	TON
PIPE PILING	810	LF
STEEL SHEET PILING	2,040	SF

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
BRIDGE APPROACH SECTIONS	4	EACH
MELT	4	EACH

GROUP 10 GENERAL

BARRICADE, TYPE III	1,500	B DAY
SIGN DAY	2,000	EACH
CONTRACTOR FURNISHED SIGN DAY	250	EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	10	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	10	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	10	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10	HOUR
TEMPORARY SILT FENCE	300	LF
TEMPORARY MULCH	2	TON

NOTICE TO CONTRACTORS

CALL ORDER 405
 FEDERAL PROJECT NO. STPD-281-1(114)
 LOCATION: US-281, IN BLUE HILL & SOUTH
 COUNTIES: WEBSTER

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 12, 2012. At that time the bids will be opened and read for GRAD CULV SEED GDRL ELEC BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 6.5 MILES
 START DATE 05/14/2012 WORKING DAYS 115
 Price Range \$ 3,000,000 to \$ 6,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning March 20, 2012 at the Lincoln Central Office and March 26, 2012 at the District Engineer's Office at GRAND ISLAND
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	122	SHEETS	\$ 30.50
CROSS SECTIONS (SHEETS X1 THRU X52)	52	SHEETS	\$ 13.00
STANDARD PLANS	32	SHEETS	\$ 8.00

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T7	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-K	SUMMARY OF SOILS & GEOTECHNICAL INFORMATION
2-W1 - 2-W7	WETLANDS
2-H1 - 2-H6	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N3	GENERAL INFORMATION
2-N4 - 2-N5	GENERAL INFORMATION--MILLED RUMBLE STRIPS
2-N6	GENERAL INFORMATION--DETOUR LOCATION MAP
2-P1 - 2-P24	PHASING PLANS
2-L1	GEOMETRICS
2-L2	GRADES
2-L3 - 2-L9	EROSION CONTROL
3 - 8	PLAN SHEETS
9 - 16	PLAN & PROFILE SHEETS
17	TYPICAL TRAFFIC SIGNAL CONTROL PLAN--ONE LANE, TWO WAY OPERATION WITHOUT BARRIERS
18	TEMPORARY TRAFFIC SIGNAL
19	TYPICAL TRAFFIC CONTROL PLAN--SHOO-FLY DETOUR W/O TEMPORARY STRUCTURE
20	TEMPORARY PAVEMENT MARKING PLAN
21 - 23	PAVEMENT MARKING PLAN--PHASE 1-4
24	PAVEMENT MARKING DETAILS
25	PAVEMENT MARKING PLAN--JCT US-281 & N-4
26 - 30	ROADWAY LIGHTING PLANS
31 - 34	EARTHWORK DATA SHEETS
35 - 42	DRAINAGE STRUCTURE CROSS SECTIONS
43 - 45	SPECIAL PLAN 1C 7' X 6' SINGLE SPAN RC BOX CULVERT STA. 20010+85.00 LT
46 - 47	SPECIAL PLAN 2C 6' X 5' TWIN SPAN RC BOX CULVERT STA. 1017+63.00
48 - 52	SPECIAL PLAN 3C CABLE GUARDRAIL
53 - 57	SPECIAL PLAN 4C GUARDRAIL PLAN

58 SPECIAL PLAN 5C EROSION CHECKS (ALL TYPES)
 AND FABRIC SILT CHECKS
 R1 - R3 RIGHT-OF-WAY SHEETS
 X1 - X52 CROSS SECTIONS

STANDARD PLANS

108-R4 SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
 301-R10 (3 SHEETS) PAVEMENT DETAILS
 307-R1 MAILBOX TURNOUT
 309 MAILBOX SUPPORT POST
 329-R9 (4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
 403-R2 (2 SHEETS) BENDS AND BREAKS FOR CONCRETE BOX CULVERTS
 404-R3 CONTROL JOINTS FOR CONCRETE BOX CULVERTS
 410-R3 (2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
 411 (4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
 501-R5 (3 SHEETS) EROSION CONTROL
 502 SILT FENCE DETAILS
 901-R9 HIGHWAY DELINEATORS
 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
 923 TRAFFIC CONTROL--ROAD CLOSURE
 924 (3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION	90,534	CY
EXCAVATION (ESTABLISHED QUANTITY)	3,857	CY
EXCAVATION, BORROW	24,594	CY
WATER	921	MGAL
REMOVE ASPHALT SURFACE	31,596	SY
24" DRIVE PIPE 2,3,4,5,6,7 OR 8	388	LF
REMOVE GUARDRAIL	1,469	LF
COVER CROP SEEDING	34	ACRE
EROSION CONTROL, CLASS 1D	2,172	SY
EROSION CONTROL, CLASS 2A	7,383	SY
EROSION CHECKS, TYPE 2A	497	BALE
FABRIC SILT FENCE-LOW POROSITY	2,794	LF

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE HEADWALLS FROM CULV		5 EACH
REMOVE STRUCTURE		1 EACH
AT STA. 1017+21.13		
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	1,570	CY
EXCAVATION FOR BOX CULVERTS	1,007	CY
47B-3000 CONC FOR BOX CULV	422	CY
RE-STEEL FOR BOX CULVERT	41,919	LB
24" FLARED-END SECTION	2	EACH
24" METAL FLARED-END SECTION	2	EACH
30" METAL FLARED-END SECTION	3	EACH
48" METAL FLARED-END SECTION	4	EACH
CRUSHED ROCK FOR BASE COURSE	114	CY
48" CULV PIPE 4,5	112	LF
12" CULV PIPE 3,4,5	38	LF
24" CULV PIPE 3,4,5	242	LF
48" CULV PIPE 3,4,5	10	LF
24" CULV PIPE 2,4,5,7,8	44	LF

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE A		15 ACRE
SEEDING, TYPE B		19 ACRE
MULCH		76 TON

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		400 LF
CABLE GUARDRAIL		336 LF
TERMINAL ANCHORAGE SECTIONS		2 EACH
GUARDRAIL END TREATMENT, TYPE II		2 EACH

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
ST LIGHT UNIT SL-BT-40-12-0.25		9 EACH
LIGHTING CONTROL CENTER, R-3		1 EACH
1 1/2" CONDUIT IN TRENCH		1,431 LF
1 1/2" CONDUIT, JACKED		84 LF
STREET LIGHT CABLE, NO. 6 BARE		1,515 LF
STREET LIGHT CABLE, NO. 6 USE		3,030 LF

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES		915 STA
OVERLAY SOLID LINES		1,830 STA
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE II		8 EACH
DELINEATOR, TYPE III		42 EACH
INSTALL CHEVRONS		22 EACH
GRAVEL SURFACE COURSE		670 CY
GRAVEL EMBEDMENT		15 STA
CRUSHED ROCK SURFACE COURSE		65 CY
SPEC SURF CRSE FOR MAILBOX TURNOUTS		128 SY
MAILBOX POST		11 EACH
CONC 47B-3000 MEDIAN SURFACING		145 SY
9" CONC PVMT, 47B-3500		7,337 SY
9" DOWELED CONC PVMT, 47B-3500		21,459 SY
CONC SMOOTHNESS TESTING	LUMP	LUMP
24" WHITE PREF PVMT MKING T-4 GROOVED		72 LF
4" WHT WET RFLC PRF PVMT MKNG T4 GVD		1,000 LF
12" WHT WET RFLC PRF PVMT MKNG T4 GVD		400 LF
4" YEL WET RFLC PRF PVMT MKNG T4 GVD		10,500 LF
12" YEL WET RFLC PRF PVMT MKNG T4 GVD		900 LF
RR XING SYMBOL PREF PVMT MRKING T-4 GRVD		2 EACH
HYDRATED LIME		170 TON
HYDRATED LIME FOR ASPHALT MIXTURES		160 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		5 TON
STABILIZED SUBGRADE		28,514 SY
TYPE CEMENT		
HYDRATED LIME SLURRY STABILIZATION		282 STA
SHOULDER SUBGRADE PREPARATION		21 STA
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR		500 TON
ASPH CONC, TYPE SPS		7,110 TON
ASPH CONC, TYPE SPR		16,030 TON
PLACE ASPH CONC FOR DRIVE & INTER		3,070 SY
TEMPORARY SURFACING		3,890 SY
9"		
ASPH CONCRETE FOR PATCHING, TYPE SPR		1,000 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH		28 TON
PERF GRADED BINDER (52-34)		398 TON
PERF GRADED BINDER (64-34)		953 TON
PREP OF INTER & DRIVE		806 SY
EMUL ASPH FOR HYDRATE LIME STABILIZATION		69,240 GAL
TACK COAT		12,240 GAL

FOG SEAL	31,630	GAL
WATER	265	MGAL
WATER FOR CEMENT STABILIZED BITUMINOUS	203	MGAL
EARTH SHOULDER CONSTRUCTION	690	STA
COLD MILLING, CLASS 3	20	STA
RUMBLE STRIPS, ASPHALT	576	STA
RUMBLE STRIPS, CONCRETE	65	STA
SURFACE UNDER GUARDRAIL	601	SY
CEMENT STABILIZED BITUMINOUS	565	STA
CEMENT	1,558	TON
RAP INCENTIVE PAYMENT	39,593	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	19,716	BDAY
BARRICADE, TYPE III	2,657	BDAY
TEMPORARY SIGN DAY	1,050	EACH
SIGN DAY	27,245	EACH
CONTRACTOR FURNISHED SIGN DAY	976	EACH
TEMP PAVEMENT MARKING REMOVAL	11,900	LF
PAVEMENT MARKING REMOVAL	2,700	LF
TEMP PVMT MARKING, TYPE PAINT	21,900	LF
TEMP PVMT MARKING SURF PREP	21,100	LF
FLAGGING	150	DAY
FURNISHING AND OPERATING PILOT VEHICLE	75	DAY
TEMPORARY RUMBLE STRIP	6	EACH
TEMPORARY TRAFFIC SIGNAL	1	EACH
TRAFFIC CONTROL MANAGEMENT	202	DAY
TRAINING	1,000	HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	80	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	60	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	80	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	80	HOUR
RENTAL OF TRACTOR & SCRAPER, F.O.	20	HOUR
RENT OF BULLDOZER, FULLY OPERATED	20	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	40	HOUR
TEMPORARY SEEDING	2	ACRE
TEMPORARY SILT CHECK	500	LF
TEMPORARY SILT FENCE	1,000	LF
TEMPORARY EARTH CHECK	500	LF
TEMPORARY MULCH	6	TON

NOTICE TO CONTRACTORS

CALL ORDER 410
 FEDERAL PROJECT NO. BR-14-2(124)
 LOCATION: N-14, FULLERTON SOUTH
 COUNTIES: NANCE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 12, 2012. At that time the bids will be opened and read for GRAD CONC PAVE CULV SEED BR GDRL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES

Length: 1.1 MILES
 START DATE 05/21/2012 CALENDAR DAYS 713
 Price Range \$ 6,000,000 to \$ 10,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning March 20, 2012 at the Lincoln Central Office and March 26, 2012 at the District Engineer's Office at GRAND ISLAND
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	179	SHEETS	\$ 44.75
CROSS SECTIONS (SHEETS X1 THRU X109)	109	SHEETS	\$ 27.25
STANDARD PLANS	35	SHEETS	\$ 8.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T3	TYPICAL CROSS SECTIONS
2-S1 - 2-S3	SUMMARY OF QUANTITIES
2-K1 - 2-K4	SUMMARY OF SOILS & GEOTECHNICAL INFORMATION
2-W1 - 2-W9	WETLANDS
2-W10 - 2-W11	WETLANDS--MITIGATION SITE
2-W12	WETLANDS--SEEDING
2-W13	WETLANDS--FENCING
2-H1 - 2-H4	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION
2-N2 - 2-N3	GENERAL INFORMATION--MILLED RUMBLE STRIPS
2-P	PHASING PLAN
2-L1 - 2-L9	EROSION CONTROL
3 - 7	PLAN SHEETS
8 - 13	PLAN & PROFILE SHEETS
14	TYPICAL TRAFFIC SIGNAL CONTROL PLAN--BRIDGE RAIL CONSTRUCTION OPERATION WITH BARRIERS
15	TYPICAL TRAFFIC CONTROL PLAN--SHOO-FLY DETOUR
16	TEMPORARY PAVEMENT MARKING PLAN
17 - 21	EARTHWORK DATA SHEETS
22 - 26	DRAINAGE STRUCTURE CROSS SECTIONS
27 - 43	SPECIAL PLAN 1 CONCRETE SLAB BRIDGE STA. 58+10.00
44 - 74	SPECIAL PLAN 2 PRESTRESSED NU-2000 CONCRETE GIRDER BRIDGE STA. 78+66.00
75 - 110	SPECIAL PLAN 3 WELDED PLATE GIRDER BRIDGE STA. 78+66.00
111 - 115	SPECIAL PLAN 1C 7' X 5' TWIN SPAN RC BOX CULVERT STA. 793+00.00
116 - 117	SPECIAL PLAN 2C PARAPET & WING EXTENSION STA. 108+76.00
118	SPECIAL PLAN 3C 5 BAR GRATE AREA INLET
119	SPECIAL PLAN 4C AREA INLET WITH OPEN SIDE(S)
120 - 122	SPECIAL PLAN 5C GUARDRAIL PLAN
123	SPECIAL PLAN 6C 4-STRAND BARBED WIRE FENCE

124	SPECIAL PLAN 7C	EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
125 - 126	SPECIAL PLAN 8C	TEMPORARY SILT CHECKS
127 - 128	SPECIAL PLAN 9C	CONCRETE PROTECTION BARRIER
R1 - R12		RIGHT-OF-WAY SHEETS
X1 - X109		CROSS SECTIONS

STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
301-R10	(3 SHEETS) PAVEMENT DETAILS
307-R1	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
329-R9	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
547-R1	(2 SHEETS) CONCRETE FLUME, TYPE VII
740	MIDWEST GUARDRAIL SYSTEM BRIDGE APPROACH SECTION
743	(4 SHEETS) GUARDRAIL DETAILS
748	CULVERT MOUNTED GUARDRAIL POST
804	PRECAST CONCRETE R.O.W. MARKER
901-R9	HIGHWAY DELINEATORS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		10 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION		114,550 CY
EXCAVATION (ESTABLISHED QUANTITY)		16,360 CY
EXCAVATION, BORROW		80,808 CY
WATER		371 MGAL
RIGHT-OF-WAY MARKERS		40 EACH
REMOVE DELINEATOR UNITS		14 EACH
ABANDON WELLS		1 EACH
REMOVE PAVEMENT		14,602 SY
REMOVE DRIVEWAY		499 SY
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		110 CY
REMOVE GUARDRAIL		738 LF
REMOVE SIGN, POST, AND FOOTING		2 EACH
COVER CROP SEEDING		55 ACRE
EROSION CONTROL, CLASS 1D		10,993 SY
EROSION CONTROL, CLASS 2A		64 SY
EROSION CHECKS, TYPE WATTLE		1,226 LF
FABRIC SILT FENCE-LOW POROSITY		16,472 LF
TURBIDITY BARRIER		392 LF
SLASH MULCH		500 CY
24" CULV PIPE 3,4,5		496 LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE III		21 EACH
INSTALL CHEVRONS		8 EACH
GRAVEL SURFACE COURSE		188 CY
SPEC SURF CRSE FOR MAILBOX TURNOUTS		51 SY
MAILBOX POST		1 EACH
CONC 47B-3500 DRIVEWAY		414 SY
9" CONC PVMT, 47B-3500		494 SY

9" DOWELED CONC PVMT, 47B-3500	14,694	SY
CONC SMOOTHNESS TESTING	LUMP	LUMP
END POSTS	5	EACH
PULL POSTS	2	EACH
CORNER POSTS	7	EACH
14' VEHICLE GATE	1	EACH
BARBED WIRE FENCE	5,625	LF
STABILIZED SUBGRADE	13,913	SY
TYPE FLY ASH		
TEMPORARY SURFACING	145	SY
6"		
TEMPORARY SURFACING	9,076	SY
9"		
PREP OF INTER & DRIVE	1,087	SY
WATER	198	MGAL
EARTH SHOULDER CONSTRUCTION	582	STA
SUBGRADE PREPARATION	602	SY
RUMBLE STRIPS, CONCRETE 8"	85	STA
SURFACE UNDER GUARDRAIL	854	SY
FLY ASH	557	TON

GROUP 4 CULVERT

MOBILIZATION	LUMP	LUMP
CAST IRON COVER & FRAME	500	LB
CAST IRON GRATE & FRAME	3,344	LB
REMOVE FLARED- END SECTION	1	EACH
REMOVE HEADWALLS FROM CULV	4	EACH
REMOVE STRUCTURE	1	EACH
AT STA. 57+86		
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	172	CY
EXCAVATION FOR BOX CULVERTS	72	CY
47B-3000 CONC FOR BOX CULV	80	CY
47B-3000 CONC FOR INLET & JUNCTION BOXES	26	CY
RE-STEEL FOR BOX CULVERT	7,152	LB
RE-STEEL FOR INLET & JCT BOX	3,226	LB
24" FLARED-END SECTION	2	EACH
24" METAL FLARED-END SECTION	1	EACH
48" METAL FLARED-END SECTION	2	EACH
24" CULV PIPE 3,4,5	12	LF
48" CULV PIPE 3,4,5	42	LF
15" CULV PIPE 3,4,5,6	516	LF
24" CULV PIPE 2,4,5,7,8	56	LF

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE A	13	ACRE
SEEDING, TYPE B	13	ACRE
SEEDING, TYPE BUFFER	10	ACRE
SEEDING, TYPE WETLAND-HIGH	3	ACRE
SEEDING, TYPE WETLAND-LOW	6	ACRE
MULCH	79	TON

GROUP 6 BRIDGE AT STA. 58+10

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	350	CY
CONC FOR PVMT APPROACHES CLASS 47BD-4000	197	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	34,470	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
47B-3000 CONC FOR BRIDGE	69	CY
47BD-4000 CONC FOR BRIDGE	191	CY
STRUC STEEL FOR SUBSTRUCTURE	2,065	LB
ROCK RIPRAP, TYPE A	15	TON
EPOXY COATED RE-STEEL	46,785	LB
HP 12"X53# STEEL PILING	1,560	LF

STEEL SHEET PILING	3,716 SF
GRANULAR BACKFILL	300 CY

GROUP 6A BRIDGE AT STA. 78+66

MOBILIZATION	LUMP	LUMP
EARTHWORK MEASURED IN EMBANKMENT	1,550	CY
RIPRAP FILTER FABRIC	2,046	SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000	177	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	32,205	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PIER NO.2 EXCAVATION	LUMP	LUMP
PIER NO.3 EXCAVATION	LUMP	LUMP
PIER NO.4 EXCAVATION	LUMP	LUMP
EXPANSION BEARING, TFE TYPE	40	EACH
FIXED BEARING	10	EACH
47B-3000 CONC FOR BRIDGE	632	CY
47BD-4000 CONC FOR BRIDGE	1,202	CY
PRECAST/PRESTRESSED CONC SUPERSTR 78+66	LUMP	LUMP
REMOVE STRUCTURE AT STA. 78+21	1	EACH
ACCESS BRIDGE	LUMP	LUMP
STRUC STEEL FOR SUBSTRUCTURE	6,295	LB
STEEL DIAPHRAGM	12	EACH
ROCK RIPRAP, TYPE B	1,815	TON
SALVAGING AND PLACING TOPSOIL ON RIPRAP	424	SY
EPOXY COATED RE-STEEL	344,835	LB
SUBSURFACE DRAINAGE MATTING	102	SY
HP 12"X53# STEEL PILING	12,605	LF
TEST PILE	6	EACH
STEEL SHEET PILING	3,575	SF
STRIP SEALS	88	LF
GRANULAR BACKFILL	405	CY

GROUP 6B BRIDGE AT STA. 78+66

MOBILIZATION	LUMP	LUMP
EARTHWORK MEASURED IN EMBANKMENT	1,550	CY
RIPRAP FILTER FABRIC	2,046	SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000	178	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	32,205	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PIER NO.2 EXCAVATION	LUMP	LUMP
PIER NO.3 EXCAVATION	LUMP	LUMP
EXPANSION BEARING, TFE TYPE	20	EACH
FIXED BEARING	5	EACH
47B-3000 CONC FOR BRIDGE	658	CY
47BD-4000 CONC FOR BRIDGE	1,015	CY
REMOVE STRUCTURE AT STA. 78+21	1	EACH
ACCESS BRIDGE	LUMP	LUMP
STEEL SUPERSTRUCTURE 78+66	LUMP	LUMP
STRUC STEEL FOR SUBSTRUCTURE	6,370	LB
ROCK RIPRAP, TYPE B	1,815	TON
SALVAGING AND PLACING TOPSOIL ON RIPRAP	424	SY
EPOXY COATED RE-STEEL	343,655	LB
SUBSURFACE DRAINAGE MATTING	106	SY
HP 12"X53# STEEL PILING	10,965	LF
TEST PILE	5	EACH
STEEL SHEET PILING	3,575	SF
STRIP SEALS	88	LF
GRANULAR BACKFILL	435	CY

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
CULV MOUNTED GDRL POST		14 EACH
W-BEAM GUARDRAIL		837 LF
BRIDGE APPROACH SECTIONS		8 EACH
GUARDRAIL END TREATMENT, TYPE II		12 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II		7,756 BDAY
BARRICADE, TYPE III		4,680 BDAY
SIGN DAY		20,649 EACH
CONTRACTOR FURNISHED SIGN DAY		2,216 EACH
TEMP PAVEMENT MARKING REMOVAL		28,800 LF
PAVEMENT MARKING REMOVAL		6,400 LF
TEMP PVMT MARKING, TYPE PAINT		36,400 LF
FLAGGING		50 DAY
CONCRETE PROTECTION BARRIER		125 LF
RELOCATE CONC PROTECTION BARRIER		125 LF
TRAFFIC CONTROL MANAGEMENT		439 DAY
FIELD OFFICE		1 EACH
TRAINING		4,000 HOUR
MOBILIZATION	LUMP	LUMP
CONSTRUCTION STAKING AND SURVEYING	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		185 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED		5 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		185 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		185 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		180 HOUR
TEMPORARY SEEDING		4 ACRE
TEMPORARY SILT CHECK		1,000 LF
TEMPORARY SILT FENCE		1,500 LF
TEMPORARY EARTH CHECK		1,000 LF
TEMPORARY MULCH		4 TON

NOTICE TO CONTRACTORS

CALL ORDER 500
 FEDERAL PROJECT NO. IM-80-1(172)
 LOCATION: I-80, EAST KIMBALL-POTTER (WB)
 COUNTIES: KIMBALL

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 12, 2012. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 11.7 MILES
 START DATE 07/09/2012 WORKING DAYS 50
 Price Range \$ 2,000,000 to \$ 4,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning March 20, 2012 at the Lincoln Central Office and March 26, 2012 at the District Engineer's Office at GERING
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	16 SHEETS	\$	4.00
STANDARD PLANS	6 SHEETS	\$	1.50

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T4	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-N1 - 2-N2	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3	TYPICAL TRAFFIC CONTROL--FREEWAY RAMP CLOSURE
4	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
5 - 7	PAVEMENT MARKING PLAN--KIMBALL WB REST AREA
8	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
9	TYPICAL PAVEMENT MARKING PLAN--INTERSTATE/EXPRESSWAY
10	TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

SURV OF TEMP TRAFFIC CONT DEVICES	83	CDAY
BARRICADE, TYPE II	19,500	BDAY
BARRICADE, TYPE III	241	BDAY
TEMPORARY SIGN DAY	180	EACH
SIGN DAY	1,798	EACH
OVERLAY BROKEN LINES	1,860	STA
OVERLAY SOLID LINES	4,116	STA
FLASHING ARROW PANEL	75	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
CONC PVMT REPAIR TYPE B FULL DEPTH	294	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	61	CY
5" WHT WET RFLC THERMOPLSTC PVMT MRK,GVD	81,500	LF

12" WHT WET RFLC THERMO PVMT MRKING, GVD	1,275 LF
5" YEL WET RFLC THERMOPLSTC PVMT MRK, GVD	62,000 LF
HYDRATED LIME FOR ASPHALT MIXTURES	235 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	10 TON
FOUNDATION COURSE REPLACEMENT	8 CY
ASPH CONC ST MAINT PATCH TYPE SPH (0.5)	1,000 TON
ASPH CONC, TYPE SPS	7,600 TON
ASPH CONC, TYPE LC	6,420 TON
ASPH CONC, TYPE SPH (0.5)	16,810 TON
ASPH CONCRETE FOR PATCHING, TYPE SPS	200 TON
ASPH CONC FOR PATCHING, TYPE SPH	300 TON
PERF GRAD BIND (70-34) FOR ST MAINT PATCH	48 TON
PERF GRADED BINDER (70-34)	1,309 TON
PERF GRADED BINDER (52-34)	273 TON
TACK COAT	51,910 GAL
RENTAL OF LOADER, FULLY OPERATED	40 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	40 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	40 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	40 HOUR
COLD MILLING, CLASS 3	699 STA
COLD MILLING, CLASS 3	623 STA
TYPE A	
RUMBLE STRIPS, ASPHALT	1,246 STA
RAP INCENTIVE PAYMENT	42,347 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP

NOTICE TO CONTRACTORS

CALL ORDER 505
 FEDERAL PROJECT NO. STP-88-1(108)
 LOCATION: N-88, WYOMING LINE-N-71
 COUNTIES: BANNER

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 12, 2012. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 19.4 MILES
 START DATE 08/13/2012 WORKING DAYS 45
 Price Range \$ 2,000,000 to \$ 4,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning March 20, 2012 at the Lincoln Central Office and March 26, 2012 at the District Engineer's Office at GERING
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	4 SHEETS	\$	1.00
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

- 1 TITLE PAGE
- 2-T TYPICAL CROSS SECTIONS
- 2-S SUMMARY OF QUANTITIES
- 3 TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	20,250	BDAY
BARRICADE, TYPE III	415	BDAY
TEMPORARY SIGN DAY	630	EACH
SIGN DAY	14,699	EACH
OVERLAY BROKEN LINES	2,051	STA
OVERLAY SOLID LINES	4,127	STA
FLAGGING	90	DAY
FURNISHING AND OPERATING PILOT VEHICLE	35	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
HYDRATED LIME FOR ASPHALT MIXTURES	319	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	15	TON
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	1,500	TON
ASPH CONC, TYPE SPR	31,430	TON
PLACE ASPH CONC FOR DRIVE & INTER	6,548	SY
ASPH CONCRETE FOR PATCHING, TYPE SPR	500	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	52	TON
PERF GRADED BINDER (64-34)	1,117	TON
TACK COAT	42,240	GAL
RENTAL OF LOADER, FULLY OPERATED	80	HOURL
RENTAL OF MOTOR GRADER, FULLY OPERATED	80	HOURL

RENTAL OF DUMP TRUCK, FULLY OPERATED	80	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	80	HOUR
WATER	510	MGAL
EARTH SHOULDER CONSTRUCTION	2,037	STA
COLD MILLING, CLASS 3	1,031	STA
COLD MILLING, CLASS 5	6,548	SY
RAP INCENTIVE PAYMENT	54,281	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B	37	ACRE
MULCH	74	TON

NOTICE TO CONTRACTORS

CALL ORDER 510
 STATE PROJECT NO. STR-30-1(1032)
 LOCATION: US-30, LODGEPOLE WEST BRIDGE
 COUNTIES: CHEYENNE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 12, 2012. At that time the bids will be opened and read for CULVERT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CULVERTS
 START DATE 07/16/2012 CALENDAR DAYS 90
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning March 20, 2012 at the Lincoln Central Office and March 26, 2012 at the District Engineer's Office at GERING
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	11 SHEETS	\$	2.75
STANDARD PLANS	9 SHEETS	\$	2.25

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES & DETOUR LOCATION MAP
2-A	PHOTO MAP
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
3	PLAN & PROFILE SHEET
4	DRAINAGE STRUCTURE CROSS SECTION
5 - 6	SPECIAL PLAN 1C 12' X 5' QUINTUPLE SPAN RC BOX CULVERT STA. 889+37.00

STANDARD PLANS

501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 4 CULVERT AT STA. 889+37.00

BARRICADE, TYPE III	732 BDAY
SIGN DAY	1,202 EACH
CONTRACTOR FURNISHED SIGN DAY	122 EACH
FLAGGING	30 DAY
FIELD OFFICE	1 EACH
MOBILIZATION	LUMP LUMP
ROADWAY GRADING	1 STA
REMOVE PAVEMENT	140 SY
REMOVE ASPHALT SURFACE	450 SY
EXCAVATION FOR BOX CULVERTS	420 CY
47B-3000 CONC FOR BOX CULV	404 CY
RE-STEEL FOR BOX CULVERT	47,544 LB
REMOVE STRUCTURE	1 EACH
AT STA. 889+40.00	

REMOVE & SALVAGE GUARDRAIL	375 LF
CRUSHED ROCK FOR BASE COURSE	101 CY
SURFACING 9"	389 SY
WATER	2 MGAL
EARTH SHOULDER CONSTRUCTION	2 STA
SUBGRADE PREPARATION	389 SY
EROSION CONTROL, CLASS 1D	625 SY
TEMPORARY SILT FENCE	200 LF

NOTICE TO CONTRACTORS

CALL ORDER 600
 STATE PROJECT NO. MISC-2-3(1027)
 LOCATION: N-2, MUD CREEK MEDIATION
 COUNTIES: CUSTER

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 12, 2012. At that time the bids will be opened and read for GRADING

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: GRADING
 START DATE 10/01/2012 WORKING DAYS 15
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning March 20, 2012 at the Lincoln Central Office and March 26, 2012 at the District Engineer's Office at NORTH PLATTE
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	15 SHEETS	\$	3.75
CROSS SECTIONS (SHEETS X1 THRU X9)	9 SHEETS	\$	2.25
STANDARD PLANS	9 SHEETS	\$	2.25

SHEET NO.	TITLE PAGE
1	& SUMMARY OF QUANTITIES
2-W1 - 2-W2	WETLANDS
2-H	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N2	GENERAL INFORMATION
2-L	EROSION CONTROL
3 - 4	PLAN & PROFILE SHEETS
5	EARTHWORK DATA SHEET
6	SPECIAL PLAN 1C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
7 - 8	SPECIAL PLAN 2C TEMPORARY SILT CHECKS
R1 - R2	RIGHT-OF-WAY SHEETS
X1 - X9	CROSS SECTIONS

STANDARD PLANS	
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
804	PRECAST CONCRETE R.O.W. MARKER
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING	
SIGN DAY	136 EACH
FLAGGING	30 DAY
MOBILIZATION	LUMP LUMP
GENERAL CLEARING AND GRUBBING	LUMP LUMP
EXCAVATION	22,520 CY
RIGHT-OF-WAY MARKERS	20 EACH
RIPRAP FILTER FABRIC	150 SY
ROCK RIPRAP, TYPE C	250 TON
STEEL SHEET PILING	1,080 SF
EROSION CONTROL, CLASS 1D	21,070 SY
EROSION CONTROL, CLASS 2A	1,990 SY
EROSION CHECKS, TYPE WATTLE	110 LF
TEMPORARY SILT CHECK	200 LF
TEMPORARY SILT FENCE	200 LF
TEMPORARY EARTH CHECK	200 LF

NOTICE TO CONTRACTORS

CALL ORDER 605
 FEDERAL PROJECT NO. STP-61-3(109)
 LOCATION: N-61, HYANNIS NORTH
 COUNTIES: GRANT

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 12, 2012. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 7.1 MILES
 START DATE 09/04/2012 WORKING DAYS 30
 Price Range \$ 500,000 to \$ 2,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning March 20, 2012 at the Lincoln Central Office and March 26, 2012 at the District Engineer's Office at NORTH PLATTE. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	25	SHEETS	\$	6.25
STANDARD PLANS	6	SHEETS	\$	1.50

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-A1 - 2-A7	PHOTO MAPS
2-H1 - 2-H4	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
2-L	LARGE SCALE PLAN SHEET
3 - 9	PLAN SHEETS
10	TEMPORARY PAVEMENT MARKING PLAN
11	PAVEMENT MARKING DETAILS

STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
901-R9	HIGHWAY DELINEATORS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	4,800	B DAY
BARRICADE, TYPE III	216	B DAY
TEMPORARY SIGN DAY	420	EACH
SIGN DAY	4,278	EACH
OVERLAY BROKEN LINES	1,125	STA
OVERLAY SOLID LINES	2,250	STA
FLAGGING	60	DAY
FURNISHING AND OPERATING PILOT VEHICLE	30	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE III	162	EACH
INSTALL CHEVRONS	80	EACH
GRAVEL SURFACE COURSE	20	CY

24" WHITE PREF PVMT MKING T-4 GROOVED	72 LF
RR XING SYMBOL PREF PVMT MRKING T-4 GRVD	2 EACH
HYDRATED LIME FOR ASPHALT MIXTURES	173 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	4 TON
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	400 TON
ASPH CONC, TYPE SPR	17,080 TON
PLACE ASPH CONC FOR DRIVE & INTER	4,626 SY
ASPH CONCRETE FOR PATCHING, TYPE SPR	300 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	14 TON
PERF GRADED BINDER (64-34)	608 TON
TACK COAT	21,020 GAL
FOG SEAL	64 GAL
RENTAL OF LOADER, FULLY OPERATED	40 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	40 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	40 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	40 HOUR
FLY ASH SLURRY INJECTION	465 TON
INJECTION HOLES	3,720 EACH
COLD MILLING, CLASS 3	381 STA
COLD MILLING, CLASS 5	4,626 SY
COLD MILLING, CLASS 3	381 STA
TYPE A	
RAP INCENTIVE PAYMENT	29,546 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP

NOTICE TO CONTRACTORS

CALL ORDER 610
 FEDERAL PROJECT NO. NH-2-2(113)
 LOCATION: N-2, SENECA EAST & WEST
 COUNTIES: HOOKER THOMAS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 12, 2012. At that time the bids will be opened and read for GRAD CULV ELEC BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 13.9 MILES
 START DATE 05/14/2012 WORKING DAYS 100
 Price Range \$ 3,000,000 to \$ 6,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning March 20, 2012 at the Lincoln Central Office and March 26, 2012 at the District Engineer's Office at NORTH PLATTE
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	126	SHEETS	\$ 31.50
CROSS SECTIONS (SHEETS X1 THRU X184)	184	SHEETS	\$ 46.00
STANDARD PLANS	21	SHEETS	\$ 5.25

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-A1 - 2-A25	PHOTO MAPS
2-H1 - 2-H7	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION
2-N2 - 2-N3	GENERAL INFORMATION--MILLED RUMBLE STRIPS
2-L1 - 2-L14	EROSION CONTROL
3 - 27	PLAN & PROFILE SHEETS
28	TEMPORARY PAVEMENT MARKING PLAN
29 - 33	ROADWAY LIGHTING PLANS
34 - 40	EARTHWORK DATA SHEETS
41 - 49	DRAINAGE STRUCTURE CROSS SECTIONS
50	SPECIAL PLAN 1C CONCRETE FLUME, TYPE II
51	SPECIAL PLAN 2C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
R1 - R25	RIGHT-OF-WAY SHEETS
X1 - X184	CROSS SECTIONS

STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
307-R1	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
428-R3	CONCRETE PLUGS AND FIELD PIPE TAP DETAILS
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
548-R1	(2 SHEETS) CONCRETE FLUME, TYPE VIII
804	PRECAST CONCRETE R.O.W. MARKER
901-R9	HIGHWAY DELINEATORS
914-R6	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION		21,673 CY
EXCAVATION, BORROW		42,801 CY
WATER		322 MGAL
RIGHT-OF-WAY MARKERS		85 EACH
SLOPE PROTECTION		162,544 SY
SLOPE PROTECTION MULCH		68 TON
REMOVE CURB		868 LF
COVER CROP SEEDING		35 ACRE
EROSION CONTROL, CLASS 1E		24,550 SY
EROSION CONTROL, CLASS 2A		198 SY
EROSION CHECKS, TYPE WATTLE		2,820 LF
FABRIC SILT FENCE-LOW POROSITY		12,100 LF

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE HEADWALLS FROM CULV		13 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		22 CY
47B-3000 CONC FOR PIPE PLUG		1 CY
24" METAL FLARED-END SECTION		7 EACH
30" METAL FLARED-END SECTION		2 EACH
24" CULV PIPE 3,4,5		86 LF
30" CULV PIPE 3,4,5		51 LF

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
PULL BOX, TYPE PB-5		1 EACH
ST LIGHT UNIT SL-BT-40-12-0.25		2 EACH
LIGHTING CONTROL CENTER, D		1 EACH
1 1/2" CONDUIT IN TRENCH		582 LF
1 1/2" CONDUIT, JACKED		32 LF
STREET LIGHT CABLE, NO. 6 BARE		614 LF
STREET LIGHT CABLE, NO. 6 USE		1,228 LF

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES		2,273 STA
OVERLAY SOLID LINES		4,546 STA
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE III		32 EACH
INSTALL CHEVRONS		16 EACH
GRAVEL SURFACE COURSE		65 CY
SPEC SURF CRSE FOR MAILBOX TURNOUTS		102 SY
MAILBOX POST		3 EACH
CAST IRON GRATE & FRAME		5,768 LB
FLUME SPILLWAY		148 LF
CONCRETE FLUME, TYPE II		15 EACH
47B-3000 CONC FOR INLET & JUNCTION BOXES		33 CY
RE-STEEL FOR INLET & JCT BOX		2,870 LB
HYDRATED LIME FOR ASPHALT MIXTURES		625 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		3 TON
SHOULDER SUBGRADE PREPARATION		49 STA
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR		250 TON
ASPH CONC, TYPE SPR		62,230 TON
PLACE ASPH CONC FOR DRIVE & INTER		2,107 SY
ASPH CONCRETE FOR PATCHING, TYPE SPR		250 TON
PERF GRAD BIND (64-34) FOR ST MAINT PATCH		8 TON
PERF GRADED BINDER (64-34)		2,186 TON
CONSTRUCTING ASPH CONC CURB		13,641 LF

TACK COAT	32,760 GAL
WATER	382 MGAL
EARTH SHOULDER CONSTRUCTION	1,424 STA
TRENCHED WIDENING	1,424 STA
COLD MILLING, CLASS 3	737 STA
COLD MILLING, CLASS 3	8,928 SY
TYPE A	
COLD MILLING, CLASS 5	2,107 SY
RUMBLE STRIPS, ASPHALT 8"	1,470 STA
RAP INCENTIVE PAYMENT	106,216 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP
15" CULV PIPE 3,4,5,6	586 LF

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	31,500 BDAY
BARRICADE, TYPE III	696 BDAY
TEMPORARY SIGN DAY	1,400 EACH
SIGN DAY	22,394 EACH
FLAGGING	200 DAY
FURNISHING AND OPERATING PILOT VEHICLE	85 DAY
FIELD OFFICE	1 EACH
TRAINING	500 HOUR
MOBILIZATION	LUMP LUMP
RENTAL OF LOADER, FULLY OPERATED	200 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	200 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	200 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	150 HOUR
TEMPORARY SILT CHECK	1,000 LF
TEMPORARY SILT FENCE	2,000 LF
TEMPORARY EARTH CHECK	500 LF
TEMPORARY MULCH	10 TON
MOWING	40 HOUR

NOTICE TO CONTRACTORS

CALL ORDER 800
 STATE PROJECT NO. RD-20-3(1014)
 LOCATION: US-183/N-7/US-20, LONG PINE EAST & WEST
 COUNTIES: BROWN ROCK

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 12, 2012. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 3.6 MILES
 START DATE 08/20/2012 WORKING DAYS 40
 Price Range \$ 500,000 to \$ 2,000,000

Plans and specifications may be seen beginning March 20, 2012 at the Lincoln Central Office and March 26, 2012 at the District Engineer's Office at AINSWORTH
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	31	SHEETS	\$	7.75
CROSS SECTIONS (SHEETS X1 THRU X9)	9	SHEETS	\$	2.25
STANDARD PLANS	12	SHEETS	\$	3.00

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T4	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-A1 - 2-A4	PHOTO MAPS
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N3	GENERAL INFORMATION
2-N4 - 2-N5	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3 - 6	PLAN SHEETS
7	TEMPORARY PAVEMENT MARKING PLAN
8	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
9	PAVEMENT MARKING PLAN--JCT. US-6 & SPUR S-9A
10	EARTHWORK DATA SHEET
11	DRAINAGE STRUCTURE CROSS SECTION
12 - 16	SPECIAL PLAN 1C CABLE GUARDRAIL
X1 - X9	CROSS SECTIONS

STANDARD PLANS

501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
547-R1	(2 SHEETS) CONCRETE FLUME, TYPE VII
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	4,750	BDAY
BARRICADE, TYPE III	276	BDAY
TEMPORARY SIGN DAY	560	EACH
SIGN DAY	4,554	EACH
OVERLAY BROKEN LINES	808	STA
OVERLAY SOLID LINES	1,616	STA
PERMANENT PAVEMENT MARKING PAINT	72,000	LF
FLAGGING	80	DAY

FURNISHING AND OPERATING PILOT VEHICLE	38 DAY
MOBILIZATION	LUMP
GENERAL CLEARING AND GRUBBING	LUMP
WATER	2 MGAL
EARTHWORK MEASURED IN EMBANKMENT	232 CY
REMOVE ASPHALT SURFACE	1,043 SY
CAST IRON GRATE & FRAME	206 LB
47B-3000 CONC FOR INLET & JUNCTION BOXES	1 CY
47B-3000 CONC FOR SPLSH BASIN	1 CY
RE-STEEL FOR SPLASH BASIN	100 LB
RE-STEEL FOR INLET & JCT BOX	110 LB
CABLE GUARDRAIL	2,208 LF
REMOVE GUARDRAIL	2,304 LF
TERMINAL ANCHORAGE SECTIONS	4 EACH
12" YELLOW PERMANENT PVMT MARKING PAINT	130 LF
HYDRATED LIME	150 TON
HYDRATED LIME FOR ASPHALT MIXTURES	98 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	1 TON
HYDRATED LIME SLURRY STABILIZATION	166 STA
ASPH CONC 4 ST MAIN PTCHING TY SPR(FINE)	100 TON
ASPH CONC, TYPE SPS	4,160 TON
ASPH CONC, TYPE SPR (FINE)	9,670 TON
ASPH CONC FOR PATCHING, TYPE SPR (FINE)	100 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	3 TON
PERF GRADED BINDER (52-34)	145 TON
PERF GRADED BINDER (64-34)	341 TON
CONSTRUCTING ASPH CONC CURB	215 LF
EMUL ASPH FOR HYDRATE LIME STABILIZATION	40,880 GAL
TACK COAT	18,850 GAL
FOG SEAL	5,340 GAL
RENTAL OF LOADER, FULLY OPERATED	10 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	10 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	10 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	10 HOUR
COLD MILLING, CLASS 3	96 STA
COLD MILLING, CLASS 3	78 STA
TYPE A	
COLD MILLING, CLASS 3	36 STA
TYPE B	
RUMBLE STRIPS, ASPHALT	362 STA
SURFACE UNDER GUARDRAIL	1,230 SY
RAP INCENTIVE PAYMENT	22,900 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP
EROSION CONTROL, CLASS 1D	2,437 SY
TEMPORARY SILT FENCE	500 LF
TEMPORARY MULCH	4 TON
15" CULV PIPE 3,4,5,6	71 LF

NOTICE TO CONTRACTORS

CALL ORDER 805
 FEDERAL PROJECT NO. NH-281-3(111)
 LOCATION: US-281, NORTH JCT. N-70 NORTHWEST
 COUNTIES: HOLT WHEELER

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 12, 2012. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

Length: 9.9 MILES
 START DATE 08/20/2012 WORKING DAYS 15
 Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning March 20, 2012 at the Lincoln Central Office and March 26, 2012 at the District Engineer's Office at AINSWORTH

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	5 SHEETS	\$	1.25
STANDARD PLANS	6 SHEETS	\$	1.50

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
& TYPICAL CROSS SECTION
- 3 PAVEMENT MARKING PLAN
- 4 TEMPORARY PAVEMENT MARKING PLAN
- 5 TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	3,375	B	DAY
BARRICADE, TYPE III	108	B	DAY
TEMPORARY SIGN DAY	120	E	EACH
SIGN DAY	1,931	E	EACH
TEMPORARY BROKEN LINES	520	S	TA
PERMANENT PAVEMENT MARKING PAINT	128,750	L	LF
FLAGGING	30	D	DAY
FURNISHING AND OPERATING PILOT VEHICLE	15	D	DAY
MOBILIZATION	LUMP	L	LUMP
AGG FOR MICROSURFACING	1,976	T	TON
MIN FILLER FOR MICROSURFACING	40	T	TON
MICROSURFACING PLACEMENT	520	S	TA
EMUL ASPH FOR MICROSURFACING	67,910	G	GAL

NOTICE TO CONTRACTORS

CALL ORDER 810
 FEDERAL PROJECT NO. NH-83-4(116)
 LOCATION: US-83, THEDFORD-VALENTINE
 COUNTIES: CHERRY

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 12, 2012. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

Length: 7.8 MILES
 START DATE 08/27/2012 WORKING DAYS 10
 Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning March 20, 2012 at the Lincoln Central Office and March 26, 2012 at the District Engineer's Office at AINSWORTH
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	4 SHEETS	\$	1.00
STANDARD PLANS	6 SHEETS	\$	1.50

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
& TYPICAL CROSS SECTION
- 3 TEMPORARY PAVEMENT MARKING PLAN
- 4 TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	1,800	BDAY
BARRICADE, TYPE III	80	BDAY
TEMPORARY SIGN DAY	80	EACH
SIGN DAY	1,144	EACH
TEMPORARY BROKEN LINES	413	STA
PERMANENT PAVEMENT MARKING PAINT	118,700	LF
FLAGGING	20	DAY
FURNISHING AND OPERATING PILOT VEHICLE	10	DAY
MOBILIZATION	LUMP	LUMP
AGG FOR MICROSURFACING	1,984	TON
MIN FILLER FOR MICROSURFACING	40	TON
MICROSURFACING PLACEMENT	412	STA
EMUL ASPH FOR MICROSURFACING	68,170	GAL

NOTICE TO CONTRACTORS

CALL ORDER 815
 FEDERAL PROJECT NO. NH-20-4(125)
 LOCATION: US-20, SE JCT US-275 - ANTELOPE COUNTY LINE
 COUNTIES: HOLT

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 12, 2012. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

Length: 8.1 MILES
 START DATE 08/27/2012 WORKING DAYS 10
 Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning March 20, 2012 at the Lincoln Central Office and March 26, 2012 at the District Engineer's Office at AINSWORTH

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	4 SHEETS	\$	1.00
STANDARD PLANS	6 SHEETS	\$	1.50

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
& TYPICAL CROSS SECTION
- 3 TEMPORARY PAVEMENT MARKING PLAN
- 4 TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	1,800	B	DAY
BARRICADE, TYPE III	120	B	DAY
TEMPORARY SIGN DAY	80	E	EACH
SIGN DAY	1,430	E	EACH
TEMPORARY BROKEN LINES	427	S	TA
PERMANENT PAVEMENT MARKING PAINT	111,150	L	F
FLAGGING	20	D	AY
FURNISHING AND OPERATING PILOT VEHICLE	10	D	AY
MOBILIZATION	LUMP	L	UMP
AGG FOR MICROSURFACING	2,052	T	ON
MIN FILLER FOR MICROSURFACING	42	T	ON
MICROSURFACING PLACEMENT	427	S	TA
EMUL ASPH FOR MICROSURFACING	70,530	G	AL

NOTICE TO CONTRACTORS

CALL ORDER 820
 FEDERAL PROJECT NO. NH-20-2(140)
 LOCATION: US-20, MERRIMAN-ELI
 COUNTIES: CHERRY

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 12, 2012. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

Length: 10.1 MILES
 START DATE 08/20/2012 WORKING DAYS 15
 Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning March 20, 2012 at the Lincoln Central Office and March 26, 2012 at the District Engineer's Office at AINSWORTH

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	4 SHEETS	\$	1.00
STANDARD PLANS	9 SHEETS	\$	2.25

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
& TYPICAL CROSS SECTION
- 3 TEMPORARY PAVEMENT MARKING PLAN
- 4 TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
- 924 (3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	3,375	BDAY
BARRICADE, TYPE III	108	BDAY
TEMPORARY SIGN DAY	120	EACH
SIGN DAY	1,782	EACH
TEMPORARY BROKEN LINES	535	STA
PERMANENT PAVEMENT MARKING PAINT	142,500	LF
FLAGGING	30	DAY
FURNISHING AND OPERATING PILOT VEHICLE	15	DAY
MOBILIZATION	LUMP	LUMP
AGG FOR MICROSURFACING	2,573	TON
MIN FILLER FOR MICROSURFACING	52	TON
MICROSURFACING PLACEMENT	535	STA
EMUL ASPH FOR MICROSURFACING	88,420	GAL

Plan and Informational Proposal Order Form
Projects to be bid on:
April 12, 2012

Payment required for plans prior to NDOR completing this order.
 dor.ContractsOnlineOrders@nebraska.gov FAX: (402) 479-4845

Document No.

<input type="checkbox"/> Check/Cash	Receipt No.
<input type="checkbox"/> Advance Plans Account No.	
Credit Card	
<input type="checkbox"/> Visa	<input type="checkbox"/> MasterCard
Expiration Date:	
Card No.:	

Please indicate: <input type="checkbox"/> Mail <input type="checkbox"/> Hold	<input type="checkbox"/> Fed Ex. Standard Overnight	Comments:
	<input type="checkbox"/> Fed Ex. Priority Overnight	
	<input type="checkbox"/> UPS Overnight	
	Acct. No.	

FOR OFFICE USE ONLY	
Reference I.D.:	_____
Authorization Code:	_____ Date: _____

4-Digit Vendor No.:	Ordered By:	Grand Total - Informational Proposals: x \$5.00
Company:		All plans in letting on CD: x \$25.00
Street Address:		Grand Total - 1/2 Size Plans: x \$.25
		Grand Total - Full Size Plans: x \$.50
PO Box:	City:	State:
		Zip Code:
Phone No. (include Area Code):		Fax No. (include Area Code):
		Tax Code
		Sales Tax
		%
Processed by:	Date:	Proposals/CD Filled:
		Blueprint Plans/Proposals Filled:
		Date:
		Total

If requesting Plan or Proposal CD(s) only, your name will not appear on the Planholders list unless your company has been issued Bid Proposals or you submit the "Planholders Registration" from the NDOR website.

CD containing Informational Proposals for all projects in letting. (No Charge) Total Number Requested: →

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. 1/2 size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
100	RD-180-9(1182)				
105	STP-103-1(110)				
110	ER-73-1(117)				
115	ER-75-1(106)				
200	IM-80-9(34)				
210	SRTS-77(51)				
300	HSIP-STWD(112)				
305	STPD-14-3(114)				
400	BR-2065(4)				
405	STPD-281-1(114)				
410	BR-14-2(124)				
500	IM-80-1(172)				

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. ½ size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
505	STP-88-1(108)				
510	STR-30-1(1032)				
600	MISC-2-3(1027)				
605	STP-61-3(109)				
610	NH-2-2(113)				
800	RD-20-3(1014)				
805	NH-281-3(111)				
810	NH-83-4(116)				
815	NH-20-4(125)				
820	NH-20-2(140)				

Standard Plans: Refer to "Publication Order Form" for complete sets of Standard Plans and Standard/Special Plans Books

Number of Sets Requested	Standard Plan No.(s)	Number of Sheets Shown in List of Plans	Check Size		Total No. of Sheets	
			1/2	Full	1/2	Full
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		

