

May 24, 2012

TO ALL CONCERNED:

The Department of Roads has scheduled a bid letting to be held in this office June 21, 2012 at 1:30 p.m.

The Notice to Contractors includes:

1. Website Information
2. Notice to all Bidders
3. Ordering Instructions
4. Notices to Contractors including time allowances and lists of plans
5. Plan and Informational Proposal Order Form
6. R-125 "Request for Bidding Proposal Forms"

CALL 300, PROJECT STP-9-4 (117) IS SUBJECT TO TRIBAL EMPLOYMENT RIGHTS OFFICE (TERO) TAX AND TRIBAL CONSTRUCTION TAX

Projects containing DBE Goals are indicated in the "Notice to Contractors".

Please check the important letting information on the website frequently.

The last day to submit acceptable prequalification statements for this letting is by 5:00 p.m. on Monday, June 11, 2012.

Sincerely,

Kimberly K. Baker, Supervisor
Contract Lettings Section
Construction Division

KKB/amh

WEBSITE INFORMATION

The Nebraska Department of Roads, Contract Lettings Section, will be utilizing the Internet as our means of communicating with the contracting industry.

Documents that are posted on the web are:

- Letting Schedule
- Notices to Contractors
- Informational Proposals
- Letting Plans
- List of Prequalified Contractors
- Planholders List
- Informational Addendums
- EBS (Electronic Bidding System)
- Apparent Low Bidders
- Bid Tabulations
- Standard Item Listing
- Awarded Average Unit Prices (AUP) Report

Hard copies of these documents will be available for inspection in the Contracts Office.

There will be a charge for reproduction of any of these documents.

The Website address is: www.Transportation.Nebraska.gov

If you have any questions as you are using our Website, please contact us at:

Nebraska Department of Roads
Contract Lettings Section
P.O. Box 94759
Lincoln, NE 68509-4759

Phone (402) 479-4525
FAX (402) 479-3803

Email: DOR.ContractLettings@nebraska.gov

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free “hotline” Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the “hotline” to report such activities.

The “hotline” is part of the DOT’s continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

ORDERING INSTRUCTIONS FOR PLANS AND PROPOSALS

Refer to the "Notice to Contractors" for the call order number, project number, and list of plans for each project.

Order forms are available on the NDOR website in PDF and Word format. Complete the appropriate forms as follows:

Request for Bidding Proposal Forms (R-125)

Bidders must submit an R-125, Request for Bidding Proposals Forms and be issued bid proposals prior to submitting bids.

Proposals to be used for bidding must be requested on this form. Bidding proposals will be issued only to contractors who are currently prequalified to bid with this department.

There is no charge for bid proposals.

Plan and Informational Proposal Order Form:

Payment is required prior to NDOR completing the order. This payment is not refundable.

Proposals to be used for information only can be ordered as follows:

1. Each individual project.
2. CD that contains all projects in letting. Does not contain addenda.

Plans for each project can be ordered as follows:

1. Complete set.
2. Set less Roadway Cross-Sections and Standards.
3. Set less Standards.
4. Set less Roadway Cross-Sections.
5. Individual sheets
6. CD that contains all projects in letting.

Prices are: Informational Proposals: \$5.00 each
CD containing Informational Proposals: No Charge
Plans per sheet: \$.25 for half-size (12" x 18")
\$.50 for full-size (24" x 36")
CD containing plans: \$25.00 each

Cost shown on the list of plans is for ½ size plans. Nebraska residents add appropriate state sales tax and city tax that is determined by delivery within cities imposing a sales tax.

Select the method of payment on the plan order form:

1. Credit Card (Visa or MasterCard only)
Orders with approved credit cards can be processed without delays.
2. Advanced payment account
Requires a money deposit with recommended \$200 minimum. Failure to have sufficient funds in your account to cover cost of the plans may delay the processing of your order.
This account may also be used to purchase other NDOR publications.
3. Check/cash
Send checks made payable to the Nebraska Dept. of Roads with your completed plan order form. Please do not mail cash.

To order complete sets of standard plans (1/2 size) please use the "Publications Order Form" available on the website. Cost is \$35.00 plus applicable sales tax. As new standards become available they may be purchased at \$0.25 per sheet.

Address: Nebraska Department of Roads
Contracts Section
1500 Highway 2
PO Box 94759
Lincoln NE 68509-4759

FAX (402) 479-3803

Phone: (402) 479-4525

Email: DOR.ContractLettings@nebraska.gov

October 10, 2008

NOTICE TO CONTRACTORS

CALL ORDER 100
FEDERAL PROJECT NO. BRO-7080(40)
LOCATION: ON A COUNTY ROAD, SOUTHWEST OF BEAVER CROSSING
COUNTIES: SEWARD

The Nebraska Department of Roads will receive sealed bids for the COUNTY OF SEWARD in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on June 21, 2012. At that time the bids will be opened and read for BRIDGE

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES

START DATE 09/04/2012 WORKING DAYS 65
Price Range \$ 0 to \$ 500,000
THIS PROJECT CONTAINS A DBE GOAL OF 6.0 %

Plans and specifications may be seen beginning May 29, 2012 at the Lincoln Central Office and June 04, 2012 at the District Engineer's Office at LINCOLN
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	28	SHEETS	\$	7.00
CROSS SECTIONS (SHEETS X1 THRU X4)	4	SHEETS	\$	1.00
STANDARD PLANS	15	SHEETS	\$	3.75

SHEET NO.

1 TITLE PAGE
2-T TYPICAL CROSS SECTIONS OF IMPROVEMENT
2-S SUMMARY OF QUANTITIES
2-W WETLANDS
2-N GENERAL INFORMATION & DETOUR LOCATION MAP
2-L EROSION CONTROL
3 PLAN & PROFILE SHEET
4 DRAINAGE STRUCTURE CROSS SECTIONS
5 - 12 SPECIAL PLAN 1 CONCRETE SLAB BRIDGE
STA. 23+92.50
13 - 20 SPECIAL PLAN 1C GUARDRAIL PLAN
21 SPECIAL PLAN 2C EROSION CHECKS (ALL TYPES)
& FABRIC SILT CHECKS
22 - 23 SPECIAL PLAN 3C TEMPORARY SILT CHECKS
R1 RIGHT-OF-WAY SHEET
X1 - X4 CROSS SECTIONS

STANDARD PLANS

308-R1 LOCAL ROADS MAILBOX TURNOUT
309 MAILBOX SUPPORT POST
410-R3 (2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
501-R5 (3 SHEETS) EROSION CONTROL
502 SILT FENCE DETAILS
617-R3 (2 SHEETS) CONCRETE PILING
920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923 TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT STA 23+92.50

BARRICADE, TYPE III	3,500	B DAY
SIGN DAY	4,750	EACH
CONTRACTOR FURNISHED SIGN DAY	1,000	EACH
MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL	1	EACH
GENERAL CLEARING AND GRUBBING WATER	LUMP	LUMP
	38	MGAL
EARTHWORK MEASURED IN EMBANKMENT	2,722	CY
RIPRAP FILTER FABRIC	786	SY
24" DRIVE PIPE 2,3,4,5,6,7 OR 8	30	LF
36" RD EQUIV DRIVE PIPE 2,3,4,5	30	LF
CRUSHED ROCK EMBEDMENT	7	STA
CRUSHED ROCK SURFACE COURSE	280	TON
SPEC SURF CRSE FOR MAILBOX TURNOUTS	25	SY
MAILBOX POST	1	EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	82	CY
24" METAL FLARED-END SECTION	2	EACH
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
47B-3000 CONC FOR BRIDGE	215	CY
47BD-4000 CONC FOR BRIDGE	143	CY
RE-STEEL FOR BRIDGE	41,085	LB
REMOVE STRUCTURE	1	EACH
AT STA 23+95		
ACCESS CROSSING	LUMP	LUMP
STRUC STEEL FOR SUBSTRUCTURE	3,145	LB
ROCK RIPRAP, TYPE B	635	TON
SALVAGING AND PLACING TOPSOIL ON RIPRAP	786	SY
CONCRETE PILING	1,380	LF
BRIDGE APPROACH SECTIONS	4	EACH
MELT	4	EACH
RENTAL OF LOADER, FULLY OPERATED	10	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	10	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	10	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10	HOUR
SEEDING, TYPE A	2	ACRE
COVER CROP SEEDING	2	ACRE
EROSION CONTROL, CLASS 1D	2,676	SY
EROSION CONTROL, CLASS 2A	513	SY
EROSION CHECKS, TYPE 2A	66	BALE
FABRIC SILT FENCE-LOW POROSITY	610	LF
TEMPORARY SILT CHECK	200	LF
TEMPORARY SILT FENCE	300	LF
TEMPORARY EARTH CHECK	100	LF
TEMPORARY ROCK CHECK	100	LF
TEMPORARY MULCH	2	TON
MULCH	5	TON
24" CULV PIPE 3,4,5,6	125	LF

NOTICE TO CONTRACTORS

CALL ORDER 105
STATE PROJECT NO. RD-180-9(1182)
LOCATION: I-180, I-80-CORNHUSKER HWY, LINCOLN
COUNTIES: LANCASTER

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on June 21, 2012. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

Length: 1.6 MILES
START DATE 09/10/2012 WORKING DAYS 5
Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning May 29, 2012 at the Lincoln Central Office and June 04, 2012 at the District Engineer's Office at LINCOLN
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	5 SHEETS	\$	1.25
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

1	TITLE PAGE
2-S	SUMMARY OF QUANTITIES
3	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
4	TRAFFIC CONTROL PLAN--WORK IN VICINITY OF EXIT RAMP & ON RAMP
5	TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	1,100	BDAY
BARRICADE, TYPE III	34	BDAY
TEMPORARY SIGN DAY	140	EACH
SIGN DAY	172	EACH
OVERLAY BROKEN LINES	170	STA
OVERLAY SOLID LINES	606	STA
FLASHING ARROW PANEL	10	DAY
MOBILIZATION	LUMP	LUMP
FOG SEAL	13,200	GAL

NOTICE TO CONTRACTORS

CALL ORDER 200
 STATE PROJECT NO. ITS-ITSN(1063)
 LOCATION: DISTRICT 2 DMS REPLACEMENT
 COUNTIES: DOUGLAS SARPY

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on June 21, 2012. At that time the bids will be opened and read for ELECTRICAL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: ELECTRICAL
 START DATE 07/30/2012 WORKING DAYS 40
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning May 29, 2012 at the Lincoln Central Office and June 04, 2012 at the District Engineer's Office at OMAHA
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	16 SHEETS	\$	4.00
STANDARD PLANS	2 SHEETS	\$	0.50

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
- 3 - 12 PLAN SHEETS--DMS LOCATIONS
- 13 - 14 TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
- 15 TYPICAL TRAFFIC CONTROL--FREEWAY RAMP CLOSURE
- 16 TYPICAL TRAFFIC CONTROL PLAN--FREEWAY CLOSURE

STANDARD PLANS

920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8B ELECTRICAL

BARRICADE, TYPE II	3,610	B	DAY
BARRICADE, TYPE III	76	B	DAY
TEMPORARY SIGN DAY	994	E	EACH
CONTRACTOR FURNISHED SIGN DAY	6	E	EACH
FLASHING ARROW PANEL	48	D	DAY
MOBILIZATION	LUMP	L	LUMP
SIGN STRUCTURE BASE GROUT REPLACEMENT	26	E	EACH
INSTALL DYNAMIC MESSAGE SIGN	10	E	EACH
SIGN STRUCTURE REPAIR	1	E	EACH
INSTALL DMS CONTROLLER	10	E	EACH
INSTALL	2,691	L	LF
DMS COMMUNICATION CABLE			
REMOVE	10	E	EACH
DYNAMIC MESSAGE SIGN SYSTEM			

NOTICE TO CONTRACTORS

CALL ORDER 300
 FEDERAL PROJECT NO. STP-9-4(117)
 LOCATION: N-9, THURSTON SPUR NORTH & SOUTH
 COUNTIES: THURSTON DIXON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on June 21, 2012. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

Length: 11.1 MILES
 START DATE 09/04/2012 WORKING DAYS 10
 Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning May 29, 2012 at the Lincoln Central Office and June 04, 2012 at the District Engineer's Office at NORFOLK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

THIS PROJECT IS SUBJECT TO TRIBAL EMPLOYMENT RIGHTS OFFICE (TERO) TAX AND TRIBAL CONSTRUCTION TAX.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	6 SHEETS	\$	1.50
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

1 TITLE PAGE
 2-T TYPICAL CROSS SECTIONS
 2-S SUMMARY OF QUANTITIES
 3 TEMPORARY PAVEMENT MARKING PLAN
 4 - 5 SPECIAL PLAN 1 REPAIR DECK JOINT SEALS
 STA. 92+30.32

STANDARD PLANS

920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT STA. 92+30.32

MOBILIZATION	LUMP	LUMP
EXPANSION JOINT REPAIR	128 LF	
PREP BRIDGE	1 EACH	
AT STA. 92+30.32		

GROUP 8 SPECIALTY

TEMPORARY BROKEN LINES	585 STA
MOBILIZATION	LUMP LUMP
AGG FOR MICROSURFACING	3,280 TON
MIN FILLER FOR MICROSURFACING	67 TON
MICROSURFACING PLACEMENT	584 STA
EMUL ASPH FOR MICROSURFACING	112,510 GAL

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	2,550	BDAY
BARRICADE, TYPE III	76	BDAY
TEMPORARY SIGN DAY	80	EACH
SIGN DAY	1,520	EACH
FLAGGING	20	DAY
FURNISHING AND OPERATING PILOT VEHICLE	7	DAY
MOBILIZATION	LUMP	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 400
 STATE PROJECT NO. MISC-34-4(1026)
 LOCATION: US-281/US-34, HANSEN CORNER
 COUNTIES: ADAMS HALL

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on June 21, 2012. At that time the bids will be opened and read for GRAD CONC PAVE CULV SEED

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: GRADING CONCRETE PAVEMENT
 START DATE 09/17/2012 WORKING DAYS 40
 Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning May 29, 2012 at the Lincoln Central Office and June 04, 2012 at the District Engineer's Office at GRAND ISLAND
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	41 SHEETS	\$	10.25
CROSS SECTIONS (SHEETS X1 THRU X21)	21 SHEETS	\$	5.25
STANDARD PLANS	22 SHEETS	\$	5.50

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-W1 - 2-W3	WETLANDS
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N2	GENERAL INFORMATION
2-P1 - 2-P4	PHASING PLANS
2-L1	GEOMETRICS
2-L2 - 2-L3	EROSION & SEDIMENT CONTROL
3 - 5	PLAN & PROFILE SHEETS
6 - 11	TRAFFIC CONTROL PLAN--PHASE 1B & 2
12	TYPICAL TRAFFIC CONTROL PLAN--INERTIAL BARRIER SYSTEM
13	TYPICAL TRAFFIC CONTROL PLAN FOR LANE CLOSURE WITH CONCRETE BARRIER
14	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
15	TEMPORARY PAVEMENT MARKING PLAN
16 - 17	EARTHWORK DATA SHEETS
18 - 20	DRAINAGE STRUCTURE CROSS SECTIONS
21	SPECIAL PLAN 1C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
22 - 23	SPECIAL PLAN 2C TEMPORARY SILT CHECKS
24 - 25	SPECIAL PLAN 3C CONCRETE PROTECTION BARRIER
R1	RIGHT-OF-WAY SHEET
X1 - X21	CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
329-R9	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
804	PRECAST CONCRETE R.O.W. MARKER
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		8 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION	25,868	CY
WATER		2 MGAL
RIGHT-OF-WAY MARKERS		10 EACH
SALVAGING AND PLACING TOPSOIL	14,223	SY
REMOVE PAVEMENT		563 SY
SAWING PAVEMENT	1,111	LF
REMOVE ASPHALT SURFACE	1,818	SY
24" DRIVE PIPE 2,3,4,5,6,7 OR 8		38 LF
EROSION CONTROL, CLASS 2A		172 SY
EROSION CHECKS, TYPE 2A		41 BALE
FABRIC SILT FENCE-LOW POROSITY		98 LF

GROUP 3 CONCRETE PAVEMENT

PERMANENT PAVEMENT MARKING PAINT		5,500 LF
MOBILIZATION	LUMP	LUMP
TIE BARS		1,078 EACH
9" CONC PVMT, 47B-3500		2,485 SY
9" DOWELED CONC PVMT, 47B-3500		212 SY
WATER		18 MGAL
EARTH SHOULDER CONSTRUCTION		40 STA
SUBGRADE PREPARATION		2,701 SY

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE HEADWALLS FROM CULV		1 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		623 CY
30" FLARED-END SECTION		4 EACH
18" METAL FLARED-END SECTION		1 EACH
30" CONCRETE FLARED-END SECTION		2 EACH
42" RND EQUIV CONCRETE FES		4 EACH
JACK 30" CULV PIPE 2 CLASS IV		52 LF
30" CULV PIPE 2		40 LF
42" RD EQUIV CULV PIPE 2		246 LF
30" CULV PIPE 2 CLASS IV		52 LF
18" CULV PIPE 3,4,5		7 LF
30" CULV PIPE 2,7,8		180 LF

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE A		6 ACRE
SEEDING, TYPE B		2 ACRE
MULCH		18 TON

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II		5,600 BDAY
BARRICADE, TYPE III		584 BDAY
SIGN DAY		4,188 EACH
CONTRACTOR FURNISHED SIGN DAY		196 EACH
PAVEMENT MARKING REMOVAL	17,000	LF
TEMP PVMT MARKING, TYPE PAINT	12,500	LF
TEMP PVMT MARKING SURF PREP	6,250	LF
FLASHING ARROW PANEL		98 DAY
FLAGGING		20 DAY
CONCRETE PROTECTION BARRIER	1,075	LF
RELOCATE CONC PROTECTION BARRIER		938 LF
RELOC INERTIAL BARRIER SYSTEM		2 EACH
INERTIAL BARRIER SYSTEM		2 EACH

REPLACEMENT MODULE	16 EACH
TRAFFIC CONTROL MANAGEMENT	76 DAY
MOBILIZATION	LUMP LUMP
RENTAL OF LOADER, FULLY OPERATED	30 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	30 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	30 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	30 HOUR
TEMPORARY SILT CHECK	2,000 LF
TEMPORARY SILT FENCE	3,000 LF

NOTICE TO CONTRACTORS

CALL ORDER 500
 FEDERAL PROJECT NO. IM-80-1(184)
 LOCATION: I-80, POTTER-BROWNSON CROSSOVERS
 COUNTIES: CHEYENNE KIMBALL

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on June 21, 2012. At that time the bids will be opened and read for CONCRETE PAVEMENT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT
 START DATE 08/06/2012 WORKING DAYS 55
 Price Range \$ 500,000 to \$ 2,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning May 29, 2012 at the Lincoln Central Office and June 04, 2012 at the District Engineer's Office at GERING
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.
 This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	61	SHEETS	\$	15.25
CROSS SECTIONS (SHEETS X1 THRU X54)	54	SHEETS	\$	13.50
STANDARD PLANS	6	SHEETS	\$	1.50

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T3	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-W1 - 2-W5	WETLANDS
2-H1 - 2-H14	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
2-L1 - 2-L6	GRADES
2-L7 - 2-L14	GEOMETRICS
3 - 7	PLAN SHEETS
8	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
9 - 15	ROADWAY LIGHTING PLANS
16 - 18	EARTHWORK DATA SHEETS
19 - 22	DRAINAGE STRUCTURE CROSS SECTIONS
23 - 24	SPECIAL PLAN 1C TEMPORARY SILT CHECKS
X1 - X54	CROSS SECTIONS

STANDARD PLANS

410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
428-R3	CONCRETE PLUGS AND FIELD PIPE TAP DETAILS
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 3 CONCRETE PAVEMENT

SURV OF TEMP TRAFFIC CONT DEVICES	104	CDAY
BARRICADE, TYPE II	10,840	BDAY
BARRICADE, TYPE III	649	BDAY
TEMPORARY SIGN DAY	700	EACH
SIGN DAY	5,200	EACH
FLASHING ARROW PANEL	233	DAY
MOBILIZATION	LUMP	LUMP

GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		672 MGAL
EARTHWORK MEASURED IN EMBANKMENT	16,316	CY
REMOVE PAVEMENT	1,378	SY
TIE BARS	502	EACH
10" CONC PVMT, 47B-3500	4,676	SY
TAPPING EXISTING STRUCTURE	1	EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	145	CY
18" METAL FLARED-END SECTION	19	EACH
SURFACING 10"	10,094	SY
RENTAL OF LOADER, FULLY OPERATED	10	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	10	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	10	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10	HOUR
EARTH SHOULDER CONSTRUCTION	136	STA
SUBGRADE PREPARATION	14,770	SY
CROSSOVER LIGHTING SYSTEM	1	EACH
NO.1		
CROSSOVER LIGHTING SYSTEM	1	EACH
NO.2		
CROSSOVER LIGHTING SYSTEM	1	EACH
NO.3		
CROSSOVER LIGHTING SYSTEM	1	EACH
NO.4		
SEEDING, TYPE B	9	ACRE
TEMPORARY SILT CHECK	200	LF
TEMPORARY SILT FENCE	500	LF
TEMPORARY MULCH	2	TON
HYDROMULCH	14	TON
18" CULV PIPE 3,4,5	1,218	LF

NOTICE TO CONTRACTORS

CALL ORDER 505
 STATE PROJECT NO. RD-71-2(1014)
 LOCATION: N-71, KIMBALL NORTH AND SOUTH
 COUNTIES: KIMBALL

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on June 21, 2012. At that time the bids will be opened and read for GRAD GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 3.1 MILES
 START DATE 08/20/2012 WORKING DAYS 110
 Price Range \$ 2,000,000 to \$ 4,000,000

Plans and specifications may be seen beginning May 29, 2012 at the Lincoln Central Office and June 04, 2012 at the District Engineer's Office at GERING
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	71	SHEETS	\$ 17.75
CROSS SECTIONS (SHEETS X1 THRU X10)	10	SHEETS	\$ 2.50
STANDARD PLANS	25	SHEETS	\$ 6.25

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T13	TYPICAL CROSS SECTIONS
2-S1 - 2-S3	SUMMARY OF QUANTITIES
2-A1 - 2-A7	PHOTO MAPS
2-H1 - 2-H4	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
2-P1 - 2-P4	PHASING PLANS
2-L1 - 2-L2	GEOMETRICS & GRADES
2-L3 - 2-L10	CONSTRUCTION & REMOVAL
3	PLAN & PROFILE SHEET
4 - 10	PLAN SHEETS
11 - 14	TRAFFIC CONTROL PLAN--PHASE 1-4
15	TEMPORARY PAVEMENT MARKING PLAN
16 - 19	PAVEMENT MARKING PLAN--US-30
20 - 21	PAVEMENT MARKING PLAN--CHESTNUT ST.
22	PAVEMENT MARKING PLAN--PARKING DETAIL
23	PAVEMENT MARKING DETAILS
24	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
25	TRAFFIC CONTROL PLAN--ONE LANE ROAD SIGNAL CONTROL (PHASE 1 & 2)
26	TEMPORARY TRAFFIC SIGNAL
27	EARTHWORK DATA SHEET
28	SPECIAL PLAN 1C GUARDRAIL PLAN
29 - 30	SPECIAL PLAN 2C CONCRETE PROTECTION BARRIER
X1 - X10	CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
303	(2 SHEETS) CURB RAMP
329-R9	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
740	MIDWEST GUARDRAIL SYSTEM BRIDGE APPROACH SECTION
743	(4 SHEETS) GUARDRAIL DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		504 CY
REMOVE PAVEMENT		2,517 SY
SAWING PAVEMENT		552 LF
REMOVE ASPHALT SURFACE		3,701 SY
REMOVE DRIVEWAY		90 SY
REMOVE WALK		795 SY
REMOVE CURB		2,066 LF
REMOVE GUARDRAIL		225 LF

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		225 LF
BRIDGE APPROACH SECTIONS		4 EACH
GUARDRAIL END TREATMENT, TYPE II		4 EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES		897 STA
OVERLAY SOLID LINES		947 STA
PERMANENT PAVEMENT MARKING PAINT		2,100 LF
MOBILIZATION	LUMP	LUMP
REMOVE		100 SY
AND RESET FLAGSTONE		
TIE BARS		871 EACH
CONCRETE CURB REPAIR		1,744 LF
COMB CONC 47B-3500 CURB & GUTTER		52 LF
CONC 47B-3000 SIDEWALKS		877 SY
DETECTABLE WARNING PANEL		554 SF
CONC 47B-3500 DRIVEWAY		90 SY
CONC PVMT REPAIR TYPE A FULL DEPTH		25 CY
CONC PVMT REPAIR TYPE B FULL DEPTH		203 CY
CONC PVMT REPAIR TYPE C FULL DEPTH		1,403 CY
8" CONC PVMT, 47B-3500		1,107 SY
9" DOWELED CONC PVMT, 47B-3500		2,314 SY
10" CONC PVMT, 47B-3500		179 SY
CONC PVMT, PR-3500		141 CY
JOINT REPAIR		
HANDICAPPED SYMBOL		4 EACH
ARROW, PREF PVMT MRKING T-4 GROOVED		28 EACH
24" WHITE PREF PVMT MKING T-4 GROOVED		600 LF
5" WHT WET RFLC THERMOPLSTC PVMT MRK,GVD		32,400 LF
12" WHT WET RFLC THERMO PVMT MRKING, GVD		100 LF
5" YEL WET RFLC THERMOPLSTC PVMT MRK,GVD		38,600 LF
12" YEL WET RFLC THERMOPLST PVMT MRK,GVD		500 LF
HYDRATED LIME FOR ASPHALT MIXTURES		201 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		10 TON
FOUNDATION COURSE REPLACEMENT		51 CY
FOUNDATION COURSE		2,314 SY
4"		
ASPH CONC FOR ST MAIN PTCHG TY SPR(FINE)		1,000 TON
ASPH CONC, TYPE SPR (FINE)		19,570 TON
ASPH CONC FOR PATCHING, TYPE SPR (FINE)		500 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH		35 TON
PERF GRADED BINDER (64-34)		702 TON
TACK COAT		26,820 GAL
FOG SEAL		1,100 GAL
WATER		27 MGAL
EARTH SHOULDER CONSTRUCTION		17 STA
SUBGRADE PREPARATION		7,332 SY
COLD MILLING, CLASS 3		11,876 SY
COLD MILLING, CLASS 3		118,704 SY

TYPE A		
COLD MILLING, CLASS 3		5,570 SY
TYPE B		
RAP INCENTIVE PAYMENT		34,119 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B		1 ACRE
SODDING		77 SY
MULCH		1 TON
ADJUST VALVE BOX TO GRADE		5 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II		10,538 BDAY
BARRICADE, TYPE III		3,196 BDAY
TEMPORARY SIGN DAY		266 EACH
SIGN DAY		19,362 EACH
CONTRACTOR FURNISHED SIGN DAY		1,269 EACH
TEMP PAVEMENT MARKING REMOVAL		14,800 LF
PAVEMENT MARKING REMOVAL		5,800 LF
TEMP PVMT MARKING, TYPE PAINT		16,900 LF
TEMP PVMT MARKING SURF PREP		16,900 LF
FLAGGING		124 DAY
CONCRETE PROTECTION BARRIER		1,200 LF
RELOCATE CONC PROTECTION BARRIER		1,200 LF
TEMPORARY RUMBLE STRIP		4 EACH
TEMPORARY TRAFFIC SIGNAL		1 EACH
TRAFFIC CONTROL MANAGEMENT		201 DAY
FIELD OFFICE		1 EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		50 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED		50 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		50 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		50 HOUR
TEMPORARY SILT FENCE		200 LF

NOTICE TO CONTRACTORS

CALL ORDER 605
 FEDERAL PROJECT NO. NH-83-2(133)
 LOCATION: N-92/US-83, STAPLETON SOUTH
 COUNTIES: LINCOLN LOGAN

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on June 21, 2012. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 6.6 MILES
 START DATE 08/06/2012 WORKING DAYS 50
 Price Range \$ 1,000,000 to \$ 3,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning May 29, 2012 at the Lincoln Central Office and June 04, 2012 at the District Engineer's Office at NORTH PLATTE
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	26 SHEETS	\$	6.50
STANDARD PLANS	12 SHEETS	\$	3.00

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-A1 - 2-A7	PHOTO MAPS
2-H1 - 2-H3	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION
2-N2 - 2-N3	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3 - 9	PLAN SHEETS
10	TEMPORARY PAVEMENT MARKING PLAN
11	DRAINAGE STRUCTURE CROSS SECTION
12	SPECIAL PLAN 1C CONCRETE FLUME, TYPE II

STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
501-R5	(3 SHEETS) EROSION CONTROL
547-R1	(2 SHEETS) CONCRETE FLUME, TYPE VII
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	8,000	B DAY
BARRICADE, TYPE III	360	B DAY
TEMPORARY SIGN DAY	700	EACH
SIGN DAY	8,220	EACH
OVERLAY BROKEN LINES	1,053	STA
OVERLAY SOLID LINES	2,106	STA
FLAGGING	100	DAY
FURNISHING AND OPERATING PILOT VEHICLE	50	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP

REMOVE CONCRETE FLUME	3 EACH
CAST IRON GRATE & FRAME	206 LB
FLUME SPILLWAY	15 LF
CONCRETE FLUME, TYPE II	2 EACH
47B-3000 CONC FOR INLET & JUNCTION BOXES	1 CY
RE-STEEL FOR INLET & JCT BOX	115 LB
HYDRATED LIME FOR ASPHALT MIXTURES	210 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	5 TON
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	500 TON
ASPH CONC, TYPE SPS	6,950 TON
ASPH CONC, TYPE SPR	20,870 TON
PLACE ASPH CONC FOR DRIVE & INTER	4,100 SY
ASPH CONCRETE FOR PATCHING, TYPE SPR	200 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	19 TON
PERF GRADED BINDER (52-34)	243 TON
PERF GRADED BINDER (64-34)	737 TON
CONSTRUCTING ASPH CONC CURB	649 LF
PREP OF INTER & DRIVE	183 SY
TACK COAT	28,840 GAL
FOG SEAL	82 GAL
RENTAL OF LOADER, FULLY OPERATED	20 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	20 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	20 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	20 HOUR
COLD MILLING, CLASS 3	532 STA
COLD MILLING, CLASS 5	3,917 SY
COLD MILLING, CLASS 3	708 STA
TYPE A	
RUMBLE STRIPS, ASPHALT	702 STA
RAP INCENTIVE PAYMENT	47,634 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP
EROSION CONTROL, CLASS 1B	187 SY
15" CULV PIPE 3,4,5	9 LF

NOTICE TO CONTRACTORS

CALL ORDER 700
 FEDERAL PROJECT NO. BR-46-1(102)
 LOCATION: N-46, OXFORD SOUTH BRIDGE
 COUNTIES: FURNAS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on June 21, 2012. At that time the bids will be opened and read for GRAD CONC PAVE CULV SEED BR GDRL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES

START DATE 08/20/2012 WORKING DAYS 175
 Price Range \$ 3,000,000 to \$ 6,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning May 29, 2012 at the Lincoln Central Office and June 04, 2012 at the District Engineer's Office at MCCOOK

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	68	SHEETS	\$	17.00
CROSS SECTIONS (SHEETS X1 THRU X31)	31	SHEETS	\$	7.75
STANDARD PLANS	32	SHEETS	\$	8.00

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-K1 - 2-K2	SUMMARY OF SOILS & GEOTECHNICAL INFORMATION
2-W1 - 2-W4	WETLANDS
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & CONTROL POINTS
2-N1 - 2-N4	GENERAL INFORMATION
2-P	PHASING
2-L1	GEOMETRICS
2-L2 - 2-L5	CONSTRUCTION & REMOVALS
2-L6 - 2-L9	EROSION CONTROL
2-L10	FENCING
3 - 5	PLAN & PROFILE SHEET
6	5" PAVEMENT MARKING PLAN
7	TEMPORARY PAVEMENT MARKING PLAN
8 - 10	EARTHWORK DATA SHEETS
11 - 13	DRAINAGE STRUCTURE CROSS SECTIONS
14 - 32	SPECIAL PLAN 1 CONCRETE GIRDER BRIDGE (NU1350) STA. 102+60
33 - 34	SPECIAL PLAN 1C MULTIPLE SPAN CONCRETE BOX CULVERT STA. 81+52
35	SPECIAL PLAN 2C DOWELING INTO EXISTING CONCRETE BOX CULVERT FOR CULVERT EXTENSION STA. 81+52
36	SPECIAL PLAN 3C GUARDRAIL PLAN
37	SPECIAL PLAN 4C 4-STRAND BARBED WIRE FENCE
38	SPECIAL PLAN 5C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
39 - 40	SPECIAL PLAN 6C TEMPORARY SILT CHECKS
R1 - R3	RIGHT-OF-WAY SHEETS
X1 - X31	CROSS SECTION SHEETS

STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE & BITUMINOUS SURFACING
301-R10	(3 SHEETS) PAVEMENT DETAILS
329-R9	(4 SHEETS) 8 TO 10 INCH CONCRETE PAVEMENT

411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
490	BIRD EXCLUSION NETTING
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
547-R1	(2 SHEETS) CONCRETE FLUME, TYPE VII
710-R4	(2 SHEETS) FENCE DETAILS
740	MIDWEST GUARDRAIL SYSTEM BRIDGE APPROACH SECTION
743	(4 SHEETS) GUARDRAIL DETAILS
805	R.O.W. POST
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		51 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION		58,196 CY
EXCAVATION (ESTABLISHED QUANTITY)		360 CY
EXCAVATION, BORROW		102,421 CY
WATER		1,043 MGAL
RIGHT-OF-WAY POST		14 EACH
SALVAGING AND PLACING TOPSOIL		85,216 SY
REMOVE ASPHALT SURFACE		11,463 SY
REMOVE		3 EACH
WILLOW MATTRESS		
24" DRIVE PIPE 2,3,4,5,6,7 OR 8		66 LF
CULVERT SANDFILL		14 CY
REMOVE GUARDRAIL		1,361 LF
COVER CROP SEEDING		19 ACRE
EROSION CONTROL, CLASS 1D		4,373 SY
EROSION CONTROL, CLASS 2A		254 SY
EROSION CHECKS, TYPE WATTLE		450 LF
FABRIC SILT FENCE-LOW POROSITY		8,160 LF
SLASH MULCH		500 CY
15" CULV PIPE 3,4,5		426 LF

GROUP 3 CONCRETE PAVEMENT

PERMANENT PAVEMENT MARKING PAINT		16,000 LF
MOBILIZATION	LUMP	LUMP
GRAVEL SURFACE COURSE		15 CY
9" CONC PVMT, 47B-3500		220 SY
9" DOWELED CONC PVMT, 47B-3500		11,207 SY
TEMPORARY SURFACING		1,733 SY
8"		
CONC SMOOTHNESS TESTING	LUMP	LUMP
CAST IRON GRATE & FRAME		824 LB
47B-3000 CONC FOR INLET & JUNCTION BOXES		8 CY
RE-STEEL FOR INLET & JCT BOX		720 LB
END POSTS		2 EACH
CORNER POSTS		4 EACH
BARBED WIRE FENCE		1,302 LF
FOUNDATION COURSE		11,427 SY
4"		
GRANULAR SUBDRAIN		86 EACH
PREP OF INTER & DRIVE		220 SY
WATER		55 MGAL
EARTH SHOULDER CONSTRUCTION		84 STA
SUBGRADE PREPARATION		11,207 SY
SURFACE UNDER GUARDRAIL		648 SY
15" CULV PIPE 3,4,5,6		178 LF

GROUP 4 CULVERT AT STA 81+52

MOBILIZATION	LUMP	LUMP
PREPARATION OF STRUCTURE AT STA 81+52		1 EACH
EXCAVATION FOR BOX CULVERTS		131 CY
47B-3000 CONC FOR BOX CULV		184 CY
RE-STEEL FOR BOX CULVERT	18,498	LB
CRUSHED ROCK FOR BASE COURSE		44 CY

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE A		14 ACRE
SEEDING, TYPE B		3 ACRE
SEEDING, TYPE WETLAND		2 ACRE
MULCH		38 TON

GROUP 6 BRIDGE AT STA 102+60

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		2,950 CY
RIPRAP FILTER FABRIC		680 SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000		158 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	28,190	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.3 EXCAVATION	LUMP	LUMP
BENT NO.4 EXCAVATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE A		73 LF
EXPANSION BEARING, TFE TYPE		32 EACH
FIXED BEARING		8 EACH
47B-3000 CONC FOR BRIDGE		352 CY
47BD-4000 CONC FOR BRIDGE		733 CY
PRECAST/PRESTRESSED CONC SUPERSTR 102+60	LUMP	LUMP
REMOVE STRUCTURE AT STA 102+53		1 EACH
ACCESS BRIDGE	LUMP	LUMP
STRUC STEEL FOR SUBSTRUCTURE		4,195 LB
ROCK RIPRAP, TYPE B		405 TON
EPOXY COATED RE-STEEL	195,910	LB
SUBSURFACE DRAINAGE MATTING		65 SY
HP 12"X53# STEEL PILING		4,480 LF
TEST PILE		6 EACH
STEEL SHEET PILING	2,520	SF
GRANULAR BACKFILL		315 CY

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		400 LF
BRIDGE APPROACH SECTIONS		4 EACH
GUARDRAIL END TREATMENT, TYPE II		4 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II		1,500 BDAY
BARRICADE, TYPE III		1,270 BDAY
SIGN DAY		9,970 EACH
CONTRACTOR FURNISHED SIGN DAY		150 EACH
TEMP PVMT MARKING, TYPE PAINT		2,000 LF
TEMP PVMT MARKING SURF PREP		1,000 LF
FLAGGING		60 DAY
TRAINING		1,000 HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		100 HOUR

RENTAL OF DUMP TRUCK, FULLY OPERATED	100 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	100 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	100 HOUR
TEMPORARY SEEDING	4 ACRE
TEMPORARY SILT CHECK	1,500 LF
TEMPORARY SILT FENCE	1,500 LF
TEMPORARY EARTH CHECK	500 LF
TEMPORARY MULCH	4 TON

Plan and Informational Proposal Order Form
Projects to be bid on:
June 21, 2012

Payment required for plans prior to NDOR completing this order.
 dor.ContractsOnlineOrders@nebraska.gov FAX: (402) 479-4845

Document No.

<input type="checkbox"/> Check/Cash	Receipt No.
<input type="checkbox"/> Advance Plans Account No.	
Credit Card	
<input type="checkbox"/> Visa	<input type="checkbox"/> MasterCard
Expiration Date:	
Card No.:	

Please indicate: <input type="checkbox"/> Mail <input type="checkbox"/> Hold	<input type="checkbox"/> Fed Ex. Standard Overnight	Comments:	FOR OFFICE USE ONLY	
	<input type="checkbox"/> Fed Ex. Priority Overnight <input type="checkbox"/> UPS Overnight Acct. No.		Reference I.D.:	Date:

4-Digit Vendor No.:	Ordered By:	Grand Total - Informational Proposals: x \$5.00
Company:		All plans in letting on CD: x \$25.00
Street Address:		Grand Total - 1/2 Size Plans: x \$.25
		Grand Total - Full Size Plans: x \$.50
PO Box:	City:	State:
		Zip Code:
Phone No. (include Area Code):		Fax No. (include Area Code):
		Tax Code
		Sales Tax
		%
Processed by:	Date:	Proposals/CD Filled:
		Blueprint Plans/Proposals Filled:
		Date:
		Total

If requesting Plan or Proposal CD(s) only, your name will not appear on the Planholders list unless your company has been issued Bid Proposals or you submit the "Planholders Registration" from the NDOR website.

CD containing Informational Proposals for all projects in letting. (No Charge) Total Number Requested: →					
Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. 1/2 size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
100	BRO-7080(40)				
105	RD-180-9(1182)				
200	ITS-ITSN(1063)				
300	STP-9-4(117)				
400	MISC-34-4(1026)				
500	IM-80-1(184)				
505	RD-71-2(1014)				
605	NH-83-2(133)				
700	BR-46-1(102)				

Standard Plans: Refer to "Publication Order Form" for complete sets of Standard Plans and Standard/Special Plans Books

Number of Sets Requested	Standard Plan No.(s)	Number of Sheets Shown in List of Plans	Check Size		Total No. of Sheets	
			1/2	Full	1/2	Full
			<input type="checkbox"/>	<input type="checkbox"/>		

