

August 2, 2012

TO ALL CONCERNED:

The Department of Roads has scheduled a bid letting to be held in this office August 30, 2012 at 1:30 p.m.

The Notice to Contractors includes:

1. Website Information
2. Notice to all Bidders
3. Ordering Instructions
4. Notices to Contractors including time allowances and lists of plans
5. Plan and Informational Proposal Order Form
6. R-125 "Request for Bidding Proposal Forms"

Projects containing DBE Goals are indicated in the "Notice to Contractors".

Please check the important letting information on the website frequently.

The last day to submit acceptable prequalification statements for this letting is by 5:00 p.m. on Monday, August 20, 2012.

Sincerely,

Kimberly K. Baker, Supervisor
Contract Lettings Section
Construction Division

KKB/amh

WEBSITE INFORMATION

The Nebraska Department of Roads, Contract Lettings Section, will be utilizing the Internet as our means of communicating with the contracting industry.

Documents that are posted on the web are:

- Letting Schedule
- Notices to Contractors
- Informational Proposals
- Letting Plans
- List of Prequalified Contractors
- Planholders List
- Informational Addendums
- EBS (Electronic Bidding System)
- Apparent Low Bidders
- Bid Tabulations
- Standard Item Listing
- Awarded Average Unit Prices (AUP) Report

Hard copies of these documents will be available for inspection in the Contracts Office.

There will be a charge for reproduction of any of these documents.

The Website address is: www.Transportation.Nebraska.gov

If you have any questions as you are using our Website, please contact us at:

Nebraska Department of Roads
Contract Lettings Section
P.O. Box 94759
Lincoln, NE 68509-4759

Phone (402) 479-4525
FAX (402) 479-3803

Email: DOR.ContractLettings@nebraska.gov

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free “hotline” Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the “hotline” to report such activities.

The “hotline” is part of the DOT’s continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

ORDERING INSTRUCTIONS FOR PLANS AND PROPOSALS

Refer to the "Notice to Contractors" for the call order number, project number, and list of plans for each project.

Order forms are available on the NDOR website in PDF and Word format. Complete the appropriate forms as follows:

Request for Bidding Proposal Forms (R-125)

Bidders must submit an R-125, Request for Bidding Proposals Forms and be issued bid proposals prior to submitting bids.

Proposals to be used for bidding must be requested on this form. Bidding proposals will be issued only to contractors who are currently prequalified to bid with this department.

There is no charge for bid proposals.

Plan and Informational Proposal Order Form:

Payment is required prior to NDOR completing the order. This payment is not refundable.

Proposals to be used for information only can be ordered as follows:

1. Each individual project.
2. CD that contains all projects in letting. Does not contain addenda.

Plans for each project can be ordered as follows:

1. Complete set.
2. Set less Roadway Cross-Sections and Standards.
3. Set less Standards.
4. Set less Roadway Cross-Sections.
5. Individual sheets
6. CD that contains all projects in letting.

Prices are: Informational Proposals: \$5.00 each
CD containing Informational Proposals: No Charge
Plans per sheet: \$.25 for half-size (12" x 18")
\$.50 for full-size (24" x 36")
CD containing plans: \$25.00 each

Cost shown on the list of plans is for ½ size plans. Nebraska residents add appropriate state sales tax and city tax that is determined by delivery within cities imposing a sales tax.

Select the method of payment on the plan order form:

1. Credit Card (Visa or MasterCard only)
Orders with approved credit cards can be processed without delays.
2. Advanced payment account
Requires a money deposit with recommended \$200 minimum. Failure to have sufficient funds in your account to cover cost of the plans may delay the processing of your order.
This account may also be used to purchase other NDOR publications.
3. Check/cash
Send checks made payable to the Nebraska Dept. of Roads with your completed plan order form. Please do not mail cash.

To order complete sets of standard plans (1/2 size) please use the "Publications Order Form" available on the website. Cost is \$35.00 plus applicable sales tax. As new standards become available they may be purchased at \$0.25 per sheet.

Address: Nebraska Department of Roads
Contracts Section
1500 Highway 2
PO Box 94759
Lincoln NE 68509-4759

FAX (402) 479-3803

Phone: (402) 479-4525

Email: DOR.ContractLettings@nebraska.gov

October 10, 2008

NOTICE TO CONTRACTORS

CALL ORDER 100
 FEDERAL PROJECT NO. STPE-3305(9)
 LOCATION: ON A COUNTY ROAD, EAST OF DENTON
 COUNTIES: LANCASTER

The Nebraska Department of Roads will receive sealed bids for the COUNTY OF LANCASTER in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on August 30, 2012. At that time the bids will be opened and read for GRAD CULV SEED BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 3.3 MILES
 START DATE 04/01/2013 WORKING DAYS 80
 Price Range \$ 3,000,000 to \$ 6,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning August 07, 2012 at the Lincoln Central Office and August 13, 2012 at the District Engineer's Office at LINCOLN. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	39 SHEETS	\$	9.75
CROSS SECTIONS (SHEETS X1 THRU X29)	29 SHEETS	\$	7.25
STANDARD PLANS	15 SHEETS	\$	3.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS OF IMPROVEMENT
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-L1	INTERSECTION DETAILS
2-L2 - 2-L4	EROSION CONTROL PLAN
2-L5	PAVEMENT MARKING PLAN & DETOUR PLAN
3 - 11	PLAN & PROFILE SHEETS
12 - 19	CULVERT CROSS SECTIONS
20	SPECIAL PLAN 1C CONCRETE HEADWALLS FOR PIPE & PIPE ARCH CULVERTS
21	SPECIAL PLAN 2C MAILBOX SUPPORT POST
22	SPECIAL PLAN 3C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
23 - 24	SPECIAL PLAN 4C TEMPORARY SILT CHECKS
25 - 26	SPECIAL PLAN 5C REINFORCED CONCRETE BOX CULVERTS SINGLE SPAN WITH 5-FOOT RISE
27 - 28	SPECIAL PLAN 6C REINFORCED CONCRETE BOX CULVERTS SINGLE SPAN WITH 6-FOOT RISE
R1 - R3	RIGHT-OF-WAY SHEETS
X1 - X29	CROSS SECTIONS

STANDARD PLANS

403-R2	(2 SHEETS) BENDS AND BREAKS FOR CONCRETE BOX CULVERTS
411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		52 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		396 MGAL
EARTHWORK MEASURED IN EMBANKMENT		58,670 CY
REMOVE ASPHALT SURFACE		46,203 SY
REMOVE DRIVEWAY		617 SY
18" DRIVE PIPE 2,3,4,5,6,7 OR 8		576 LF
COVER CROP SEEDING		27 ACRE
EROSION CONTROL, CLASS 1D		3,432 SY
EROSION CHECKS, TYPE WATTLE		1,380 LF
FABRIC SILT FENCE-LOW POROSITY		3,320 LF

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE STRUCTURE		1 EACH
AT STA. 73+53		
REMOVE STRUCTURE		1 EACH
AT STA. 93+78		
REMOVE STRUCTURE		1 EACH
AT STA. 125+34		
REMOVE STRUCTURE		1 EACH
AT STA. 154+65		
REMOVE STRUCTURE		1 EACH
AT STA. 163+97		
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		1,683 CY
EXCAVATION FOR BOX CULVERTS		411 CY
47B-3000 CONC FOR HDWL		19 CY
47B-3000 CONC FOR BOX CULV		250 CY
RE-STEEL FOR HEADWALL		1,588 LB
RE-STEEL FOR BOX CULVERT		26,478 LB
42" CULV PIPE 4,5		420 LF
54" CULV PIPE 4,5		96 LF
30" CULV PIPE 4,5,6		97 LF
36" CULV PIPE 4,5,6		146 LF
54" CULV PIPE 2,4,5		92 LF
24" CULV PIPE 2,4,5,7,8		64 LF
30" CULV PIPE 2,4,5,7,8		174 LF
36" CULV PIPE 2,4,5,7,8		66 LF

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE A		17 ACRE
SEEDING, TYPE B		10 ACRE
MULCH		61 TON

GROUP 9 BITUMINOUS

MOBILIZATION	LUMP	LUMP
GRAVEL SURFACE COURSE		311 TON
CRUSHED ROCK EMBEDMENT		11 STA
CRUSHED ROCK SURFACE COURSE		2,830 TON
MAILBOX POST		19 EACH
4" WHITE THERMOPLASTIC, GROOVED		38,049 LF
4" YELLOW THERMOPLASTIC, GROOVED		31,251 LF
HYDRATED LIME FOR ASPHALT MIXTURES		272 TON
STABILIZED SUBGRADE		57,591 SY
TYPE FLY ASH		
SHOULDER SUBGRADE PREPARATION		346 STA
ASPH CONC, TYPE SPS		10,130 TON
ASPH CONC, TYPE SPR		27,260 TON
PLACE ASPH CONC FOR DRIVE & INTER		3,504 SY
PERF GRADED BINDER (52-34)		354 TON
PERF GRADED BINDER (64-34)		954 TON

PREP OF INTER & DRIVE	3,504 SY
TACK COAT	7,880 GAL
WATER	387 MGAL
EARTH SHOULDER CONSTRUCTION	19 STA
FLY ASH	2,302 TON
RAP INCENTIVE PAYMENT	63,563 EACH
ASPH PVMT SMOOTHNESS TESTING	LUMP LUMP

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE III	3,792 BDAY
SIGN DAY	6,320 EACH
CONTRACTOR FURNISHED SIGN DAY	2,212 EACH
MOBILIZATION	LUMP LUMP
RENTAL OF LOADER, FULLY OPERATED	35 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	35 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	35 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	35 HOUR
TEMPORARY SILT CHECK	1,000 LF
TEMPORARY SILT FENCE	2,000 LF
TEMPORARY EARTH CHECK	1,000 LF
TEMPORARY MULCH	6 TON

NOTICE TO CONTRACTORS

CALL ORDER 105
 FEDERAL PROJECT NO. HSIP-D1(102)
 LOCATION: DISTRICT 1-DISTRICTWIDE STRIPING
 COUNTIES: GAGE LANCASTER
 OTOE OTHERS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on August 30, 2012. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY
 START DATE 10/01/2012 CALENDAR DAYS 398
 Price Range \$ 500,000 to \$ 2,000,000

Plans and specifications may be seen beginning August 07, 2012 at the Lincoln Central Office and August 13, 2012 at the District Engineer's Office at LINCOLN
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.
 This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	5 SHEETS	\$	1.25
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

- 1 TITLE PAGE
 & SUMMARY OF QUANTITIES
- 2 PAVEMENT MARKING QUANTITIES (D-1)
- 3 TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE
 (FREEWAY-INTERSTATE)
- 4 TYPICAL PAVEMENT MARKING PLAN
 (INTERSTATE/EXPRESSWAY)
- 5 PAVEMENT MARKING DETAILS

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	20,030	B	DAY
BARRICADE, TYPE III	102	B	DAY
TEMPORARY SIGN DAY	2,448	E	EACH
PERMANENT PAVEMENT MARKING	2,396,350	L	LF
PERMANENT PAVEMENT MARKING 12"	18,900	L	LF
FLASHING ARROW PANEL	102	D	DAY
FLAGGING	8	D	DAY
MOBILIZATION	LUMP	L	LUMP
ARROW, PREF PVMT MRKING T-4 GROOVED	2	E	EACH

NOTICE TO CONTRACTORS

CALL ORDER 110
 FEDERAL PROJECT NO. BR-3265(5)
 LOCATION: ON A COUNTY ROAD, IN WYMORE
 COUNTIES: GAGE

The Nebraska Department of Roads will receive sealed bids for the COUNTY OF GAGE in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on August 30, 2012. At that time the bids will be opened and read for GR CONC PAVE CULV BR GDRL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES

START DATE 05/13/2013 WORKING DAYS 115
 Price Range \$ 500,000 to \$ 2,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning August 07, 2012 at the Lincoln Central Office and August 13, 2012 at the District Engineer's Office at LINCOLN. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	34	SHEETS	\$	8.50
CROSS SECTIONS (SHEETS X1 THRU X7)	7	SHEETS	\$	1.75
STANDARD PLANS	21	SHEETS	\$	5.25

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS OF IMPROVEMENT
2-S	SUMMARY OF QUANTITIES
2-W	WETLANDS
2-N1 - 2-N2	GENERAL INFORMATION & DETOUR LOCATION MAP
2-L1 - 2-L2	JOINTS & GRADES
2-L3 - 2-L4	EROSION CONTROL
3	PLAN & PROFILE SHEET
4	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
5	DRAINAGE STRUCTURE CROSS SECTIONS
6 - 14	SPECIAL PLAN 1 CONCRETE SLAB BRIDGE STA. 17+20.00
15 - 22	SPECIAL PLAN 1C GUARDRAIL PROTECTION
23	SPECIAL PLAN 2C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
24 - 25	SPECIAL PLAN 3C TEMPORARY SILT CHECKS
R1	RIGHT-OF-WAY DATA
X1 - X7	CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
308-R1	LOCAL ROADS MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
329-R9	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		1 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		77 MGAL
EARTHWORK MEASURED IN EMBANKMENT		11,022 CY
REMOVE ASPHALT SURFACE		4,132 SY
24" DRIVE PIPE 2,3,4,5,6,7 OR 8		130 LF
SEEDING, TYPE A		4 ACRE
SEEDING, TYPE B		1 ACRE
COVER CROP SEEDING		5 ACRE
EROSION CONTROL, CLASS 1D		4,290 SY
EROSION CONTROL, CLASS 2A		95 SY
EROSION CHECKS, TYPE 1D		18 BALE
FABRIC SILT FENCE-LOW POROSITY		2,213 LF
MULCH		11 TON

GROUP 3 CONCRETE PAVEMENT

PERMANENT PAVEMENT MARKING PAINT		5,259 LF
MOBILIZATION	LUMP	LUMP
CRUSHED ROCK SURFACE COURSE		14 TON
SPEC SURF CRSE FOR MAILBOX TURNOUTS		69 SY
MAILBOX POST		2 EACH
CONC 47B-3500 DRIVEWAY		264 SY
8" DOWELED CONC PAVE, CLASS 47B-3500		4,070 SY
FOUNDATION COURSE		4,070 SY
4"		
GRANULAR SUBDRAIN		24 EACH
PREP OF INTER & DRIVE		264 SY
WATER		21 MGAL
EARTH SHOULDER CONSTRUCTION		30 STA
SUBGRADE PREPARATION		4,070 SY

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		130 CY
36" FLARED-END SECTION		1 EACH
42" CONCRETE FLARED-END SECTION		2 EACH
42" CULV PIPE 2		60 LF
36" CULV PIPE 3,4,5,6		74 LF

GROUP 6 BRIDGE AT STA 17+20.00

MOBILIZATION	LUMP	LUMP
RIPRAP FILTER FABRIC		1,932 SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000		132 CY
RE-STEEL FOR PAVEMENT APPROACHES		21,265 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
47B-3000 CONC FOR BRIDGE		217 CY
47BD-4000 CONC FOR BRIDGE		313 CY
RE-STEEL FOR BRIDGE		69,625 LB
REMOVE STRUCTURE		1 EACH
AT STA 17+23.00		
ACCESS CROSSING	LUMP	LUMP
STRUC STEEL FOR SUBSTRUCTURE		1,785 LB
ROCK RIPRAP, TYPE B		1,635 TON
SALVAGING AND PLACING TOPSOIL ON RIPRAP		1,932 SY
HP 12"X53# STEEL PILING		1,190 LF
ROCK SOCKET		104 LF

DRILLED SHAFT 36"	136 LF
STEEL SHEET PILING	2,743 SF

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
BRIDGE APPROACH SECTIONS		4 EACH
MELT		4 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE III	2,828 BDAY
SIGN DAY	3,636 EACH
CONTRACTOR FURNISHED SIGN DAY	808 EACH
TRAINING	500 HOUR
MOBILIZATION	LUMP LUMP
RENTAL OF LOADER, FULLY OPERATED	30 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	30 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	30 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	30 HOUR
TEMPORARY SILT CHECK	300 LF
TEMPORARY SILT FENCE	500 LF
TEMPORARY EARTH CHECK	300 LF
TEMPORARY MULCH	2 TON

NOTICE TO CONTRACTORS

CALL ORDER 115
STATE PROJECT NO. RD-180-9(1155)
LOCATION: I-180, CORNHUSKER HIGHWAY NORTH, LINCOLN
COUNTIES: LANCASTER

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on August 30, 2012. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY
START DATE 06/17/2013 WORKING DAYS 10
Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning August 07, 2012 at the Lincoln Central Office and August 13, 2012 at the District Engineer's Office at LINCOLN
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	6 SHEETS	\$	1.50
STANDARD PLANS	2 SHEETS	\$	0.50

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T3	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
3	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)

STANDARD PLANS

920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	1,100	B	DAY
BARRICADE, TYPE III	72	B	DAY
TEMPORARY SIGN DAY	280	E	EACH
SIGN DAY	315	E	EACH
FLASHING ARROW PANEL	20	D	DAY
MOBILIZATION	LUMP	L	LUMP
SEALING CRACKS	1,482	L	LF
SEALING JOINTS	69,075	L	LF

NOTICE TO CONTRACTORS

CALL ORDER 200
 STATE PROJECT NO. MISC-75-3(1025)
 LOCATION: US-75, FORT CALHOUN SOUTH CULVERT
 COUNTIES: WASHINGTON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on August 30, 2012. At that time the bids will be opened and read for CULVERT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CULVERTS
 START DATE 10/22/2012 WORKING DAYS 35
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning August 07, 2012 at the Lincoln Central Office and August 13, 2012 at the District Engineer's Office at OMAHA
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	23 SHEETS	\$	5.75
CROSS SECTIONS (SHEETS X1 THRU X17)	17 SHEETS	\$	4.25
STANDARD PLANS	15 SHEETS	\$	3.75

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-W	WETLANDS
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
2-L1	CONSTRUCTION & REMOVAL
2-L2	DRAINAGE
3	PLAN & PROFILE SHEET
4	EARTHWORK DATA SHEET
5 - 6	DRAINAGE STRUCTURE CROSS SECTIONS
7	SPECIAL PLAN 1C DOWELING INTO EXISTING CONCRETE ARCH CULVERT FOR BOX CULVERT EXTENSION STA. 183+25.00 LT
8 - 9	SPECIAL PLAN 2C 12' X 12' SINGLE SPAN RC BOX CULVERT STA. 183+25.00 LT
10 - 11	SPECIAL PLAN 3C JUNCTION BOX STA. 184+13.00
12	SPECIAL PLAN 4C AREA INLET WITH BAR
13	SPECIAL PLAN 5C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
14 - 15	SPECIAL PLAN 6C TEMPORARY SILT CHECKS
R1	RIGHT-OF-WAY SHEET
X1 - X17	CROSS SECTIONS

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 4 CULVERT

SIGN DAY	752 EACH
FLAGGING	10 DAY
MOBILIZATION	LUMP LUMP
WATER	20 MGAL
EARTHWORK MEASURED IN EMBANKMENT	1,365 CY
REMOVE CURB	219 LF
CAST IRON COVER & FRAME	125 LB
PREPARATION OF STRUCTURE	1 EACH

AT STA. 183+25 LT.	
PREPARATION OF STRUCTURE	1 EACH
AT STA. 184+13 LT.	
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	277 CY
EXCAVATION FOR BOX CULVERTS	88 CY
47B-3000 CONC FOR BOX CULV	114 CY
47B-3000 CONC FOR INLET & JUNCTION BOXES	5 CY
RE-STEEL FOR BOX CULVERT	16,182 LB
RE-STEEL FOR INLET & JCT BOX	584 LB
30" METAL FLARED-END SECTION	1 EACH
36" METAL FLARED-END SECTION	1 EACH
CRUSHED ROCK FOR BASE COURSE	30 CY
CONSTRUCTING ASPH CONC CURB	125 LF
RENTAL OF LOADER, FULLY OPERATED	5 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	5 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	5 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5 HOUR
EROSION CONTROL, CLASS 1D	1,975 SY
EROSION CHECKS, TYPE WATTLE	119 LF
FABRIC SILT FENCE-LOW POROSITY	266 LF
TEMPORARY SILT CHECK	200 LF
TEMPORARY SILT FENCE	200 LF
TEMPORARY EARTH CHECK	200 LF
15" CULV PIPE 3,4,5	26 LF
30" CULV PIPE 3,4,5	109 LF
36" CULV PIPE 3,4,5	60 LF

NOTICE TO CONTRACTORS

CALL ORDER 205
 FEDERAL PROJECT NO. BH-HSIP-275-6(141)
 LOCATION: US-275, SCRIBNER NORTH
 COUNTIES: DODGE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on August 30, 2012. At that time the bids will be opened and read for BR GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES

START DATE 07/08/2013 WORKING DAYS 80
 Price Range \$ 250,000 to \$ 1,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning August 07, 2012 at the Lincoln Central Office and August 13, 2012 at the District Engineer's Office at OMAHA

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	44	SHEETS	\$ 11.00
CROSS SECTIONS (SHEETS X1 THRU X9)	9	SHEETS	\$ 2.25
STANDARD PLANS	13	SHEETS	\$ 3.25

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-W1 - 2-W4	WETLANDS
2-H1 - 2-H3	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
3 - 6	PLAN SHEETS
7	TYPICAL TRAFFIC SIGNAL CONTROL PLAN FOR ONE LANE, TWO WAY OPERATION WITH BARRIERS
8	TEMPORARY TRAFFIC SIGNAL
9	TEMPORARY PAVEMENT MARKING PLAN
10 - 11	EARTHWORK DATA SHEETS
12 - 14	SPECIAL PLAN 1 BRIDGE REPAIR STA. 190+67.17
15 - 16	SPECIAL PLAN 2 REMODEL BRIDGE RAIL STA. 213+16.99
17 - 25	SPECIAL PLAN 3 BRIDGE REPAIR STA. 1022+51.31
26 - 29	SPECIAL PLAN 4 BRIDGE REPAIR STA. 1217+93.05
30 - 33	SPECIAL PLAN 1C GUARDRAIL PLAN
34 - 35	SPECIAL PLAN 2C CONCRETE PROTECTION BARRIER
X1 - X9	CROSS SECTIONS

STANDARD PLANS

501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
740	MIDWEST GUARDRAIL SYSTEM BRIDGE APPROACH SECTION
743	(4 SHEETS) GUARDRAIL DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT STA 190+67.17

MOBILIZATION	LUMP	LUMP
ASPHALT PLUG JOINT SYSTEM		84 LF
47BD-4000 CONC FOR BRIDGE		5 CY
PREP BRIDGE		1 EACH
190+67.17		
EPOXY COATED RE-STEEL		1,281 LB

GROUP 6A BRIDGE AT STA 213+16.99

MOBILIZATION	LUMP	LUMP
47BD-4000 CONC FOR BRIDGE		9 CY
PREP BRIDGE		1 EACH
AT STA 213+16.99		
EPOXY COATED RE-STEEL		2,190 LB
CONCRETE REPAIR		5 SF

GROUP 6B BRIDGE AT STA 1022+51.31

MOBILIZATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE A		7 LF
47BD-4000 CONC FOR BRIDGE		122 CY
RE-STEEL FOR BRIDGE		21,379 LB
PREP BRIDGE		1 EACH
1022+51.31		
STRUC STEEL FOR SUPERSTRUCTURE		820 LB
FLOOR DRAINS		14 EACH
PIN REPLACEMENT		1 EACH
CONCRETE REPAIR		20 SF

GROUP 6C BRIDGE AT STA 1217+93.05

MOBILIZATION	LUMP	LUMP
47B-3000 CONC FOR BRIDGE		42 CY
47BD-4000 CONC FOR BRIDGE		6 CY
PREP BRIDGE		1 EACH
1217+93.05		
EPOXY COATED RE-STEEL		4,508 LB
CONCRETE REPAIR		5 SF

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		750 LF
REMOVE GUARDRAIL		1,600 LF
BRIDGE APPROACH SECTIONS		16 EACH
GUARDRAIL END TREATMENT, TYPE II		16 EACH

GROUP 9 BITUMINOUS

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		17 MGAL
EARTHWORK MEASURED IN EMBANKMENT		792 CY
REMOVE ASPHALT SURFACE		750 SY
SURFACING 8"		712 SY
EARTH SHOULDER CONSTRUCTION		8 STA
SUBGRADE PREPARATION		712 SY
SURFACE UNDER GUARDRAIL		1,216 SY
EROSION CONTROL, CLASS 1D		3,376 SY
FABRIC SILT FENCE-LOW POROSITY		840 LF

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	1,520	BDAY
BARRICADE, TYPE III	760	BDAY
SIGN DAY	9,500	EACH
TEMP PAVEMENT MARKING REMOVAL	13,800	LF
PAVEMENT MARKING REMOVAL	4,150	LF
TEMP PVMT MARKING, TYPE PAINT	14,300	LF
TEMP PVMT MARKING SURF PREP	14,300	LF
FLAGGING	16	DAY
CONCRETE PROTECTION BARRIER	1,025	LF
RELOCATE CONC PROTECTION BARRIER	3,075	LF
TEMPORARY RUMBLE STRIP	16	EACH
TEMPORARY TRAFFIC SIGNAL	4	EACH
TRAFFIC CONTROL MANAGEMENT	146	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	10	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	10	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	10	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10	HOUR
TEMPORARY SILT FENCE	300	LF

NOTICE TO CONTRACTORS

CALL ORDER 210
 FEDERAL PROJECT NO. HSIP-D2(106)
 LOCATION: DISTRICT 2-DISTRICTWIDE STRIPING
 COUNTIES: DODGE DOUGLAS
 SARPY

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on August 30, 2012. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

START DATE 10/01/2012 CALENDAR DAYS 398
 Price Range \$ 1,000,000 to \$ 3,000,000

Plans and specifications may be seen beginning August 07, 2012 at the Lincoln Central Office and August 13, 2012 at the District Engineer's Office at OMAHA

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	11	SHEETS	\$	2.75
STANDARD PLANS	4	SHEETS	\$	1.00

SHEET NO.

- 1 TITLE PAGE
& SUMMARY OF QUANTITIES
- 2 - 8 PAVEMENT MARKING QUANTITIES (D-2)
- 9 TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE
(FREEWAY-INTERSTATE)
- 10 TYPICAL PAVEMENT MARKING PLAN
(INTERSTATE/EXPRESSWAY)
- 11 PAVEMENT MARKING DETAILS

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	17,890	B DAY
BARRICADE, TYPE III	140	B DAY
TEMPORARY SIGN DAY	2,380	EACH
PERMANENT PAVEMENT MARKING	2,211,595	LF
PERMANENT PAVEMENT MARKING 12"	89,260	LF
FLASHING ARROW PANEL	112	DAY
MOBILIZATION	LUMP	LUMP
ONLY, PREF PVMT MRKING T-4, GROOVED	29	EACH
ARROW, PREF PVMT MRKING T-4 GROOVED	81	EACH

NOTICE TO CONTRACTORS

CALL ORDER 215
 FEDERAL PROJECT NO. STPAA-5625(2)
 LOCATION: BELL STREET, FREMONT
 COUNTIES: DODGE

The Nebraska Department of Roads will receive sealed bids for the CITY OF FREMONT in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on August 30, 2012. At that time the bids will be opened and read for GRAD CULV ELEC SIGN BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 1.6 KILOMETERS
 START DATE 05/06/2013 WORKING DAYS 110
 Price Range \$ 1,000,000 to \$ 3,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 6.0 %

Plans and specifications may be seen beginning August 07, 2012 at the Lincoln Central Office and August 13, 2012 at the District Engineer's Office at OMAHA. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	149	SHEETS	\$ 37.25
CROSS SECTIONS (SHEETS X1 THRU X50)	50	SHEETS	\$ 12.50
STANDARD PLANS	28	SHEETS	\$ 7.00

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-K1 - 2-K3	SUMMARY OF SOILS & MATERIALS SURVEY INFORMATION
2-H1 - 2-H2	HORIZONTAL & VERTICAL CONTROL POINTS
2-N	GENERAL INFORMATION
2-P1 - 2-P23	PHASING PLANS
2-L1 - 2-L9	CONSTRUCTION PLANS
2-L10 - 2-L18	REMOVAL PLANS
2-L19 - 2-L27	ELEVATION PLANS
2-L28 - 2-L36	JOINTING & LANDSCAPING PLANS
2-L37 - 2-L46	SIGNING & STRIPING PLANS
2-L47 - 2-L55	GEOMETRIC PLANS
2-L56 - 2-L64	DRAINAGE PLANS
2-L65 - 2-L74	STORM SEWER CROSS SECTIONS
2-L75 - 2-L84	LIGHTING PLANS
2-L85 - 2-L91	SIGNAL PLANS
3 - 7	PLAN & PROFILE SHEETS
8	SPECIAL PLAN 1C CURB RAMP DETAILS
9 - 11	SPECIAL PLAN 2C STORM SEWER DETAILS
12	SPECIAL PLAN 3C PAVEMENT MARKING DETAILS
13 - 16	SPECIAL PLAN 4C LIGHTING DETAILS
17	SPECIAL PLAN 5C TREE RING DETAILS
18	SPECIAL PLAN 6C CONCRETE STEP DETAILS
R1 - R9	RIGHT-OF-WAY PLANS
X1 - X50	ROADWAY CROSS SECTIONS

STANDARD PLANS

M301-R3	(3 SHEETS) PAVEMENT DETAILS
M303	(2 SHEETS) CURB RAMP
M411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
M425-R1	COLLARS AND ELBOWS FOR CONCRETE PIPES
M428-R2	CONCRETE PLUGS AND FIELD PIPE TAP DETAILS
M435	(3 SHEETS) MANHOLE

M910	SIGNAL FACE CONFIGURATION
M911	SIGNAL MOUNTING
M912	TRAFFIC SIGNAL POLE DETAILS
M914-R2	PULL BOX DETAIL
M920	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
M921-R1	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
M922-R3	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
M923	TRAFFIC CONTROL--ROAD CLOSURE
M924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		41 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		4,954 m3
WATER		218 kL
REMOVE PAVEMENT		3,552 m2
SAWING PAVEMENT		4,065 m
REMOVE ASPHALT SURFACE		746 m2
REMOVE DRIVEWAY		1,652 m2
REMOVE WALK		2,528 m2
REMOVE COMBINATION CURB AND GUTTER		2,158 m
REMOVE FENCE		107 m
REMOVE RETAINING WALL		46 m
WALL MATERIALS		11 m2
REMOVE SIGN		1 EACH
FOUNDATION		

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE MANHOLE		3 EACH
REMOVE INLET		34 EACH
CURB INLET		1 EACH
AT STA. 105+52.65 LT.		
CURB INLET		1 EACH
AT STA. 105+71.85 LT.		
CURB INLET		1 EACH
AT STA. 108+40.74 RT.		
CURB INLET		1 EACH
AT STA. 108+41.14 LT.		
CURB INLET		1 EACH
AT STA. 108+56.05 LT.		
MANHOLE		1 EACH
AT STA. 100+10.96 LT.		
MANHOLE		1 EACH
AT STA. 101+28.27 RT.		
MANHOLE		1 EACH
AT STA. 101+34.00 LT.		
MANHOLE		1 EACH
AT STA. 102+79.17 LT.		
MANHOLE		1 EACH
AT STA. 106+78.92 LT.		
MANHOLE		1 EACH
AT STA. 107+59.89 LT.		
MANHOLE		1 EACH
AT STA. 109+95.50 LT.		
MANHOLE		1 EACH
AT STA. 112+06.44 LT.		
MANHOLE		1 EACH
AT STA. 112+17.03 LT.		
MANHOLE		1 EACH
AT STA. 113+15.10 RT.		

MANHOLE	1 EACH
AT STA. 113+22.61 LT.	
MANHOLE	1 EACH
AT STA. 114+80.25 LT.	
MANHOLE	1 EACH
AT STA. 115+65.40 LT.	
MANHOLE	1 EACH
AT STA. 115+65.43 LT.	
TAPPING EXISTING MANHOLE	7 EACH
TAPPING EXISTING PIPE	7 EACH
GRATE INLET	8 EACH
GRATE INLET	21 EACH
WITH MANHOLE	
REMOVE SEWER PIPE	203 m
REMOVE STRUCTURE	1 EACH
AT STA. 100+38.00	
47B-20 CONC FOR CONCRETE COLLAR	1 m3
47B-20 CONC FOR PIPE PLUG	2 m3
RE-STEEL FOR COLLARS	19 kg
CULVERT SANDFILL	7 m3
CURB INLET SEDIMENT FILTER	34 EACH
300 mm STORM SEWER PIPE 1,7,8	64 m
375 mm STORM SEWER PIPE 1,7,8	61 m
450 mm STORM SEWER PIPE 1,7,8	27 m
300 mm STORM SEWER PIPE 1 CLASS IV	45 m
375 mm STORM SEWER PIPE 1 CLASS IV	196 m
450 mm STORM SEWER PIPE 1 CLASS IV	15 m
450 mm RND EQ STORM SEWER PIPE 1	50 m
CLASS IV	

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
PULL BOX, TYPE PB-1		1 EACH
PULL BOX, TYPE PB-1A		11 EACH
PULL BOX, TYPE PB-5		13 EACH
PULL BOX, TYPE PB-6		14 EACH
TRAFFIC SIGNAL, TYPE TS-1		16 EACH
TRAFFIC SIGNAL, TYPE TS-1A		8 EACH
TRAFFIC SIGNAL, TYPE TS-1LL		4 EACH
TRAF SIG CONTROL, TYPE TC-170		3 EACH
PEDESTRIAN SIGNAL, TYPE PS-1		18 EACH
PEDESTRIAN PUSHBUTTON, PPB		18 EACH
PEDESTAL POLE, TYPE PP-2.4		1 EACH
VEHICLE DETECTOR, TYPE A PREFORMED		20 EACH
VEHICLE DETECTOR, TYPE B PREFORMED		22 EACH
VEHICLE DETECTOR, TYPE TD-3		12 EACH
VEHICLE DETECTOR, TYPE TD-5A		12 EACH
VEHICLE DETECTOR, TYPE TD-5B		6 EACH
ST LIGHT UNIT SL-BT-12.2-2.4-0.25		7 EACH
ST LIGHT UNIT SL-BT-12.2-3.0-0.25		16 EACH
C.M.A. SIG & LGHT POLE, CMP-12.5-4.6		1 EACH
C.M.A. SIG & LIGHT POLE CMP-14-4.6		7 EACH
C.M.A. SIG & LIGHT POLE CMP-15.5-2.4		1 EACH
LIGHTING CONTROL CENTER, R		2 EACH
38 mm PVC CONDUIT IN TRENCH	1,144 m	
50 mm PVC CONDUIT IN TRENCH	326 m	
75 mm PVC CONDUIT IN TRENCH	76 m	
38 mm PVC CONDUIT UNDER ROADWAY	487 m	
50 mm PVC CONDUIT UNDER ROADWAY	84 m	
75 mm PVC CONDUIT UNDER ROADWAY	42 m	
38 mm PVC CONDUIT JACKED	179 m	
75 mm PVC CONDUIT, JACKED	90 m	
50 mm CONDUIT, JACKED	13 m	
3/C #14 AWG TRAF SIG CABLE	276 m	
5/C #14 AWG TRAF SIG CABLE	21 m	
12/C #14 AWG TRAF SIG CABLE	276 m	
2/C #14 AWG DETECTOR LEAD-IN CABLE	1,728 m	

GROUNDING CONDUCTOR	225 m
SERVICE CABLE	30 m
STREET LIGHT CABLE, NO. 6 BARE	1,810 m
STREET LIGHT CABLE, NO. 6 USE	4,028 m
REMOVE TRAFFIC SIGNAL	2 EACH
REMOVE PEDESTRIAN SIGNAL	1 EACH

GROUP 8C SIGNING

MOBILIZATION	LUMP	LUMP
REMOVE SIGN		1 EACH
INSTALL SIGN		9 EACH
TYPE A SIGN		51 m2
SIGN POST		105 EACH
REMOVE SIGN AND POST		102 EACH

GROUP 9 BITUMINOUS

PERMANENT PAVEMENT MARKING PAINT	237 m
MOBILIZATION	LUMP LUMP
GRAVEL SURFACE COURSE	25 m3
CRUSHED ROCK SURFACE COURSE	100 Mg
REMOVE AND RESET MAILBOX	16 EACH
TIE BARS	4,652 EACH
CONC 47B-25 SIDEWALKS	3,277 m2
DETECTABLE WARNING PANEL	41 m2
CONC 47B-25 DRIVEWAY	1,136 m2
205 mm CONCRETE BASE COURSE	5,122 m2
230 mm CONC PVMT, 47B-25	3,509 m2
ADJUST MANHOLE TO GRADE	3 EACH
47B-20 CONC FOR STEP	1 m3
RE-STEEL FOR STEP	539 kg
ONLY, PREF PVMT MRKING T-4, GROOVED	4 EACH
ARROW, PREF PVMT MRKING T-4 GROOVED	12 EACH
100 mm WHITE PREF PVMT MRKNG T-4 GROOVED	877 m
100 mm YEL PREF PVMT MRKING, T-4 GROOVED	3,100 m
300 mm WHT PREF PVMT MRKING T-4 GROOVED	101 m
300 mm YEL PREF PVMT MRKING T-4 GROOVED	71 m
600 mm WHITE PREF PVMT MKING T-4 GROOVED	232 m
HYDRATED LIME FOR ASPHALT MIXTURES	44 Mg
ASPH CONC, TYPE SPR	4,380 Mg
PLACE ASPH CONC FOR DRIVE & INTER	405 m2
PERF GRADED BINDER (64-34)	245 Mg
PREP OF INTER & DRIVE	5,047 m2
TACK COAT	21,755 L
WATER	236 kL
EARTH SHOULDER CONSTRUCTION	31 StaM
SUBGRADE PREPARATION	5,122 m2
COLD MILLING, CLASS 4	22,061 m2
RAP INCENTIVE PAYMENT	7,446 EACH
SODDING	4,155 m2
TREE RING	28 m2
ADJUST STOP BOX TO GRADE	38 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	31,475 BDAY
BARRICADE, TYPE III	14,450 BDAY
SIGN DAY	8,948 EACH
CONTRACTOR FURNISHED SIGN DAY	9,350 EACH
PAVEMENT MARKING REMOVAL	953 m
TEMPORARY PAVEMENT MARKING	9,432 m
TYPE PAINT	
FLASHING ARROW PANEL	340 DAY
FLAGGING	20 DAY
FIELD OFFICE	1 EACH
TRAINING	500 HOUR
MOBILIZATION	LUMP LUMP

NOTICE TO CONTRACTORS

CALL ORDER 300
 FEDERAL PROJECT NO. STPE-3130(5)
 LOCATION: ON A COUNTY ROAD, EAST OF CONCORD
 COUNTIES: DIXON

The Nebraska Department of Roads will receive sealed bids for the COUNTY OF DIXON in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on August 30, 2012. At that time the bids will be opened and read for CULV BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 5.6 MILES
 START DATE 04/29/2013 WORKING DAYS 40
 Price Range \$ 1,000,000 to \$ 3,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning August 07, 2012 at the Lincoln Central Office and August 13, 2012 at the District Engineer's Office at NORFOLK. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	36	SHEETS	\$	9.00
CROSS SECTIONS (SHEETS X1 THRU X5)	5	SHEETS	\$	1.25
STANDARD PLANS	11	SHEETS	\$	2.75

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
3 - 12	PLAN & PROFILE SHEETS
13 - 22	EROSION CONTROL
23	TEMPORARY PAVEMENT MARKING PLAN
24	TYPICAL PAVEMENT MARKING PLAN--4" PAVEMENT MARKING
25 - 31	DRAINAGE STRUCTURE CROSS SECTIONS
32 - 33	SPECIAL PLAN 1C 8' X 6' SINGLE SPAN RC BOX CULVERT STA. 26+20.00
34 - 35	SPECIAL PLAN 2C 8' X 6' SINGLE SPAN RC BOX CULVERT STA. 171+37.00
X1 - X5	ROADWAY CROSS SECTIONS

STANDARD PLANS

308-R1	LOCAL ROADS MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 4 CULVERT

MOBILIZATION	LUMP	LUMP
REMOVE FLARED- END SECTION		4 EACH
PREPARATION OF STRUCTURE		1 EACH
AT STA 26+20		
PREPARATION OF STRUCTURE		1 EACH
AT STA 171+37		
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		3 CY
EXCAVATION FOR BOX CULVERTS		20 CY
47B-3000 CONC FOR BOX CULV		55 CY
RE-STEEL FOR BOX CULVERT		5,213 LB
24" CORRUGATED METAL PIPE		12 LF
48" CORRUGATED METAL PIPE		14 LF
24" METAL FLARED-END SECTION		2 EACH
48" METAL FLARED-END SECTION		2 EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES		587 STA
OVERLAY SOLID LINES		1,175 STA
PERMANENT PAVEMENT MARKING PAINT		88,191 LF
MOBILIZATION	LUMP	LUMP
SPEC SURF CRSE FOR MAILBOX TURNOUTS		168 SY
MAILBOX POST		7 EACH
HYDRATED LIME FOR ASPHALT MIXTURES		115 TON
ASPH CONC, TYPE SPR		17,990 TON
PLACE ASPH CONC FOR DRIVE & INTER		2,624 SY
ASPH CONCRETE FOR PATCHING, TYPE SPR		1,040 TON
PERF GRADED BINDER (64-34)		1,065 TON
TACK COAT		14,880 GAL
WATER		147 MGAL
EARTH SHOULDER CONSTRUCTION		587 STA
COLD MILLING, CLASS 1		489 SY
COLD MILLING, CLASS 4		2,366 SY
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B		21 ACRE
FABRIC SILT FENCE-LOW POROSITY		7,998 LF
MULCH		47 TON

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II		4,500 BDAY
BARRICADE, TYPE III		276 BDAY
TEMPORARY SIGN DAY		560 EACH
SIGN DAY		5,541 EACH
FLAGGING		80 DAY
FURNISHING AND OPERATING PILOT VEHICLE		30 DAY
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		120 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED		40 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		120 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		120 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		80 HOUR

NOTICE TO CONTRACTORS

CALL ORDER 305
 FEDERAL PROJECT NO. HSIP-D3(103)
 LOCATION: DISTRICT 3-DISTRICTWIDE STRIPING
 COUNTIES: PLATTE COLFAX
 MADISON OTHERS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on August 30, 2012. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY
 START DATE 10/01/2012 CALENDAR DAYS 398
 Price Range \$ 1,000,000 to \$ 3,000,000

Plans and specifications may be seen beginning August 07, 2012 at the Lincoln Central Office and August 13, 2012 at the District Engineer's Office at NORFOLK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.
 This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	6 SHEETS	\$	1.50
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

- 1 TITLE PAGE
& SUMMARY OF QUANTITIES
- 2 - 3 PAVEMENT MARKING QUANTITIES (D-3)
- 4 TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE
(FREEWAY-INTERSTATE)
- 5 TYPICAL PAVEMENT MARKING PLAN
(INTERSTATE/EXPRESSWAY)
- 6 PAVEMENT MARKING DETAILS

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	16,160	BDAY
BARRICADE, TYPE III	84	BDAY
TEMPORARY SIGN DAY	2,016	EACH
PERMANENT PAVEMENT MARKING	1,755,469	LF
PERMANENT PAVEMENT MARKING 12"	12,250	LF
FLASHING ARROW PANEL	84	DAY
FLAGGING	20	DAY
MOBILIZATION	LUMP	LUMP
ARROW, PREF PVMT MRKING T-4 GROOVED	7	EACH

NOTICE TO CONTRACTORS

CALL ORDER 400
 FEDERAL PROJECT NO. STPE-2690(3)
 LOCATION: ON A COUNTY ROAD, NORTHEAST OF LUSHTON
 COUNTIES: YORK

The Nebraska Department of Roads will receive sealed bids for the COUNTY OF YORK in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on August 30, 2012. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 7.9 MILES
 START DATE 09/09/2013 WORKING DAYS 25
 Price Range \$ 500,000 to \$ 2,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning August 07, 2012 at the Lincoln Central Office and August 13, 2012 at the District Engineer's Office at GRAND ISLAND. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	17 SHEETS	\$	4.25
STANDARD PLANS	7 SHEETS	\$	1.75

SHEET NO.

- 1 TITLE PAGE
- 2-T TYPICAL CROSS SECTIONS
- 2-S SUMMARY OF QUANTITIES
- 2-N GENERAL INFORMATION
- 3 - 13 PLAN & PROFILE SHEETS
- 14 TEMPORARY PAVEMENT MARKING PLAN
- 15 TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING

STANDARD PLANS

- 502 SILT FENCE DETAILS
- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	5,000	B	DAY
BARRICADE, TYPE III	275	B	DAY
TEMPORARY SIGN DAY	350	E	EACH
SIGN DAY	5,610	E	EACH
OVERLAY BROKEN LINES	833	S	TA
OVERLAY SOLID LINES	1,666	S	TA
PERMANENT PAVEMENT MARKING PAINT	104,410	L	F
FLAGGING	40	D	DAY
FURNISHING AND OPERATING PILOT VEHICLE	14	D	DAY
MOBILIZATION	LUMP	L	LUMP
RUMBLE STRIPS, STOP AHEAD	LUMP	L	LUMP
HYDRATED LIME FOR ASPHALT MIXTURES	68	T	TON
ASPH CONC, TYPE SPR	11,130	T	TON
PLACE ASPH CONC FOR DRIVE & INTER	117	S	Y
ASPH CONCRETE FOR PATCHING, TYPE SPR	200	T	TON

PERF GRADED BINDER (64-34)	396 TON
TACK COAT	15,300 GAL
RENTAL OF LOADER, FULLY OPERATED	30 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	20 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	30 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	30 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10 HOUR
WATER	206 MGAL
EARTH SHOULDER CONSTRUCTION	823 STA
COLD MILLING, CLASS 3	416 STA
RAP INCENTIVE PAYMENT	19,261 EACH
SEEDING, TYPE B	12 ACRE
TEMPORARY SILT FENCE	500 LF
TEMPORARY MULCH	4 TON
MULCH	27 TON

NOTICE TO CONTRACTORS

CALL ORDER 405
 FEDERAL PROJECT NO. STP-34-4(126)
 LOCATION: US-34, US-281-LOCUST STREET, GRAND ISLAND
 COUNTIES: HALL

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on August 30, 2012. At that time the bids will be opened and read for GR CULV SEED BRIDGE GDRL ELEC BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 2.0 MILES
 START DATE 10/01/2012 WORKING DAYS 115
 Price Range \$ 2,000,000 to \$ 4,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning August 07, 2012 at the Lincoln Central Office and August 13, 2012 at the District Engineer's Office at GRAND ISLAND
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	82 SHEETS	\$	20.50
CROSS SECTIONS (SHEETS X1 THRU X12)	12 SHEETS	\$	3.00
STANDARD PLANS	31 SHEETS	\$	7.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T8	TYPICAL CROSS SECTIONS
2-S1 - 2-S4	SUMMARY OF QUANTITIES
2-W1 - 2-W8	WETLANDS
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N2	GENERAL INFORMATION & DETOUR LOCATION MAP
2-P	PHASING PLAN
2-L1 - 2-L3	GEOMETRICS & GRADES
2-L4	EROSION CONTROL
3 - 10	PLAN SHEETS
11	TRAFFIC CONTROL PLAN--PHASE 2
12 - 14	PAVEMENT MARKING PLAN
15	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
16	TEMPORARY PAVEMENT MARKING PLAN
17	PAVEMENT MARKING DETAILS
18 - 22	ROADWAY LIGHTING PLANS
23	EARTHWORK DATA SHEET
24 - 25	DRAINAGE STRUCTURE CROSS SECTIONS
26 - 44	SPECIAL PLAN 1 CONCRETE SLAB BRIDGE WIDEN & REMODEL STA. 50+84.41
45	SPECIAL PLAN 1C GUARDRAIL PLAN
46 - 47	SPECIAL PLAN 2C 8' X 7' SINGLE SPAN RC BOX CULVERT STA. 58+80.00
48	SPECIAL PLAN 3C CONCRETE HEADWALL FOR ARCH PIPES
49 - 50	SPECIAL PLAN 4C TEMPORARY SILT CHECKS
R1 - R4	RIGHT-OF-WAY SHEETS
X1 - X12	CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS)	PAVEMENT DETAILS
303	(2 SHEETS)	CURB RAMP
329-R9	(4 SHEETS)	8 TO 16 INCH CONCRETE PAVEMENT
410-R3	(2 SHEETS)	FLARED END SECTIONS FOR CULVERT PIPES

425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
740	MIDWEST GUARDRAIL SYSTEM BRIDGE APPROACH SECTION
743	(4 SHEETS) GUARDRAIL DETAILS
804	PRECAST CONCRETE R.O.W. MARKER
914-R6	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
923	TRAFFIC CONTROL--ROAD CLOSURE
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION		1,036 CY
EXCAVATION, BORROW		4,007 CY
WATER		50 MGAL
RIGHT-OF-WAY MARKERS		3 EACH
RESET RIGHT-OF-WAY MARKERS		3 EACH
REMOVE ASPHALT SURFACE		2,933 SY
REMOVE WALK		18 SY
REMOVE GUARDRAIL		846 LF
COVER CROP SEEDING		4 ACRE
EROSION CONTROL, CLASS 1D		2,000 SY
FABRIC SILT FENCE-LOW POROSITY		1,420 LF

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE HEADWALLS FROM CULV		4 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		51 CY
EXCAVATION FOR BOX CULVERTS		136 CY
47B-3000 CONC FOR HDWL		4 CY
47B-3000 CONC FOR BOX CULV		107 CY
47B-3000 CONC FOR CONCRETE CO		8 CY
RE-STEEL FOR HEADWALL		480 LB
RE-STEEL FOR BOX CULVERT		10,833 LB
RE-STEEL FOR COLLARS		426 LB
48" CONCRETE FLARED-END SECTION		2 EACH
REMOVE STRUCTURE		1 EACH
AT STA 58+80.00		
CRUSHED ROCK FOR BASE COURSE		30 CY
48" CULV PIPE 2		19 LF
48" RD EQUIV CULV PIPE 2		56 LF

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE B		4 ACRE
MULCH		10 TON

GROUP 6 BRIDGE AT STA.50+84.41

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		735 CY
RIPRAP FILTER FABRIC		482 SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000		209 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		37,250 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PIER NO.2 EXCAVATION	LUMP	LUMP

CLASS I REPAIR	295 SY
CLASS II REPAIR	59 SY
CLASS III REPAIR	5 SY
PLACE, FINISH, & CURE CONC OVERLAY-SF	506 SY
47B-3000 CONC FOR BRIDGE	93 CY
47BD-4000 CONC FOR BRIDGE	141 CY
CONCRETE FOR OVERLAYS-SF	28 CY
PREP BRIDGE	1 EACH
50+84.41	
STRUC STEEL FOR SUBSTRUCTURE	865 LB
ROCK RIPRAP, TYPE B	655 TON
SALVAGING AND PLACING TOPSOIL ON RIPRAP	63 SY
EPOXY COATED RE-STEEL	39,130 LB
CONCRETE PILING	1,200 LF
STEEL SHEET PILING	1,568 SF
GRANULAR BACKFILL	163 CY

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		137 LF
REMOVE & SALVAGE GUARDRAIL		53 LF
RESET GUARDRAIL		53 LF
BRIDGE APPROACH SECTIONS		4 EACH
GUARDRAIL END TREATMENT, TYPE II		4 EACH

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
PULL BOX, TYPE PB-5		2 EACH
ST LIGHT UNIT SL-BT-40-12-0.25		4 EACH
LIGHTING CONTROL CENTER, R		1 EACH
1 1/2" CONDUIT IN TRENCH		623 LF
1 1/2" CONDUIT UNDER ROADWAY		62 LF
1 1/2" CONDUIT, JACKED		118 LF
STREET LIGHT CABLE, NO. 6 BARE		803 LF
STREET LIGHT CABLE, NO. 6 USE		1,606 LF

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES		312 STA
OVERLAY SOLID LINES		936 STA
MOBILIZATION	LUMP	LUMP
REMOVE ASPH SURF FROM PAVEMENT		139 SY
GRAVEL SURFACE COURSE		60 TON
TIE BARS		1,128 EACH
DETECTABLE WARNING PANEL		32 SF
6" CONCRETE CLASS 47B-3000 BIKEWAY		18 SY
8" CONCRETE BASE COURSE		4,628 SY
CONC PVMT REPAIR TYPE A FULL DEPTH		17 CY
CONC PVMT REPAIR TYPE B FULL DEPTH		238 CY
CONC PVMT REPAIR TYPE C FULL DEPTH		348 CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH		3 CY
CONC PVMT, PR-3500		51 CY
JOINT REPAIR		
ARROW, PREF PVMT MRKING T-4 GROOVED		11 EACH
24" WHITE PREF PVMT MKING T-4 GROOVED		72 LF
5" WHT WET RFLC THERMOPLSTC PVMT MRK,GVD		4,600 LF
12" WHT WET RFLC THERMO PVMT MRKING, GVD		200 LF
5" YEL WET RFLC THERMOPLSTC PVMT MRK,GVD		22,400 LF
12" YEL WET RFLC THERMOPLST PVMT MRK,GVD		1,100 LF
4" YEL WET RFLC PRF PVMT MKNG T4 GVD		400 LF
RR XING SYMBOL PREF PVMT MRKING T-4 GRVD		2 EACH
HYDRATED LIME FOR ASPHALT MIXTURES		100 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		2 TON
FOUNDATION COURSE REPLACEMENT		19 CY
FOUNDATION COURSE		4,930 SY

GRANULAR SUBDRAIN	30	EACH
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	200	TON
ASPH CONC, TYPE SPS	2,420	TON
ASPH CONC, TYPE LC	2,250	TON
ASPH CONC, TYPE SPR	7,240	TON
PLACE ASPH CONC FOR DRIVE & INTER	3,525	SY
ASPH CONCRETE FOR PATCHING, TYPE SPR	300	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	7	TON
PERF GRADED BINDER (70-34)	171	TON
PERF GRADED BINDER (52-34)	84	TON
PERF GRADED BINDER (64-34)	263	TON
PREP OF INTER & DRIVE	94	SY
TACK COAT	13,110	GAL
WATER	65	MGAL
EARTH SHOULDER CONSTRUCTION	203	STA
SUBGRADE PREPARATION	4,930	SY
COLD MILLING, CLASS 4	8,966	SY
COLD MILLING, CLASS 5	1,431	SY
CONC SURF MILLING	13,463	SY
1"		
CONCRETE SURFACE MILLING	17,511	SY
0.5"		
SURFACE UNDER GUARDRAIL	207	SY
RAP INCENTIVE PAYMENT	16,932	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	6,700	B DAY
BARRICADE, TYPE III	2,843	B DAY
TEMPORARY SIGN DAY	350	EACH
SIGN DAY	10,141	EACH
CONTRACTOR FURNISHED SIGN DAY	564	EACH
FLAGGING	188	DAY
FURNISHING AND OPERATING PILOT VEHICLE	25	DAY
TRAINING	1,000	HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	55	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	30	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	55	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	55	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	25	HOUR
TEMPORARY SILT CHECK	1,000	LF
TEMPORARY SILT FENCE	1,000	LF
TEMPORARY MULCH	4	TON

NOTICE TO CONTRACTORS

CALL ORDER 410
 STATE PROJECT NO. MISC-81-1(1045)
 LOCATION: US-81, HEBRON NORTH
 COUNTIES: THAYER

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on August 30, 2012. At that time the bids will be opened and read for GRADING

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: GRADING

START DATE 10/22/2012 WORKING DAYS 20
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning August 07, 2012 at the Lincoln Central Office and August 13, 2012 at the District Engineer's Office at GRAND ISLAND

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	23 SHEETS	\$	5.75
CROSS SECTIONS (SHEETS X1 THRU X3)	3 SHEETS	\$	0.75
STANDARD PLANS	10 SHEETS	\$	2.25

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-W	WETLANDS
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
2-L1 - 2-L2	CONSTRUCTION & REMOVALS
2-L3 - 2-L4	EROSION CONTROL
3 - 4	PLAN & PROFILE SHEETS
5	EARTHWORK DATA SHEET
6	DRAINAGE STRUCTURE CROSS SECTIONS
7 - 8	SPECIAL PLAN 1C CONCRETE DITCH LINER STA. 3500+83.00 RT
9	SPECIAL PLAN 2C CONCRETE HEADWALL (FOR 12" TO 30" CORRUGATED METAL PIPES WITH NO SKEW)
10	SPECIAL PLAN 3C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
11 - 12	SPECIAL PLAN 4C TEMPORARY SILT CHECKS
R1 - R2	RIGHT-OF-WAY SHEETS
X1 - X3	CROSS SECTIONS

STANDARD PLANS

410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
501-R5	(3 SHEETS) EROSION CONTROL
804	PRECAST CONCRETE R.O.W. MARKER
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

TEMPORARY SIGN DAY	46 EACH
MOBILIZATION	LUMP LUMP
GENERAL CLEARING AND GRUBBING	LUMP LUMP
EXCAVATION	11,446 CY
WATER	11 MGAL

RIGHT-OF-WAY MARKERS	9 EACH
SALVAGING AND PLACING TOPSOIL	11,000 SY
CONCRETE DITCH LINING	26 LF
REMOVE FLARED- END SECTION	3 EACH
REMOVE HEADWALLS FROM CULV	2 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	124 CY
47B-3000 CONC FOR HDWL	1 CY
RE-STEEL FOR HEADWALL	128 LB
24" METAL FLARED-END SECTION	1 EACH
30" METAL FLARED-END SECTION	1 EACH
CULVERT SANDFILL	74 CY
SEEDING, TYPE A	2 ACRE
COVER CROP SEEDING	2 ACRE
EROSION CONTROL, CLASS 1D	2,552 SY
EROSION CONTROL, CLASS 2A	824 SY
EROSION CHECKS, TYPE 2A	50 BALE
EROSION CHECKS, TYPE WATTLE	160 LF
TEMPORARY SILT CHECK	500 LF
TEMPORARY EARTH CHECK	500 LF
TEMPORARY MULCH	1 TON
MULCH	5 TON
24" CULV PIPE 3,4,5,6	22 LF
30" CULV PIPE 3,4,5,6	56 LF

NOTICE TO CONTRACTORS

CALL ORDER 415
 FEDERAL PROJECT NO. HSIP-D4(102)
 LOCATION: DISTRICT 4-DISTRICTWIDE STRIPING
 COUNTIES: THAYER HALL
 FILLMORE OTHERS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on August 30, 2012. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY
 START DATE 10/01/2012 CALENDAR DAYS 398
 Price Range \$ 2,000,000 to \$ 4,000,000

Plans and specifications may be seen beginning August 07, 2012 at the Lincoln Central Office and August 13, 2012 at the District Engineer's Office at GRAND ISLAND

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	8 SHEETS	\$	2.00
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

- 1 TITLE PAGE
& SUMMARY OF QUANTITIES
- 2 - 5 PAVEMENT MARKING QUANTITIES (D-4)
- 6 TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE
(FREEWAY-INTERSTATE)
- 7 TYPICAL PAVEMENT MARKING PLAN
(INTERSTATE/EXPRESSWAY)
- 8 PAVEMENT MARKING DETAILS

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	17,490	B	DAY
BARRICADE, TYPE III	93	B	DAY
TEMPORARY SIGN DAY	2,232	E	EACH
PERMANENT PAVEMENT MARKING	2,139,740	L	LF
PERMANENT PAVEMENT MARKING 12"	36,475	L	LF
FLASHING ARROW PANEL	92	D	DAY
FLAGGING	16	D	DAY
MOBILIZATION	LUMP	L	LUMP
ONLY, PREF PVMT MRKING T-4, GROOVED	3	E	EACH
ARROW, PREF PVMT MRKING T-4 GROOVED	64	E	EACH
RR XING SYMBOL PREF PVMT MRKING T-4 GRVD	4	E	EACH

NOTICE TO CONTRACTORS

CALL ORDER 500
 STATE PROJECT NO. RD-26-1(1065)
 LOCATION: N-92/US-26, BRIDGEPORT WEST
 COUNTIES: MORRILL

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on August 30, 2012. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 12.1 MILES
 START DATE 06/17/2013 WORKING DAYS 80
 Price Range \$ 3,000,000 to \$ 6,000,000

Plans and specifications may be seen beginning August 07, 2012 at the Lincoln Central Office and August 13, 2012 at the District Engineer's Office at GERING
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	37	SHEETS	\$	9.25
STANDARD PLANS	13	SHEETS	\$	3.25

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-A1 - 2-A11	PHOTO MAPS
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N2	GENERAL INFORMATION--MILLED RUMBLE STRIPS
2-L	CONSTRUCTION AND REMOVAL
3 - 13	PLAN SHEETS
14 - 15	PAVEMENT MARKING PLAN
16	TEMPORARY PAVEMENT MARKING PLAN
17	TYPICAL PAVEMENT MARKING PLAN--4" PAVEMENT MARKING
18	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
19	PAVEMENT MARKING DETAILS

STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
301-R10	(3 SHEETS) PAVEMENT DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	20,800	B DAY
BARRICADE, TYPE III	556	B DAY
TEMPORARY SIGN DAY	1,120	EACH
SIGN DAY	14,734	EACH
OVERLAY BROKEN LINES	1,886	STA
OVERLAY SOLID LINES	3,900	STA
PERMANENT PAVEMENT MARKING PAINT	198,000	LF
FLAGGING	150	DAY
FURNISHING AND OPERATING PILOT VEHICLE	75	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP

REMOVE ASPHALT SURFACE	1,345 SY
REMOVE CURB	2,539 LF
TIE BARS	923 EACH
8" CONCRETE BASE COURSE	1,345 SY
MEMBRANE WATERPROOFING	110 SY
24" WHITE PREF PVMT MKING T-4 GROOVED	150 LF
4" WHT WET RFLC PRF PVMT MKNG T4 GVD	5,000 LF
12" WHT WET RFLC PRF PVMT MKNG T4 GVD	250 LF
4" YEL WET RFLC PRF PVMT MKNG T4 GVD	8,000 LF
12" YEL WET RFLC PRF PVMT MKNG T4 GVD	500 LF
RR XING WET RFLC PRF PVMT MKNG, T 4 GVD	3 EACH
HYDRATED LIME FOR ASPHALT MIXTURES	238 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	18 TON
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	3,000 TON
ASPH CONC, TYPE SPS	12,440 TON
ASPH CONC, TYPE SPR	38,430 TON
ASPH CONCRETE FOR PATCHING, TYPE SPR	1,200 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	105 TON
PERF GRADED BINDER (52-34)	435 TON
PERF GRADED BINDER (64-34)	1,387 TON
TACK COAT	52,140 GAL
RENTAL OF LOADER, FULLY OPERATED	20 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	20 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	20 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	20 HOUR
WATER	4 MGAL
SUBGRADE PREPARATION	1,345 SY
COLD MILLING, CLASS 3	1,256 STA
TYPE B	
COLD MILLING, CLASS 3	11,173 SY
COLD MILLING, CLASS 4	110 SY
COLD MILLING, CLASS 3	628 STA
TYPE A	
RUMBLE STRIPS, ASPHALT	1,292 STA
RAP INCENTIVE PAYMENT	88,519 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP

NOTICE TO CONTRACTORS

CALL ORDER 505
 STATE PROJECT NO. RD-385-2(1007)
 LOCATION: US-385, GURLEY-DALTON
 COUNTIES: CHEYENNE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on August 30, 2012. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 7.9 MILES
 START DATE 07/29/2013 WORKING DAYS 50
 Price Range \$ 2,000,000 to \$ 4,000,000

Plans and specifications may be seen beginning August 07, 2012 at the Lincoln Central Office and August 13, 2012 at the District Engineer's Office at GERING
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	19	SHEETS	\$	4.75
STANDARD PLANS	8	SHEETS	\$	2.00

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-H1 - 2-H3	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N2	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3 - 10	PLAN SHEETS
11	SIGN REMOVAL PLAN
12	TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	8,750	BDAY
BARRICADE, TYPE III	388	BDAY
TEMPORARY SIGN DAY	700	EACH
SIGN DAY	9,118	EACH
OVERLAY BROKEN LINES	1,247	STA
OVERLAY SOLID LINES	2,494	STA
FLAGGING	100	DAY
FURNISHING AND OPERATING PILOT VEHICLE	50	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
HYDRATED LIME FOR ASPHALT MIXTURES	148	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	6	TON
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	1,000	TON
ASPH CONC, TYPE SPS	8,020	TON
ASPH CONC, TYPE SPR	23,700	TON
ASPH CONC, TYPE SPR (FINE)	210	TON
ASPH CONCRETE FOR PATCHING, TYPE SPR	800	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	35	TON

PERF GRADED BINDER (52-34)	280 TON
PERF GRADED BINDER (64-34)	864 TON
TACK COAT	33,150 GAL
RENTAL OF LOADER, FULLY OPERATED	40 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	40 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	40 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	40 HOUR
COLD MILLING, CLASS 3	408 STA
COLD MILLING, CLASS 3 TYPE A	817 STA
COLD MILLING, CLASS 3 TYPE B	11 STA
RUMBLE STRIPS, ASPHALT	817 STA
RAP INCENTIVE PAYMENT	55,641 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP

NOTICE TO CONTRACTORS

CALL ORDER 510
 FEDERAL PROJECT NO. HSIP-D5(102)
 LOCATION: DISTRICT 5 - DISTRICTWIDE STRIPING
 COUNTIES: SCOTTS BLUFF BANNER
 KIMBALL OTHERS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on August 30, 2012. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY
 START DATE 10/01/2012 CALENDAR DAYS 398
 Price Range \$ 1,000,000 to \$ 3,000,000

Plans and specifications may be seen beginning August 07, 2012 at the Lincoln Central Office and August 13, 2012 at the District Engineer's Office at GERING

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	6 SHEETS	\$	1.50
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

- 1 TITLE PAGE
& SUMMARY OF QUANTITIES
- 2 PAVEMENT MARKING QUANTITIES (D-5)
- 3 TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE
(FREEWAY-INTERSTATE)
- 4 TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
- 5 TYPICAL PAVEMENT MARKING PLAN
(INTERSTATE/EXPRESSWAY)
- 6 PAVEMENT MARKING DETAILS

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	14,390	BDAY
BARRICADE, TYPE III	71	BDAY
TEMPORARY SIGN DAY	1,776	EACH
PERMANENT PAVEMENT MARKING 24"	150	LF
PERMANENT PAVEMENT MARKING	1,798,400	LF
PERMANENT PAVEMENT MARKING 12"	12,950	LF
FLASHING ARROW PANEL	71	DAY
FLAGGING	8	DAY
FURNISHING AND OPERATING PILOT VEHICLE	6	DAY
MOBILIZATION	LUMP	LUMP
ARROW, PREF PVMT MRKING T-4 GROOVED	34	EACH
STOP AHD SYM, PREF PVMT MRKING, T-4 GVD	2	EACH
RR XING SYMBOL PREF PVMT MRKING T-4 GRVD	4	EACH

NOTICE TO CONTRACTORS

CALL ORDER 515
 FEDERAL PROJECT NO. IM-80-2(98)
 LOCATION: I-80, SIDNEY-SUNOL (EB)
 COUNTIES: CHEYENNE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on August 30, 2012. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 8.0 MILES
 START DATE 05/06/2013 WORKING DAYS 45
 Price Range \$ 1,000,000 to \$ 3,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning August 07, 2012 at the Lincoln Central Office and August 13, 2012 at the District Engineer's Office at GERING
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	13	SHEETS	\$	3.25
STANDARD PLANS	6	SHEETS	\$	1.50

SHEET NO.

- 1 TITLE PAGE
- 2-T1 - 2-T4 TYPICAL CROSS SECTIONS
- 2-S1 - 2-S2 SUMMARY OF QUANTITIES
- 2-N1 - 2-N2 GENERAL INFORMATION--MILLED RUMBLE STRIPS
- 3 TRAFFIC CONTROL PLAN--WORK IN VICINITY OF EXIT RAMP & ON RAMP
- 4 TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
- 5 TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
- 6 TYPICAL PAVEMENT MARKING PLAN (INTERSTATE/EXPRESSWAY)

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

SURV OF TEMP TRAFFIC CONT DEVICES	69	CDAY
BARRICADE, TYPE II	7,200	BDAY
BARRICADE, TYPE III	183	BDAY
TEMPORARY SIGN DAY	180	EACH
SIGN DAY	1,155	EACH
OVERLAY BROKEN LINES	844	STA
OVERLAY SOLID LINES	1,688	STA
FLASHING ARROW PANEL	45	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
CONC PVMT REPAIR TYPE A FULL DEPTH	113	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	109	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	11	CY
5" WHT WET RFLC THERMOPLSTC PVMT MRK,GVD	53,000	LF

5" YEL WET RFLC THERMOPLSTC PVMT MRK,GVD	42,500 LF
HYDRATED LIME FOR ASPHALT MIXTURES	131 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	4 TON
FOUNDATION COURSE REPLACEMENT	5 CY
ASPH CONC FOR ST MAIN PTCHING TY SPH	500 TON
ASPH CONC, TYPE SPS	5,150 TON
ASPH CONC, TYPE LC	5,250 TON
ASPH CONC, TYPE SPH	9,370 TON
ASPH CONC FOR PATCHING, TYPE SPH	500 TON
PERF GRAD BIND (70-34)FOR ST MAINT PATCH	24 TON
PERF GRADED BINDER (70-34)	872 TON
PERF GRADED BINDER (52-34)	180 TON
TACK COAT	32,350 GAL
RENTAL OF LOADER, FULLY OPERATED	40 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	40 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	40 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	40 HOUR
COLD MILLING, CLASS 3	421 STA
COLD MILLING, CLASS 3	421 STA
TYPE A	
RUMBLE STRIPS, ASPHALT	843 STA
RAP INCENTIVE PAYMENT	25,534 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP

NOTICE TO CONTRACTORS

CALL ORDER 600
 FEDERAL PROJECT NO. RRZ-TMT-DPU-1390(3)
 LOCATION: BIRDWOOD/FRONT ROAD VIADUCT
 COUNTIES: LINCOLN

The Nebraska Department of Roads will receive sealed bids for the
 COUNTY OF LINCOLN in Room 104 of the Central Office Building at
 1500 Hwy 2 at Lincoln, until 1:30 P.M. on August 30, 2012 .
 At that time the bids will be opened and read for
 GR MSE WALL CONC PAVE CULV BR SEED GDRL FENCE

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR
 WHO IS QUALIFIED FOR: GRADING GENERAL (ALL CLASSES)
 START DATE 10/22/2012 WORKING DAYS 170
 Price Range \$ 6,000,000 to \$ 10,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 6.0 %

Plans and specifications may be seen beginning August 07, 2012 at the Lincoln
 Central Office and August 13, 2012 at the District Engineer's Office at NORTH PLATTE
 Additional letting information may be found at the Nebraska Department of Roads
 Web Site at <http://www.dor.state.ne.us/letting/>.
 This project is funded under the Federal-Aid Highway Act, all appropriate Federal
 requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	127	SHEETS	\$ 31.75
CROSS SECTIONS (SHEETS X1 THRU X49)	49	SHEETS	\$ 12.25
STANDARD PLANS	28	SHEETS	\$ 7.00

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T3	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-K1 - 2-K2	SUMMARY OF SOILS & GEOTECHNICAL INFORMATION
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & CONTROL POINT TIES
2-N1 - 2-N5	GENERAL INFORMATION
2-P1 - 2-P11	PHASING PLANS
2-L1 - 2-L6	GEOMETRICS
2-L7 - 2-L10	JOINTS & GRADES
3 - 17	PLAN & PROFILE SHEETS
18 - 22	FENCING PLANS
23 - 30	DRAINAGE STRUCTURE CROSS SECTIONS
31 - 59	SPECIAL PLAN 1 NU-2000 CONCRETE GIRDER BRIDGE STA. 140+54.09
60 - 66	SPECIAL PLAN 2 CONCRETE SLAB BRIDGE STA. 0+56.00
67 - 68	SPECIAL PLAN 1C 8' X 8' TWIN SPAN RC BOX CULVERT STA. 132+77.72
69 - 70	SPECIAL PLAN 2C 12' X 11' TWIN SPAN RC BOX CULVERT STA. 158+50.92 LT
71 - 77	SPECIAL PLAN 3C GUARDRAIL PLAN
78	SPECIAL PLAN 4C MSE WALL PLAN
79	SPECIAL PLAN 5C PERMANENT BARRICADE
80 - 81	SPECIAL PLAN 6C TEMPORARY SILT CHECKS
82	SPECIAL PLAN 7C CONCRETE FLUME, TYPE II
R1 - R11	RIGHT-OF-WAY SHEETS
X1 - X49	CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
329-R9	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
404-R3	CONTROL JOINTS FOR CONCRETE BOX CULVERTS
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES

411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
547-R1	(2 SHEETS) CONCRETE FLUME, TYPE VII
710-R4	(2 SHEETS) FENCE DETAILS
901-R9	HIGHWAY DELINEATORS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

PERMANENT BARRICADE		4	EACH
MOBILIZATION	LUMP		LUMP
LARGE TREE REMOVAL		1	EACH
GENERAL CLEARING AND GRUBBING	LUMP		LUMP
WATER		2,894	MGAL
EARTHWORK MEASURED IN EMBANKMENT		257,723	CY
SALVAGING AND PLACING TOPSOIL		123,271	SY
RIPRAP FILTER FABRIC		1,587	SY
ABANDON WELLS		2	EACH
REMOVE PAVEMENT		929	SY
SAWING PAVEMENT		835	LF
REMOVE ASPHALT SURFACE		8,447	SY
MONITORING INSTRUMENTATION	LUMP		LUMP
18" DRIVE PIPE 2,3,4,5,6,7 OR 8		116	LF
24" DRIVE PIPE 2,3,4,5,6,7 OR 8		112	LF
30" DRIVE PIPE 2,3,4,5,6,7 OR 8		52	LF
REMOVE STRUCTURE		1	EACH
AT STA. 537+40 RT.			
TEMPORARY SHORING	LUMP		LUMP
REMOVE STRUCTURE		1	EACH
AT STA. 159+60 RT			
ROCK RIPRAP, TYPE A		7,707	TON
COVER CROP SEEDING		6	ACRE
EROSION CONTROL, CLASS 1D		99,810	SY
EROSION CONTROL, CLASS 2C		1,560	SY
FABRIC SILT FENCE-HIGH POROSITY		3,510	LF

GROUP 1A MSE WALL

MOBILIZATION	LUMP		LUMP
CONCRETE FACE PANELS		6,769	SF
CONCRETE LEVELING PADS		409	LF
COPING		424	LF
SELECT GRANULAR BACKFILL FOR MSE WALL		3,908	CY
24" CULV PIPE 3,4,5		790	LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP		LUMP
DELINEATOR, TYPE III		62	EACH
INSTALL CHEVRONS		32	EACH
GRAVEL SURFACE COURSE		1,488	CY
GRAVEL EMBEDMENT		61	STA
TIE BARS		211	EACH
CONC 47B-3500 DRIVEWAY 9"		353	SY
9" CONC PVMT, 47B-3500		3,500	SY
9" DOWELED CONC PVMT, 47B-3500		19,636	SY
CAST IRON GRATE & FRAME		2,472	LB
FLUME SPILLWAY		84	LF
CONCRETE FLUME, TYPE II		3	EACH
47B-3000 CONC FOR INLET & JUNCTION BOXES		39	CY
RE-STEEL FOR INLET & JCT BOX		2,340	LB
AGGREGATE FOUNDATION COURSE		1,284	SY

SOIL BINDER	2,118	CY
SUBGRADE STABILIZATION	146	STA
SURFACING 6"	2,463	SY
WATER	183	MGAL
EARTH SHOULDER CONSTRUCTION	157	STA
SURFACE UNDER GUARDRAIL	462	SY
15" CULV PIPE 3,4,5,6	1,166	LF

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVAL OF UNSUITABLE MATERIAL	168	CY
REMOVE HEADWALLS FROM CULV	2	EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	1,154	CY
EXCAVATION FOR BOX CULVERTS	201	CY
47B-3000 CONC FOR BOX CULV	298	CY
RE-STEEL FOR BOX CULVERT	31,742	LB
24" AUTO. FLOOD CONTROL GATE	4	EACH
30" AUTO. FLOOD CONTROL GATE	2	EACH
12" FLARED-END SECTION	2	EACH
24" FLARED-END SECTION	8	EACH
30" FLARED-END SECTION	2	EACH
42" FLARED-END SECTION	8	EACH
24" METAL FLARED-END SECTION	4	EACH
30" METAL FLARED-END SECTION	3	EACH
GEOGRID	380	SY
GRANULAR BACKFILL	168	CY
30" CULV PIPE 3,4,5	9	LF
42" CULV PIPE 2,4,5	266	LF
24" CULV PIPE 3,4,5,6	72	LF
30" CULV PIPE 3,4,5,6	141	LF
12" CULV PIPE 2,4,5,7,8	48	LF
24" CULV PIPE 2,4,5,7,8	243	LF
30" CULV PIPE 2,4,5,7,8	82	LF

GROUP 4A CULVERT AT STA. 158+50.92

MOBILIZATION	LUMP	LUMP
REMOVAL OF UNSUITABLE MATERIAL	204	CY
EXCAVATION FOR BOX CULVERTS	1,245	CY
47B-3000 CONC FOR BOX CULV	434	CY
RE-STEEL FOR BOX CULVERT	46,666	LB
GEOGRID	460	SY
GRANULAR BACKFILL	204	CY

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE A	3	ACRE
SEEDING, TYPE B	3	ACRE
MULCH	14	TON

GROUP 6 BRIDGE AT STA. 140+54.09

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000	175	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	20,650	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PIER NO.2 EXCAVATION	LUMP	LUMP
EXPANSION BEARING, TFE TYPE	8	EACH
FIXED BEARING	16	EACH
47BD-4000 CONC FOR BRIDGE	1,085	CY
47BD-6000 CONC FOR BRIDGE	25	CY
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
140+54.09		
STRUC STEEL FOR SUBSTRUCTURE	274	LB
STEEL DIAPHRAGM	6	EACH
EPOXY COATED RE-STEEL	223,845	LB

SUBSURFACE DRAINAGE MATTING	85 SY
HP 14"X73# STEEL PILING	6,400 LF
6' PEDESTRIAN RAIL (CHAIN LINK TYPE)	920 LF
1 1/2" CONDUIT IN BRIDGE	1,044 LF
STRIP SEALS	82 LF
GRANULAR BACKFILL	334 CY

GROUP 6A BRIDGE AT STA. 0+56

MOBILIZATION	LUMP	LUMP
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
47BD-4000 CONC FOR BRIDGE		112 CY
REMOVE STRUCTURE		1 EACH
AT STA. 0+56		
EPOXY COATED RE-STEEL	12,690 LB	
HP 14"X89# STEEL PILING	480 LF	

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		150 LF
BRIDGE APPROACH SECTIONS		4 EACH
GUARDRAIL END TREATMENT, TYPE II		4 EACH

GROUP 7B FENCE

MOBILIZATION	LUMP	LUMP
VEHICLE GATE		2 EACH
40'		
VEHICLE GATE		1 EACH
60'		
RIGHT-OF-WAY FENCE	22,624 LF	
END POSTS		32 EACH
PULL POSTS		61 EACH
CORNER POSTS		22 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	750 BDAY	
BARRICADE, TYPE III	7,071 BDAY	
SIGN DAY	5,487 EACH	
CONTRACTOR FURNISHED SIGN DAY	2,606 EACH	
FLAGGING	80 DAY	
TRAINING	2,000 HOUR	
MOBILIZATION	LUMP	LUMP
CONSTRUCTION STAKING AND SURVEYING	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		40 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		40 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		40 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		40 HOUR
TEMPORARY SILT CHECK		200 LF
TEMPORARY SILT FENCE		500 LF
TEMPORARY EARTH CHECK		500 LF
TEMPORARY MULCH		2 TON

NOTICE TO CONTRACTORS

CALL ORDER 605
 FEDERAL PROJECT NO. STPD-91-3(103)
 LOCATION: N-91, DUNNING NORTHEAST
 COUNTIES: BLAINE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on August 30, 2012. At that time the bids will be opened and read for GR BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 9.1 MILES
 START DATE 07/29/2013 WORKING DAYS 50
 Price Range \$ 3,000,000 to \$ 6,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning August 07, 2012 at the Lincoln Central Office and August 13, 2012 at the District Engineer's Office at NORTH PLATTE
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	50	SHEETS	\$ 12.50
CROSS SECTIONS (SHEETS X1 THRU X119)	119	SHEETS	\$ 29.75
STANDARD PLANS	9	SHEETS	\$ 2.25

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-W1 - 2-W9	WETLANDS
2-H1 - 2-H12	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N6	GENERAL INFORMATION & SUPERELEVATION PROFILE
3 - 11	PLAN SHEETS
12	TEMPORARY PAVEMENT MARKING PLAN
13 - 17	EARTHWORK DATA SHEETS
18	SPECIAL PLAN 1C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
19 - 20	SPECIAL PLAN 2C TEMPORARY SILT CHECKS
R1 - R2	RIGHT-OF-WAY SHEETS
X1 - X119	CROSS SECTIONS

STANDARD PLANS

307-R1	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
502	SILT FENCE DETAILS
804	PRECAST CONCRETE R.O.W. MARKER
901-R9	HIGHWAY DELINEATORS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		1 MGAL
RIGHT-OF-WAY MARKERS		9 EACH
EARTHWORK MEASURED IN EMBANKMENT		5,437 CY

SALVAGING AND PLACING TOPSOIL	2,713	SY
COVER CROP SEEDING	14	ACRE
EROSION CHECKS, TYPE WATTLE	925	LF
FABRIC SILT FENCE-LOW POROSITY	642	LF

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES	1,921	STA
OVERLAY SOLID LINES	3,842	STA
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE III	118	EACH
INSTALL CHEVRONS	8	EACH
GRAVEL SURFACE COURSE	55	CY
SPEC SURF CRSE FOR MAILBOX TURNOUTS	197	SY
MAILBOX POST	5	EACH
HYDRATED LIME FOR ASPHALT MIXTURES	140	TON
COLD IN-PLACE RECYCLING	481	STA
ASPH CONC, TYPE SPR (FINE)	22,800	TON
PLACE ASPH CONC FOR DRIVE & INTER	2,232	SY
ASPH CONC FOR PATCHING, TYPE SPR (FINE)	400	TON
PERF GRADED BINDER (64-34)	1,299	TON
PREP OF INTER & DRIVE	708	SY
TACK COAT	26,420	GAL
EMUL ASPH FOR COLD IN-PLACE RECYCLING	291,520	GAL
WATER	241	MGAL
WATER FOR COLD IN-PLACE RECY, APPLIED	347	MGAL
EARTH SHOULDER CONSTRUCTION	963	STA
COLD MILLING, CLASS 3	481	STA
COLD MILLING, CLASS 5	675	SY
REPULVERIZATION & AERATION	481	STA
RAP INCENTIVE PAYMENT	30,787	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B	14	ACRE
MULCH	28	TON

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	11,250	B DAY
BARRICADE, TYPE III	388	B DAY
TEMPORARY SIGN DAY	700	EACH
SIGN DAY	8,342	EACH
FLAGGING	80	DAY
FURNISHING AND OPERATING PILOT VEHICLE	40	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	40	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	30	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	40	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	40	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10	HOUR
TEMPORARY SILT CHECK	300	LF
TEMPORARY SILT FENCE	500	LF
TEMPORARY MULCH	1	TON

NOTICE TO CONTRACTORS

CALL ORDER 610
 FEDERAL PROJECT NO. HSIP-D6(103)
 LOCATION: DISTRICT 6-DISTRICTWIDE STRIPING
 COUNTIES: DEUEL LINCOLN
 KEITH OTHERS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on August 30, 2012. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY
 START DATE 10/01/2012 CALENDAR DAYS 398
 Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning August 07, 2012 at the Lincoln Central Office and August 13, 2012 at the District Engineer's Office at NORTH PLATTE

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	4 SHEETS	\$	1.00
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

- 1 TITLE PAGE
& SUMMARY OF QUANTITIES
- 2 PAVEMENT MARKING QUANTITIES (D-6)
- 3 TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE
(FREEWAY-INTERSTATE)
- 4 TYPICAL PAVEMENT MARKING PLAN
(INTERSTATE/EXPRESSWAY)

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	7,100	BDAY
BARRICADE, TYPE III	36	BDAY
TEMPORARY SIGN DAY	864	EACH
PERMANENT PAVEMENT MARKING	829,901	LF
PERMANENT PAVEMENT MARKING 12"	16,450	LF
FLASHING ARROW PANEL	36	DAY
FLAGGING	4	DAY
MOBILIZATION	LUMP	LUMP

Plan and Informational Proposal Order Form
Projects to be bid on:
August 30, 2012

Payment required for plans prior to NDOR completing this order.
 dor.ContractsOnlineOrders@nebraska.gov FAX: (402) 479-4845

Document No.

<input type="checkbox"/> Check/Cash	Receipt No.
<input type="checkbox"/> Advance Plans Account No.	
Credit Card	
<input type="checkbox"/> Visa	<input type="checkbox"/> MasterCard
Expiration Date:	
Card No.:	
FOR OFFICE USE ONLY	
Reference I.D.:	
Authorization Code: _____ Date: _____	

Please indicate: <input type="checkbox"/> Mail <input type="checkbox"/> Hold	<input type="checkbox"/> Fed Ex. Standard Overnight <input type="checkbox"/> Fed Ex. Priority Overnight <input type="checkbox"/> UPS Overnight Acct. No.	Comments:
--	---	-----------

4-Digit Vendor No.:	Ordered By:	Grand Total - Informational Proposals: x \$5.00
Company:		All plans in letting on CD: x \$25.00
Street Address:		Grand Total - 1/2 Size Plans: x \$.25
		Grand Total - Full Size Plans: x \$.50
PO Box:	City:	State:
		Zip Code:
Phone No. (include Area Code):	Fax No. (include Area Code):	Subtotal
		Tax Code
		Sales Tax
		%
Processed by:	Date:	Proposals/CD Filled:
		Blueprint Plans/Proposals Filled:
		Date:
		Total

If requesting Plan or Proposal CD(s) only, your name will not appear on the Planholders list unless your company has been issued Bid Proposals or you submit the "Planholders Registration" from the NDOR website.

CD containing Informational Proposals for all projects in letting. (No Charge) Total Number Requested: →

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. 1/2 size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
100	STPE-3305(9)				
105	HSIP-D1(102)				
110	BR-3265(5)				
115	RD-180-9(1155)				
200	MISC-75-3(1025)				
205	BH-HSIP-275-6(141)				
210	HSIP-D2(106)				
215	STPAA-5625(2)				
300	STPE-3130(5)				
305	HSIP-D3(103)				
400	STPE-2690(3)				
405	STP-34-4(126)				

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. 1/2 size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
410 MISC-81-1(1045)					
415 HSIP-D4(102)					
500 RD-26-1(1065)					
505 RD-385-2(1007)					
510 HSIP-D5(102)					
515 IM-80-2(98)					
600 RRZ-TMT-DPU-1390(3)					
605 STPD-91-3(103)					
610 HSIP-D6(103)					

Standard Plans: Refer to "Publication Order Form" for complete sets of Standard Plans and Standard/Special Plans Books						
Number of Sets Requested	Standard Plan No.(s)	Number of Sheets Shown in List of Plans	Check Size		Total No. of Sheets	
			1/2	Full	1/2	Full
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		

