

September 27, 2012

TO ALL CONCERNED:

The Department of Roads has scheduled a bid letting to be held in this office October 25, 2012 at 1:30 p.m.

The Notice to Contractors includes:

1. Website Information
2. Notice to all Bidders
3. Ordering Instructions
4. Notices to Contractors including time allowances and lists of plans
5. Plan and Informational Proposal Order Form
6. R-125 "Request for Bidding Proposal Forms"

Projects containing DBE Goals are indicated in the "Notice to Contractors".

Please check the important letting information on the website frequently.

The last day to submit acceptable prequalification statements for this letting is by 5:00 p.m. on Monday, October 15, 2012.

Sincerely,

Kimberly K. Baker, Supervisor
Contract Lettings Section
Construction Division

KKB/amh

WEBSITE INFORMATION

The Nebraska Department of Roads, Contract Lettings Section, will be utilizing the Internet as our means of communicating with the contracting industry.

Documents that are posted on the web are:

- Letting Schedule
- Notices to Contractors
- Informational Proposals
- Letting Plans
- List of Prequalified Contractors
- Planholders List
- Informational Addendums
- EBS (Electronic Bidding System)
- Apparent Low Bidders
- Bid Tabulations
- Standard Item Listing
- Awarded Average Unit Prices (AUP) Report

Hard copies of these documents will be available for inspection in the Contracts Office.

There will be a charge for reproduction of any of these documents.

The Website address is: www.Transportation.Nebraska.gov

If you have any questions as you are using our Website, please contact us at:

Nebraska Department of Roads
Contract Lettings Section
P.O. Box 94759
Lincoln, NE 68509-4759

Phone (402) 479-4525
FAX (402) 479-3803

Email: DOR.ContractLettings@nebraska.gov

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free “hotline” Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the “hotline” to report such activities.

The “hotline” is part of the DOT’s continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

ORDERING INSTRUCTIONS FOR PLANS AND PROPOSALS

Refer to the "Notice to Contractors" for the call order number, project number, and list of plans for each project.

Order forms are available on the NDOR website in PDF and Word format. Complete the appropriate forms as follows:

Request for Bidding Proposal Forms (R-125)

Bidders must submit an R-125, Request for Bidding Proposals Forms and be issued bid proposals prior to submitting bids.

Proposals to be used for bidding must be requested on this form. Bidding proposals will be issued only to contractors who are currently prequalified to bid with this department.

There is no charge for bid proposals.

Plan and Informational Proposal Order Form:

Payment is required prior to NDOR completing the order. This payment is not refundable.

Proposals to be used for information only can be ordered as follows:

1. Each individual project.
2. CD that contains all projects in letting. Does not contain addenda.

Plans for each project can be ordered as follows:

1. Complete set.
2. Set less Roadway Cross-Sections and Standards.
3. Set less Standards.
4. Set less Roadway Cross-Sections.
5. Individual sheets
6. CD that contains all projects in letting.

Prices are: Informational Proposals: \$5.00 each
CD containing Informational Proposals: No Charge
Plans per sheet: \$.25 for half-size (12" x 18")
\$.50 for full-size (24" x 36")
CD containing plans: \$25.00 each

Cost shown on the list of plans is for ½ size plans. Nebraska residents add appropriate state sales tax and city tax that is determined by delivery within cities imposing a sales tax.

Select the method of payment on the plan order form:

1. Credit Card (Visa or MasterCard only)
Orders with approved credit cards can be processed without delays.
2. Advanced payment account
Requires a money deposit with recommended \$200 minimum. Failure to have sufficient funds in your account to cover cost of the plans may delay the processing of your order.
This account may also be used to purchase other NDOR publications.
3. Check/cash
Send checks made payable to the Nebraska Dept. of Roads with your completed plan order form. Please do not mail cash.

To order complete sets of standard plans (1/2 size) please use the "Publications Order Form" available on the website. Cost is \$35.00 plus applicable sales tax. As new standards become available they may be purchased at \$0.25 per sheet.

Address: Nebraska Department of Roads
Contracts Section
1500 Highway 2
PO Box 94759
Lincoln NE 68509-4759

FAX (402) 479-3803

Phone: (402) 479-4525

Email: DOR.ContractLettings@nebraska.gov

October 10, 2008

NOTICE TO CONTRACTORS

CALL ORDER 150
 FEDERAL PROJECT NO. LCLC-5231(13)
 LOCATION: 27TH STREET/LEIGHTON VIADUCT, LINCOLN
 COUNTIES: LANCASTER

The Nebraska Department of Roads will receive sealed bids for the CITY OF LINCOLN in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on October 25, 2012. At that time the bids will be opened and read for GRAD CONC PAVE BR ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT BRIDGES
 START DATE 03/18/2013 CALENDAR DAYS 160
 Price Range \$ 1,000,000 to \$ 3,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 6.0 %

Plans and specifications may be seen beginning October 02, 2012 at the Lincoln Central Office and October 09, 2012 at the District Engineer's Office at LINCOLN
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	62	SHEETS	\$	15.50
STANDARD PLANS	20	SHEETS	\$	5.00

SHEET NO.

1	TITLE PAGE
2-S	SUMMARY OF QUANTITIES
2-H	HORIZONTAL CONTROL
2-N1	GENERAL NOTES
2-N2	DETAILS
2-P1 - 2-P3	TRAFFIC CONTROL/PHASING
2-L1 - 2-L2	GEOMETRICS
2-L3 - 2-L4	JOINTS & GRADES
2-L5 - 2-L6	CONSTRUCTION & REMOVAL
2-L7	CROSS-OVER CONSTRUCTION & REMOVAL
2-L8 - 2-L13	PAVEMENT MARKINGS
3 - 9	ITS PLAN
10 - 34	SPECIAL PLAN 1C 27th STREET VIADUCT--BRIDGE PLANS
35 - 37	SPECIAL PLAN 2C CURB RAMPS
38	SPECIAL PLAN 3C PULL BOX DETAILS
39	SPECIAL PLAN 4C FOUNDATIONS & BASES
40	SPECIAL PLAN 5C POWER SUPPLIES
41	SPECIAL PLAN 6C ARTERIAL DMS DETAIL
42	SPECIAL PLAN 7C CURB INLET
43	SPECIAL PLAN 8C GROUND SLEEVE LOCATION

STANDARD PLANS

301-R10	(3 SHEETS)	PAVEMENT DETAILS
303	(2 SHEETS)	CURB RAMP
329-R9	(4 SHEETS)	8 TO 16 INCH CONCRETE PAVEMENT
501-R5	(3 SHEETS)	EROSION CONTROL
502		SILT FENCE DETAILS
920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
924	(3 SHEETS)	TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

	LUMP	LUMP
MOBILIZATION		
REMOVE PAVEMENT	4,064	SY
SAWING PAVEMENT	1,707	LF
REMOVE WALK	764	SY
REMOVE COMBINATION CURB AND GUTTER	254	LF
REMOVE CURB	940	LF
REMOVE CONCRETE BARRIER RAIL ON WALL	478	LF
REMOVE CONCRETE MEDIAN SURFACING	454	SY
REMOVE CONCRETE SEPARATION BARRIER RAIL	480	LF
REMOVE AND RESET TUBULAR MARKER	1	EACH
REMOVE INLET TOP AND REPLACE	2	EACH

GROUP 3 CONCRETE PAVEMENT

	LUMP	LUMP
MOBILIZATION		
COMB CONC 47B-3500 CURB & GUTTER	254	LF
CONC 47B-3000 SIDEWALK 5"	732	SY
DETECTABLE WARNING PANEL	96	SF
TACK-ON CONC 47B-3500 MEDIAN	262	SY
CONC 47B-3000 MEDIAN SURFACING	418	SY
9" CONC PVMT, 47B-3500	366	SY
10" DOWELED CONC PVMT, 47B-3500	3,042	SY
REINF CONC PVMT, 47B-3500 10"	691	SY
CURB INLET SEDIMENT FILTER	4	EACH
4" WHT POLYUREA PVMT MRKING, GROOVED WATER	1,694	LF
	13	MGAL
SUBGRADE PREPARATION	4,099	SY

GROUP 6 BRIDGE AT STA. 82+88

	LUMP	LUMP
MOBILIZATION		
CONC FOR PVMT APPROACHES CLASS 47BD-4000	286	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	55,763	LB
SHOTCRETE	26	SY
PREFORMED EXPANSION JOINT, TYPE A	145	LF
47B-3000 CONC FOR BRIDGE	135	CY
47BD-4000 CONC FOR BRIDGE	272	CY
47BD-4000 CONC FOR CONC. RAIL	90	CY
EPOXY COATED RE-STEEL FOR CONC RAIL	11,378	LB
PREP BRIDGE 82+88	1	EACH
EPOXY COATED RE-STEEL	31,172	LB
SUBSURFACE DRAINAGE MATTING	160	SY
HP 10"X42# STEEL PILING	815	LF
PEDESTRIAN BARRIER RAIL	1,332	LF
TEMPORARY PEDESTRIAN BARRIER	2,000	LF
1 1/2" CONDUIT IN BRIDGE	6,934	LF
STRIP SEALS	148	LF
GRANULAR BACKFILL	443	CY

GROUP 8B ELECTRICAL

	LUMP	LUMP
MOBILIZATION		
DYNAMIC MESSAGE SIGN	2	EACH
DYNAMIC MESSAGE SIGN SUPPORT POLE	2	EACH
PULL BOX, TYPE PB-6	4	EACH
PULL BOX, TYPE PB-7	6	EACH
PULL BOX, TYPE FOR-27	2	EACH
CABINET	2	EACH
ITS HUB, TYPE 332		

POLE		2	EACH
MOUNTED CABINET, TYPE 346			
METER PEDESTAL		3	EACH
2" CONDUIT IN TRENCH		1,080	LF
4" CONDUIT IN TRENCH		1,560	LF
2" CONDUIT UNDER ROADWAY		280	LF
4" CONDUIT UNDER ROADWAY		375	LF
CAT5E ETHERNET CABLE		75	LF
FIBER OPTIC CABLE		4,500	LF
12 SM			
FIBER OPTIC CABLE		4,600	LF
96 SM			
TRACER WIRE		1,935	LF
#4 GROUNDING CONDUCTOR		1,015	LF
#8 GROUNDING CONDUCTOR		285	LF
SERVICE CABLE		2,600	LF
ICE DETECTION SENSORS	LUMP		LUMP
REMOVE PULL BOX		2	EACH
RELOCATE CABLE		30	LF
SM FIBER			
TEST & DOCUMENT FIBER OPTIC COMM SYSTEM	LUMP		LUMP

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II		24,100	BDAY
BARRICADE, TYPE III		3,300	BDAY
SIGN DAY		4,800	EACH
CONTRACTOR FURNISHED SIGN DAY		1,050	EACH
TEMP PAVEMENT MARKING REMOVAL		17,754	LF
PAVEMENT MARKING REMOVAL		1,694	LF
TEMP PVMT MARKING, TYPE PAINT		17,754	LF
TEMP PVMT MARKING SURF PREP		17,754	LF
TUBULAR POST		100	EACH
FLASHING ARROW PANEL		320	DAY
FLAGGING		50	DAY
TRAINING		500	HOUR
MOBILIZATION	LUMP		LUMP

NOTICE TO CONTRACTORS

CALL ORDER 155
 FEDERAL PROJECT NO. PLH-3615(8)
 LOCATION: ON A COUNTY ROAD, NORTH & SOUTH OF PRESTON
 COUNTIES: RICHARDSON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on October 25, 2012. At that time the bids will be opened and read for CONCRETE PAVEMENT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

Length: 3.8 MILES
 START DATE 08/26/2013 WORKING DAYS 35
 Price Range \$ 1,000,000 to \$ 3,000,000

Plans and specifications may be seen beginning October 02, 2012 at the Lincoln Central Office and October 09, 2012 at the District Engineer's Office at LINCOLN

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	16	SHEETS	\$	4.00
STANDARD PLANS	14	SHEETS	\$	3.50

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS OF IMPROVEMENT
2-S	SUMMARY OF QUANTITIES
2-N1 - 2-N2	GENERAL INFORMATION & DETOUR LOCATION MAP
3 - 10	PLAN & PROFILE SHEETS
11	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
12 - 13	SPECIAL PLAN 1C TEMPORARY SILT CHECKS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
308-R1	LOCAL ROADS MAILBOX TURNOUT
329-R9	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 3 CONCRETE PAVEMENT

BARRICADE, TYPE III	828	BDAY
SIGN DAY	1,380	EACH
CONTRACTOR FURNISHED SIGN DAY	414	EACH
PERMANENT PAVEMENT MARKING PAINT	68,225	LF
MOBILIZATION	LUMP	LUMP
CRUSHED ROCK SURFACE COURSE	154	TON
SPEC SURF CRSE FOR MAILBOX TURNOUTS	210	SY
8" DOWELED CONC PAVE, CLASS 47B-3500	54,716	SY
WATER	266	MGAL
EARTH SHOULDER CONSTRUCTION	406	STA
SUBGRADE PREPARATION	54,716	SY
SEEDING, TYPE A	5	ACRE
COVER CROP SEEDING	5	ACRE
TEMPORARY SILT CHECK	500	LF

TEMPORARY SILT FENCE
TEMPORARY MULCH
MULCH

1,500 LF
2 TON
12 TON

NOTICE TO CONTRACTORS

CALL ORDER 160
 FEDERAL PROJECT NO. LCLC-5228(4)
 LOCATION: LINCOLN CITY STREET RESURFACING
 COUNTIES: LANCASTER

The Nebraska Department of Roads will receive sealed bids for the CITY OF LINCOLN in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on October 25, 2012. At that time the bids will be opened and read for GRAD CONC PAVE CULV WATER ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT BITUMINOUS
 START DATE 04/01/2013 CALENDAR DAYS 216
 Price Range \$ 3,000,000 to \$ 6,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 6.0 %

Plans and specifications may be seen beginning October 02, 2012 at the Lincoln Central Office and October 09, 2012 at the District Engineer's Office at LINCOLN. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING STANDARDS)	246	SHEETS	\$ 61.50
STANDARD PLANS	7	SHEETS	\$ 1.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T13	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-H1 - 2-H13	HORIZONTAL & VERTICAL CONTROL
2-N	GENERAL INFORMATION
2-L1 - 2-L70	CONSTRUCTION & REMOVAL PLANS
2-L71 - 2-L127	CONSTRUCTION & REMOVAL PLANS--CURB RAMP/SIDEWALK
3 - 6	DETOUR LOCATION MAPS
7 - 75	PAVEMENT MARKING PLANS
76	SPECIAL PLAN 1C CURBSIDE MAILBOX INSTALLATIONS
77	SPECIAL PLAN 2C TYPICAL UTILITY ADJUSTMENT DETAIL
78	SPECIAL PLAN 3C CROSSWALK LAYOUT PLAN
79	SPECIAL PLAN 4C PAVEMENT MARKING PLAN
80	SPECIAL PLAN 5C PULL BOX DETAIL
81	SPECIAL PLAN 6C VEHICLE DETECTOR PLAN
82	SPECIAL PLAN 7C STORM DRAINAGE INLET PLAN
83	SPECIAL PLAN 8C ELBOWS, COLLARS, & PLUGS
84	SPECIAL PLAN 9C SURVEY MONUMENT BOX
85	SPECIAL PLAN 10C PIPE BEDDING & FOUNDATION MATERIAL
86	SPECIAL PLAN 11C WATER MAIN DETAILS
87 - 89	SPECIAL PLAN 12C CURB RAMP DETAILS
90	SPECIAL PLAN 13C CONCRETE MEDIAN NOSE
91	SPECIAL PLAN 14C GRATE INLET WARNING STRIPE
92	SPECIAL PLAN 15C CAST IRON MANHOLE RING, COVER, & STEPS

STANDARD PLANS

920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

	LUMP	LUMP
MOBILIZATION		
EXCAVATION (ESTABLISHED QUANTITY)		218 CY
REMOVE PAVEMENT	11,374	SY
SAWING PAVEMENT	20,474	LF
REMOVE DRIVEWAY	1,034	SY
REMOVE WALK	4,330	SY
REMOVE COMBINATION CURB AND GUTTER	7,995	LF
REMOVE RETAINING WALL		64 LF
REMOVE RAILROAD TIE WALL		24 LF
REMOVE		6,346 LF
BARRIER CURB		
REMOVE AND RESET		1 EACH
SIGN		

GROUP 3 CONCRETE PAVEMENT

	LUMP	LUMP
MOBILIZATION		
TIE BARS		3,826 EACH
CONC 47B-3500 BARRIER CURB		43 LF
COMB CONC 47B-3500 CURB & GUTTER	14,241	LF
CONC 47B-3500 SIDEWALKS		150 SY
6" CONC 47B-3000 SIDEWALKS		4,249 SY
DETECTABLE WARNING PANEL		3,178 SF
CONC 47B-3000 MEDIAN SURFACING		286 SY
CONCRETE CLASS 47B-3500 ISLAND NOSE		2 EACH
CONC CLASS 47B-3500 DRIVEWAY 5"		273 SY
CONC CLASS 47B-3500 DRIVEWAY 8"		4 SY
CONC 47B-3500 DRIVEWAY		757 SY
6"		
8" CONCRETE BASE COURSE	12,355	SY
9" CONC PVMT, 47B-3500		29 SY
ADJUST MANHOLE TO GRADE		68 EACH
MODULAR BLOCK WALL		1,348 SF
4" WHITE THERMOPLASTIC, GROOVED	29,186	LF
4" YELLOW THERMOPLASTIC, GROOVED	34,050	LF
8" WHITE THERMOPLASTIC, GROOVED		2,587 LF
12" WHITE THERMOPLASTIC, GROOVED		783 LF
12" YELLOW THERMOPLASTIC, GROOVED		159 LF
24" WHITE THERMOPLASTIC, GROOVED		3,200 LF
ARROW, THERMOPLASTIC, GROOVED		8 EACH
ONLY, THERMOPLASTIC, GROOVED		1 EACH
HYDRATED LIME FOR ASPHALT MIXTURES		143 TON
ASPH CONC, TYPE SPH	17,680	TON
ASPH CONC FOR PATCHING, TYPE SPH		100 TON
PERF GRADED BINDER (70-34)		853 TON
PREP OF INTER & DRIVE		1,034 SY
TACK COAT	24,790	GAL
RENTAL OF LOADER, FULLY OPERATED		20 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED		20 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		20 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		20 HOUR
WATER		40 MGAL
SUBGRADE PREPARATION		12,384 SY
COLD MILLING, CLASS 3	143,134	SY
CONC SURF MILLING		22,107 SY
RAP INCENTIVE PAYMENT	30,226	EACH
RELOCATE		2 EACH
BENCH		
SEEDING, TYPE B		1 ACRE
ADJUST WATER VALVE BOX & COVER TO GRADE		93 EACH

GROUP 4 CULVERTS

	LUMP	LUMP
MOBILIZATION		
REMOVE INLET		18 EACH
INLET-72" STRAIGHT		18 EACH

INLET-72" CANTED	6	EACH
MODIFY CURB INLET	6	EACH
47B-3000 CONC FOR CONCRETE CO	6	CY
EPOXY COATED RE-STEEL FOR COLLARS	876	LB
15" REINF CONCRETE SEWER PIPE	93	LF
18" REINF CONCRETE SEWER PIPE	59	LF
30" REINF CONCRETE SEWER PIPE	24	LF

GROUP 4A WATER MAIN

MOBILIZATION	LUMP	LUMP
REMOVE	4	EACH
AND SALVAGE FIRE HYDRANT		
6" RETAINER GLAND	8	EACH
ANCHOR COUPLING, M.J.	4	EACH
6" WATER MAIN PIPE	33	LF
6" GATE VALVE, M.J.	4	EACH
FIRE HYDRANT	4	EACH
TYPE V		

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
REMOVE	2	EACH
PEDESTRIAN SIGNAL POLE		
PULL BOX	9	EACH
TYPE PB-T9		
VEHICLE DETECTOR	65	EACH
4 TURNS		
1/2" CONDUIT IN TRENCH	933	LF
LEAD-IN CABLE	210	LF
ADJUST PULL BOX TO GRADE	3	EACH
REMOVE PULL BOX	10	EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	14,525	B DAY
BARRICADE, TYPE III	4,317	B DAY
TEMPORARY SIGN DAY	2,568	EACH
SIGN DAY	2,444	EACH
CONTRACTOR FURNISHED SIGN DAY	2,878	EACH
TEMP PVMT MARKING, TYPE PAINT	33,044	LF
FLASHING ARROW PANEL	146	DAY
FLAGGING	300	DAY
TRAINING	1,000	HOUR
MOBILIZATION	LUMP	LUMP
CONSTRUCTION STAKING AND SURVEYING	LUMP	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 165
 FEDERAL PROJECT NO. STPN-BR-TMT-5267(1)
 LOCATION: SW 40TH STREET, LINCOLN
 COUNTIES: LANCASTER

The Nebraska Department of Roads will receive sealed bids for the CITY OF LINCOLN in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on October 25, 2012 . At that time the bids will be opened and read for GR CONC PAVE CULV WATER BR GDRL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES

START DATE 03/25/2013 CALENDAR DAYS 902
 Price Range \$ 7,000,000 to \$ 12,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning October 02, 2012 at the Lincoln Central Office and October 09, 2012 at the District Engineer's Office at LINCOLN Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	251	SHEETS	\$ 62.75
CROSS SECTIONS (SHEETS X1 THRU X58)	58	SHEETS	\$ 14.50
STANDARD PLANS	31	SHEETS	\$ 7.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T3	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-K1 - 2K2	SUMMARY OF SOILS & GEOTECHNICAL INFORMATION
2-W1 - 2-W3	WETLANDS
2-H	HORIZONTAL & VERTICAL CONTROLS
2-N1 - 2-N8	GENERAL INFORMATION
2-P1 - 2-P5	PHASING PLANS
2-L1 - 2-L11	GEOMETRICS
2-L12 - 2-L15	JOINTS & GRADES
2-L16 - 2-L23	REMOVAL
2-L24 - 2-L34	CONSTRUCTION
2-L35 - 2-L38	STORM DRAINAGE
2-L39 - 2-L40	STORM DRAINAGE PROFILE
2-L41 - 2-L44	CULVERT PLAN & PROFILE
2-L45 - 2-L52	SEDIMENT & EROSION CONTROL
3 - 18	PLAN & PROFILE SHEETS
19 - 20	WASTE WATER
21	WASTE WATER PROFILE
22 - 30	WATER MAIN
31 - 34	WATER MAIN PROFILE
35 - 46	TEMPORARY TRAFFIC CONTROL PLAN--PHASES
47 - 54	PAVEMENT MARKING & SIGNING
55 - 76	SPECIAL PLAN 1 CONCRETE GIRDER BRIDGE OVER MIDDLE CREEK STA. 124+00.00
77 - 131	SPECIAL PLAN 2 CONCRETE GIRDER BRIDGE OVER BNSF RAILROAD STA. 133+83.00
132 - 133	SPECIAL PLAN 1C FLUME & SPLASH BASIN
134 - 137	SPECIAL PLAN 2C WICK DRAINS
138 - 139	SPECIAL PLAN 3C GUARDRAIL INSTALLATION
140 - 142	SPECIAL PLAN 4C SIGNS
143	SPECIAL PLAN 5C TRAFFIC PAVEMENT MARKINGS
144	SPECIAL PLAN 6C STORM DRAINAGE INLET
145	SPECIAL PLAN 7C R.C. COLLARS, ELBOWS, & PLUGS
146	SPECIAL PLAN 8C CAST IRON MANHOLE RING, COVER, & STEPS

147	SPECIAL PLAN 9C	SURVEY MONUMENT BOX & STAKING
148	SPECIAL PLAN 10C	CONSTRUCTION ENTRANCE
149	SPECIAL PLAN 11C	SEDIMENT BARRIERS
150	SPECIAL PLAN 12C	PIPE BEDDING FOR WATER MAIN & SANITARY SEWER PIPE
151	SPECIAL PLAN 13C	ENCASEMENT WITH CASING CHOCKS & ENCASEMENT PLUGS
152	SPECIAL PLAN 14C	WASTEWATER MANHOLES, TYPE "R" & "S"
153 - 154	SPECIAL PLAN 15C	WATER MAIN VALVE MANHOLES, AIR RELIEFS, PE CONNECTION ASSEMBLY, & PE CONCRETE ANCHOR
155 - 156	SPECIAL PLAN 16C	R.C COLLARS, THRUST BLOCKS, ANCHORAGES, GRAVITY BLOCKS, TEE BLOCKS, & PLUG BLOCKS
157	SPECIAL PLAN 17C	HYDRANT INSTALLATIONS
158	SPECIAL PLAN 18C	WATER TAPPING EXCAVATION PIT, BUTTERFLY VALVE & CUT IN DETAIL
159 - 162	SPECIAL PLAN 19C	CURB RAMP (NEW/RETROFIT)
163 - 164	SPECIAL PLAN 20C	TEMPORARY SILT CHECKS
165	SPECIAL PLAN 21C	EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
R1 - R10		RIGHT-OF-WAY SHEETS
X1 - X58		CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS)	PAVEMENT DETAILS
329-R9	(4 SHEETS)	8 TO 16 INCH CONCRETE PAVEMENT
410-R3	(2 SHEETS)	FLARED END SECTIONS FOR CULVERT PIPES
411	(4 SHEETS)	BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
501-R5	(3 SHEETS)	EROSION CONTROL
502		SILT FENCE DETAILS
740		MIDWEST GUARDRAIL SYSTEM BRIDGE APPROACH SECTION
743	(4 SHEETS)	GUARDRAIL DETAILS
901-R9		HIGHWAY DELINEATORS
920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923		TRAFFIC CONTROL--ROAD CLOSURE
924	(3 SHEETS)	TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		24 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		215 MGAL
EARTHWORK MEASURED IN EMBANKMENT		108,489 CY
EMBANKMENT FOR SURCHARGE (E.Q.)		3,283 CY
RIPRAP FILTER FABRIC		419 SY
REMOVE PAVEMENT		2,871 SY
SAWING PAVEMENT		1,918 LF
REMOVE CURB		106 LF
REMOVE FENCE		542 LF
REMOVE CONCRETE MEDIAN SURFACING		22 SY
MONITORING INSTRUMENTATION	LUMP	LUMP
WICK DRAIN		144,480 LF
4" PERFORATED P.V.C. PIPE UNDERDRAIN		1,096 LF
ROCK RIPRAP, TYPE A		238 TON
ROCK RIPRAP, TYPE B		168 TON
REMOVE GUARDRAIL		57 LF
SAND BLANKET		7,238 TON
COVER CROP SEEDING		10 ACRE
TEMPORARY SEEDING		5 ACRE
EROSION CONTROL, CLASS 1D		24,200 SY
EROSION CHECKS, TYPE SYNTHETIC		384 LF
FABRIC SILT FENCE-LOW POROSITY		1,693 LF

GROUP 3 CONCRETE PAVEMENT

GROUND SLEEVE		2 EACH
---------------	--	--------

MOBILIZATION	LUMP	LUMP
FLEXIBLE POST DELINEATOR		2 EACH
GRAVEL SURFACE COURSE		201 CY
CRUSHED ROCK EMBEDMENT		7,144 SY
CRUSHED ROCK SURFACE COURSE		466 CY
SURFACING		521 SY
COMB CONC 47B-3500 CURB & GUTTER		59 LF
DETECTABLE WARNING PANEL		60 SF
5" CONCRETE CLASS 47B-3000 BIKEWAY		1,577 SY
TACK-ON CONC 47B-3500 MEDIAN		30 SY
CONCRETE CLASS 47B-3500 ISLAND NOSE		2 EACH
CONC 47B-3500 DRIVEWAY		412 SY
9" CONC PVMT, 47B-3500		8,567 SY
REINF CONC PVMT, 47B-3500		54 SY
9"		
ADJUST MANHOLE TO GRADE		3 EACH
STREET NAME SIGN		4 EACH
TYPE A SIGN		49 SF
STRUC STEEL FOR SIGN SUPPORTS		238 LB
4" WHITE WET REFLECT THERMOPLASTIC, GRVD		1,862 LF
4" YELLOW WET REFLECT THERM PVMT MK GRVD		1,738 LF
4" WHT POLYUREA PVMT MRKING, GROOVED		4,522 LF
4" YEL POLYUREA PVMT MRKING, GROOVED		7,593 LF
HYDRATED LIME FOR ASPHALT MIXTURES		9 TON
ASPH CONC, TYPE SPR		1,420 TON
PERF GRADED BINDER (64-34)		79 TON
PREP OF INTER & DRIVE		412 SY
TACK COAT		290 GAL
WATER		42 MGAL
EARTH SHOULDER CONSTRUCTION		27 STA
SUBGRADE PREPARATION		11,472 SY
SURFACE UNDER GUARDRAIL		516 SY
RAP INCENTIVE PAYMENT		30,787 EACH
SEEDING, TYPE A		8 ACRE
SEEDING, TYPE B		1 ACRE
SEEDING, TYPE C		1 ACRE
MULCH		24 TON
MONUMENT FRAME AND COVER		3 EACH
ADJUST STOP BOX TO GRADE		3 EACH

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE INLET		1 EACH
CAST IRON GRATE & FRAME		412 LB
INLET-72" STRAIGHT		1 EACH
INLET-72" CANTED		5 EACH
REMOVE FLARED- END SECTION		1 EACH
REMOVE SEWER PIPE		36 LF
REMOVE STRUCTURE		1 EACH
AT STA 147+60.43		
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		623 CY
TEMPORARY PLUG		4 EACH
47B-3000 CONC FOR INLET & JUNCTION BOXES		1 CY
47B-3000 CONC FOR SPLSH BASIN		1 CY
EPOXY COATED RE-STEEL FOR SPLASH BASIN		50 LB
EPOXY RE-STEEL FOR INLET & JCT. BOX		100 LB
18" METAL FLARED-END SECTION		2 EACH
24" METAL FLARED-END SECTION		2 EACH
54" METAL FLARED-END SECTION		2 EACH
15" CONCRETE FLARED-END SECTION		1 EACH
18" CONCRETE FLARED-END SECTION		2 EACH
30" CONCRETE FLARED-END SECTION		1 EACH
36" CONCRETE FLARED-END SECTION		2 EACH
48" CONCRETE FLARED-END SECTION		2 EACH
18" CULV PIPE 2		39 LF
36" CULV PIPE 2		66 LF
48" CULV PIPE 2		54 LF
18" CULV PIPE 3,4,5		154 LF
24" CULV PIPE 3,4,5		39 LF

54" CULV PIPE 3,4,5	224 LF
15" CULV PIPE 3,4,5,6	119 LF
15" STORM SEWER PIPE 1	63 LF
18" STORM SEWER PIPE 1	358 LF
30" STORM SEWER PIPE 1	359 LF

GROUP 4A WATER MAIN & SANITARY SEWER

	LUMP	LUMP
MOBILIZATION		
ABANDON MANHOLE		3 EACH
FLOWABLE FILL CONCRETE		32 CY
MANHOLE		1 EACH
AT STA 139+27 RT		
MANHOLE		1 EACH
AT STA 140+53 RT		
MANHOLE		1 EACH
AT STA 143+35 RT		
MANHOLE		1 EACH
AT STA 144+05 LT		
MANHOLE		1 EACH
AT STA 120+02.27 RT		
MANHOLE		1 EACH
AT STA 126+59.64 RT		
TAPPING EXISTING MANHOLE		1 EACH
RECONSTRUCT WATER SERVICE		1 EACH
REMOVE SANITARY SEWER PIPE		283 LF
15" SANITARY SEWER PIPE		960 LF
16" PLUG		3 EACH
MJ		
12" PLUG		1 EACH
MJ		
30" STEEL CASING		334 LF
JACKING 30" STEEL CASING PIPE		330 LF
1" COPPER WATER SERVICE		33 LF
2" COPPER WATER SERVICE		18 LF
PE CONNECTION ASSEMBLY		2 EACH
CONC 47B-3500 FOR BLOCKS AND ANCHORAGES		29 CY
REINF. STEEL FOR BLOCKS & ANCHORAGES		1,085 LB
4" RETAINER GLAND		3 EACH
MJ		
12" RETAINER GLAND		5 EACH
MJ		
16" RETAINER GLAND		15 EACH
MJ		
ANCHORING ELBOW, M.J.		4 EACH
6"		
ANCHOR COUPLING, M.J.		6 EACH
6"		
4" WATER MAIN PIPE		182 LF
6" WATER MAIN PIPE		84 LF
8" WATER MAIN PIPE		34 LF
10" WATER MAIN PIPE		10 LF
12" WATER MAIN PIPE		154 LF
16" WATER MAIN PIPE		3,422 LF
WATER SERVICE SADDLE & CORPORATION STOP		1 EACH
4" GATE VALVE, M.J.		1 EACH
6" GATE VALVE, M.J.		5 EACH
8" GATE VALVE, M.J.		1 EACH
10" GATE VALVE, M.J.		1 EACH
12" BUTTERFLY VALVE		1 EACH
MJ		
16" BUTTERFLY VALVE		1 EACH
FL		
16" BUTTERFLY VALVE, M.J.		5 EACH
FIRE HYDRANT		2 EACH
5.5'		
FIRE HYDRANT		3 EACH
6.5'		
12" X 12" TAPPING SLEEVE AND VALVE		1 EACH
MJ		

16" X 16" TAPPING SLEEVE AND VALVE	1 EACH
MJ	
8" SLEEVE	1 EACH
DUAL PURPOSE	
10" SLEEVE	1 EACH
MJ	
16" SLEEVE	2 EACH
MJ	
16" X 6" TEE	4 EACH
MJ	
16" X 12" TEE	1 EACH
MJ	
TEE, MJ 16"	2 EACH
X 16"	
TEE, MJ 16"	1 EACH
X 10"	
TEE, MJ 16"	1 EACH
X 8"	
TEE, MJ 16"	1 EACH
X 4"	
4" - 90 DEGREE BEND	4 EACH
MJ	
12" - 90 DEGREE BEND	1 EACH
MJ	
12" - 45 DEGREE BEND	1 EACH
MJ	
16" - 22 1/2 DEGREE BEND, M.J.	3 EACH
16" - 45 DEGREE BEND, M.J.	2 EACH
16" - 90 DEGREE BEND MJ	2 EACH
16" - 11 1/4 DEGREE BEND MJ	1 EACH
ADJUST FIRE HYDRANT TO GRADE	2 EACH
DIRECTIONAL DRILLING FOR WATER MAIN	513 LF
20"	
REMOVE FIRE HYDRANT	5 EACH
REMOVE GATE VALVE AND BOX	3 EACH
REMOVE WATER MAIN PIPE	3,527 LF
16"	
AIR RELEASE ASSEMBLY	2 EACH

GROUP 6 BRIDGE AT STA 124+00.00

MOBILIZATION	LUMP	LUMP
RIPRAP FILTER FABRIC		494 SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000		163 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		30,191 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PIER NO.2 EXCAVATION	LUMP	LUMP
PRECOMPRESSED POLY FOAM JOINT, TYPE B		86 LF
47B-3000 CONC FOR BRIDGE		414 CY
47BD-4000 CONC FOR BRIDGE		205 CY
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
124+00		
REMOVE STRUCTURE		1 EACH
AT STA 124+05		
STRUC STEEL FOR SUBSTRUCTURE		1,770 LB
ROCK RIPRAP, TYPE B		747 TON
EPOXY COATED RE-STEEL		68,050 LB
HP 12"X53# STEEL PILING		4,855 LF
STEEL SHEET PILING		6,795 SF
PEDESTRIAN BARRIER RAIL		211 LF
PEDESTRIAN RAIL (CHAIN LINK TYPE)		209 LF
3/4" CONDUIT IN BRIDGE		48 LF
GRANULAR BACKFILL		348 CY

GROUP 6A BRIDGE AT STA 133+83.00

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		217 CY

EPOXY COATED RE-STEEL FOR PVMT APPROACH	26,608	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PIER NO.2 EXCAVATION	LUMP	LUMP
PIER NO.3 EXCAVATION	LUMP	LUMP
PIER NO.4 EXCAVATION	LUMP	LUMP
PIER NO.5 EXCAVATION	LUMP	LUMP
PIER NO.6 EXCAVATION	LUMP	LUMP
PIER NO.7 EXCAVATION	LUMP	LUMP
PIER NO.8 EXCAVATION	LUMP	LUMP
DECK JOINT SEAL, TYPE IV	44	LF
PREFORMED EXPANSION JOINT, TYPE A	57	LF
EXPANSION BEARING, TFE TYPE	60	EACH
FIXED BEARING	18	EACH
47B-3000 CONC FOR BRIDGE	1,419	CY
47BD-4000 CONC FOR BRIDGE	2,198	CY
47BD-6000 CONC FOR BRIDGE	134	CY
PRECAST/PRESTRESSED CONC SUPERSTR 133+83.00	LUMP	LUMP
CONCRETE SLOPE PROTECTION	677	SY
EPOXY COATED RE-STEEL	684,313	LB
HP 14"X89# STEEL PILING	23,610	LF
PEDESTRIAN BARRIER RAIL	1,283	LF
PEDESTRIAN RAIL (CHAIN LINK TYPE)	1,281	LF
3/4" CONDUIT IN BRIDGE	505	LF
STRIP SEALS	43	LF
GRANULAR BACKFILL	469	CY

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL	212	LF
BRIDGE APPROACH SECTIONS	7	EACH
GUARDRAIL END TREATMENT, TYPE I	5	EACH
GUARDRAIL END TREATMENT, TYPE II	2	EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	40,943	B DAY
BARRICADE, TYPE III	14,738	B DAY
SIGN DAY	7,645	EACH
CONTRACTOR FURNISHED SIGN DAY	7,795	EACH
FLASHING ARROW PANEL	238	DAY
FLAGGING	100	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
CONSTRUCTION STAKING AND SURVEYING	LUMP	LUMP
ACCESS CROSSING	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	40	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	40	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	40	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	40	HOUR
TEMPORARY SILT CHECK	500	LF
TEMPORARY SILT FENCE	1,000	LF
TEMPORARY EARTH CHECK	5,000	LF
TEMPORARY MULCH	4	TON

NOTICE TO CONTRACTORS

CALL ORDER 250
 FEDERAL PROJECT NO. STPB-77(49)
 LOCATION: PLATTE RIVER TRAIL, PHASE 1
 COUNTIES: SARPY

The Nebraska Department of Roads will receive sealed bids for the PAPIO-MISSOURI RIVER NATURAL RESOURCE DISTRICT in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on October 25, 2012. At that time the bids will be opened and read for GR CONC PAVE CULV BR FENCE SIGN

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: GRADING

Length: 4.0 MILES
 START DATE 04/01/2013 WORKING DAYS 135
 Price Range \$ 1,000,000 to \$ 3,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 6.0 %

Plans and specifications may be seen beginning October 02, 2012 at the Lincoln Central Office and October 09, 2012 at the District Engineer's Office at OMAHA. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	92 SHEETS	\$ 23.00
CROSS SECTIONS (SHEETS X1 THRU X58)	58 SHEETS	\$ 14.50
STANDARD PLANS	25 SHEETS	\$ 6.25

SHEET NO.

1	TITLE PAGE
2-T1	GENERAL NOTES
2-T2 - 2-T5	PHOTO MAPS
2-T6	TYPICAL TRAIL SECTIONS
2-T7 - 2-T10	DRIVEWAY DETAILS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-N1 - 2-N5	DETAILS
2-L1 - 2-L15	TRAIL PLAN & PROFILE SHEETS
2-L16 - 2-L23	REMOVAL PLANS
2-L24 - 2-L26	CURVE & LINE TABLES
2-L27 - 2-L42	STORM SEWER PLAN & PROFILE SHEETS
2-L43 - 2-L50	STORM WATER POLLUTION PREVENTION PLANS
3 - 7	SPECIAL PLAN 1C TRAIL SIGNAGE & TRAIL RULES SIGN
8	SPECIAL PLAN 2C WETLAND AREAS
9 - 11	SPECIAL PLAN 3C CULVERT EXTENSIONS
12 - 15	SPECIAL PLAN 4C BRIDGE & ABUTMENT DETAILS
16 - 17	SPECIAL PLAN 5C AREA INLET WITH GRATE
18	SPECIAL PLAN 6C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
R1 - R8	RIGHT-OF-WAY PLANS
X1 - X58	CROSS SECTIONS

STANDARD PLANS

329-R9	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
428-R3	CONCRETE PLUGS AND FIELD PIPE TAP DETAILS
435-R1	(3 SHEETS) MANHOLE
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
710-R4	(2 SHEETS) FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		19 MGAL
REMOVE RIGHT-OF-WAY MARKERS		22 EACH
EARTHWORK MEASURED IN EMBANKMENT	85,957	CY
SALVAGING AND PLACING TOPSOIL	176,535	SY
SAWING PAVEMENT		816 LF
REMOVE DRIVEWAY	1,498	SY
REMOVE FENCE	6,051	LF
REMOVE MANHOLE		1 EACH
REMOVE FLARED- END SECTION		4 EACH
REMOVE CULVERT PIPE		207 LF
WALL MATERIALS	6,051	SF
COMPACTED EARTH LEVELING PAD	1,127	LF
47B-3500 CONC FOR RETAINING WALL		24 CY
RE-STEEL FOR RETAINING WALL		908 LB
PEDESTRIAN BARRIER RAIL		526 LF
BOLLARD		2 EACH
RELOCATE SIGN		7 EACH
SEL GRAN BFILL RETAINED EARTH STR	1,233	CY
SEEDING, TYPE A		22 ACRE
COVER CROP SEEDING		22 ACRE
EROSION CONTROL, CLASS 1C	49,932	SY
EROSION CONTROL, CLASS 1D		8,328 SY
EROSION CONTROL, CLASS 1F		5,140 SY
EROSION CHECKS, TYPE WATTLE	13,934	LF
FABRIC SILT FENCE		7,047 LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
GRAVEL SURFACE COURSE		96 TON
CRUSHED ROCK SURFACE COURSE	5,628	TON
6" CONCRETE CLASS 47B-3500 BIKEWAY		1,440 SY
8" CONCRETE CLASS 47B-3500 BIKEWAY		1,227 SY
CONC 47B-3500 DRIVEWAY 10"		5,862 SY
CONC FOR HEADER, 47B-3500		60 CY
PREP OF INTER & DRIVE		5,862 SY

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
RIPRAP FILTER FABRIC		1,282 SY
CAST IRON GRATE & FRAME	12,875	LB
CAST IRON RING & COVER		4,140 LB
MANHOLE		1 EACH
AT STA 18+08.34		
MANHOLE		1 EACH
AT STA 29+99.64		
MANHOLE		1 EACH
AT STA 41+08.25		
MANHOLE		1 EACH
AT STA 52+49.37		
MANHOLE		1 EACH
AT STA 68+45.45		
MANHOLE		1 EACH
AT STA 89+04.52		
MANHOLE		1 EACH
AT STA 98+54.21		
MANHOLE		1 EACH
AT STA 108+90.83		

MANHOLE		1 EACH
AT STA 115+28.03		
MANHOLE		1 EACH
AT STA 160+44.76		
MANHOLE		1 EACH
AT STA 185+15.15		
MANHOLE		1 EACH
AT STA 185+23.58		
TAPPING EXISTING STRUCTURE		4 EACH
PREPARATION OF STRUCTURE		1 EACH
AT STA 25+63		
PREPARATION OF STRUCTURE		1 EACH
AT STA 167+41		
PREPARATION OF STRUCTURE		1 EACH
AT STA 198+00		
EXCAVATION FOR BOX CULVERTS	1,290	CY
47B-3000 CONC FOR INLET & JUNCTION BOXES	52	CY
47B-3000 CONC FOR CONCRETE CO	6	CY
CLASS 47BD-4000 CONCRETE	268	CY
FOR BOX CULVERT		
RE-STEEL FOR BOX CULVERT	32,591	LB
RE-STEEL FOR INLET & JCT BOX	2,715	LB
RE-STEEL FOR COLLARS	442	LB
18" FLARED-END SECTION	14	EACH
24" FLARED-END SECTION	4	EACH
30" FLARED-END SECTION	3	EACH
36" FLARED-END SECTION	6	EACH
48" CONCRETE FLARED-END SECTION	2	EACH
ROCK RIPRAP, TYPE A	729	TON
18" STORM SEWER PIPE 1,7,8	3,471	LF
24" STORM SEWER PIPE 1,7,8	423	LF
30" STORM SEWER PIPE 1,7,8	165	LF
36" STORM SEWER PIPE 1,7,8	647	LF
48" STORM SEWER PIPE 1	133	LF

GROUP 6 BRIDGE AT STA 114+92

MOBILIZATION	LUMP	LUMP
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
47BD-4000 CONC FOR BRIDGE		86 CY
RE-STEEL FOR BRIDGE		8,951 LB
PEDESTRIAN BRIDGE	LUMP	LUMP
AT STA 114+92		
HP 12"X53# STEEL PILING		705 LF

GROUP 7B FENCE

MOBILIZATION	LUMP	LUMP
RIGHT-OF-WAY FENCE		6,037 LF
END POSTS		19 EACH
PULL POSTS		10 EACH
CORNER POSTS		18 EACH

GROUP 8C SIGNING

MOBILIZATION	LUMP	LUMP
TYPE A SIGN		40 SF
TYPE B SIGN		110 SF
SIGN POST		45 LF
TYPE A		
SIGN POST		227 LF
TYPE C		
SIGN POST		244 LF
TYPE D		

GROUP 10 GENERAL ITEMS

SIGN DAY		976 EACH
FLAGGING		50 DAY
TRAINING		500 HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		85 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		85 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		85 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		85 HOUR
TEMPORARY SILT CHECK		500 LF
TEMPORARY SILT FENCE	1,500	LF
TEMPORARY EARTH CHECK		500 LF
TEMPORARY MULCH		6 TON

NOTICE TO CONTRACTORS

CALL ORDER 255
 FEDERAL PROJECT NO. BR-3495(3)
 LOCATION: ON A COUNTY ROAD, NORTH OF HOOPER
 COUNTIES: DODGE

The Nebraska Department of Roads will receive sealed bids for the COUNTY OF DODGE in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on October 25, 2012. At that time the bids will be opened and read for GRAD CONC PAVE BR

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES
 START DATE 04/01/2013 WORKING DAYS 160
 Price Range \$ 1,000,000 to \$ 3,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning October 02, 2012 at the Lincoln Central Office and October 09, 2012 at the District Engineer's Office at OMAHA
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	36	SHEETS	\$	9.00
CROSS SECTIONS (SHEETS X1 THRU X7)	7	SHEETS	\$	1.75
STANDARD PLANS	17	SHEETS	\$	4.25

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS OF IMPROVEMENT
2-S	SUMMARY OF QUANTITIES
2-W	WETLANDS
2-N1 - 2-N2	GENERAL INFORMATION & DETOUR LOCATION MAP
2-L1 - 2-L2	GEOMETRICS, JOINTS, & GRADES
3	PLAN & PROFILE SHEET
4 - 19	SPECIAL PLAN 1 PRESTRESSED CONCRETE GIRDER BRIDGE (NU1600) STA. 15+35.00
20 - 28	SPECIAL PLAN 1C GUARDRAIL PROTECTION
29	SPECIAL PLAN 2C TYPICAL PAVEMENT MARKING PLAN (5" PAVEMENT MARKING)
R1	RIGHT-OF-WAY DATA
X1 - X7	CROSS SECTIONS

STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
301-R10	(3 SHEETS) PAVEMENT DETAILS
329-R9	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		1 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP

WATER	155	MGAL
EARTHWORK MEASURED IN EMBANKMENT	11,090	CY
REMOVE PAVEMENT	3,416	SY
36" DRIVE PIPE 2,3,4,5,6,7 OR 8	44	LF
COVER CROP SEEDING	4	ACRE
EROSION CONTROL, CLASS 1D	1,411	SY
FABRIC SILT FENCE-LOW POROSITY	3,229	LF

GROUP 3 CONCRETE PAVEMENT

PERMANENT PAVEMENT MARKING PAINT	5,550	LF
MOBILIZATION	LUMP	LUMP
8" DOWELED CONC PAVE, CLASS 47B-3500	3,763	SY
FOUNDATION COURSE	3,763	SY
4"		
GRANULAR SUBDRAIN	18	EACH
WATER	18	MGAL
EARTH SHOULDER CONSTRUCTION	27	STA
SUBGRADE PREPARATION	3,763	SY
SEEDING, TYPE A	3	ACRE
SEEDING, TYPE B	1	ACRE
MULCH	9	TON

GROUP 6 BRIDGE AT STA 15+35.00

MOBILIZATION	LUMP	LUMP
RIPRAP FILTER FABRIC	972	SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000	146	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	26,095	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PIER NO.2 EXCAVATION	LUMP	LUMP
PRECOMPRESSED POLY FOAM JOINT, TYPE A	64	LF
EXPANSION BEARING, TFE TYPE	8	EACH
FIXED BEARING	16	EACH
47B-3000 CONC FOR BRIDGE	301	CY
47BD-4000 CONC FOR BRIDGE	409	CY
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
15+35.00		
REMOVE STRUCTURE	1	EACH
AT STA 15+70.00		
ACCESS BRIDGE	LUMP	LUMP
STRUC STEEL FOR SUBSTRUCTURE	10,925	LB
ROCK RIPRAP, TYPE B	810	TON
SALVAGING AND PLACING TOPSOIL ON RIPRAP	1,030	SY
EPOXY COATED RE-STEEL	145,490	LB
SUBSURFACE DRAINAGE MATTING	83	SY
HP 10"X42# STEEL PILING	5,280	LF
STEEL SHEET PILING	3,318	SF
BRIDGE APPROACH SECTIONS	4	EACH
MELT	4	EACH
GRANULAR BACKFILL	425	CY

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE III	5,964	B DAY
SIGN DAY	7,668	EACH
CONTRACTOR FURNISHED SIGN DAY	1,704	EACH
TRAINING	1,000	HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	40	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	40	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	40	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	40	HOUR
TEMPORARY SILT FENCE	800	LF
TEMPORARY MULCH	2	TON

NOTICE TO CONTRACTORS

CALL ORDER 260
 FEDERAL PROJECT NO. NH-275-7(180)
 LOCATION: US-275, US-275/STOCKYARDS, OMAHA
 COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on October 25, 2012. At that time the bids will be opened and read for GR CP CULV BR FENCE ELEC SIGN

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES

START DATE 11/26/2012 CALENDAR DAYS 966
 Price Range \$ 6,000,000 to \$ 10,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning October 02, 2012 at the Lincoln Central Office and October 09, 2012 at the District Engineer's Office at OMAHA

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	219	SHEETS	\$	54.75
CROSS SECTIONS (SHEETS X1 THRU X4)	4	SHEETS	\$	1.00
STANDARD PLANS	26	SHEETS	\$	6.50

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-A	PHOTO MAP
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N2	GENERAL INFORMATION
2-P1 - 2-P12	PHASING PLANS
2-L1 - 2-L5	GEOMETRICS
2-L6 - 2-L10	CONSTRUCTION, REMOVAL, & DRAINAGE
3	PLAN & PROFILE SHEET
4 - 11	SIGN REMOVALS, LOCATION, & DETAILS PLAN
12 - 13	TRAFFIC CONTROL PLAN--PHASE 1
14 - 15	TRAFFIC CONTROL PLAN--PHASE 2
16	TYPICAL TRAFFIC CONTROL--FREEWAY RAMP CLOSURE
17	TYPICAL TRAFFIC CONTROL PLAN--INERTIAL BARRIER SYSTEM
18 - 20	TRAFFIC SIGNAL PLAN (US-275 AT US-75 SB RAMP)
21	TEMPORARY PAVEMENT MARKING PLAN
22	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
23 - 26	PAVEMENT MARKING PLAN
27 - 31	ROADWAY LIGHTING PLANS
32	EARTHWORK DATA SHEET
33 - 36	DRAINAGE STRUCTURE CROSS SECTIONS
37 - 170	SPECIAL PLAN 1 MULTI SPAN DECK STEEL GIRDER BRIDGE WIDEN & REHAB STA. 131+48.40
171 - 173	SPECIAL PLAN 1C MULTI SPAN DECK STEEL GIRDER BRIDGE WIDEN & REHAB PARTIAL PLAN & ELEVATION OF CONCRETE BARRIER RAIL STA. 131+48.40
174 - 177	SPECIAL PLAN 2C MULTI SPAN DECK STEEL GIRDER BRIDGE WIDEN & REHAB PAVEMENT & SIDEWALK DETAILS FOR ABUTMENT NO. 1 STA. 131+48.40

178	SPECIAL PLAN 3C	MULTI SPAN DECK STEEL GIRDER BRIDGE WIDEN & REHAB PAVEMENT UNDER RAIL DETAILS AT ABUTMENT NO. 2 STA. 131+48.40
179 - 181	SPECIAL PLAN 4C	MULTI SPAN DECK STEEL GIRDER BRIDGE WIDEN & REHAB ELEVATION OF PEDESTRIAN FENCES STA. 131+48.40
182 - 183	SPECIAL PLAN 5C	CONCRETE PROTECTION BARRIER
184 - 185	SPECIAL PLAN 6C	TEMPORARY SILT CHECKS
186	SPECIAL PLAN 7C	TEMPORARY TRAFFIC SIGNAL (US-275 AT DAHLMAN AVE.)
R1 - R4	RIGHT-OF-WAY SHEETS	
X1 - X4	CROSS SECTIONS	

STANDARD PLANS

301-R10	(3 SHEETS)	PAVEMENT DETAILS
303	(2 SHEETS)	CURB RAMP
329-R9	(4 SHEETS)	8 TO 16 INCH CONCRETE PAVEMENT
428-R3		CONCRETE PLUGS AND FIELD PIPE TAP DETAILS
435-R1	(3 SHEETS)	MANHOLE
443-R8	(2 SHEETS)	CURB INLETS AND JUNCTION BOX
502		SILT FENCE DETAILS
914-R6		PULL BOX DETAIL
920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS)	TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		668 CY
REMOVE PAVEMENT		1,715 SY
REMOVE WALK		399 SY
REMOVE CURB		41 LF
REMOVE CONCRETE MEDIAN SURFACING		350 SY
REMOVE		387 LF
PEDESTRIAN RAIL		
AREA INLET SEDIMENT FILTER		2 EACH
BROKEN CONCRETE RIPRAP		495 TON
REMOVE BRIDGE RAIL		387 LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
SAWING PAVEMENT		743 LF
TIE BARS		257 EACH
CONCRETE 47B-3500 MEDIAN CURB		512 LF
CONC 47B-3000 SIDEWALKS		43 SY
CONC 47B-3500 SIDEWALK		464 SY
8"		
DETECTABLE WARNING PANEL		10 SF
CONC 47B-3000 IMPRINTED MEDIAN SURF		340 SY
REINF CONC PVMT, 47B-3500		177 SY
12"		
12" CONC PVMT, 47B-3500		443 SY
12" DOWELED CONC PVMT, 47B-3500		1,400 SY
TEMPORARY SURFACING		570 SY
8"		
4" PERFORATED PIPE UNDERDRAIN		453 LF

CURB INLET SEDIMENT FILTER		3 EACH
47BD-4000 CONC FOR BRIDGE		51 CY
EPOXY COATED RE-STEEL FOR BRIDGE		14,730 LB
MODIFY	LUMP	LUMP
RETAINING WALL		
5" WHT WET RFLC POLY PVMT MRKING, GVD		2,100 LF
12" YEL WET RFLC POLY PVMT MRKING, GVD		1,700 LF
5" YEL WET RFLC POLY PVMT MRKING, GVD		5,900 LF
FOUNDATION COURSE		1,552 SY
STABILIZED SUBGRADE TYPE FLY ASH		1,552 SY
WATER		7 MGAL
SUBGRADE PREPARATION		452 SY
FLY ASH		56 TON
SEEDING, TYPE B		1 ACRE
SODDING		98 SY
MULCH		2 TON

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
CAST IRON COVER & FRAME		250 LB
CAST IRON RING & COVER		345 LB
RECONSTRUCT CURB INLET MANHOLE		2 EACH
		1 EACH
AT STA. 136+53 RT.		
TAPPING EXISTING MANHOLE		9 EACH
47B-3000 CONC FOR INLET & JUNCTION BOXES		2 CY
RE-STEEL FOR INLET & JCT BOX		30 LB
10" STORM SEWER PIPE FIBERGLASS		448 LF

GROUP 6 BRIDGE AT STA. 131+48.40

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		449 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		85,220 LB
24" CORRUGATED METAL PIPE		1,184 LF
ABUTMENT A EXCAVATION	LUMP	LUMP
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.4 EXCAVATION	LUMP	LUMP
PIER NO.6 EXCAVATION	LUMP	LUMP
PIER NO.7 EXCAVATION	LUMP	LUMP
PIER NO.11 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.3 EXCAVATION	LUMP	LUMP
BENT NO.4 EXCAVATION	LUMP	LUMP
BENT NO.5 EXCAVATION	LUMP	LUMP
FINGER EXPANSION JOINT		73 LF
PREFORMED EXPANSION JOINT, TYPE A		94 LF
PREFORMED EXPANSION JOINT, TYPE B		105 LF
EXPANSION BEARING, TFE TYPE		19 EACH
47B-3000 CONC FOR BRIDGE		390 CY
47BD-4000 CONC FOR BRIDGE		3,568 CY
PREP BRIDGE 131+48.40		1 EACH
STEEL SUPERSTRUCTURE 131+48.40	LUMP	LUMP
BROKEN CONCRETE RIPRAP		5 TON
EPOXY COATED RE-STEEL		1,005,755 LB
SUBSURFACE DRAINAGE MATTING		235 SY
PIPE PILING		1,980 LF
DRAINAGE SYSTEM 131+48.40		1 EACH

PAINTING STRUCTURE AT STA. 131+48.40	LUMP	LUMP
TEMP BRIDGE SHORING	LUMP	LUMP
BRIDGE SHORING	LUMP	LUMP
3/4" CONDUIT IN BRIDGE	1,047	LF
1 1/2" CONDUIT IN BRIDGE	1,235	LF
STRIP SEALS	94	LF
TEMPORARY SUPPORTS	38	EACH
PIN REPLACEMENT	18	EACH
HANGER REPLACEMENT	18	EACH
ABUTMENT REPAIR	859	SF
PIER REPAIR	2,354	SF
BEARING DEVICE REPAIR	10	EACH
6' WELDED WIRE FABRIC FENCE-VINYL COATED	143	LF
10' WELDED WIRE FAB FENCE-VINYL COATED	2,471	LF
GRANULAR BACKFILL	770	CY

GROUP 6A BRIDGE AT STA. 131+48.40

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000	447	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	85,220	LB
24" CORRUGATED METAL PIPE	1,184	LF
ABUTMENT A EXCAVATION	LUMP	LUMP
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.4 EXCAVATION	LUMP	LUMP
PIER NO.6 EXCAVATION	LUMP	LUMP
PIER NO.7 EXCAVATION	LUMP	LUMP
PIER NO.11 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.3 EXCAVATION	LUMP	LUMP
BENT NO.4 EXCAVATION	LUMP	LUMP
BENT NO.5 EXCAVATION	LUMP	LUMP
FINGER EXPANSION JOINT	73	LF
PREFORMED EXPANSION JOINT, TYPE A	94	LF
PREFORMED EXPANSION JOINT, TYPE B	105	LF
ELASTOMERIC BEARING	462	EACH
EXPANSION BEARING, TFE TYPE	19	EACH
47B-3000 CONC FOR BRIDGE	518	CY
47BD-4000 CONC FOR BRIDGE	3,236	CY
PRECAST/PRESTRESSED CONC SUPERSTR 131+48.40	LUMP	LUMP
PREP BRIDGE 131+48.40	1	EACH
STEEL SUPERSTRUCTURE 131+48.40	LUMP	LUMP
STEEL DIAPHRAGM	48	EACH
BROKEN CONCRETE RIPRAP	5	TON
EPOXY COATED RE-STEEL	952,795	LB
SUBSURFACE DRAINAGE MATTING	241	SY
PIPE PILING	1,980	LF
DRAINAGE SYSTEM 131+48.40	1	EACH
PAINTING STRUCTURE AT STA. 131+48.40	LUMP	LUMP
TEMP BRIDGE SHORING	LUMP	LUMP
BRIDGE SHORING	LUMP	LUMP
3/4" CONDUIT IN BRIDGE	1,047	LF
1 1/2" CONDUIT IN BRIDGE	1,235	LF
STRIP SEALS	94	LF
TEMPORARY SUPPORTS	38	EACH
PIN REPLACEMENT	18	EACH
HANGER REPLACEMENT	18	EACH
ABUTMENT REPAIR	859	SF
PIER REPAIR	2,354	SF
BEARING DEVICE REPAIR	10	EACH

6' WELDED WIRE FABRIC FENCE-VINYL COATED	143	LF
10' WELDED WIRE FAB FENCE-VINYL COATED	2,471	LF
GRANULAR BACKFILL	770	CY

GROUP 7B FENCING

MOBILIZATION	LUMP	LUMP
6' WELDED WIRE FABRIC FENCE-VINYL COATED	387	LF

GROUP 8B ELECTRICAL

TEMPORARY TRAFFIC SIGNAL AT US-275 & DAHLMAN AVE.	1	EACH
TEMPORARY TRAFFIC SIGNAL AT US-275 & US-75 SB RAMP	1	EACH
MOBILIZATION	LUMP	LUMP
PULL BOX, TYPE PB-5	2	EACH
TRAFFIC SIGNAL, TYPE TS-1	2	EACH
TRAFFIC SIGNAL, TYPE TS-1A	1	EACH
ST LIGHT UNIT SL-S-40-4-0.20	12	EACH
UNDERDECK LUMINAIRE, TYPE UD-100	24	EACH
MAST ARM SIGNAL POLE, MP-25-20	1	EACH
LIGHTING CONTROL CENTER, R	2	EACH
1 1/2" CONDUIT IN TRENCH	160	LF
2" CONDUIT, JACKED	123	LF
7/C #14 AWG TRAF SIG CABLE	43	LF
16/C #14 AWG TRAF SIG CABLE	123	LF
2/C #14 AWG DETECTOR LEAD-IN CABLE	51	LF
GROUNDING CONDUCTOR	166	LF
STREET LIGHT CABLE, NO. 6 BARE	1,405	LF
STREET LIGHT CABLE, NO. 6 USE	2,810	LF
STREET LIGHT CABLE, NO. 10 USE	1,010	LF
STREET LIGHT CABLE, NO. 10 BARE	505	LF
INST TRAF SIG CONTROLLER, TC-170	1	EACH
REMOVE PULL BOX	1	EACH
REMOVE MAST ARM SIGNAL POLE	1	EACH

GROUP 8C SIGNING

MOBILIZATION	LUMP	LUMP
REM SIGN, STRUCTURE, AND FOUNDATION CONCRETE FOR FOUNDATION	1	EACH
REINFORCING STEEL	1,100	LB
SIGN STR FOUNDATION DESIGN, LOCATION 4	1	EACH
OVERHEAD SIGN SUPPORT, LOCATION 4	1	EACH
TYPE C SIGN	314	SF
REMOVE LUMINAIRE	10	EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	109,824	B DAY
BARRICADE, TYPE III	14,467	B DAY
SIGN DAY	20,513	EACH
CONTRACTOR FURNISHED SIGN DAY	6,919	EACH
TEMP PAVEMENT MARKING REMOVAL	8,800	LF
PAVEMENT MARKING REMOVAL	1,700	LF
TEMP PVMT MARKING, TYPE PAINT	12,600	LF
TEMP PVMT MARKING SURF PREP	12,600	LF
TUBULAR POST	72	EACH
CHANNELIZING BLOCK	48	EACH
FLASHING ARROW PANEL	1,414	DAY
CONCRETE PROTECTION BARRIER	1,850	LF
RELOCATE CONC PROTECTION BARRIER	1,750	LF
INERTIAL BARRIER SYSTEM	1	EACH
REPLACEMENT MODULE	7	EACH
FIELD OFFICE	1	EACH

TRAINING	2,000	HOUR
MOBILIZATION	LUMP	LUMP
CONSTRUCTION STAKING AND SURVEYING	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	10	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	10	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	10	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10	HOUR
TEMPORARY SILT CHECK	300	LF
TEMPORARY SILT FENCE	500	LF
TEMPORARY EARTH CHECK	300	LF

NOTICE TO CONTRACTORS

CALL ORDER 270
 FEDERAL PROJECT NO. MAPA-5086(1)
 LOCATION: 58th STREET/NW RADIAL HIGHWAY, OMAHA
 COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids for the CITY OF OMAHA in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on October 25, 2012. At that time the bids will be opened and read for GR CONC PAVE CULV LAND ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

START DATE 04/01/2013 CALENDAR DAYS 62
 Price Range \$ 250,000 to \$ 1,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning October 02, 2012 at the Lincoln Central Office and October 09, 2012 at the District Engineer's Office at OMAHA

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	61 SHEETS	\$	15.25
CROSS SECTIONS (SHEETS X1 THRU X10)	10 SHEETS	\$	2.50
STANDARD PLANS	8 SHEETS	\$	2.00

SHEET NO.

1	TITLE PAGE
2	INDEX OF SHEETS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-T	TYPICAL CROSS SECTIONS
2-A	AERIAL PHOTO
2-H	HORIZONTAL CONTROL
2-N	GENERAL INFORMATION
2-P1 - 2-P2	PHASING PLANS
2-L1	GEOMETRICS SHEET
2-L2	SPOT ELEVATIONS & JOINTS
2-L3	REMOVAL SHEET
2-L4	CONSTRUCTION SHEET
2-L5	DRAINAGE
2-L6	GRADING PLAN
2-L7 - 2-L8	BIORETENTION GARDEN DETAILS
3	PLAN & PROFILE SHEET
4	PIPE PROFILES
5	WALL DETAIL
6	STRIPING & SIGNING
7	TRAFFIC SIGNALS
8 - 9	STORM WATER POLLUTION PREVENTION PLAN
10	SPECIAL PLAN 1C 38'-0" 3 LANE CONCRETE PAVEMENT
11	SPECIAL PLAN 2C CONCRETE PAVEMENT REPAIR DETAILS & PAVEMENT WIDENING & SURFACING
12	SPECIAL PLAN 3C CONCRETE PAVEMENT JOINT DETAILS
13	SPECIAL PLAN 4C CONCRETE CURB DETAILS
14	SPECIAL PLAN 5C CONCRETE DRIVEWAY DETAILS
15	SPECIAL PLAN 6C SIDEWALK CONSTRUCTION DETAILS
16 - 17	SPECIAL PLAN 7C CONCRETE CURB RAMP TYPICAL DETAILS & CONCRETE CURB RAMP DETAILS
18	SPECIAL PLAN 8C SEWER BEDDING DETAILS
19	SPECIAL PLAN 9C TYPE FA REINFORCED CONCRETE CURB INLET COVER WITH FACE ARMOR
20	SPECIAL PLAN 10C CURB OPENING INLET TYPE I WITH TRANSVERSE PIPE

21	SPECIAL PLAN 11C	CURB OPENING INLET TYPE III WITH LONGITUDINAL PIPE PLACED INLET TROUGH
22	SPECIAL PLAN 12C	WALL STEP DETAILS
23	SPECIAL PLAN 13C	CURB INLET BLOCKOUT DETAILS & TEMPLATE DETAILS (GUTTER DEPRESSION)
24	SPECIAL PLAN 14C	CONCRETE COLLAR SEWER TAP
25 - 26	SPECIAL PLAN 15C	CONCRETE MEDIAN DETAILS
27	SPECIAL PLAN 16C	GEOTEXTILE FABRIC SILT FENCE
28	SPECIAL PLAN 17C	CAST IRON MANHOLE RINGS, COVER, & MANHOLE STEPS
29	SPECIAL PLAN 18C	PULL BOX DETAILS
30	SPECIAL PLAN 19C	PEDESTAL POLE DETAILS
31	SPECIAL PLAN 20C	MAST ARM POLE DETAILS
32	SPECIAL PLAN 21C	MAST ARM POLE FOUNDATION DETAILS
33	SPECIAL PLAN 22C	MAST ARM TRANSFORMER BASE DETAILS
34	SPECIAL PLAN 23C	MAST ARM SIGNAL MOUNTING
35	SPECIAL PLAN 24C	POLE BRACKET INSTALLATION DETAILS
36	SPECIAL PLAN 25C	STANDARD SIGNAL FACE ARRANGEMENTS
37	SPECIAL PLAN 26C	INDUCTIVE LOOP DETECTORS
38	SPECIAL PLAN 27C	ELECTRIC SERVICE PEDESTAL
39	SPECIAL PLAN 28C	STREET NAME SIGN LAYOUT TYPE "A", MAST ARM MOUNTED, 18" SIGN HEIGHT
40	SPECIAL PLAN 29C	OVERHEAD MOUNTED SIGNS
41	SPECIAL PLAN 30C	POST MOUNTED SIGNS
42	SPECIAL PLAN 31C	SIGNPOST ANCHORING SYSTEMS
43 - 44	SPECIAL PLAN 32C	TEMPORARY SILT CHECKS
R1		STRIP MAP
X1 - X10		CROSS SECTIONS

STANDARD PLANS

443-R8	(2 SHEETS)	CURB INLETS AND JUNCTION BOX
502		SILT FENCE DETAILS
920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
924	(3 SHEETS)	TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EARTHWORK MEASURED IN EMBANKMENT		888 CY
REMOVE PAVEMENT		3,309 SY
REMOVE DRIVEWAY		145 SY
REMOVE WALK		543 SY
REMOVE STEP		6 EACH
REMOVE RETAINING WALL		77 LF
REMOVE CONCRETE MEDIAN SURFACING		9 SY
REMOVE SLAB		2 EACH
CONSTRUCTION ENTRANCE	LUMP	LUMP
WALL MATERIALS		121 SF
COMPACTED EARTH LEVELING PAD		64 LF
SEL GRAN BFILL RETAINED EARTH STR		3 CY
FABRIC SILT FENCE-LOW POROSITY		100 LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
TIE BARS		500 EACH
COMB CONC 47B-4000 CURB & GUTTER		89 LF
CONC CLASS 47BX-3500 SIDEWALK		675 SY
CONC CLASS 47BX-3500 SIDEWALK IMPRINTED		88 SY
DETECTABLE WARNING PANEL		40 SF
6" CONC 47BX-3500 IMPRINTED MEDIAN SURF		58 SY
6" CONC CLASS 47B-3500 MEDIAN SURFACING		12 SY
CONC 47B-HE-3500 7" DRIVEWAY		314 SY

10" CONC PVMT, 47B-4000	2,127 SY
TEMPORARY SURFACING	18 SY
10"	
ADJUST MANHOLE TO GRADE	6 EACH
CONCRETE STEPS	4 EACH
5" WHT WET RFLC PRF PVMT MKNG T4 GVD	136 LF
24" WHT WET RFLC PRF PVMT MKNG T4 GVD	115 LF
5" YEL WET RFLC PRF PVMT MKNG T4 GVD	610 LF
ARROW, WET RFLC PRF PVMT MKNG, T 4 GVD	4 EACH
ONLY, WET RFLC PRF PVMT MKNG, T 4 GVD	2 EACH
WATER	9 MGAL
EARTH SHOULDER CONSTRUCTION	7 STA
MEDIAN CONSTRUCTION	1 STA
SUBGRADE PREPARATION	2,391 SY
SODDING	1,160 SY
ADJUST VALVE BOX TO GRADE	2 EACH

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE INLET		4 EACH
CAST IRON COVER, FRAME & FLANGE	1,270 LB	
CURB INLET		1 EACH
TYPE I		
CURB INLET		3 EACH
TYPE III		
JUNCTION BOX		1 EACH
ADJUST MANHOLE TO GRADE		3 EACH
RECONSTRUCT MANHOLE		1 EACH
TAPPING EXISTING MANHOLE		3 EACH
REMOVE SEWER PIPE		83 LF
15" REINF CONCRETE SEWER PIPE		66 LF
18" REINF CONCRETE SEWER PIPE		280 LF
EXTERNAL FRAME SEALS		4 EACH
CURB INLET SEDIMENT FILTER		4 EACH
TELEVISION INSPECTION		346 LF
AGGREGATE BEDDING		79 TON

GROUP 5L LANDSCAPING

MOBILIZATION	LUMP	LUMP
BIORETENTION GARDEN	LUMP	LUMP

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
LED BLANK OUT SIGN		1 EACH
SIGN		1 EACH
SWPPP		
OVERHEAD SIGN		5 EACH
STREET NAME SIGN		2 EACH
18"		
STREET NAME SIGN		2 EACH
30"		
PULL BOX, TYPE PB-1A		1 EACH
PULL BOX, TYPE PB-6		2 EACH
TRAFFIC SIGNAL, TYPE TS-1		4 EACH
TRAFFIC SIGNAL, TYPE TS-1		5 EACH
WITH LOUVERS		
TRAFFIC SIGNAL, TYPE TS-1A		4 EACH
TRAFFIC SIGNAL, TYPE TS-1A		1 EACH
WITH LOUVERS		
TRAFFIC SIGNAL, TYPE TS-1L		1 EACH
TRAFFIC SIGNAL, TYPE TS-1RC		2 EACH
TRAFFIC SIGNAL, TYPE TS-1RCA		1 EACH
TRAF SIG CONTROL, TYPE TC-2070		1 EACH
PEDESTRIAN SIGNAL, TYPE PS-1		6 EACH
RADAR VEHICLE DETECTION SYSTEM	LUMP	LUMP
PEDESTRIAN PUSHBUTTON, PPB		6 EACH
PEDESTAL POLE, TYPE PP-10		1 EACH

VEHICLE DETECTOR, TYPE A PREFORMED	6 EACH
LUMINAIRE, TYPE HPS-200	4 EACH
C.M.A. SIG & LGHT P. CMP-0-12	1 EACH
C.M.A. SIG & LGHT POLE, CMP-40-12	1 EACH
C.M.A. SIG & LGHT POLE, CMP-55/20-12	1 EACH
C.M.A. SIG & LGHT POLE, CMP-60-12	1 EACH
SERVICE DISCONNECT PEDESTAL	1 EACH
2" CONDUIT IN TRENCH	462 LF
3" CONDUIT IN TRENCH	55 LF
2" CONDUIT, JACKED	156 LF
3" CONDUIT, JACKED	230 LF
16/C #14 AWG TRAF SIG CABLE	950 LF
2/C #16 AWG PED PBUTTON LEAD-IN CABLE	1,598 LF
2/C DETECTOR LEAD-IN CABLE	166 LF
#8 GROUNDING CONDUCTOR	715 LF
SERVICE CABLE	100 LF
SUPPORT CABLE	323 LF
SERVICE ENTRANCE CABLE	300 LF
STREET LIGHT CABLE, NO. 6 3/C	698 LF
6 PAIR COMMUNICATION CABLE	123 LF
REMOVE TRAFFIC SIGNAL	1 EACH
RE-ENTERABLE ENCAPSULATED SPLICE	3 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	3,317 BDAY
BARRICADE, TYPE III	651 BDAY
SIGN DAY	744 EACH
CONTRACTOR FURNISHED SIGN DAY	279 EACH
TEMP PAVEMENT MARKING REMOVAL	630 LF
TEMP PVMT MARKING, TYPE PAINT	1,000 LF
FLASHING ARROW PANEL	62 DAY
FLAGGING	20 DAY
FIELD OFFICE	1 EACH
MOBILIZATION	LUMP
RENTAL OF LOADER, FULLY OPERATED	50 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	50 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	50 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	50 HOUR
TEMPORARY SILT CHECK	200 LF
TEMPORARY SILT FENCE	300 LF

NOTICE TO CONTRACTORS

CALL ORDER 275
 FEDERAL PROJECT NO. MAPA-5145(3)
 LOCATION: FORT CROOK RD. STRIPING, BELLEVUE
 COUNTIES: SARPY

The Nebraska Department of Roads will receive sealed bids for the CITY OF BELLEVUE in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on October 25, 2012. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY
 START DATE 09/03/2013 WORKING DAYS 15
 Price Range \$ 0 to \$ 500,000.00

Plans and specifications may be seen beginning October 02, 2012 at the Lincoln Central Office and October 09, 2012 at the District Engineer's Office at OMAHA
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.
 This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	25	SHEETS	\$	6.25
STANDARD PLANS	7	SHEETS	\$	1.75

SHEET NO.

1	TITLE PAGE
2-S	SUMMARY OF QUANTITIES
3	GENERAL NOTES/DETAILS
4 - 24	PLAN SHEETS--FORT CREEK STRIPING
25	SIGNS

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
924	(3 SHEETS)	TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II		750	B	DAY
TEMPORARY SIGN DAY		120	E	ACH
SIGN DAY		594	E	ACH
FLASHING ARROW PANEL		15	D	AY
FLAGGING		20	D	AY
MOBILIZATION	LUMP		L	UMP
SIGN		100	E	ACH
SIGN POST		780	L	F
ARROW POLYUREA PVMT MRKING, GROOVED		99	E	ACH
ONLY POLYUREA PVMT MRKING, GROOVED		2	E	ACH
BIKE LANE POLYUREA PVMT MRKING, GROOVED		185	E	ACH
SHARED LANE POLY PVMT MRKING, GROOVED		21	E	ACH
4" WHT POLYUREA PVMT MRKING, GROOVED		4,088	L	F
6" WHT POLYUREA PVMT MRKING, GROOVED		50,744	L	F

NOTICE TO CONTRACTORS

CALL ORDER 355
 FEDERAL PROJECT NO. SRTS-14(3)
 LOCATION: LAUREL SAFE ROUTES PROJECT
 COUNTIES: CEDAR

The Nebraska Department of Roads will receive sealed bids for the CITY OF LAUREL in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on October 25, 2012 . At that time the bids will be opened and read for CONCRETE PAVEMENT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

START DATE 07/01/2013 WORKING DAYS 20
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning October 02, 2012 at the Lincoln Central Office and October 09, 2012 at the District Engineer's Office at NORFOLK Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	15 SHEETS	\$	3.75
STANDARD PLANS	7 SHEETS	\$	1.75

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
- 3 DETAILS
- 4 OVERALL PLAN
- 5 HORIZONTAL CONTROL PLAN
- 6 - 10 SIDEWALK PLAN & PROFILE
- 11 SIDEWALK PLAN--WAKEFIELD STREET
- 12 GENERAL PLAN & ELEVATION--PEDESTRIAN BRIDGE
- 13 ABUTMENT DETAILS--PEDESTRIAN BRIDGE
- 14 WING DETAILS & BRIDGE NOTES--PEDESTRIAN BRIDGE
- 15 CROSS SECTIONS

STANDARD PLAN

- 303 (2 SHEETS) CURB RAMP
- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 924 (3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 3 CONCRETE PAVEMENT

BARRICADE, TYPE II	450	BDAY
TEMPORARY SIGN DAY	60	EACH
SIGN DAY	837	EACH
FLAGGING	20	DAY
MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EARTHWORK MEASURED IN EMBANKMENT	60	CY
REMOVE PAVEMENT	8	SY
REMOVE WALK	221	SY
CONC 47B-3000 SIDEWALKS	990	SY
6" CONC 47B-3000 SIDEWALKS	6	SY
DETECTABLE WARNING PANEL	208	SF
CONC 47B-3500 DRIVEWAY	7	SY
6" CONC PVMT, 47B-3500	8	SY

47B-3000 CONC FOR BRIDGE		10 CY
REMOVE STRUCTURE		1 EACH
AT STA. 49+17		
PEDESTRIAN BRIDGE	LUMP	LUMP
24" WHITE PERMANENT PVMT MARKING PAINT		192 LF
SUBGRADE PREPARATION		15 SY
MILLING CONCRETE CURB		185 LF
SEEDING, TYPE B		1 ACRE
FABRIC SILT FENCE-LOW POROSITY		44 LF
ADJUST VALVE BOX TO GRADE		2 EACH

NOTICE TO CONTRACTORS

CALL ORDER 450
 FEDERAL PROJECT NO. STP-34-5(114)
 LOCATION: US-34, EAST OF YORK
 COUNTIES: YORK

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on October 25, 2012. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 12.0 MILES
 START DATE 05/20/2013 WORKING DAYS 100
 Price Range \$ 4,000,000 to \$ 7,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning October 02, 2012 at the Lincoln Central Office and October 09, 2012 at the District Engineer's Office at GRAND ISLAND

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	45 SHEETS	\$	11.25
STANDARD PLANS	5 SHEETS	\$	1.25

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T6	TYPICAL CROSS SECTIONS
2-S1 - 2-S3	SUMMARY OF QUANTITIES
2-A1 - 2-A12	PHOTO MAPS
2-H	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION
2-N2 - 2-N3	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3 - 14	PLAN SHEETS
15 - 16	PAVEMENT MARKING PLAN--JCT US-34 & N-69
17	TEMPORARY PAVEMENT MARKING PLAN
18	TYPICAL PAVEMENT MARKING PLAN--4" PAVEMENT MARKING
19	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
20 - 21	ROADWAY LIGHTING PLANS

STANDARD PLANS

309	MAILBOX SUPPORT POST
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	28,000 BDAY
BARRICADE, TYPE III	668 BDAY
TEMPORARY SIGN DAY	1,400 EACH
SIGN DAY	17,201 EACH
OVERLAY BROKEN LINES	1,907 STA
OVERLAY SOLID LINES	3,814 STA
FLAGGING	200 DAY
FURNISHING AND OPERATING PILOT VEHICLE	75 DAY
TRAFFIC CONTROL MANAGEMENT	167 DAY
TRAINING	500 HOUR

MOBILIZATION	LUMP	LUMP
MAILBOX POST		12 EACH
CONC PVMT REPAIR TYPE A FULL DEPTH		2 CY
CONC PVMT REPAIR TYPE B FULL DEPTH		514 CY
CONC PVMT REPAIR TYPE C FULL DEPTH		611 CY
4" WHT WET RFLC PRF PVMT MKNG T4 GVD		600 LF
8" WHT WET RFLC PRF PVMT MKNG T4 GVD		1,500 LF
12" WHT WET RFLC PRF PVMT MKNG T4 GVD		250 LF
4" YEL WET RFLC PRF PVMT MKNG T4 GVD		9,200 LF
12" YEL WET RFLC PRF PVMT MKNG T4 GVD		500 LF
HYDRATED LIME FOR ASPHALT MIXTURES		252 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		3 TON
FOUNDATION COURSE REPLACEMENT		22 CY
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR		500 TON
ASPH CONC, TYPE SPS		12,710 TON
ASPH CONC, TYPE SPR		41,260 TON
PLACE ASPH CONC FOR DRIVE & INTER		8,046 SY
ASPH CONCRETE FOR PATCHING, TYPE SPR		700 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH		17 TON
PERF GRADED BINDER (52-34)		444 TON
PERF GRADED BINDER (64-34)		1,468 TON
TACK COAT		54,890 GAL
RENTAL OF LOADER, FULLY OPERATED		60 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED		60 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		60 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		60 HOUR
COLD MILLING, CLASS 3		692 STA
COLD MILLING, CLASS 5		8,046 SY
COLD MILLING, CLASS 3		1,262 STA
TYPE A		
RUMBLE STRIPS, ASPHALT		1,130 STA
FABRIC REINF CRACK REPAIR		119,400 LF
RAP INCENTIVE PAYMENT		92,939 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
MODIFY LIGHTING UNIT		15 EACH

NOTICE TO CONTRACTORS

CALL ORDER 455
 FEDERAL PROJECT NO. STP-92-4(112)
 LOCATION: N-92, ST. PAUL EAST
 COUNTIES: HOWARD MERRICK

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on October 25, 2012. At that time the bids will be opened and read for GR GRDL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 8.6 MILES
 START DATE 07/29/2013 WORKING DAYS 50
 Price Range \$ 2,000,000 to \$ 4,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning October 02, 2012 at the Lincoln Central Office and October 09, 2012 at the District Engineer's Office at GRAND ISLAND
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	32 SHEETS	\$	8.00
CROSS SECTIONS (SHEETS X1 THRU X2)	2 SHEETS	\$	0.50
STANDARD PLANS	12 SHEETS	\$	3.00

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T4	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-W1 - 2-W8	WETLANDS
2-H1 - 2-H3	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N2	GENERAL INFORMATION
3 - 10	PLAN SHEETS
11	TEMPORARY PAVEMENT MARKING PLAN
12	EARTHWORK DATA SHEET
13	SPECIAL PLAN 1C GUARDRAIL PLAN
14 - 15	SPECIAL PLAN 2C TEMPORARY SILT CHECKS
X1 - X2	CROSS SECTIONS

STANDARD PLANS

307-R1	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
502	SILT FENCE DETAILS
740	MIDWEST GUARDRAIL SYSTEM BRIDGE APPROACH SECTION
743	(4 SHEETS) GUARDRAIL DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
WATER		2 MGAL
EARTHWORK MEASURED IN EMBANKMENT		65 CY
REMOVE ASPHALT SURFACE		764 SY
REMOVE CURB		110 LF
CRUSHED ROCK SURFACE COURSE		110 CY

REMOVE GUARDRAIL	600	LF
COVER CROP SEEDING	5	ACRE

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL	250	LF
BRIDGE APPROACH SECTIONS	4	EACH
GUARDRAIL END TREATMENT, TYPE II	4	EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES	1,358	STA
OVERLAY SOLID LINES	2,716	STA
MOBILIZATION	LUMP	LUMP
SPEC SURF CRSE FOR MAILBOX TURNOUTS	795	SY
MAILBOX POST	13	EACH
CONC PVMT REPAIR TYPE A FULL DEPTH	1	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	3	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	9	CY
HYDRATED LIME FOR ASPHALT MIXTURES	217	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	4	TON
FOUNDATION COURSE REPLACEMENT	1	CY
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	750	TON
ASPH CONC, TYPE SPR	35,970	TON
PLACE ASPH CONC FOR DRIVE & INTER	3,413	SY
ASPH CONCRETE FOR PATCHING, TYPE SPR	300	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	26	TON
PERF GRADED BINDER (64-34)	1,269	TON
TACK COAT	28,935	GAL
WATER	94	MGAL
EARTH SHOULDER CONSTRUCTION	375	STA
COLD MILLING, CLASS 3	449	STA
COLD MILLING, CLASS 5	2,172	SY
CONC SURF MILLING	2,065	SY
SURFACE UNDER GUARDRAIL	554	SY
RAP INCENTIVE PAYMENT	61,659	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B	5	ACRE
HYDROMULCH	7	TON

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	13,500	B DAY
BARRICADE, TYPE III	485	B DAY
TEMPORARY SIGN DAY	700	EACH
SIGN DAY	10,243	EACH
FLAGGING	100	DAY
FURNISHING AND OPERATING PILOT VEHICLE	45	DAY
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	45	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	40	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	45	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	45	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5	HOUR
TEMPORARY SILT CHECK	150	LF
TEMPORARY SILT FENCE	400	LF
TEMPORARY MULCH	2	TON

NOTICE TO CONTRACTORS

CALL ORDER 550
 FEDERAL PROJECT NO. URB-5701(9)
 LOCATION: 10TH STREET, CRESCENT DRIVE-RIVER BRIDGE, GERING
 COUNTIES: SCOTTS BLUFF

The Nebraska Department of Roads will receive sealed bids for the CITY OF GERING in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on October 25, 2012. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

START DATE 07/15/2013 WORKING DAYS 50
 Price Range \$ 250,000 to \$ 1,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning October 02, 2012 at the Lincoln Central Office and October 09, 2012 at the District Engineer's Office at GERING. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	16 SHEETS	\$	4.00
STANDARD PLANS	12 SHEETS	\$	3.00

SHEET NO.

1	TITLE PAGE
2-S	SUMMARY OF QUANTITIES
2-T	TYPICAL CROSS SECTIONS
2-N	GENERAL INFORMATION
2-L	DETAILS
3 - 5	REMOVAL SHEETS
6 - 8	PLAN & PROFILE SHEETS
9 - 11	STRIPING PLANS
12	SPECIAL PLAN 1C HANDICAP RAMP DETAILS
13	SPECIAL PLAN 2C HANDICAP RAMP DETAILS

STANDARD PLANS

301-R10	(3 SHEETS)	PAVEMENT DETAILS
443-R8	(2 SHEETS)	CURB INLETS AND JUNCTION BOX
920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS)	TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	4,000	B DAY
BARRICADE, TYPE III	40	B DAY
SIGN DAY	1,649	EACH
FLASHING ARROW PANEL	50	DAY
FLAGGING	5	DAY
MOBILIZATION	LUMP	LUMP
REMOVE WALK	879	SY
REMOVE CURB	2,531	LF
REMOVE CONCRETE MEDIAN SURFACING	73	SY
REMOVE PAVEMENT AND CURB	4,245	LF
TIE BARS	2,250	EACH

COMB CONC 47B-3500 CURB & GUTTER	6,776 LF
CONC 47B-3000 SIDEWALK 5"	1,408 SY
DETECTABLE WARNING PANEL	264 SF
CONC 47B-3000 IMPRINTED MEDIAN SURF	283 SY
CONC PVMT REPAIR TYPE C FULL DEPTH	1,766 SY
RECONSTRUCT INLET	1 EACH
ADJUSTING INLET TO GRADE	3 EACH
ONLY, PREF PVMT MRKING T-4, GROOVED	2 EACH
ARROW, PREF PVMT MRKING T-4 GROOVED	2 EACH
4" WHITE PREF PVMT MRKNG T-4 GROOVED	1,667 LF
4" YEL PREF PVMT MRKNG, T-4, GROOVED	5,513 LF
24" WHITE PREF PVMT MKING T-4 GROOVED	72 LF
HYDRATED LIME FOR ASPHALT MIXTURES	13 TON
ASPH CONC, TYPE SPR	2,090 TON
ASPH CONCRETE FOR PATCHING, TYPE SPR	20 TON
PERF GRADED BINDER (64-34)	73 TON
TACK COAT	2,880 GAL
RENTAL OF LOADER, FULLY OPERATED	5 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	5 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	5 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	5 HOUR
COLD MILLING, CLASS 3	19,181 SY
RAP INCENTIVE PAYMENT	3,587 EACH

NOTICE TO CONTRACTORS

CALL ORDER 555
 FEDERAL PROJECT NO. STP-87-4(116)
 LOCATION: N-87, HAY SPRINGS SOUTH
 COUNTIES: SHERIDAN

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on October 25, 2012 . At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 13.3 MILES
 START DATE 06/24/2013 WORKING DAYS 75
 Price Range \$ 2,000,000 to \$ 4,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning October 02, 2012 at the Lincoln Central Office and October 09, 2012 at the District Engineer's Office at GERING
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	22	SHEETS	\$	5.50
STANDARD PLANS	7	SHEETS	\$	1.75

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-H1 - 2-H4	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N2	GENERAL INFORMATION
3 - 14	PLAN SHEETS
15	TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

309	MAILBOX SUPPORT POST
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	22,500	B DAY
BARRICADE, TYPE III	660	B DAY
TEMPORARY SIGN DAY	1,050	EACH
SIGN DAY	13,596	EACH
OVERLAY BROKEN LINES	2,099	STA
OVERLAY SOLID LINES	4,198	STA
FLAGGING	150	DAY
FURNISHING AND OPERATING PILOT VEHICLE	75	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
REMOVE ASPHALT SURFACE	547	SY
SPEC SURF CRSE FOR MAILBOX TURNOUTS	734	SY
MAILBOX POST	24	EACH
REMOVE GUARDRAIL	532	LF

HYDRATED LIME FOR ASPHALT MIXTURES	289 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	6 TON
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	1,000 TON
ASPH CONC, TYPE SPR	47,812 TON
ASPH CONCRETE FOR PATCHING, TYPE SPR	200 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	35 TON
PERF GRADED BINDER (64-34)	1,681 TON
TACK COAT	43,834 GAL
RENTAL OF LOADER, FULLY OPERATED	70 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	70 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	70 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	70 HOUR
COLD MILLING, CLASS 3	704 STA
RAP INCENTIVE PAYMENT	81,620 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP

NOTICE TO CONTRACTORS

CALL ORDER 560
 FEDERAL PROJECT NO. STP-30-1(130)
 LOCATION: US-30, SIDNEY WEST
 COUNTIES: CHEYENNE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on October 25, 2012. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 7.6 MILES
 START DATE 07/15/2013 WORKING DAYS 60
 Price Range \$ 2,000,000 to \$ 4,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning October 02, 2012 at the Lincoln Central Office and October 09, 2012 at the District Engineer's Office at GERING
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	31 SHEETS	\$	7.75
STANDARD PLANS	12 SHEETS	\$	3.00

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T6	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-A1 - 2-A7	PHOTO MAPS
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N2	GENERAL INFORMATION
2-L	CONSTRUCTION & REMOVAL
3 - 9	PLAN SHEETS
10	TEMPORARY PAVEMENT MARKING PLAN
11	TYPICAL PAVEMENT MARKING PLAN--RURAL LEFT TURN BAYS
12	PAVEMENT MARKING PLAN--JCT. US-30 & N-19

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
309	MAILBOX SUPPORT POST
502	SILT FENCE DETAILS
901-R9	HIGHWAY DELINEATORS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	11,100 BDAY
BARRICADE, TYPE III	444 BDAY
TEMPORARY SIGN DAY	840 EACH
SIGN DAY	9,768 EACH
OVERLAY BROKEN LINES	1,199 STA
OVERLAY SOLID LINES	2,389 STA
FLAGGING	120 DAY
FURNISHING AND OPERATING PILOT VEHICLE	50 DAY
FIELD OFFICE	1 EACH

MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE III		23 EACH
INSTALL CHEVRONS		8 EACH
REMOVE PAVEMENT		200 SY
SAWING PAVEMENT		1,822 LF
REMOVE ASPHALT SURFACE		748 SY
REMOVE CONCRETE MEDIAN SURFACING		709 SY
GRAVEL SURFACE COURSE		180 CY
SPEC SURF CRSE FOR MAILBOX TURNOUTS		1,178 SY
MAILBOX POST		20 EACH
8" CONCRETE BASE COURSE		909 SY
CONC PVMT REPAIR TYPE A FULL DEPTH		14 CY
CONC PVMT REPAIR TYPE B FULL DEPTH		352 CY
CONC PVMT REPAIR TYPE C FULL DEPTH		63 CY
ADJUST MANHOLE TO GRADE		1 EACH
4" WHT WET RFLC PRF PVMT MKNG T4 GVD		590 LF
4" YEL WET RFLC PRF PVMT MKNG T4 GVD		11,200 LF
12" YEL WET RFLC PRF PVMT MKNG T4 GVD		1,800 LF
HYDRATED LIME FOR ASPHALT MIXTURES		212 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		9 TON
FOUNDATION COURSE REPLACEMENT		8 CY
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR		1,500 TON
ASPH CONC, TYPE SPR		34,870 TON
PLACE ASPH CONC FOR DRIVE & INTER		7,248 SY
ASPH CONCRETE FOR PATCHING, TYPE SPR		400 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH		52 TON
PERF GRADED BINDER (64-34)		1,234 TON
TACK COAT		28,880 GAL
RENTAL OF LOADER, FULLY OPERATED		40 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED		40 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		40 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		40 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		5 HOUR
WATER		197 MGAL
EARTH SHOULDER CONSTRUCTION		775 STA
TRENCHED WIDENING		737 STA
SUBGRADE PREPARATION		909 SY
COLD MILLING, CLASS 3		448 STA
COLD MILLING, CLASS 5		7,248 SY
RAP INCENTIVE PAYMENT		59,959 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B		11 ACRE
TEMPORARY SILT FENCE		300 LF
HYDROMULCH		16 TON

NOTICE TO CONTRACTORS

CALL ORDER 750
 FEDERAL PROJECT NO. URB-6154(1)
 LOCATION: 'H' STREET, NORRIS AVE.-AIRPORT RD., McCOOK
 COUNTIES: RED WILLOW

The Nebraska Department of Roads will receive sealed bids for the CITY OF MCCOOK in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on October 25, 2012. At that time the bids will be opened and read for CONC PAVE WATER MAIN

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

Length: 1.3 MILES
 START DATE 05/06/2013 WORKING DAYS 105
 Price Range \$ 500,000 to \$ 2,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning October 02, 2012 at the Lincoln Central Office and October 09, 2012 at the District Engineer's Office at MCCOOK. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	31	SHEETS	\$	7.75
CROSS SECTIONS (SHEETS X1 THRU X2)	2	SHEETS	\$	0.50
STANDARD PLANS	9	SHEETS	\$	2.25

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-A	PHOTO MAP
2-P	PHASING PLAN
2-L1 - 2-L2	EROSION CONTROL
3 - 15	PLAN & PROFILE SHEETS
16	PLAN & PROFILE SHEET--TEMPORARY ACCESS ROAD
17 - 21	PLAN SHEETS--REMOVALS
22	PLAN SHEET--STORM SEWER
23	PLAN SHEET--WATER MAIN & SERVICES
24	PLAN SHEET--SIGNAGE
25 - 26	SPECIAL PLAN 1C TEMPORARY SILT CHECKS
X1 - X2	CROSS SECTIONS

STANDARD PLANS

425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EARTHWORK MEASURED IN EMBANKMENT		334 CY
REMOVE PAVEMENT		8,630 SY
SAWING PAVEMENT		918 LF

REMOVE ASPHALT SURFACE	57 SY
REMOVE DRIVEWAY	1,086 SY
REMOVE WALK	1,183 SY
REMOVE COMBINATION CURB AND GUTTER	3,715 LF
GRAVEL SURFACE COURSE	140 CY
TIE BARS	3,760 EACH
COMB CONC 47B-3500 CURB & GUTTER 6"	3,803 LF
COMB CONC 47B-3500 CURB & GUTTER 8"	520 LF
CONC 47B-3000 SIDEWALKS	1,814 SY
DETECTABLE WARNING PANEL	640 SF
CONC 47B-3500 DRIVEWAY	271 SY
8" CONC PVMT, 47B-4000	24,178 SY
ADJUST GRATE INLET TO GRADE	15 EACH
ADJUST CURB INLET TO GRADE	1 EACH
ADJUST MANHOLE TO GRADE	12 EACH
CURB INLET SEDIMENT FILTER	2 EACH
BROKEN CONCRETE RIPRAP	3 TON
FOUNDATION COURSE 3"	24,178 SY
PREP OF INTER & DRIVE WATER	271 SY 77 MGAL
EARTH SHOULDER CONSTRUCTION	12 STA
SUBGRADE PREPARATION	24,178 SY
COLD MILLING, CLASS 4	21,561 SY
SEEDING, TYPE B	1 ACRE
SODDING	344 SY
FABRIC SILT FENCE-LOW POROSITY	2,274 LF
HYDROMULCH	1 TON
ADJUST VALVE BOX TO GRADE	8 EACH

GROUP 4A WATER MAIN

	LUMP	LUMP
MOBILIZATION		
REMOVE JUNCTION BOX		1 EACH
CAST IRON RING & COVER		450 LB
REMOVE SEWER PIPE		110 LF
47B-3000 CONC FOR INLET & JUNCTION BOXES		2 CY
47B-3500 CONCRETE FOR CONCRETE COLLARS		1 CY
RE-STEEL FOR INLET & JCT BOX		183 LB
RE-STEEL FOR COLLARS		58 LB
36" REINF CONCRETE SEWER PIPE		105 LF
18" CORR POLY PIPE		20 LF
CURB STOP		6 EACH
2" LINE STOP		1 EACH
4" LINE STOP		1 EACH
1" CORPORATION STOP		6 EACH
WATER SERVICE		113 LF
4" WATER MAIN PIPE PVC		7 LF
6" WATER MAIN PIPE PVC		45 LF
8" WATER MAIN PIPE PVC		569 LF
12" INSTA VALVE		1 EACH
6" GATE VALVE		3 EACH
8" GATE VALVE		2 EACH
FIRE HYDRANT		5 EACH
4" DRESSER COUPLING		1 EACH
6" DRESSER COUPLING		1 EACH
8" DRESSER COUPLING		1 EACH
16" X 8" TAPPING TEE		1 EACH
12" X 8" TAPPING TEE, M.J.		1 EACH
8" X 8" X 6" TEE		1 EACH
8" X 8" X 4" TEE		1 EACH
6" - 45 DEGREE BEND		1 EACH

GROUP 4B WATER MAIN

	LUMP	LUMP
MOBILIZATION		
6" WATER MAIN PIPE PVC	426	LF
6" GATE VALVE	3	EACH
FIRE HYDRANT	1	EACH
TAPPING TEE 6" X 6" X 6"	1	EACH
6" X 6" X 6" TEE	1	EACH
6" - 90 DEGREE BEND	1	EACH
8" - 45 DEGREE BEND	1	EACH
6" - 22 1/2 DEGREE BEND	2	EACH
8" X 6" REDUCER	1	EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE III	6,376	BDAY
SIGN DAY	1,688	EACH
CONTRACTOR FURNISHED SIGN DAY	1,538	EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	25	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	25	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	25	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	25	HOUR
TEMPORARY SILT CHECK	200	LF
TEMPORARY SILT FENCE	300	LF

NOTICE TO CONTRACTORS

CALL ORDER 751
 FEDERAL PROJECT NO. URB-6154(1)
 LOCATION: 'H' STREET, NORRIS AVE.-AIRPORT RD., McCOOK
 COUNTIES: RED WILLOW

The Nebraska Department of Roads will receive sealed bids for the
 CITY OF MCCOOK in Room 104 of the Central Office Building at
 1500 Hwy 2 at Lincoln, until 1:30 P.M. on October 25, 2012 .
 At that time the bids will be opened and read for
 CONC PAVE WATER MAIN

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR
 WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

Length: 1.3 MILES
 START DATE 05/06/2013 WORKING DAYS 105
 Price Range \$ 500,000 to \$ 2,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning October 02, 2012 at the Lincoln
 Central Office and October 09, 2012 at the District Engineer's Office at MCCOOK
 Additional letting information may be found at the Nebraska Department of Roads
 Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal
 requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	31	SHEETS	\$	7.75
CROSS SECTIONS (SHEETS X1 THRU X2)	2	SHEETS	\$	0.50
STANDARD PLANS	9	SHEETS	\$	2.25

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-A	PHOTO MAP
2-P	PHASING PLAN
2-L1 - 2-L2	EROSION CONTROL
3 - 15	PLAN & PROFILE SHEETS
16	PLAN & PROFILE SHEET--TEMPORARY ACCESS ROAD
17 - 21	PLAN SHEETS--REMOVALS
22	PLAN SHEET--STORM SEWER
23	PLAN SHEET--WATER MAIN & SERVICES
24	PLAN SHEET--SIGNAGE
25 - 26	SPECIAL PLAN 1C TEMPORARY SILT CHECKS
X1 - X2	CROSS SECTIONS

STANDARD PLANS

425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and
 should not be used for bidding purposes. The Department
 reserves the right to change these quantities without notice.

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EARTHWORK MEASURED IN EMBANKMENT		334 CY

REMOVE PAVEMENT	8,630 SY
SAWING PAVEMENT	918 LF
REMOVE ASPHALT SURFACE	57 SY
REMOVE DRIVEWAY	1,086 SY
REMOVE WALK	1,183 SY
REMOVE COMBINATION CURB AND GUTTER	3,715 LF
GRAVEL SURFACE COURSE	140 CY
TIE BARS	3,760 EACH
COMB CONC 47B-3500 CURB & GUTTER 6"	3,803 LF
COMB CONC 47B-3500 CURB & GUTTER 8"	520 LF
CONC 47B-3000 SIDEWALKS	1,814 SY
DETECTABLE WARNING PANEL	640 SF
CONC 47B-3500 DRIVEWAY	271 SY
8" CONC PVMT, 47B-4000	24,178 SY
ADJUST GRATE INLET TO GRADE	15 EACH
ADJUST CURB INLET TO GRADE	1 EACH
ADJUST MANHOLE TO GRADE	12 EACH
CURB INLET SEDIMENT FILTER	2 EACH
BROKEN CONCRETE RIPRAP	3 TON
FOUNDATION COURSE 3"	24,178 SY
PREP OF INTER & DRIVE WATER	271 SY 77 MGAL
EARTH SHOULDER CONSTRUCTION	12 STA
SUBGRADE PREPARATION	24,178 SY
COLD MILLING, CLASS 4	21,561 SY
SEEDING, TYPE B	1 ACRE
SODDING	344 SY
FABRIC SILT FENCE-LOW POROSITY	2,274 LF
HYDROMULCH	1 TON
ADJUST VALVE BOX TO GRADE	8 EACH

GROUP 4A WATER MAIN

	LUMP	LUMP
MOBILIZATION		
REMOVE JUNCTION BOX		1 EACH
CAST IRON RING & COVER	450 LB	
REMOVE SEWER PIPE	110 LF	
47B-3000 CONC FOR INLET & JUNCTION BOXES	2 CY	
47B-3500 CONCRETE FOR CONCRETE COLLARS	1 CY	
RE-STEEL FOR INLET & JCT BOX	183 LB	
RE-STEEL FOR COLLARS	58 LB	
36" REINF CONCRETE SEWER PIPE	105 LF	
18" CORR POLY PIPE	20 LF	
CURB STOP	6 EACH	
2" LINE STOP	1 EACH	
4" LINE STOP	1 EACH	
1" CORPORATION STOP	6 EACH	
WATER SERVICE	113 LF	
4" WATER MAIN PIPE PVC	7 LF	
6" WATER MAIN PIPE PVC	45 LF	
8" WATER MAIN PIPE PVC	569 LF	
12" INSTA VALVE	1 EACH	
6" GATE VALVE	3 EACH	
8" GATE VALVE	2 EACH	
FIRE HYDRANT	5 EACH	
4" DRESSER COUPLING	1 EACH	
6" DRESSER COUPLING	1 EACH	
8" DRESSER COUPLING	1 EACH	
16" X 8" TAPPING TEE	1 EACH	
12" X 8" TAPPING TEE, M.J.	1 EACH	
8" X 8" X 6" TEE	1 EACH	
8" X 8" X 4" TEE	1 EACH	
6" - 45 DEGREE BEND	1 EACH	

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE III	6,376	BDAY
SIGN DAY	1,688	EACH
CONTRACTOR FURNISHED SIGN DAY	1,538	EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	25	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	25	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	25	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	25	HOUR
TEMPORARY SILT CHECK	200	LF
TEMPORARY SILT FENCE	300	LF

NOTICE TO CONTRACTORS

CALL ORDER 755
 FEDERAL PROJECT NO. STP-6-2(130)
 LOCATION: US-6, WAUNETA-HAMLET
 COUNTIES: CHASE
 HAYES

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on October 25, 2012. At that time the bids will be opened and read for SEED BR GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 7.5 MILES
 START DATE 06/03/2013 WORKING DAYS 90
 Price Range \$ 2,000,000 to \$ 4,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning October 02, 2012 at the Lincoln Central Office and October 09, 2012 at the District Engineer's Office at MCCOOK

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	41 SHEETS	\$	10.25
CROSS SECTIONS (SHEETS X1 THRU X8)	8 SHEETS	\$	2.00
STANDARD PLANS	18 SHEETS	\$	4.50

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-W1 - 2-W8	WETLANDS
2-H1 - 2-H3	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
3 - 10	PLAN SHEETS
11	TYPICAL TRAFFIC SIGNAL CONTROL PLAN FOR ONE LANE, TWO WAY OPERATION WITH BARRIERS
12	TEMPORARY TRAFFIC SIGNAL
13	TYPICAL TRAFFIC CONTROL PLAN--VEHICLE SIGNING FOR PAINT STRIPING
14	TEMPORARY PAVEMENT MARKING PLAN
15	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
16 - 17	SPECIAL PLAN 1 CONCRETE SLAB BRIDGE REPAIR STA. 585+00.00
18 - 19	SPECIAL PLAN 2 CONCRETE SLAB BRIDGE REPAIR STA. 684+69.00
20 - 21	SPECIAL PLAN 3 CONCRETE SLAB BRIDGE REPAIR STA. 764+31.00
22 - 23	SPECIAL PLAN 1C GUARDRAIL PLAN
24 - 25	SPECIAL PLAN 2C CONCRETE PROTECTION BARRIER
26 - 27	SPECIAL PLAN 3C TEMPORARY SILT CHECKS
X1 - X8	CROSS SECTIONS

STANDARD PLANS

307-R1	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
740	MIDWEST GUARDRAIL SYSTEM BRIDGE APPROACH SECTION
743	(4 SHEETS) GUARDRAIL DETAILS

901-R9	HIGHWAY DELINEATORS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE B		17 ACRE
HYDROMULCH		26 TON

GROUP 6 BRIDGE AT STA. 585+00.00

MOBILIZATION	LUMP	LUMP
CLASS I REPAIR		329 SY
CLASS II REPAIR		65 SY
CLASS III REPAIR		5 SY
PLACE, FINISH, & CURE CONC OVERLAY-SF		329 SY
CONCRETE FOR OVERLAYS-SF		18 CY

GROUP 6A BRIDGE AT STA. 684+69.00

MOBILIZATION	LUMP	LUMP
CLASS I REPAIR		453 SY
CLASS II REPAIR		90 SY
CLASS III REPAIR		5 SY
PLACE, FINISH, & CURE CONC OVERLAY-SF		453 SY
CONCRETE FOR OVERLAYS-SF		25 CY

GROUP 6B BRIDGE AT STA. 764+31.00

MOBILIZATION	LUMP	LUMP
CLASS I REPAIR		507 SY
CLASS II REPAIR		101 SY
CLASS III REPAIR		5 SY
PLACE, FINISH, & CURE CONC OVERLAY-SF		507 SY
CONCRETE FOR OVERLAYS-SF		28 CY

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
ROADWAY GRADING		12 STA
W-BEAM GUARDRAIL		500 LF
REMOVE GUARDRAIL		1,228 LF
BRIDGE APPROACH SECTIONS		12 EACH
GUARDRAIL END TREATMENT, TYPE I		8 EACH
GUARDRAIL END TREATMENT, TYPE II		4 EACH
EROSION CONTROL, CLASS 1D		2,579 SY

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES		1,217 STA
OVERLAY SOLID LINES		2,434 STA
PERMANENT PAVEMENT MARKING PAINT		92,500 LF
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE II		8 EACH
DELINEATOR, TYPE III		24 EACH
REMOVE DELINEATOR UNITS		32 EACH
REMOVE ASPHALT SURFACE		1,929 SY
GRAVEL SURFACE COURSE		70 CY
SPEC SURF CRSE FOR MAILBOX TURNOUTS		701 SY
MAILBOX POST		14 EACH
HYDRATED LIME FOR ASPHALT MIXTURES		190 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		15 TON
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR		2,500 TON

ASPH CONC, TYPE SPR	31,330	TON
PLACE ASPH CONC FOR DRIVE & INTER	4,239	SY
ASPH CONCRETE FOR PATCHING, TYPE SPR	400	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	87	TON
PERF GRADED BINDER (64-34)	1,110	TON
TACK COAT	25,460	GAL
WATER	202	MGAL
FLY ASH SLURRY INJECTION	300	TON
INJECTION HOLES	2,400	EACH
EARTH SHOULDER CONSTRUCTION	807	STA
TRENCHED WIDENING	783	STA
COLD MILLING, CLASS 3	391	STA
COLD MILLING, CLASS 5	4,239	SY
COLD MILLING, CLASS 3	391	STA
TYPE A		
COLD MILLING, CLASS 3	12	STA
TYPE B		
SURFACE UNDER GUARDRAIL	1,831	SY
RAP INCENTIVE PAYMENT	53,941	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	10,670	BDAY
BARRICADE, TYPE III	1,025	BDAY
TEMPORARY SIGN DAY	812	EACH
SIGN DAY	11,056	EACH
TEMP PAVEMENT MARKING REMOVAL	4,600	LF
PAVEMENT MARKING REMOVAL	2,350	LF
TEMP PVMT MARKING, TYPE PAINT	4,600	LF
TEMP PVMT MARKING SURF PREP	4,600	LF
FLAGGING	120	DAY
FURNISHING AND OPERATING PILOT VEHICLE	60	DAY
CONCRETE PROTECTION BARRIER	1,375	LF
RELOCATE CONC PROTECTION BARRIER	1,375	LF
TEMPORARY RUMBLE STRIP	12	EACH
TEMPORARY TRAFFIC SIGNAL	3	EACH
TRAFFIC CONTROL MANAGEMENT	153	DAY
TRAINING	1,000	HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	40	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	40	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	40	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	40	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5	HOUR
TEMPORARY SILT CHECK	150	LF
TEMPORARY SILT FENCE	300	LF

NOTICE TO CONTRACTORS

CALL ORDER 850
 FEDERAL PROJECT NO. STP-7-3(102)
 LOCATION: N-7, BREWSTER - CALAMUS RIVER
 COUNTIES: BROWN BLAINE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on October 25, 2012 . At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 9.4 MILES
 START DATE 07/08/2013 WORKING DAYS 65
 Price Range \$ 2,000,000 to \$ 4,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning October 02, 2012 at the Lincoln Central Office and October 09, 2012 at the District Engineer's Office at AINSWORTH
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	30	SHEETS	\$	7.50
STANDARD PLANS	6	SHEETS	\$	1.50

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-W1 - 2-W9	WETLANDS
2-H1 - 2-H4	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N2	GENERAL INFORMATION
3 - 11	PLAN SHEETS
12	TYPICAL TRAFFIC CONTROL PLAN--VEHICLE SIGNING FOR PAINT STRIPING
13	TEMPORARY PAVEMENT MARKING PLAN
14	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING

STANDARD PLANS

309	MAILBOX SUPPORT POST
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	14,300	BDAY
BARRICADE, TYPE III	472	BDAY
TEMPORARY SIGN DAY	910	EACH
SIGN DAY	10,856	EACH
OVERLAY BROKEN LINES	1,484	STA
OVERLAY SOLID LINES	2,794	STA
PERMANENT PAVEMENT MARKING PAINT	135,000	LF
FLAGGING	102	DAY
FURNISHING AND OPERATING PILOT VEHICLE	51	DAY

FIELD OFFICE		1 EACH
MOBILIZATION	LUMP	LUMP
MAILBOX POST		5 EACH
HYDRATED LIME FOR ASPHALT MIXTURES		213 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		2 TON
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR		250 TON
ASPH CONC, TYPE SPR		34,520 TON
PLACE ASPH CONC FOR DRIVE & INTER		2,044 SY
ASPH CONCRETE FOR PATCHING, TYPE SPR		1,000 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH		8 TON
PERF GRADED BINDER (64-34)		1,243 TON
TACK COAT		31,900 GAL
FOG SEAL		110 GAL
RENTAL OF LOADER, FULLY OPERATED		65 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED		45 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		65 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		65 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		20 HOUR
WATER		228 MGAL
EARTH SHOULDER CONSTRUCTION		913 STA
COLD MILLING, CLASS 3		507 STA
COLD MILLING, CLASS 5		2,044 SY
RAP INCENTIVE PAYMENT		60,385 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B		10 ACRE
FABRIC SILT FENCE-LOW POROSITY		1,850 LF
MULCH		23 TON

Plan and Informational Proposal Order Form
Projects to be bid on:

October 25, 2012

Payment required for plans prior to NDOR completing this order.
 dor.ContractsOnlineOrders@nebraska.gov FAX: (402) 479-4845

Document No.

<input type="checkbox"/> Check/Cash	Receipt No.
<input type="checkbox"/> Advance Plans Account No.	
Credit Card	
<input type="checkbox"/> Visa	<input type="checkbox"/> MasterCard
Expiration Date:	
Card No.:	

Please indicate: <input type="checkbox"/> Mail <input type="checkbox"/> Hold	<input type="checkbox"/> Fed Ex. Standard Overnight	Comments:
	<input type="checkbox"/> Fed Ex. Priority Overnight	
	<input type="checkbox"/> UPS Overnight	
	Acct. No.	

FOR OFFICE USE ONLY	
Reference I.D.:	_____
Authorization Code:	_____ Date: _____

4-Digit Vendor No.:	Ordered By:	Grand Total - Informational Proposals: x \$5.00
Company:		All plans in letting on CD: x \$25.00
Street Address:		Grand Total - 1/2 Size Plans: x \$.25
		Grand Total - Full Size Plans: x \$.50
PO Box:	City:	State:
		Zip Code:
Phone No. (include Area Code):	Fax No. (include Area Code):	Subtotal
		Tax Code
		Sales Tax
		%
Processed by:	Date:	Proposals/CD Filled:
		Blueprint Plans/Proposals Filled:
		Date:
		Total

If requesting Plan or Proposal CD(s) only, your name will not appear on the Planholders list unless your company has been issued Bid Proposals or you submit the "Planholders Registration" from the NDOR website.

CD containing Informational Proposals for all projects in letting. (No Charge) Total Number Requested: →

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. 1/2 size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
150	LCLC-5231(13)				
155	PLH-3615(8)				
160	LCLC-5228(4)				
165	STPN-BR-TMT-5267(1)				
250	STPB-77(49)				
255	BR-3495(3)				
260	NH-275-7(180)				
270	MAPA-5086(1)				
275	MAPA-5145(3)				
355	SRTS-14(3)				
450	STP-34-5(114)				
455	STP-92-4(112)				

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. ½ size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
550 URB-5701(9)					
555 STP-87-4(116)					
560 STP-30-1(130)					
750 URB-6154(1) 751 URB-6154(1)					
755 STP-6-2(130)					
850 STP-7-3(102)					

Standard Plans: Refer to "Publication Order Form" for complete sets of Standard Plans and Standard/Special Plans Books

Number of Sets Requested	Standard Plan No.(s)	Number of Sheets Shown in List of Plans	Check Size		Total No. of Sheets	
			1/2	Full	1/2	Full
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		

