

October 11, 2012

TO ALL CONCERNED:

The Department of Roads has scheduled a bid letting to be held in this office November 8, 2012 at 1:30 p.m.

The Notice to Contractors includes:

1. Website Information
2. Notice to all Bidders
3. Ordering Instructions
4. Notices to Contractors including time allowances and lists of plans
5. Plan and Informational Proposal Order Form
6. R-125 "Request for Bidding Proposal Forms"

Projects containing DBE Goals are indicated in the "Notice to Contractors".

Please check the important letting information on the website frequently.

The last day to submit acceptable prequalification statements for this letting is by 5:00 p.m. on Monday, October 29, 2012.

Sincerely,

Kimberly K. Baker, Supervisor
Contract Lettings Section
Construction Division

KKB/amh

WEBSITE INFORMATION

The Nebraska Department of Roads, Contract Lettings Section, will be utilizing the Internet as our means of communicating with the contracting industry.

Documents that are posted on the web are:

- Letting Schedule
- Notices to Contractors
- Informational Proposals
- Letting Plans
- List of Prequalified Contractors
- Planholders List
- Informational Addendums
- EBS (Electronic Bidding System)
- Apparent Low Bidders
- Bid Tabulations
- Standard Item Listing
- Awarded Average Unit Prices (AUP) Report

Hard copies of these documents will be available for inspection in the Contracts Office.

There will be a charge for reproduction of any of these documents.

The Website address is: www.Transportation.Nebraska.gov

If you have any questions as you are using our Website, please contact us at:

Nebraska Department of Roads
Contract Lettings Section
P.O. Box 94759
Lincoln, NE 68509-4759

Phone (402) 479-4525
FAX (402) 479-3803

Email: DOR.ContractLettings@nebraska.gov

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free “hotline” Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the “hotline” to report such activities.

The “hotline” is part of the DOT’s continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

ORDERING INSTRUCTIONS FOR PLANS AND PROPOSALS

Refer to the "Notice to Contractors" for the call order number, project number, and list of plans for each project.

Order forms are available on the NDOR website in PDF and Word format. Complete the appropriate forms as follows:

Request for Bidding Proposal Forms (R-125)

Bidders must submit an R-125, Request for Bidding Proposals Forms and be issued bid proposals prior to submitting bids.

Proposals to be used for bidding must be requested on this form. Bidding proposals will be issued only to contractors who are currently prequalified to bid with this department.

There is no charge for bid proposals.

Plan and Informational Proposal Order Form:

Payment is required prior to NDOR completing the order. This payment is not refundable.

Proposals to be used for information only can be ordered as follows:

1. Each individual project.
2. CD that contains all projects in letting. Does not contain addenda.

Plans for each project can be ordered as follows:

1. Complete set.
2. Set less Roadway Cross-Sections and Standards.
3. Set less Standards.
4. Set less Roadway Cross-Sections.
5. Individual sheets
6. CD that contains all projects in letting.

Prices are: Informational Proposals: \$5.00 each
CD containing Informational Proposals: No Charge
Plans per sheet: \$.25 for half-size (12" x 18")
\$.50 for full-size (24" x 36")
CD containing plans: \$25.00 each

Cost shown on the list of plans is for ½ size plans. Nebraska residents add appropriate state sales tax and city tax that is determined by delivery within cities imposing a sales tax.

Select the method of payment on the plan order form:

1. Credit Card (Visa or MasterCard only)
Orders with approved credit cards can be processed without delays.
2. Advanced payment account
Requires a money deposit with recommended \$200 minimum. Failure to have sufficient funds in your account to cover cost of the plans may delay the processing of your order.
This account may also be used to purchase other NDOR publications.
3. Check/cash
Send checks made payable to the Nebraska Dept. of Roads with your completed plan order form. Please do not mail cash.

To order complete sets of standard plans (1/2 size) please use the "Publications Order Form" available on the website. Cost is \$35.00 plus applicable sales tax. As new standards become available they may be purchased at \$0.25 per sheet.

Address: Nebraska Department of Roads
Contracts Section
1500 Highway 2
PO Box 94759
Lincoln NE 68509-4759

FAX (402) 479-3803

Phone: (402) 479-4525

Email: DOR.ContractLettings@nebraska.gov

October 10, 2008

NOTICE TO CONTRACTORS

CALL ORDER 100
 FEDERAL PROJECT NO. STPAA-6904(2)
 LOCATION: 13th STREET, CODE AVE.-HAWTHORNE AVE., CRETE
 COUNTIES: SALINE

The Nebraska Department of Roads will receive sealed bids for the
 CITY OF CRETE in Room 104 of the Central Office Building at
 1500 Hwy 2 at Lincoln, until 1:30 P.M. on November 08, 2012.
 At that time the bids will be opened and read for
 GRAD CONC PAVE CULV SAN SEWER WTR ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR
 WHO IS QUALIFIED FOR: CONCRETE PAVEMENT CULVERTS

START DATE 07/08/2013 WORKING DAYS 80
 Price Range \$ 500,000 to \$ 2,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning October 16, 2012 at the Lincoln
 Central Office and October 22, 2012 at the District Engineer's Office at LINCOLN
 Additional letting information may be found at the Nebraska Department of Roads
 Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal
 requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	72	SHEETS	\$	18.00
CROSS SECTIONS (SHEETS X1 THRU X5)	5	SHEETS	\$	1.25
STANDARD PLANS	35	SHEETS	\$	8.75

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-H	HORIZONTAL ALIGNMENT & CONTROL POINTS
2-N1 - 2-N3	GENERAL INFORMATION
2-L1 - 2-L4	CONSTRUCTION & DRAINAGE
2-L5 - 2-L8	REMOVALS
2-L9 - 2-L12	GEOMETRICS
2-L13 - 2-L16	JOINTS, STRIPING, & SIGNS
2-L17 - 2-L23	LIGHTING
2-L24 - 2-L42	UTILITIES
3 - 6	PLAN & PROFILE SHEETS
7	EARTHWORK DATA SHEET
8 - 11	DRAINAGE STRUCTURE CROSS SECTIONS
12	SPECIAL PLAN 1C TERRACE STEPS
13 - 15	SPECIAL PLAN 2C CURB RAMPS
16 - 17	SPECIAL PLAN 3C AREA INLET
18	SPECIAL PLAN 4C GRATE INLET
19 - 20	SPECIAL PLAN 5C TRAFFIC SIGNAL
R1 - R4	RIGHT-OF-WAY SHEETS
X1 - X5	CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
303	(2 SHEETS) CURB RAMP
309	MAILBOX SUPPORT POST
329-R9	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
428-R3	CONCRETE PLUGS AND FIELD PIPE TAP DETAILS
435-R1	(3 SHEETS) MANHOLE
443-R8	(2 SHEETS) CURB INLETS AND JUNCTION BOX
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
910-R2	SIGNAL FACE CONFIGURATION

911-R1	SIGNAL MOUNTING
912-R4	TRAFFIC SIGNAL POLE DETAILS
914-R6	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		19 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		2,840 CY
WATER		6 MGAL
REMOVE AND RESET FLAGPOLE		1 EACH
REMOVE PAVEMENT		7,403 SY
SAWING PAVEMENT		648 LF
REMOVE DRIVEWAY		494 SY
REMOVE WALK		1,150 SY
REMOVE RETAINING WALL		137 LF
REMOVE FLUME		1 EACH
REMOVE AND RESET MAILBOX		1 EACH
WALL MATERIALS		4,739 SF
COMPACTED EARTH LEVELING PAD		1,422 LF
REMOVE SIGN, POST, AND FOOTING		26 EACH
SEL GRAN BFILL RETAINED EARTH STR		425 CY
COVER CROP SEEDING		1 ACRE
FABRIC SILT FENCE-LOW POROSITY		220 LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
CONC 47B-3000 SIDEWALKS		1,733 SY
DETECTABLE WARNING PANEL		298 SF
CONC 47B-3000 IMPRINTED SURFACING		45 SY
CONC 47B-3500 DRIVEWAY		600 SY
9" CONC PVMT, 47B-3500		7,157 SY
ADJUST MANHOLE TO GRADE		3 EACH
47B-3000 CONC FOR STEP		19 CY
4" PERFORATED PIPE UNDERDRAIN		3,254 LF
VINYL FENCE		415 LF
INSTALL SIGN		24 EACH
4" YEL POLYUREA PVMT MRKING, GROOVED		402 LF
FOUNDATION COURSE		7,157 SY
4"		
WATER		31 MGAL
EARTH SHOULDER CONSTRUCTION		32 STA
SUBGRADE PREPARATION		7,757 SY
COLD MILLING, CLASS 4		4,932 SY
SODDING		4,737 SY
ADJUST VALVE BOX TO GRADE		4 EACH

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
CAST IRON COVER & FRAME		1,000 LB
CAST IRON GRATE & FRAME		949 LB
MANHOLE		6 EACH
TAPPING EXISTING STRUCTURE		1 EACH
REMOVE CULVERT PIPE		18 LF
47B-3000 CONC FOR INLET & JUNCTION BOXES		36 CY
RE-STEEL FOR INLET & JCT BOX		2,383 LB
AREA INLET SEDIMENT FILTER		3 EACH
CURB INLET SEDIMENT FILTER		8 EACH

CONNECT	1 EACH
4" ROOF DRAIN	
15" STORM SEWER PIPE	175 LF
18" STORM SEWER PIPE	165 LF
24" STORM SEWER PIPE	36 LF
30" STORM SEWER PIPE	983 LF
4" STORM SEWER PIPE	8 LF
4" - 45 DEGREE BEND	1 EACH
TYPE 8	

GROUP 4A SANITARY SEWER AND WATER MAIN

MOBILIZATION	LUMP	LUMP
REMOVE MANHOLE		9 EACH
REMOVE		1 EACH
12"-22 1/2 DEGREE BEND		
REMOVE		4 EACH
8" PLUG		
REMOVE		1 EACH
12" PLUG		
CONNECT SANITARY SERVICE		1 EACH
6"		
REMOVE SANITARY SEWER PIPE		2,312 LF
4" SANITARY SEWER PIPE		952 LF
6" SANITARY SEWER PIPE		25 LF
8" SANITARY SEWER PIPE		159 LF
PVC		
12" SANITARY SEWER PIPE		1,601 LF
PVC		
BYPASS PUMPING	LUMP	LUMP
SANITARY MANHOLE		1 EACH
TYPE A		
SANITARY MANHOLE		5 EACH
TYPE B		
6" PLUG		3 EACH
8" PLUG		2 EACH
CONNECT		29 EACH
SANITARY SERVICE 4"		
CURB STOP AND BOX		27 EACH
1" CORPORATION STOP		27 EACH
1" WATER SERVICE		601 LF
WATER SERVICE CONNECTION		27 EACH
4" WATER MAIN PIPE		117 LF
PVC		
6" WATER MAIN PIPE		178 LF
PVC		
8" WATER MAIN PIPE		1,518 LF
PVC		
12" WATER MAIN PIPE		1,617 LF
PVC		
4" GATE VALVE AND BOX		2 EACH
6" GATE VALVE AND BOX		5 EACH
8" GATE VALVE AND BOX		5 EACH
12" GATE VALVE AND BOX		1 EACH
6" FIRE HYDRANT		3 EACH
WITH CONNECTOR PIPE		
SALVAGE FIRE HYDRANT		1 EACH
(AFTER TESTING)		
8" COUPLING		2 EACH
12" COUPLING		1 EACH
6" SLEEVE		2 EACH
8" X 4" TEE		2 EACH
8" X 6" TEE		4 EACH
12" X 6" TEE		1 EACH
8" TEE		2 EACH
6" TEE		1 EACH
CROSS		1 EACH
8"		

4" - 90 DEGREE BEND	4 EACH
4" - 45 DEGREE BEND	3 EACH
6" - 45 DEGREE BEND	7 EACH
6" - 90 DEGREE BEND	1 EACH
8" - 45 DEGREE BEND	6 EACH
8" - 90 DEGREE BEND	2 EACH
12" - 45 DEGREE BEND	4 EACH
8" - 11 1/4 DEGREE BEND	2 EACH
12" - 11 1/4 DEGREE BEND	2 EACH
12" - 4" WYE	29 EACH
PVC	
12" - 6" WYE	1 EACH
PVC	
ABANDON WATER MAIN	3,200 LF
REMOVE FIRE HYDRANT	3 EACH
RELOCATE	1 EACH
6" X 8" CROSS	
RELOCATE	1 EACH
6" X 8" TEE	
REMOVE REDUCER	1 EACH

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
PULL BOX, TYPE PB-1		6 EACH
TRAFFIC SIGNAL, TYPE TS-4		1 EACH
ST LIGHT UNIT SL-BT-30-1-0.25		10 EACH
MAST ARM SIGNAL POLE, MP-40		1 EACH
2" CONDUIT IN TRENCH	1,338 LF	
2" CONDUIT UNDER ROADWAY	562 LF	
SERVICE CABLE	195 LF	
STREET LIGHT CABLE, NO. 6 BARE	1,559 LF	
STREET LIGHT CABLE, NO. 6 USE	4,677 LF	
STREET LIGHT CABLE, NO. 8 BARE	323 LF	
STREET LIGHT CABLE, NO. 8 USE	969 LF	

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	800 BDAY
BARRICADE, TYPE III	4,234 BDAY
SIGN DAY	1,314 EACH
CONTRACTOR FURNISHED SIGN DAY	2,774 EACH
FIELD OFFICE	1 EACH
MOBILIZATION	LUMP LUMP
CONSTRUCTION STAKING AND SURVEYING	LUMP LUMP
TEMPORARY FENCE	100 LF
RENTAL OF LOADER, FULLY OPERATED	20 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	20 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	20 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10 HOUR
TEMPORARY SILT CHECK	1,000 LF
TEMPORARY SILT FENCE	1,000 LF

NOTICE TO CONTRACTORS

CALL ORDER 105
 FEDERAL PROJECT NO. STPE-3305(9)
 LOCATION: ON A COUNTY ROAD, EAST OF DENTON
 COUNTIES: LANCASTER

The Nebraska Department of Roads will receive sealed bids for the COUNTY OF LANCASTER in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on November 08, 2012. At that time the bids will be opened and read for GRAD CULV SEED BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 3.3 MILES
 START DATE 04/01/2013 WORKING DAYS 80
 Price Range \$ 3,000,000 to \$ 6,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning October 16, 2012 at the Lincoln Central Office and October 22, 2012 at the District Engineer's Office at LINCOLN. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	39	SHEETS	\$	9.75
CROSS SECTIONS (SHEETS X1 THRU X29)	29	SHEETS	\$	7.25
STANDARD PLANS	15	SHEETS	\$	3.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS OF IMPROVEMENT
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-L1	INTERSECTION DETAILS
2-L2 - 2-L4	EROSION CONTROL PLAN
2-L5	PAVEMENT MARKING PLAN & DETOUR PLAN
3 - 11	PLAN & PROFILE SHEETS
12 - 19	CULVERT CROSS SECTIONS
20	SPECIAL PLAN 1C CONCRETE HEADWALLS FOR PIPE & PIPE ARCH CULVERTS
21	SPECIAL PLAN 2C MAILBOX SUPPORT POST
22	SPECIAL PLAN 3C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
23 - 24	SPECIAL PLAN 4C TEMPORARY SILT CHECKS
25 - 26	SPECIAL PLAN 5C REINFORCED CONCRETE BOX CULVERTS SINGLE SPAN WITH 5-FOOT RISE
27 - 28	SPECIAL PLAN 6C REINFORCED CONCRETE BOX CULVERTS SINGLE SPAN WITH 6-FOOT RISE
R1 - R3	RIGHT-OF-WAY SHEETS
X1 - X29	CROSS SECTIONS

STANDARD PLANS

403-R2	(2 SHEETS) BENDS AND BREAKS FOR CONCRETE BOX CULVERTS
411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		52 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		396 MGAL
EARTHWORK MEASURED IN EMBANKMENT		58,670 CY
REMOVE ASPHALT SURFACE		46,203 SY
REMOVE DRIVEWAY		617 SY
18" DRIVE PIPE 2,3,4,5,6,7 OR 8		576 LF
COVER CROP SEEDING		27 ACRE
EROSION CONTROL, CLASS 1D		3,432 SY
EROSION CHECKS, TYPE WATTLE		1,380 LF
FABRIC SILT FENCE-LOW POROSITY		3,320 LF

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE STRUCTURE		1 EACH
AT STA. 73+53		
REMOVE STRUCTURE		1 EACH
AT STA. 93+78		
REMOVE STRUCTURE		1 EACH
AT STA. 125+34		
REMOVE STRUCTURE		1 EACH
AT STA. 154+65		
REMOVE STRUCTURE		1 EACH
AT STA. 163+97		
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		1,683 CY
EXCAVATION FOR BOX CULVERTS		411 CY
47B-3000 CONC FOR HDWL		19 CY
47B-3000 CONC FOR BOX CULV		250 CY
RE-STEEL FOR HEADWALL		1,588 LB
RE-STEEL FOR BOX CULVERT		26,478 LB
42" CULV PIPE 4,5		420 LF
54" CULV PIPE 4,5		96 LF
30" CULV PIPE 4,5,6		97 LF
36" CULV PIPE 4,5,6		146 LF
54" CULV PIPE 2,4,5		92 LF
24" CULV PIPE 2,4,5,7,8		64 LF
30" CULV PIPE 2,4,5,7,8		174 LF
36" CULV PIPE 2,4,5,7,8		66 LF

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE A		17 ACRE
SEEDING, TYPE B		10 ACRE
MULCH		61 TON

GROUP 9 BITUMINOUS

MOBILIZATION	LUMP	LUMP
GRAVEL SURFACE COURSE		311 TON
CRUSHED ROCK EMBEDMENT		11 STA
CRUSHED ROCK SURFACE COURSE		2,830 TON
MAILBOX POST		19 EACH
4" WHITE THERMOPLASTIC, GROOVED		38,049 LF
4" YELLOW THERMOPLASTIC, GROOVED		31,251 LF
HYDRATED LIME FOR ASPHALT MIXTURES		272 TON
STABILIZED SUBGRADE		57,591 SY
TYPE FLY ASH		
SHOULDER SUBGRADE PREPARATION		346 STA
ASPH CONC, TYPE SPS		10,130 TON
ASPH CONC, TYPE SPR		27,260 TON
PLACE ASPH CONC FOR DRIVE & INTER		3,504 SY
PERF GRADED BINDER (52-34)		354 TON
PERF GRADED BINDER (64-34)		954 TON

PREP OF INTER & DRIVE	3,504 SY
TACK COAT	7,880 GAL
WATER	387 MGAL
EARTH SHOULDER CONSTRUCTION	19 STA
FLY ASH	2,302 TON
RAP INCENTIVE PAYMENT	63,563 EACH
ASPH PVMT SMOOTHNESS TESTING	LUMP LUMP

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE III	3,792 BDAY
SIGN DAY	6,320 EACH
CONTRACTOR FURNISHED SIGN DAY	2,212 EACH
MOBILIZATION	LUMP LUMP
RENTAL OF LOADER, FULLY OPERATED	35 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	35 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	35 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	35 HOUR
TEMPORARY SILT CHECK	1,000 LF
TEMPORARY SILT FENCE	2,000 LF
TEMPORARY EARTH CHECK	1,000 LF
TEMPORARY MULCH	6 TON

NOTICE TO CONTRACTORS

CALL ORDER 110
 FEDERAL PROJECT NO. STP-15-2(122)
 LOCATION: N-15, N-64-SCHUYLER
 COUNTIES: BUTLER COLFAX

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 08, 2012. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 7.6 MILES
 START DATE 07/29/2013 WORKING DAYS 50
 Price Range \$ 1,000,000 to \$ 3,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning October 16, 2012 at the Lincoln Central Office and October 22, 2012 at the District Engineer's Office at LINCOLN
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	23	SHEETS	\$	5.75
STANDARD PLANS	6	SHEETS	\$	1.50

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T3	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-H1 - 2-H4	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION
2-N2 - 2-N3	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3 - 9	PLAN SHEETS
10	TEMPORARY PAVEMENT MARKING PLAN
11	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
12	TYPICAL PAVEMENT MARKING PLAN--RURAL LEFT TURN BAYS
13	SPECIAL PLAN 1C PAVEMENT APPROACH REPAIR
	REF. POST NO. 105+11

STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
901-R9	HIGHWAY DELINEATORS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	9,000	B DAY
BARRICADE, TYPE III	485	B DAY
TEMPORARY SIGN DAY	700	EACH
SIGN DAY	10,137	EACH
OVERLAY BROKEN LINES	805	STA
OVERLAY SOLID LINES	1,611	STA
FLAGGING	100	DAY
FURNISHING AND OPERATING PILOT VEHICLE	45	DAY
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE III	52	EACH
INSTALL CHEVRONS	27	EACH

CRUSHED ROCK SURFACE COURSE	37	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	31	CY
BRIDGE APPROACH REPAIR	3	CY
4" WHITE PREF PVMT MRKNG T-4 GROOVED	650	LF
4" YEL PREF PVMT MRKNG, T-4, GROOVED	7,750	LF
12" YEL PREF PVMT MRKING T-4 GROOVED	1,550	LF
HYDRATED LIME FOR ASPHALT MIXTURES	167	TON
FOUNDATION COURSE REPLACEMENT	1	CY
ASPH CONC, TYPE SPS	7,908	TON
ASPH CONC, TYPE SPR	27,620	TON
PLACE ASPH CONC FOR DRIVE & INTER	6,719	SY
ASPH CONCRETE FOR PATCHING, TYPE SPR	300	TON
PERF GRADED BINDER (52-34)	276	TON
PERF GRADED BINDER (64-34)	977	TON
PREP OF INTER & DRIVE	51	SY
TACK COAT	33,650	GAL
RENTAL OF LOADER, FULLY OPERATED	40	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	40	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	40	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	40	HOUR
COLD MILLING, CLASS 3	412	STA
COLD MILLING, CLASS 5	6,668	SY
COLD MILLING, CLASS 3	801	STA
TYPE A		
RUMBLE STRIPS, ASPHALT	819	STA
RUMBLE STRIPS, ASPHALT 8"	819	STA
RAP INCENTIVE PAYMENT	60,908	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 205
 FEDERAL PROJECT NO. NH-34-7(128)
 LOCATION: US-34, N-1-PLATTSMOUTH
 COUNTIES: CASS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 08, 2012. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 4.6 MILES
 START DATE 06/10/2013 WORKING DAYS 85
 Price Range \$ 2,000,000 to \$ 4,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning October 16, 2012 at the Lincoln Central Office and October 22, 2012 at the District Engineer's Office at OMAHA

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	51	SHEETS	\$	12.75
CROSS SECTIONS (SHEETS X1 THRU X5)	5	SHEETS	\$	1.25
STANDARD PLANS	19	SHEETS	\$	4.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T9	TYPICAL CROSS SECTIONS
2-S1 - 2-S4	SUMMARY OF QUANTITIES
2-A1 - 2-A5	PHOTO MAPS
2-H1 - 2-H3	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N3	GENERAL INFORMATION
2-N4 - 2-N5	GENERAL INFORMATION--MILLED RUMBLE STRIPS
2-L	EROSION & SEDIMENT CONTROL
3 - 7	PLAN SHEETS
8 - 14	PAVEMENT MARKING PLAN
15	TEMPORARY PAVEMENT MARKING PLAN
16	PAVEMENT MARKING DETAILS
17	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
18 - 21	ROADWAY LIGHTING PLANS
22	SPECIAL PLAN 1C GUARDRAIL PLAN
23	SPECIAL PLAN 2C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
24 - 25	SPECIAL PLAN 3C TEMPORARY SILT CHECKS
X1 - X5	CROSS SECTIONS

STANDARD PLANS

501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
740	MIDWEST GUARDRAIL SYSTEM BRIDGE APPROACH SECTION
743	(4 SHEETS) GUARDRAIL DETAILS
914-R6	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	7,500	B	DAY
BARRICADE, TYPE III	604	B	DAY
TEMPORARY SIGN DAY	910	E	EACH
SIGN DAY	8,942	E	EACH
OVERLAY BROKEN LINES	769	S	STA
OVERLAY SOLID LINES	1,538	S	STA
FLASHING ARROW PANEL	20	D	DAY
FLAGGING	130	D	DAY
FURNISHING AND OPERATING PILOT VEHICLE	40	D	DAY
TRAINING	500	H	HOUR
MOBILIZATION	LUMP	LUMP	
EARTHWORK MEASURED IN EMBANKMENT	1,395	CY	
CRUSHED ROCK SURFACE COURSE	35	CY	
CONCRETE CURB REPAIR	38	LF	
CONC PVMT REPAIR TYPE A FULL DEPTH	16	CY	
CONC PVMT REPAIR TYPE B FULL DEPTH	89	CY	
CONC PVMT REPAIR TYPE C FULL DEPTH	474	CY	
CONC PVMT REPAIR TYPE A PARTIAL DEPTH	18	CY	
CONC PVMT, PR-3500	172	CY	
JOINT REPAIR			
W-BEAM GUARDRAIL	737	LF	
REMOVE GUARDRAIL	775	LF	
BRIDGE APPROACH SECTIONS	2	E	EACH
GUARDRAIL END TREATMENT, TYPE I	2	E	EACH
ARROW, PREF PVMT MRKING T-4 GROOVED	4	E	EACH
5" WHT WET RFLC THERMOPLSTC PVMT MRK,GVD	51,000	LF	
5" YEL WET RFLC THERMOPLSTC PVMT MRK,GVD	35,500	LF	
12" YEL WET RFLC THERMOPLST PVMT MRK,GVD	900	LF	
HYDRATED LIME FOR ASPHALT MIXTURES	175	TON	
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	4	TON	
FOUNDATION COURSE REPLACEMENT	21	CY	
GRANULAR SUBDRAIN, TYPE A	139	E	EACH
GRANULAR SUBDRAIN, TYPE B	151	E	EACH
ASPH CONC FOR ST MAIN PTCHING TY SPH	500	TON	
ASPH CONC, TYPE SPS	3,820	TON	
ASPH CONC, TYPE LC	4,160	TON	
ASPH CONC, TYPE SPH	16,220	TON	
PLACE ASPH CONC FOR DRIVE & INTER	1,610	SY	
ASPH CONC FOR PATCHING, TYPE SPH	500	TON	
PERF GRAD BIND (70-34)FOR ST MAINT PATCH	24	TON	
PERF GRADED BINDER (70-34)	1,118	TON	
PERF GRADED BINDER (52-34)	133	TON	
TACK COAT	27,250	GAL	
RENTAL OF LOADER, FULLY OPERATED	40	H	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	30	H	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	40	H	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	40	H	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10	H	HOUR
WATER	145	MGAL	
EARTH SHOULDER CONSTRUCTION	531	STA	
SUBGRADE PREPARATION	746	SY	
COLD MILLING, CLASS 3	10,862	SY	
COLD MILLING, CLASS 5	750	SY	
MILLING CONC FOR INLAYS	2	E	EACH
RUMBLE STRIPS, ASPHALT	511	STA	
RUMBLE STRIPS, ASPHALT 8"	323	STA	
CONC SURF MILLING	86,666	SY	
SURFACE UNDER GUARDRAIL	476	SY	
RAP INCENTIVE PAYMENT	34,918	E	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP	
PULL BOX, TYPE PB-5	2	E	EACH
1" CONDUIT IN TRENCH	12	LF	
STREET LIGHT CABLE, NO. 6 USE ALUM	24	LF	
RELOCATE STREET LIGHTING UNIT	2	E	EACH
SEEDING, TYPE B	14	A	ACRE
COVER CROP SEEDING	14	A	ACRE

EROSION CONTROL, CLASS 1D	2,016 SY
EROSION CHECKS, TYPE WATTLE	585 LF
FABRIC SILT FENCE-LOW POROSITY	485 LF
TEMPORARY SILT CHECK	150 LF
TEMPORARY SILT FENCE	300 LF
MULCH	31 TON

NOTICE TO CONTRACTORS

CALL ORDER 210
 FEDERAL PROJECT NO. MAPA-5001(19)
 LOCATION: 144th STREET, FRANKLIN-EAGLE RUN, OMAHA
 COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids for the
 CITY OF OMAHA in Room 104 of the Central Office Building at
 1500 Hwy 2 at Lincoln, until 1:30 P.M. on November 08, 2012.
 At that time the bids will be opened and read for
 GRAD CONC PAVE CULV FENCE ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR
 WHO IS QUALIFIED FOR: GRADING CONCRETE PAVEMENT
 START DATE 03/04/2013 CALENDAR DAYS 487
 Price Range \$ 6,000,000 to \$ 10,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 8.0 %

Plans and specifications may be seen beginning October 16, 2012 at the Lincoln
 Central Office and October 22, 2012 at the District Engineer's Office at OMAHA
 Additional letting information may be found at the Nebraska Department of Roads
 Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal
 requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	283	SHEETS	\$ 70.75
CROSS SECTIONS (SHEETS X1 THRU X65)	65	SHEETS	\$ 16.25
STANDARD PLANS	13	SHEETS	\$ 3.25

SHEET NO.

1	TITLE PAGE
2	INDEX OF SHEETS
2-T1 - 2-T5	TYPICAL CROSS SECTIONS
2-S1 - 2-S3	SUMMARY OF QUANTITIES
2-A1 - 2-A3	AERIAL PHOTO SHEETS
2-H1 - 2-H5	HORIZONTAL CONTROL
2-N1 - 2-N3	GENERAL INFORMATION
2-P1 - 2-P42	CONSTRUCTION SEQUENCING/BARRICADING
2-L1 - 2-L19	JOINTS, GEOMETRICS, GRADES, & INTERCONNECT
2-L20	FIBER OPTIC DETAIL SHEET
2-L21 - 2-L39	REMOVALS
2-L40 - 2-L58	CONSTRUCTION
2-L59 - 2-L77	EROSION & SEDIMENT CONTROL
3 - 18	PLAN & PROFILE SHEETS
19 - 25	TRAFFIC SIGNALIZATION
26 - 44	SIGNING & STRIPING
45 - 55	PIPE PROFILES
56 - 61	WALL PROFILES
62 - 64	RAIN GARDENS
65 - 67	STORM WATER POLLUTION PREVENTION PLAN
68 - 69	USACE MITIGATION SITE (PLAN & PROFILE)
70	SPECIAL PLAN 1C 25'-0" RESIDENTIAL CONCRETE PAVEMENT
71	SPECIAL PLAN 2C 68'-0" 4 LANE DIVIDED CONCRETE PAVEMENT
72	SPECIAL PLAN 3C CONCRETE PAVEMENT JOINT DETAILS
73	SPECIAL PLAN 4C CONCRETE CURB DETAILS
74	SPECIAL PLAN 5C CONCRETE MEDIAN DETAILS
75	SPECIAL PLAN 6C CONCRETE MEDIAN DETAILS
76	SPECIAL PLAN 7C CONCRETE PAVEMENT WIDENING & MISC. DETAILS
77	SPECIAL PLAN 8C CONCRETE DRIVEWAY DETAILS
78 - 79	SPECIAL PLAN 9C CONCRETE CURB RAMP TYPICAL DETAILS
80	SPECIAL PLAN 10C SEWER BEDDING DETAILS
81 - 94	SPECIAL PLAN 11C NOISE WALL
95	SPECIAL PLAN 12C AREA INLET TYPE 1
96	SPECIAL PLAN 13C AREA INLET TYPE 2
97 - 101	SPECIAL PLAN 14C CURB OPENING INLET TYPE I-IV, CURB INLET BLOCKOUT DETAILS, & TEMPLATE DETAILS (GUTTER DEPRESSION)

102	SPECIAL PLAN 15C	TYPE FA REINFORCED CONCRETE CURB INLET COVER WITH FACE ARMOR
103	SPECIAL PLAN 16C	REINFORCED CONCRETE PIPE FLARED END SECTIONS & BAR GRATES
104	SPECIAL PLAN 17C	CAST IRON MANHOLE RINGS & COVER MANHOLE STEPS
105	SPECIAL PLAN 18C	MANHOLE RING, BOLT DOWN COVER, & GRATE TYPE MANHOLE COVER
106	SPECIAL PLAN 19C	GEOTEXTILE FABRIC SILT FENCE
107	SPECIAL PLAN 20C	CHANNEL & SLOPE SOIL STABILIZATION MAT DETAILS
108	SPECIAL PLAN 21C	PULL BOX DETAILS
109	SPECIAL PLAN 22C	CONCRETE PAD DETAIL FOR PAD MOUNTED CONTROLLER CABINET
110	SPECIAL PLAN 23C	PEDESTAL POLE DETAILS
111	SPECIAL PLAN 24C	MAST ARM POLE DETAILS
112	SPECIAL PLAN 25C	MAST ARM POLE FOUNDATION DETAILS
113	SPECIAL PLAN 26C	MAST ARM TRANSFORMER BASE DETAILS
114	SPECIAL PLAN 27C	MAST ARM SIGNAL MOUNTING
115 - 116	SPECIAL PLAN 28C	WOOD POLE SPAN WIRE DETAILS
117	SPECIAL PLAN 29C	SPAN WIRE MOUNTING DETAILS
118	SPECIAL PLAN 30C	POLE BRACKET INSTALLATION DETAILS
119	SPECIAL PLAN 31C	STREET LIGHT POLE DETAILS
120	SPECIAL PLAN 32C	STANDARD SIGNAL FACE ARRANGEMENTS
121	SPECIAL PLAN 33C	INDUCTIVE LOOP DETECTORS
122	SPECIAL PLAN 34C	MAGNETIC DETECTOR INSTALLATION DETAIL
123	SPECIAL PLAN 35C	STANDARD TRAFFIC SIGNAL WIRING CODES
124	SPECIAL PLAN 36C	ELECTRIC SERVICE PEDESTAL
125	SPECIAL PLAN 37C	POWER SERVICE DETAILS
126 - 127	SPECIAL PLAN 38C	STREET NAME SIGN LAYOUT TYPE "A", "B", & "C"
128	SPECIAL PLAN 39C	OVERHEAD MOUNTED SIGNS
129	SPECIAL PLAN 40C	POST MOUNTED SIGNS
130	SPECIAL PLAN 41C	SIGNPOST ANCHORING SYSTEMS
131	SPECIAL PLAN 42C	CONSTRUCTION SIGN
132	SPECIAL PLAN 43C	REINFORCED CONCRETE PIPE COUPLERS
133	SPECIAL PLAN 44C	REINFORCED CURB INLET
134 - 135	SPECIAL PLAN 45C	TEMPORARY SILT CHECKS
136 - 137	SPECIAL PLAN 46C	CONCRETE PROTECTION BARRIER
R1 - R8		RIGHT-OF-WAY SHEETS
X1 - X65		CROSS SECTIONS

STANDARD PLANS

425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
435-R1	(3 SHEETS) MANHOLE
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	79,880	CY
WATER	557	MGAL
ABANDON WELLS	2	EACH
REMOVE PAVEMENT	37,907	SY
REMOVE DRIVEWAY	733	SY
REMOVE WALK	4,360	SY
REMOVE CONCRETE MEDIAN SURFACING	107	SY
REMOVE CONCRETE DITCH LINER	7	SY
REMOVE	78	EACH
TREES OVER 9" TO 18" DIAMETER		
REMOVE	17	EACH
TREES OVER 18" TO 27" DIAMETER		
REMOVE	3	EACH
TREES OVER 27" TO 36" DIAMETER		

REMOVE		3	EACH
TREES OVER 36" TO 48" DIAMETER			
REMOVE		5	EACH
ENTRANCE MONUMENT			
WALL MATERIALS		4,036	SF
SMALL BLOCK			
WALL MATERIALS		15,565	SF
LARGE BLOCK			
NOISE BARRIER		11,860	SF
ANTI-GRAFFITI COATING	LUMP	LUMP	
SPECIAL SURFACE COATING	LUMP	LUMP	
REMOVE GUARDRAIL		100	LF
TEMPORARY FENCE		346	LF
EROSION CONTROL, CLASS 1D		56,445	SY
EROSION CONTROL		2,280	SY
CLASS 1D (MITIGATION SEED)			
EROSION CHECKS, TYPE WATTLE		192	LF
FABRIC SILT FENCE-LOW POROSITY		9,826	LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP	
INFILTRATION CELL		71	CY
RAIN GARDEN			
CONSTRUCTION ENTRANCE	LUMP	LUMP	
CRUSHED ROCK EMBEDMENT		546	SY
CRUSHED ROCK SURFACE COURSE		557	TON
TIE BARS		164	EACH
COMB CONC 47B-4000 CURB & GUTTER		89	LF
CONC 47B-3500 SIDEWALKS		4,546	SY
4"			
CONC 47B-4000 SIDEWALK		366	SY
7"			
CONC 47B-4000 SIDEWALK		104	SY
7" IMPRINTED			
CONC 47B-3500 SIDEWALK		10,645	SY
6"			
DETECTABLE WARNING PANEL		752	SF
6" CONC 47B-4000 IMPRINTED MEDIAN SURF		4,312	SY
6" CONC CLASS 47B-3500 MEDIAN SURFACING		494	SY
CONC 47B-4000 DRIVEWAY		221	SY
7"			
CONC 47B-HE-3500 7" DRIVEWAY		219	SY
CONCRETE HEADER		200	LF
7" CONC PVMT 47B-HE-3500		493	SY
TEMPORARY SURFACING		2,666	SY
10" CONC PVMT CLASS 47B-HE-3500		1,623	SY
7" CONC PVMT		7,111	SY
CLASS 47B-4000			
10" CONC PVMT		52,987	SY
CLASS 47B-4000			
ADJUST MANHOLE TO GRADE		10	EACH
6" PERFORATED PIPE UNDERDRAIN		280	LF
SIGN		6	EACH
SWPP			
10" WHITE PERMANENT PVMT MARKING PAINT		3,154	LF
12" WHITE PERMANENT PVMT MARKING PAINT		567	LF
24" WHITE PERMANENT PVMT MARKING PAINT		2,842	LF
8" WHT WET RFLC PRF PVMT MKNG T4 GVD		2,449	LF
5" WHT PRF WET RFLC CONT PVMT MRK T-4 GR		3,660	LF
SURFACING 8"		1,561	SY
WATER		239	MGAL
EARTH SHOULDER CONSTRUCTION		185	STA
MEDIAN CONSTRUCTION		77	STA
SUBGRADE PREPARATION		64,215	SY
SEEDING		1,111	SY
RAIN GARDEN			
SODDING		1,188	SY
ADJUST VALVE BOX TO GRADE		27	EACH
ADJUST GAS VALVE BOX TO GRADE		11	EACH

GROUP 4 CULVERTS

	LUMP	LUMP
MOBILIZATION		
REMOVE MANHOLE		1 EACH
REMOVE INLET		3 EACH
REMOVE AREA INLET		12 EACH
CURB INLET		39 EACH
TYPE I		
CURB INLET		4 EACH
TYPE II		
CURB INLET		7 EACH
TYPE III		
AREA INLET		5 EACH
TYPE I		
AREA INLET		1 EACH
TYPE II		
MANHOLE		14 EACH
54" I.D.		
MANHOLE		2 EACH
72" I.D.		
MANHOLE		1 EACH
84" I.D.		
MANHOLE		3 EACH
120" I.D.		
TAPPING EXISTING PIPE		3 EACH
CONCRETE DITCH LINING	715	LF
DROP STRUCTURE		6 EACH
ROCK		
REMOVE FLARED- END SECTION		9 EACH
REMOVE CULVERT PIPE	837	LF
REMOVE SEWER PIPE	728	LF
REMOVE STRUCTURE		1 EACH
AT STA. 577+29		
CONCRETE COLLAR		13 EACH
BAR GRATE FOR 18" CONC FES		3 EACH
BAR GRATE FOR 30" CONC FES		2 EACH
BAR GRATE FOR 36" CONC FES		1 EACH
BAR GRATE FOR 72" CONC FES		1 EACH
18" CORRUGATED METAL PIPE		44 LF
18" CONCRETE FLARED-END SECTION		3 EACH
30" CONCRETE FLARED-END SECTION		2 EACH
36" CONCRETE FLARED-END SECTION		1 EACH
72" CONCRETE FLARED-END SECTION		1 EACH
18" REINF CONCRETE SEWER PIPE	3,647	LF
24" REINF CONCRETE SEWER PIPE	892	LF
30" REINF CONCRETE SEWER PIPE	227	LF
36" REINF CONCRETE SEWER PIPE	126	LF
42" REINF CONCRETE SEWER PIPE	24	LF
48" REINF CONCRETE SEWER PIPE	190	LF
72" REINF CONCRETE SEWER PIPE	110	LF
EXTERNAL FRAME SEALS		7 EACH
CURB INLET SEDIMENT FILTER	1,040	LF
ROCK RIPRAP, TYPE B		52 TON
ROCK RIPRAP, TYPE C		288 TON
AGGREGATE BEDDING	1,118	TON
RELOCATE	2,250	LF
SPRINKLER SYSTEM TRUNKLINE		
RELOCATE SPRINKLER HEAD		90 EACH
RELOCATE		30 EACH
SPRINKLER CONTROL BOX		

GROUP 7B FENCE

	LUMP	LUMP
MOBILIZATION		
4' ORNAMENTAL FENCE	1,274	LF

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
REINSTALL		7 EACH
STREET NAME SIGN 18"		
REINSTALL	LUMP	LUMP
VEHICLE PRIORITY CONTROL SYSTEM 144TH &		
LED BLANK OUT SIGN		4 EACH
INSTALL OVERHEAD SIGN		1 EACH
OVERHEAD SIGN		18 EACH
STREET NAME SIGN		11 EACH
18"		
PULL BOX, TYPE PB-1A		11 EACH
PULL BOX, TYPE PB-6		33 EACH
PULL BOX, TYPE PB-8		2 EACH
PULL BOX, TYPE PB-10		5 EACH
VEHICLE PRIORITY CONTROL SYSTEM	LUMP	LUMP
AT 141ST AND BLONDO		
VEHICLE PRIORITY CONTROL SYSTEM	LUMP	LUMP
AT 144TH AND NELSON'S CREEK		
TRAFFIC SIGNAL, TYPE TS-1		22 EACH
W/T31 FACE, BACKPLATE & SW-1 MTG		
TRAFFIC SIGNAL, TYPE TS-1		30 EACH
W/T31 FACE, BACKPLATE & MA-5 MTG		
TRAFFIC SIGNAL, TYPE TS-1LL		4 EACH
W/T51A FACE, BACKPLATE & MA-5-1 MTG		
TRAFFIC SIGNAL, TYPE TS-1LL		4 EACH
W/T51A FACE, BACKPLATE & SW-1 MTG		
TRAFFIC SIGNAL, TYPE TS-1A		17 EACH
W/T31 FACE & B4 ALT MTG		
TRAFFIC SIGNAL, TYPE TS-1RR		4 EACH
W/T52 FACE, BACKPLATE & MA-5 MTG		
TRAF SIG CONTROL, TYPE TC-2070		3 EACH
/336S		
TRAF SIG CONTROL, TYPE TC-2070		1 EACH
/332		
WIRELESS INTERCONNECT RADIO SYSTEM	LUMP	LUMP
PEDESTRIAN SIGNAL, TYPE PS-1		34 EACH
W/COUNTDOWN FACE & B-4 ALT MTG		
RADAR VEHICLE DETECTION SYSTEM	LUMP	LUMP
AT 144TH & BLONDO		
PEDESTRIAN PUSHBUTTON, PPB		28 EACH
PEDESTAL POLE, TYPE PP-4		3 EACH
VEHICLE DETECTOR, TYPE C PREFORMED		3 EACH
VEHICLE DETECTOR, TYPE D PREFORMED		2 EACH
VEHICLE DETECTOR, TYPE E PREFORMED		3 EACH
VEHICLE DETECTOR, TYPE A PREFORMED		67 EACH
VEHICLE DETECTOR, TYPE B PREFORMED		3 EACH
LUMINAIRE, TYPE HPS-200		12 EACH
LUMINAIRE, TYPE HPS-400		4 EACH
C.M.A. SIG & LGHT P. CMP-0-12		2 EACH
GALV		
C.M.A. SIG & LIGHT POLE CMP-25-0		1 EACH
BRONZE		
C.M.A. SIG & LGHT POLE, CMP-0-0		1 EACH
BRONZE		
C.M.A. SIGNAL & LIGHT POLE, CMP-50-0		1 EACH
BRONZE		
C.M.A. SIG & LGHT POLE, CMP-55-0		1 EACH
BRONZE		
C.M.A. SIG & LGHT POLE, CMP-50-12		1 EACH
GALV		
WOOD POLE		7 EACH
40' WITH 12' LUMINAIRE ARM		
WOOD POLE		5 EACH
40'		
MAST ARM SIGNAL POLE		1 EACH
TYPE MP-45 BRONZE		

MAST ARM SIGNAL POLE, MP-30 BRONZE	1	EACH
MAST ARM SIGNAL POLE, MP-45 GALV	1	EACH
MAST ARM SIGNAL POLE, MP-50 GALV	1	EACH
MAST ARM SIGNAL POLE, MP-55 BRONZE	1	EACH
SIGNAL STRUCTURE SINGLE SPAN TYPE 215 FT	1	EACH
SERVICE DISCONNECT SWITCH	3	EACH
SERVICE DISCONNECT PEDESTAL	4	EACH
2" CONDUIT IN TRENCH	3,115	LF
3" CONDUIT IN TRENCH	9,603	LF
2" CONDUIT, JACKED	210	LF
3" CONDUIT, JACKED	261	LF
16/C #14 AWG TRAF SIG CABLE	2,975	LF
2/C #16 AWG PED PBUTTON LEAD-IN CABLE	3,361	LF
2/C DETECTOR LEAD-IN CABLE	3,385	LF
#8 GROUNDING CONDUCTOR	2,506	LF
SERVICE CABLE	700	LF
SUPPORT CABLE	1,042	LF
TETHER CABLE	1,042	LF
SERVICE ENTRANCE CABLE	2,100	LF
STREET LIGHT CABLE, NO. 6 3/C	2,059	LF
36 STRAND SINGLE MODE FIBER OPTIC CABLE	9,157	LF
FIBER OPTIC DISTRIBUTION ASSEMBLY	10	EACH
TERMINAL FUSION SPLICE POINT	3	EACH
INTERMEDIATE FUSION SPLICE POINT	2	EACH
CONSOLIDATION FUSION SPLICE POINT	1	EACH
MODIFY CONTROLLER CABINET, TYPE TC-170/336	1	EACH
INST TRAF SIG CONTROLLER	3	EACH
REMOVE TRAFFIC SIGNAL AT 144TH AND BLONDO	1	EACH
REMOVE TRAFFIC SIGNAL AT 144TH AND NELSON'S CREEK	1	EACH
REMOVE TRAFFIC SIGNAL AT 141ST AND BLONDO	1	EACH
REMOVE TRAFFIC SIGNAL AT 144TH & BLONDO TEMPORARY	1	EACH
REMOVE TRAFFIC SIGNAL AT 144TH & NELSON'S CREEK TEMPORARY	1	EACH
REMOVE TRAFFIC SIGNAL AT 141ST AND BLONDO TEMPORARY	1	EACH
MODULAR VIDEO VEHICLE DETECTION SYSTEM AT 144TH AND BLONDO	LUMP	LUMP
MODULAR VIDEO VEHICLE DETECTION SYSTEM AT 144TH AND NELSON'S CREEK	LUMP	LUMP
TEST & DOCUMENT FIBER OPTIC COMM SYSTEM	LUMP	LUMP
MAST ARM SIGNAL POLE, MP-20 GALV	1	EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	180,063	B DAY
BARRICADE, TYPE III	83,835	B DAY
SIGN DAY	47,628	EACH
CONTRACTOR FURNISHED SIGN DAY	47,628	EACH
PAVEMENT MARKING REMOVAL	32,500	LF
TEMP PVMT MARKING, TYPE PAINT	32,900	LF
FLASHING ARROW PANEL	972	DAY
FLAGGING	100	DAY
CONCRETE PROTECTION BARRIER	800	LF
FIELD OFFICE	1	EACH
TRAINING	2,000	HOURL

	LUMP	LUMP
MOBILIZATION		
RENTAL OF LOADER, FULLY OPERATED	110	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	110	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	110	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	110	HOUR
TEMPORARY SILT CHECK	500	LF
TEMPORARY SILT FENCE	1,000	LF

NOTICE TO CONTRACTORS

CALL ORDER 250
 FEDERAL PROJECT NO. STPB-77(49)
 LOCATION: PLATTE RIVER TRAIL, PHASE 1
 COUNTIES: SARPY

The Nebraska Department of Roads will receive sealed bids for the
 PAPIO-MISSOURI RIVER NATURAL RESOURCE DISTRICT in Room 104 of the Central
 Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on October 25, 2012.
 At that time the bids will be opened and read for
 GR CONC PAVE CULV BR FENCE SIGN

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR
 WHO IS QUALIFIED FOR: GRADING

Length: 4.0 MILES
 START DATE 04/01/2013 WORKING DAYS 135
 Price Range \$ 1,000,000 to \$ 3,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 6.0 %

Plans and specifications may be seen beginning October 02, 2012 at the Lincoln
 Central Office and October 09, 2012 at the District Engineer's Office at OMAHA
 Additional letting information may be found at the Nebraska Department of Roads
 Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal
 requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	92 SHEETS	\$ 23.00
CROSS SECTIONS (SHEETS X1 THRU X58)	58 SHEETS	\$ 14.50
STANDARD PLANS	25 SHEETS	\$ 6.25

SHEET NO.

1	TITLE PAGE
2-T1	GENERAL NOTES
2-T2 - 2-T5	PHOTO MAPS
2-T6	TYPICAL TRAIL SECTIONS
2-T7 - 2-T10	DRIVEWAY DETAILS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-N1 - 2-N5	DETAILS
2-L1 - 2-L15	TRAIL PLAN & PROFILE SHEETS
2-L16 - 2-L23	REMOVAL PLANS
2-L24 - 2-L26	CURVE & LINE TABLES
2-L27 - 2-L42	STORM SEWER PLAN & PROFILE SHEETS
2-L43 - 2-L50	STORM WATER POLLUTION PREVENTION PLANS
3 - 7	SPECIAL PLAN 1C TRAIL SIGNAGE & TRAIL RULES SIGN
8	SPECIAL PLAN 2C WETLAND AREAS
9 - 11	SPECIAL PLAN 3C CULVERT EXTENSIONS
12 - 15	SPECIAL PLAN 4C BRIDGE & ABUTMENT DETAILS
16 - 17	SPECIAL PLAN 5C AREA INLET WITH GRATE
18	SPECIAL PLAN 6C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
R1 - R8	RIGHT-OF-WAY PLANS
X1 - X58	CROSS SECTIONS

STANDARD PLANS

329-R9	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
428-R3	CONCRETE PLUGS AND FIELD PIPE TAP DETAILS
435-R1	(3 SHEETS) MANHOLE
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
710-R4	(2 SHEETS) FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		19 MGAL
REMOVE RIGHT-OF-WAY MARKERS		22 EACH
EARTHWORK MEASURED IN EMBANKMENT	85,957	CY
SALVAGING AND PLACING TOPSOIL	176,535	SY
SAWING PAVEMENT		816 LF
REMOVE DRIVEWAY	1,498	SY
REMOVE FENCE	6,051	LF
REMOVE MANHOLE		1 EACH
REMOVE FLARED- END SECTION		4 EACH
REMOVE CULVERT PIPE		207 LF
WALL MATERIALS	6,051	SF
COMPACTED EARTH LEVELING PAD	1,127	LF
47B-3500 CONC FOR RETAINING WALL		24 CY
RE-STEEL FOR RETAINING WALL		908 LB
PEDESTRIAN BARRIER RAIL		526 LF
BOLLARD		2 EACH
RELOCATE SIGN		7 EACH
SEL GRAN BFILL RETAINED EARTH STR	1,233	CY
SEEDING, TYPE A		22 ACRE
COVER CROP SEEDING		22 ACRE
EROSION CONTROL, CLASS 1C	49,932	SY
EROSION CONTROL, CLASS 1D		8,328 SY
EROSION CONTROL, CLASS 1F		5,140 SY
EROSION CHECKS, TYPE WATTLE	13,934	LF
FABRIC SILT FENCE		7,047 LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
GRAVEL SURFACE COURSE		96 TON
CRUSHED ROCK SURFACE COURSE	5,628	TON
6" CONCRETE CLASS 47B-3500 BIKEWAY		1,440 SY
8" CONCRETE CLASS 47B-3500 BIKEWAY		1,227 SY
CONC 47B-3500 DRIVEWAY 10"		5,862 SY
CONC FOR HEADER, 47B-3500		60 CY
PREP OF INTER & DRIVE		5,862 SY

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
RIPRAP FILTER FABRIC		1,282 SY
CAST IRON GRATE & FRAME	12,875	LB
CAST IRON RING & COVER		4,140 LB
MANHOLE		1 EACH
AT STA 18+08.34		
MANHOLE		1 EACH
AT STA 29+99.64		
MANHOLE		1 EACH
AT STA 41+08.25		
MANHOLE		1 EACH
AT STA 52+49.37		
MANHOLE		1 EACH
AT STA 68+45.45		
MANHOLE		1 EACH
AT STA 89+04.52		
MANHOLE		1 EACH
AT STA 98+54.21		
MANHOLE		1 EACH
AT STA 108+90.83		

MANHOLE		1 EACH
AT STA 115+28.03		
MANHOLE		1 EACH
AT STA 160+44.76		
MANHOLE		1 EACH
AT STA 185+15.15		
MANHOLE		1 EACH
AT STA 185+23.58		
TAPPING EXISTING STRUCTURE		4 EACH
PREPARATION OF STRUCTURE		1 EACH
AT STA 25+63		
PREPARATION OF STRUCTURE		1 EACH
AT STA 167+41		
PREPARATION OF STRUCTURE		1 EACH
AT STA 198+00		
EXCAVATION FOR BOX CULVERTS	1,290	CY
47B-3000 CONC FOR INLET & JUNCTION BOXES	52	CY
47B-3000 CONC FOR CONCRETE CO	6	CY
CLASS 47BD-4000 CONCRETE	268	CY
FOR BOX CULVERT		
RE-STEEL FOR BOX CULVERT	32,591	LB
RE-STEEL FOR INLET & JCT BOX	2,715	LB
RE-STEEL FOR COLLARS	442	LB
18" FLARED-END SECTION	14	EACH
24" FLARED-END SECTION	4	EACH
30" FLARED-END SECTION	3	EACH
36" FLARED-END SECTION	6	EACH
48" CONCRETE FLARED-END SECTION	2	EACH
ROCK RIPRAP, TYPE A	729	TON
18" STORM SEWER PIPE 1,7,8	3,471	LF
24" STORM SEWER PIPE 1,7,8	423	LF
30" STORM SEWER PIPE 1,7,8	165	LF
36" STORM SEWER PIPE 1,7,8	647	LF
48" STORM SEWER PIPE 1	133	LF

GROUP 6 BRIDGE AT STA 114+92

MOBILIZATION	LUMP	LUMP
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
47BD-4000 CONC FOR BRIDGE		86 CY
RE-STEEL FOR BRIDGE		8,951 LB
PEDESTRIAN BRIDGE	LUMP	LUMP
AT STA 114+92		
HP 12"X53# STEEL PILING		705 LF

GROUP 7B FENCE

MOBILIZATION	LUMP	LUMP
RIGHT-OF-WAY FENCE		6,037 LF
END POSTS		19 EACH
PULL POSTS		10 EACH
CORNER POSTS		18 EACH

GROUP 8C SIGNING

MOBILIZATION	LUMP	LUMP
TYPE A SIGN		40 SF
TYPE B SIGN		110 SF
SIGN POST		45 LF
TYPE A		
SIGN POST		227 LF
TYPE C		
SIGN POST		244 LF
TYPE D		

GROUP 10 GENERAL ITEMS

SIGN DAY	976 EACH
FLAGGING	50 DAY
TRAINING	500 HOUR
MOBILIZATION	LUMP LUMP
RENTAL OF LOADER, FULLY OPERATED	85 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	85 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	85 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	85 HOUR
TEMPORARY SILT CHECK	500 LF
TEMPORARY SILT FENCE	1,500 LF
TEMPORARY EARTH CHECK	500 LF
TEMPORARY MULCH	6 TON

NOTICE TO CONTRACTORS

CALL ORDER 305
 STATE PROJECT NO. MISC-14-4(1016)
 LOCATION: N-14, VERDIGRE EAST & SOUTH SLIDES
 COUNTIES: KNOX

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 08, 2012. At that time the bids will be opened and read for GRADING

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: GRADING

START DATE 06/17/2013 WORKING DAYS 55
 Price Range \$ 1,000,000 to \$ 3,000,000

Plans and specifications may be seen beginning October 16, 2012 at the Lincoln Central Office and October 22, 2012 at the District Engineer's Office at NORFOLK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	37	SHEETS	\$ 9.25
CROSS SECTIONS (SHEETS X1 THRU X57)	57	SHEETS	\$ 14.25
STANDARD PLANS	18	SHEETS	\$ 4.50

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T5	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES & DETOUR LOCATION MAPS
2-K1 - 2-K3	SUMMARY OF SOILS & GEOTECHNICAL INFORMATION
2-W1 - 2-W3	WETLANDS
2-H1 - 2-H3	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N2	GENERAL INFORMATION
2-L1 - 2-L5	EROSION CONTROL
3 - 7	PLAN & PROFILE SHEETS
8 - 9	DRAINAGE STRUCTURE CROSS SECTIONS
10	SPECIAL PLAN 1C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
11 - 12	SPECIAL PLAN 2C TEMPORARY SILT CHECKS
R1 - R3	RIGHT-OF-WAY SHEETS
X1 - X57	CROSS SECTIONS

STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

BARRICADE, TYPE III	1,456	B DAY
SIGN DAY	3,744	EACH
CONTRACTOR FURNISHED SIGN DAY	416	EACH
MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
REMOVAL OF UNSUITABLE MATERIAL	1,670	CY

WATER	2,204 MGAL
EARTHWORK MEASURED IN EMBANKMENT	146,951 CY
REMOVE ASPHALT SURFACE	6,081 SY
REMOVE & SALVAGE FES	1 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	365 CY
36" METAL FLARED-END SECTION	1 EACH
INSTALL 36" METAL F.E.S.	1 EACH
4" NONPERF PIPE UNDERDRAIN RIGID	2,515 LF
4" PERFORATED PIPE UNDERDRAIN	7,215 LF
GEOGRID	138,759 SY
REMOVE GUARDRAIL	339 LF
LONGITUDINAL SUBDRAIN	750 LF
RENTAL OF LOADER, FULLY OPERATED	70 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	70 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	70 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	70 HOUR
SEEDING, TYPE A	6 ACRE
SEEDING, TYPE B	1 ACRE
EROSION CONTROL, CLASS 1D	1,545 SY
EROSION CONTROL, CLASS 2A	2,077 SY
EROSION CHECKS, TYPE WATTLE	4,000 LF
FABRIC SILT FENCE-LOW POROSITY	3,093 LF
TEMPORARY SILT FENCE	4,000 LF
TEMPORARY MULCH	18 TON
MULCH	18 TON
36" CULV PIPE 5	210 LF
36" CULV PIPE 3,4,5	16 LF

NOTICE TO CONTRACTORS

CALL ORDER 500
 STATE PROJECT NO. RD-19-2(1007)
 LOCATION: N-19, COLORADO LINE-US-30
 COUNTIES: CHEYENNE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 08, 2012. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 10.7 MILES
 START DATE 07/01/2013 WORKING DAYS 70
 Price Range \$ 3,000,000 to \$ 6,000,000

Plans and specifications may be seen beginning October 16, 2012 at the Lincoln Central Office and October 22, 2012 at the District Engineer's Office at GERING. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	39 SHEETS	\$	9.75
STANDARD PLANS	23 SHEETS	\$	5.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T5	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-A1 - 2-A10	PHOTO MAPS
2-H	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION
2-N2	GENERAL INFORMATION--SUPERELEVATION DIAGRAMMATIC PROFILES
2-N3 - 2-N4	GENERAL INFORMATION--MILLED RUMBLE STRIPS
2-L1	GEOMETRICS
2-L2	EROSION & SEDIMENT CONTROL
3 - 12	PLAN SHEETS
13	TEMPORARY PAVEMENT MARKING PLAN
14	PAVEMENT MARKING DETAILS
15	PAVEMENT MARKING PLAN--JCT. N-19 & ROAD 19A
16 - 17	SPECIAL PLAN 1C GUARDRAIL PLAN

STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
301-R10	(3 SHEETS) PAVEMENT DETAILS
329-R9	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
740	MIDWEST GUARDRAIL SYSTEM BRIDGE APPROACH SECTION
743	(4 SHEETS) GUARDRAIL DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	18,000 BDAY
BARRICADE, TYPE III	1,675 BDAY
TEMPORARY SIGN DAY	1,750 EACH
SIGN DAY	12,513 EACH
OVERLAY BROKEN LINES	687 STA

OVERLAY SOLID LINES	1,374	STA
FLAGGING	140	DAY
FURNISHING AND OPERATING PILOT VEHICLE	60	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
SAWING PAVEMENT	464	LF
REMOVE ASPHALT SURFACE	564	SY
COMB CONC 47B-3500 CURB & GUTTER	451	LF
CONC 47B-3000 MEDIAN SURFACING	181	SY
CONCRETE CLASS 47B-3500 ISLAND NOSE	1	EACH
W-BEAM GUARDRAIL	225	LF
REMOVE & SALVAGE GUARDRAIL	725	LF
BRIDGE APPROACH SECTIONS	8	EACH
GUARDRAIL END TREATMENT, TYPE II	8	EACH
24" WHITE PREF PVMT MKING T-4 GROOVED	80	LF
4" WHT WET RFLC PRF PVMT MKNG T4 GVD	250	LF
4" YEL WET RFLC PRF PVMT MKNG T4 GVD	4,800	LF
12" YEL WET RFLC PRF PVMT MKNG T4 GVD	350	LF
RR XING SYMBOL PREF PVMT MRKING T-4 GRVD	2	EACH
HYDRATED LIME	411	TON
HYDRATED LIME FOR ASPHALT MIXTURES	203	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	6	TON
HYDRATED LIME SLURRY STABILIZATION	457	STA
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	1,000	TON
ASPH CONC, TYPE SPR	33,429	TON
PLACE ASPH CONC FOR DRIVE & INTER	3,890	SY
ASPH CONCRETE FOR PATCHING, TYPE SPR	500	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	35	TON
PERF GRADED BINDER (64-34)	1,187	TON
EMUL ASPH FOR HYDRATE LIME STABILIZATION	128,102	GAL
TACK COAT	38,350	GAL
FOG SEAL	14,234	GAL
RENTAL OF LOADER, FULLY OPERATED	55	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	55	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	55	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5	HOUR
WATER	252	MGAL
EARTH SHOULDER CONSTRUCTION	1,005	STA
TRENCHED WIDENING	957	STA
COLD MILLING, CLASS 3	458	STA
COLD MILLING, CLASS 3	44	STA
TYPE A		
COLD MILLING, CLASS 3	66	STA
TYPE B		
COLD MILLING, CLASS 3	125	STA
TYPE C		
RUMBLE STRIPS, ASPHALT	1,103	STA
CONCRETE SURFACE MILLING	6,769	SY
SURFACE UNDER GUARDRAIL	291	SY
RAP INCENTIVE PAYMENT	57,680	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B	9	ACRE
EROSION CONTROL, CLASS 1D	578	SY
TEMPORARY SILT FENCE	200	LF
MULCH	20	TON

NOTICE TO CONTRACTORS

CALL ORDER 600
FEDERAL PROJECT NO. STP-97-3(103)
LOCATION: N-97, TRYON NORTH
COUNTIES: MCPHERSON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 08, 2012 . At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

Length: 13.2 MILES
START DATE 08/19/2013 WORKING DAYS 10
Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning October 16, 2012 at the Lincoln Central Office and October 22, 2012 at the District Engineer's Office at NORTH PLATTE

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	2 SHEETS	\$	0.50
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

- 1 TITLE PAGE
 & SUMMARY OF QUANTITIES
- 2 TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	3,000	B	DAY
BARRICADE, TYPE III	65	B	DAY
TEMPORARY SIGN DAY	60	E	EACH
SIGN DAY	1,040	E	EACH
TEMPORARY BROKEN LINES	695	S	TA
FLAGGING	20	D	AY
FURNISHING AND OPERATING PILOT VEHICLE	10	D	AY
MOBILIZATION	LUMP	LUMP	
ARMOR COAT AGG	1,640	CY	
ARMOR COAT EMULSIFIED ASPHALT	51,850	GAL	

NOTICE TO CONTRACTORS

CALL ORDER 605
 FEDERAL PROJECT NO. IM-80-3(143)
 LOCATION: I-80, SUTHERLAND WEST
 COUNTIES: LINCOLN

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 08, 2012. At that time the bids will be opened and read for GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 6.695 MILES
 START DATE 04/29/2013 WORKING DAYS 180
 Price Range \$ 6,000,000 to \$ 10,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning October 16, 2012 at the Lincoln Central Office and October 22, 2012 at the District Engineer's Office at NORTH PLATTE

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	55 SHEETS	\$	13.75
CROSS SECTIONS (SHEETS X1 THRU X7)	7 SHEETS	\$	1.75
STANDARD PLANS	18 SHEETS	\$	4.50

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T7	TYPICAL CROSS SECTIONS
2-S1 - 2-S14	SUMMARY OF QUANTITIES
2-A1 - 2-A7	PHOTO MAPS
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION
2-N2 - 2-N3	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3 - 9	PLAN SHEETS
10	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
11	TYPICAL TRAFFIC CONTROL PLAN--INERTIAL BARRIER SYSTEM
12	TYPICAL TRAFFIC CONTROL PLAN--PIER COLUMN PROTECTION & CONCRETE BARRIER PLACEMENT
13	TEMPORARY PAVEMENT MARKING PLAN
14	TYPICAL PAVEMENT MARKING PLAN--INTERSTATE/EXPRESSWAY
15	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
16	EARTHWORK DATA SHEET
17 - 19	SPECIAL PLAN 1C GUARDRAIL PLAN
20 - 21	SPECIAL PLAN 2C PIER COLUMN PROTECTION STA. 3087+67.00
22 - 23	SPECIAL PLAN 3C CONCRETE PROTECTION BARRIER
X1 - X7	CROSS SECTIONS

STANDARD PLANS

501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
713	(2 SHEETS) BULLNOSE (12.5') (PARALLEL)
740	MIDWEST GUARDRAIL SYSTEM BRIDGE APPROACH SECTION
743	(4 SHEETS) GUARDRAIL DETAILS
901-R9	HIGHWAY DELINEATORS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
47BD-4000 CONC FOR PIER PROTECTION		3 CY
PREP BRIDGE		1 EACH
3087+67		
EPOXY COAT RE-STEEL FOR PIER PROTECTION	1,240	LB
W-BEAM GUARDRAIL		487 LF
THRIE-BEAM GUARDRAIL		150 LF
REMOVE GUARDRAIL		975 LF
BRIDGE APPROACH SECTIONS		2 EACH
END ANCHORAGE ASSEMBLY		2 EACH
BULLNOSE-12.5'		2 EACH
GUARDRAIL END TREATMENT, TYPE I		4 EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES		2,121 STA
OVERLAY SOLID LINES		4,242 STA
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE I		266 EACH
REMOVE DELINEATOR UNITS		266 EACH
EARTHWORK MEASURED IN EMBANKMENT		430 CY
REMOVE PAVEMENT		138 SY
CONC PVMT REPAIR TYPE A FULL DEPTH		34 CY
CONC PVMT REPAIR TYPE B FULL DEPTH		364 CY
CONC PVMT REPAIR TYPE C FULL DEPTH		1,414 CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH		233 CY
CONC PVMT REPAIR TYPE B PARTIAL DEPTH		1 CY
CONC PVMT, PR-3500		1,877 CY
JOINT REPAIR		
5" WHT WET RFLC THERMOPLSTC PVMT MRK,GVD		90,000 LF
5" YEL WET RFLC THERMOPLSTC PVMT MRK,GVD		71,800 LF
12" WHT WET RFLC PRF PVMT MKNG T4 GVD		200 LF
HYDRATED LIME FOR ASPHALT MIXTURES		389 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		1 TON
FOUNDATION COURSE REPLACEMENT		79 CY
ASPH CONC FOR ST MAINT PTCHING, TYPE SPS		100 TON
ASPH CONC FOR ST MAIN PTCHING TY SPH		100 TON
ASPH CONC, TYPE SPS		13,440 TON
ASPH CONC, TYPE LC		8,750 TON
ASPH CONC, TYPE SPH		37,680 TON
PERF GRAD BIND (52-34)FOR ST MAINT PATCH		5 TON
PERF GRAD BIND (70-34)FOR ST MAINT PATCH		5 TON
PERF GRADED BINDER (70-34)		2,110 TON
PERF GRADED BINDER (52-34)		752 TON
TACK COAT		69,230 GAL
WATER		366 MGAL
EARTH SHOULDER CONSTRUCTION		1,422 STA
MILLING CONC FOR INLAYS		4 EACH
RUMBLE STRIPS, ASPHALT		1,422 STA
SURFACE UNDER GUARDRAIL		610 SY
RAP INCENTIVE PAYMENT		86,904 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B		14 ACRE
EROSION CONTROL, CLASS 1D		1,395 SY
HYDROMULCH		21 TON

GROUP 10 GENERAL ITEMS

SURV OF TEMP TRAFFIC CONT DEVICES		341 CDAY
BARRICADE, TYPE II		45,380 BDAY
BARRICADE, TYPE III		2,045 BDAY
TEMPORARY SIGN DAY		1,834 EACH
SIGN DAY		11,563 EACH
FLASHING ARROW PANEL		173 DAY

CONCRETE PROTECTION BARRIER	800 LF
INERTIAL BARRIER SYSTEM	2 EACH
REPLACEMENT MODULE	18 EACH
FIELD OFFICE	1 EACH
TRAINING	1,000 HOUR
MOBILIZATION	LUMP LUMP
RENTAL OF LOADER, FULLY OPERATED	20 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	15 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	20 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	20 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5 HOUR
TEMPORARY SILT FENCE	300 LF

NOTICE TO CONTRACTORS

CALL ORDER 800
 FEDERAL PROJECT NO. NH-20-2(134)
 LOCATION: US-20, NENZEL-KILGORE
 COUNTIES: CHERRY

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 08, 2012. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 7.7 MILES
 START DATE 07/15/2013 WORKING DAYS 60
 Price Range \$ 2,000,000 to \$ 4,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning October 16, 2012 at the Lincoln Central Office and October 22, 2012 at the District Engineer's Office at AINSWORTH
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	28 SHEETS	\$	7.00
STANDARD PLANS	5 SHEETS	\$	1.25

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-A1 - 2-A8	PHOTO MAPS
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION
2-N2 - 2-N3	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3 - 10	PLAN SHEETS
11	TYPICAL TRAFFIC CONTROL PLAN--VEHICLE SIGNING FOR PAINT STRIPING
12	TEMPORARY PAVEMENT MARKING PLAN
13	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING

STANDARD PLANS

901-R9	HIGHWAY DELINEATORS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	11,000	B	DAY
BARRICADE, TYPE III	555	B	DAY
TEMPORARY SIGN DAY	840	E	EACH
SIGN DAY	10,012	E	EACH
OVERLAY BROKEN LINES	634	S	TA
OVERLAY SOLID LINES	1,268	S	TA
PERMANENT PAVEMENT MARKING PAINT	123,500	L	FT
FLAGGING	120	D	AY
MOBILIZATION	LUMP	L	UMP
DELINEATOR, TYPE III	115	E	EACH
INSTALL CHEVRONS	8	E	EACH
HYDRATED LIME FOR ASPHALT MIXTURES	148	T	ON

HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	1 TON
ASPH CONC FOR ST MAIN PTCHG TY SPR(FINE)	300 TON
ASPH CONC, TYPE SPS	7,930 TON
ASPH CONC, TYPE SPR (FINE)	24,190 TON
ASPH CONC FOR PATCHING, TYPE SPR (FINE)	500 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	10 TON
PERF GRADED BINDER (52-34)	277 TON
PERF GRADED BINDER (64-34)	864 TON
TACK COAT	38,670 GAL
RENTAL OF LOADER, FULLY OPERATED	40 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	40 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	40 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	40 HOUR
COLD MILLING, CLASS 3	410 STA
COLD MILLING, CLASS 3	808 STA
TYPE A	
COLD MILLING, CLASS 3	11 STA
TYPE B	
RUMBLE STRIPS, ASPHALT	781 STA
RAP INCENTIVE PAYMENT	55,454 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP

Plan and Informational Proposal Order Form
Projects to be bid on:
November 8, 2012

Payment required for plans prior to NDOR completing this order.
 dor.ContractsOnlineOrders@nebraska.gov FAX: (402) 479-4845

Document No.

<input type="checkbox"/> Check/Cash	Receipt No.
<input type="checkbox"/> Advance Plans Account No.	
Credit Card	
<input type="checkbox"/> Visa	<input type="checkbox"/> MasterCard
Expiration Date:	
Card No.:	
FOR OFFICE USE ONLY	
Reference I.D.:	
Authorization Code: _____ Date: _____	

Please indicate:	<input type="checkbox"/> Fed Ex. Standard Overnight	Comments:
<input type="checkbox"/> Mail	<input type="checkbox"/> Fed Ex. Priority Overnight	
<input type="checkbox"/> Hold	<input type="checkbox"/> UPS Overnight	
	Acct. No.	

4-Digit Vendor No.:	Ordered By:	Grand Total - Informational Proposals: x \$5.00
Company:		All plans in letting on CD: x \$25.00
Street Address:		Grand Total - 1/2 Size Plans: x \$.25
		Grand Total - Full Size Plans: x \$.50
PO Box:	City:	State:
		Zip Code:
Phone No. (include Area Code):		Fax No. (include Area Code):
		Tax Code
		Sales Tax
		%
Processed by:	Date:	Proposals/CD Filled:
		Blueprint Plans/Proposals Filled:
		Date:
Total		

If requesting Plan or Proposal CD(s) only, your name will not appear on the Planholders list unless your company has been issued Bid Proposals or you submit the "Planholders Registration" from the NDOR website.

CD containing Informational Proposals for all projects in letting. (No Charge) Total Number Requested: →					
Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. 1/2 size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
100	STPAA-6904(2)				
105	STPE-3305(9)				
110	STP-15-2(122)				
205	NH-34-7(128)				
210	MAPA-5001(19)				
250	STPB-77(49)				
305	MISC-14-4(1016)	WITHDRAWN			
500	RD-19-2(1007)				
600	STP-97-3(103)				
605	IM-80-3(143)				
800	NH-20-2(134)				

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. ½ size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	

Standard Plans: Refer to "Publication Order Form" for complete sets of Standard Plans and Standard/Special Plans Books

Number of Sets Requested	Standard Plan No.(s)	Number of Sheets Shown in List of Plans	Check Size		Total No. of Sheets	
			1/2	Full	1/2	Full
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		

