

November 15, 2012

TO ALL CONCERNED:

The Department of Roads has scheduled a bid letting to be held in this office December 13, 2012 at 1:30 p.m.

The Notice to Contractors includes:

1. Website Information
2. Notice to all Bidders
3. Ordering Instructions
4. Notices to Contractors including time allowances and lists of plans
5. Plan and Informational Proposal Order Form
6. R-125 "Request for Bidding Proposal Forms"

Projects containing DBE Goals are indicated in the "Notice to Contractors".

Please check the important letting information on the website frequently.

The last day to submit acceptable prequalification statements for this letting is by 5:00 p.m. on Monday, December 3, 2012.

Sincerely,

Kimberly K. Baker, Supervisor
Contract Lettings Section
Construction Division

KKB/amh

WEBSITE INFORMATION

The Nebraska Department of Roads, Contract Lettings Section, will be utilizing the Internet as our means of communicating with the contracting industry.

Documents that are posted on the web are:

- Letting Schedule
- Notices to Contractors
- Informational Proposals
- Letting Plans
- List of Prequalified Contractors
- Planholders List
- Informational Addendums
- EBS (Electronic Bidding System)
- Apparent Low Bidders
- Bid Tabulations
- Standard Item Listing
- Awarded Average Unit Prices (AUP) Report

Hard copies of these documents will be available for inspection in the Contracts Office.

There will be a charge for reproduction of any of these documents.

The Website address is: www.Transportation.Nebraska.gov

If you have any questions as you are using our Website, please contact us at:

Nebraska Department of Roads
Contract Lettings Section
P.O. Box 94759
Lincoln, NE 68509-4759

Phone (402) 479-4525
FAX (402) 479-3803

Email: DOR.ContractLettings@nebraska.gov

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free “hotline” Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the “hotline” to report such activities.

The “hotline” is part of the DOT’s continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

ORDERING INSTRUCTIONS FOR PLANS AND PROPOSALS

Refer to the "Notice to Contractors" for the call order number, project number, and list of plans for each project.

Order forms are available on the NDOR website in PDF and Word format. Complete the appropriate forms as follows:

Request for Bidding Proposal Forms (R-125)

Bidders must submit an R-125, Request for Bidding Proposals Forms and be issued bid proposals prior to submitting bids.

Proposals to be used for bidding must be requested on this form. Bidding proposals will be issued only to contractors who are currently prequalified to bid with this department.

There is no charge for bid proposals.

Plan and Informational Proposal Order Form:

Payment is required prior to NDOR completing the order. This payment is not refundable.

Proposals to be used for information only can be ordered as follows:

1. Each individual project.
2. CD that contains all projects in letting. Does not contain addenda.

Plans for each project can be ordered as follows:

1. Complete set.
2. Set less Roadway Cross-Sections and Standards.
3. Set less Standards.
4. Set less Roadway Cross-Sections.
5. Individual sheets
6. CD that contains all projects in letting.

Prices are: Informational Proposals: \$5.00 each
CD containing Informational Proposals: No Charge
Plans per sheet: \$.25 for half-size (12" x 18")
\$.50 for full-size (24" x 36")
CD containing plans: \$25.00 each

Cost shown on the list of plans is for ½ size plans. Nebraska residents add appropriate state sales tax and city tax that is determined by delivery within cities imposing a sales tax.

Select the method of payment on the plan order form:

1. Credit Card (Visa or MasterCard only)
Orders with approved credit cards can be processed without delays.
2. Advanced payment account
Requires a money deposit with recommended \$200 minimum. Failure to have sufficient funds in your account to cover cost of the plans may delay the processing of your order.
This account may also be used to purchase other NDOR publications.
3. Check/cash
Send checks made payable to the Nebraska Dept. of Roads with your completed plan order form. Please do not mail cash.

To order complete sets of standard plans (1/2 size) please use the "Publications Order Form" available on the website. Cost is \$35.00 plus applicable sales tax. As new standards become available they may be purchased at \$0.25 per sheet.

Address: Nebraska Department of Roads
Contracts Section
1500 Highway 2
PO Box 94759
Lincoln NE 68509-4759

FAX (402) 479-3803

Phone: (402) 479-4525

Email: DOR.ContractLettings@nebraska.gov

October 10, 2008

NOTICE TO CONTRACTORS

CALL ORDER 100
 FEDERAL PROJECT NO. STP-112-1(103)
 LOCATION: N-112, KANSAS LINE-W. JCT. N-8
 COUNTIES: GAGE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 13, 2012. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 3.1 MILES
 START DATE 09/03/2013 WORKING DAYS 30
 Price Range \$ 500,000 to \$ 2,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning November 20, 2012 at the Lincoln Central Office and November 26, 2012 at the District Engineer's Office at LINCOLN
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	12 SHEETS	\$	3.00
STANDARD PLANS	9 SHEETS	\$	2.25

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-A1 - 2-A3	PHOTO MAPS
2-H	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
3 - 5	PLAN SHEETS
6	TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
307-R1	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
502	SILT FENCE DETAILS
901-R9	HIGHWAY DELINEATORS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	5,000	B DAY
BARRICADE, TYPE III	305	B DAY
TEMPORARY SIGN DAY	420	EACH
SIGN DAY	3,691	EACH
OVERLAY BROKEN LINES	324	STA
OVERLAY SOLID LINES	649	STA
FLAGGING	60	DAY
FURNISHING AND OPERATING PILOT VEHICLE	25	DAY
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE III	24	EACH
INSTALL CHEVRONS	12	EACH
GRAVEL SURFACE COURSE	78	TON

CRUSHED ROCK SURFACE COURSE	18 TON
SPEC SURF CRSE FOR MAILBOX TURNOUTS	104 SY
MAILBOX POST	3 EACH
HYDRATED LIME FOR ASPHALT MIXTURES	57 TON
ASPH CONC, TYPE SPR	9,240 TON
PLACE ASPH CONC FOR DRIVE & INTER	1,806 SY
ASPH CONCRETE FOR PATCHING, TYPE SPR	300 TON
PERF GRADED BINDER (64-34)	333 TON
PREP OF INTER & DRIVE	96 SY
TACK COAT	11,090 GAL
FOG SEAL	23,860 GAL
RENTAL OF LOADER, FULLY OPERATED	20 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	20 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	20 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	20 HOUR
WATER	82 MGAL
WATER FOR FLY ASH STABILIZED BITUMINOUS	280 MGAL
EARTH SHOULDER CONSTRUCTION	326 STA
WIDENING	322 STA
COLD MILLING, CLASS 3	162 STA
FLY ASH STABILIZED BITUMINOUS	159 STA
FLY ASH	2,070 TON
RAP INCENTIVE PAYMENT	16,218 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP
SEEDING, TYPE B	8 ACRE
TEMPORARY SILT CHECK	150 LF
TEMPORARY SILT FENCE	300 LF
HYDROMULCH	13 TON

NOTICE TO CONTRACTORS

CALL ORDER 105
 STATE PROJECT NO. RD-34-6(1036)
 LOCATION: US-34, SEWARD EAST
 COUNTIES: LANCASTER SEWARD

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 13, 2012. At that time the bids will be opened and read for GRAD CULV BR GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 15.1 MILES
 START DATE 04/01/2013 CALENDAR DAYS 216
 Price Range \$ 6,000,000 to \$ 10,000,000

Plans and specifications may be seen beginning November 20, 2012 at the Lincoln Central Office and November 26, 2012 at the District Engineer's Office at LINCOLN
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	94	SHEETS	\$ 23.50
CROSS SECTIONS (SHEETS X1 THRU X44)	44	SHEETS	\$ 11.00
STANDARD PLANS	24	SHEETS	\$ 6.00

SHEET NO.		
1	TITLE PAGE	
2-T1 - 2-T7	TYPICAL CROSS SECTIONS	
2-S1 - 2-S7	SUMMARY OF QUANTITIES	
2-W1 - 2-W14	WETLANDS	
2-H1 - 2-H4	HORIZONTAL ALIGNMENT & ORIENTATION	
2-N1 - 2-N4	GENERAL INFORMATION	
2-N5 - 2-N6	GENERAL INFORMATION--MILLED RUMBLE STRIPS	
2-L1 - 2-L13	EROSION & SEDIMENT CONTROL	
3 - 16	PLAN SHEETS	
17	TEMPORARY PAVEMENT MARKING PLAN	
18	PAVEMENT MARKING PLAN--LEFT TURN BAY	
19	PAVEMENT MARKING PLAN	
20 - 22	EARTHWORK DATA SHEETS	
23	DRAINAGE STRUCTURE CROSS SECTIONS	
24	SPECIAL PLAN 1 CONCRETE REPAIR AT END OF FLOOR STA. 379+31.00	
25 - 26	SPECIAL PLAN 2 BRIDGE REPAIR STA. 737+18.00	
27 - 36	SPECIAL PLAN 1C GUARDRAIL PLAN	
37 - 41	SPECIAL PLAN 2C CABLE GUARDRAIL	
42	SPECIAL PLAN 3C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS	
43 - 44	SPECIAL PLAN 4C TEMPORARY SILT CHECKS	
X1 - X44	CROSS SECTIONS	

STANDARD PLANS

309	MAILBOX SUPPORT POST
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
740	MIDWEST GUARDRAIL SYSTEM BRIDGE APPROACH SECTION
743	(4 SHEETS) GUARDRAIL DETAILS
901-R9	HIGHWAY DELINEATORS
902-R1	HIGHWAY DELINEATORS FOR RAMP AND GORE LOCATIONS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		2 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		113 MGAL
EARTHWORK MEASURED IN EMBANKMENT		8,079 CY
REMOVE ASPHALT SURFACE		117 SY
REMOVE DRIVEWAY		55 SY
24" DRIVE PIPE 2,3,4,5,6,7 OR 8		38 LF
36" DRIVE PIPE 2,3,4,5,6,7 OR 8		28 LF
REMOVE GUARDRAIL		6,440 LF
COVER CROP SEEDING		2 ACRE
EROSION CONTROL, CLASS 1D		17,116 SY
EROSION CHECKS, TYPE 1D		5 BALE
FABRIC SILT FENCE-LOW POROSITY		6,006 LF

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE FLARED- END SECTION		1 EACH
REMOVE HEADWALLS FROM CULV		3 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		7 CY
47B-3000 CONC FOR CONCRETE CO		1 CY
RE-STEEL FOR COLLARS		129 LB
24" METAL FLARED-END SECTION		1 EACH
24" CONCRETE FLARED-END SECTION		3 EACH
24" CULV PIPE 2		16 LF
24" CULV PIPE 3,4,5		6 LF

GROUP 6 BRIDGE AT STATION 379+31

MOBILIZATION	LUMP	LUMP
CONCRETE REPAIR		50 SF

GROUP 6A BRIDGE AT STATION 737+18

MOBILIZATION	LUMP	LUMP
REPAIR FLOOR DRAIN		6 EACH

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		5,268 LF
CABLE GUARDRAIL		1,376 LF
BRIDGE APPROACH SECTIONS		4 EACH
END ANCHORAGE ASSEMBLY		3 EACH
TERMINAL ANCHORAGE SECTIONS		6 EACH
GUARDRAIL END TREATMENT, TYPE I		1 EACH
GUARDRAIL END TREATMENT, TYPE II		30 EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES		2,399 STA
OVERLAY SOLID LINES		4,798 STA
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE II		19 EACH
DELINEATOR, TYPE III		69 EACH
INSTALL CHEVRONS		31 EACH
GRAVEL SURFACE COURSE		20 TON
CRUSHED ROCK SURFACE COURSE		25 TON
MAILBOX POST		35 EACH
CONC PVMT REPAIR TYPE A FULL DEPTH		12 CY

CONC PVMT REPAIR TYPE B FULL DEPTH	1,776	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	275	CY
MEMBRANE WATERPROOFING	174	SY
4" WHT WET RFLC PRF PVMT MKNG T4 GVD	175	LF
4" YEL WET RFLC PRF PVMT MKNG T4 GVD	6,500	LF
12" YEL WET RFLC PRF PVMT MKNG T4 GVD	950	LF
HYDRATED LIME FOR ASPHALT MIXTURES	303	TON
FOUNDATION COURSE REPLACEMENT	38	CY
ASPH CONC, TYPE SPS	15,560	TON
ASPH CONC, TYPE SPR	48,090	TON
PLACE ASPH CONC FOR DRIVE & INTER	9,445	SY
ASPH CONCRETE FOR PATCHING, TYPE SPR	2,500	TON
ASPH CONCRETE FOR PATCHING, TYPE SPS	300	TON
PERF GRADED BINDER (52-34)	555	TON
PERF GRADED BINDER (64-34)	1,770	TON
PREP OF INTER & DRIVE	951	SY
TACK COAT	65,300	GAL
WATER	3	MGAL
COLD MILLING, CLASS 3	804	STA
COLD MILLING, CLASS 4	146	SY
COLD MILLING, CLASS 5	8,494	SY
COLD MILLING, CLASS 3	1,573	STA
TYPE A		
RUMBLE STRIPS, ASPHALT	1,590	STA
RUMBLE STRIPS, ASPHALT 8"	1,581	STA
SURFACE UNDER GUARDRAIL	4,776	SY
RAP INCENTIVE PAYMENT	112,965	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B	2	ACRE
MULCH	5	TON

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	43,110	B DAY
BARRICADE, TYPE III	1,928	B DAY
TEMPORARY SIGN DAY	2,328	EACH
SIGN DAY	34,691	EACH
FLAGGING	294	DAY
FURNISHING AND OPERATING PILOT VEHICLE	147	DAY
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	220	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	150	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	220	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	220	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	70	HOUR
TEMPORARY SILT CHECK	2,000	LF
TEMPORARY SILT FENCE	1,000	LF
TEMPORARY MULCH	4	TON

NOTICE TO CONTRACTORS

CALL ORDER 110
 STATE PROJECT NO. STR-75-1(1013)
 LOCATION: AUBURN-SOUTH JCT N-67
 COUNTIES: NEMAHA

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 13, 2012. At that time the bids will be opened and read for BRIDGE

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES
 START DATE 09/16/2013 WORKING DAYS 25
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning November 20, 2012 at the Lincoln Central Office and November 26, 2012 at the District Engineer's Office at LINCOLN
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	21 SHEETS	\$	5.25
STANDARD PLANS	7 SHEETS	\$	1.75

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
- 3 - 4 TRAFFIC CONTROL PLAN--BRIDGE REPAIR
- 5 TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
- 6 TEMPORARY PAVEMENT MARKING PLAN
- 7 - 11 SPECIAL PLAN 1 BRIDGE REPAIR
 STA. 1041+29.00
- 12 - 13 SPECIAL PLAN 2 BRIDGE REPAIR
 STA. 115+40.00
- 14 - 15 SPECIAL PLAN 3 BRIDGE REPAIR
 STA. 121+75.00
- 16 - 17 SPECIAL PLAN 4 BRIDGE REPAIR
 STA. 129+30.00
- 18 - 19 SPECIAL PLAN 5 BRIDGE REPAIR
 STA. 151+82.00
- 20 - 21 SPECIAL PLAN 1C CONCRETE PROTECTION BARRIER

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 924 (3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT STATION 1041+29.00

MOBILIZATION	LUMP	LUMP
PREFORMED SILICONE JOINT, TYPE A		130 LF
47BD-4000 CONC FOR BRIDGE		22 CY
PREP BRIDGE		1 EACH
1041+29.00		
EPOXY COATED RE-STEEL		2,391 LB

GROUP 6A BRIDGE AT STATION 115+40.00

MOBILIZATION	LUMP	LUMP
CONCRETE REPAIR		4 SY

GROUP 6B BRIDGE AT STATION 121+75.00

MOBILIZATION	LUMP	LUMP
CONCRETE REPAIR		1 SY

GROUP 6C BRIDGE AT STATION 129+30.00

MOBILIZATION	LUMP	LUMP
CONCRETE REPAIR		1 SY

GROUP 6D BRIDGE AT STATION 151+82.00

MOBILIZATION	LUMP	LUMP
CONCRETE REPAIR		1 SY

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	4,100	BDAY
BARRICADE, TYPE III	144	BDAY
TEMPORARY SIGN DAY	52	EACH
SIGN DAY	1,572	EACH
CONTRACTOR FURNISHED SIGN DAY	288	EACH
TEMP PAVEMENT MARKING REMOVAL	9,200	LF
PAVEMENT MARKING REMOVAL	1,800	LF
TEMP PVMT MARKING, TYPE PAINT	9,200	LF
TEMP PVMT MARKING SURF PREP	9,200	LF
TUBULAR POST	22	EACH
FLASHING ARROW PANEL	96	DAY
FLAGGING	6	DAY
CONCRETE PROTECTION BARRIER	950	LF
RELOCATE CONC PROTECTION BARRIER	950	LF
MOBILIZATION	LUMP	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 115
 FEDERAL PROJECT NO. STP-S12C(105)
 LOCATION: S12C, ULYSSES SPUR
 COUNTIES: BUTLER

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 13, 2012 . At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 5.0 MILES
 START DATE 09/30/2013 WORKING DAYS 15
 Price Range \$ 250,000 to \$ 1,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning November 20, 2012 at the Lincoln Central Office and November 26, 2012 at the District Engineer's Office at LINCOLN
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	3 SHEETS	\$	0.75
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

1	TITLE PAGE
2-S	SUMMARY OF QUANTITIES & TYPICAL CROSS SECTIONS
3	TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	1,950	BDAY
BARRICADE, TYPE III	170	BDAY
TEMPORARY SIGN DAY	210	EACH
SIGN DAY	2,346	EACH
OVERLAY BROKEN LINES	263	STA
OVERLAY SOLID LINES	526	STA
FLAGGING	30	DAY
FURNISHING AND OPERATING PILOT VEHICLE	15	DAY
MOBILIZATION	LUMP	LUMP
HYDRATED LIME FOR ASPHALT MIXTURES	43	TON
ASPH CONC, TYPE SPR	7,118	TON
ASPH CONCRETE FOR PATCHING, TYPE SPR	200	TON
PERF GRADED BINDER (64-34)	256	TON
TACK COAT	9,812	GAL
RENTAL OF LOADER, FULLY OPERATED	30	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	30	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	30	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	30	HOUR
COLD MILLING, CLASS 3	267	STA
RAP INCENTIVE PAYMENT	12,441	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 120
 FEDERAL PROJECT NO. IM-180-9(2)
 LOCATION: I-180, CORNHUSKER - S. JCT US-34, LINCOLN
 COUNTIES: LANCASTER

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 13, 2012. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS
 START DATE 07/15/2013 WORKING DAYS 40
 Price Range \$ 250,000 to \$ 1,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning November 20, 2012 at the Lincoln Central Office and November 26, 2012 at the District Engineer's Office at LINCOLN
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	15 SHEETS	\$	3.75
STANDARD PLANS	5 SHEETS	\$	1.25

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T4	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-N	GENERAL INFORMATION
3	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
4	TRAFFIC CONTROL PLAN--WORK IN VICINITY OF EXIT RAMP & ON RAMP
5	TEMPORARY PAVEMENT MARKING PLAN
6	TYPICAL PAVEMENT MARKING PLAN (INTERSTATE/EXPRESSWAY)
7	SPECIAL PLAN 1C BRIDGE APPROACH REPAIR
8 - 9	SPECIAL PLAN 2C MILLED RUMBLE STRIPS

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
924	(3 SHEETS)	TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	6,800	B DAY
BARRICADE, TYPE III	218	B DAY
TEMPORARY SIGN DAY	800	EACH
SIGN DAY	1,725	EACH
OVERLAY BROKEN LINES	251	STA
OVERLAY SOLID LINES	502	STA
FLASHING ARROW PANEL	80	DAY
TRAFFIC CONTROL MANAGEMENT	69	DAY
MOBILIZATION	LUMP	LUMP
CONCRETE CURB REPAIR	23	LF
6" CONC CLASS 47B-3000 MEDIAN SURFACING	2	SY
CONC PVMT REPAIR TYPE A FULL DEPTH	51	CY

CONC PVMT REPAIR TYPE B FULL DEPTH	47	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	61	CY
CONC PVMT, PR-3500	88	CY
JOINT REPAIR		
BRIDGE APPROACH REPAIR	11	CY
5" WHT WET RFLC THERMOPLSTC PVMT MRK,GVD	15,800	LF
12" WHT WET RFLC THERMO PVMT MRKING, GVD	1,900	LF
5" YEL WET RFLC THERMOPLSTC PVMT MRK,GVD	12,500	LF
HYDRATED LIME FOR ASPHALT MIXTURES	26	TON
FOUNDATION COURSE REPLACEMENT	1	CY
ASPH CONC, TYPE SPS	790	TON
ASPH CONC, TYPE LC	940	TON
ASPH CONC, TYPE SPH	2,050	TON
PERF GRADED BINDER (52-34)	44	TON
PERF GRADED BINDER (64-34)	143	TON
TACK COAT	6,530	GAL
RUMBLE STRIPS, ASPHALT	215	STA
CONC SURF MILLING	34,092	SY
RAP INCENTIVE PAYMENT	4,828	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 300
 STATE PROJECT NO. RD-13-4(1017)
 LOCATION: N-13, CREIGHTON SOUTH
 COUNTIES: ANTELOPE KNOX

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 13, 2012 . At that time the bids will be opened and read for GR SEED BR GDRL ELEC BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 8.1 MILES
 START DATE 07/08/2013 WORKING DAYS 65
 Price Range \$ 2,000,000 to \$ 4,000,000

Plans and specifications may be seen beginning November 20, 2012 at the Lincoln Central Office and November 26, 2012 at the District Engineer's Office at NORFOLK

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	51	SHEETS	\$	12.75
CROSS SECTIONS (SHEETS X1 THRU X8)	8	SHEETS	\$	2.00
STANDARD PLANS	23	SHEETS	\$	5.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-W1 - 2-W8	WETLANDS
2-H1 - 2-H4	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N2	GENERAL INFORMATION
2-L1 - 2-L2	EROSION & SEDIMENT CONTROL
3 - 10	PLAN SHEETS
11	TEMPORARY SIGNAL TRAFFIC CONTROL PLAN--PHASE 1 & 2
12	TYPICAL TRAFFIC SIGNAL CONTROL PLAN--ONE LANE, TWO WAY OPERATION WITH BARRIERS
13	TEMPORARY TRAFFIC SIGNAL
14	TEMPORARY PAVEMENT MARKING PLAN
15 - 19	ROADWAY LIGHTING PLANS
20	EARTHWORK DATA SHEET
21 - 23	SPECIAL PLAN 1 MODIFY BUTTRESS STA. 248+95.00
24 - 26	SPECIAL PLAN 2 MODIFY BUTTRESS STA. 417+60.00
27 - 28	SPECIAL PLAN 1C GUARDRAIL PLAN
29 - 30	SPECIAL PLAN 2C TEMPORARY SILT CHECKS
31 - 32	SPECIAL PLAN 3C CONCRETE PROTECTION BARRIER
X1 - X8	CROSS SECTIONS

STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
307-R1	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
740	MIDWEST GUARDRAIL SYSTEM BRIDGE APPROACH SECTION
743	(4 SHEETS) GUARDRAIL DETAILS
901-R9	HIGHWAY LINEATORS
914-R6	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
WATER		2 MGAL
REMOVE DELINEATOR UNITS		15 EACH
EARTHWORK MEASURED IN EMBANKMENT		90 CY
REMOVE ASPHALT SURFACE		290 SY
REMOVE GUARDRAIL		975 LF
EROSION CONTROL, CLASS 1C		668 SY
FABRIC SILT FENCE-LOW POROSITY		1,147 LF

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE B		8 ACRE
MULCH		18 TON

GROUP 6 BRIDGE AT STA. 248+95.00

MOBILIZATION	LUMP	LUMP
CLASS I REPAIR		220 SY
CLASS II REPAIR		44 SY
CLASS III REPAIR		5 SY
PLACE, FINISH, & CURE CONC OVERLAY-SF		220 SY
47BD-4000 CONC FOR BRIDGE		3 CY
CONCRETE FOR OVERLAYS-SF		19 CY
PREP BRIDGE		1 EACH
248+95.00		
EPOXY COATED RE-STEEL		1,180 LB
CONCRETE REPAIR		25 SF

GROUP 6A BRIDGE AT STA. 417+60.00

MOBILIZATION	LUMP	LUMP
CLASS I REPAIR		327 SY
CLASS II REPAIR		65 SY
CLASS III REPAIR		5 SY
PLACE, FINISH, & CURE CONC OVERLAY-SF		327 SY
47BD-4000 CONC FOR BRIDGE		3 CY
CONCRETE FOR OVERLAYS-SF		30 CY
PREP BRIDGE		1 EACH
417+60.00		
EPOXY COATED RE-STEEL		1,180 LB
CONCRETE REPAIR		35 SF

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		337 LF
BRIDGE APPROACH SECTIONS		8 EACH
GUARDRAIL END TREATMENT, TYPE II		8 EACH

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
PULL BOX, TYPE PB-5		1 EACH
ST LIGHT UNIT SL-BT-40-12-0.25		3 EACH
LIGHTING CONTROL CENTER, D		1 EACH
1 1/2" CONDUIT IN TRENCH		302 LF
1 1/2" CONDUIT, JACKED		146 LF
STREET LIGHT CABLE, NO. 6 BARE		448 LF
STREET LIGHT CABLE, NO. 6 USE		896 LF

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES	1,278	STA
OVERLAY SOLID LINES	2,556	STA
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE III	29	EACH
INSTALL CHEVRONS	12	EACH
SPEC SURF CRSE FOR MAILBOX TURNOUTS	1,017	SY
MAILBOX POST	16	EACH
HYDRATED LIME FOR ASPHALT MIXTURES	188	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	3	TON
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	500	TON
ASPH CONC, TYPE SPR	29,660	TON
PLACE ASPH CONC FOR DRIVE & INTER	6,502	SY
ASPH CONCRETE FOR PATCHING, TYPE SPR	1,700	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	17	TON
PERF GRADED BINDER (64-34)	1,097	TON
TACK COAT	27,550	GAL
WATER	50	MGAL
EARTH SHOULDER CONSTRUCTION	200	STA
COLD MILLING, CLASS 3	426	STA
COLD MILLING, CLASS 5	6,502	SY
SURFACE UNDER GUARDRAIL	761	SY
RAP INCENTIVE PAYMENT	53,312	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	12,730	B DAY
BARRICADE, TYPE III	1,670	B DAY
TEMPORARY SIGN DAY	910	EACH
SIGN DAY	12,754	EACH
TEMP PAVEMENT MARKING REMOVAL	9,100	LF
PAVEMENT MARKING REMOVAL	1,850	LF
TEMP PVMT MARKING, TYPE PAINT	9,500	LF
TEMP PVMT MARKING SURF PREP	4,750	LF
FLAGGING	130	DAY
FURNISHING AND OPERATING PILOT VEHICLE	35	DAY
CONCRETE PROTECTION BARRIER	300	LF
RELOCATE CONC PROTECTION BARRIER	287	LF
TEMPORARY RUMBLE STRIP	8	EACH
TEMPORARY TRAFFIC SIGNAL	2	EACH
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	115	HR
RENTAL OF MOTOR GRADER, FULLY OPERATED	100	HR
RENTAL OF DUMP TRUCK, FULLY OPERATED	115	HR
RENTAL OF SKID LOADER, FULLY OPERATED	115	HR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	15	HR
TEMPORARY SILT CHECK	150	LF
TEMPORARY SILT FENCE	300	LF

NOTICE TO CONTRACTORS

CALL ORDER 305
 FEDERAL PROJECT NO. NH-30-5(132)
 LOCATION: US-30, DUNCAN WEST & EAST
 COUNTIES: MERRICK PLATTE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 13, 2012 . At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

Length: 17.6 MILES
 START DATE 08/19/2013 WORKING DAYS 15
 Price Range \$ 500,000 to \$ 2,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning November 20, 2012 at the Lincoln Central Office and November 26, 2012 at the District Engineer's Office at NORFOLK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	3 SHEETS	\$	0.75
STANDARD PLANS	7 SHEETS	\$	1.75

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
& TYPICAL CROSS SECTION
- 3 TEMPORARY PAVEMENT MARKING PLAN

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
- 924 (3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	5,925	BDAY
BARRICADE, TYPE III	135	BDAY
TEMPORARY SIGN DAY	120	EACH
SIGN DAY	3,348	EACH
TEMPORARY BROKEN LINES	930	STA
FLAGGING	30	DAY
FURNISHING AND OPERATING PILOT VEHICLE	15	DAY
MOBILIZATION	LUMP	LUMP
AGG FOR MICROSURFACING	4,605	TON
MIN FILLER FOR MICROSURFACING	94	TON
MICROSURFACING PLACEMENT	958	STA
EMUL ASPH FOR MICROSURFACING	158,260	GAL
FOG SEAL	20,160	GAL

NOTICE TO CONTRACTORS

CALL ORDER 310
 FEDERAL PROJECT NO. NH-275-6(140)
 LOCATION: US-275, N-57-WISNER
 COUNTIES: CUMING STANTON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 13, 2012. At that time the bids will be opened and read for GRAD CULV BR GDRL ELEC BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 15.7 MILES
 START DATE 04/01/2013 CALENDAR DAYS 580
 Price Range \$ 7,000,000 to \$ 12,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning November 20, 2012 at the Lincoln Central Office and November 26, 2012 at the District Engineer's Office at NORFOLK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	201	SHEETS	\$ 50.25
CROSS SECTIONS (SHEETS X1 THRU X73)	73	SHEETS	\$ 18.25
STANDARD PLANS	34	SHEETS	\$ 8.50

SHEET NO.

1	TITLE PAGE
2	INDEX OF SHEETS
2-T1 - 2-T11	TYPICAL CROSS SECTIONS
2-S1 - 2-S11	SUMMARY OF QUANTITIES
2-W1 - 2-W15	WETLANDS
2-H1 - 2-H7	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION
2-N2 - 2-N3	GENERAL INFORMATION--MILLED RUMBLE STRIPS
2-N4	GENERAL INFORMATION
2-N5 - 2-N6	GENERAL INFORMATION--SUPERELEVATION DIAGRAMMATIC PROFILES
2-L1 - 2-L4	GEOMETRICS
2-L5 - 2-L15	EROSION CONTROL
3 - 17	PLAN SHEETS
18	PLAN & PROFILE SHEET
19	TYPICAL TRAFFIC SIGNAL CONTROL PLAN FOR ONE LANE, TWO WAY OPERATION WITH BARRIERS AT STA. 786+85
20	TYPICAL TRAFFIC SIGNAL CONTROL PLAN FOR NARROW BRIDGE, ONE LANE, TWO WAY OPERATION WITH BARRIERS (10')
21	TYPICAL TRAFFIC SIGNAL CONTROL PLAN FOR ONE LANE, TWO WAY OPERATION WITH BARRIERS
22	TEMPORARY TRAFFIC SIGNAL
23 - 24	TRAFFIC SIGNAL PLAN--PILGER (WEST JUNCTION US-275/N-5)
25	TEMPORARY PAVEMENT MARKING PLAN
26	PAVEMENT MARKING PLAN--PARKING DETAIL
27 - 29	PAVEMENT MARKING PLAN--LEFT TURN BAYS
30 - 34	ROADWAY LIGHTING PLANS
35 - 37	EARTHWORK DATA SHEETS
38 - 47	DRAINAGE STRUCTURE CROSS SECTIONS
48 - 52	SPECIAL PLAN 1 BRIDGE REPAIR STA. 118+01.00
53 - 55	SPECIAL PLAN 2 BRIDGE DECK REPAIR & RAIL REMODEL STA. 417+24.24
56	SPECIAL PLAN 3 BRIDGE DECK REPAIR & REMOVE BRIDGE CURB STA. 477+12.75
57 - 61	SPECIAL PLAN 4 BRIDGE REPAIR STA. 594+09.68

62	SPECIAL PLAN 5	BRIDGE DECK REPAIR & MEMBRANE STA. 678+02.00
63 - 68	SPECIAL PLAN 6	BRIDGE REPAIR STA. 786+85.46
69	SPECIAL PLAN 7	BRIDGE DECK REPAIR & REMOVE BRIDGE CURB STA. 835+10.63
70	SPECIAL PLAN 1C	DOWELING INTO EXISTING CONCRETE BOX CULVERT FOR CULVERT EXTENSION
71 - 72	SPECIAL PLAN 2C	4' X 3' SINGLE SPAN RC BOX CULVERT STA. 134+67.00 LT
73 - 74	SPECIAL PLAN 3C	5' X 3' SINGLE SPAN RC BOX CULVERT STA. 187+13.00 LT
75 - 77	SPECIAL PLAN 4C	6' X 3' SINGLE SPAN RC BOX CULVERT STA. 443+71.00
78 - 79	SPECIAL PLAN 5C	6' X 3' SINGLE SPAN RC BOX CULVERT STA. 453+28.00
80 - 81	SPECIAL PLAN 6C	10' X 3' SINGLE SPAN RC BOX CULVERT STA. 496+54.00
82 - 83	SPECIAL PLAN 7C	6' X 5' TWIN SPAN RC BOX CULVERT STA. 693+96.00
84 - 85	SPECIAL PLAN 8C	6' X 4' SINGLE SPAN RC BOX CULVERT STA. 715+60.00
86 - 89	SPECIAL PLAN 9C	6' X 4' SINGLE SPAN RC BOX CULVERT STA. 805+57.00 LT
90 - 91	SPECIAL PLAN 10C	8' X 3' SINGLE SPAN RC BOX CULVERT STA. 868+57.00
92	SPECIAL PLAN 11C	CONCRETE COLLAR
93	SPECIAL PLAN 12C	CONCRETE COLLAR
94	SPECIAL PLAN 13C	CONCRETE COLLAR
95	SPECIAL PLAN 14C	CONCRETE HEADWALL (FOR 36" - 60" CORRUGATED METAL PIPES WITH NO SKEW)
96 - 103	SPECIAL PLAN 15C	GUARDRAIL PLAN
104	SPECIAL PLAN 16C	EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
105 - 106	SPECIAL PLAN 17C	TEMPORARY SILT CHECKS
107 - 108	SPECIAL PLAN 18C	CONCRETE PROTECTION BARRIER
R1 - R28		RIGHT-OF-WAY SHEETS
X1 - X73		CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
329-R9	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
403-R2	(2 SHEETS) BENDS AND BREAKS FOR CONCRETE BOX CULVERTS
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
740	MIDWEST GUARDRAIL SYSTEM BRIDGE APPROACH SECTION
743	(4 SHEETS) GUARDRAIL DETAILS
748	CULVERT MOUNTED GUARDRAIL POST
804	PRECAST CONCRETE R.O.W. MARKER
901-R9	HIGHWAY DELINEATORS
910-R2	SIGNAL FACE CONFIGURATION
911-R1	SIGNAL MOUNTING
914-R6	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		121 MGAL
RIGHT-OF-WAY MARKERS		64 EACH
EARTHWORK MEASURED IN EMBANKMENT	8,633	CY
REMOVE ASPHALT SURFACE	5,138	SY
REMOVE DRIVEWAY	150	SY
REMOVE CURB	342	LF
REMOVE CONCRETE DITCH LINER	13	SY
REMOVE	2	EACH
IRRIGATION RISER		
REMOVE	25	LF
TILE LINE		
24" DRIVE PIPE 2,3,4,5,6,7 OR 8	114	LF
30" DRIVE PIPE 2,3,4,5,6,7 OR 8	52	LF
REMOVE GUARDRAIL	2,750	LF
REMOVE SIGN, POST, AND FOOTING	1	EACH
COVER CROP SEEDING	12	ACRE
EROSION CONTROL, CLASS 1D	6,171	SY
EROSION CONTROL, CLASS 2A	457	SY
EROSION CHECKS, TYPE WATTLE	160	LF

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE FLARED- END SECTION	8	EACH
REMOVE & SALVAGE FES	1	EACH
REMOVE HEADWALLS FROM CULV	20	EACH
PREPARATION OF STRUCTURE	1	EACH
AT STA. 123+17.00		
PREPARATION OF STRUCTURE	1	EACH
AT STA. 134+67.00		
PREPARATION OF STRUCTURE	1	EACH
AT STA. 141+25.00		
PREPARATION OF STRUCTURE	1	EACH
AT STA. 163+45.00		
PREPARATION OF STRUCTURE	1	EACH
AT STA. 187+13.00		
PREPARATION OF STRUCTURE	1	EACH
AT STA. 200+13.00		
PREPARATION OF STRUCTURE	1	EACH
AT STA. 213+86.00		
PREPARATION OF STRUCTURE	1	EACH
AT STA. 238+09.00		
PREPARATION OF STRUCTURE	1	EACH
AT STA. 272+10.00		
PREPARATION OF STRUCTURE	1	EACH
AT STA. 296+57.00		
PREPARATION OF STRUCTURE	1	EACH
AT STA. 318+04.00		
PREPARATION OF STRUCTURE	1	EACH
AT STA. 324+44.00		
PREPARATION OF STRUCTURE	1	EACH
AT STA. 344+54.00		
PREPARATION OF STRUCTURE	1	EACH
AT STA. 350+73.00		
PREPARATION OF STRUCTURE	1	EACH
AT STA. 367+88.00		
PREPARATION OF STRUCTURE	1	EACH
AT STA. 443+71.00		

PREPARATION OF STRUCTURE	1	EACH
AT STA. 453+28.00		
PREPARATION OF STRUCTURE	1	EACH
AT STA. 496+54.00		
PREPARATION OF STRUCTURE	1	EACH
AT STA. 693+96.00		
PREPARATION OF STRUCTURE	1	EACH
AT STA. 715+60.00		
PREPARATION OF STRUCTURE	1	EACH
AT STA. 805+57.00		
PREPARATION OF STRUCTURE	1	EACH
AT STA. 868+57.00		
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	136	CY
EXCAVATION FOR BOX CULVERTS	409	CY
47B-3000 CONC FOR HDWL	4	CY
47B-3000 CONC FOR BOX CULV	186	CY
47B-3000 CONC FOR CONCRETE CO	14	CY
RE-STEEL FOR HEADWALL	607	LB
RE-STEEL FOR BOX CULVERT	17,328	LB
RE-STEEL FOR COLLARS	909	LB
24" METAL FLARED-END SECTION	10	EACH
30" METAL FLARED-END SECTION	4	EACH
36" METAL FLARED-END SECTION	1	EACH
42" METAL FLARED-END SECTION	6	EACH
48" METAL FLARED-END SECTION	3	EACH
54" METAL FLARED-END SECTION	1	EACH
INSTALL 48" METAL F.E.S.	1	EACH
30" RND EQUIV CONCRETE FES	6	EACH
36" RND EQUIV CONCRETE FES	4	EACH
42" RND EQUIV CONCRETE FES	3	EACH
CRUSHED ROCK FOR BASE COURSE	71	CY
30" RD EQUIV CULV PIPE 2	5	LF
42" RD EQUIV CULV PIPE 2	11	LF
24" CULV PIPE 3,4,5	81	LF
30" CULV PIPE 3,4,5	18	LF
42" CULV PIPE 3,4,5	82	LF
48" CULV PIPE 3,4,5	86	LF
54" CULV PIPE 3,4,5	12	LF

GROUP 6 BRIDGE AT STA. 118+01.00

MOBILIZATION	LUMP	LUMP
BR DECK REPAIR, PARTIAL DEPTH		29 SY
BR DECK REPAIR, FULL DEPTH		5 SY
47BD-4000 CONC FOR BRIDGE		5 CY
RE-STEEL FOR BRIDGE	1,375	LB
PREP BRIDGE		1 EACH
118+01.00		
TIMBER PILE REPAIR		3 EACH
CONCRETE REPAIR		21 SF

GROUP 6A BRIDGE AT STA. 417+24.24

MOBILIZATION	LUMP	LUMP
BR DECK REPAIR, PARTIAL DEPTH		83 SY
BR DECK REPAIR, FULL DEPTH		15 SY
47BD-4000 CONC FOR BRIDGE		16 CY
RE-STEEL FOR BRIDGE	3,875	LB
PREP BRIDGE		1 EACH
417+24.24		
REPAIR FLOOR DRAIN		6 EACH

GROUP 6B BRIDGE AT STA. 477+12.75

MOBILIZATION	LUMP	LUMP
BR DECK REPAIR, PARTIAL DEPTH		16 SY
BR DECK REPAIR, FULL DEPTH		5 SY
PREP BRIDGE		1 EACH
477+12.75		

GROUP 6C BRIDGE AT STA. 594+09.68

	LUMP	LUMP
MOBILIZATION		
FLOWABLE FILL CONCRETE		35 CY
BR DECK REPAIR, PARTIAL DEPTH		33 SY
BR DECK REPAIR, FULL DEPTH		11 SY
47BD-4000 CONC FOR BRIDGE		5 CY
RE-STEEL FOR BRIDGE	1,460	LB
PREP BRIDGE		1 EACH
594+09.68		
CONCRETE REPAIR		3 SF
REPAIR FLOOR DRAIN		4 EACH

GROUP 6D BRIDGE AT STA. 678+02.00

	LUMP	LUMP
MOBILIZATION		
BR DECK REPAIR, PARTIAL DEPTH		67 SY
BR DECK REPAIR, FULL DEPTH		5 SY
PREP BRIDGE		1 EACH
678+02.00		

GROUP 6E BRIDGE AT STA. 786+85.46

	LUMP	LUMP
MOBILIZATION		
BR DECK REPAIR, PARTIAL DEPTH		46 SY
BR DECK REPAIR, FULL DEPTH		11 SY
47BD-4000 CONC FOR BRIDGE		10 CY
RE-STEEL FOR BRIDGE	2,425	LB
PREP BRIDGE		1 EACH
786+85.46		
TIMBER PILE REPAIR		2 EACH
CONCRETE REPAIR		12 SF
REPAIR FLOOR DRAIN		4 EACH

GROUP 6F BRIDGE AT STA. 835+10.63

	LUMP	LUMP
MOBILIZATION		
BR DECK REPAIR, PARTIAL DEPTH		15 SY
BR DECK REPAIR, FULL DEPTH		5 SY
PREP BRIDGE		1 EACH
835+10.63		

GROUP 7 GUARDRAIL

	LUMP	LUMP
MOBILIZATION		
CULV MOUNTED GDRL POST		22 EACH
W-BEAM GUARDRAIL	2,000	LF
BRIDGE APPROACH SECTIONS		20 EACH
GUARDRAIL END TREATMENT, SRT-75		3 EACH
GUARDRAIL END TREATMENT, TYPE I		13 EACH
GUARDRAIL END TREATMENT, TYPE II		16 EACH

GROUP 8B ELECTRICAL

	LUMP	LUMP
MOBILIZATION		
PULL BOX, TYPE PB-5		1 EACH
ST LIGHT UNIT SL-BT-40-12-0.25		4 EACH
WOOD POLE		1 EACH
LIGHTING CONTROL CENTER, R		1 EACH
1 1/2" CONDUIT IN TRENCH	390	LF
1 1/2" CONDUIT UNDER ROADWAY		13 LF
1 1/2" CONDUIT, JACKED		149 LF
STREET LIGHT CABLE, NO. 6 BARE	1,104	LF
STREET LIGHT CABLE, NO. 6 USE		552 LF
INSTALL TRAFFIC SIGNAL, TYPE TS-2		2 EACH
REMOVE TRAFFIC SIGNAL HEAD		2 EACH
REMOVE WOOD POLE		1 EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES	1,663	STA
OVERLAY SOLID LINES	3,326	STA
PERMANENT PAVEMENT MARKING PAINT	680	LF
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE III	43	EACH
GRAVEL SURFACE COURSE	180	CY
GRAVEL EMBEDMENT	5	STA
CROSS STITCHING	407	EACH
CONCRETE CURB REPAIR	63	LF
CONC 47B-3000 MEDIAN SURFACING	11	SY
7" CONCRETE BASE COURSE	2,288	SY
CONC PVMT REPAIR TYPE A FULL DEPTH	34	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	5,316	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	2,971	CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH	1	CY
8" CONC PVMT, 47B-3500	15	SY
SEALING CRACKS	3,693	LF
SEALING JOINTS	27,075	LF
CONC PVMT, 47B-HE-3500	10	CY
JOINT REPAIR		
MEMBRANE WATERPROOFING	1,615	SY
5" WHT WET RFLC PRF PVMT MKNG T4 GVD	1,250	LF
5" YEL WET RFLC PRF PVMT MKNG T4 GVD	23,400	LF
12" YEL WET RFLC PRF PVMT MKNG T4 GVD	2,400	LF
HYDRATED LIME FOR ASPHALT MIXTURES	540	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	5	TON
FOUNDATION COURSE REPLACEMENT	169	CY
ASPH CONC FOR ST MAIN PTCHING TY SPH	500	TON
ASPH CONC, TYPE SPS	15,970	TON
ASPH CONC, TYPE SPH	53,700	TON
PLACE ASPH CONC FOR DRIVE & INTER	7,697	SY
ASPH CONCRETE FOR PATCHING, TYPE SPS	700	TON
ASPH CONC FOR PATCHING, TYPE SPH	300	TON
PERF GRAD BIND (70-34)FOR ST MAINT PATCH	26	TON
PERF GRADED BINDER (70-34)	2,808	TON
PERF GRADED BINDER (52-34)	583	TON
PREP OF INTER & DRIVE	365	SY
TACK COAT	70,910	GAL
WATER	50	MGAL
EARTH SHOULDER CONSTRUCTION	139	STA
SUBGRADE PREPARATION	5,097	SY
COLD MILLING, CLASS 3	1,492	STA
COLD MILLING, CLASS 4	1,325	SY
COLD MILLING, CLASS 5	7,149	SY
COLD MILLING, CLASS 3	15	STA
TYPE A		
COLD MILLING, CLASS 3	828	STA
TYPE B		
RUMBLE STRIPS, ASPHALT	1,472	STA
RUMBLE STRIPS, CONCRETE	75	STA
RUMBLE STRIPS, ASPHALT 8"	1,461	STA
RUMBLE STRIPS, CONCRETE 8"	74	STA
SURFACE UNDER GUARDRAIL	1,766	SY
RAP INCENTIVE PAYMENT	120,139	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B	12	ACRE
MULCH	27	TON

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	58,288	B DAY
BARRICADE, TYPE III	3,408	B DAY
TEMPORARY SIGN DAY	4,732	EACH
SIGN DAY	101,109	EACH
CONTRACTOR FURNISHED SIGN DAY	44	EACH
TEMP PAVEMENT MARKING REMOVAL	19,700	LF
PAVEMENT MARKING REMOVAL	5,350	LF

TEMP PVMT MARKING, TYPE PAINT	19,700 LF
FLAGGING	676 DAY
FURNISHING AND OPERATING PILOT VEHICLE	448 DAY
CONCRETE PROTECTION BARRIER	1,012 LF
RELOCATE CONC PROTECTION BARRIER	3,687 LF
TEMPORARY RUMBLE STRIP	28 EACH
TEMPORARY TRAFFIC SIGNAL	1 EACH
AT STA. 786+85	
TEMPORARY TRAFFIC SIGNAL	6 EACH
TRAFFIC CONTROL MANAGEMENT	460 DAY
FIELD OFFICE	1 EACH
TRAINING	4,000 HOUR
MOBILIZATION	LUMP LUMP
RENTAL OF LOADER, FULLY OPERATED	100 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	80 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	100 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	100 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	20 HOUR
TEMPORARY SILT CHECK	500 LF
TEMPORARY SILT FENCE	2,000 LF
TEMPORARY MULCH	6 TON

NOTICE TO CONTRACTORS

CALL ORDER 315
 FEDERAL PROJECT NO. NH-STP-81-3(143)
 LOCATION: US-81, MADISON SOUTH (NB)
 COUNTIES: MADISON PLATTE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 13, 2012. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 4.1 MILES
 START DATE 07/15/2013 WORKING DAYS 60
 Price Range \$ 1,000,000 to \$ 3,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning November 20, 2012 at the Lincoln Central Office and November 26, 2012 at the District Engineer's Office at NORFOLK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	17	SHEETS	\$	4.25
STANDARD PLANS	7	SHEETS	\$	1.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T6	TYPICAL CROSS SECTIONS
2-S1 - 2-S3	SUMMARY OF QUANTITIES
2-N	GENERAL INFORMATION
3	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
4	TEMPORARY PAVEMENT MARKING PLAN
5	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
6	PAVEMENT MARKING DETAILS
7 - 8	SPECIAL PLAN 1C MILLED RUMBLE STRIPS

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS)	TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	10,000	B DAY
BARRICADE, TYPE III	356	B DAY
TEMPORARY SIGN DAY	740	EACH
SIGN DAY	2,598	EACH
OVERLAY BROKEN LINES	1,093	STA
OVERLAY SOLID LINES	2,186	STA
FLASHING ARROW PANEL	50	DAY
FLAGGING	20	DAY
FURNISHING AND OPERATING PILOT VEHICLE	10	DAY
MOBILIZATION	LUMP	LUMP
REMOVE ASPH SURF FROM PAVEMENT	520	SY
CONC PVMT REPAIR TYPE A FULL DEPTH	1	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	651	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	119	CY

CONC PVMT, PR-3500	6 CY
JOINT REPAIR	
RR XING SYMBOL PREF PVMT MRKING T-4 GRVD	1 EACH
HYDRATED LIME FOR ASPHALT MIXTURES	97 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	3 TON
FOUNDATION COURSE REPLACEMENT	17 CY
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	500 TON
ASPH CONC, TYPE SPS	6,820 TON
ASPH CONC, TYPE SPR	12,840 TON
ASPH CONC, TYPE SPR (FINE)	3,130 TON
PLACE ASPH CONC FOR DRIVE & INTER	2,681 SY
ASPH CONCRETE FOR PATCHING, TYPE SPR	200 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	17 TON
PERF GRADED BINDER (52-34)	238 TON
PERF GRADED BINDER (64-34)	565 TON
TACK COAT	27,070 GAL
RENTAL OF LOADER, FULLY OPERATED	30 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	30 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	30 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	30 HOUR
WATER	24 MGAL
EARTH SHOULDER CONSTRUCTION	92 STA
COLD MILLING, CLASS 3	364 STA
TYPE A	
COLD MILLING, CLASS 4	215 STA
COLD MILLING, CLASS 5	1,150 SY
COLD MILLING, CLASS 3	43 STA
COLD MILLING, CLASS 3	46 STA
TYPE B	
RUMBLE STRIPS, ASPHALT	364 STA
RAP INCENTIVE PAYMENT	39,100 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP
SEEDING, TYPE B	2 ACRE
MULCH	5 TON

425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
428-R3	CONCRETE PLUGS AND FIELD PIPE TAP DETAILS
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
740	MIDWEST GUARDRAIL SYSTEM BRIDGE APPROACH SECTION
743	(4 SHEETS) GUARDRAIL DETAILS
804	PRECAST CONCRETE R.O.W. MARKER
901-R9	HIGHWAY DELINEATORS
914-R6	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		20 MGAL
RIGHT-OF-WAY MARKERS		10 EACH
EARTHWORK MEASURED IN EMBANKMENT		891 CY
REMOVE ASPHALT SURFACE	3,664	SY
REMOVE DRIVEWAY		58 SY
REMOVE WALK		47 SY
24" DRIVE PIPE 2,3,4,5,6,7 OR 8		60 LF
REMOVE GUARDRAIL	1,055	LF
REMOVE SIGN, POST, AND FOOTING		3 EACH
COVER CROP SEEDING		15 ACRE
EROSION CONTROL, CLASS 1D	1,335	SY

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE FLARED- END SECTION		2 EACH
REMOVE HEADWALLS FROM CULV		2 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		64 CY
47B-3000 CONC FOR PIPE PLUG		1 CY
24" FLARED-END SECTION		2 EACH
24" METAL FLARED-END SECTION		2 EACH
24" CULV PIPE 3,4,5		28 LF
24" CULV PIPE 2,4,5,7,8		74 LF

GROUP 6 BRIDGE AT STA 560+27.80

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		7 CY
RE-STEEL FOR PAVEMENT APPROACHES	1,995	LB
PREP BRIDGE		1 EACH
560+27.80		
CONCRETE REPAIR		24 SF

GROUP 6A BRIDGE AT STA 607+77.30

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		7 CY
RE-STEEL FOR PAVEMENT APPROACHES	1,995	LB
PREP BRIDGE		1 EACH
607+77.30		
CONCRETE REPAIR		8 SF

GROUP 6B BRIDGE AT STA 679+91.53

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		7 CY
RE-STEEL FOR PAVEMENT APPROACHES	1,995	LB
PREP BRIDGE 679+91.53		1 EACH
CONCRETE REPAIR	120	SF

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL	293	LF
BRIDGE APPROACH SECTIONS		16 EACH
END ANCHORAGE ASSEMBLY		1 EACH
GUARDRAIL END TREATMENT, TYPE II		15 EACH

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
1 1/2" CONDUIT IN TRENCH		101 LF
1 1/2" CONDUIT UNDER ROADWAY		22 LF
1 1/2" CONDUIT, JACKED		110 LF
STREET LIGHT CABLE, NO. 6 BARE		233 LF
STREET LIGHT CABLE, NO. 6 USE		466 LF
RELOCATE STREET LIGHTING UNIT		2 EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES	2,060	STA
OVERLAY SOLID LINES	4,120	STA
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE III		26 EACH
CRUSHED ROCK SURFACE COURSE		35 CY
CONC 47B-3000 SIDEWALKS		47 SY
DETECTABLE WARNING PANEL		64 SF
CONC PVMT REPAIR TYPE A FULL DEPTH		4 CY
CONC PVMT REPAIR TYPE B FULL DEPTH	1,167	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	266	CY
BRIDGE APPROACH REPAIR		6 CY
5" WHT WET RFLC PRF PVMT MKNG T4 GVD		420 LF
24" WHT WET RFLC PRF PVMT MKNG T4 GVD		90 LF
5" YEL WET RFLC PRF PVMT MKNG T4 GVD	4,000	LF
12" YEL WET RFLC PRF PVMT MKNG T4 GVD		250 LF
RR XING SYMBOL PREF PVMT MRKING T-4 GRVD		1 EACH
HYDRATED LIME FOR ASPHALT MIXTURES	429	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		1 TON
FOUNDATION COURSE REPLACEMENT		26 CY
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR		150 TON
ASPH CONC, TYPE SPS	13,430	TON
ASPH CONC, TYPE SPR	41,970	TON
PLACE ASPH CONC FOR DRIVE & INTER	1,477	SY
ASPH CONCRETE FOR PATCHING, TYPE SPR	1,000	TON
ASPH CONCRETE FOR PATCHING, TYPE SPS		500 TON
PERF GRAD BIND (64-34) FOR ST MAINT PATCH		5 TON
PERF GRADED BINDER (52-34)		487 TON
PERF GRADED BINDER (64-34)	1,503	TON
PREP OF INTER & DRIVE		724 SY
TACK COAT	56,020	GAL
WATER		24 MGAL
EARTH SHOULDER CONSTRUCTION		28 STA
SUBGRADE PREPARATION	4,569	SY
COLD MILLING, CLASS 3		659 STA
COLD MILLING, CLASS 3 TYPE B		83 STA
COLD MILLING, CLASS 3 TYPE A	1,284	STA
RUMBLE STRIPS, ASPHALT	1,332	STA

RUMBLE STRIPS, ASPHALT 8"	1,332	STA
SURFACE UNDER GUARDRAIL	579	SY
RAP INCENTIVE PAYMENT	96,730	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B	15	ACRE
MULCH	33	TON

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	29,400	BDAY
BARRICADE, TYPE III	4,128	BDAY
TEMPORARY SIGN DAY	1,120	EACH
SIGN DAY	25,072	EACH
TEMP PAVEMENT MARKING REMOVAL	10,300	LF
PAVEMENT MARKING REMOVAL	2,490	LF
TEMP PVMT MARKING, TYPE PAINT	10,300	LF
TEMP PVMT MARKING SURF PREP	4,180	LF
FLAGGING	204	DAY
FURNISHING AND OPERATING PILOT VEHICLE	102	DAY
CONCRETE PROTECTION BARRIER	1,062	LF
RELOCATE CONC PROTECTION BARRIER	1,062	LF
TEMPORARY RUMBLE STRIP	12	EACH
TEMPORARY TRAFFIC SIGNAL	3	EACH
TRAFFIC CONTROL MANAGEMENT	216	DAY
TRAINING	1,000	HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	90	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	80	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	90	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	90	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10	HOUR
TEMPORARY SILT FENCE	1,000	LF

NOTICE TO CONTRACTORS

CALL ORDER 405
 STATE PROJECT NO. STR-80-6(1042)
 LOCATION: I-80, GRAND ISLAND-AURORA BRIDGES
 COUNTIES: HALL HAMILTON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 13, 2012. At that time the bids will be opened and read for BRIDGE, GUARDRAIL.

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES
 START DATE 04/01/2013 CALENDAR DAYS 146
 Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning November 20, 2012 at the Lincoln Central Office and November 26, 2012 at the District Engineer's Office at GRAND ISLAND
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	36 SHEETS	\$	9.00
STANDARD PLANS	13 SHEETS	\$	3.25

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-A1 - 2-A2	PHOTO MAPS
2-H1 - 2-H5	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
2-L1 - 2-L2	EROSION & SEDIMENT CONTROL
3 - 4	PLAN SHEETS
5	TYPICAL TRAFFIC CONTROL PLAN FOR LANE CLOSURE WITH CONCRETE BARRIERS
6	TYPICAL TRAFFIC CONTROL PLAN--INERTIAL BARRIER SYSTEM
7	TEMPORARY PAVEMENT MARKING PLAN
8 - 17	SPECIAL PLAN 1 STEEL GIRDER BRIDGE--REPAIR & OVERLAY STA. 385+93.39
18 - 21	SPECIAL PLAN 2 BRIDGE REPAIR STA. 1363+38.42
22 - 23	SPECIAL PLAN 1C GUARDRAIL PLAN
24 - 25	SPECIAL PLAN 2C CONCRETE PROTECTION BARRIER

STANDARD PLANS

501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
740	MIDWEST GUARDRAIL SYSTEM BRIDGE APPROACH SECTION
743	(4 SHEETS) GUARDRAIL DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT STA. 385+93.39 LT.

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		30 CY
RE-STEEL FOR PAVEMENT APPROACHES	5,988 LB	
CLASS I REPAIR	453 SY	
CLASS II REPAIR	90 SY	
CLASS III REPAIR	5 SY	

PLACE, FINISH, & CURE CONC OVERLAY-SF	453	SY
47BD-4000 CONC FOR BRIDGE	61	CY
CONCRETE FOR OVERLAYS-SF	25	CY
RE-STEEL FOR BRIDGE	14,337	LB
PREP BRIDGE	1	EACH
386+03.09 LT.		
SUBSURFACE DRAINAGE MATTING	34	SY
GRANULAR BACKFILL	25	CY

GROUP 6A BRIDGE AT STA. 385+93.39 RT.

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		30 CY
RE-STEEL FOR PAVEMENT APPROACHES	5,988	LB
CLASS I REPAIR	453	SY
CLASS II REPAIR	90	SY
CLASS III REPAIR	5	SY
PLACE, FINISH, & CURE CONC OVERLAY-SF	453	SY

GROUP 6A BRIDGE AT STA. 385+93.39 RT.

47BD-4000 CONC FOR BRIDGE	61	CY
CONCRETE FOR OVERLAYS-SF	25	CY
RE-STEEL FOR BRIDGE	14,337	LB
PREP BRIDGE	1	EACH
385+83.69 RT.		
SUBSURFACE DRAINAGE MATTING	34	SY
GRANULAR BACKFILL	25	CY

GROUP 6B BRIDGE AT STA. 1363+38.42 LT.

MOBILIZATION	LUMP	LUMP
CLASS I REPAIR	429	SY
CLASS II REPAIR	5	SY
CLASS III REPAIR	5	SY
PLACE, FINISH, & CURE CONC OVERLAY-SF	429	SY
47BD-4000 CONC FOR BRIDGE	34	CY
CONCRETE FOR OVERLAYS-SF	23	CY
PREP BRIDGE	1	EACH
1363+38.17 LT.		
EPOXY COATED RE-STEEL	8,390	LB

GROUP 6C BRIDGE AT STA. 1363+38.42 RT.

MOBILIZATION	LUMP	LUMP
CLASS I REPAIR	429	SY
CLASS II REPAIR	5	SY
CLASS III REPAIR	5	SY
PLACE, FINISH, & CURE CONC OVERLAY-SF	429	SY
47BD-4000 CONC FOR BRIDGE	34	CY
CONCRETE FOR OVERLAYS-SF	23	CY
PREP BRIDGE	1	EACH
1363+38.67 RT.		
EPOXY COATED RE-STEEL	8,390	LB

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
REMOVE PAVEMENT	130	SY
REMOVE ASPHALT SURFACE	236	SY
W-BEAM GUARDRAIL	1,968	LF
REMOVE GUARDRAIL	2,618	LF
BRIDGE APPROACH SECTIONS	9	EACH
END ANCHORAGE ASSEMBLY	1	EACH
GUARDRAIL END TREATMENT, TYPE I	8	EACH
SURFACE UNDER GUARDRAIL	403	SY
EROSION CONTROL, CLASS 1D	2,571	SY
FABRIC SILT FENCE-LOW POROSITY	1,340	LF

GROUP 10 GENERAL ITEMS

SURV OF TEMP TRAFFIC CONT DEVICES	146	CDAY
BARRICADE, TYPE II	12,264	BDAY
BARRICADE, TYPE III	1,168	BDAY
SIGN DAY	9,052	EACH
CONTRACTOR FURNISHED SIGN DAY	584	EACH
TEMP PAVEMENT MARKING REMOVAL	16,600	LF
PAVEMENT MARKING REMOVAL	8,800	LF
TEMP PVMT MARKING, TYPE PAINT	17,500	LF
TEMP PVMT MARKING SURF PREP	17,500	LF
FLASHING ARROW PANEL	292	DAY
CONCRETE PROTECTION BARRIER	1,200	LF
RELOCATE CONC PROTECTION BARRIER	3,600	LF
RELOC INERTIAL BARRIER SYSTEM	6	EACH
INERTIAL BARRIER SYSTEM	2	EACH
REPLACEMENT MODULE	18	EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	15	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	15	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	15	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	15	HOUR

NOTICE TO CONTRACTORS

CALL ORDER 500
 STATE PROJECT NO. STR-80-1(1036)
 LOCATION: I-80, KIMBALL SOUTHEAST BRIDGES
 COUNTIES: KIMBALL

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 13, 2012. At that time the bids will be opened and read for BR GDRL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES
 START DATE 06/24/2013 WORKING DAYS 60
 Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning November 20, 2012 at the Lincoln Central Office and November 26, 2012 at the District Engineer's Office at GERING
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	34 SHEETS	\$	8.50
STANDARD PLANS	11 SHEETS	\$	2.75

SHEET NO.

1	TITLE PAGE
2-S	SUMMARY OF QUANTITIES
2-A	PHOTO MAP
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
3	PLAN SHEET
4	TYPICAL TRAFFIC CONTROL PLAN FOR LANE CLOSURE WITH CONCRETE BARRIER--WB
5 - 7	TYPICAL TRAFFIC CONTROL PLAN--LANE CLOSURE WITH CONCRETE BARRIER--EB PHASE I
8 - 10	TYPICAL TRAFFIC CONTROL PLAN--LANE CLOSURE WITH CONCRETE BARRIER--EB PHASE II
11	TEMPORARY PAVEMENT MARKING PLAN
12	TYPICAL PAVEMENT MARKING PLAN--4" PAVEMENT MARKING
13	TYPICAL TRAFFIC CONTROL PLAN--INERTIAL BARRIER SYSTEM
14 - 27	SPECIAL PLAN 1 BRIDGE REPAIR STA. 1197+65.00
28	SPECIAL PLAN 1C GUARDRAIL PLAN
29 - 30	SPECIAL PLAN 2C CONCRETE PROTECTION BARRIER

STANDARD PLANS

501-R5	(3 SHEETS) EROSION CONTROL
740	MIDWEST GUARDRAIL SYSTEM BRIDGE APPROACH SECTION
743	(4 SHEETS) GUARDRAIL DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT STA. 1197+65.00 LT.

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		192 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	33,960 LB	
CLASS I REPAIR		484 SY
CLASS II REPAIR		97 SY
CLASS III REPAIR		5 SY

PLACE, FINISH, & CURE CONC OVERLAY-SF	484 SY
47B-3000 CONC FOR BRIDGE	23 CY
47BD-4000 CONC FOR BRIDGE	3 CY
CONCRETE FOR OVERLAYS-SF	47 CY
PREP BRIDGE	1 EACH
1197+54.84	
EPOXY COATED RE-STEEL	3,750 LB
HP 12"X53# STEEL PILING	325 LF

GROUP 6A BRIDGE AT STA. 1197+65.00 RT.

	LUMP	LUMP
MOBILIZATION		
CONC FOR PVMT APPROACHES CLASS 47BD-4000		237 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	41,215 LB	
CLASS I REPAIR		612 SY
CLASS II REPAIR		122 SY
CLASS III REPAIR		5 SY
PLACE, FINISH, & CURE CONC OVERLAY-SF		612 SY
47B-3000 CONC FOR BRIDGE		29 CY
47BD-4000 CONC FOR BRIDGE		3 CY
CONCRETE FOR OVERLAYS-SF		60 CY
PREP BRIDGE		1 EACH
1197+75.16		
EPOXY COATED RE-STEEL	4,640 LB	
HP 12"X53# STEEL PILING	390 LF	

GROUP 7 GUARDRAIL

	LUMP	LUMP
MOBILIZATION		
W-BEAM GUARDRAIL		687 LF
REMOVE GUARDRAIL		850 LF
BRIDGE APPROACH SECTIONS		4 EACH
GUARDRAIL END TREATMENT, TYPE I		4 EACH
SURFACE UNDER GUARDRAIL		977 SY
EROSION CONTROL, CLASS 1D		400 SY

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	13,780 BDAY	
BARRICADE, TYPE III	1,092 BDAY	
SIGN DAY	7,384 EACH	
CONTRACTOR FURNISHED SIGN DAY	676 EACH	
TEMP PAVEMENT MARKING REMOVAL	19,200 LF	
PAVEMENT MARKING REMOVAL	8,600 LF	
TEMP PVMT MARKING, TYPE PAINT	19,200 LF	
TEMP PVMT MARKING SURF PREP	19,200 LF	
FLASHING ARROW PANEL	208 DAY	
FLAGGING	16 DAY	
CONCRETE PROTECTION BARRIER	1,100 LF	
RELOCATE CONC PROTECTION BARRIER	1,050 LF	
RELOC INERTIAL BARRIER SYSTEM	2 EACH	
INERTIAL BARRIER SYSTEM	2 EACH	
REPLACEMENT MODULE	18 EACH	
MOBILIZATION		
	LUMP	LUMP
4" WHT WET RFLC PRF PVMT MKNG T4 GVD		4,700 LF
12" WHT WET RFLC PRF PVMT MKNG T4 GVD		1,250 LF
4" YEL WET RFLC PRF PVMT MKNG T4 GVD		2,650 LF

NOTICE TO CONTRACTORS

CALL ORDER 600
 STATE PROJECT NO. MISC-2-2(1014)
 LOCATION: N-2, IN THEDFORD
 COUNTIES: THOMAS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 13, 2012 . At that time the bids will be opened and read for GUARDRAIL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: GUARD RAIL AND FENCE
 START DATE 10/15/2013 WORKING DAYS 10
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning November 20, 2012 at the Lincoln Central Office and November 26, 2012 at the District Engineer's Office at NORTH PLATTE
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	10 SHEETS	\$	2.50
STANDARD PLANS	16 SHEETS	\$	4.00

SHEET NO.

1	TITLE PAGE & SUMMARY OF QUANTITIES
2-A1 - 2-A2	PHOTO MAPS
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
3	PLAN SHEET--CONSTRUCTION, REMOVAL, EROSION & SEDIMENT CONTROL
4 - 5	PLAN SHEETS--CONSTRUCTION & REMOVAL
6 - 7	SPECIAL PLAN 1C GUARDRAIL PLAN

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
303	(2 SHEETS) CURB RAMP
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 7 GUARDRAIL

BARRICADE, TYPE II	200	B	DAY
BARRICADE, TYPE III	160	B	DAY
SIGN DAY	304	E	EACH
CONTRACTOR FURNISHED SIGN DAY	20	E	EACH
FLAGGING	20	D	DAY
MOBILIZATION	LUMP	L	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	L	LUMP
REMOVE WALK	44	S	Y
CONC 47B-3000 SIDEWALKS	37	S	Y
DETECTABLE WARNING PANEL	48	S	F
REMOVE GUARDRAIL	300	L	F
GUARDRAIL END TREATMENT, TYPE II	8	E	EACH
SODDING	35	S	Y
EROSION CONTROL, CLASS 1D	1,059	S	Y
TEMPORARY SILT FENCE	300	L	F

NOTICE TO CONTRACTORS

CALL ORDER 605
 FEDERAL PROJECT NO. NH-83-2(140)
 LOCATION: US-83, IN NORTH PLATTE, ADA
 COUNTIES: LINCOLN

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 13, 2012. At that time the bids will be opened and read for CONC PAVE ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT
 START DATE 09/03/2013 WORKING DAYS 25
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning November 20, 2012 at the Lincoln Central Office and November 26, 2012 at the District Engineer's Office at NORTH PLATTE

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	80 SHEETS	\$	20.00
STANDARD PLANS	16 SHEETS	\$	4.00

SHEET NO.

1	TITLE PAGE
2-S	SUMMARY OF QUANTITIES
2-A1 - 2-A7	PHOTO MAPS
2-H1 - 2-H3	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
2-L1 - 2-L28	GEOMETRICS
3 - 16	PLAN SHEETS
17 - 18	TRAFFIC SIGNAL PLAN
19	SIGNING & MARKING PLAN--SCHOOL CROSSING & CROSSWALK
20	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
R1 - R21	RIGHT-OF-WAY SHEETS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
303	(2 SHEETS) CURB RAMP
435-R1	(3 SHEETS) MANHOLE
914-R6	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
REMOVE WALK		505 SY
CONC 47B-3000 SIDEWALKS		593 SY
DETECTABLE WARNING PANEL		693 SF
ADJUST MANHOLE TO GRADE		1 EACH
24" WHITE PREF PVMT MKING T-4 GROOVED		72 LF
MILLING CONCRETE CURB		12 LF
SODDING		123 SY
ADJUST VALVE BOX TO GRADE		3 EACH

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
PULL BOX, TYPE PB-1		1 EACH
PEDESTRIAN SIGNAL, TYPE PS-1		2 EACH
PEDESTAL POLE, TYPE PP-12		1 EACH
2" CONDUIT IN TRENCH		5 LF
3" CONDUIT IN TRENCH		9 LF
5/C #14 AWG TRAF SIG CABLE		14 LF
12/C #14 AWG TRAF SIG CABLE		485 LF
#8 GROUNDING CONDUCTOR BARE COPPER		247 LF
SERVICE CABLE		318 LF
2 PAIR COMMUNICATION CABLE		236 LF
UNINTERRUPTIBLE POWER SUPPLY		1 EACH
INST TRAF SIG CONTROLLER, TC-2070		1 EACH
REMOVE PEDESTAL POLE		1 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	3,750	BDAY
BARRICADE, TYPE III	250	BDAY
TEMPORARY SIGN DAY	200	EACH
SIGN DAY	470	EACH
FLASHING ARROW PANEL	50	DAY
FLAGGING	25	DAY
MOBILIZATION	LUMP	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 610
 FEDERAL PROJECT NO. STP-23-2(125)
 LOCATION: N-23, N. JCT. US-83 WEST
 COUNTIES: LINCOLN

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 13, 2012. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 6.1 MILES
 START DATE 07/08/2013 WORKING DAYS 65
 Price Range \$ 1,000,000 to \$ 3,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning November 20, 2012 at the Lincoln Central Office and November 26, 2012 at the District Engineer's Office at NORTH PLATTE. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	50 SHEETS	\$	12.50
STANDARD PLANS	10 SHEETS	\$	2.50

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-W1 - 2-W6	WETLANDS
2-H1 - 2-H3	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION
2-N2 - 2-N3	GENERAL INFORMATION--MILLED RUMBLE STRIPS
2-L1 - 2-L11	EROSION & SEDIMENT CONTROL
3 - 8	PLAN SHEETS
9	PAVEMENT MARKING PLAN
10	TEMPORARY PAVEMENT MARKING PLAN
11	TYPICAL PAVEMENT MARKING PLAN--4" PAVEMENT MARKING
12	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
13 - 21	DRAINAGE STRUCTURE CROSS SECTIONS
22	SPECIAL PLAN 1C CONCRETE FLUME, TYPE II
23 - 24	SPECIAL PLAN 2C CONCRETE FLUME, TYPE IV
25 - 26	SPECIAL PLAN 3C CONCRETE FLUME, TYPE V

STANDARD PLANS

307-R1	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	15,000 BDAY
BARRICADE, TYPE III	472 BDAY
TEMPORARY SIGN DAY	910 EACH
SIGN DAY	8,567 EACH

OVERLAY BROKEN LINES	967	STA
OVERLAY SOLID LINES	1,934	STA
FLAGGING	120	DAY
FURNISHING AND OPERATING PILOT VEHICLE	45	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
REMOVE ASPHALT SURFACE	13	SY
REMOVE CURB	6,738	LF
REMOVE FLUME	31	EACH
REMOVE FLUME SPILLWAY	781	LF
SPEC SURF CRSE FOR MAILBOX TURNOUTS	111	SY
MAILBOX POST	4	EACH
FLUME SPILLWAY	64	LF
CONCRETE FLUME, TYPE II	7	EACH
CONCRETE FLUME, TYPE IV	22	EACH
CONCRETE FLUME, TYPE V	2	EACH
4" YEL WET RFLC PRF PVMT MKNG T4 GVD	1,900	LF
12" YEL WET RFLC PRF PVMT MKNG T4 GVD	155	LF
HYDRATED LIME FOR ASPHALT MIXTURES	145	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	1	TON
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	300	TON
ASPH CONC, TYPE SPR	23,660	TON
PLACE ASPH CONC FOR DRIVE & INTER	1,328	SY
ASPH CONCRETE FOR PATCHING, TYPE SPR	600	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	10	TON
PERF GRADED BINDER (64-34)	845	TON
CONSTRUCTING ASPH CONC CURB	6,899	LF
TACK COAT	22,440	GAL
FOG SEAL	282	GAL
RENTAL OF LOADER, FULLY OPERATED	40	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	30	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	40	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	40	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10	HOUR
FLY ASH SLURRY INJECTION	482	TON
INJECTION HOLES	3,856	EACH
TRENCHED WIDENING	644	STA
COLD MILLING, CLASS 3	334	STA
COLD MILLING, CLASS 5	1,328	SY
COLD MILLING, CLASS 3	334	STA
TYPE A		
COLD MILLING, CLASS 3	211	STA
TYPE B		
RUMBLE STRIPS, ASPHALT 8"	640	STA
RAP INCENTIVE PAYMENT	41,089	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B	1	ACRE
EROSION CONTROL, CLASS 1D	839	SY
EROSION CONTROL, CLASS 1F	540	SY
FABRIC SILT FENCE-LOW POROSITY	496	LF
TEMPORARY SILT FENCE	750	LF
HYDROMULCH	1	TON
MOWING	40	HOUR
15" CULV PIPE 3,4,5,6	945	LF

NOTICE TO CONTRACTORS

CALL ORDER 615
FEDERAL PROJECT NO. NH-2-3(120)
LOCATION: N-2, BROKEN BOW EAST
COUNTIES: CUSTER

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 13, 2012 . At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 7.2 MILES
START DATE 07/01/2013 WORKING DAYS 70
Price Range \$ 1,000,000 to \$ 3,000,000
THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning November 20, 2012 at the Lincoln Central Office and November 26, 2012 at the District Engineer's Office at NORTH PLATTE
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

NOTICE TO BIDDERS

To be eligible for the award of this contract, bidders shall submit a completed bidding proposal for Call Order No. 615, {Project No. NH-2-3(120)} and Call Order No. 620, {Project No. NH-2-3(118)}. Award of Contract, if awarded, will be made on the combined bid for these call order nos. Separate contracts will be awarded for each Call Order Number. Please order plans and proposals accordingly.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	14 SHEETS	\$	3.50
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T6	TYPICAL CROSS SECTIONS
2-S1 - 2-S4	SUMMARY OF QUANTITIES
3	SPECIAL PLAN 1C BRIDGE APPROACH REPAIR
4 - 5	SPECIAL PLAN 2C MILLED RUMBLE STRIPS

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	14,000	B	DAY
BARRICADE, TYPE III	500	B	DAY
TEMPORARY SIGN DAY	980	E	EACH
SIGN DAY	11,688	E	EACH
OVERLAY BROKEN LINES	762	S	TA
OVERLAY SOLID LINES	1,524	S	TA
FLAGGING	140	D	DAY
FURNISHING AND OPERATING PILOT VEHICLE	65	D	DAY
MOBILIZATION	LUMP	L	UMP
REMOVE ASPHALT SURFACE	291	S	Y
CROSS STITCHING	6,684	E	EACH

CONCRETE CURB REPAIR	93	LF
CONC PVMT REPAIR TYPE A FULL DEPTH	39	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	154	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	662	CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH	6	CY
SEALING CRACKS	2,062	LF
SEALING JOINTS	41,561	LF
SEALING CONCRETE REPAIR JOINT	1,075	LF
CONC PVMT, PR-3500	44	CY
JOINT REPAIR		
CONC PVMT, 47B-HE-3500	12	CY
JOINT REPAIR		
BRIDGE APPROACH REPAIR	27	CY
HYDRATED LIME FOR ASPHALT MIXTURES	53	TON
FOUNDATION COURSE REPLACEMENT	26	CY
ULTRATHIN BONDED ASPHALT WEARING COURSE	5,340	TON
ASPH CONC FOR ST MAINT PTCHING, TYPE SPS	100	TON
ASPH CONC, TYPE SPS	5,700	TON
PLACE ASPH CONC FOR DRIVE & INTER	3,679	SY
ASPH CONCRETE FOR PATCHING, TYPE SPS	100	TON
PERF GRAD BIND (52-34) FOR ST MAINT PATCH	3	TON
PERF GRADED BINDER (52-34)	203	TON
PERF GRADED BINDER (64-34)	299	TON
TACK COAT	26,200	GAL
RENTAL OF LOADER, FULLY OPERATED	20	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	20	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	20	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	20	HOUR
COLD MILLING, CLASS 3	772	STA
COLD MILLING, CLASS 5	689	SY
RUMBLE STRIPS, ASPHALT	772	STA
CONC SURF MILLING	105,229	SY
RAP INCENTIVE PAYMENT	18,938	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 620
FEDERAL PROJECT NO. NH-2-3(118)
LOCATION: N-2, IN BROKEN BOW
COUNTIES: CUSTER

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 13, 2012 . At that time the bids will be opened and read for CULV ELEC BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS
START DATE 08/12/2013 WORKING DAYS 45
Price Range \$ 500,000 to \$ 2,000,000
THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning November 20, 2012 at the Lincoln Central Office and November 26, 2012 at the District Engineer's Office at NORTH PLATTE
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

NOTICE TO BIDDERS

To be eligible for the award of this contract, bidders shall submit a completed bidding proposal for Call Order No. 620, {Project No. NH-2-3(118)} and Call Order No. 615, {Project No. NH-2-3(120)}. Award of Contract, if awarded, will be made on the combined bid for these call order nos. Separate contracts will be awarded for each Call Order Number. Please order plans and proposals accordingly.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	66 SHEETS	\$	16.50
STANDARD PLANS	24 SHEETS	\$	6.00

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T8	TYPICAL CROSS SECTIONS
2-S1 - 2-S3	SUMMARY OF QUANTITIES
2-A1 - 2-A7	PHOTO MAPS
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
2-L1 - 2-L7	GEOMETRICS
2-L8 - 2-L14	REMOVALS
3 - 9	PLAN SHEETS--CONSTRUCTION
10 - 13	PLAN SHEETS--LIGHTING
14 - 18	TRAFFIC SIGNAL PLANS
19 - 20	PAVEMENT MARKING PLAN
21	PAVEMENT MARKING PLAN--PARKING DETAIL
22	TEMPORARY PAVEMENT MARKING PLAN
23	PAVEMENT MARKING PLAN
24	DRAINAGE STRUCTURE CROSS SECTIONS
R1 - R8	RIGHT-OF-WAY SHEETS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
303	(2 SHEETS) CURB RAMP
329-R9	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
443-R8	(2 SHEETS) CURB INLETS AND JUNCTION BOX
914-R6	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE INLET		1 EACH
CAST IRON COVER & FRAME		125 LB
STRUCTURAL STEEL FOR FACE ARMOR		215 LB
REMOVE SEWER PIPE		43 LF
47B-3000 CONC FOR INLET & JUNCTION BOXES		4 CY
47B-3000 CONC FOR CONCRETE CO		1 CY
RE-STEEL FOR INLET & JCT BOX		292 LB
RE-STEEL FOR COLLARS		106 LB
CURB INLET SEDIMENT FILTER		1 EACH
30" STORM SEWER PIPE 1,7,8		38 LF

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
PULL BOX, TYPE PB-1		1 EACH
PULL BOX, TYPE PB-2		1 EACH
PULL BOX, TYPE PB-5		2 EACH
PULL BOX, TYPE PB-6		1 EACH
TRAFFIC SIGNAL, TYPE TS-1		10 EACH
PEDESTRIAN SIGNAL, TYPE PS-1		16 EACH
VEHICLE DETECTOR, TYPE A PREFORMED		9 EACH
VEHICLE DETECTOR, TYPE B PREFORMED		1 EACH
C.M.A. SIG & LGHT POLE, CMP-25-8		1 EACH
C.M.A. SIG & LGHT POLE, CMP-30-8		2 EACH
C.M.A. SIG & LGHT POLE, CMP-35-8		1 EACH
C.M.A. SIG & LGHT POLE, CMP-40-8		1 EACH
LED TRAF SIG MOD, TYPE 12" RED		2 EACH
LED TRAF SIG MOD, TYPE 12" YELLOW		2 EACH
LED TRAF SIG MOD, TYPE 12" GREEN		2 EACH
1" CONDUIT IN TRENCH		50 LF
GALVANIZED RIGID STEEL		
2" CONDUIT IN TRENCH		3 LF
2" CONDUIT UNDER ROADWAY		41 LF
2" CONDUIT UNDER SIDEWALK		10 LF
1" CONDUIT, JACKED		45 LF
GALVANIZED RIGID STEEL		
2" CONDUIT, JACKED		258 LF
2/C #14 AWG TRAF SIG CABLE		218 LF
3/C #14 AWG TRAF SIG CABLE		520 LF
12/C #14 AWG TRAF SIG CABLE		1,141 LF
2/C #14 AWG DETECTOR LEAD-IN CABLE		332 LF
GROUNDING CONDUCTOR		680 LF
SERVICE CABLE		584 LF
STREET LIGHT CABLE, NO. 6 USE		1,236 LF
STREET LIGHT CABLE, NO. 8 USE		190 LF
INSTALL		1 EACH
TRAFFIC SIGNAL CONTROLLER, TYPE TC-2		
REMOVE TRAFFIC SIGNAL		1 EACH
AT N-2 & 9TH AVE.		
REMOVE PEDESTRIAN SIGNAL HEAD		6 EACH
REMOVE PULL BOX		1 EACH
REMOVE COMB MAST ARM SIG AND LIGHT POLE		1 EACH
REMOVE GROUNDING CONDUCTOR		241 LF
REMOVE SERVICE CABLE		296 LF
REMOVE TRAFFIC SIGNAL CABLE		2,792 LF
REMOVE STREET LIGHTING CABLE		354 LF
REMOVE		2 EACH
VIDEO CAMERA		
REMOVE		354 LF
COAXIAL CABLE		
RELOCATE STREET LIGHTING UNIT		1 EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES	129	STA
OVERLAY SOLID LINES	129	STA
PERMANENT PAVEMENT MARKING PAINT	1,200	LF
MOBILIZATION	LUMP	LUMP
RE-ESTABLISH PROPERTY CORNER	12	EACH
REMOVE PAVEMENT	407	SY
SAWING PAVEMENT	461	LF
REMOVE WALK	406	SY
TIE BARS	168	EACH
CROSS STITCHING	325	EACH
CONCRETE CURB REPAIR	654	LF
CONC 47B-3000 SIDEWALKS	473	SY
DETECTABLE WARNING PANEL	552	SF
CONC PVMT REPAIR TYPE A FULL DEPTH	6	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	75	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	717	CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH	1	CY
9" CONC PVMT 47B-HE-3500	439	SY
SEALING CRACKS	658	LF
SEALING JOINTS	28,017	LF
CONC PVMT, PR-3500	5	CY
JOINT REPAIR		
ARROW, PREF PVMT MRKING T-4 GROOVED	24	EACH
24" WHITE PREF PVMT MKING T-4 GROOVED	300	LF
4" WHT WET RFLC PRF PVMT MKNG T4 GVD	930	LF
4" YEL WET RFLC PRF PVMT MKNG T4 GVD	8,100	LF
HYDRATED LIME FOR ASPHALT MIXTURES	22	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	3	TON
FOUNDATION COURSE REPLACEMENT	21	CY
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	300	TON
ASPH CONC, TYPE SPR	2,190	TON
ASPH CONCRETE FOR PATCHING, TYPE SPR	100	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	10	TON
PERF GRADED BINDER (64-34)	80	TON
TACK COAT	3,015	GAL
RENTAL OF LOADER, FULLY OPERATED	10	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	10	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	10	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	10	HOUR
WATER	3	MGAL
EARTH SHOULDER CONSTRUCTION	1	STA
SUBGRADE PREPARATION	439	SY
COLD MILLING, CLASS 3	20,103	SY
RAP INCENTIVE PAYMENT	3,893	EACH
ASPH PVMT SMOOTHNESS TESTING	LUMP	LUMP
SODDING	82	SY

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	3,750	BDAY
BARRICADE, TYPE III	90	BDAY
SIGN DAY	2,586	EACH
CONTRACTOR FURNISHED SIGN DAY	132	EACH
FLAGGING	30	DAY
MOBILIZATION	LUMP	LUMP

NOTICE TO CONTRACTORS

CALL ORDER 700
 FEDERAL PROJECT NO. STP-61-1(110)
 LOCATION: N-61, US-34 NORTH
 COUNTIES: DUNDY

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 13, 2012. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 7.6 MILES
 START DATE 07/29/2013 WORKING DAYS 50
 Price Range \$ 1,000,000 to \$ 3,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning November 20, 2012 at the Lincoln Central Office and November 26, 2012 at the District Engineer's Office at MCCOOK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	23	SHEETS	\$	5.75
STANDARD PLANS	6	SHEETS	\$	1.50

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-A1 - 2-A7	PHOTO MAPS
2-H	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
3 - 9	PLAN SHEETS
10	TYPICAL TRAFFIC CONTROL PLAN--VEHICLE SIGNING FOR PAINT STRIPING
11	TEMPORARY PAVEMENT MARKING PLAN
12	PAVEMENT MARKING DETAILS
13	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	8,750	B	DAY
BARRICADE, TYPE III	485	B	DAY
TEMPORARY SIGN DAY	700	E	EACH
SIGN DAY	7,760	E	EACH
OVERLAY BROKEN LINES	1,159	S	TA
OVERLAY SOLID LINES	2,318	S	TA
PERMANENT PAVEMENT MARKING PAINT	116,000	L	F
FLAGGING	100	D	AY
FURNISHING AND OPERATING PILOT VEHICLE	48	D	AY
MOBILIZATION	LUMP	L	UMP
ROADWAY GRADING	5	S	TA
REMOVE ASPHALT SURFACE	130	S	Y
GRAVEL SURFACE COURSE	165	C	Y
SPEC SURF CRSE FOR MAILBOX TURNOUTS	508	S	Y
MAILBOX POST	6	E	EACH
STOP AHD SYM, PREF PVMT MRKING, T-4 GVD	1	E	EACH
HYDRATED LIME FOR ASPHALT MIXTURES	157	T	ON

HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	15 TON
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	2,500 TON
ASPH CONC, TYPE SPR	25,860 TON
PLACE ASPH CONC FOR DRIVE & INTER	3,705 SY
ASPH CONCRETE FOR PATCHING, TYPE SPR	300 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	88 TON
PERF GRADED BINDER (64-34)	916 TON
PREP OF INTER & DRIVE	288 SY
TACK COAT	21,172 GAL
RENTAL OF LOADER, FULLY OPERATED	40 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	40 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	40 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	40 HOUR
FLY ASH SLURRY INJECTION	273 TON
INJECTION HOLES	2,184 EACH
COLD MILLING, CLASS 3	386 STA
COLD MILLING, CLASS 5	3,417 SY
COLD MILLING, CLASS 3	386 STA
TYPE A	
RAP INCENTIVE PAYMENT	44,472 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP
SEEDING, TYPE B	2 ACRE
MULCH	5 TON

NOTICE TO CONTRACTORS

CALL ORDER 705
 FEDERAL PROJECT NO. STPD-89-2(109)
 LOCATION: N-89, STAMFORD WEST
 COUNTIES: FURNAS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 13, 2012. At that time the bids will be opened and read for GRAD BR SEED GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 7.1 MILES
 START DATE 07/01/2013 WORKING DAYS 70
 Price Range \$ 2,000,000 to \$ 4,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning November 20, 2012 at the Lincoln Central Office and November 26, 2012 at the District Engineer's Office at MCCOOK

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	46	SHEETS	\$	11.50
CROSS SECTIONS (SHEETS X1 THRU X16)	16	SHEETS	\$	4.00
STANDARD PLANS	16	SHEETS	\$	4.00

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-W1 - 2-W7	WETLANDS
2-H1 - 2-H3	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N2	GENERAL INFORMATION
2-L1 - 2-L7	EROSION & SEDIMENT CONTROL
3 - 9	PLAN SHEETS
10	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL YIELD CONTROL FOR LOW VOLUME, ONE LANE, TWO WAY TRAFFIC (CONCRETE PROTECTION BARRIERS, NARROW BRIDGE)
11	TYPICAL TRAFFIC CONTROL PLAN--VEHICLE SIGNING FOR PAINT STRIPING
12	TEMPORARY PAVEMENT MARKING PLAN
13	PAVEMENT MARKING DETAILS
14	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
15 - 16	SPECIAL PLAN 1 BRIDGE REPAIR STA. 602+36.38
17 - 18	SPECIAL PLAN 2 BRIDGE REPAIR STA. 684+51.14
19 - 20	SPECIAL PLAN 1C GUARDRAIL PLAN
21	SPECIAL PLAN 2C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
22 - 23	SPECIAL PLAN 3C TEMPORARY SILT CHECKS
24 - 25	SPECIAL PLAN 4C CONCRETE PROTECTION BARRIER
X1 - X16	CROSS SECTIONS

STANDARD PLANS

307-R1	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
740	MIDWEST GUARDRAIL SYSTEM BRIDGE APPROACH SECTION
743	(4 SHEETS) GUARDRAIL DETAILS
901-R9	HIGHWAY DELINEATORS

920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		38 MGAL
EARTHWORK MEASURED IN EMBANKMENT		2,532 CY
REMOVE GUARDRAIL		1,179 LF
COVER CROP SEEDING		18 ACRE
EROSION CONTROL, CLASS 1F		4,502 SY
EROSION CHECKS, TYPE COIR		1,155 LF
FABRIC SILT FENCE-LOW POROSITY		1,292 LF

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE B		18 ACRE
MULCH		41 TON

GROUP 6 BRIDGE AT STA. 602+36.38

MOBILIZATION	LUMP	LUMP
BR DECK REPAIR, PARTIAL DEPTH		105 SY
BR DECK REPAIR, FULL DEPTH		5 SY
47BD-4000 CONC FOR BRIDGE		51 CY
PREP BRIDGE		1 EACH
602+36.38		
EPOXY COATED RE-STEEL		10,472 LB

GROUP 6A BRIDGE AT STA. 684+51.14

MOBILIZATION	LUMP	LUMP
BR DECK REPAIR, PARTIAL DEPTH		32 SY
BR DECK REPAIR, FULL DEPTH		5 SY
47BD-4000 CONC FOR BRIDGE		7 CY
PREP BRIDGE		1 EACH
684+51.14		
EPOXY COATED RE-STEEL		1,667 LB

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		1,800 LF
BRIDGE APPROACH SECTIONS		8 EACH
GUARDRAIL END TREATMENT, TYPE II		8 EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES		1,118 STA
OVERLAY SOLID LINES		2,236 STA
PERMANENT PAVEMENT MARKING PAINT		97,000 LF
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE III		76 EACH
INSTALL CHEVRONS		34 EACH
CRUSHED ROCK SURFACE COURSE		175 CY
SPEC SURF CRSE FOR MAILBOX TURNOUTS		633 SY
MAILBOX POST		10 EACH
MEMBRANE WATERPROOFING		747 SY
24" WHITE PREF PVMT MKING T-4 GROOVED		84 LF
RR XING SYMBOL PREF PVMT MRKING T-4 GRVD		2 EACH
HYDRATED LIME FOR ASPHALT MIXTURES		182 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		15 TON

ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	2,500	TON
ASPH CONC, TYPE SPR	29,944	TON
PLACE ASPH CONC FOR DRIVE & INTER	4,122	SY
ASPH CONCRETE FOR PATCHING, TYPE SPR	400	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	88	TON
PERF GRADED BINDER (64-34)	1,062	TON
PREP OF INTER & DRIVE	2,012	SY
TACK COAT	23,721	GAL
WATER	186	MGAL
EARTH SHOULDER CONSTRUCTION	741	STA
TRENCHED WIDENING	741	STA
COLD MILLING, CLASS 3	370	STA
COLD MILLING, CLASS 4	648	SY
COLD MILLING, CLASS 5	1,216	SY
SURFACE UNDER GUARDRAIL	1,854	SY
RAP INCENTIVE PAYMENT	51,585	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	15,224	BDAY
BARRICADE, TYPE III	1,338	BDAY
TEMPORARY SIGN DAY	980	EACH
SIGN DAY	12,609	EACH
TEMP PAVEMENT MARKING REMOVAL	9,000	LF
PAVEMENT MARKING REMOVAL	2,400	LF
TEMP PVMT MARKING, TYPE PAINT	9,000	LF
TEMP PVMT MARKING SURF PREP	9,000	LF
FLAGGING	140	DAY
FURNISHING AND OPERATING PILOT VEHICLE	50	DAY
CONCRETE PROTECTION BARRIER	700	LF
RELOCATE CONC PROTECTION BARRIER	700	LF
TRAFFIC CONTROL MANAGEMENT	125	DAY
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	55	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	35	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	55	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	55	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	20	HOUR
TEMPORARY SILT CHECK	200	LF
TEMPORARY SILT FENCE	500	LF
TEMPORARY EARTH CHECK	200	LF
TEMPORARY MULCH	2	TON

NOTICE TO CONTRACTORS

CALL ORDER 710
FEDERAL PROJECT NO. STPE-1553(1)
LOCATION: ON A COUNTY ROAD, NORTH OF MCCOOK
COUNTIES: RED WILLOW

The Nebraska Department of Roads will receive sealed bids for the COUNTY OF RED WILLOW in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on December 13, 2012. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 2.5 MILES
START DATE 09/03/2013 WORKING DAYS 30
Price Range \$ 500,000 to \$ 2,000,000
THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning November 20, 2012 at the Lincoln Central Office and November 26, 2012 at the District Engineer's Office at MCCOOK. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	12 SHEETS	\$	3.00
CROSS SECTIONS (SHEETS X1 THRU X22)	22 SHEETS	\$	5.50
STANDARD PLANS	10 SHEETS	\$	2.50

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS & DETAILS
2-S	SUMMARY OF QUANTITIES
3 - 5	PLAN SHEETS
6	REMOVAL & CONSTRUCTION OF INTERSECTION AT STA. 158+38.81
7	TEMPORARY PAVEMENT MARKING PLAN
8	TYPICAL PAVEMENT MARKING PLAN--4" PAVEMENT MARKING
9 - 10	SPECIAL PLAN 1C TEMPORARY SILT CHECKS
11	SPECIAL PLAN 2C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
X1 - X20	ROADWAY CROSS SECTIONS
X21 - X22	ROADWAY CROSS SECTIONS (INTERSECTION AT STA. 158+38.81)

STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
308-R1	LOCAL ROADS MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	2,250 BDAY
BARRICADE, TYPE III	244 BDAY
TEMPORARY SIGN DAY	420 EACH

SIGN DAY	2,867	EACH
OVERLAY BROKEN LINES	265	STA
OVERLAY SOLID LINES	530	STA
PERMANENT PAVEMENT MARKING PAINT	42,386	LF
FLAGGING	50	DAY
FURNISHING AND OPERATING PILOT VEHICLE	15	DAY
MOBILIZATION	LUMP	LUMP
EARTHWORK MEASURED IN EMBANKMENT	10,950	CY
REMOVE ASPHALT SURFACE	517	SY
SPEC SURF CRSE FOR MAILBOX TURNOUTS	169	SY
MAILBOX POST	6	EACH
HYDRATED LIME FOR ASPHALT MIXTURES	76	TON
ASPH CONC, TYPE SPR	12,430	TON
PLACE ASPH CONC FOR DRIVE & INTER	1,153	SY
ASPH CONCRETE FOR PATCHING, TYPE SPR	200	TON
PERF GRADED BINDER (64-34)	707	TON
PREP OF INTER & DRIVE	811	SY
TACK COAT	8,410	GAL
RENTAL OF LOADER, FULLY OPERATED	60	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	20	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	60	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	60	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	40	HOUR
WATER	347	MGAL
EARTH SHOULDER CONSTRUCTION	266	STA
SUBGRADE PREPARATION	938	SY
RAP INCENTIVE PAYMENT	21,471	EACH
SEEDING, TYPE A	3	ACRE
SEEDING, TYPE B	7	ACRE
COVER CROP SEEDING	10	ACRE
EROSION CHECKS, TYPE WATTLE	252	LF
FABRIC SILT FENCE-LOW POROSITY	1,925	LF
TEMPORARY SILT CHECK	250	LF
TEMPORARY SILT FENCE	1,900	LF
TEMPORARY MULCH	4	TON
MULCH	23	TON

NOTICE TO CONTRACTORS

CALL ORDER 800
 FEDERAL PROJECT NO. NH-275-4(105)
 LOCATION: US-275, EWING EAST & WEST
 COUNTIES: HOLT

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 13, 2012. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 11.4 MILES
 START DATE 06/17/2013 WORKING DAYS 80
 Price Range \$ 3,000,000 to \$ 6,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning November 20, 2012 at the Lincoln Central Office and November 26, 2012 at the District Engineer's Office at AINSWORTH
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	42 SHEETS	\$	10.75
STANDARD PLANS	9 SHEETS	\$	2.25

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T5	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-W1 - 2-W11	WETLANDS
2-H	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1	GENERAL INFORMATION
2-N2 - 2-N3	GENERAL INFORMATION--MILLED RUMBLE STRIPS
3 - 13	PLAN SHEETS
14	TYPICAL TRAFFIC CONTROL PLAN--VEHICLE SIGNING FOR PAINT STRIPING
15	TEMPORARY PAVEMENT MARKING PLAN
16	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
17	TYPICAL PAVEMENT MARKING PLAN--RURAL LEFT TURN BAYS
18 - 21	SPECIAL PLAN 1C GUARDRAIL PLAN

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS)	TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	19,200	BDAY
BARRICADE, TYPE III	556	BDAY
TEMPORARY SIGN DAY	1,120	EACH
SIGN DAY	16,124	EACH
OVERLAY BROKEN LINES	1,752	STA
OVERLAY SOLID LINES	3,504	STA
PERMANENT PAVEMENT MARKING PAINT	140,000	LF

FLAGGING		160	DAY
FURNISHING AND OPERATING PILOT VEHICLE		80	DAY
TRAINING		500	HOUR
MOBILIZATION	LUMP		LUMP
GENERAL CLEARING AND GRUBBING	LUMP		LUMP
CROSS STITCHING		459	EACH
CONC PVMT REPAIR TYPE A FULL DEPTH		4	CY
CONC PVMT REPAIR TYPE B FULL DEPTH		36	CY
CONC PVMT REPAIR TYPE C FULL DEPTH		194	CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH		1	CY
DIAMOND GRINDING AND TEXTURING CONC PVMT		8,643	SY
SEALING CRACKS		959	LF
SEALING JOINTS		11,914	LF
CONC PVMT, PR-3500		7	CY
JOINT REPAIR			
CONC SMOOTHNESS TESTING	LUMP		LUMP
GUARDRAIL POSTS		8	EACH
12" YELLOW PERMANENT PVMT MARKING PAINT		200	LF
HYDRATED LIME FOR ASPHALT MIXTURES		213	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		2	TON
FOUNDATION COURSE REPLACEMENT		7	CY
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR		250	TON
ASPH CONC, TYPE SPS		11,330	TON
ASPH CONC, TYPE SPR		34,980	TON
PLACE ASPH CONC FOR DRIVE & INTER		4,631	SY
ASPH CONCRETE FOR PATCHING, TYPE SPR		500	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH		8	TON
PERF GRADED BINDER (52-34)		396	TON
PERF GRADED BINDER (64-34)		1,241	TON
TACK COAT		47,690	GAL
RENTAL OF LOADER, FULLY OPERATED		40	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED		40	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		40	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		40	HOUR
COLD MILLING, CLASS 3		596	STA
COLD MILLING, CLASS 5		4,631	SY
COLD MILLING, CLASS 3		1,144	STA
TYPE A			
RUMBLE STRIPS, ASPHALT		1,124	STA
RAP INCENTIVE PAYMENT		79,577	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP		LUMP
SEEDING, TYPE B		17	ACRE
MULCH		41	TON

NOTICE TO CONTRACTORS

CALL ORDER 805
 STATE PROJECT NO. RD-20-2(1028)
 LOCATION: US-20, WOOD LAKE-JOHNSTOWN
 COUNTIES: BROWN CHERRY

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 13, 2012. At that time the bids will be opened and read for GRAD,GDRL,BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 11.6 MILES
 START DATE 06/17/2013 WORKING DAYS 80
 Price Range \$ 3,000,000 to \$ 6,000,000

Plans and specifications may be seen beginning November 20, 2012 at the Lincoln Central Office and November 26, 2012 at the District Engineer's Office at AINSWORTH
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	42	SHEETS	\$ 10.50
CROSS SECTIONS (SHEETS X1 THRU X13)	13	SHEETS	\$ 3.25
STANDARD PLANS	17	SHEETS	\$ 4.25

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T4	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-W1 - 2-W11	WETLANDS
2-H1 - 2-H5	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N2	GENERAL INFORMATION
3 - 13	PLAN SHEETS
14	TYPICAL TRAFFIC CONTROL PLAN--VEHICLE SIGNING FOR PAINT STRIPING
15	TEMPORARY PAVEMENT MARKING PLAN
16	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
17	EARTHWORK DATA SHEET
18	SPECIAL PLAN 1C GUARDRAIL PLAN
19 - 20	SPECIAL PLAN 2C MILLED RUMBLE STRIPS
X1 - X13	CROSS SECTIONS

STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
309	MAILBOX SUPPORT POST
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
740	MIDWEST GUARDRAIL SYSTEM BRIDGE APPROACH SECTION
743	(4 SHEETS) GUARDRAIL DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		2 MGAL
EARTHWORK MEASURED IN EMBANKMENT		388 CY
REMOVE ASPHALT SURFACE		274 SY

REMOVE GUARDRAIL	840	LF
EROSION CONTROL, CLASS 1D	3,627	SY
FABRIC SILT FENCE-LOW POROSITY	371	LF

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL	175	LF
CABLE GUARDRAIL	208	LF
BRIDGE APPROACH SECTIONS	4	EACH
TERMINAL ANCHORAGE SECTIONS	2	EACH
GUARDRAIL END TREATMENT, TYPE II	4	EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES	1,574	STA
OVERLAY SOLID LINES	3,148	STA
PERMANENT PAVEMENT MARKING PAINT	153,000	LF
MOBILIZATION	LUMP	LUMP
GRAVEL SURFACE COURSE	10	CY
CRUSHED ROCK SURFACE COURSE	45	CY
MAILBOX POST	9	EACH
HYDRATED LIME FOR ASPHALT MIXTURES	219	TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC	3	TON
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	500	TON
ASPH CONC, TYPE SPS	12,230	TON
ASPH CONC, TYPE SPR	36,060	TON
PLACE ASPH CONC FOR DRIVE & INTER	5,734	SY
ASPH CONCRETE FOR PATCHING, TYPE SPR	500	TON
ASPH CONCRETE FOR PATCHING, TYPE SPS	100	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	17	TON
PERF GRADED BINDER (52-34)	431	TON
PERF GRADED BINDER (64-34)	1,279	TON
CONSTRUCTING ASPH CONC CURB	239	LF
TACK COAT	50,040	GAL
FOG SEAL	50	GAL
COLD MILLING, CLASS 3	261	STA
COLD MILLING, CLASS 5	523	STA
TYPE A		
COLD MILLING, CLASS 5	5,038	SY
COLD MILLING, CLASS 3	350	STA
TYPE A		
COLD MILLING, CLASS 3	701	STA
TYPE B		
RUMBLE STRIPS, ASPHALT	1,228	STA
SURFACE UNDER GUARDRAIL	615	SY
RAP INCENTIVE PAYMENT	83,113	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	19,200	B DAY
BARRICADE, TYPE III	556	B DAY
TEMPORARY SIGN DAY	1,120	EACH
SIGN DAY	15,429	EACH
FLAGGING	160	DAY
FURNISHING AND OPERATING PILOT VEHICLE	80	DAY
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	60	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	60	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	60	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10	HOUR
TEMPORARY SILT FENCE	300	LF

NOTICE TO CONTRACTORS

CALL ORDER 810
FEDERAL PROJECT NO. STP-95-4(104)
LOCATION: N-95, CHAMBERS EAST
COUNTIES: HOLT

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on December 13, 2012. At that time the bids will be opened and read for CULV BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 5.5 MILES
START DATE 09/03/2013 WORKING DAYS 30
Price Range \$ 500,000 to \$ 2,000,000
THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning November 20, 2012 at the Lincoln Central Office and November 26, 2012 at the District Engineer's Office at AINSWORTH
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	30	SHEETS	\$	7.50
STANDARD PLANS	24	SHEETS	\$	6.00

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-W1 - 2-W5	WETLANDS
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N2	GENERAL INFORMATION
2-L1 - 2-L4	CONSTRUCTION, REMOVAL, & DRAINAGE
3 - 7	PLAN SHEETS
8	TYPICAL TRAFFIC CONTROL PLAN--VEHICLE SIGNING FOR PAINT STRIPING
9	PAVEMENT MARKING PLAN--PARKING DETAILS (CHAMBERS)
10	TEMPORARY PAVEMENT MARKING PLAN
11	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
12	DRAINAGE STRUCTURE CROSS SECTIONS
13	SPECIAL PLAN 1C RETAINING WALL
R1 - R2	RIGHT-OF-WAY SHEETS

STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
301-R10	(3 SHEETS) PAVEMENT DETAILS
303	(2 SHEETS) CURB RAMP
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
443-R8	(2 SHEETS) CURB INLETS AND JUNCTION BOX
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
CAST IRON COVER & FRAME		250 LB
47B-3000 CONC FOR INLET & JUNCTION BOXES		5 CY
47B-3000 CONC FOR CONCRETE CO		1 CY
RE-STEEL FOR INLET & JCT BOX		262 LB
RE-STEEL FOR COLLARS		76 LB
24" FLARED-END SECTION		1 EACH
18" STORM SEWER PIPE 1,7,8		21 LF
24" STORM SEWER PIPE 1,7,8		6 LF

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES		582 STA
OVERLAY SOLID LINES		1,164 STA
PERMANENT PAVEMENT MARKING PAINT		61,000 LF
MOBILIZATION	LUMP	LUMP
SAWING PAVEMENT		30 LF
REMOVE WALK		66 SY
REMOVE COMBINATION CURB AND GUTTER		26 LF
REMOVE CONCRETE FLUME		1 EACH
GRAVEL SURFACE COURSE		115 CY
COMB CONC 47B-3500 CURB & GUTTER		26 LF
CONC 47B-3000 SIDEWALKS		88 SY
DETECTABLE WARNING PANEL		102 SF
47B-3000 CONC FOR RETAINING WALL		2 CY
RE-STEEL FOR RETAINING WALL		277 LB
24" WHITE PREF PVMT MKING T-4 GROOVED		162 LF
HYDRATED LIME FOR ASPHALT MIXTURES		84 TON
HYD LIME FOR ASPH MIXES FOR ST MAIN PATC		2 TON
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR		250 TON
ASPH CONC, TYPE SPR		13,710 TON
PLACE ASPH CONC FOR DRIVE & INTER		1,865 SY
ASPH CONCRETE FOR PATCHING, TYPE SPR		250 TON
PERF GRAD BIND (64-34) FOR ST MAINT PATCH		8 TON
PERF GRADED BINDER (64-34)		488 TON
PREP OF INTER & DRIVE		215 SY
TACK COAT		16,680 GAL
RENTAL OF LOADER, FULLY OPERATED		30 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED		30 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		30 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		30 HOUR
WATER		1 MGAL
COLD MILLING, CLASS 3		313 STA
COLD MILLING, CLASS 5		1,604 SY
RAP INCENTIVE PAYMENT		23,732 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SODDING		34 SY

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II		3,900 BDAY
BARRICADE, TYPE III		305 BDAY
TEMPORARY SIGN DAY		420 EACH
SIGN DAY		4,697 EACH
FLAGGING		50 DAY
FURNISHING AND OPERATING PILOT VEHICLE		22 DAY
FIELD OFFICE		1 EACH
MOBILIZATION	LUMP	LUMP

Plan and Informational Proposal Order Form
Projects to be bid on:
December 13, 2012

Payment required for plans prior to NDOR completing this order.
 dor.ContractsOnlineOrders@nebraska.gov FAX: (402) 479-4845

Document No.

<input type="checkbox"/> Check/Cash	Receipt No.
<input type="checkbox"/> Advance Plans Account No.	
Credit Card	
<input type="checkbox"/> Visa	<input type="checkbox"/> MasterCard
Expiration Date:	
Card No.:	
FOR OFFICE USE ONLY	
Reference I.D.:	
Authorization Code: _____ Date: _____	

Please indicate:	<input type="checkbox"/> Fed Ex. Standard Overnight	Comments:
<input type="checkbox"/> Mail	<input type="checkbox"/> Fed Ex. Priority Overnight	
<input type="checkbox"/> Hold	<input type="checkbox"/> UPS Overnight	
	Acct. No.	

4-Digit Vendor No.:	Ordered By:	Grand Total - Informational Proposals: x \$5.00
Company:		All plans in letting on CD: x \$25.00
Street Address:		Grand Total - 1/2 Size Plans: x \$.25
		Grand Total - Full Size Plans: x \$.50
PO Box:	City:	State:
		Zip Code:
Phone No. (include Area Code):		Fax No. (include Area Code):
		Tax Code
		Sales Tax
		%
Processed by:	Date:	Proposals/CD Filled:
		Blueprint Plans/Proposals Filled:
		Date:
Total		

If requesting Plan or Proposal CD(s) only, your name will not appear on the Planholders list unless your company has been issued Bid Proposals or you submit the "Planholders Registration" from the NDOR website.

CD containing Informational Proposals for all projects in letting. (No Charge) Total Number Requested: →

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. 1/2 size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
100	STP-112-1(103)				
105	RD-34-6(1036)				
110	STR-75-1(1013)				
115	STP-S12C(105)				
120	IM-180-9(2)				
300	RD-13-4(1017)				
305	NH-30-5(132)				
310	NH-275-6(140)				
315	NH-STP-81-3(143)				
400	STP-30-4(155)				
405	STR-80-6(1042)				
500	STR-80-1(1036)				

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. ½ size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
600	MISC-2-2(1014)				
605	NH-83-2(140)				
610	STP-23-2(125)				
615	NH-2-3(120)				
620	NH-2-3(118)				
700	STP-61-1(110)				
705	STPD-89-2(109)				
710	STPE-1553(1)				
800	NH-275-4(105)				
805	RD-20-2(1028)				
810	STP-95-4(104)				

Standard Plans: Refer to "Publication Order Form" for complete sets of Standard Plans and Standard/Special Plans Books

Number of Sets Requested	Standard Plan No.(s)	Number of Sheets Shown in List of Plans	Check Size		Total No. of Sheets	
			1/2	Full	1/2	Full
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		

