

February 14, 2013

TO ALL CONCERNED:

The Department of Roads has scheduled a bid letting to be held in this office March 14, 2013 at 1:30 p.m.

The Notice to Contractors includes:

1. Website Information
2. Notice to all Bidders
3. Ordering Instructions
4. Notices to Contractors including time allowances and lists of plans
5. Plan and Informational Proposal Order Form
6. R-125 "Request for Bidding Proposal Forms"

Projects containing DBE Goals are indicated in the "Notice to Contractors".

Please check the important letting information on the website frequently.

The last day to submit acceptable prequalification statements for this letting is by 5:00 p.m. on Monday, March 4, 2013.

Sincerely,

Kimberly K. Baker, Supervisor  
Contract Lettings Section  
Construction Division

KKB/amh

### WEBSITE INFORMATION

The Nebraska Department of Roads, Contract Lettings Section, will be utilizing the Internet as our means of communicating with the contracting industry.

Documents that are posted on the web are:

- Letting Schedule
- Notices to Contractors
- Informational Proposals
- Letting Plans
- List of Prequalified Contractors
- Planholders List
- Informational Addendums
- EBS (Electronic Bidding System)
- Apparent Low Bidders
- Bid Tabulations
- Standard Item Listing
- Awarded Average Unit Prices (AUP) Report

Hard copies of these documents will be available for inspection in the Contracts Office.

There will be a charge for reproduction of any of these documents.

The Website address is: [www.Transportation.Nebraska.gov](http://www.Transportation.Nebraska.gov)

If you have any questions as you are using our Website, please contact us at:

Nebraska Department of Roads  
Contract Lettings Section  
P.O. Box 94759  
Lincoln, NE 68509-4759

Phone (402) 479-4525  
FAX (402) 479-3803

Email: [DOR.ContractLettings@nebraska.gov](mailto:DOR.ContractLettings@nebraska.gov)

## **NOTICE TO ALL BIDDERS**

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free “hotline” Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the “hotline” to report such activities.

The “hotline” is part of the DOT’s continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

## ORDERING INSTRUCTIONS FOR PLANS AND PROPOSALS

Refer to the "Notice to Contractors" for the call order number, project number, and list of plans for each project.

Order forms are available on the NDOR website in PDF and Word format. Complete the appropriate forms as follows:

### **Request for Bidding Proposal Forms (R-125)**

Bidders must submit an R-125, Request for Bidding Proposals Forms and be issued bid proposals prior to submitting bids.

Proposals to be used for bidding must be requested on this form. Bidding proposals will be issued only to contractors who are currently prequalified to bid with this department.

There is no charge for bid proposals.

### **Plan and Informational Proposal Order Form:**

Payment is required prior to NDOR completing the order. This payment is not refundable.

Proposals to be used for information only can be ordered as follows:

1. Each individual project.
2. CD that contains all projects in letting. Does not contain addenda.

Plans for each project can be ordered as follows:

1. Complete set.
2. Set less Roadway Cross-Sections and Standards.
3. Set less Standards.
4. Set less Roadway Cross-Sections.
5. Individual sheets
6. CD that contains all projects in letting.

Prices are: Informational Proposals: \$5.00 each  
CD containing Informational Proposals: No Charge  
Plans per sheet: \$.25 for half-size (12" x 18")  
\$.50 for full-size (24" x 36")  
CD containing plans: \$25.00 each

Cost shown on the list of plans is for ½ size plans. Nebraska residents add appropriate state sales tax and city tax that is determined by delivery within cities imposing a sales tax.

Select the method of payment on the plan order form:

1. Credit Card (Visa or MasterCard only)  
Orders with approved credit cards can be processed without delays.
2. Advanced payment account  
Requires a money deposit with recommended \$200 minimum. Failure to have sufficient funds in your account to cover cost of the plans may delay the processing of your order.  
This account may also be used to purchase other NDOR publications.
3. Check/cash  
Send checks made payable to the Nebraska Dept. of Roads with your completed plan order form. Please do not mail cash.

To order complete sets of standard plans (1/2 size) please use the "Publications Order Form" available on the website. Cost is \$35.00 plus applicable sales tax. As new standards become available they may be purchased at \$0.25 per sheet.

Address: Nebraska Department of Roads  
Contracts Section  
1500 Highway 2  
PO Box 94759  
Lincoln NE 68509-4759

FAX (402) 479-3803

Phone: (402) 479-4525

Email: [DOR.ContractLettings@nebraska.gov](mailto:DOR.ContractLettings@nebraska.gov)

October 10, 2008

NOTICE TO CONTRACTORS

CALL ORDER 100  
 FEDERAL PROJECT NO. STP-34-6(136)  
 LOCATION: US-34, IN SEWARD  
 COUNTIES: SEWARD

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on March 14, 2013. At that time the bids will be opened and read for CULV GDRL ELEC BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 1.1 MILES  
 START DATE 07/08/2013 WORKING DAYS 60  
 Price Range \$ 500,000 to \$ 2,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning February 19, 2013 at the Lincoln Central Office and February 25, 2013 at the District Engineer's Office at LINCOLN  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	59	SHEETS	\$	14.75
STANDARD PLANS	31	SHEETS	\$	7.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T8	TYPICAL CROSS SECTIONS
2-S1 - 2-S3	SUMMARY OF QUANTITIES
2-A1 - 2-A3	PHOTO MAPS
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
2-L1	GEOMETRICS
2-L2 - 2-L11	LARGE SCALE PLAN SHEETS
3 - 6	TRAFFIC SIGNAL PLAN
7	TRAFFIC CONTROL PLAN--DRAINAGE RECONSTRUCTION
8	TEMPORARY PAVEMENT MARKING PLAN
9	TYPICAL PAVEMENT MARKING PLAN--4" PAVEMENT MARKING
10	PAVEMENT MARKING DETAILS
11	DRAINAGE STRUCTURE CROSS SECTIONS
12 - 13	SPECIAL PLAN 1C GUARDRAIL PLAN
14 - 15	SPECIAL PLAN 2C PEDESTRIAN BARRIER & HANDRAIL DETAILS
16	SPECIAL PLAN 3C RECONSTRUCT GUTTER DEPRESSION FOR 2" OVERLAY
17 - 18	SPECIAL PLAN 4C CURB INLET DETAILS
19 - 20	SPECIAL PLAN 5C CONCRETE PROTECTION BARRIER
R1 - R12	RIGHT-OF-WAY SHEETS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
303-R1	(4 SHEETS) CURB RAMP
411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
435-R1	(3 SHEETS) MANHOLE
443-R8	(2 SHEETS) CURB INLETS AND JUNCTION BOX
743	(4 SHEETS) GUARDRAIL DETAILS
910-R2	SIGNAL FACE CONFIGURATION
911-R1	SIGNAL MOUNTING
912-R4	TRAFFIC SIGNAL POLE DETAILS
914-R6	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE INLET		2 EACH
CAST IRON COVER & FRAME		750 LB
STRUCTURAL STEEL FOR FACE ARMOR		672 LB
RECONSTRUCT CURB INLET		1 EACH
AT STATION 152+54 RT.		
RECONSTRUCT CURB INLET		1 EACH
AT STATION 169+46 RT.		
RECONSTRUCT CURB INLET		1 EACH
AT STATION 175+09 RT.		
RECONSTRUCT CURB INLET		1 EACH
AT STATION 188+51 LT.		
REMOVE SEWER PIPE		92 LF
47B-3000 CONC FOR INLET & JUNCTION BOXES		6 CY
RE-STEEL FOR INLET & JCT BOX		405 LB
18" STORM SEWER PIPE 1,7,8		84 LF

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		56 LF
REMOVE GUARDRAIL		103 LF
END ANCHORAGE ASSEMBLY		1 EACH
GUARDRAIL END TREATMENT, TYPE II		1 EACH

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
PULL BOX, TYPE PB-1		2 EACH
TRAFFIC SIGNAL, TYPE TS-1		8 EACH
PEDESTRIAN SIGNAL, TYPE PS-1		16 EACH
MAST ARM SIGNAL POLE, MP-30		1 EACH
MAST ARM SIGNAL POLE, MP-40		1 EACH
MAST ARM SIGNAL POLE, MP-45		1 EACH
MAST ARM SIGNAL POLE, MP-50		1 EACH
LED TRAF SIG MOD, TYPE 12" RED		8 EACH
LED TRAF SIG MOD, TYPE 12" YELLOW		8 EACH
LED TRAF SIG MOD, TYPE 12" GREEN		8 EACH
LED TRAF SIG MOD, TYPE 12" RED ARROW		2 EACH
LED TRAF SIG MOD, TYPE 12" YELLOW ARROW		2 EACH
LED TRAF SIG MOD, TYPE 12" GREEN ARROW		2 EACH
2" CONDUIT IN TRENCH		25 LF
7/C #14 AWG TRAF SIG CABLE		158 LF
12/C #14 AWG TRAF SIG CABLE		898 LF
GROUNDING CONDUCTOR		1,093 LF
SERVICE CABLE		682 LF
2 PAIR COMMUNICATION CABLE		789 LF
INST TRAF SIG CONTROLLER, TC-2070		1 EACH
REMOVE LIGHTING UNIT		1 EACH
REMOVE TRAFFIC SIGNAL		1 EACH
AT MIDBLOCK BETWEEN 3RD AND 4TH STREET, US-34		
REMOVE PEDESTAL POLE		4 EACH
REMOVE MAST ARM SIGNAL POLE		2 EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES		116 STA
OVERLAY SOLID LINES		21 STA
MOBILIZATION	LUMP	LUMP
RE-ESTABLISH PROPERTY CORNER		34 EACH
REMOVE PAVEMENT		218 SY
REMOVE WALK		605 SY

REMOVE CURB	58 LF
REMOVE CONCRETE MEDIAN SURFACING	3 SY
REMOVE	229 LF
PEDESTRIAN RAIL	
TIE BARS	80 EACH
CONCRETE CURB REPAIR	144 LF
CONC 47B-3500 CURB TYPE II	101 LF
COMB CONC 47B-3500 CURB & GUTTER	192 LF
CONC 47B-3000 SIDEWALKS	749 SY
DETECTABLE WARNING PANEL	894 SF
CONC 47B-3000 MEDIAN SURFACING	21 SY
8" CONCRETE BASE COURSE	106 SY
CONC PVMT REPAIR TYPE A FULL DEPTH	60 CY
CONC PVMT REPAIR TYPE B FULL DEPTH	344 CY
CONC PVMT REPAIR TYPE C FULL DEPTH	293 CY
CONC PVMT, PR-3500	147 CY
JOINT REPAIR	
ADJUST MANHOLE TO GRADE	12 EACH
PEDESTRIAN BARRIER RAIL	167 LF
PEDESTRIAN HANDRAIL	62 LF
24" WHITE PREF PVMT MKING T-4 GROOVED	250 LF
4" WHT WET RFLC PRF PVMT MKNG T4 GVD	3,000 LF
4" YEL WET RFLC PRF PVMT MKNG T4 GVD	1,100 LF
RR XING SYMBOL PREF PVMT MRKING T-4 GRVD	4 EACH
HYDRATED LIME/WMA	5,628 EACH
FOUNDATION COURSE REPLACEMENT	25 CY
ASPH CONC, TYPE SPR (FINE)	5,578 TON
PLACE ASPH CONC FOR DRIVE & INTER	2,796 SY
ASPH CONC FOR PATCHING, TYPE SPR (FINE)	50 TON
PERF GRADED BINDER (64-34)	191 TON
TACK COAT	8,179 GAL
RENTAL OF LOADER, FULLY OPERATED	50 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	50 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	50 HOUR
RECONSTRUCT GUTTER DEPRESSION	31 EACH
COLD MILLING, CLASS 3	4,217 SY
CONC SURF MILLING	38,079 SY
RAP INCENTIVE PAYMENT	9,384 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP
SODDING	250 SY
ADJUST VALVE BOX TO GRADE	20 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	7,692 BDAY
BARRICADE, TYPE III	572 BDAY
TEMPORARY SIGN DAY	160 EACH
SIGN DAY	6,362 EACH
CONTRACTOR FURNISHED SIGN DAY	16 EACH
TEMP PAVEMENT MARKING REMOVAL	800 LF
PAVEMENT MARKING REMOVAL	250 LF
TEMP PVMT MARKING, TYPE PAINT	800 LF
TEMP PVMT MARKING SURF PREP	350 LF
FLASHING ARROW PANEL	108 DAY
FLAGGING	40 DAY
CONCRETE PROTECTION BARRIER	200 LF
TRAFFIC CONTROL MANAGEMENT	104 DAY
MOBILIZATION	LUMP LUMP

NOTICE TO CONTRACTORS

CALL ORDER 200  
 STATE PROJECT NO. RD-30-6(1041)  
 LOCATION: US-30, FREMONT - US-275  
 COUNTIES: DODGE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on March 14, 2013. At that time the bids will be opened and read for GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 3.8 MILES  
 START DATE 04/29/2013 WORKING DAYS 120  
 Price Range \$ 3,000,000 to \$ 6,000,000

Plans and specifications may be seen beginning February 19, 2013 at the Lincoln Central Office and February 25, 2013 at the District Engineer's Office at OMAHA  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	73	SHEETS	\$	18.25
CROSS SECTIONS (SHEETS X1 THRU X4)	4	SHEETS	\$	1.00
STANDARD PLANS	24	SHEETS	\$	6.00

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T10	TYPICAL CROSS SECTIONS
2-S1 - 2-S10	SUMMARY OF QUANTITIES
2-W1 - 2-W11	WETLANDS
2-H1 - 2-H6	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N2	GENERAL INFORMATION
2-L	EROSION & SEDIMENT CONTROL
3 - 13	PLAN SHEETS
14	TEMPORARY PAVEMENT MARKING PLAN
15	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL LANE CLOSURE (FREEWAY-INTERSTATE)
16 - 25	PAVEMENT MARKING PLAN
26	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
27	TYPICAL PAVEMENT MARKING PLAN--INTERSTATE/EXPRESSWAY
28	PAVEMENT MARKING DETAILS
29 - 30	EARTHWORK DATA SHEETS
31	SPECIAL PLAN 1C BRIDGE APPROACH REPAIR REF. POST NO. 425+80
32	SPECIAL PLAN 2C GUARDRAIL PLAN
33 - 34	SPECIAL PLAN 3C MILLED RUMBLE STRIPS
X1 - X4	CROSS SECTIONS

STANDARD PLANS

104-R4	SUPERELEVATION PLAN FOR DUAL HIGHWAYS (TANGENT SURFACE)
307-R1	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
712	(2 SHEETS) BULLNOSE (12.5') (TAPERED)
740	MIDWEST GUARDRAIL SYSTEM BRIDGE APPROACH SECTION
741	THRIE-BEAM BRIDGE APPROACH SECTION
743	(4 SHEETS) GUARDRAIL DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL	112	LF
THRIE-BEAM GUARDRAIL	300	LF
REMOVE GUARDRAIL	705	LF
BRIDGE APPROACH SECTIONS	2	EACH
THRIE-BEAM BRIDGE APPROACH SECTION	2	EACH
BULLNOSE-12.5'	2	EACH
GUARDRAIL END TREATMENT, TYPE I	2	EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES	591	STA
OVERLAY SOLID LINES	1,476	STA
MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EARTHWORK MEASURED IN EMBANKMENT	696	CY
CRUSHED ROCK SURFACE COURSE	35	TON
MAILBOX POST	2	EACH
CROSS STITCHING	1,567	EACH
CONCRETE CURB REPAIR	126	LF
CONC PVMT REPAIR TYPE A FULL DEPTH	150	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	426	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	1,142	CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH	92	CY
CONC PVMT REPAIR TYPE B PARTIAL DEPTH	5	CY
CONC PVMT REPAIR TYPE C PARTIAL DEPTH	23	CY
DIAMOND GRINDING AND TEXTURING CONC PVMT	99,805	SY
SEALING CRACKS	1,274	LF
SEALING JOINTS	147,304	LF
SEALING CONCRETE REPAIR JOINT	249	LF
CONC PVMT, PR-3500	904	CY
JOINT REPAIR		
CONC PVMT, 47B-HE-3500	9	CY
JOINT REPAIR		
CONC SMOOTHNESS TESTING	LUMP	LUMP
MEMBRANE WATERPROOFING	217	SY
BRIDGE APPROACH REPAIR	1	CY
ARROW, PREF PVMT MRKING T-4 GROOVED	2	EACH
LN DP ARROW RT PREF PVMT MKG T-4 GROOVED	2	EACH
5" WHT WET RFLC THERMOPLSTC PVMT MRK,GVD	32,300	LF
5" WHT WET RFLC POLY PVMT MRKING, GVD	48,500	LF
12" WHT WET RFLC POLY PVMT MRKING, GVD	5,200	LF
12" WHT WET RFLC THERMO PVMT MRKING, GVD	4,400	LF
5" YEL WET RFLC POLY PVMT MRKING, GVD	37,250	LF
5" YEL WET RFLC THERMOPLSTC PVMT MRK,GVD	24,550	LF
12" YEL WET RFLC THERMOPLST PVMT MRK,GVD	650	LF
HYDR LIME/WMA FOR ST MNT PAT	250	EACH
HYDRATED LIME/WMA	18,420	EACH
FOUNDATION COURSE REPLACEMENT	64	CY
GRANULAR SUBDRAIN	440	EACH
ASPH CONC FOR ST MAINT PTCHING, TYPE SPS	250	TON
ASPH CONC FOR ST MAIN PTCHING TY SPH	250	TON
ASPH CONC, TYPE SPS	2,250	TON
ASPH CONC, TYPE LC	3,670	TON
ASPH CONC, TYPE SPH	14,750	TON
PLACE ASPH CONC FOR DRIVE & INTER	1,023	SY
PERF GRAD BIND (52-34)FOR ST MAINT PATCH	8	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	9	TON
PERF GRADED BINDER (52-34)	72	TON
PERF GRADED BINDER (64-34)	817	TON
PREP OF INTER & DRIVE	181	SY
TACK COAT	22,590	GAL

WATER	110	MGAL
EARTH SHOULDER CONSTRUCTION	385	STA
COLD MILLING, CLASS 4	1,866	SY
MILLING CONC FOR INLAYS	14	EACH
RUMBLE STRIPS, ASPHALT	282	STA
CONC SURF MILLING	750	SY
2"		
CONCRETE SURFACE MILLING	18,078	SY
1"		
SURFACE UNDER GUARDRAIL	141	SY
RAP INCENTIVE PAYMENT	35,139	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B	12	ACRE
COVER CROP SEEDING	12	ACRE
EROSION CONTROL, CLASS 1D	930	SY
HYDROMULCH	18	TON

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	35,550	B DAY
BARRICADE, TYPE III	1,099	B DAY
TEMPORARY SIGN DAY	480	EACH
SIGN DAY	11,590	EACH
FLASHING ARROW PANEL	340	DAY
FLAGGING	80	DAY
TRAFFIC CONTROL MANAGEMENT	216	DAY
MOBILIZATION	LUMP	LUMP
TEMPORARY SILT FENCE	400	LF
TEMPORARY MULCH	2	TON

NOTICE TO CONTRACTORS

CALL ORDER 310  
 FEDERAL PROJECT NO. STP-57-3(107)  
 LOCATION: N-57, STANTON SOUTH  
 COUNTIES: STANTON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on March 14, 2013. At that time the bids will be opened and read for GRAD CULV SEED BR GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 8.4 MILES  
 START DATE 04/29/2013 WORKING DAYS 110  
 Price Range \$ 3,000,000 to \$ 6,000,000  
 THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning February 19, 2013 at the Lincoln Central Office and February 25, 2013 at the District Engineer's Office at NORFOLK  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	133	SHEETS	\$ 33.25
CROSS SECTIONS (SHEETS X1 THRU X133)	133	SHEETS	\$ 33.25
STANDARD PLANS	45	SHEETS	\$ 11.25

SHEET NO.

1	TITLE PAGE
2	INDEX OF SHEETS
2-T1 - 2-T4	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-W1 - 2-W11	WETLANDS
2-H1 - 2-H4	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N2	GENERAL INFORMATION
2-L1	GEOMETRICS & GRADES
2-L2 - 2-L5	CONSTRUCTION & REMOVALS
2-L6 - 2-L12	EROSION & SEDIMENT CONTROL
3 - 13	PLAN SHEETS
14	TYPICAL TRAFFIC SIGNAL CONTROL PLAN (ONE LANE, TWO WAY OPERATION WITHOUT BARRIERS)
15	TRAFFIC SIGNAL CONTROL PLAN FOR ONE LANE, TWO WAY OPERATION WITH BARRIERS
16	TEMPORARY TRAFFIC SIGNAL
17	PAVEMENT MARKING PLAN (N-24 ISLAND MARKING PLAN)
18	PAVEMENT MARKING DETAILS
19	PAVEMENT MARKING PLAN--PARKING DETAIL
20	TEMPORARY PAVEMENT MARKING PLAN
21 - 26	EARTHWORK DATA SHEETS
27 - 33	DRAINAGE STRUCTURE CROSS SECTIONS
34 - 36	SPECIAL PLAN 1 BRIDGE REPAIR STA. 213+96.41
37 - 47	SPECIAL PLAN 2 BRIDGE REPAIR STA. 415+37.20
48 - 50	SPECIAL PLAN 3 BRIDGE REPAIR STA. 520+00.00
51	SPECIAL PLAN 1C RECONSTRUCT GUTTER DEPRESSION FOR 2" OVERLAY
52	SPECIAL PLAN 2C CONCRETE HEADWALL FOR ARCH PIPE STA. 197+07.00 LT
53 - 54	SPECIAL PLAN 3C 5-BAR GRATE INLET WITH CURB
55	SPECIAL PLAN 4C SINGLE GRATE INLET
56	SPECIAL PLAN 5C JUNCTION BOX

57 - 58	SPECIAL PLAN 6C	5' X 4' SINGLE SPAN RC BOX CULVERT STA. 17+52.00 LT
59	SPECIAL PLAN 7C	CONCRETE APRON STA. 195+99.00 LT
60 - 62	SPECIAL PLAN 8C	6' X 6' TWIN SPAN RC BOX CULVERT STA. 195+99.00 LT
63 - 64	SPECIAL PLAN 9C	12' X 6' TWIN SPAN RC BOX CULVERT STA. 395+83.00
65 - 67	SPECIAL PLAN 10C	GUARDRAIL PLAN
68 - 72	SPECIAL PLAN 11C	CABLE GUARDRAIL
73	SPECIAL PLAN 12C	EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
74 - 75	SPECIAL PLAN 13C	TEMPORARY SILT CHECKS
76 - 77	SPECIAL PLAN 14C	CONCRETE PROTECTION BARRIER
78	SPECIAL PLAN 15C	TYPICAL STEEL PLATE LOCATION PLAN--TEMPORARY STEEL PLATE INSTALLED ACROSS ROADWAY OR BRIDGE DECK
R1 - R20	RIGHT-OF-WAY SHEETS	
X1 - X133	CROSS SECTIONS	

STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
301-R10	(3 SHEETS) PAVEMENT DETAILS
303-R1	(4 SHEETS) CURB RAMP
307-R1	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
329-R9	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
403-R2	(2 SHEETS) BENDS AND BREAKS FOR CONCRETE BOX CULVERTS
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
548-R2	(2 SHEETS) CONCRETE FLUME, TYPE VIII
740	MIDWEST GUARDRAIL SYSTEM BRIDGE APPROACH SECTION
743	(4 SHEETS) GUARDRAIL DETAILS
804	PRECAST CONCRETE R.O.W. MARKER
901-R9	HIGHWAY DELINEATORS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		372 MGAL
RIGHT-OF-WAY MARKERS		27 EACH
REMOVE DELINEATOR UNITS		15 EACH
EARTHWORK MEASURED IN EMBANKMENT	24,825	CY
RIPRAP FILTER FABRIC		39 SY
REMOVE PAVEMENT		51 SY
REMOVE ASPHALT SURFACE		914 SY
REMOVE WALK		345 SY
ROCK RIPRAP, TYPE A		22 TON
REMOVE GUARDRAIL	2,032	LF
COVER CROP SEEDING		20 ACRE
EROSION CONTROL, CLASS 1D	10,298	SY
EROSION CONTROL, CLASS 1F		938 SY
EROSION CHECKS, TYPE WATTLE	2,108	LF
FABRIC SILT FENCE-LOW POROSITY	6,950	LF

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE INLET		3 EACH
CAST IRON GRATE & FRAME	1,928	LB
CAST IRON RING & COVER		335 LB
REMOVE FLARED- END SECTION		1 EACH
REMOVE HEADWALLS FROM CULV		14 EACH
REMOVE SEWER PIPE		7 LF
PREPARATION OF STRUCTURE		1 EACH
AT STATION 17+52		
PREPARATION OF STRUCTURE		1 EACH
AT STATION 195+99		
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	1,072	CY
EXCAVATION FOR BOX CULVERTS		341 CY
47B-3000 CONC FOR HDWL		1 CY
47B-3000 CONC FOR BOX CULV		129 CY
47B-3000 CONC FOR INLET & JUNCTION BOXES		5 CY
47B-3000 CONC FOR CONCRETE CO		1 CY
RE-STEEL FOR HEADWALL		55 LB
RE-STEEL FOR BOX CULVERT	11,080	LB
RE-STEEL FOR INLET & JCT BOX		483 LB
RE-STEEL FOR COLLARS		77 LB
24" METAL FLARED-END SECTION		5 EACH
30" METAL FLARED-END SECTION		2 EACH
36" METAL FLARED-END SECTION		2 EACH
42" METAL FLARED-END SECTION		1 EACH
60" METAL FLARED-END SECTION		2 EACH
60" RND EQUIV MTL PIPE FES		1 EACH
36" CONCRETE FLARED-END SECTION		2 EACH
CULVERT SANDFILL		27 CY
JACK 36" CULV PIPE 2 CLASS IV		52 LF
CRUSHED ROCK FOR BASE COURSE		35 CY
36" CULV PIPE 2		60 LF
36" CULV PIPE 2 CLASS IV		52 LF
24" CULV PIPE 3,4,5		44 LF
30" CULV PIPE 3,4,5		36 LF
36" CULV PIPE 3,4,5		30 LF
42" CULV PIPE 3,4,5		22 LF
60" CULV PIPE 3,4,5		50 LF
60" RND EQ CULV PIPE 3,4,5		6 LF
15" CULV PIPE 3,4,5,6		4 LF
24" RND EQUIV CULV PIPE 2,3,4,5		116 LF
15" STORM SEWER PIPE 1,7,8		44 LF

GROUP 4A CULVERT AT STATION 395+83

MOBILIZATION	LUMP	LUMP
PREPARATION OF STRUCTURE		1 EACH
AT STATION 395+83		
EXCAVATION FOR BOX CULVERTS		145 CY
47B-3000 CONC FOR BOX CULV		87 CY
RE-STEEL FOR BOX CULVERT	8,068	LB
CRUSHED ROCK FOR BASE COURSE		22 CY

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE A		4 ACRE
SEEDING, TYPE B		16 ACRE
MULCH		45 TON

GROUP 6 BRIDGE AT STATION 213+96.41

MOBILIZATION	LUMP	LUMP
BR DECK REPAIR, PARTIAL DEPTH		1 SY
BR DECK REPAIR, FULL DEPTH		1 SY

GROUP 6A BRIDGE AT STATION 415+37.20

	LUMP	LUMP
MOBILIZATION		
CONC FOR PVMT APPROACHES CLASS 47BD-4000		35 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	7,685	LB
PREFORMED EXPANSION JOINT, TYPE A		74 LF
PREFORMED EXPANSION JOINT, TYPE B		153 LF
47B-3000 CONC FOR BRIDGE		1 CY
47BD-4000 CONC FOR BRIDGE		50 CY
PREP BRIDGE		1 EACH
415+37.20		
STRUC STEEL FOR SUBSTRUCTURE		326 LB
EPOXY COATED RE-STEEL	9,043	LB
HP 10"X42# STEEL PILING		260 LF
CONCRETE REPAIR		450 SF

GROUP 6B BRIDGE AT STATION 520+00.00

	LUMP	LUMP
MOBILIZATION		
MULTI-LAYER EPOXY POLYMER OVERLAY		540 SY
PREP BRIDGE		1 EACH
520+00.00		
CONCRETE REPAIR		36 SF
REPAIR FLOOR DRAIN		6 EACH

GROUP 7 GUARDRAIL

	LUMP	LUMP
MOBILIZATION		
W-BEAM GUARDRAIL		625 LF
CABLE GUARDRAIL		736 LF
BRIDGE APPROACH SECTIONS		12 EACH
TERMINAL ANCHORAGE SECTIONS		2 EACH
GUARDRAIL END TREATMENT, TYPE II		12 EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES		1,380 STA
OVERLAY SOLID LINES		2,660 STA
PERMANENT PAVEMENT MARKING PAINT		1,175 LF
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE III		16 EACH
INSTALL CHEVRONS		8 EACH
GRAVEL SURFACE COURSE		100 CY
CRUSHED ROCK SURFACE COURSE		115 CY
MAILBOX POST		23 EACH
CONC 47B-3000 SIDEWALKS		397 SY
DETECTABLE WARNING PANEL		292 SF
8" CONC PVMT, 47B-3500		40 SY
CAST IRON GRATE & FRAME		412 LB
ADJUST MANHOLE TO GRADE		1 EACH
RECONSTRUCT		5 EACH
GUTTER DEPRESSION		
47B-3000 CONC FOR INLET & JUNCTION BOXES		1 CY
RE-STEEL FOR INLET & JCT BOX		105 LB
MEMBRANE WATERPROOFING		380 SY
HANDICAPPED SYMBOL		3 EACH
4" YEL PREF PVMT MRKNG, T-4, GROOVED		325 LF
12" YEL PREF PVMT MRKNG T-4 GROOVED		60 LF
24" WHITE PREF PVMT MKING T-4 GROOVED		60 LF
HYDRATED LIME		373 TON
HYDR LIME/WMA FOR ST MNT PAT		500 EACH
HYDRATED LIME/WMA	21,790	EACH
HYDRATED LIME SLURRY STABILIZATION		414 STA
ASPH CONC FOR ST MAIN PTCHG TY SPR(FINE)		500 TON
ASPH CONC, TYPE SPR (FINE)	21,690	TON
PLACE ASPH CONC FOR DRIVE & INTER	7,851	SY
ASPH CONC FOR PATCHING, TYPE SPR (FINE)		100 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH		17 TON

PERF GRADED BINDER (64-34)	740	TON
CONSTRUCTING ASPH CONC CURB	333	LF
PREP OF INTER & DRIVE	1,368	SY
EMUL ASPH FOR HYDRATE LIME STABILIZATION	101,435	GAL
TACK COAT	30,920	GAL
FOG SEAL	11,041	GAL
WATER	211	MGAL
EARTH SHOULDER CONSTRUCTION	838	STA
TRENCHED WIDENING	838	STA
SUBGRADE PREPARATION	185	SY
COLD MILLING, CLASS 3	91	STA
COLD MILLING, CLASS 5	2,257	SY
SURFACE UNDER GUARDRAIL	1,142	SY
RAP INCENTIVE PAYMENT	37,043	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SODDING	101	SY
15" CULV PIPE 3,4,5,6	83	LF
ADJUST WATER VALVE BOX TO GRADE	1	EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	20,925	BDAY
BARRICADE, TYPE III	1,430	BDAY
TEMPORARY SIGN DAY	1,540	EACH
SIGN DAY	29,534	EACH
TEMP PAVEMENT MARKING REMOVAL	10,500	LF
PAVEMENT MARKING REMOVAL	4,000	LF
TEMP PVMT MARKING, TYPE PAINT	10,500	LF
TEMP PVMT MARKING SURF PREP	10,500	LF
FLAGGING	102	DAY
FURNISHING AND OPERATING PILOT VEHICLE	40	DAY
CONCRETE PROTECTION BARRIER	850	LF
RELOCATE CONC PROTECTION BARRIER	850	LF
TEMPORARY RUMBLE STRIP	8	EACH
TEMPORARY TRAFFIC SIGNAL	2	EACH
TRAFFIC CONTROL MANAGEMENT	195	DAY
FIELD OFFICE	1	EACH
TRAINING	1,000	HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	140	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	140	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	140	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	90	HOUR
CONTOUR CULTIVATION OF BACKSLOPES	2,000	LF
TEMPORARY SILT CHECK	2,000	LF
TEMPORARY SILT FENCE	2,000	LF
TEMPORARY EARTH CHECK	500	LF
TEMPORARY MULCH	4	TON

NOTICE TO CONTRACTORS

CALL ORDER 315  
 STATE PROJECT NO. MISC-32-7(1005)  
 LOCATION: N-32, IN TEKAMAH  
 COUNTIES: BURT

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on March 14, 2013. At that time the bids will be opened and read for CONC PAVE BRIDGE

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES  
 START DATE 09/23/2013 WORKING DAYS 35  
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning February 19, 2013 at the Lincoln Central Office and February 25, 2013 at the District Engineer's Office at NORFOLK  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	23 SHEETS	\$	5.75
STANDARD PLANS	17 SHEETS	\$	4.25

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-W	WETLANDS
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
2-L1	GRADES
2-L2	GEOMETRICS
2-L3	CONSTRUCTION
2-L4	REMOVAL
3	TEMPORARY TRAFFIC CONTROL PLAN
4	TEMPORARY PAVEMENT MARKING PLAN
5 - 14	SPECIAL PLAN 1 CONCRETE SLAB PEDESTRIAN BRIDGE REF. POST NO. 101+47

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
303-R1	(4 SHEETS) CURB RAMP
329-R9	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
REMOVE PAVEMENT		197 SY
SAWING PAVEMENT		98 LF
REMOVE WALK		233 SY
REMOVE INLET		1 EACH
REMOVE CONCRETE MEDIAN SURFACING		32 SY
TIE BARS		63 EACH
CONC 47B-3500 CURB		226 LF
CONC 47B-3000 SIDEWALK 5"		170 SY
6" CONC CLASS 47B-3500 MEDIAN SURFACING		17 SY

9" CONC PVMT, 47B-3500	246 SY
REMOVE SEWER PIPE	10 LF
4" NONPERF PIPE UNDERDRAIN	6 LF
4" PERFORATED PIPE UNDERDRAIN	67 LF
FOUNDATION COURSE	246 SY
4"	
WATER	1 MGAL
SUBGRADE PREPARATION	246 SY
ADJUST PULL BOX TO GRADE	1 EACH
SODDING	10 SY

GROUP 6 BRIDGE AT STA. 2003+28.92

MOBILIZATION	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	350 CY	
DETECTABLE WARNING PANEL	8 SF	
47B-3000 CONC FOR BRIDGE	20 CY	
47BD-4000 CONC FOR BRIDGE	26 CY	
PREP BRIDGE	1 EACH	
1004+93.30		
PREP BRIDGE	1 EACH	
2003+28.92		
EPOXY COATED RE-STEEL	9,950 LB	
HP 12"X53# STEEL PILING	810 LF	
PEDESTRIAN HANDRAIL	44 LF	
PAINTING PILES AND MISC STEEL	LUMP	LUMP

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	4,623 BDAY
BARRICADE, TYPE III	414 BDAY
SIGN DAY	987 EACH
CONTRACTOR FURNISHED SIGN DAY	414 EACH
TEMP PAVEMENT MARKING REMOVAL	2,300 LF
PAVEMENT MARKING REMOVAL	1,400 LF
TEMP PVMT MARKING, TYPE PAINT	2,300 LF
TEMP PVMT MARKING SURF PREP	2,300 LF
FLAGGING	40 DAY
MOBILIZATION	LUMP
RENTAL OF LOADER, FULLY OPERATED	5 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	5 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	5 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5 HOUR
TEMPORARY SILT FENCE	100 LF

NOTICE TO CONTRACTORS

CALL ORDER 500  
STATE PROJECT NO. ELEC-26-1(1070)  
LOCATION: US-26, IN SCOTTSBLUFF  
COUNTIES: SCOTTS BLUFF

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on March 14, 2013. At that time the bids will be opened and read for ELECTRICAL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: ELECTRICAL  
START DATE 10/21/2013 WORKING DAYS 15  
Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning February 19, 2013 at the Lincoln Central Office and February 25, 2013 at the District Engineer's Office at GERING  
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	10 SHEETS	\$	2.50
STANDARD PLANS	7 SHEETS	\$	1.75

SHEET NO.

- 1 TITLE PAGE  
& SUMMARY OF QUANTITIES
- 2 - 10 TRAFFIC SIGNAL PLAN

STANDARD PLANS

- 910-R2 SIGNAL FACE CONFIGURATION
- 914-R6 PULL BOX DETAIL
- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 924 (3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8B ELECTRICAL

BARRICADE, TYPE II	444	B	DAY
TEMPORARY SIGN DAY	174	E	EACH
FLAGGING	10	D	DAY
MOBILIZATION	LUMP	L	LUMP
PULL BOX, TYPE PB-1	1	E	EACH
EMERGENCY VEHICLE PREEMPT SYSTEM	3	E	EACH
FIBER OPTIC COMMUNICATION CABLE	16,131	L	LF
INST TRAF SIG CONTROLLER, TC-2070	3	E	EACH
INSTALL UNINTERRUPTIBLE POWER SUPPLY	3	E	EACH
REMOVE TRAFFIC SIGNAL CONTROLLER	3	E	EACH
REMOVE GROUNDING CONDUCTOR	15,030	L	LF
REMOVE TRAFFIC SIGNAL CABLE	16,131	L	LF

NOTICE TO CONTRACTORS

CALL ORDER 505  
 STATE PROJECT NO. S-20-1(1037)  
 LOCATION: US-20, RUSHVILLE-GORDON  
 COUNTIES: SHERIDAN

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on March 14, 2013. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 14.8 MILES  
 START DATE 06/17/2013 WORKING DAYS 80  
 Price Range \$ 3,000,000 to \$ 6,000,000

Plans and specifications may be seen beginning February 19, 2013 at the Lincoln Central Office and February 25, 2013 at the District Engineer's Office at GERING

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	50 SHEETS	\$	12.50
STANDARD PLANS	11 SHEETS	\$	2.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-A1 - 2-A14	PHOTO MAPS
2-H1 - 2-H3	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
2-L1 - 2-L5	EROSION CONTROL
3 - 16	PLAN SHEETS
17 - 20	PAVEMENT MARKING PLAN--RUSHVILLE (US-20)
21	TEMPORARY PAVEMENT MARKING PLAN
22	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
23	PAVEMENT MARKING DETAILS
24 - 25	SPECIAL PLAN 1C MILLED RUMBLE STRIPS

STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
501-R5	(3 SHEETS) EROSION CONTROL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	24,000	B	DAY
BARRICADE, TYPE III	556	B	DAY
TEMPORARY SIGN DAY	1,120	E	ACH
SIGN DAY	21,712	E	ACH
OVERLAY BROKEN LINES	1,528	S	TA
OVERLAY SOLID LINES	3,056	S	TA
FLAGGING	170	D	AY
FURNISHING AND OPERATING PILOT VEHICLE	82	D	AY
FIELD OFFICE	1	E	ACH
MOBILIZATION	LUMP	L	UMP
REMOVE ASPHALT SURFACE	2,855	S	Y
REMOVE GUARDRAIL	4,600	L	F

ARROW, PREF PVMT MRKING T-4 GROOVED	20 EACH
24" WHITE PREF PVMT MKING T-4 GROOVED	54 LF
5" WHT WET RFLC THERMOPLSTC PVMT MRK,GVD	500 LF
5" YEL WET RFLC THERMOPLSTC PVMT MRK,GVD	11,900 LF
12" YEL WET RFLC PRF PVMT MKNG T4 GVD	300 LF
HYDR LIME/WMA FOR ST MNT PAT	6,000 EACH
HYDRATED LIME/WMA	45,620 EACH
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	6,000 TON
ASPH CONC, TYPE SPS	14,360 TON
ASPH CONC, TYPE SPR	44,620 TON
ASPH CONCRETE FOR PATCHING, TYPE SPR	1,000 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	204 TON
PERF GRADED BINDER (52-34)	459 TON
PERF GRADED BINDER (64-34)	1,551 TON
TACK COAT	63,020 GAL
RENTAL OF LOADER, FULLY OPERATED	50 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	50 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	50 HOUR
WATER	13 MGAL
EARTH SHOULDER CONSTRUCTION	49 STA
COLD MILLING, CLASS 3	756 STA
COLD MILLING, CLASS 3	35 STA
TYPE A	
COLD MILLING, CLASS 3	1,480 STA
TYPE B	
RUMBLE STRIPS, ASPHALT	1,474 STA
RAP INCENTIVE PAYMENT	101,966 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP
EROSION CONTROL, CLASS 1D	3,805 SY

NOTICE TO CONTRACTORS

CALL ORDER 600  
FEDERAL PROJECT NO. STPD-138-2(107)  
LOCATION: US-138, BIG SPRINGS SOUTHWEST  
COUNTIES: DEUEL

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on March 14, 2013. At that time the bids will be opened and read for GRAD CULV SEED GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 6.1 MILES  
START DATE 05/13/2013 WORKING DAYS 100  
Price Range \$ 1,000,000 to \$ 3,000,000  
THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning February 19, 2013 at the Lincoln Central Office and February 25, 2013 at the District Engineer's Office at NORTH PLATTE. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

NOTICE TO BIDDERS

To be eligible for the award of this contract, bidders shall submit a completed bidding proposal for Call Order No. 600, {Project No. STPD-138-2(107)} and Call Order No. 605, {Project No. STPD-138-2(108)}. Award of Contract, if awarded, will be made on the combined bid for these call order nos. Separate contracts will be awarded for each Call Order Number. Please order plans and proposals accordingly.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	81 SHEETS	\$	20.25
CROSS SECTIONS (SHEETS X1 THRU X55)	55 SHEETS	\$	13.75
STANDARD PLANS	23 SHEETS	\$	5.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T3	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-W1 - 2-W7	WETLANDS
2-H1 - 2-H6	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N3	GENERAL INFORMATION & DETOUR LOCATION MAP
2-L1 - 2-L12	EROSION & SEDIMENT CONTROL
3 - 7	PLAN SHEETS
8	TEMPORARY PAVEMENT MARKING PLAN
9 - 11	EARTHWORK DATA SHEETS
12 - 18	DRAINAGE STRUCTURE CROSS SECTIONS
19	SPECIAL PLAN 1C DOWELING INTO EXISTING CONCRETE BOX CULVERT FOR CULVERT EXTENSION
20 - 21	SPECIAL PLAN 2C 8' X 4' SINGLE SPAN RC BOX CULVERT STA. 1263+11.00
22 - 23	SPECIAL PLAN 3C 12' X 8' SINGLE SPAN RC BOX CULVERT STA. 1292+85.00
24 - 25	SPECIAL PLAN 4C 6' X 6' SINGLE SPAN RC BOX CULVERT STA. 1307+58.00
26 - 27	SPECIAL PLAN 5C 8' X 6' SINGLE SPAN RC BOX CULVERT STA. 1317+57.00
28 - 29	SPECIAL PLAN 6C 10' X 10' TRIPLE SPAN RC BOX CULVERT STA. 1344+63.00 LT

30 - 31	SPECIAL PLAN 7C	8' X 4' SINGLE SPAN RC BOX CULVERT STA. 1368+39.00
32 - 33	SPECIAL PLAN 8C	5' X 4' SINGLE SPAN RC BOX CULVERT STA. 1374+85.00
34 - 35	SPECIAL PLAN 9C	8' X 3' SINGLE SPAN RC BOX CULVERT STA. 1450+97.00
36 - 37	SPECIAL PLAN 10C	6' X 4' TRIPLE SPAN RC BOX CULVERT STA. 1492+70.00
38 - 39	SPECIAL PLAN 11C	GUARDRAIL PLAN
40	SPECIAL PLAN 12C	EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
R1 - R9	RIGHT-OF-WAY SHEETS	
X1 - X55	CROSS SECTIONS	

STANDARD PLANS

410-R3	(2 SHEETS)	FLARED END SECTIONS FOR CULVERT PIPES
501-R5	(3 SHEETS)	EROSION CONTROL
502		SILT FENCE DETAILS
743	(4 SHEETS)	GUARDRAIL DETAILS
748		CULVERT MOUNTED GUARDRAIL POST
804		PRECAST CONCRETE R.O.W. MARKER
901-R9		HIGHWAY DELINEATORS
920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING
923		TRAFFIC CONTROL--ROAD CLOSURE
924	(3 SHEETS)	TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		154 MGAL
RIGHT-OF-WAY MARKERS		120 EACH
EARTHWORK MEASURED IN EMBANKMENT		4,108 CY
REMOVE PAVEMENT		54 SY
REMOVE GUARDRAIL		1,917 LF
COVER CROP SEEDING		8 ACRE
EROSION CONTROL, CLASS 1D		1,261 SY
EROSION CHECKS, TYPE WATTLE		1,100 LF
FABRIC SILT FENCE-LOW POROSITY		1,375 LF

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE HEADWALLS FROM CULV		7 EACH
PREPARATION OF STRUCTURE		1 EACH
AT STA. 1263+11		
PREPARATION OF STRUCTURE		1 EACH
AT STA. 1292+85		
PREPARATION OF STRUCTURE		1 EACH
AT STA. 1307+59		
PREPARATION OF STRUCTURE		1 EACH
AT STA. 1317+58		
PREPARATION OF STRUCTURE		1 EACH
AT STA. 1368+39		
PREPARATION OF STRUCTURE		1 EACH
AT STA. 1374+86		

PREPARATION OF STRUCTURE	1	EACH
AT STA. 1450+98		
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	41	CY
EXCAVATION FOR BOX CULVERTS	164	CY
47B-3000 CONC FOR BOX CULV	201	CY
RE-STEEL FOR BOX CULVERT	20,054	LB
24" METAL FLARED-END SECTION	8	EACH
30" METAL FLARED-END SECTION	4	EACH
36" METAL FLARED-END SECTION	8	EACH
CRUSHED ROCK FOR BASE COURSE	44	CY
24" CULV PIPE 3,4,5	82	LF
30" CULV PIPE 3,4,5	6	LF
36" CULV PIPE 3,4,5	50	LF

GROUP 4A CULVERT AT STA. 1344+63

MOBILIZATION	LUMP	LUMP
PREPARATION OF STRUCTURE		1 EACH
AT STA. 1344+63		
EXCAVATION FOR BOX CULVERTS		26 CY
47B-3000 CONC FOR BOX CULV		34 CY
RE-STEEL FOR BOX CULVERT	2,838	LB
CRUSHED ROCK FOR BASE COURSE		9 CY

GROUP 4B CULVERT AT STA. 1492+80.50

MOBILIZATION	LUMP	LUMP
EXCAVATION FOR BOX CULVERTS		35 CY
47B-3000 CONC FOR BOX CULV		85 CY
RE-STEEL FOR BOX CULVERT	8,522	LB
REMOVE STRUCTURE		1 EACH
AT STA. 1492+80.50		
CRUSHED ROCK FOR BASE COURSE		25 CY

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE B		8 ACRE
MULCH		16 TON

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
CULV MOUNTED GDRL POST		46 EACH
W-BEAM GUARDRAIL		762 LF
GUARDRAIL END TREATMENT, TYPE I		4 EACH
GUARDRAIL END TREATMENT, TYPE II		4 EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES		416 STA
OVERLAY SOLID LINES		833 STA
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE III		52 EACH
CRUSHED ROCK SURFACE COURSE		65 CY
8" DOWELED CONCRETE BASE COURSE		213 SY
HYDR LIME/WMA FOR ST MNT PAT		200 EACH
HYDRATED LIME/WMA	13,818	EACH
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR		200 TON
COLD IN-PLACE RECYCLING		219 STA
ASPH CONC, TYPE SPR	13,568	TON
PLACE ASPH CONC FOR DRIVE & INTER	2,496	SY
ASPH CONCRETE FOR PATCHING, TYPE SPR		250 TON
PERF GRAD BIND (64-34) FOR ST MAINT PATCH		7 TON
PERF GRADED BINDER (52-34)		380 TON
PERF GRADED BINDER (64-34)		484 TON
TACK COAT	16,697	GAL
WATER		112 MGAL

EARTH SHOULDER CONSTRUCTION	444	STA
SUBGRADE PREPARATION	213	SY
COLD MILLING, CLASS 3	238	STA
COLD MILLING, CLASS 4	17	STA
COLD MILLING, CLASS 5	317	SY
COLD MILLING, CLASS 3 TYPE A	89	STA
SURFACE UNDER GUARDRAIL	781	SY
RAP INCENTIVE PAYMENT	23,490	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	1,200	BDAY
BARRICADE, TYPE III	2,250	BDAY
TEMPORARY SIGN DAY	980	EACH
SIGN DAY	14,845	EACH
CONTRACTOR FURNISHED SIGN DAY	140	EACH
FLAGGING	140	DAY
FURNISHING AND OPERATING PILOT VEHICLE	40	DAY
TRAINING	500	HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	80	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	80	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	80	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	30	HOUR
TEMPORARY SILT CHECK	1,000	LF
TEMPORARY SILT FENCE	1,500	LF
TEMPORARY EARTH CHECK	1,000	LF
TEMPORARY MULCH	4	TON

NOTICE TO CONTRACTORS

CALL ORDER 605  
FEDERAL PROJECT NO. STPD-138-2(108)  
LOCATION: US-138, COLORADO LINE NORTHEAST  
COUNTIES: DEUEL

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on March 14, 2013. At that time the bids will be opened and read for GRAD CULV BR GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 4.8 MILES  
START DATE 04/15/2013 WORKING DAYS 100  
Price Range \$ 1,000,000 to \$ 3,000,000  
THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning February 19, 2013 at the Lincoln Central Office and February 25, 2013 at the District Engineer's Office at NORTH PLATTE. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

NOTICE TO BIDDERS

To be eligible for the award of this contract, bidders shall submit a completed bidding proposal for Call Order No. 600, {Project No. STPD-138-2(107)} and Call Order No. 605, {Project No. STPD-2(108)}. Award of Contract, if awarded, will be made on the combined bid for these call order nos. Separate contracts will be awarded for each Call Order Number. Please order plans and proposals accordingly.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	78 SHEETS	\$	19.50
CROSS SECTIONS (SHEETS X1 THRU X8)	8 SHEETS	\$	2.00
STANDARD PLANS	20 SHEETS	\$	5.00

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T5	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-W1 - 2-W5	WETLANDS
2-H1 - 2-H3	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N4	GENERAL INFORMATION & DETOUR LOCATION MAP
2-L1 - 2-L4	EROSION & SEDIMENT CONTROL
3 - 7	PLAN SHEETS
8	PAVEMENT MARKING PLAN--BRIDGE REPLACEMENT
9	TEMPORARY TRAFFIC SIGNAL
10	TEMPORARY PAVEMENT MARKING PLAN
11	EARTHWORK DATA SHEET
12 - 13	DRAINAGE STRUCTURE CROSS SECTIONS
14 - 29	SPECIAL PLAN 1 CONCRETE GIRDER BRIDGE (IT700) STA. 242+75.00
30	SPECIAL PLAN 1C DOWELING INTO EXISTING CONCRETE BOX CULVERT FOR CULVERT EXTENSION
31 - 32	SPECIAL PLAN 2C 12' X 3' SINGLE SPAN RC BOX CULVERT STA. 39+55.00 LT.
33 - 34	SPECIAL PLAN 3C 9' X 4' TWIN SPAN RC BOX CULVERT STA. 164+58.00
35 - 36	SPECIAL PLAN 4C 12' X 5' TRIPLE SPAN RC BOX CULVERT STA. 216+63.00

37 - 38	SPECIAL PLAN 5C	10' X 5' SINGLE SPAN RC BOX CULVERT STA. 1239+73.00
39 - 40	SPECIAL PLAN 6C	5' X 4' SINGLE SPAN RC BOX CULVERT STA. 1247+49.00
41 - 42	SPECIAL PLAN 7C	4' X 3' SINGLE SPAN RC BOX CULVERT STA. 1254+13.00
43 - 44	SPECIAL PLAN 8C	GUARDRAIL PLAN
45 - 46	SPECIAL PLAN 9C	CONCRETE PROTECTION BARRIER
47	SPECIAL PLAN 10C	TRAFFIC SIGNAL PLAN--BRIDGE REPLACEMENT
R1 - R9		RIGHT-OF-WAY SHEETS
X1 - X8		CROSS SECTIONS

STANDARD PLANS

501-R5	(3 SHEETS)	EROSION CONTROL
502		SILT FENCE DETAILS
740		MIDWEST GUARDRAIL SYSTEM BRIDGE APPROACH SECTION
743	(4 SHEETS)	GUARDRAIL DETAILS
901-R9		HIGHWAY DELINEATORS
920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS)	TRAFFIC CONTROL FOR ASPHALT SURFACING
923		TRAFFIC CONTROL--ROAD CLOSURE
924	(3 SHEETS)	TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		158 MGAL
EARTHWORK MEASURED IN EMBANKMENT		4,214 CY
REMOVE ASPHALT SURFACE		731 SY
REMOVE GUARDRAIL		863 LF
COVER CROP SEEDING		7 ACRE
EROSION CONTROL, CLASS 1D		1,073 SY
FABRIC SILT FENCE-LOW POROSITY		200 LF

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
PREPARATION OF STRUCTURE AT STA. 39+55		1 EACH
PREPARATION OF STRUCTURE AT STA. 1239+73		1 EACH
PREPARATION OF STRUCTURE AT STA. 1247+50		1 EACH
PREPARATION OF STRUCTURE AT STA. 1254+13		1 EACH
EXCAVATION FOR BOX CULVERTS		47 CY
TEMPORARY SHORING AT STA. 164+58	LUMP	LUMP
47B-3000 CONC FOR BOX CULV		163 CY
RE-STEEL FOR BOX CULVERT		15,917 LB
REMOVE STRUCTURE AT STA. 164+58		1 EACH
CRUSHED ROCK FOR BASE COURSE		57 CY

GROUP 4A CULVERT AT STA. 216+63

MOBILIZATION	LUMP	LUMP
EXCAVATION FOR BOX CULVERTS		256 CY

47B-3000 CONC FOR BOX CULV	263	CY
RE-STEEL FOR BOX CULVERT	26,249	LB
REMOVE STRUCTURE	1	EACH
AT STA. 216+63		
CRUSHED ROCK FOR BASE COURSE	63	CY

GROUP 6 BRIDGE AT STA. 242+75.00

MOBILIZATION	LUMP	LUMP
EARTHWORK MEASURED IN EMBANKMENT	220	CY
RIPRAP FILTER FABRIC	425	SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000	176	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	31,250	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
47B-3000 CONC FOR BRIDGE	93	CY
47BD-4000 CONC FOR BRIDGE	78	CY
PRECAST/PRESTRESSED CONC SUPERSTR	LUMP	LUMP
242+75		
REMOVE STRUCTURE	1	EACH
AT STA. 242+74.27		
STEEL DIAPHRAGM	4	EACH
BROKEN CONCRETE RIPRAP	330	TON
EPOXY COATED RE-STEEL	23,575	LB
SUBSURFACE DRAINAGE MATTING	57	SY
HP 12"X53# STEEL PILING	1,170	LF
STEEL SHEET PILING	2,031	SF
GRANULAR BACKFILL	215	CY

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL	1,050	LF
IMPACT ATTENUATOR	1	EACH
BRIDGE APPROACH SECTIONS	3	EACH
GUARDRAIL END TREATMENT, TYPE I	4	EACH
GUARDRAIL END TREATMENT, TYPE II	3	EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES	514	STA
OVERLAY SOLID LINES	1,028	STA
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE II	36	EACH
DELINEATOR, TYPE III	15	EACH
GRAVEL SURFACE COURSE	45	CY
CONC PVMT REPAIR TYPE A FULL DEPTH	29	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	105	CY
HYDR LIME/WMA FOR ST MNT PAT	100	EACH
HYDRATED LIME/WMA	11,030	EACH
FOUNDATION COURSE REPLACEMENT	2	CY
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	100	TON
ASPH CONC, TYPE SPR	10,830	TON
PLACE ASPH CONC FOR DRIVE & INTER	4,270	SY
TEMPORARY SURFACING	800	SY
8"		
ASPH CONCRETE FOR PATCHING, TYPE SPR	200	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	3	TON
PERF GRADED BINDER (64-34)	375	TON
PREP OF INTER & DRIVE	198	SY
TACK COAT	13,215	GAL
WATER	10	MGAL
EARTH SHOULDER CONSTRUCTION	38	STA
SUBGRADE PREPARATION	324	SY
COLD MILLING, CLASS 3	256	STA
COLD MILLING, CLASS 5	4,072	SY
SURFACE UNDER GUARDRAIL	1,590	SY
RAP INCENTIVE PAYMENT	18,751	EACH

ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B		3 ACRE
MULCH		6 TON

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	3,810	BDAY
BARRICADE, TYPE III	1,651	BDAY
TEMPORARY SIGN DAY	420	EACH
SIGN DAY	7,613	EACH
CONTRACTOR FURNISHED SIGN DAY	308	EACH
TEMP PAVEMENT MARKING REMOVAL	2,600	LF
PAVEMENT MARKING REMOVAL	600	LF
TEMP PVMT MARKING, TYPE PAINT	2,600	LF
TEMP PVMT MARKING SURF PREP	2,600	LF
FLAGGING	60	DAY
FURNISHING AND OPERATING PILOT VEHICLE	25	DAY
CONCRETE PROTECTION BARRIER	240	LF
RELOCATE CONC PROTECTION BARRIER	240	LF
TEMPORARY RUMBLE STRIP	6	EACH
TEMPORARY TRAFFIC SIGNAL	1	EACH
FIELD OFFICE	1	EACH
TRAINING	500	HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	60	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	60	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	60	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10	HOUR
TEMPORARY SILT FENCE	500	LF
TEMPORARY MULCH	5	TON

NOTICE TO CONTRACTORS

CALL ORDER 700  
STATE PROJECT NO. AFE-G001  
LOCATION: DISTRICT 7 - DISTRICTWIDE PAINT STRIPING  
COUNTIES: FURNAS FRONTIER  
HITCHCOCK OTHERS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on March 14, 2013. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

Length: 797.6 MILES  
START DATE 05/28/2013 WORKING DAYS 25  
Price Range \$250,000 to \$1,000,000

Plans and specifications may be seen beginning February 19, 2013 at the Lincoln Central Office and February 25, 2013 at the District Engineer's Office at MCCOOK  
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	4 SHEETS	\$	1.00
STANDARD PLANS	2 SHEETS	\$	0.50

SHEET NO.

- 1 TITLE PAGE  
& SUMMARY OF QUANTITIES
- 2 TYPICAL TRAFFIC CONTROL PLAN--VEHICLE SIGNING  
FOR PAINT STRIPING
- 3 TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
- 4 TYPICAL PAVEMENT MARKING PLAN--RURAL LEFT TURN BAYS

STANDARD PLANS

920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

MOBILIZATION	LUMP	LUMP
PAINT STRIPING		797 MILE
PAINT STRIPING		200 STA
ACRYLIC WATERBORNE PAINT, YELLOW		11,965 GAL
ACRYLIC WATERBORNE PAINT, WHITE		39,882 GAL

NOTICE TO CONTRACTORS

CALL ORDER 800  
STATE PROJECT NO. AFE-H001  
LOCATION: District 8, DISTRICTWIDE PAINT STRIPING  
COUNTIES: CHERRY ROCK  
HOLT OTHERS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on March 14, 2013. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

Length: 817 MILES  
START DATE 04/29/2013 WORKING DAYS 30  
Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning February 19, 2013 at the Lincoln Central Office and February 25, 2013 at the District Engineer's Office at AINSWORTH  
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	4 SHEETS	\$	1.00
STANDARD PLANS	2 SHEETS	\$	0.50

SHEET NO.

- 1 TITLE PAGE  
& SUMMARY OF QUANTITIES
- 2 TYPICAL TRAFFIC CONTROL PLAN--VEHICLE SIGNING  
FOR PAINT STRIPING
- 3 TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
- 4 TYPICAL PAVEMENT MARKING PLAN--RURAL LEFT TURN BAYS

STANDARD PLANS

920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

MOBILIZATION	LUMP	LUMP
PAINT STRIPING		817 MILE
PAINT STRIPING		200 STA
ACRYLIC WATERBORNE PAINT, YELLOW		12,259 GAL
ACRYLIC WATERBORNE PAINT, WHITE		40,863 GAL

NOTICE TO CONTRACTORS

CALL ORDER 805  
 FEDERAL PROJECT NO. ER-96-4(103)  
 LOCATION: N-96, BURWELL NORTHWEST  
 COUNTIES: LOUP

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on March 14, 2013. At that time the bids will be opened and read for CULVERT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CULVERTS  
 START DATE 04/29/2013 WORKING DAYS 60  
 Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning February 19, 2013 at the Lincoln Central Office and February 25, 2013 at the District Engineer's Office at AINSWORTH  
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.  
 This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	36	SHEETS	\$	9.00
CROSS SECTIONS (SHEETS X1 THRU X7)	7	SHEETS	\$	1.75
STANDARD PLANS	15	SHEETS	\$	3.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-W	WETLANDS
2-H1 - 2-H2	HORIZONTAL INFORMATION
2-N	GENERAL INFORMATION
2-P	PHASING PLAN
2-L1	GEOMETRICS & GRADES
2-L2	CONSTRUCTION, REMOVALS, & DRAINAGE
2-L3	EROSION CONTROL
3	TYPICAL TRAFFIC SIGNAL CONTROL PLAN FOR ONE LANE, TWO WAY OPERATION WITH BARRIERS
4	TEMPORARY TRAFFIC SIGNAL
5	TEMPORARY PAVEMENT MARKING PLAN
6	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
7	EARTHWORK DATA SHEET
8	DRAINAGE STRUCTURE CROSS SECTIONS
9 - 16	SPECIAL PLAN 1C MULTIPLE SPAN RC BOX CULVERT STA. 525+00.00
17 - 21	SPECIAL PLAN 2C CABLE GUARDRAIL
22 - 23	SPECIAL PLAN 3C CONCRETE PROTECTION BARRIER
R1 - R3	RIGHT-OF-WAY SHEETS
X1 - X7	CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
329-R9	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 4 CONCRETE BOX CULVERT AT STA. 525+00

BARRICADE, TYPE II	832	BDAY
BARRICADE, TYPE III	624	BDAY
SIGN DAY	5,200	EACH
TEMP PAVEMENT MARKING REMOVAL	1,260	LF
PAVEMENT MARKING REMOVAL	1,535	LF
TEMP PVMT MARKING, TYPE PAINT	1,260	LF
TEMP PVMT MARKING SURF PREP	1,260	LF
PERMANENT PAVEMENT MARKING PAINT	2,900	LF
FLAGGING	6	DAY
CONCRETE PROTECTION BARRIER	363	LF
RELOCATE CONC PROTECTION BARRIER	363	LF
TEMPORARY RUMBLE STRIP	4	EACH
TEMPORARY TRAFFIC SIGNAL	1	EACH
MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EARTHWORK MEASURED IN EMBANKMENT	400	CY
SALVAGING AND PLACING TOPSOIL	160	SY
RIPRAP FILTER FABRIC	160	SY
REMOVE ASPHALT SURFACE	226	SY
REMOVE FENCE	33	LF
TEMPORARY SURFACING	55	SY
8"		
EXCAVATION FOR BOX CULVERTS	1,223	CY
TEMPORARY SHORING	LUMP	LUMP
47B-3000 CONC FOR BOX CULV	262	CY
RE-STEEL FOR BOX CULVERT	25,534	LB
ROCK RIPRAP, TYPE B	167	TON
STEEL SHEET PILING	3,362	SF
CABLE GUARDRAIL	690	LF
REMOVE GUARDRAIL	510	LF
TERMINAL ANCHORAGE SECTIONS	4	EACH
CRUSHED ROCK FOR BASE COURSE	83	CY
SURFACING 8"	687	SY
RENTAL OF LOADER, FULLY OPERATED	15	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	15	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	15	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	15	HOUR
WATER	7	MGAL
EARTH SHOULDER CONSTRUCTION	9	STA
SUBGRADE PREPARATION	687	SY
SEEDING, TYPE A	1	ACRE
EROSION CONTROL, CLASS 1D	1,467	SY
FABRIC SILT FENCE-LOW POROSITY	1,019	LF
TEMPORARY SILT FENCE	300	LF
MULCH	1	TON

**Plan and Informational Proposal Order Form**  
**Projects to be bid on:**  
**March 14, 2013**

**Payment required for plans prior to NDOR completing this order.**  
 dor.ContractsOnlineOrders@nebraska.gov FAX: (402) 479-4845

Document No.

<input type="checkbox"/> Check/Cash	Receipt No.
<input type="checkbox"/> Advance Plans Account No.	
<b>Credit Card</b>	
<input type="checkbox"/> Visa	<input type="checkbox"/> MasterCard
Expiration Date:	
Card No.:	
<b>FOR OFFICE USE ONLY</b>	
Reference I.D.:	
Authorization Code: _____ Date: _____	

Please indicate:	<input type="checkbox"/> Fed Ex. Standard Overnight	Comments:
<input type="checkbox"/> Mail	<input type="checkbox"/> Fed Ex. Priority Overnight	
<input type="checkbox"/> Hold	<input type="checkbox"/> UPS Overnight	
	Acct. No.	

4-Digit Vendor No.:	Ordered By:	Grand Total - Informational Proposals: x \$5.00
Company:		All plans in letting on CD: x \$25.00
Street Address:		Grand Total - 1/2 Size Plans: x \$.25
		Grand Total - Full Size Plans: x \$.50
PO Box:	City:	State:
		Zip Code:
Phone No. (include Area Code):		Fax No. (include Area Code):
		Tax Code
		Sales Tax
		%
Processed by:	Date:	Proposals/CD Filled:
		Blueprint Plans/Proposals Filled:
		Date:
<b>Total</b>		

*If requesting Plan or Proposal CD(s) only, your name will not appear on the Planholders list unless your company has been issued Bid Proposals or you submit the "Planholders Registration" from the NDOR website.*

**CD containing Informational Proposals for all projects in letting. (No Charge) Total Number Requested: →**

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. 1/2 size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
100	STP-34-6(136)				
200	RD-30-6(1041)				
310	STP-57-3(107)				
315	MISC-32-7(1005)				
500	ELEC-26-1(1070)				
505	S-20-1(1037)				
600	STPD-138-2(107)				
605	STPD-138-2(108)				
700	AFE-G001				
800	AFE-H001				
805	ER-96-4(103)				

**Standard Plans:** Refer to "Publication Order Form" for complete sets of Standard Plans and Standard/Special Plans Books

Number of Sets Requested	Standard Plan No.(s)	Number of Sheets Shown in List of Plans	Check Size		Total No. of Sheets	
			1/2	Full	1/2	Full
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		



