

March 22, 2013

TO ALL CONCERNED:

The Department of Roads has scheduled a bid letting to be held in this office April 18, 2013 at 1:30 p.m.

The Notice to Contractors includes:

1. Website Information
2. Notice to all Bidders
3. Ordering Instructions
4. Notices to Contractors including time allowances and lists of plans
5. Plan and Informational Proposal Order Form
6. R-125 "Request for Bidding Proposal Forms"

NEW STANDARDS EFFECTIVE FOR THIS LETTING: 443-R8, 713 & 715

Projects containing DBE Goals are indicated in the "Notice to Contractors".

Please check the important letting information on the website frequently.

The last day to submit acceptable prequalification statements for this letting is by 5:00 p.m. on Monday, April 8, 2013.

Sincerely,

Kimberly K. Baker, Supervisor
Contract Lettings Section
Construction Division

KKB/amh

WEBSITE INFORMATION

The Nebraska Department of Roads, Contract Lettings Section, will be utilizing the Internet as our means of communicating with the contracting industry.

Documents that are posted on the web are:

- Letting Schedule
- Notices to Contractors
- Informational Proposals
- Letting Plans
- List of Prequalified Contractors
- Planholders List
- Informational Addendums
- EBS (Electronic Bidding System)
- Apparent Low Bidders
- Bid Tabulations
- Standard Item Listing
- Awarded Average Unit Prices (AUP) Report

Hard copies of these documents will be available for inspection in the Contracts Office.

There will be a charge for reproduction of any of these documents.

The Website address is: www.Transportation.Nebraska.gov

If you have any questions as you are using our Website, please contact us at:

Nebraska Department of Roads
Contract Lettings Section
P.O. Box 94759
Lincoln, NE 68509-4759

Phone (402) 479-4525
FAX (402) 479-3803

Email: DOR.ContractLettings@nebraska.gov

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free “hotline” Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the “hotline” to report such activities.

The “hotline” is part of the DOT’s continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

ORDERING INSTRUCTIONS FOR PLANS AND PROPOSALS

Refer to the "Notice to Contractors" for the call order number, project number, and list of plans for each project.

Order forms are available on the NDOR website in PDF and Word format. Complete the appropriate forms as follows:

Request for Bidding Proposal Forms (R-125)

Bidders must submit an R-125, Request for Bidding Proposals Forms and be issued bid proposals prior to submitting bids.

Proposals to be used for bidding must be requested on this form. Bidding proposals will be issued only to contractors who are currently prequalified to bid with this department.

There is no charge for bid proposals.

Plan and Informational Proposal Order Form:

Payment is required prior to NDOR completing the order. This payment is not refundable.

Proposals to be used for information only can be ordered as follows:

1. Each individual project.
2. CD that contains all projects in letting. Does not contain addenda.

Plans for each project can be ordered as follows:

1. Complete set.
2. Set less Roadway Cross-Sections and Standards.
3. Set less Standards.
4. Set less Roadway Cross-Sections.
5. Individual sheets
6. CD that contains all projects in letting.

Prices are: Informational Proposals: \$5.00 each
CD containing Informational Proposals: No Charge
Plans per sheet: \$.25 for half-size (12" x 18")
\$.50 for full-size (24" x 36")
CD containing plans: \$25.00 each

Cost shown on the list of plans is for ½ size plans. Nebraska residents add appropriate state sales tax and city tax that is determined by delivery within cities imposing a sales tax.

Select the method of payment on the plan order form:

1. Credit Card (Visa or MasterCard only)
Orders with approved credit cards can be processed without delays.
2. Advanced payment account
Requires a money deposit with recommended \$200 minimum. Failure to have sufficient funds in your account to cover cost of the plans may delay the processing of your order.
This account may also be used to purchase other NDOR publications.
3. Check/cash
Send checks made payable to the Nebraska Dept. of Roads with your completed plan order form. Please do not mail cash.

To order complete sets of standard plans (1/2 size) please use the "Publications Order Form" available on the website. Cost is \$35.00 plus applicable sales tax. As new standards become available they may be purchased at \$0.25 per sheet.

Address: Nebraska Department of Roads
Contracts Section
1500 Highway 2
PO Box 94759
Lincoln NE 68509-4759

FAX (402) 479-3803

Phone: (402) 479-4525

Email: DOR.ContractLettings@nebraska.gov

October 10, 2008

NOTICE TO CONTRACTORS

CALL ORDER 100
 STATE PROJECT NO. RD-50-1(1008)
 LOCATION: N-50, PAWNEE CITY NORTH
 COUNTIES: PAWNEE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 18, 2013. At that time the bids will be opened and read for GRAD GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 2.7 MILES
 START DATE 08/26/2013 WORKING DAYS 30
 Price Range \$ 500,000 to \$ 2,000,000

Plans and specifications may be seen beginning March 26, 2013 at the Lincoln Central Office and April 01, 2013 at the District Engineer's Office at LINCOLN

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	32	SHEETS	\$	8.00
CROSS SECTIONS (SHEETS X1 THRU X28)	28	SHEETS	\$	7.00
STANDARD PLANS	16	SHEETS	\$	4.00

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T3	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-W1 - 2-W3	WETLANDS
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N3	GENERAL INFORMATION
2-L1 - 2-L4	EROSION & SEDIMENT CONTROL
3 - 5	PLAN SHEETS
6	TEMPORARY PAVEMENT MARKING PLAN
7	PAVEMENT MARKING DETAILS
8	EARTHWORK DATA SHEET
9 - 10	SPECIAL PLAN 1C GUARDRAIL PLAN
11 - 15	SPECIAL PLAN 2C CABLE GUARDRAIL
16 - 17	SPECIAL PLAN 3C TEMPORARY SILT CHECKS
X1 - X28	CROSS SECTIONS

STANDARD PLANS

309	MAILBOX SUPPORT POST
502	SILT FENCE DETAILS
743	(4 SHEETS) GUARDRAIL DETAILS
901-R9	HIGHWAY DELINEATORS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		6 MGAL
EARTHWORK MEASURED IN EMBANKMENT		864 CY
REMOVE GUARDRAIL		2,833 LF
FABRIC SILT FENCE-LOW POROSITY		672 LF

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		412 LF
CABLE GUARDRAIL		1,784 LF
END ANCHORAGE ASSEMBLY		1 EACH
TERMINAL ANCHORAGE SECTIONS		10 EACH
GUARDRAIL END TREATMENT, TYPE II		1 EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES		288 STA
OVERLAY SOLID LINES		576 STA
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE III		28 EACH
INSTALL CHEVRONS		16 EACH
GRAVEL SURFACE COURSE		5 TON
MAILBOX POST		13 EACH
24" WHITE PREF PVMT MKING T-4 GROOVED		72 LF
RR XING SYMBOL PREF PVMT MRKING T-4 GRVD		2 EACH
HYDR LIME/WMA FOR ST MNT PAT		200 EACH
HYDRATED LIME/WMA		9,840 EACH
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR		200 TON
ASPH CONC, TYPE SPR		9,440 TON
PLACE ASPH CONC FOR DRIVE & INTER		4,540 SY
ASPH CONCRETE FOR PATCHING, TYPE SPR		400 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH		6 TON
PERF GRADED BINDER (64-34)		334 TON
PREP OF INTER & DRIVE		948 SY
TACK COAT		8,800 GAL
COLD MILLING, CLASS 3		144 STA
COLD MILLING, CLASS 5		3,592 SY
COLD MILLING, CLASS 3		3,494 SY
TYPE A		
SURFACE UNDER GUARDRAIL		204 SY
RAP INCENTIVE PAYMENT		16,728 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE A		1 ACRE
SEEDING, TYPE B		1 ACRE
HYDROMULCH		3 TON

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II		2,250 BDAY
BARRICADE, TYPE III		276 BDAY
TEMPORARY SIGN DAY		420 EACH
SIGN DAY		4,250 EACH
FLAGGING		42 DAY
FURNISHING AND OPERATING PILOT VEHICLE		20 DAY
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		60 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED		50 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		60 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		60 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		10 HOUR
TEMPORARY SEEDING		1 ACRE
TEMPORARY SILT CHECK		200 LF
TEMPORARY SILT FENCE		200 LF

NOTICE TO CONTRACTORS

CALL ORDER 105
 FEDERAL PROJECT NO. HSIP-5254(8)
 LOCATION: SUPERIOR STREET/I-180 EAST RAMP, LINCOLN
 COUNTIES: LANCASTER

The Nebraska Department of Roads will receive sealed bids for the CITY OF LINCOLN in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on April 18, 2013. At that time the bids will be opened and read for CONC PAVE ELEC SIGN

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT ELECTRICAL

START DATE 06/10/2013 CALENDAR DAYS 76
 Price Range \$ 0 to \$ 500,000
 THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning March 26, 2013 at the Lincoln Central Office and April 01, 2013 at the District Engineer's Office at LINCOLN. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	42 SHEETS	\$	10.50
CROSS SECTIONS (SHEETS X1 THRU X11)	11 SHEETS	\$	2.75
STANDARD PLANS	22 SHEETS	\$	5.50

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-W	WETLAND DELINEATION
2-H	HORIZONTAL ALIGNMENT & CONTROL POINTS
2-N	GENERAL INFORMATION
2-L1 - 2-L2	GEOMETRICS
2-L3 - 2-L4	JOINTS & GRADES
2-L5 - 2-L6	CONSTRUCTION & REMOVAL
2-L7 - 2-L8	EROSION CONTROL
2-L9	PEDESTRIAN ACCOMMODATION DETAIL
3	DETOUR LOCATION MAP
4 - 12	TRAFFIC SIGNAL & LIGHTING
13 - 14	PAVEMENT MARKING & SIGNING
15	SPECIAL PLAN--SIGN CLAMP DETAIL
16	SPECIAL PLAN--TRAFFIC PAVEMENT MARKINGS
17	SPECIAL PLAN--SIGNING
18	SPECIAL PLAN--SIGNAL HEAD ARRANGEMENT & LEGEND
19	SPECIAL PLAN--CONDUIT REPAIR, LOCATE STICK, & PULL BOXES
20	SPECIAL PLAN--FOUNDATIONS & BASES
21	SPECIAL PLAN--POLE CABLE
22	SPECIAL PLAN--VEHICLE DETECTORS
23	SPECIAL PLAN--STREET LIGHT POLES
24 - 26	SPECIAL PLAN--SIDEWALK/CURB RAMP RETROFIT APPLICATIONS
27	SPECIAL PLAN--PEDESTAL MOUNTED
28 - 29	SPECIAL PLAN 1C TEMPORAY SILT CHECKS
X1 - X11	I-180 EAST RAMP CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
329-R9	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
902-R1	HIGHWAY DELINEATORS FOR RAMP AND GORE LOCATIONS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
 923 TRAFFIC CONTROL--ROAD CLOSURE
 924 (3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		854 CY
DELINEATOR, TYPE I		1 EACH
REMOVE & RESET DELINEATORS		6 EACH
REMOVE PAVEMENT		402 SY
SAWING PAVEMENT		1,161 LF
TIE BARS		486 EACH
COMB CONC 47B-3500 CURB & GUTTER		43 LF
DETECTABLE WARNING PANEL		79 SF
6" CONCRETE CLASS 47B-3000 BIKEWAY		39 SY
9" CONCRETE BASE COURSE		445 SY
12" CONC PVMT, 47B-3500		1,137 SY
TEMPORARY SURFACING		105 SY
4"		
5" WHITE THERMOPLASTIC, GROOVED		568 LF
5" YELLOW THERMOPLASTIC, GROOVED		529 LF
RIGHT ARROW, PREF PVMT MARKING T-3		4 EACH
LEFT/THRU ARROW PREF PVMT MARKING T-4		2 EACH
4" WHT POLYUREA PVMT MRKING, GROOVED		32 LF
5" WHT POLYUREA PVMT MRKING, GROOVED		1,234 LF
24" WHT POLYUREA PVMT MRKING, GROOVED		130 LF
5" YEL POLYUREA PVMT MRKING, GROOVED		466 LF
HYDRATED LIME FOR ASPHALT MIXTURES		3 TON
ASPH CONC, TYPE SPH		310 TON
PERF GRADED BINDER (70-34)		17 TON
TACK COAT		380 GAL
WATER		8 MGAL
EARTH SHOULDER CONSTRUCTION		10 STA
SUBGRADE PREPARATION		1,582 SY
COLD MILLING, CLASS 3		1,329 SY
RAP INCENTIVE PAYMENT		527 EACH
EROSION CONTROL, CLASS 1D		2,955 SY

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
REMOVE CABLE		5,000 LF
REMOVE POLE FOUNDATION		2 EACH
STREET LIGHT		
PULL BOX, TYPE FOR-27		10 EACH
PULL BOX		2 EACH
T9		
TRAFFIC SIGNAL, TYPE TS-1		1 EACH
TRAFFIC SIGNAL, TYPE TS-1R		3 EACH
CABINET		1 EACH
TYPE C		
PEDESTAL POLE		1 EACH
VEHICLE DETECTOR, TYPE A PREFORMED		6 EACH
VEHICLE DETECTOR, TYPE TD-3		2 EACH
VEHICLE DETECTOR		1 EACH
UC		
VEHICLE DETECTOR		1 EACH
CAMERA		
1/2" CONDUIT IN TRENCH		85 LF
1 1/2" CONDUIT IN TRENCH		42 LF
2" CONDUIT IN TRENCH		416 LF

3" CONDUIT IN TRENCH	17 LF	
4" CONDUIT IN TRENCH	91 LF	
2" CONDUIT, JACKED	67 LF	
4" CONDUIT, JACKED	1,199 LF	
2/C #14 AWG TRAF SIG CABLE	2,286 LF	
3/C #14 AWG TRAF SIG CABLE	1,269 LF	
5/C #14 AWG TRAF SIG CABLE	111 LF	
7/C #14 AWG TRAF SIG CABLE	104 LF	
12/C #14 AWG TRAF SIG CABLE	420 LF	
LEAD-IN CABLE	2,126 LF	
CAMERA DETECTOR CABLE	490 LF	
EMERGENCY DETECTOR CABLE	54 LF	
TRACER WIRE	5,701 LF	
12 STRAND SINGLE MODE FIBER	3,065 LF	
GROUND ROD	4 EACH	
LOCATE STICK	3 EACH	
SERVICE CABLE	1,120 LF	
#6		
#6 CIRCUIT GROUND CABLE	118 LF	
#8 CIRCUIT GROUND CABLE	590 LF	
STREET LIGHT CABLE, NO. 4 USE	236 LF	
STREET LIGHT CABLE, NO. 6 USE	750 LF	
REMOVE LIGHT FOUNDATION	2 EACH	
REMOVE SIGNAL POLE FOUNDATION	1 EACH	
REMOVE PULL BOX	12 EACH	
REMOVE	1 EACH	
CABINET		
RELOCATE CABLE	76 LF	
RELOCATE MAST ARM	1 EACH	
POLE		
RELOCATE	1 EACH	
LED SIGN		
GROUP 8C SIGNING		
MOBILIZATION	LUMP	LUMP
REMOVE SIGN		1 EACH
LED SIGN		1 EACH
TYPE A SIGN		55 SF
SIGN POST		60 LF
"U" CHANNEL		
RELOCATE SIGN		1 EACH
AND POST		
GROUP 10 GENERAL ITEMS		
BARRICADE, TYPE II	1,594 BDAY	
BARRICADE, TYPE III	312 BDAY	
TEMPORARY SIGN DAY	80 EACH	
SIGN DAY	1,045 EACH	
CONTRACTOR FURNISHED SIGN DAY	2 EACH	
TEMPORARY PAVEMENT MARKING	399 LF	
FLASHING ARROW PANEL	20 DAY	
CHANGEABLE MESSAGE SIGN	15 DAY	
FLAGGING	30 DAY	
TRAFFIC CONTROL MANAGEMENT	76 DAY	
MOBILIZATION	LUMP	LUMP
CONSTRUCTION STAKING AND SURVEYING	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	10 HOUR	
RENTAL OF DUMP TRUCK, FULLY OPERATED	10 HOUR	
RENTAL OF SKID LOADER, FULLY OPERATED	10 HOUR	
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10 HOUR	
TEMPORARY SILT CHECK	200 LF	
TEMPORARY SILT FENCE	200 LF	

NOTICE TO CONTRACTORS

CALL ORDER 200
 FEDERAL PROJECT NO. HSIP-5089(1)
 LOCATION: SPRING LAKE DRIVE & "F"/16TH STREET, OMAHA
 COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids for the CITY OF OMAHA in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on April 18, 2013. At that time the bids will be opened and read for GR CONC PAVE CULV ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

START DATE 06/03/2013 CALENDAR DAYS 76
 Price Range \$ 250,000 to \$ 1,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 8.0 %

Plans and specifications may be seen beginning March 26, 2013 at the Lincoln Central Office and April 01, 2013 at the District Engineer's Office at OMAHA. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	39	SHEETS	\$	9.75
CROSS SECTIONS (SHEETS X1 THRU X7)	7	SHEETS	\$	1.75
STANDARD PLANS	25	SHEETS	\$	6.25

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T3	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-A	PHOTO MAP
2-H	HORIZONTAL ALIGNMENT & CONTROL POINTS
2-N	GENERAL INFORMATION
2-P	PHASING & URBAN WORK ZONE TRAFFIC CONTROL
2-L1	PAVEMENT GEOMETRICS
2-L2	SPLITTER ISLAND--WALL GEOMETRICS
2-L3	SPOT ELEVATIONS
2-L4	JOINTS--SPRING LAKE
2-L5	JOINTS--F STREET & 16TH STREET
2-L6	JOINTS--ROUNDAABOUT
2-L7	REMOVALS
2-L8	CONSTRUCTION
2-L9	DRAINAGE
2-L10	EROSION CONTROL
2-L11	GRADING PLAN
3 - 4	PLAN & PROFILE SHEETS
5	DRAINAGE CROSS SECTIONS
6	PLAN & PROFILE--RETAINING WALL
7	DETAILS
8	STRIPING, SIGNING, & SIGNALS
9	STORM WATER POLLUTION PREVENTION PLAN
10	SPECIAL PLAN 1C CONCRETE CURB DETAILS
11 - 12	SPECIAL PLAN 2C CONCRETE MEDIAN DETAILS
13	SPECIAL PLAN 3C SIDEWALK CONSTRUCTION DETAILS
14 - 15	SPECIAL PLAN 4C CONCRETE CURB RAMP TYPICAL DETAILS
16 - 17	SPECIAL PLAN 5C CURB OPENING INLET TYPE I WITH TRANSVERSE PIPE CURB INLET BLOCKOUT DETAILS & TEMPLATE DETAILS (GUTTER DEPRESSION)
18	SPECIAL PLAN 6C TYPE FA REINFORCED CONCRETE CURB INLET COVER WITH FACE ARMOR

19 - 20	SPECIAL PLAN 7C	CAST IRON MANHOLE RINGS & COVER MANHOLE STEPS MANHOLE RING & BOLT DOWN COVER GRATE TYPE MANHOLE COVER
21	SPECIAL PLAN 8C	STREET NAME SIGN LAYOUT TYPES "B" & "C" SIDE STREETS
X1 - X7	CROSS SECTIONS	

STANDARD PLANS

329-R9	(4 SHEETS)	8 TO 16 INCH CONCRETE PAVEMENT
411	(4 SHEETS)	BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
425-R4		COLLARS AND ELBOWS FOR CONCRETE PIPES
428-R3		CONCRETE PLUGS AND FIELD PIPE TAP DETAILS
435-R1	(3 SHEETS)	MANHOLE
443-R8	(2 SHEETS)	CURB INLETS AND JUNCTION BOX
501-R5	(3 SHEETS)	EROSION CONTROL
502		SILT FENCE DETAILS
920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923		TRAFFIC CONTROL--ROAD CLOSURE
924	(3 SHEETS)	TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		2,134 CY
WATER		8 MGAL
REMOVE PAVEMENT		3,297 SY
REMOVE WALK		921 SY
REMOVE		5 EACH
TREES OVER 18" TO 27" DIAMETER		
REMOVE		1 EACH
TREES OVER 36" TO 48" DIAMETER		
REMOVE		3 EACH
AND RESET SIGN		
REMOVE AND RESET		2 EACH
GATE POST		
REMOVE AND RESET		10 EACH
BOLLARD		
CONSTRUCTION ENTRANCE	LUMP	LUMP
CONCRETE MOW STRIP		74 SY
WALL MATERIALS		2,412 SF
COMPACTED EARTH LEVELING PAD		603 LF
4' ORNAMENTAL FENCE		138 LF
SEL GRAN BFILL RETAINED EARTH STR		250 CY
FABRIC SILT FENCE-LOW POROSITY		1,382 LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
CRUSHED ROCK SURFACE COURSE		200 TON
CONC 47B-3500 SIDEWALKS		928 SY
4"		
CONC 47B-3500 SIDEWALK		31 SY
6"		
DETECTABLE WARNING PANEL		92 SF
6" CONCRETE IMPRINTED MEDIAN SURFACING		150 SY
CLASS 47B-3500		
9" CONC PVMT, 47B-3500		2,900 SY
9" CONCRETE PAVEMENT		300 SY
CLASS 47B-3500 COLORED		
SIGN		28 EACH

SIGN	1 EACH
SWPPP	
STREET NAME SIGN	8 EACH
SIGN POST	18 EACH
YIELD PREFORMED PAVEMENT MARKING, GRVD	18 EACH
5" WHT PREF PVMT MRKING T-4, GROOVED	48 LF
5" YEL PREF PVMT MRKING T-4, GROOVED	750 LF
24" WHITE PREF PVMT MKING T-4 GROOVED	96 LF
WATER	14 MGAL
EARTH SHOULDER CONSTRUCTION	15 STA
SUBGRADE PREPARATION	3,200 SY
EROSION CONTROL, CLASS 1D	4,790 SY
GRN MT SGR MPLE, 1 1/2" CAL B&B	8 EACH
COMMON HACKBERRY 1 1/2" CAL B&B	5 EACH
BUR OAK, 1 1/2" CALIPER BB	9 EACH

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE MANHOLE		1 EACH
REMOVE INLET		5 EACH
CAST IRON COVER & FRAME	1,135 LB	
CAST IRON COVER, FRAME & FLANGE	1,740 LB	
CURB INLET		10 EACH
TYPE 1		
ADJUST MANHOLE TO GRADE		1 EACH
RECONSTRUCT MANHOLE		1 EACH
MANHOLE		1 EACH
AT STA 48+48.92 LT		
MANHOLE		1 EACH
AT STA 49+79.14 RT		
MANHOLE		1 EACH
AT STA 7+36.61 RT		
REMOVE SEWER PIPE	357 LF	
47B-3000 CONC FOR INLET & JUNCTION BOXES	1 CY	
47B-3000 CONC FOR PIPE PLUG	1 CY	
RE-STEEL FOR INLET & JCT BOX	18 LB	
EXTERNAL FRAME SEALS	2 EACH	
CURB INLET SEDIMENT FILTER	12 EACH	
15" STORM SEWER PIPE 1	530 LF	
18" STORM SEWER PIPE 1	311 LF	

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
REINSTALL		1 EACH
TRAFFIC SIGNAL HEAD		
OVERHEAD SIGN		2 EACH
PEDESTAL POLE, TYPE PP-10		1 EACH
SERVICE DISCONNECT		1 EACH
2" CONDUIT IN TRENCH	100 LF	
SERVICE ENTRANCE CABLE	300 LF	
REMOVE PEDESTAL POLE		1 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE III	1,520 BDAY
SIGN DAY	912 EACH
CONTRACTOR FURNISHED SIGN DAY	912 EACH
FIELD OFFICE	1 EACH
MOBILIZATION	LUMP
TEMPORARY FENCE	1,200 LF
RENTAL OF LOADER, FULLY OPERATED	15 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	15 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	15 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	15 HOUR
TEMPORARY SEEDING	1 ACRE
TEMPORARY SILT CHECK	250 LF
TEMPORARY SILT FENCE	300 LF

NOTICE TO CONTRACTORS

CALL ORDER 205
 FEDERAL PROJECT NO. RUR-3806(1)
 LOCATION: ON A COUNTY ROAD, SOUTHEAST OF BENNINGTON
 COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids for the COUNTY OF DOUGLAS in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on April 18, 2013. At that time the bids will be opened and read for GRAD CONC PAVE CULV SEED ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

Length: 1.5 MILES
 START DATE 06/24/2013 WORKING DAYS 90
 Price Range \$ 2,000,000 to \$ 4,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning March 26, 2013 at the Lincoln Central Office and April 01, 2013 at the District Engineer's Office at OMAHA. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	106	SHEETS	\$ 26.50
CROSS SECTIONS (SHEETS X1 THRU X54)	54	SHEETS	\$ 13.50
STANDARD PLANS	26	SHEETS	\$ 6.50

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N4	GENERAL INFORMATION & DETOUR LOCATION MAPS
2-P1 - 2-P6	PHASING PLANS
2-L1 - 2-L14	JOINTS, GRADES, & GEOMETRICS
2-L15 - 2-L22	DRAINAGE
2-L23 - 2-L28	CONSTRUCTION & REMOVAL
2-L29 - 2-L34	EROSION CONTROL
3 - 11	PLAN & PROFILE SHEETS
12 - 13	TRAFFIC SIGNAL PLAN
14 - 19	PAVEMENT MARKING PLAN
20 - 22	EARTHWORK DATA SHEETS
23 - 29	DRAINAGE STRUCTURE CROSS SECTIONS
30	SPECIAL PLAN 1C AREA INLET
31	SPECIAL PLAN 2C RETAINING WALL
32	SPECIAL PLAN 3C PULL BOX DETAILS
33	SPECIAL PLAN 4C MAST ARM POLE DETAILS
34	SPECIAL PLAN 5C MAST ARM POLE FOUNDATION DETAILS
35	SPECIAL PLAN 6C MAST ARM TRANSFORMER BASE DETAILS
36	SPECIAL PLAN 7C MAST ARM SIGNAL MOUNTING
37	SPECIAL PLAN 8C POLE BRACKET INSTALLATION DETAILS
38	SPECIAL PLAN 9C STANDARD SIGNAL FACE ARRANGEMENTS
39	SPECIAL PLAN 10C STANDARD TRAFFIC SIGNAL WIRING CODES
40	SPECIAL PLAN 11C ELECTRIC SERVICE PEDESTAL
41 - 42	SPECIAL PLAN 12C STREET NAME SIGN LAYOUT TYPE "A", "B", & "C"
43	SPECIAL PLAN 13C OVERHEAD MOUNTED SIGNS
44	SPECIAL PLAN 14C POST MOUNTED SIGNS
45	SPECIAL PLAN 15C SIGN POST ANCHORING SYSTEMS
46	SPECIAL PLAN 16C INDUCTIVE LOOP DETECTORS
47	SPECIAL PLAN 17C STREET LIGHT DETAILS
48	SPECIAL PLAN 18C STREET LIGHT DETAILS
49 - 50	SPECIAL PLAN 19C TEMPORARY SILT CHECKS

R1 - R7 RIGHT-OF-WAY SHEETS
 X1 - X54 CROSS SECTIONS

STANDARD PLANS

301-R10 (3 SHEETS) PAVEMENT DETAILS
 309 MAILBOX SUPPORT POST
 329-R9 (4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
 410-R3 (2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
 411 (4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
 428-R3 CONCRETE PLUGS AND FIELD PIPE TAP DETAILS
 435-R1 (3 SHEETS) MANHOLE
 443-R8 (2 SHEETS) CURB INLETS AND JUNCTION BOX
 501-R5 (3 SHEETS) EROSION CONTROL
 502 SILT FENCE DETAILS
 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		3 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION		27,960 CY
EXCAVATION, BORROW		20,654 CY
WATER		487 MGAL
REMOVE PAVEMENT		19,500 SY
REMOVE DRIVEWAY		426 SY
24" DRIVE PIPE 2,3,4,5,6,7 OR 8		32 LF
30" DRIVE PIPE 2,3,4,5,6,7 OR 8		60 LF
36" DRIVE PIPE 2,3,4,5,6,7 OR 8		160 LF
WALL MATERIALS		420 SF
COMPACTED EARTH LEVELING PAD		96 LF
SEL GRAN BFILL RETAINED EARTH STR		30 CY
COVER CROP SEEDING		12 ACRE
EROSION CONTROL, CLASS 1D		1,145 SY
FABRIC SILT FENCE-LOW POROSITY		3,356 LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
CRUSHED ROCK SURFACE COURSE		60 TON
MAILBOX POST		5 EACH
CONC CLASS 47B-3500 DRIVEWAY 7"		888 SY
8" CONC PVMT, 47B-3500		34,069 SY
4' CHAIN-LINK FENCE		93 LF
12" WHITE PERMANENT PVMT MARKING PAINT		151 LF
ONLY, PREF PVMT MRKING T-4, GROOVED		6 EACH
ARROW, PREF PVMT MRKING T-4 GROOVED		12 EACH
5" WHT PREF PVMT MRKING T-4		819 LF
GROOVED		
5" YEL PREF PVMT MRKING T-4		19,313 LF
GROOVED		
HYDRATED LIME FOR ASPHALT MIXTURES		2 TON
ASPH CONC, TYPE SPR		250 TON
PERF GRADED BINDER (64-34)		14 TON
TACK COAT		80 GAL
WATER		147 MGAL
EARTH SHOULDER CONSTRUCTION		159 STA
SUBGRADE PREPARATION		35,465 SY
RAP INCENTIVE PAYMENT		425 EACH

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
RIPRAP FILTER FABRIC		180 SY
REMOVE INLET		2 EACH
CAST IRON COVER & FRAME		6,500 LB
CAST IRON RING & COVER		2,415 LB
AREA INLET		4 EACH
MANHOLE		1 EACH
AT STA. 12+51.50 LT.		
MANHOLE		1 EACH
AT STA. 22+50.00 RT.		
MANHOLE		1 EACH
AT STA. 27+96.50 RT.		
MANHOLE		1 EACH
AT STA. 33+96.50 RT.		
MANHOLE		1 EACH
AT STA. 39+00.00 RT.		
MANHOLE		1 EACH
AT STA. 44+35.00 RT.		
MANHOLE		1 EACH
AT STA. 53+55.20 RT.		
REMOVE HEADWALLS FROM CULV		1 EACH
REMOVE SEWER PIPE		43 LF
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		105 CY
47B-3000 CONC FOR INLET & JUNCTION BOXES		221 CY
47B-3000 CONC FOR PIPE PLUG		1 CY
RE-STEEL FOR INLET & JCT BOX		14,515 LB
18" METAL FLARED-END SECTION		2 EACH
60" CONCRETE FLARED-END SECTION		1 EACH
CURB INLET SEDIMENT FILTER		50 EACH
ROCK RIPRAP, TYPE A		36 TON
ROCK RIPRAP, TYPE B		98 TON
18" CULV PIPE 3,4,5,6		159 LF
15" STORM SEWER PIPE 1,7,8		1,443 LF
18" STORM SEWER PIPE 1,7,8		1,153 LF
21" STORM SEWER PIPE 1,7,8		1,076 LF
24" STORM SEWER PIPE 1,7,8		368 LF
30" STORM SEWER PIPE 1,7,8		250 LF
36" STORM SEWER PIPE 1,7,8		105 LF
42" STORM SEWER PIPE 1		600 LF
54" STORM SEWER PIPE 1		159 LF
60" STORM SEWER PIPE 1		41 LF

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE A		6 ACRE
SEEDING, TYPE B		6 ACRE
SODDING		254 SY
MULCH		25 TON
HYDROMULCH		1 TON

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
TRAFFIC SIGN AND POST		10 EACH
STREET NAME SIGN		3 EACH
18"		
PULL BOX, TYPE PB-1A		2 EACH
PULL BOX, TYPE PB-6		2 EACH
PREEMPTION CONTROL SYSTEM		1 EACH
TRAFFIC SIGNAL, TYPE TS-1		4 EACH
TRAFFIC SIGNAL, TYPE TS-1LL		1 EACH
TRAFFIC SIGNAL, TYPE TS-1A		2 EACH
TRAFFIC SIGNAL, TYPE TS-1RR		1 EACH
TRAF SIG CONTROL, TYPE TC-2070		1 EACH
WIRELESS INTERCONNECT RADIO SYSTEM	LUMP	LUMP

PEDESTRIAN SIGNAL, TYPE PS-1	6 EACH
PEDESTRIAN PUSHBUTTON, PPB	6 EACH
VEHICLE DETECTOR	17 EACH
TYPE A PREFORMED	
VEHICLE DETECTOR	1 EACH
TYPE B PREFORMED	
LUMINAIRE, TYPE HPS-200W	3 EACH
C.M.A. SIG & LGHT P. CMP-0-12	1 EACH
C.M.A. SIG & LGHT POLE, CMP-35-12	1 EACH
C.M.A. SIG & LGHT POLE, CMP-40-12	1 EACH
C.M.A. SIG & LGHT POLE, CMP-45-12	1 EACH
SERVICE DISCONNECT PEDESTAL	1 EACH
2" CONDUIT, JACKED	689 LF
3" CONDUIT, JACKED	116 LF
16/C #14 AWG TRAF SIG CABLE	403 LF
2/C #16 AWG PED PBUTTON LEAD-IN CABLE	858 LF
2/C DETECTOR LEAD-IN CABLE	395 LF
GROUNDING CONDUCTOR	351 LF
1/C #8 BARE COPPER	
SERVICE CABLE	100 LF
1/C #6 AWG COPPER	
STREET LIGHTING CABLE	351 LF
3/C #6	
SERVICE ENTRANCE CABLE	300 LF
SERVICE ENTRANCE CABLE	300 LF
1/C #6 AWG COPPER	
INSTALL PULL BOX	5 EACH
INSTALL STREET LIGHTING UNIT	2 EACH
INSTALL STREET LIGHT BASE	11 EACH
INSTALL	2,485 LF
1" PREDUCTED CABLE	

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	16,000 BDAY
BARRICADE, TYPE III	1,920 BDAY
SIGN DAY	2,320 EACH
CONTRACTOR FURNISHED SIGN DAY	1,440 EACH
FLAGGING	90 DAY
MOBILIZATION	LUMP LUMP
RENTAL OF LOADER, FULLY OPERATED	50 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	50 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	50 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	50 HOUR
TEMPORARY SILT CHECK	500 LF
TEMPORARY SILT FENCE	1,500 LF
TEMPORARY EARTH CHECK	500 LF
TEMPORARY MULCH	2 TON

NOTICE TO CONTRACTORS

CALL ORDER 210
 FEDERAL PROJECT NO. ER-3720(1)
 LOCATION: MUD CREEK, SOUTH OF PLATTSMOUTH
 COUNTIES: CASS

The Nebraska Department of Roads will receive sealed bids for the COUNTY OF CASS in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on April 18, 2013. At that time the bids will be opened and read for BRIDGE

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES

START DATE 10/21/2013 WORKING DAYS 10
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning March 26, 2013 at the Lincoln Central Office and April 01, 2013 at the District Engineer's Office at OMAHA

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	7 SHEETS	\$	1.75
STANDARD PLANS	8 SHEETS	\$	2.00

SHEET NO.

1 TITLE PAGE
 2-S SUMMARY OF QUANTITIES
 2-W WETLANDS
 2-N GENERAL INFORMATION
 2-L1 NORTHEAST WING REPAIR LAYOUT
 2-L2 NORTHEAST WING REPAIR DETAILS
 R1 RIGHT-OF-WAY INFORMATION

STANDARD PLANS

501-R5 (3 SHEETS) EROSION CONTROL
 502 SILT FENCE DETAILS
 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
 921-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE

BARRICADE, TYPE III	26	B	DAY
SIGN DAY	52	E	EACH
FLAGGING	10	D	DAY
MOBILIZATION	LUMP	L	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	L	LUMP
EARTHWORK MEASURED IN EMBANKMENT	182	C	CY
STRUC STEEL FOR SUBSTRUCTURE	1,975	L	LB
STEEL SHEET PILING	767	S	SF
RENTAL OF LOADER, FULLY OPERATED	10	H	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	10	H	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	10	H	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10	H	HOUR
EROSION CONTROL, CLASS 1D	300	S	SY
FABRIC SILT FENCE-LOW POROSITY	90	L	LF

NOTICE TO CONTRACTORS

CALL ORDER 215
 FEDERAL PROJECT NO. MAPA-5129(1)
 LOCATION: GILES ROAD, I-80-108TH, LA VISTA
 COUNTIES: SARPY

The Nebraska Department of Roads will receive sealed bids for the CITY OF LA VISTA in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on April 18, 2013. At that time the bids will be opened and read for ELECTRICAL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: ELECTRICAL
 START DATE 10/21/2013 WORKING DAYS 10
 Price Range \$0 to \$500,000

Plans and specifications may be seen beginning March 26, 2013 at the Lincoln Central Office and April 01, 2013 at the District Engineer's Office at OMAHA
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.
 This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	11	SHEETS	\$	2.75
STANDARD PLANS	5	SHEETS	\$	1.25

SHEET NO.

1	TITLE PAGE
2-S	SUMMARY OF QUANTITIES
2-A	PHOTO MAP
2-N	GENERAL INFORMATION
2-L1 - 2-L7	COMMUNICATION PLAN

STANDARD PLANS

920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
924	(3 SHEETS)	TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8B ELECTRICAL

BARRICADE, TYPE II		200	BDAY
TEMPORARY SIGN DAY		120	EACH
FLASHING ARROW PANEL		10	DAY
FLAGGING		10	DAY
MOBILIZATION	LUMP		LUMP
UPGRADE CONTROLLER FIRMWARE		1	EACH
WIRELESS INTERCONNECT RADIO SYSTEM	LUMP		LUMP
GPS UNIT		2	EACH
UNINTERRUPTIBLE POWER SUPPLY		1	EACH

NOTICE TO CONTRACTORS

CALL ORDER 300
 FEDERAL PROJECT NO. ER-81-4(122)
 LOCATION: US-81, YANKTON BRIDGE
 COUNTIES: CEDAR

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 18, 2013. At that time the bids will be opened and read for GRADING

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: GRADING

START DATE 07/29/2013 WORKING DAYS 25
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning March 26, 2013 at the Lincoln Central Office and April 01, 2013 at the District Engineer's Office at NORFOLK

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	3	SHEETS	\$	0.75
CROSS SECTIONS (SHEETS X1 THRU X7)	7	SHEETS	\$	1.75
STANDARD PLANS	9	SHEETS	\$	2.25

SHEET NO.

1	TITLE PAGE & SUMMARY OF QUANTITIES
2-N	GENERAL INFORMATION
2-L	DRAINAGE & GEOMETRICS
X1 - X7	CROSS SECTIONS

STANDARD PLANS

425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

TEMPORARY SIGN DAY		50	EACH
MOBILIZATION	LUMP	LUMP	
GENERAL CLEARING AND GRUBBING	LUMP	LUMP	
EXCAVATION (ESTABLISHED QUANTITY)		1,819	CY
WATER		48	MGAL
EARTHWORK MEASURED IN EMBANKMENT		4,823	CY
SALVAGING AND PLACING TOPSOIL		2,003	SY
RIPRAP FILTER FABRIC		1,244	SY
REMOVE & SALVAGE FES		1	EACH
REMOVE CULVERT PIPE		24	LF
47B-3000 CONC FOR CONCRETE CO		1	CY
RE-STEEL FOR COLLARS		98	LB
24" REINFORCED CONCRETE PIPE		72	LF
ROCK RIPRAP, TYPE B		756	TON
ROCK RIPRAP		554	TON
TYPE B, FIELD STONE			
REMOVE AND RESET FENCE		113	LF

RENTAL OF LOADER, FULLY OPERATED	25 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	25 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	25 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	25 HOUR
EROSION CONTROL, CLASS 1E	2,003 SY
TEMPORARY SILT FENCE	200 LF

NOTICE TO CONTRACTORS

CALL ORDER 305
 FEDERAL PROJECT NO. ER-14-4(113)
 LOCATION: N-14, STANDING BEAR BRIDGE
 COUNTIES: KNOX

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 18, 2013. At that time the bids will be opened and read for GRADING

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: GRADING
 START DATE 08/05/2013 WORKING DAYS 25
 Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning March 26, 2013 at the Lincoln Central Office and April 01, 2013 at the District Engineer's Office at NORFOLK

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	4 SHEETS	\$	1.00
CROSS SECTIONS (SHEET X1)	1 SHEETS	\$	0.25
STANDARD PLANS	8 SHEETS	\$	2.00

SHEET NO.

1	TITLE PAGE & SUMMARY OF QUANTITIES
2-T	TYPICAL CROSS SECTIONS
2-N	GENERAL INFORMATION
2-L	GEOMETRICS
X1	CROSS SECTIONS

STANDARD PLANS

501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

TEMPORARY SIGN DAY	100 EACH
FLAGGING	50 DAY
MOBILIZATION	LUMP LUMP
RIPRAP FILTER FABRIC	1,022 SY
ROCK RIPRAP, TYPE C	9,855 TON
ROCK RIPRAP	750 TON
TYPE C, FIELD STONE	
RENTAL OF LOADER, FULLY OPERATED	25 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	25 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	25 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	25 HOUR
TEMPORARY SILT FENCE	200 LF

NOTICE TO CONTRACTORS

CALL ORDER 315
 FEDERAL PROJECT NO. STPE-2532(1)
 LOCATION: ON A COUNTY ROAD, NORTHEAST OF PETERSBURG
 COUNTIES: BOONE

The Nebraska Department of Roads will receive sealed bids for the COUNTY OF BOONE in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on April 18, 2013. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 2.0 Miles
 START DATE 09/09/2013 WORKING DAYS 25
 Price Range \$ 250,000 to \$ 1,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning March 26, 2013 at the Lincoln Central Office and April 01, 2013 at the District Engineer's Office at NORFOLK. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	18 SHEETS	\$	4.50
STANDARD PLANS	13 SHEETS	\$	3.25

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-H	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N2	GENERAL INFORMATION
2-P	CONSTRUCTION PHASING PLANS & DETOUR LOCATION MAP
2-L1 - 2-L5	CONSTRUCTION & REMOVAL
3 - 7	PLAN & PROFILE SHEETS
8	PAVEMENT MARKING & SIGNING
9 - 10	SPECIAL PLAN 1C TEMPORARY SILT CHECKS

STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
301-R10	(3 SHEETS) PAVEMENT DETAILS
303-R1	(4 SHEETS) CURB RAMP
309	MAILBOX SUPPORT POST
502	SILT FENCE DETAILS
901-R9	HIGHWAY DELINEATORS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE III	1,980	B	DAY
SIGN DAY	1,815	E	EACH
CONTRACTOR FURNISHED SIGN DAY	935	E	EACH
PERMANENT PAVEMENT MARKING PAINT	18,182	L	LF
FLAGGING	20	D	DAY
MOBILIZATION	LUMP	L	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	2,663	C	CY
REMOVE WALK	30	S	SY
GRAVEL SURFACE COURSE	6	C	CY

MAILBOX POST	1 EACH
CONC 47B-3000 SIDEWALKS	30 SY
DETECTABLE WARNING PANEL	64 SF
TYPE A SIGN	99 SF
STRUC STEEL FOR SIGN SUPPORTS	572 LB
HYDRATED LIME FOR ASPHALT MIXTURES	27 TON
BIT FOUNDATION COURSE 8"	24,215 SY
ASPH CONC, TYPE SPR	4,497 TON
PLACE ASPH CONC FOR DRIVE & INTER	1,594 SY
PERF GRADED BINDER (64-34)	152 TON
PREP OF INTER & DRIVE	1,594 SY
TACK COAT	5,006 GAL
RENTAL OF LOADER, FULLY OPERATED	10 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	10 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	10 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	10 HOUR
WATER	130 MGAL
EARTH SHOULDER CONSTRUCTION	208 STA
SUBGRADE PREPARATION	24,215 SY
COLD MILLING, CLASS 4	24,692 SY
RAP INCENTIVE PAYMENT	7,645 EACH
SEEDING, TYPE B	2 ACRE
COVER CROP SEEDING	2 ACRE
TEMPORARY SILT FENCE	500 LF
TEMPORARY MULCH	2 TON
MULCH	7 TON

NOTICE TO CONTRACTORS

CALL ORDER 320
 FEDERAL PROJECT NO. STPD-14-3(112)
 LOCATION: N-14, PETERSBURG-ELGIN
 COUNTIES: ANTELOPE BOONE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 18, 2013. At that time the bids will be opened and read for GR CULV SEED BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 8.2 MILES
 START DATE 07/08/2013 WORKING DAYS 65
 Price Range \$ 3,000,000 to \$ 6,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning March 26, 2013 at the Lincoln Central Office and April 01, 2013 at the District Engineer's Office at NORFOLK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	70	SHEETS	\$ 17.50
CROSS SECTIONS (SHEETS X1 THRU X140)	140	SHEETS	\$ 35.00
STANDARD PLANS	15	SHEETS	\$ 3.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-W1 - 2-W9	WETLANDS
2-H1 - 2-H6	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N2	GENERAL INFORMATION
2-L1 - 2-L14	EROSION & SEDIMENT CONTROL
3 - 11	PLAN SHEETS
12	TEMPORARY PAVEMENT MARKING PLAN
13 - 18	EARTHWORK DATA SHEETS
19	DRAINAGE STRUCTURE CROSS SECTIONS
20	SPECIAL PLAN 1C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
21 - 22	SPECIAL PLAN 2C TEMPORARY SILT CHECKS
R1 - R15	RIGHT-OF-WAY SHEETS
X1 - X140	CROSS SECTIONS

STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
307-R1	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
804	PRECAST CONCRETE R.O.W. MARKER
901-R9	HIGHWAY DELINEATORS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		2 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION	63,891	CY
WATER	248	MGAL
RIGHT-OF-WAY MARKERS	60	EACH
SALVAGING AND PLACING TOPSOIL	62,599	SY
REMOVE ASPHALT SURFACE	938	SY
REMOVE CONCRETE FOUNDATION TOWER ANCHORS	3	EACH
REMOVE GUARDRAIL	716	LF
COVER CROP SEEDING	29	ACRE
EROSION CONTROL, CLASS 1D	15,631	SY
EROSION CONTROL, CLASS 2A	7,445	SY
EROSION CONTROL, CLASS 2C	57	SY
EROSION CHECKS, TYPE 1D	216	BALE
EROSION CHECKS, TYPE 2A	353	BALE
FABRIC SILT FENCE-LOW POROSITY	3,064	LF

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE & SALVAGE FES		2 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		33 CY
INSTALL 24" METAL F.E.S.		1 EACH
INSTALL 30" METAL F.E.S.		1 EACH
24" CULV PIPE 3,4,5		39 LF
30" CULV PIPE 3,4,5		22 LF

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE A		11 ACRE
SEEDING, TYPE B		18 ACRE
MULCH		65 TON

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES	1,300	STA
OVERLAY SOLID LINES	2,600	STA
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE III	39	EACH
INSTALL CHEVRONS	16	EACH
GRAVEL SURFACE COURSE	220	CY
MAILBOX POST	13	EACH
HYDR LIME/WMA FOR ST MNT PAT	500	EACH
HYDRATED LIME/WMA	47,220	EACH
GRANULAR SUBDRAIN	15	EACH
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	500	TON
ASPH CONC, TYPE SPR	47,020	TON
PLACE ASPH CONC FOR DRIVE & INTER	5,809	SY
ASPH CONCRETE FOR PATCHING, TYPE SPR	200	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	17	TON
PERF GRADED BINDER (64-34)	1,605	TON
PREP OF INTER & DRIVE	953	SY
TACK COAT	31,610	GAL
WATER	217	MGAL
EARTH SHOULDER CONSTRUCTION	867	STA
TRENCHED WIDENING	827	STA
COLD MILLING, CLASS 3	433	STA
RAP INCENTIVE PAYMENT	80,274	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	12,350	B	DAY
BARRICADE, TYPE III	472	B	DAY
TEMPORARY SIGN DAY	910	E	EACH
SIGN DAY	11,552	E	EACH
FLAGGING	100	D	DAY
FURNISHING AND OPERATING PILOT VEHICLE	48	D	DAY
FIELD OFFICE	1	E	EACH
MOBILIZATION	LUMP	L	LUMP
RENTAL OF LOADER, FULLY OPERATED	80	H	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50	H	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	80	H	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	80	H	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	30	H	HOUR
TEMPORARY SILT CHECK	1,500	L	LF
TEMPORARY SILT FENCE	2,000	L	LF
TEMPORARY EARTH CHECK	1,000	L	LF
TEMPORARY MULCH	8	T	TON

NOTICE TO CONTRACTORS

CALL ORDER 325
 FEDERAL PROJECT NO. BRO-7084(10)
 LOCATION: ON A COUNTY ROAD, SOUTHEAST OF STANTON
 COUNTIES: STANTON

The Nebraska Department of Roads will receive sealed bids for the COUNTY OF STANTON in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on April 18, 2013. At that time the bids will be opened and read for GR CULV BR GDRL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES

START DATE 06/17/2013 WORKING DAYS 95
 Price Range \$ 250,000 to \$ 1,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning March 26, 2013 at the Lincoln Central Office and April 01, 2013 at the District Engineer's Office at NORFOLK. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	24	SHEETS	\$	6.00
CROSS SECTIONS (SHEETS X1 THRU X9)	9	SHEETS	\$	2.25
STANDARD PLANS	16	SHEETS	\$	4.00

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS OF IMPROVEMENT
2-S	SUMMARY OF QUANTITIES
2-W	WETLANDS
2-N1 - 2-N2	GENERAL INFORMATION & DETOUR LOCATION MAP
2-L	EROSION CONTROL
3	PLAN & PROFILE SHEET
4 - 5	DRAINAGE STRUCTURE CROSS SECTIONS
6 - 14	SPECIAL PLAN 1 CONCRETE SLAB BRIDGE STA. 24+77.50
15	SPECIAL PLAN 1C CURVED GUARDRAIL DETAILS
16	SPECIAL PLAN 2C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
17 - 18	SPECIAL PLAN 3C TEMPORARY SILT CHECKS
R1	RIGHT-OF-WAY DATA
X1 - X9	CROSS SECTIONS

STANDARD PLANS

410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
740	MIDWEST GUARDRAIL SYSTEM BRIDGE APPROACH SECTION
743	(4 SHEETS) GUARDRAIL DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		7 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		11,202 CY
WATER		45 MGAL
CRUSHED ROCK EMBEDMENT		16 STA
CRUSHED ROCK SURFACE COURSE		501 CY
SEEDING, TYPE A		3 ACRE
COVER CROP SEEDING		3 ACRE
EROSION CONTROL, CLASS 1D		2,694 SY
EROSION CHECKS, TYPE 1D		48 BALE
FABRIC SILT FENCE-LOW POROSITY		569 LF
MULCH		7 TON

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		356 CY
24" METAL FLARED-END SECTION		2 EACH
30" METAL FLARED-END SECTION		1 EACH
24" CULV PIPE 3,4,5,6		188 LF
30" CULV PIPE 3,4,5,6		110 LF

GROUP 6 BRIDGE AT STA 24+77.50

MOBILIZATION	LUMP	LUMP
RIPRAP FILTER FABRIC		840 SY
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.3 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
47B-3000 CONC FOR BRIDGE		294 CY
47BD-4000 CONC FOR BRIDGE		336 CY
RE-STEEL FOR BRIDGE		89,810 LB
REMOVE STRUCTURE		1 EACH
AT STA 24+81		
ACCESS CROSSING	LUMP	LUMP
STRUC STEEL FOR SUBSTRUCTURE		3,675 LB
ROCK RIPRAP, TYPE B		750 TON
SALVAGING AND PLACING TOPSOIL ON RIPRAP		890 SY
HP 10"X42# STEEL PILING		3,810 LF

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		44 LF
BRIDGE APPROACH SECTIONS		4 EACH
END ANCHORAGE ASSEMBLY		1 EACH
GUARDRAIL END TREATMENT, TYPE II		3 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE III		2,338 BDAY
SIGN DAY		3,006 EACH
CONTRACTOR FURNISHED SIGN DAY		668 EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		10 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		10 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		10 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		10 HOUR
TEMPORARY SILT CHECK		200 LF
TEMPORARY SILT FENCE		500 LF
TEMPORARY EARTH CHECK		200 LF
TEMPORARY MULCH		2 TON

NOTICE TO CONTRACTORS

CALL ORDER 400
 FEDERAL PROJECT NO. STPD-92-5(107)
 LOCATION: N-92, PLATTE RIVER-US-81
 COUNTIES: POLK

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 18, 2013. At that time the bids will be opened and read for GR CONC PAVE CULV GDRL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

Length: 10.8 MILES
 START DATE 06/10/2013 WORKING DAYS 160
 Price Range \$ 3,000,000 to \$ 6,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning March 26, 2013 at the Lincoln Central Office and April 01, 2013 at the District Engineer's Office at GRAND ISLAND
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	103	SHEETS	\$ 25.75
CROSS SECTIONS (SHEETS X1 THRU X130)	130	SHEETS	\$ 32.50
STANDARD PLANS	31	SHEETS	\$ 7.75

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T7	TYPICAL CROSS SECTIONS
2-S1 - 2-S6	SUMMARY OF QUANTITIES & DETOUR LOCATION MAP
2-W1 - 2-W10	WETLANDS
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N2	GENERAL INFORMATION
2-L1 - 2-L5	EROSION & SEDIMENT CONTROL
3 - 12	PLAN SHEETS
13	PLAN & PROFILE SHEET
14	TYPICAL TRAFFIC SIGNAL CONTROL PLAN FOR ONE LANE, TWO WAY OPERATION WITH BARRIERS
15	TEMPORARY TRAFFIC SIGNAL
16	TEMPORARY PAVEMENT MARKING PLAN
17 - 23	EARTHWORK DATA SHEETS
24 - 31	DRAINAGE STRUCTURE CROSS SECTIONS
32 - 33	SPECIAL PLAN 1C JUNCTION BOX LID STA. 259+60.00
34	SPECIAL PLAN 2C CONCRETE HEADWALL FOR ARCH PIPES STA. 630+05.00
35 - 36	SPECIAL PLAN 3C CONCRETE HEADWALL (FOR 36"-60" CULVERT PIPES WITH NO SKEW) STA. 740+55.00
37 - 39	SPECIAL PLAN 4C 6' X 6' SINGLE SPAN RC BOX CULVERT STA. 256+21.80 LT
40 - 41	SPECIAL PLAN 5C 7' X 7' SINGLE SPAN RC BOX CULVERT STA. 560+08.00
42	SPECIAL PLAN 6C GUARDRAIL PLAN
43 - 47	SPECIAL PLAN 7C CABLE GUARDRAIL
48 - 49	SPECIAL PLAN 8C TEMPORARY SILT CHECKS
50	SPECIAL PLAN 9C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
51 - 52	SPECIAL PLAN 10C CONCRETE PROTECTION BARRIER
53	SPECIAL PLAN 11C TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
R1 - R19	RIGHT-OF-WAY SHEETS
X1 - X130	CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
307-R1	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
329-R9	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
403-R2	(2 SHEETS) BENDS AND BREAKS FOR CONCRETE BOX CULVERTS
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
743	(4 SHEETS) GUARDRAIL DETAILS
804	PRECAST CONCRETE R.O.W. MARKER
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		58 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		289 MGAL
RIGHT-OF-WAY MARKERS		17 EACH
EARTHWORK MEASURED IN EMBANKMENT		29,611 CY
REMOVE PAVEMENT		4,289 SY
REMOVE ASPHALT SURFACE		178 SY
REMOVE GUARDRAIL		3,108 LF
COVER CROP SEEDING		27 ACRE
TEMPORARY SEEDING		2 ACRE
EROSION CONTROL, CLASS 1D		19,960 SY
EROSION CONTROL, CLASS 2A		685 SY
EROSION CONTROL, CLASS 2C		265 SY
EROSION CHECKS, TYPE WATTLE		3,685 LF
EROSION CHECKS, TYPE COIR		96 LF
FABRIC SILT FENCE-LOW POROSITY		6,602 LF
SLASH MULCH		500 CY

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
GRAVEL SURFACE COURSE		47 CY
CRUSHED ROCK SURFACE COURSE		160 CY
SPEC SURF CRSE FOR MAILBOX TURNOUTS		1,425 SY
MAILBOX POST		12 EACH
TIE BARS		40,492 EACH
CROSS STITCHING		4,252 EACH
CONC PVMT REPAIR TYPE A FULL DEPTH		115 CY
CONC PVMT REPAIR TYPE B FULL DEPTH		312 CY
CONC PVMT REPAIR TYPE C FULL DEPTH		630 CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH		10 CY
8" CONC PVMT, 47B-3500		36,760 SY
8" DOWELED CONC PAVE, CLASS 47B-3500		5,427 SY
TEMPORARY SURFACING		1,470 SY
10"		
DIAMOND GRINDING AND TEXTURING CONC PVMT		177,542 SY
SEALING CRACKS		2,010 LF
SEALING JOINTS		130,665 LF
SEALING CONCRETE REPAIR JOINT		110 LF
CONC PVMT, PR-3500		90 CY
JOINT REPAIR		
CONC SMOOTHNESS TESTING	LUMP	LUMP
5" WHT WET RFLC POLY PVMT MRKING, GVD		30,600 LF

5" YEL WET RFLC POLY PVMT MRKING, GVD	114,200	LF
FOUNDATION COURSE REPLACEMENT	34	CY
FOUNDATION COURSE	5,427	SY
4"		
FOUNDATION COURSE	36,760	SY
8"		
GRANULAR SUBDRAIN	894	EACH
WATER	302	MGAL
EARTH SHOULDER CONSTRUCTION	1,142	STA
WIDENING	1,107	STA
SUBGRADE PREPARATION	5,427	SY
SURFACE UNDER GUARDRAIL	2,881	SY
SEEDING, TYPE B	27	ACRE
MULCH	61	TON

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
CAST IRON COVER & FRAME	125	LB
REMOVE HEADWALLS FROM CULV	15	EACH
PREPARATION OF STRUCTURE	1	EACH
AT STA 560+08		
PREPARATION OF STRUCTURE	1	EACH
AT STA 256+21.8		
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	2,514	CY
EXCAVATION FOR BOX CULVERTS	355	CY
TEMPORARY SHORING	LUMP	LUMP
AT STA. 655+44		
TEMPORARY SHORING	LUMP	LUMP
AT STA 740+55		
47B-3000 CONC FOR HDWL	9	CY
47B-3000 CONC FOR BOX CULV	179	CY
47B-3000 CONC FOR INLET & JUNCTION BOXES	1	CY
RE-STEEL FOR HEADWALL	1,444	LB
RE-STEEL FOR BOX CULVERT	20,200	LB
RE-STEEL FOR INLET & JCT BOX	135	LB
24" FLARED-END SECTION	1	EACH
54" FLARED-END SECTION	2	EACH
60" FLARED-END SECTION	2	EACH
54" RND EQUIV FLARED-END SECTION	2	EACH
24" METAL FLARED-END SECTION	3	EACH
36" METAL FLARED-END SECTION	1	EACH
48" METAL FLARED-END SECTION	1	EACH
CRUSHED ROCK FOR BASE COURSE	53	CY
24" CULV PIPE 2,3,4,5,6,7,8	26	LF
15" CULV PIPE 3,4,5	45	LF
24" CULV PIPE 3,4,5	151	LF
36" CULV PIPE 3,4,5	14	LF
48" CULV PIPE 3,4,5	8	LF
54" CULV PIPE 2,4,5	86	LF
60" CULV PIPE 2,4,5	338	LF
48" RND EQ CULV PIPE 2,4,5	210	LF
54" RND EQ CULV PIPE 2,4,5	73	LF

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL	212	LF
CABLE GUARDRAIL	2,592	LF
TERMINAL ANCHORAGE SECTIONS	14	EACH
GUARDRAIL END TREATMENT, TYPE II	4	EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	16,405	B DAY
BARRICADE, TYPE III	4,055	B DAY
SIGN DAY	22,876	EACH
CONTRACTOR FURNISHED SIGN DAY	1,602	EACH

TEMP PAVEMENT MARKING REMOVAL	5,400	LF
PAVEMENT MARKING REMOVAL	1,600	LF
TEMP PVMT MARKING, TYPE PAINT	150,600	LF
TEMP PVMT MARKING SURF PREP	5,800	LF
PERMANENT PAVEMENT MARKING PAINT	144,800	LF
FLAGGING	210	DAY
CONCRETE PROTECTION BARRIER	500	LF
RELOCATE CONC PROTECTION BARRIER	1,350	LF
TEMPORARY RUMBLE STRIP	8	EACH
TEMPORARY TRAFFIC SIGNAL	2	EACH
TRAFFIC CONTROL MANAGEMENT	287	DAY
TRAINING	1,000	HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	80	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	80	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	80	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	80	HOUR
TEMPORARY SILT CHECK	800	LF
TEMPORARY SILT FENCE	1,500	LF
TEMPORARY EARTH CHECK	800	LF
TEMPORARY MULCH	4	TON

NOTICE TO CONTRACTORS

CALL ORDER 405
FEDERAL PROJECT NO. STP-L40C(106)
LOCATION: L40C, ALDA LINK
COUNTIES: HALL

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 18, 2013. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 5.2 MILES
START DATE 08/26/2013 WORKING DAYS 35
Price Range \$ 1,000,000 to \$ 3,000,000
THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning March 26, 2013 at the Lincoln Central Office and April 01, 2013 at the District Engineer's Office at GRAND ISLAND. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	30 SHEETS	\$	7.50
STANDARD PLANS	17 SHEETS	\$	4.25

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T2	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-W1 - 2-W7	WETLANDS
2-H1 - 2-H5	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N2	GENERAL INFORMATION
2-L	EROSION & SEDIMENT CONTROL
3 - 7	PLAN SHEETS
8	TEMPORARY PAVEMENT MARKING PLAN
9	PAVEMENT MARKING DETAILS
10 - 11	SPECIAL PLAN 1C GUARDRAIL PLAN
12 - 13	SPECIAL PLAN 2C TEMPORARY SILT CHECKS

STANDARD PLANS

309	MAILBOX SUPPORT POST
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
740	MIDWEST GUARDRAIL SYSTEM BRIDGE APPROACH SECTION
743	(4 SHEETS) GUARDRAIL DETAILS
901-R9	HIGHWAY DELINEATORS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	4,375	BDAY
BARRICADE, TYPE III	276	BDAY
TEMPORARY SIGN DAY	490	EACH
SIGN DAY	4,830	EACH
OVERLAY BROKEN LINES	550	STA
OVERLAY SOLID LINES	1,101	STA
FLAGGING	60	DAY
FURNISHING AND OPERATING PILOT VEHICLE	25	DAY
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE III	82	EACH
INSTALL CHEVRONS	64	EACH
REMOVE DELINEATOR UNITS	82	EACH
REMOVE ASPHALT SURFACE	1,726	SY
GRAVEL SURFACE COURSE	55	CY
MAILBOX POST	12	EACH
W-BEAM GUARDRAIL	525	LF
REMOVE GUARDRAIL	1,200	LF
BRIDGE APPROACH SECTIONS	8	EACH
GUARDRAIL END TREATMENT, TYPE I	8	EACH
STOP AHD SYM, PREF PVMT MRKING, T-4 GVD	1	EACH
24" WHITE PREF PVMT MKING T-4 GROOVED	36	LF
RR XING SYMBOL PREF PVMT MRKING T-4 GRVD	1	EACH
HYDR LIME/WMA FOR ST MNT PAT	250	EACH
HYDRATED LIME/WMA	22,667	EACH
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	250	TON
ASPH CONC, TYPE SPR	20,667	TON
PLACE ASPH CONC FOR DRIVE & INTER	5,389	SY
ASPH CONCRETE FOR PATCHING, TYPE SPR	2,000	TON
PERF GRAD BIND (64-34) FOR ST MAINT PATCH	8	TON
PERF GRADED BINDER (64-34)	770	TON
PREP OF INTER & DRIVE	831	SY
TACK COAT	15,531	GAL
RENTAL OF LOADER, FULLY OPERATED	55	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	55	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	55	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5	HOUR
COLD MILLING, CLASS 3	275	STA
COLD MILLING, CLASS 5	4,558	SY
SURFACE UNDER GUARDRAIL	889	SY
RAP INCENTIVE PAYMENT	38,534	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
EROSION CONTROL, CLASS 1D	479	SY
TEMPORARY SILT CHECK	150	LF
TEMPORARY SILT FENCE	300	LF

NOTICE TO CONTRACTORS

CALL ORDER 410
 FEDERAL PROJECT NO. STP-11-3(120)
 LOCATION: N-11, IN NORTH LOUP & SOUTH
 COUNTIES: GREELEY VALLEY
 HOWARD

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 18, 2013. At that time the bids will be opened and read for GRAD CULV SEED BR GDRL ELEC BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 10.1 MILES
 START DATE 04/07/2014 WORKING DAYS 100
 Price Range \$ 3,000,000 to \$ 6,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning March 26, 2013 at the Lincoln Central Office and April 01, 2013 at the District Engineer's Office at GRAND ISLAND
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	105	SHEETS	\$ 26.25
CROSS SECTIONS (SHEETS X1 THRU X112)	112	SHEETS	\$ 28.00
STANDARD PLANS	34	SHEETS	\$ 8.50

SHEET NO.

1	TITLE PAGE
2-T1 - 2-T9	TYPICAL CROSS SECTIONS
2-S1 - 2-S4	SUMMARY OF QUANTITIES
2-W1 - 2-W10	WETLANDS
2-H1 - 2-H3	HORIZONTAL ALIGNMENT & ORIENTATION
2-N1 - 2-N2	GENERAL INFORMATION
3 - 12	PLAN SHEETS
13	TYPICAL TRAFFIC SIGNAL CONTROL PLAN FOR ONE LANE, TWO WAY OPERATION WITH BARRIERS
14	TEMPORARY TRAFFIC SIGNAL
15	TEMPORARY PAVEMENT MARKING PLAN
16	PAVEMENT MARKING PLAN--PARKING DETAIL
17	PAVEMENT MARKING DETAILS
18 - 22	ROADWAY LIGHTING PLANS
23 - 27	EARTHWORK DATA SHEETS
28 - 38	DRAINAGE STRUCTURE CROSS SECTIONS
39 - 41	SPECIAL PLAN 1 MODIFY BUTTRESS STA. 1067+45.00
42	SPECIAL PLAN 1C CONCRETE HEADWALL (FOR 12"-30" CORRUGATED METAL PIPES WITH NO SKEW) STA. 1090+34.00
43 - 46	SPECIAL PLAN 2C 8' X 6' TWIN SPAN RC BOX CULVERT STA. 1391+62.00 LT
47 - 51	SPECIAL PLAN 3C 10' X 10' TRIPLE SPAN RC BOX CULVERT STA. 1406+63.00 RT
52 - 53	SPECIAL PLAN 4C GUARDRAIL PLAN
54 - 58	SPECIAL PLAN 5C CABLE GUARDRAIL
59	SPECIAL PLAN 6C CONCRETE FLUME, TYPE I
60 - 61	SPECIAL PLAN 7C CONCRETE PROTECTION BARRIER
R1 - R17	RIGHT-OF-WAY SHEETS
X1 - X112	CROSS SECTIONS

STANDARD PLANS

108-R4	SUPERELEVATION PLAN FOR CONCRETE AND BITUMINOUS SURFACING
307-R1	MAILBOX TURNOUT
309	MAILBOX SUPPORT POST
403-R2	(2 SHEETS) BENDS AND BREAKS FOR CONCRETE BOX CULVERTS
410-R3	(2 SHEETS) FLARED END SECTIONS FOR CULVERT PIPES
411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
548-R2	(2 SHEETS) CONCRETE FLUME, TYPE VIII
740	MIDWEST GUARDRAIL SYSTEM BRIDGE APPROACH SECTION
743	(4 SHEETS) GUARDRAIL DETAILS
748	CULVERT MOUNTED GUARDRAIL POST
901-R9	HIGHWAY DELINEATORS
914-R6	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
924	(3 SHEETS) TYPICAL URB

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		174 MGAL
EARTHWORK MEASURED IN EMBANKMENT	11,553	CY
REMOVE ASPHALT SURFACE		65 SY
REMOVE GUARDRAIL	2,001	LF
COVER CROP SEEDING		23 ACRE
EROSION CONTROL, CLASS 1D	13,576	SY
EROSION CONTROL, CLASS 2A		219 SY

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE DISCHARGE STRUCTURE		1 EACH
REMOVE HEADWALLS FROM CULV		1 EACH
PREPARATION OF STRUCTURE		1 EACH
AT STATION 1391+62		
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	132	CY
EXCAVATION FOR BOX CULVERTS		65 CY
47B-3000 CONC FOR HDWL		1 CY
47B-3000 CONC FOR BOX CULV		52 CY
RE-STEEL FOR HEADWALL		89 LB
RE-STEEL FOR BOX CULVERT	4,641	LB
30" METAL FLARED-END SECTION		1 EACH
24" CONCRETE FLARED-END SECTION		2 EACH
JACKING 24" CULV PIPE, 2 CLASS IV	126	LF
CRUSHED ROCK FOR BASE COURSE		9 CY
24" CULV PIPE 2		52 LF
24" CULV PIPE 2 CLASS IV	126	LF
30" CULV PIPE 3,4,5		10 LF
15" CULV PIPE 2,5,7,8		64 LF
15" CULV PIPE 3,4,5,6		74 LF

GROUP 4A CULVERT AT STATION 1406+63

MOBILIZATION	LUMP	LUMP
PREPARATION OF STRUCTURE		1 EACH
AT STATION 1406+63		
EXCAVATION FOR BOX CULVERTS	234	CY
47B-3000 CONC FOR BOX CULV		84 CY
RE-STEEL FOR BOX CULVERT	8,462	LB
CRUSHED ROCK FOR BASE COURSE		16 CY

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE B		23 ACRE
MULCH		51 TON

GROUP 6 BRIDGE AT STATION 1067+45.00

MOBILIZATION	LUMP	LUMP
47BD-4000 CONC FOR BRIDGE		3 CY
PREP BRIDGE		1 EACH
1067+45.00		
EPOXY COATED RE-STEEL	1,175	LB
CONCRETE REPAIR	100	SF

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
CULV MOUNTED GDRL POST		5 EACH
W-BEAM GUARDRAIL		525 LF
CABLE GUARDRAIL	1,320	LF
BRIDGE APPROACH SECTIONS		4 EACH
TERMINAL ANCHORAGE SECTIONS		4 EACH
GUARDRAIL END TREATMENT, TYPE II		6 EACH

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
PULL BOX, TYPE PB-5		1 EACH
ST LIGHT UNIT SL-BT-40-12-0.25		4 EACH
LIGHTING CONTROL CENTER, R		1 EACH
1 1/2" CONDUIT IN TRENCH	565	LF
1 1/2" CONDUIT, JACKED	106	LF
STREET LIGHT CABLE, NO. 6 BARE	671	LF
STREET LIGHT CABLE, NO. 6 USE	1,342	LF

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES	1,503	STA
OVERLAY SOLID LINES	3,006	STA
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE III		56 EACH
INSTALL CHEVRONS		18 EACH
GRAVEL SURFACE COURSE		30 CY
CRUSHED ROCK SURFACE COURSE		30 CY
MAILBOX POST		7 EACH
CONCRETE CURB REPAIR	109	LF
CONC PVMT REPAIR TYPE A FULL DEPTH	99	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	90	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	250	CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH	1	CY
DIAMOND GRINDING AND TEXTURING CONC PVMT	8,638	SY
SEALING CRACKS	2,776	LF
SEALING JOINTS	20,675	LF
SEALING CONCRETE REPAIR JOINT	67	LF
CONC PVMT, PR-3500	29	CY
JOINT REPAIR		
CONC SMOOTHNESS TESTING	LUMP	LUMP
CAST IRON GRATE & FRAME	3,708	LB
FLUME SPILLWAY		5 LF
CONCRETE FLUME, TYPE I		1 EACH
47B-3000 CONC FOR INLET & JUNCTION BOXES		19 CY
RE-STEEL FOR INLET & JCT BOX	1,570	LB
15" METAL FLARED-END SECTION		1 EACH
24" WHITE THERMOPLASTIC, GROOVED	300	LF
5" WHITE PERMANENT PVMT MARKING PAINT	500	LF
HYDR LIME/WMA FOR ST MNT PAT	1,000	EACH
HYDRATED LIME/WMA	36,720	EACH
FOUNDATION COURSE REPLACEMENT	39	CY

SHOULDER SUBGRADE PREPARATION	36	STA
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	1,000	TON
ASPH CONC, TYPE SPR	36,220	TON
PLACE ASPH CONC FOR DRIVE & INTER	4,734	SY
ASPH CONCRETE FOR PATCHING, TYPE SPR	500	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	34	TON
PERF GRADED BINDER (64-34)	1,248	TON
CONSTRUCTING ASPH CONC CURB	3,526	LF
PREP OF INTER & DRIVE	847	SY
TACK COAT	32,670	GAL
FOG SEAL	36,890	GAL
WATER	260	MGAL
WATER FOR FLY ASH STABILIZED BITUMINOUS	1,050	MGAL
EARTH SHOULDER CONSTRUCTION	966	STA
WIDENING	990	STA
COLD MILLING, CLASS 3	513	STA
COLD MILLING, CLASS 5	2,959	SY
SURFACE UNDER GUARDRAIL	1,331	SY
FLY ASH STABILIZED BITUMINOUS	347	STA
10"		
FLY ASH STABILIZED BITUMINOUS	147	STA
13"		
FLY ASH	9,320	TON
RAP INCENTIVE PAYMENT	62,424	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
15" CULV PIPE 3,4,5,6	405	LF

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	22,195	B DAY
BARRICADE, TYPE III	748	B DAY
TEMPORARY SIGN DAY	1,550	EACH
SIGN DAY	20,764	EACH
TEMP PAVEMENT MARKING REMOVAL	3,200	LF
PAVEMENT MARKING REMOVAL	1,200	LF
TEMP PVMT MARKING, TYPE PAINT	3,200	LF
TEMP PVMT MARKING SURF PREP	3,200	LF
FLAGGING	180	DAY
FURNISHING AND OPERATING PILOT VEHICLE	65	DAY
CONCRETE PROTECTION BARRIER	450	LF
RELOCATE CONC PROTECTION BARRIER	450	LF
TEMPORARY RUMBLE STRIP	4	EACH
TEMPORARY TRAFFIC SIGNAL	1	EACH
TRAINING	1,000	HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	70	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	70	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	70	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	20	HOUR
TEMPORARY SILT FENCE	2,000	LF
TEMPORARY MULCH	4	TON

NOTICE TO CONTRACTORS

CALL ORDER 415
 FEDERAL PROJECT NO. STPD-74-4(109)
 LOCATION: N-74, LITTLE BLUE RIVER, AYR
 COUNTIES: ADAMS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 18, 2013. At that time the bids will be opened and read for BRIDGE

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES

START DATE 07/22/2013 WORKING DAYS 70
 Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning March 26, 2013 at the Lincoln Central Office and April 01, 2013 at the District Engineer's Office at GRAND ISLAND

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	30	SHEETS	\$	7.50
CROSS SECTIONS (SHEETS X1 THRU X3)	3	SHEETS	\$	0.75
STANDARD PLANS	12	SHEETS	\$	3.00

SHEET NO.

1	TITLE PAGE	
2-T	TYPICAL CROSS SECTIONS	
2-S	SUMMARY OF QUANTITIES & DETOUR LOCATION MAP	
2-W	WETLANDS	
2-H1 - 2-H2	HORIZONTAL ALIGNMENT & ORIENTATION	
2-N	GENERAL INFORMATION	
2-L	EROSION & SEDIMENT CONTROL	
3	PLAN SHEET	
4 - 21	SPECIAL PLAN 1 DECK STEEL GIRDER BRIDGE--REDECK STA. 1561+25.00	
22	SPECIAL PLAN 1C GUARDRAIL PLAN	
23 - 24	SPECIAL PLAN 2C TEMPORARY SILT CHECKS	
X1 - X3	CROSS SECTIONS	

STANDARD PLANS

501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
740	MIDWEST GUARDRAIL SYSTEM BRIDGE APPROACH SECTION
743	(4 SHEETS) GUARDRAIL DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT STA. 1561+25.00

BARRICADE, TYPE III	2,112	B DAY
SIGN DAY	2,640	EACH
CONTRACTOR FURNISHED SIGN DAY	528	EACH
MOBILIZATION	LUMP	LUMP
ROADWAY GRADING	2	STA
RIPRAP FILTER FABRIC	380	SY
REMOVE ASPHALT SURFACE	611	SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000	149	CY

EPOXY COATED RE-STEEL FOR PVMT APPROACH	27,365	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE A	82	LF
47B-3000 CONC FOR BRIDGE	21	CY
47BD-4000 CONC FOR BRIDGE	258	CY
PREP BRIDGE 1561+25.00	1	EACH
BROKEN CONCRETE RIPRAP	260	TON
ROCK RIPRAP, TYPE B	15	TON
EPOXY COATED RE-STEEL	58,200	LB
SUBSURFACE DRAINAGE MATTING	37	SY
CONCRETE PILING	600	LF
PAINTING STRUCTURAL STEEL	336	SF
W-BEAM GUARDRAIL	50	LF
REMOVE GUARDRAIL	450	LF
BRIDGE APPROACH SECTIONS	4	EACH
GUARDRAIL END TREATMENT, TYPE II	4	EACH
GRANULAR BACKFILL	165	CY
ASPH CONC, TYPE SPR	60	TON
RENTAL OF LOADER, FULLY OPERATED	10	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	10	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	10	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10	HOUR
COLD MILLING, CLASS 3	533	SY
SURFACE UNDER GUARDRAIL	237	SY
EROSION CONTROL, CLASS 1D	315	SY
FABRIC SILT FENCE-LOW POROSITY	363	LF
TEMPORARY SILT CHECK	150	LF
TEMPORARY SILT FENCE	150	LF
TEMPORARY EARTH CHECK	150	LF

NOTICE TO CONTRACTORS

CALL ORDER 420
 FEDERAL PROJECT NO. STPAA-5516(7)
 LOCATION: 12TH STREET, ELM AVE.-6TH AVE., HASTINGS
 COUNTIES: ADAMS

The Nebraska Department of Roads will receive sealed bids for the CITY OF HASTINGS in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on April 18, 2013. At that time the bids will be opened and read for GRAD CONC PAVE CULV WATER MAIN SEED ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

START DATE 06/10/2013 WORKING DAYS 135
 Price Range \$ 2,000,000 to \$ 4,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 6.0 %

Plans and specifications may be seen beginning March 26, 2013 at the Lincoln Central Office and April 01, 2013 at the District Engineer's Office at GRAND ISLAND. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$ 5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	111	SHEETS	\$ 27.75
CROSS SECTIONS (SHEETS X1 THRU X42)	42	SHEETS	\$ 10.50
STANDARD PLANS	35	SHEETS	\$ 8.75

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S1 - 2-S2	SUMMARY OF QUANTITIES
2-K	SUMMARY OF SOILS & GEOTECHNICAL INFORMATION
2-W1 - 2-W3	WETLANDS
2-H1 - 2-H4	HORIZONTAL ALIGNMENT & ORIENTATION
2-N	GENERAL INFORMATION
2-P1 - 2-P2	PHASING PLANS & DETOUR LOCATION MAP
2-L1 - 2-L6	GEOMETRICS & JOINTS
2-L7 - 2-L11	GRADES
2-L12 - 2-L17	DRAINAGE
2-L18 - 2-L23	CONSTRUCTION
2-L24 - 2-L29	REMOVALS
2-L30 - 2-L35	EROSION CONTROL
3 - 9	PLAN & PROFILE SHEETS
10 - 14	TEMPORARY TRAFFIC CONTROL PLANS
15 - 16	PAVEMENT MARKINGS
17 - 18	SIGNING
19 - 24	LIGHTING PLANS
25 - 32	DRAINAGE STRUCTURE CROSS SECTIONS
33	SPECIAL PLAN 1C COMBINATION INLET
34 - 36	SPECIAL PLAN 2C SEDIMENT BASIN & BIORETENTION CELL
37	SPECIAL PLAN 3C WATER MAIN RELOCATION
38 - 44	SPECIAL PLAN 4C REINFORCED CONCRETE BOX CULVERT & RETAINING WALL LAYOUT
45	SPECIAL PLAN 5C AREA INLET WITH OPEN SIDES
46	SPECIAL PLAN 6C BASE COURSE FOR BOX CULVERT
47	SPECIAL PLAN 7C WATER MAIN DETAILS
48	SPECIAL PLAN 8C BASIN OUTLET STRUCTURE
49 - 56	SPECIAL PLAN 9C SANITARY SEWER
57	SPECIAL PLAN 10C EROSION CHECKS (ALL TYPES) & FABRIC SILT CHECKS
58 - 59	SPECIAL PLAN 11C TEMPORARY SILT CHECKS
R1 - R4	RIGHT-OF-WAY PLANS
X1 - X42	CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS)	PAVEMENT DETAILS
303-R1	(4 SHEETS)	CURB RAMP
329-R9	(4 SHEETS)	8 TO 16 INCH CONCRETE PAVEMENT
410-R3	(2 SHEETS)	FLARED END SECTIONS FOR CULVERT PIPES
411	(4 SHEETS)	BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
428-R3		CONCRETE PLUGS AND FIELD PIPE TAP DETAILS
435-R1	(3 SHEETS)	MANHOLE
443-R8	(2 SHEETS)	CURB INLETS AND JUNCTION BOX
501-R5	(3 SHEETS)	EROSION CONTROL
502		SILT FENCE DETAILS
920-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS)	TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923		TRAFFIC CONTROL--ROAD CLOSURE
924	(3 SHEETS)	TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

REMOVE CONC PROTECTION BARRIER		90 LF
MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		76 EACH
GENERAL CLEARING AND GRUBBING WATER	LUMP	LUMP
EARTHWORK MEASURED IN EMBANKMENT		114 MGAL
REMOVE PAVEMENT		7,542 CY
SAWING PAVEMENT		998 SY
REMOVE ASPHALT SURFACE		457 LF
REMOVE DRIVEWAY		7,285 SY
REMOVE WALK		708 SY
REMOVE FLUME		544 SY
GRAVEL SURFACE COURSE		6 EACH
INFILTRATION TRENCH		37 CY
COBBLE APRON		195 LF
REMOVE & SALVAGE GUARDRAIL		5 TON
REM AND RESET CHAIN-LINK FENCE		327 LF
COVER CROP SEEDING		300 LF
EROSION CONTROL, CLASS 1B		5 ACRE
EROSION CONTROL, CLASS 1D		4,471 SY
EROSION CONTROL, CLASS 1E		4,000 SY
EROSION CONTROL, CLASS 2C		330 SY
EROSION CHECKS, TYPE WATTLE		344 SY
FABRIC SILT FENCE-LOW POROSITY		579 LF
FABRIC SILT FENCE-HIGH POROSITY		2,931 LF
AMENDED SOIL		45 LF
		830 SY

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
CONC 47B-3000 SIDEWALKS		1,711 SY
DETECTABLE WARNING PANEL		122 SF
6" CONCRETE CLASS 47B-3500 BIKEWAY		2,879 SY
CONC 47B-3500 DRIVEWAY		677 SY
6" CONC PVMT, 47B-3500		150 SY
8" DOWELED CONC PVMT, 47B-4000		12,535 SY
TEMPORARY SURFACING		700 SY
8"		
47B-3000 CONC FOR RET WALL		5 CY
RE-STEEL FOR RETAINING WALL		63 LB
CURB INLET SEDIMENT FILTER		18 EACH
5" WHT WET RFLC POLY PVMT MRKING, GVD		150 LF
12" WHT WET RFLC POLY PVMT MRKING, GVD		50 LF
12" YEL WET RFLC POLY PVMT MRKING, GVD		600 LF

5" YEL WET RFLC POLY PVMT MRKING, GVD	8,800	LF
24" WHT WET RFLC PRF PVMT MKNG T4 GVD	350	LF
ARROW, WET RFLC PRF PVMT MKNG, T 4 GVD	8	EACH
STABILIZED SUBGRADE	12,535	SY
TYPE FLY ASH		
PREP OF INTER & DRIVE	677	SY
WATER	89	MGAL
EARTH SHOULDER CONSTRUCTION	54	STA
SUBGRADE PREPARATION	22	SY
SODDING	506	SY

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
CAST IRON COVER & FRAME	1,750	LB
CAST IRON COVER, FRAME & FLANGE	580	LB
CAST IRON RING & COVER	1,385	LB
INLET	9	EACH
, COMBINATION		
RECONSTRUCT MANHOLE	1	EACH
MANHOLE	1	EACH
AT STA 11+20 LT		
MANHOLE	1	EACH
AT STA 19+60 LT		
MANHOLE	1	EACH
AT STA 23+22 RT		
MANHOLE	1	EACH
AT STA 39+91.89 LT		
TAPPING EXISTING STRUCTURE	1	EACH
REMOVE SEWER PIPE	81	LF
REMOVE STRUCTURE	1	EACH
11+62 - 11+80 RT		
47B-3000 CONC FOR INLET & JUNCTION BOXES	58	CY
RE-STEEL FOR INLET & JCT BOX	3,792	LB
30" FLARED-END SECTION	1	EACH
36" METAL FLARED-END SECTION	1	EACH
ROCK RIPRAP, TYPE B	16	TON
15" STORM SEWER PIPE 1,7,8	229	LF
18" STORM SEWER PIPE 1,7,8	114	LF
24" STORM SEWER PIPE 1,7,8	1,839	LF
30" STORM SEWER PIPE 1,7,8	437	LF
36" STORM SEWER PIPE 3,4 OR 5	47	LF
BALL VALVE & SOLID WALL PIPE	LUMP	LUMP
ADJUST VALVE BOX TO GRADE	9	EACH

GROUP 4A CULVERT AT STA 16+75.07

MOBILIZATION	LUMP	LUMP
RIPRAP FILTER FABRIC	330	SY
REMOVE STRUCTURE	1	EACH
AT STA 16+80		
EXCAVATION FOR BOX CULVERTS	1,921	CY
47B-3000 CONC FOR BOX CULV	401	CY
47B-3000 CONC FOR RETAINING WALL	126	CY
RE-STEEL FOR BOX CULVERT	70,872	LB
RE-STEEL FOR RETAINING WALL	13,701	LB
GEOGRID	790	SY
ROCK RIPRAP, TYPE B	300	TON
ANTI-GRAFFITI COATING	LUMP	LUMP
PEDESTRIAN HANDRAIL	229	LF
SPECIAL SURFACE COATING	LUMP	LUMP
CRUSHED ROCK FOR BASE COURSE	395	CY

GROUP 4B WATER MAIN

MOBILIZATION	LUMP	LUMP
ABANDON SEWER PIPE	1,274	LF

MANHOLE		1 EACH
AT STA 4+22		
MANHOLE		1 EACH
AT STA 3+29		
MANHOLE		1 EACH
AT STA 1+00		
MANHOLE		1 EACH
AT STA 6+34		
MANHOLE		1 EACH
AT STA 10+25		
MANHOLE		1 EACH
AT STA 13+23.50		
TAPPING EXISTING MANHOLE		1 EACH
24" P.V.C. SANITARY SEWER PIPE		25 LF
30" P.V.C. SANITARY SEWER PIPE		181 LF
36" P.V.C. SANITARY SEWER PIPE		497 LF
30" DUCTILE IRON SEWER PIPE		299 LF
10" WATER MAIN PIPE		130 LF
CONCRETE ENCASEMENT		50 LF
FOR 30" MAIN		
10" GATE VALVE		1 EACH
10" COUPLING		2 EACH
RESTRAINED		
10" SOLID SLEEVE		1 EACH
10" X 6" TEE		3 EACH
, ROTATE		
SWIVEL ELL		4 EACH
6", 90 DEGREE		
10" - 45 DEGREE BEND		4 EACH
SWIVEL ADAPTOR		3 EACH
REMOVE AND RESET GATE VALVE		3 EACH
6"		
REMOVE AND RESET HYDRANT		4 EACH

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE A		1 ACRE
SEEDING, TYPE B		1 ACRE
SEEDING, TYPE C		4 ACRE
HYDROMULCH		4 TON

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
PULL BOX, TYPE PB-6		4 EACH
LIGHTING CONTROL CENTER		2 EACH
1 1/2" PVC CONDUIT IN TRENCH		100 LF
2" PVC CONDUIT IN TRENCH		20 LF
1 1/2" PVC CONDUIT JACKED		3,300 LF
GROUNDING CONDUCTOR		6,800 LF
NO. 10 BARE		
GROUNDING CONDUCTOR		100 LF
SERVICE NO. 10 BARE		
SERVICE CABLE		100 LF
NO. 6 USE		
STREET LIGHT CABLE, NO. 6 USE		6,800 LF
STREET LIGHTING UNIT		18 EACH
TYPE A		
STREET LIGHTING UNIT		14 EACH
TYPE B		

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE III	2,953	BDAY
SIGN DAY	5,360	EACH
CONTRACTOR FURNISHED SIGN DAY	1,585	EACH
TRAINING	500	HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	30	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	30	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	30	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	30	HOUR
TEMPORARY SILT CHECK	500	LF
TEMPORARY SILT FENCE	500	LF
TEMPORARY MULCH	2	TON

NOTICE TO CONTRACTORS

CALL ORDER 425
 FEDERAL PROJECT NO. BRO-7001(11)
 LOCATION: ON A COUNTY ROAD, NORTHEAST OF AYR
 COUNTIES: ADAMS

The Nebraska Department of Roads will receive sealed bids for the COUNTY OF ADAMS in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on April 18, 2013. At that time the bids will be opened and read for BRIDGE

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES

START DATE 08/05/2013 WORKING DAYS 65
 Price Range \$250,000 to \$1,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning March 26, 2013 at the Lincoln Central Office and April 01, 2013 at the District Engineer's Office at GRAND ISLAND. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	19	SHEETS	\$ 4.75
CROSS SECTIONS (SHEETS X1 THRU X4)	4	SHEETS	\$ 1.00
STANDARD PLANS	18	SHEETS	\$ 4.50

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTION OF IMPROVEMENT
2-S	SUMMARY OF QUANTITIES
2-W	WETLANDS
2-N	GENERAL INFORMATION & DETOUR LOCATION MAP
3	PLAN & PROFILE SHEET
4	DRAINAGE STRUCTURE CROSS SECTIONS
5	CONCRETE HEADWALL
6 - 13	SPECIAL PLAN 1 CONCRETE SLAB BRIDGE STA. 9+77.00
14 - 15	SPECIAL PLAN 1C TEMPORARY SILT CHECKS
R1	RIGHT-OF-WAY INFORMATION
X1 - X4	CROSS SECTIONS

STANDARD PLANS

411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
740	MIDWEST GUARDRAIL SYSTEM BRIDGE APPROACH SECTION
743	(4 SHEETS) GUARDRAIL DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT STATION 9+77.00

BARRICADE, TYPE III	1,298	B DAY
SIGN DAY	1,652	EACH
CONTRACTOR FURNISHED SIGN DAY	354	EACH
MOBILIZATION	LUMP	LUMP

LARGE TREE REMOVAL		1 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		6 MGAL
EARTHWORK MEASURED IN EMBANKMENT		2,031 CY
RIPRAP FILTER FABRIC		536 SY
30" DRIVE PIPE, TYPE 3,4 OR 5		44 LF
CRUSHED ROCK EMBEDMENT		5 STA
CRUSHED ROCK SURFACE COURSE		220 TON
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		50 CY
47B-3000 CONC FOR HDWL		1 CY
RE-STEEL FOR HEADWALL		137 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
47B-3000 CONC FOR BRIDGE		142 CY
47BD-4000 CONC FOR BRIDGE		149 CY
RE-STEEL FOR BRIDGE		44,350 LB
REMOVE STRUCTURE		1 EACH
AT STATION 9+89.00		
ACCESS CROSSING	LUMP	LUMP
STRUC STEEL FOR SUBSTRUCTURE		2,045 LB
ROCK RIPRAP, TYPE B		400 TON
SALVAGING AND PLACING TOPSOIL ON RIPRAP		232 SY
PIPE PILING		1,500 LF
STEEL SHEET PILING		2,148 SF
BRIDGE APPROACH SECTIONS		4 EACH
GUARDRAIL END TREATMENT, TYPE II		4 EACH
RENTAL OF LOADER, FULLY OPERATED		10 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		10 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		10 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		10 HOUR
SEEDING, TYPE A		2 ACRE
COVER CROP SEEDING		2 ACRE
EROSION CONTROL, CLASS 1D		2,820 SY
FABRIC SILT FENCE-LOW POROSITY		375 LF
FABRIC SILT FENCE-HIGH POROSITY		70 LF
TEMPORARY SILT CHECK		400 LF
TEMPORARY SILT FENCE		400 LF
TEMPORARY EARTH CHECK		200 LF
TEMPORARY MULCH		1 TON
MULCH		4 TON
36" CULV PIPE 3,4,5		58 LF

NOTICE TO CONTRACTORS

CALL ORDER 600
 FEDERAL PROJECT NO. URB-6561(2)
 LOCATION: JACKSON STREET, LEXINGTON
 COUNTIES: DAWSON

The Nebraska Department of Roads will receive sealed bids for the CITY OF LEXINGTON in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on April 18, 2013. At that time the bids will be opened and read for GR CONC PAVE CULV WATER MAIN ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

START DATE 06/17/2013 WORKING DAYS 70
 Price Range \$ 500,000 to \$ 2,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning March 26, 2013 at the Lincoln Central Office and April 01, 2013 at the District Engineer's Office at NORTH PLATTE. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	65	SHEETS	\$	16.25
CROSS SECTIONS (SHEETS X1 THRU X29)	29	SHEETS	\$	7.25
STANDARD PLANS	32	SHEETS	\$	8.00

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS
2-S	SUMMARY OF QUANTITIES
2-A1 - 2-A4	AERIAL PHOTO PLANS/EROSION CONTROL
2-H	HORIZONTAL ALIGNMENT & CONTROL POINTS
2-N	GENERAL INFORMATION
2-P	PHASING PLANS
2-L1 - 2-L4	GEOMETRICS
2-L5 - 2-L8	JOINTS & GRADES
2-L9 - 2-L12	DRAINAGE
2-L13 - 2-L16	WATER MAIN
2-L17 - 2-L20	CONSTRUCTION
2-L21 - 2-L24	REMOVAL
3 - 6	PLAN & PROFILE SHEETS
7 - 10	PAVEMENT MARKING PLANS
11 - 14	ROADWAY LIGHTING PLANS
15 - 17	DRAINAGE STRUCTURE CROSS SECTION SHEETS
18 - 22	WATER MAIN PROFILES
23	SPECIAL PLAN 1C STORM SEWER DETAILS
24 - 27	SPECIAL PLAN 2C LIGHTING DETAILS
28	SPECIAL PLAN 3C PAVEMENT MARKING DETAILS
29 - 30	SPECIAL PLAN 4C WATER MAIN DETAILS
31 - 32	SPECIAL PLAN 5C TEMPORARY SILT CHECKS
R1	RIGHT-OF-WAY PLANS
X1 - X29	ROADWAY CROSS SECTIONS

STANDARD PLANS

301-R10	(3 SHEETS) PAVEMENT DETAILS
303-R1	(4 SHEETS) CURB RAMP
329-R9	(4 SHEETS) 8 TO 16 INCH CONCRETE PAVEMENT
411	(4 SHEETS) BEDDING AND BACKFILL REQUIREMENTS FOR CONCRETE PIPE
425-R4	COLLARS AND ELBOWS FOR CONCRETE PIPES
428-R3	CONCRETE PLUGS AND FIELD PIPE TAP DETAILS
435-R1	(3 SHEETS) MANHOLE
501-R5	(3 SHEETS) EROSION CONTROL

502	SILT FENCE DETAILS
914-R6	PULL BOX DETAIL
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
924	(3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		12 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		1,262 CY
REMOVE PAVEMENT		8,974 SY
SAWING PAVEMENT		572 LF
REMOVE BRICK SURFACE		706 SY
REMOVE DRIVEWAY		828 SY
REMOVE WALK		1,926 SY

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
CRUSHED ROCK SURFACE COURSE		100 TON
TIE BARS		140 EACH
CONC 47B-3000 SIDEWALKS		2,233 SY
COLOR IMPRINTED CONC 47B-3000 SIDEWALKS		373 SY
DETECTABLE WARNING PANEL		360 SF
CONC 47B-3500 DRIVEWAY		917 SY
6" CONC PVMT, 47B-3500		113 SY
8" CONC PVMT, 47B-3500		11,109 SY
TYPE A SIGN		222 SF
SIGN POST		41 EACH
REMOVE SIGN AND POST		29 EACH
ARROW POLYUREA PVMT MRKING, GROOVED		14 EACH
4" WHT POLYUREA PVMT MRKING, GROOVED		150 LF
24" WHT POLYUREA PVMT MRKING, GROOVED		140 LF
4" YEL POLYUREA PVMT MRKING, GROOVED		4,352 LF
PREP OF INTER & DRIVE		899 SY
WATER		47 MGAL
EARTH SHOULDER CONSTRUCTION		42 STA
SUBGRADE PREPARATION		11,222 SY
SEEDING, TYPE B		1 ACRE
MULCH		1 TON

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE GRATE INLET		7 EACH
CURB INLET		1 EACH
TYPE 1		
CURB INLET		15 EACH
TYPE 2		
MANHOLE		1 EACH
AT STA 15+00.57 LT		
MANHOLE		1 EACH
AT STA 15+43.72 LT		
MANHOLE		1 EACH
AT STA 15+45.25 RT		
MANHOLE		1 EACH
AT STA 18+82.77 LT		
MANHOLE		1 EACH
AT STA 19+19.74 LT		
TAPPING EXISTING PIPE		1 EACH
REMOVE SEWER PIPE		96 LF
47B-3000 CONC FOR CONCRETE CO		1 CY

RE-STEEL FOR COLLARS	60 LB
CURB INLET SEDIMENT FILTER	16 EACH
12" STORM SEWER PIPE 1,7,8	19 LF
18" STORM SEWER PIPE 1,7,8	370 LF
15" STORM SEWER PIPE 1 CLASS IV	326 LF
18" STORM SEWER PIPE 1 CLASS IV	36 LF
24" STORM SEWER PIPE 1 CLASS IV	44 LF

GROUP 4A WATER MAIN

MOBILIZATION	LUMP	LUMP
CONC CLASS 47B-3500 FOR PLUG		1 CY
6" PLUG		1 EACH
3/4" COPPER WATER SERVICE		685 LF
1" COPPER WATER SERVICE		120 LF
CONC 47B-3500 FOR BLOCKS AND ANCHORAGES		3 CY
4" RETAINER GLAND		5 EACH
6" RETAINER GLAND		86 EACH
6" WATER MAIN PIPE	1,846	LF
6" GATE VALVE		14 EACH
FIRE HYDRANT		6 EACH
6" ANCHORING COUPLING		6 EACH
6" ANCHORING ELBOW		2 EACH
12" X 6" TAPPING SLEEVE AND VALVE		1 EACH
6" SOLID SLEEVE		4 EACH
6" X 6" TEE		7 EACH
CROSS		3 EACH
6" X 6"		
6" - 45 DEGREE BEND		10 EACH
6"- 90 DEGREE BEND		1 EACH
6" X 4" REDUCER		5 EACH
INSTALL WATER SERVICE, CURB STOP AND BOX		31 EACH
ABANDON WATER MAIN		1 EACH
REMOVE WATER MAIN PIPE		89 LF

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
PULL BOX, TYPE PB-5		10 EACH
ST LIGHT UNIT, SL-BT-35-8-0.25		18 EACH
LIGHTING CONTROL CENTER, R		1 EACH
1 1/2" CONDUIT IN TRENCH	1,697	LF
1 1/2" CONDUIT UNDER ROADWAY		890 LF
STREET LIGHT CABLE, NO. 6 BARE	2,587	LF
STREET LIGHT CABLE, NO. 6 USE	5,175	LF
REMOVE LIGHTING SYSTEM		1 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II		705 BDAY
BARRICADE, TYPE III		2,060 BDAY
SIGN DAY		912 EACH
CONTRACTOR FURNISHED SIGN DAY		1,335 EACH
MOBILIZATION	LUMP	LUMP
TEMPORARY SILT CHECK		500 LF
TEMPORARY SILT FENCE		500 LF

NOTICE TO CONTRACTORS

CALL ORDER 800
 STATE PROJECT NO. RD-97-4(1010)
 LOCATION: N-97, VALENTINE SOUTH
 COUNTIES: CHERRY

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 18, 2013 . At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

Length: 6.5 MILES
 START DATE 09/09/2013 WORKING DAYS 5
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning March 26, 2013 at the Lincoln Central Office and April 01, 2013 at the District Engineer's Office at AINSWORTH
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	5 SHEETS	\$	1.25
STANDARD PLANS	7 SHEETS	\$	1.75

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
& TYPICAL CROSS SECTION
- 3 TYPICAL TRAFFIC CONTROL PLAN--VEHICLE
SIGNING FOR PAINT STRIPING
- 4 TEMPORARY PAVEMENT MARKING PLAN
- 5 TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
- 924 (3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	825	BDAY
BARRICADE, TYPE III	24	BDAY
TEMPORARY SIGN DAY	40	EACH
SIGN DAY	282	EACH
TEMPORARY BROKEN LINES	344	STA
PERMANENT PAVEMENT MARKING PAINT	95,000	LF
FLAGGING	8	DAY
FURNISHING AND OPERATING PILOT VEHICLE	4	DAY
MOBILIZATION	LUMP	LUMP
AGG FOR MICROSURFACING	1,330	TON
MIN FILLER FOR MICROSURFACING	27	TON
MICROSURFACING PLACEMENT	349	STA
EMUL ASPH FOR MICROSURFACING	45,650	GAL

NOTICE TO CONTRACTORS

CALL ORDER 805
 STATE PROJECT NO. RD-S16B(1006)
 LOCATION: S16B, US-83 WEST
 COUNTIES: CHERRY

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 18, 2013. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

Length: 6.7 MILES
 START DATE 09/09/2013 WORKING DAYS 5
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning March 26, 2013 at the Lincoln Central Office and April 01, 2013 at the District Engineer's Office at AINSWORTH. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	5 SHEETS	\$	1.25
STANDARD PLANS	4 SHEETS	\$	1.00

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
& TYPICAL CROSS SECTION
- 3 TYPICAL TRAFFIC CONTROL PLAN--VEHICLE
SIGNING FOR PAINT STRIPING
- 4 TEMPORARY PAVEMENT MARKING PLAN
- 5 TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	850	BDAY
BARRICADE, TYPE III	24	BDAY
TEMPORARY SIGN DAY	40	EACH
SIGN DAY	276	EACH
TEMPORARY BROKEN LINES	356	STA
PERMANENT PAVEMENT MARKING PAINT	112,250	LF
FLAGGING	8	DAY
FURNISHING AND OPERATING PILOT VEHICLE	4	DAY
MOBILIZATION	LUMP	LUMP
AGG FOR MICROSURFACING	1,080	TON
MIN FILLER FOR MICROSURFACING	22	TON
MICROSURFACING PLACEMENT	357	STA
EMUL ASPH FOR MICROSURFACING	37,120	GAL

NOTICE TO CONTRACTORS

CALL ORDER 810
 STATE PROJECT NO. RD-137-4(1007)
 LOCATION: N-137, NEWPORT NORTH
 COUNTIES: ROCK

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on April 18, 2013. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY

Length: 13.1 MILES
 START DATE 08/26/2013 WORKING DAYS 10
 Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning March 26, 2013 at the Lincoln Central Office and April 01, 2013 at the District Engineer's Office at AINSWORTH

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

INFORMATIONAL PROPOSAL	EACH	\$	5.00
PLANS (NOT INCLUDING STANDARDS)	5 SHEETS	\$	1.25
STANDARD PLANS	7 SHEETS	\$	1.75

SHEET NO.

- 1 TITLE PAGE
- 2-S SUMMARY OF QUANTITIES
& TYPICAL CROSS SECTIONS
- 3 TYPICAL TRAFFIC CONTROL PLAN--VEHICLE
SIGNING FOR PAINT STRIPING
- 4 TEMPORARY PAVEMENT MARKING PLAN
- 5 TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING

STANDARD PLANS

- 920-R5 (2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
- 922-R8 (2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
- 924 (3 SHEETS) TYPICAL URBAN TRAFFIC CONTROL PLAN

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	3,000	BDAY
BARRICADE, TYPE III	80	BDAY
TEMPORARY SIGN DAY	80	EACH
SIGN DAY	1,800	EACH
TEMPORARY BROKEN LINES	688	STA
PERMANENT PAVEMENT MARKING PAINT	168,000	LF
FLAGGING	16	DAY
FURNISHING AND OPERATING PILOT VEHICLE	8	DAY
MOBILIZATION	LUMP	LUMP
AGG FOR MICROSURFACING	3,860	TON
MIN FILLER FOR MICROSURFACING	79	TON
MICROSURFACING PLACEMENT	687	STA
EMUL ASPH FOR MICROSURFACING	132,580	GAL
FOG SEAL	540	GAL

NOTICE TO CONTRACTORS

CALL ORDER 815
 FEDERAL PROJECT NO. ER-2115(5)
 LOCATION: ON A COUNTY ROAD, SOUTH OF NAPER
 COUNTIES: HOLT

The Nebraska Department of Roads will receive sealed bids for the COUNTY OF HOLT in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on April 18, 2013. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS
 START DATE 09/09/2013 WORKING DAYS 25
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning March 26, 2013 at the Lincoln Central Office and April 01, 2013 at the District Engineer's Office at AINSWORTH

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	16	SHEETS	\$	4.00
CROSS SECTIONS (SHEETS X1 THRU X5)	5	SHEETS	\$	1.25
STANDARD PLANS	11	SHEETS	\$	2.75

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS OF IMPROVEMENT
2-S	SUMMARY OF QUANTITIES
2-W	WETLANDS
2-H	HORIZONTAL CONTROL DATA
2-N	GENERAL INFORMATION
3	PLAN & PROFILE SHEET
4	TYPICAL TRAFFIC SIGNAL CONTROL PLAN
5	TEMPORARY TRAFFIC SIGNAL
6	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
7	DRAINAGE STRUCTURE CROSS SECTIONS
8 - 10	SPECIAL PLAN 1C GUARDRAIL PLAN
11	SPECIAL PLAN 2C TEMPORARY PAVEMENT MARKING PLAN
R1	RIGHT-OF-WAY DATA
X1 - X5	CROSS SECTIONS

STANDARD PLANS

501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	1,760 BDAY
BARRICADE, TYPE III	330 BDAY
SIGN DAY	2,600 EACH
OVERLAY BROKEN LINES	21 STA
OVERLAY SOLID LINES	42 STA
PERMANENT PAVEMENT MARKING PAINT	2,100 LF

TEMPORARY TRAFFIC SIGNAL		1	EACH
MOBILIZATION	LUMP		LUMP
GENERAL CLEARING AND GRUBBING	LUMP		LUMP
EARTHWORK MEASURED IN EMBANKMENT		1,788	CY
RIPRAP FILTER FABRIC		294	SY
REMOVE ASPHALT SURFACE		1,768	SY
STRUCTURAL STEEL		900	LB
ROCK RIPRAP, TYPE C		317	TON
STEEL SHEET PILING		1,783	SF
DEWATERING	LUMP		LUMP
REMOVE & SALVAGE GUARDRAIL		1,400	LF
RESET GUARDRAIL		1,400	LF
HYDRATED LIME FOR ASPHALT MIXTURES		5	TON
ASPH CONC, TYPE SPR		834	TON
PERF GRADED BINDER (64-34)		28	TON
TACK COAT		186	GAL
RENTAL OF LOADER, FULLY OPERATED		20	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		20	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		20	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		20	HOUR
WATER		23	MGAL
EARTH SHOULDER CONSTRUCTION		14	STA
SUBGRADE PREPARATION		1,866	SY
RAP INCENTIVE PAYMENT		1,419	EACH
EROSION CONTROL, CLASS 1D		3,171	SY
FABRIC SILT FENCE-LOW POROSITY		1,500	LF
TEMPORARY SILT FENCE		500	LF
42" CULV PIPE 3,4,5		10	LF

NOTICE TO CONTRACTORS

CALL ORDER 820
 FEDERAL PROJECT NO. ER-2115(4)
 LOCATION: ON A COUNTY ROAD, NORTHEAST OF STUART
 COUNTIES: HOLT

The Nebraska Department of Roads will receive sealed bids for the COUNTY OF HOLT in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on April 18, 2013. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

START DATE 10/15/2013 WORKING DAYS 10
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning March 26, 2013 at the Lincoln Central Office and April 01, 2013 at the District Engineer's Office at AINSWORTH

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	10	SHEETS	\$	2.50
CROSS SECTIONS (SHEETS X1 THRU X4)	4	SHEETS	\$	1.00
STANDARD PLANS	11	SHEETS	\$	2.75

SHEET NO.

1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS OF IMPROVEMENT
2-S	SUMMARY OF QUANTITIES
2-H	HORIZONTAL CONTROL DATA
2-N	GENERAL INFORMATION
3	PLAN & PROFILE SHEET
4	TYPICAL TRAFFIC CONTROL PLAN--TYPICAL YIELD CONTROL FOR LOW VOLUME, ONE LANE, TWO WAY TRAFFIC (BARRELS ONLY)
5	TEMPORARY PAVEMENT MARKING PLAN
6	TYPICAL PAVEMENT MARKING PLAN--5" PAVEMENT MARKING
R1	RIGHT-OF-WAY DATA
X1 - X4	CROSS SECTIONS

STANDARD PLANS

501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
922-R8	(2 SHEETS) TRAFFIC CONTROL FOR ASPHALT SURFACING
923	TRAFFIC CONTROL--ROAD CLOSURE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	380	BDAY
BARRICADE, TYPE III	76	BDAY
SIGN DAY	456	EACH
OVERLAY BROKEN LINES	14	STA
OVERLAY SOLID LINES	28	STA
PERMANENT PAVEMENT MARKING PAINT	1,350	LF
MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	124	CY

REMOVE ASPHALT SURFACE	1,066 SY
HYDRATED LIME FOR ASPHALT MIXTURES	2 TON
ASPH CONC, TYPE SPR	493 TON
PERF GRADED BINDER (64-34)	16 TON
TACK COAT	110 GAL
RENTAL OF LOADER, FULLY OPERATED	10 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	10 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	10 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10 HOUR
WATER	6 MGAL
EARTH SHOULDER CONSTRUCTION	9 STA
SUBGRADE PREPARATION	1,100 SY
RAP INCENTIVE PAYMENT	839 EACH
EROSION CONTROL, CLASS 1D	769 SY
FABRIC SILT FENCE-LOW POROSITY	905 LF
TEMPORARY SILT FENCE	300 LF

NOTICE TO CONTRACTORS

CALL ORDER 835
 FEDERAL PROJECT NO. ER-2270(2)
 LOCATION: ON A COUNTY ROAD, NORTHEAST OF INMAN
 COUNTIES: HOLT

The Nebraska Department of Roads will receive sealed bids for the COUNTY OF HOLT in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on April 18, 2013. At that time the bids will be opened and read for GRADING

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: GRADING

START DATE 10/21/2013 WORKING DAYS 10
 Price Range \$0 to \$500,000

Plans and specifications may be seen beginning March 26, 2013 at the Lincoln Central Office and April 01, 2013 at the District Engineer's Office at AINSWORTH

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

INFORMATIONAL PROPOSAL		EACH	\$	5.00
PLANS (NOT INCLUDING CROSS SECTIONS OR STANDARDS)	7	SHEETS	\$	1.75
CROSS SECTIONS (SHEETS X1 THRU X4)	4	SHEETS	\$	1.00
STANDARD PLANS	8	SHEETS	\$	2.00

SHEET NO.	
1	TITLE PAGE
2-T	TYPICAL CROSS SECTIONS OF IMPROVEMENT
2-S	SUMMARY OF QUANTITIES
2-W	WETLANDS
2-H	HORIZONTAL CONTROL DATA
2-N	GENERAL INFORMATION
R1	RIGHT-OF-WAY DATA
X1 - X4	CROSS SECTIONS

STANDARD PLANS

501-R5	(3 SHEETS) EROSION CONTROL
502	SILT FENCE DETAILS
920-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE
921-R5	(2 SHEETS) TRAFFIC CONTROL, CONSTRUCTION AND MAINTENANCE

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

BARRICADE, TYPE II	100	B	DAY
BARRICADE, TYPE III	26	B	DAY
SIGN DAY	52	E	EACH
FLAGGING	10	D	DAY
MOBILIZATION	LUMP	LUMP	
GENERAL CLEARING AND GRUBBING	LUMP	LUMP	
EXCAVATION (ESTABLISHED QUANTITY)	1,705	CY	
RIPRAP FILTER FABRIC	1,702	SY	
ROCK RIPRAP, TYPE C	1,660	TON	
SALVAGING AND PLACING TOPSOIL ON RIPRAP	1,196	SY	
RENTAL OF LOADER, FULLY OPERATED	10	HOUR	
RENTAL OF DUMP TRUCK, FULLY OPERATED	10	HOUR	
RENTAL OF SKID LOADER, FULLY OPERATED	10	HOUR	
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10	HOUR	
EROSION CONTROL, CLASS 1D	1,500	SY	
TEMPORARY SILT FENCE	300	LF	

Plan and Informational Proposal Order Form
Projects to be bid on:

April 18, 2013

Payment required for plans prior to NDOR completing this order.
 dor.ContractsOnlineOrders@nebraska.gov FAX: (402) 479-4845

Document No.

<input type="checkbox"/> Check/Cash	Receipt No.
<input type="checkbox"/> Advance Plans Account No.	
Credit Card	
<input type="checkbox"/> Visa	<input type="checkbox"/> MasterCard
Expiration Date:	
Card No.:	

Please indicate: <input type="checkbox"/> Mail <input type="checkbox"/> Hold	<input type="checkbox"/> Fed Ex. Standard Overnight	Comments:
	<input type="checkbox"/> Fed Ex. Priority Overnight	
	<input type="checkbox"/> UPS Overnight	
	Acct. No.	

FOR OFFICE USE ONLY	
Reference I.D.:	_____
Authorization Code:	_____ Date: _____

4-Digit Vendor No.:	Ordered By:	Grand Total - Informational Proposals: x \$5.00
Company:		All plans in letting on CD: x \$25.00
Street Address:		Grand Total - 1/2 Size Plans: x \$.25
		Grand Total - Full Size Plans: x \$.50
PO Box:	City:	State:
		Zip Code:
Phone No. (include Area Code):	Fax No. (include Area Code):	Subtotal
		Tax Code
		Sales Tax
		%
Processed by:	Date:	Proposals/CD Filled:
		Blueprint Plans/Proposals Filled:
		Date:
Total		

If requesting Plan or Proposal CD(s) only, your name will not appear on the Planholders list unless your company has been issued Bid Proposals or you submit the "Planholders Registration" from the NDOR website.

CD containing Informational Proposals for all projects in letting. (No Charge) Total Number Requested: →

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. 1/2 size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
100	RD-50-1(1008)				
105	HSIP-5254(8)				
200	HSIP-5089(1)				
205	RUR-3806(1)				
210	ER-3720(1)				
215	MAPA-5129(1)				
300	ER-81-4(122)				
305	ER-14-4(113)				
315	STPE-2532(1)				
320	STPD-14-3(112)				
325	BRO-7084(10)				
400	STPD-92-5(107)				

Call No.	Project No.	For each call no., fill in your request, i.e.: Complete Set; Set Less X-Sec., and/or Standards; or list individual Sheet Nos. ½ size will be sent unless otherwise requested	No. of Sheets		Number of Informational Proposals
			1/2	Full	
405 STP-L40C(106)					
410 STP-11-3(120)					
415 STPD-74-4(109)					
420 STPAA-5516(7)					
425 BRO-7001(11)					
600 URB-6561(2)					
800 RD-97-4(1010)					
805 RD-S16B(1006)					
810 RD-137-4(1007)					
815 ER-2115(5)					
820 ER-2115(4)					
835 ER-2270(2)					

Standard Plans: Refer to "Publication Order Form" for complete sets of Standard Plans and Standard/Special Plans Books

Number of Sets Requested	Standard Plan No.(s)	Number of Sheets Shown in List of Plans	Check Size		Total No. of Sheets	
			1/2	Full	1/2	Full
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		
			<input type="checkbox"/>	<input type="checkbox"/>		

