

August 8, 2013

TO ALL CONCERNED:

The Department of Roads has scheduled a bid letting to be held in this office September 5, 2013 at 1:30 p.m.

The Notice to Contractors includes:

1. Website Information
2. Notice to all Bidders
3. Notices to Contractors
4. R-125 "Request for Bidding Proposal Forms"

Projects containing DBE Goals are indicated in the "Notice to Contractors".

Please check the important letting information on the website frequently.

The last day to submit acceptable prequalification statements for this letting is by 5:00 p.m. on Monday, August 26, 2013.

Sincerely,

Michelle Weigel, Supervisor
Contract Lettings Section
Construction Division

MW/amh

WEBSITE INFORMATION

The Nebraska Department of Roads, Contract Lettings Section, will be utilizing the Internet as our means of communicating with the contracting industry.

Documents that are posted on the web are:

- Letting Schedule
- Notices to Contractors
- Informational Proposals
- Letting Plans
- List of Prequalified Contractors
- Planholders List
- Informational Addendums
- EBS (Electronic Bidding System)
- Apparent Low Bidders
- Bid Tabulations
- Standard Item Listing
- Awarded Average Unit Prices (AUP) Report

Hard copies of these documents will be available for inspection in the Contracts Office.

There will be a charge for reproduction of any of these documents.

The Website address is: www.Transportation.Nebraska.gov

If you have any questions as you are using our Website, please contact us at:

Nebraska Department of Roads
Contract Lettings Section
P.O. Box 94759
Lincoln, NE 68509-4759

Phone (402) 479-4525
FAX (402) 479-3803

Email: DOR.ContractLettings@nebraska.gov

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free “hotline” Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the “hotline” to report such activities.

The “hotline” is part of the DOT’s continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

NOTICE TO CONTRACTORS

CALL ORDER 100
FEDERAL PROJECT NO. BRD-159-7(109)
LOCATION: US-159, RULO BRIDGE REMOVAL
COUNTIES: RICHARDSON HOLT MO

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 05, 2013 . At that time the bids will be opened and read for BRIDGE

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BRIDGES
START DATE 10/14/2013 CALENDAR DAYS 165
Price Range \$ 1,000,000 to \$ 3,000,000

Plans and specifications may be seen beginning August 13, 2013 at the Lincoln Central Office and August 19, 2013 at the District Engineer's Office at LINCOLN
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.
This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT STA. 277+26.00

BARRICADE, TYPE III	1,050	B DAY
SIGN DAY	4,125	EACH
CONTRACTOR FURNISHED SIGN DAY	515	EACH
FLAGGING	50	DAY
PERMANENT BARRICADE	2	EACH
FIELD OFFICE	1	EACH
TRAINING	500	HOUR
MOBILIZATION	LUMP	LUMP
REMOVE PAVEMENT	1,190	SY
REMOVE STRUCTURE	1	EACH
AT STA. 277+26.00		
REMOVE GUARDRAIL	848	LF
RENTAL OF LOADER, FULLY OPERATED	10	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	10	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	10	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10	HOUR
SEEDING, TYPE A	4	ACRE
TEMPORARY SILT FENCE	1,000	LF
MULCH	9	TON

NOTICE TO CONTRACTORS

CALL ORDER 105
 FEDERAL PROJECT NO. IM-80-8(145)
 LOCATION: I-80, UTICA-GOEHNER
 COUNTIES: SEWARD

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 05, 2013. At that time the bids will be opened and read for BR BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 6.8 MILES
 START DATE 05/05/2014 CALENDAR DAYS 153
 Price Range \$ 3,000,000 to \$ 6,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning August 13, 2013 at the Lincoln Central Office and August 19, 2013 at the District Engineer's Office at LINCOLN
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT STA. 15+00.00

MOBILIZATION	LUMP	LUMP
PAINTING		8 EACH
ASPHALT PLUG JOINT SYSTEM		56 LF
PREPARATION OF BRIDGE AT STATION 15+00.00		1 EACH
PENETRATING CONCRETE SEALER		2,936 SF
CONCRETE REPAIR		20 SY

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES		1,434 STA
OVERLAY SOLID LINES		2,868 STA
MOBILIZATION	LUMP	LUMP
CONC PVMT REPAIR TYPE A FULL DEPTH		123 CY
CONC PVMT REPAIR TYPE B FULL DEPTH		1,360 CY
CONC PVMT REPAIR TYPE C FULL DEPTH		275 CY
CONC PVMT, PR-3500 JOINT REPAIR		66 CY
MEMBRANE WATERPROOFING		843 SY
BRIDGE APPROACH REPAIR		37 CY
4" WHITE WET REFLECT THERMOPLASTIC, GRVD		100,600 LF
4" YELLOW WET REFLECT THERM PVMT MK GRVD		81,500 LF
12" YEL WET RFLC THERMOPLST PVMT MRK, GVD		2,900 LF
HYDRATED LIME/WMA		31,470 EACH
FOUNDATION COURSE REPLACEMENT		39 CY
ASPH CONC, TYPE SPH		8,140 TON
ASPH CONC, TYPE SPH (0.5)		29,970 TON
ASPH CONC FOR PATCHING, TYPE SPH (0.5)		1,500 TON
PERF GRADED BINDER (52-34)		276 TON
PERF GRADED BINDER (64-34)		1,195 TON
TACK COAT		51,050 GAL
RENTAL OF LOADER, FULLY OPERATED		50 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED		50 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		50 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		50 HOUR
WATER		61 MGAL
EARTH SHOULDER CONSTRUCTION		244 STA
COLD MILLING, CLASS 3		787 STA
COLD MILLING, CLASS 4		812 SY

COLD MILLING, CLASS 3 TYPE A	662	STA
COLD MILLING, CLASS 3 TYPE B	121	STA
RUMBLE STRIPS, ASPHALT	1,618	STA
CONCRETE SURFACE MILLING	4	STA
RAP INCENTIVE PAYMENT	67,377	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B	1	ACRE
MULCH	2	TON

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	31,000	BDAY
BARRICADE, TYPE III	1,280	BDAY
TEMPORARY SIGN DAY	1,484	EACH
SIGN DAY	9,000	EACH
FLASHING ARROW PANEL	112	DAY
FLAGGING	20	DAY
FURNISHING AND OPERATING PILOT VEHICLE	5	DAY
FIELD OFFICE	1	EACH
TRAINING	1,000	HOUR
MOBILIZATION	LUMP	LUMP
CONSTRUCTION LIGHTING, CATEGORY I	8	NGHT
CONSTRUCTION LIGHTING, CATEGORY II	75	NGHT

NOTICE TO CONTRACTORS

CALL ORDER 110
 STATE PROJECT NO. S-77-2(1025)
 LOCATION: US-77, WAHOO BYPASS
 COUNTIES: SAUNDERS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 05, 2013 . At that time the bids will be opened and read for GRAD CONC PAVE CULV SEED BR GDRL ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

Length: 3.3 MILES
 START DATE 11/04/2013 WORKING DAYS 200
 Price Range \$ 10,000,000 to \$ 15,000,000

Plans and specifications may be seen beginning August 13, 2013 at the Lincoln Central Office and August 19, 2013 at the District Engineer's Office at LINCOLN
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		10 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION		443,441 CY
WATER		1,231 MGAL
RIGHT-OF-WAY MARKERS		89 EACH
RE-ESTABLISH PROPERTY CORNER		30 EACH
ESTABLISH PROPERTY CORNER		45 EACH
SALVAGING AND PLACING TOPSOIL		312,567 SY
REMOVE PAVEMENT		8,878 SY
REM DRIVEWAY CULVERT PIPE		36 LF
24" DRIVEWAY CULVERT PIPE		76 LF
TYPE 3,4,5 OR 6		
30" DRIVEWAY CULVERT PIPE		156 LF
TYPE 3,4,5 OR 6		
36" DRIVEWAY CULVERT PIPE		68 LF
TYPE 3,4,5 OR 6		
RELAYING DR CULV PIPE		36 LF
24" DRIVE PIPE 2,3,4,5,6,7 OR 8		365 LF
36" DRIVE PIPE 2,3,4,5,6,7 OR 8		72 LF
REMOVE & SALVAGE FES		2 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		285 CY
47B-3000 CONC FOR HDWL		4 CY
RE-STEEL FOR HEADWALL		460 LB
18" METAL FLARED-END SECTION		6 EACH
24" METAL FLARED-END SECTION		5 EACH
INSTALL 24" METAL F.E.S.		2 EACH
REMOVE SIGN AND POST		1 EACH
COVER CROP SEEDING		67 ACRE
EROSION CONTROL, CLASS 1D		8,764 SY
EROSION CONTROL, CLASS 2A		7,459 SY
TRANSITION MAT		135 SY
EROSION CHECKS, TYPE WATTLE		3,151 LF
FABRIC SILT FENCE-LOW POROSITY		5,619 LF
SLASH MULCH GRINDING		1,000 CY
24" CULV PIPE 3,4,5		76 LF
18" CULV PIPE 3,4,5,6		189 LF
24" CULV PIPE 3,4,5,6		81 LF

GROUP 3 CONCRETE PAVEMENT

	LUMP	LUMP
MOBILIZATION		
FLEXIBLE POST DELINEATOR		152 EACH
INSTALL CHEVRONS		4 EACH
GRAVEL SURFACE COURSE		247 TON
GRAVEL EMBEDMENT		7 STA
SPEC SURF CRSE FOR MAILBOX TURNOUTS		18 SY
REMOVE AND RESET MAILBOX		2 EACH
CONC 47B-3000 MEDIAN SURFACING		18,675 SY
10" CONC PVMT, 47B-3500		1,725 SY
10" DOWELED CONC PVMT, 47B-3500		126,377 SY
UNDERDRAIN HEADWALL		4 EACH
4" PERFORATED PIPE UNDERDRAIN		6,208 LF
ARROW, PREF PVMT MRKING T-4 GROOVED		2 EACH
5" WHT WET RFLC POLY PVMT MRKING, GVD		63,000 LF
5" WHT WET RFLC POLY PVMT MRKING		750 LF
12" WHT WET RFLC POLY PVMT MRKING, GVD		1,450 LF
12" WHT WET RFLC POLY PVMT MRKING		350 LF
5" YEL WET RFLC POLY PVMT MRKING, GVD		45,000 LF
HYDRATED LIME		2,750 TON
FOUNDATION COURSE		144,940 SY
4"		
GRANULAR SUBDRAIN		185 EACH
STABILIZED SUBGRADE		144,940 SY
TYPE LIME		
SURFACING 6"		19,590 SY
SURFACING 8"		6,080 SY
PREP OF INTER & DRIVE		1,027 SY
WATER		644 MGAL
EARTH SHOULDER CONSTRUCTION		390 STA
SUBGRADE PREPARATION		7,805 SY
RUMBLE STRIPS, CONCRETE		328 STA
SURFACE UNDER GUARDRAIL		336 SY

GROUP 4 CULVERTS

	LUMP	LUMP
MOBILIZATION		
RIPRAP FILTER FABRIC		137 SY
CAST IRON COVER & FRAME		500 LB
CAST IRON GRATE & FRAME		80,760 LB
MANHOLE		1 EACH
AT STA. 489+56.80 LT		
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		746 CY
EXCAVATION FOR BOX CULVERTS		5,139 CY
47B-3000 CONC FOR BOX CULV		437 CY
47B-3000 CONC FOR INLET & JUNCTION BOXES		180 CY
RE-STEEL FOR BOX CULVERT		53,088 LB
RE-STEEL FOR INLET & JCT BOX		14,037 LB
18" FLARED-END SECTION		13 EACH
24" FLARED-END SECTION		2 EACH
30" FLARED-END SECTION		2 EACH
42" FLARED-END SECTION		2 EACH
48" FLARED-END SECTION		2 EACH
60" FLARED-END SECTION		6 EACH
15" METAL FLARED-END SECTION		2 EACH
CURB INLET SEDIMENT FILTER		108 EACH
ROCK RIPRAP, TYPE B		112 TON
CRUSHED ROCK FOR BASE COURSE		114 CY
15" SLOTTED CULV PIPE 3		1,150 LF
42" CULV PIPE 2,5		160 LF
48" CULV PIPE 2,5		59 LF
60" CULV PIPE 2,5		443 LF
15" CULV PIPE 3,4,5		84 LF
24" CULV PIPE 2,5,7,8		138 LF
30" CULV PIPE 2,5,7,8		76 LF
18" STORM SEWER PIPE 1,7,8		5,295 LF
15" STORM SEWER PIPE 3,4 OR 5		33 LF

GROUP 4A CULVERT AT STA. 428+69.26

MOBILIZATION	LUMP	LUMP
EXCAVATION FOR BOX CULVERTS		740 CY
47B-3000 CONC FOR BOX CULV		504 CY
RE-STEEL FOR BOX CULVERT	55,533	LB
CRUSHED ROCK FOR BASE COURSE		71 CY

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE A		55 ACRE
SEEDING, TYPE B		12 ACRE
MULCH		150 TON

GROUP 6 BRIDGE AT STA. 435+18.69

MOBILIZATION	LUMP	LUMP
RIPRAP FILTER FABRIC		725 SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000		614 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	103,155	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE A		125 LF
EXPANSION BEARING, TFE TYPE		40 EACH
FIXED BEARING		20 EACH
47B-3000 CONC FOR BRIDGE		888 CY
47BD-4000 CONC FOR BRIDGE		844 CY
PRECAST/PRESTRESSED CONC SUPERSTR 435+18.69	LUMP	LUMP
ACCESS CROSSING	LUMP	LUMP
STRUC STEEL FOR SUBSTRUCTURE		11,405 LB
FLOOR DRAINS		2 EACH
ROCK RIPRAP, TYPE A		15 TON
ROCK RIPRAP, TYPE B		725 TON
EPOXY COATED RE-STEEL	274,255	LB
SUBSURFACE DRAINAGE MATTING		214 SY
PIPE PILING		9,875 LF
TEST PILE		4 EACH
STEEL SHEET PILING	7,605	SF
GRANULAR BACKFILL		775 CY

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		468 LF
BRIDGE APPROACH SECTIONS		2 EACH
GUARDRAIL END TREATMENT, TYPE I		2 EACH

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
PULL BOX, TYPE PB-1		10 EACH
PULL BOX, TYPE PB-1A		2 EACH
PULL BOX, TYPE PB-2		2 EACH
PULL BOX, TYPE PB-2A		4 EACH
PULL BOX, TYPE PB-5		2 EACH
PASSIVE INFRARED MOTION DETECTOR		3 EACH
TRAFFIC SIGNAL, TYPE TS-1		8 EACH
TRAFFIC SIGNAL, TYPE TS-1A		2 EACH
TRAFFIC SIGNAL, TYPE TS-2		6 EACH
TRAF SIG CONTROL, TYPE TC-2070		1 EACH
PEDESTAL POLE, TYPE PP-10		6 EACH
VEHICLE DETECTOR, TYPE A PREFORMED		13 EACH
VEHICLE DETECTOR, TYPE B PREFORMED		13 EACH

VEHICLE DETECTOR, TYPE TD-3	4	EACH
ST LIGHT UNIT SL-BT-40-12-0.25	9	EACH
PEDESTRIAN WALKWAY LUMINAIRE	9	EACH
8' T8 FIBERGLASS		
C.M.A. SIG & LGHT POLE, CMP-55-12	2	EACH
C.M.A. SIG & LGHT POLE, CMP-65-12	2	EACH
LED TRAF SIG MOD, TYPE 12" YELLOW	4	EACH
LIGHTING CONTROL CENTER, D	1	EACH
LIGHTING CONTROL CENTER, R	2	EACH
SAFETY SWITCH	1	EACH
NEMA 3R NON-FUSED 30A		
1/2" PVC CONDUIT	10	LF
1" PVC CONDUIT	190	LF
3/4" ROUND METAL CONDUIT	195	LF
1 1/2" CONDUIT IN TRENCH	2,080	LF
2" CONDUIT IN TRENCH	3,395	LF
3" CONDUIT IN TRENCH	120	LF
1 1/2" CONDUIT UNDER ROADWAY	474	LF
2" CONDUIT UNDER ROADWAY	50	LF
3" CONDUIT UNDER ROADWAY	419	LF
2" CONDUIT, JACKED	150	LF
3/C #14 AWG TRAF SIG CABLE	3,470	LF
12/C #14 AWG TRAF SIG CABLE	626	LF
2/C #14 AWG DETECTOR LEAD-IN CABLE	6,641	LF
#8 GROUNDING CONDUCTOR	10	LF
GROUND ROD	1	EACH
GROUNDING CONDUCTOR	3,479	LF
SERVICE CABLE	160	LF
SURGE PROTECTIVE DEVICE	1	EACH
STREET LIGHT CABLE, NO. 6 BARE	2,849	LF
STREET LIGHT CABLE, NO. 6 USE	5,698	LF
STREET LIGHT CABLE, NO. 10 THWN	570	LF
STREET LIGHT CABLE, NO. 12 THWN	750	LF
UNINTERRUPTIBLE POWER SUPPLY	1	EACH
INST TRAF SIG CONTROLLER, TC-2070	1	EACH
REMOVE PULL BOX	2	EACH
REMOVE	8	EACH
AND SALVAGE WOOD POLE		
RELOCATE STREET LIGHTING UNIT	4	EACH
RELOCATE PULL BOX	4	EACH
TYPE PB-1		

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	30,050	B DAY
BARRICADE, TYPE III	33,990	B DAY
SIGN DAY	9,103	EACH
CONTRACTOR FURNISHED SIGN DAY	11,330	EACH
PAVEMENT MARKING REMOVAL	18,000	LF
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	50	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	50	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	50	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	50	HOUR
CONTOUR CULTIVATION OF BACKSLOPES	8,000	LF
TEMPORARY SILT CHECK	3,000	LF
TEMPORARY SILT FENCE	3,000	LF
TEMPORARY EARTH CHECK	3,000	LF
SLASH MULCH PLACEMENT	1,000	CY
TEMPORARY MULCH	10	TON

NOTICE TO CONTRACTORS

CALL ORDER 200
STATE PROJECT NO. MISC-92-6(1020)
LOCATION: N-92, PLATTE RIVER EAST MITIGATION SITE
COUNTIES: SAUNDERS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 05, 2013. At that time the bids will be opened and read for CULVERTS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CULVERTS

START DATE 10/14/2014 WORKING DAYS 10
Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning August 13, 2013 at the Lincoln Central Office and August 19, 2013 at the District Engineer's Office at OMAHA
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		352 CY
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		167 CY
47B-3000 CONC FOR HDWL		1 CY
RE-STEEL FOR HEADWALL		182 LB
STRUCTURAL STEEL		105 LB
RENTAL OF LOADER, FULLY OPERATED		10 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED		10 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		10 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		10 HOUR
SEEDING, TYPE WETLAND		1 ACRE
EROSION CONTROL, CLASS 1D		206 SY
TEMPORARY SILT CHECK		200 LF
TEMPORARY SILT FENCE		300 LF
48" RND EQ CULV PIPE 3,4,5		114 LF

NOTICE TO CONTRACTORS

CALL ORDER 205
 STATE PROJECT NO. RD-275-7(1041)
 LOCATION: US-275, N-92 East
 COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 05, 2013. At that time the bids will be opened and read for GR CULV SEED BR GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 3.0 Miles
 START DATE 06/02/2014 WORKING DAYS 90
 Price Range \$ 1,000,000 to \$ 3,000,000

Plans and specifications may be seen beginning August 13, 2013 at the Lincoln Central Office and August 19, 2013 at the District Engineer's Office at OMAHA
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		1 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION		8,447 CY
WATER		32 MGAL
REMOVE DELINEATOR UNITS		72 EACH
SALVAGING AND PLACING TOPSOIL		10,714 SY
REMOVE GUARDRAIL		2,687 LF
COVER CROP SEEDING		11 ACRE
EROSION CONTROL, CLASS 1D		4,745 SY
FABRIC SILT FENCE-LOW POROSITY		951 LF

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
PREPARATION OF STRUCTURE AT STA. 70+58.50		1 EACH
PREPARATION OF STRUCTURE AT STA. 128+55.10		1 EACH
EXCAVATION FOR BOX CULVERTS		88 CY
47B-3000 CONC FOR BOX CULV		47 CY
RE-STEEL FOR BOX CULVERT		3,871 LB
CRUSHED ROCK FOR BASE COURSE		16 CY

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE B		11 ACRE
SEEDING, TYPE BUFFER		1 ACRE
SEEDING, TYPE WETLAND		1 ACRE
HYDROMULCH		17 TON
WETLAND SHRUB		103 EACH
WETLAND TREE		29 EACH

GROUP 6 BRIDGE AT STA. 47+00.35

MOBILIZATION	LUMP	LUMP
CONCRETE REPAIR		300 SF

GROUP 6A BRIDGE AT STA. 78+28.82

	LUMP	LUMP
MOBILIZATION		
CONC FOR PVMT APPROACHES CLASS 47BD-4000		183 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	32,480	LB
PREFORMED EXPANSION JOINT, TYPE A		88 LF
CLASS I REPAIR	1,754	SY
CLASS II REPAIR		350 SY
CLASS III REPAIR		5 SY
PLACE, FINISH, & CURE CONC OVERLAY-SF	1,788	SY
47BD-4000 CONC FOR BRIDGE		47 CY
CONCRETE FOR OVERLAYS-SF		134 CY
PREPARATION OF BRIDGE AT STATION 78+28.82		1 EACH
EPOXY COATED RE-STEEL	5,950	LB
SUBSURFACE DRAINAGE MATTING		72 SY
CONCRETE REPAIR		30 SF
GRANULAR BACKFILL		240 CY

GROUP 7 GUARDRAIL

	LUMP	LUMP
MOBILIZATION		
CULV MOUNTED GDRL POST		14 EACH
W-BEAM GUARDRAIL	1,562	LF
BRIDGE APPROACH SECTIONS		8 EACH
END ANCHORAGE ASSEMBLY		1 EACH
GUARDRAIL END TREATMENT, TYPE II		11 EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES		472 STA
OVERLAY SOLID LINES		944 STA
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE II		91 EACH
DELINEATOR, TYPE III		36 EACH
INSTALL CHEVRONS		16 EACH
GRAVEL SURFACE COURSE		5 TON
MAILBOX POST		3 EACH
CONC PVMT REPAIR TYPE A FULL DEPTH		66 CY
CONC PVMT REPAIR TYPE B FULL DEPTH		114 CY
CONC PVMT REPAIR TYPE C FULL DEPTH		697 CY
CONC PVMT, PR-3500		27 CY
JOINT REPAIR		
5" WHT WET RFLC THERMOPLSTC PVMT MRK,GVD	33,500	LF
12" WHT WET RFLC THERMO PVMT MRKING, GVD		300 LF
5" YEL WET RFLC THERMOPLSTC PVMT MRK,GVD	34,750	LF
12" YEL WET RFLC THERMOPLST PVMT MRK,GVD		1,500 LF
4" WHT WET RFLC PRF PVMT MKNG T4 GVD		2,800 LF
4" YEL WET RFLC PRF PVMT MKNG T4 GVD		900 LF
HYDRATED LIME/WMA		9,182 EACH
FOUNDATION COURSE REPLACEMENT		24 CY
GRANULAR SUBDRAIN		18 EACH
ASPH CONC, TYPE SPS		3,029 TON
ASPH CONC, TYPE LC		1,920 TON
ASPH CONC, TYPE SPH		7,062 TON
PLACE ASPH CONC FOR DRIVE & INTER		1,419 SY
ASPH CONC FOR PATCHING, TYPE SPH		200 TON
PERF GRADED BINDER (70-34)		410 TON
PERF GRADED BINDER (52-34)		96 TON
PREP OF INTER & DRIVE		74 SY
TACK COAT	19,645	GAL
WATER		27 MGAL
EARTH SHOULDER CONSTRUCTION		106 STA
COLD MILLING, CLASS 3	60,636	SY
COLD MILLING, CLASS 5		816 SY
MILLING CONC FOR INLAYS		3 EACH
RUMBLE STRIPS, ASPHALT		322 STA
RUMBLE STRIPS, ASPHALT 8"		322 STA
CONC SURF MILLING		17 SY
SURFACE UNDER GUARDRAIL		1,493 SY

RAP INCENTIVE PAYMENT	20,759	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	5,000	BDAY
BARRICADE, TYPE III	1,485	BDAY
TEMPORARY SIGN DAY	980	EACH
SIGN DAY	13,303	EACH
TEMP PAVEMENT MARKING REMOVAL	5,500	LF
PAVEMENT MARKING REMOVAL	3,300	LF
TEMP PVMT MARKING, TYPE PAINT	5,500	LF
TEMP PVMT MARKING SURF PREP	5,500	LF
FLAGGING	140	DAY
CONCRETE PROTECTION BARRIER	900	LF
RELOCATE CONC PROTECTION BARRIER	900	LF
TEMPORARY RUMBLE STRIP	4	EACH
TEMPORARY TRAFFIC SIGNAL	1	EACH
TRAFFIC CONTROL MANAGEMENT	153	DAY
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	60	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	60	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	60	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10	HOUR
TEMPORARY SILT CHECK	150	LF
TEMPORARY SILT FENCE	300	LF
TEMPORARY EARTH CHECK	150	LF

NOTICE TO CONTRACTORS

CALL ORDER 300
 FEDERAL PROJECT NO. STP-12-6(116)
 LOCATION: N-12, FORDYCE EAST & WEST
 COUNTIES: CEDAR

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 05, 2013. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 9.2 MILES
 START DATE 09/15/2014 WORKING DAYS 25
 Price Range \$ 500,000 to \$ 2,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning August 13, 2013 at the Lincoln Central Office and August 19, 2013 at the District Engineer's Office at NORFOLK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	5,375	B	DAY
BARRICADE, TYPE III	192	B	DAY
TEMPORARY SIGN DAY	350	E	EACH
SIGN DAY	4,608	E	EACH
OVERLAY BROKEN LINES	970	S	STA
OVERLAY SOLID LINES	1,940	S	STA
FLAGGING	50	D	DAY
FURNISHING AND OPERATING PILOT VEHICLE	23	D	DAY
FIELD OFFICE	1	E	EACH
MOBILIZATION	LUMP	L	LUMP
HYDR LIME/WMA FOR ST MNT PAT	300	E	EACH
HYDRATED LIME/WMA	16,010	E	EACH
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	300	T	TON
ASPH CONC, TYPE SPR	15,060	T	TON
PLACE ASPH CONC FOR DRIVE & INTER	4,826	S	Y
ASPH CONCRETE FOR PATCHING, TYPE SPR	950	T	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	10	T	TON
PERF GRADED BINDER (64-34)	544	T	TON
TACK COAT	20,700	G	GAL
RENTAL OF LOADER, FULLY OPERATED	50	H	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50	H	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	50	H	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	50	H	HOUR
WATER	242	M	MGAL
EARTH SHOULDER CONSTRUCTION	980	S	STA
COLD MILLING, CLASS 3	499	S	STA
COLD MILLING, CLASS 5	4,826	S	Y
RAP INCENTIVE PAYMENT	27,217	E	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	L	LUMP
SEEDING, TYPE B	13	A	ACRE
HYDROMULCH	20	T	TON

NOTICE TO CONTRACTORS

CALL ORDER 305
 FEDERAL PROJECT NO. STPD-45-3(107)
 LOCATION: N-45, TILDEN SOUTH
 COUNTIES: BOONE ANTELOPE
 MADISON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 05, 2013. At that time the bids will be opened and read for GR SEED GDRL ELEC BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 12.4 MILES
 START DATE 06/09/2014 WORKING DAYS 85
 Price Range \$ 3,000,000 to \$ 6,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning August 13, 2013 at the Lincoln Central Office and August 19, 2013 at the District Engineer's Office at NORFOLK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
REMOVAL OF UNSUITABLE MATERIAL		400 CY
WATER		37 MGAL
EARTHWORK MEASURED IN EMBANKMENT		2,639 CY
REMOVE PAVEMENT		355 SY
SAWING PAVEMENT		198 LF
REMOVE GUARDRAIL		1,031 LF
CRUSHED ROCK FOR BASE COURSE		400 CY
COVER CROP SEEDING		26 ACRE
EROSION CONTROL, CLASS 1D		10,077 SY
FABRIC SILT FENCE-LOW POROSITY		2,095 LF

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE B		26 ACRE
MULCH		59 TON

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
CABLE GUARDRAIL		3,376 LF
TERMINAL ANCHORAGE SECTIONS		14 EACH

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
ST LIGHT UNIT SL-BT-40-12-0.25		3 EACH
LIGHTING CONTROL CENTER, D		1 EACH
1 1/2" CONDUIT IN TRENCH		460 LF
1 1/2" CONDUIT UNDER ROADWAY		20 LF
1 1/2" CONDUIT, JACKED		52 LF
STREET LIGHT CABLE, NO. 6 BARE		532 LF
STREET LIGHT CABLE, NO. 6 USE		1,064 LF

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES	656	STA
OVERLAY SOLID LINES	1,312	STA
MOBILIZATION	LUMP	LUMP
REMOVE ASPH SURF FROM PAVEMENT	3,291	SY
GRAVEL SURFACE COURSE	215	CY
MAILBOX POST	23	EACH
CONC PVMT REPAIR TYPE A FULL DEPTH	9	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	19	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	18	CY
RUBBLIZATION OF CONCRETE PAVEMENT	96,704	SY
HYDR LIME/WMA FOR ST MNT PAT	500	EACH
HYDRATED LIME/WMA	53,670	EACH
FOUNDATION COURSE REPLACEMENT	2	CY
GRANULAR SUBDRAIN	662	EACH
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	500	TON
ASPH CONC, TYPE SPR	52,970	TON
PLACE ASPH CONC FOR DRIVE & INTER	10,976	SY
ASPH CONCRETE FOR PATCHING, TYPE SPR	700	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	17	TON
PERF GRADED BINDER (64-34)	1,824	TON
PREP OF INTER & DRIVE	2,511	SY
TACK COAT	42,960	GAL
WATER	340	MGAL
EARTH SHOULDER CONSTRUCTION	1,303	STA
SUBGRADE PREPARATION	800	SY
COLD MILLING, CLASS 3	289	STA
COLD MILLING, CLASS 5	4,656	SY
COLD MILLING, CLASS 3 TYPE A	2	STA
MILLING CONC FOR INLAYS	1	EACH
SURFACE UNDER GUARDRAIL	4,191	SY
RAP INCENTIVE PAYMENT	91,239	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	9,000	B DAY
BARRICADE, TYPE III	4,266	B DAY
TEMPORARY SIGN DAY	1,092	EACH
SIGN DAY	20,520	EACH
CONTRACTOR FURNISHED SIGN DAY	3,128	EACH
FLAGGING	90	DAY
FURNISHING AND OPERATING PILOT VEHICLE	35	DAY
FIELD OFFICE	1	EACH
TRAINING	1,000	HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	80	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	80	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	80	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	30	HOUR
TEMPORARY SILT CHECK	200	LF
TEMPORARY SILT FENCE	1,000	LF
TEMPORARY MULCH	3	TON

NOTICE TO CONTRACTORS

CALL ORDER 310
 FEDERAL PROJECT NO. STP-45-3(110)
 LOCATION: N-121/N-45, IN TILDEN & BATTLE CREEK NORTH
 COUNTIES: ANTELOPE MADISON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 05, 2013. At that time the bids will be opened and read for GRAD CULV ELEC BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS
 START DATE 07/14/2014 WORKING DAYS 60
 Price Range \$ 500,000 to \$ 2,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning August 13, 2013 at the Lincoln Central Office and August 19, 2013 at the District Engineer's Office at NORFOLK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.
 This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		14 MGAL
RIGHT-OF-WAY MARKERS		6 EACH
EARTHWORK MEASURED IN EMBANKMENT		2,837 CY
SALVAGING AND PLACING TOPSOIL		1,629 SY
REMOVE PAVEMENT		246 SY
REMOVE ASPHALT SURFACE		397 SY
REMOVE WALK		300 SY
REMOVE CONCRETE MEDIAN SURFACING		6 SY
GRANULAR FILL		1,366 CY
EROSION CONTROL, CLASS 1D		5,374 SY
FABRIC SILT FENCE-LOW POROSITY		490 LF

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE INLET		1 EACH
CAST IRON COVER & FRAME		125 LB
STRUCTURAL STEEL FOR FACE ARMOR		129 LB
PREPARATION OF STRUCTURE AT STA. 161+05.50		1 EACH
EXCAVATION FOR BOX CULVERTS		136 CY
47B-3000 CONC FOR BOX CULV		85 CY
47B-3000 CONC FOR INLET & JUNCTION BOXES		2 CY
RE-STEEL FOR BOX CULVERT		10,368 LB
RE-STEEL FOR INLET & JCT BOX		173 LB
CRUSHED ROCK FOR BASE COURSE		22 CY

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
ST LIGHT UNIT SL-BT-40-12-0.25		2 EACH
1 1/2" CONDUIT IN TRENCH		441 LF
STREET LIGHT CABLE, NO. 6 BARE		441 LF
STREET LIGHT CABLE, NO. 6 USE		882 LF

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES	222	STA
OVERLAY SOLID LINES	333	STA
PERMANENT PAVEMENT MARKING PAINT	1,550	LF
MOBILIZATION	LUMP	LUMP
GRAVEL SURFACE COURSE	50	CY
CRUSHED ROCK SURFACE COURSE	5	CY
MAILBOX POST	15	EACH
TIE BARS	357	EACH
CONCRETE CURB REPAIR	336	LF
COMB CONC 47B-3500 CURB & GUTTER	225	LF
CONC 47B-3000 SIDEWALKS	350	SY
DETECTABLE WARNING PANEL	452	SF
CONC 47B-3000 MEDIAN SURFACING	4	SY
CONC CLASS 47B-3500 DRIVEWAY 8"	57	SY
CONC 47B-3500 DRIVEWAY	65	SY
8" CONCRETE BASE COURSE	209	SY
CONC PVMT REPAIR TYPE A FULL DEPTH	29	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	77	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	245	CY
CONC PVMT REPAIR TYPE A PARTIAL DEPTH	1	CY
10" DOWELED CONC PVMT, 47B-3500	1,290	SY
CONC PVMT, PR-3500	7	CY
JOINT REPAIR		
ADJUST MANHOLE TO GRADE	7	EACH
HANDICAPPED SYMBOL, TYPE PAINT	2	EACH
24" WHITE PREF PVMT MKING T-4 GROOVED	72	LF
HYDR LIME/WMA FOR ST MNT PAT	500	EACH
HYDRATED LIME/WMA	11,010	EACH
FOUNDATION COURSE REPLACEMENT	10	CY
SOIL BINDER	49	CY
SUBGRADE STABILIZATION	1,283	SY
ASPH CONC FOR ST MAIN PTCHG TY SPR(FINE)	500	TON
ASPH CONC, TYPE SPR (FINE)	10,810	TON
PLACE ASPH CONC FOR DRIVE & INTER	2,258	SY
ASPH CONC FOR PATCHING, TYPE SPR (FINE)	200	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	17	TON
PERF GRADED BINDER (64-34)	374	TON
PREP OF INTER & DRIVE	470	SY
TACK COAT	8,585	GAL
WATER	46	MGAL
EARTH SHOULDER CONSTRUCTION	150	STA
RECONSTRUCT GUTTER DEPRESSION	3	EACH
TRENCHED WIDENING	138	STA
SUBGRADE PREPARATION	639	SY
COLD MILLING, CLASS 3	18,808	SY
COLD MILLING, CLASS 4	7,063	SY
COLD MILLING, CLASS 5	951	SY
MILLING FOR ASPH CONC INLAY	1	EACH
MILLING CONC FOR INLAYS	8	EACH
RAP INCENTIVE PAYMENT	18,717	EACH
ASPH PVMT SMOOTHNESS TESTING	LUMP	LUMP
SEEDING, TYPE B	6	ACRE
SODDING	585	SY
MULCH	11	TON
ADJUST VALVE BOX TO GRADE	4	EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	2,850	B DAY
BARRICADE, TYPE III	605	B DAY
TEMPORARY SIGN DAY	480	EACH
SIGN DAY	3,744	EACH
CONTRACTOR FURNISHED SIGN DAY	10	EACH
FLAGGING	70	DAY
FURNISHING AND OPERATING PILOT VEHICLE	10	DAY
FIELD OFFICE	1	EACH

MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		60 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED		50 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		60 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		60 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		10 HOUR
TEMPORARY SILT CHECK		500 LF
TEMPORARY SILT FENCE	1,000	LF
TEMPORARY EARTH CHECK		500 LF
TEMPORARY MULCH		4 TON

NOTICE TO CONTRACTORS

CALL ORDER 400
FEDERAL PROJECT NO. HSIP-5519(5)
LOCATION: OSBORNE DR. EAST GUARDRAIL, HASTINGS
COUNTIES: ADAMS

The Nebraska Department of Roads will receive sealed bids for the CITY OF HASTINGS in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on September 05, 2013. At that time the bids will be opened and read for GDRL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: GUARDRAIL
START DATE 11/04/2013 WORKING DAYS 15
Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning August 13, 2013 at the Lincoln Central Office and August 19, 2013 at the District Engineer's Office at GRAND ISLAND
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 7 GUARDRAIL

BARRICADE, TYPE II	567	BDAY
BARRICADE, TYPE III	216	BDAY
SIGN DAY	972	EACH
CONTRACTOR FURNISHED SIGN DAY	54	EACH
PAVEMENT MARKING REMOVAL	850	LF
TEMP PVMT MARKING, TYPE PAINT	2,830	LF
CONCRETE PROTECTION BARRIER	980	LF
RELOCATE CONC PROTECTION BARRIER	980	LF
TEMPORARY TRAFFIC SIGNAL	1	EACH
MOBILIZATION	LUMP	LUMP
WATER	2	MGAL
EARTHWORK MEASURED IN EMBANKMENT	97	CY
47BD-4000 CONC FOR CONC. RAIL	1	CY
EPOXY COATED RE-STEEL FOR CONC RAIL	420	LB
PREPARATION OF BRIDGE AT STATION 100+00	1	EACH
W-BEAM GUARDRAIL	1,375	LF
REMOVE GUARDRAIL	1,467	LF
BRIDGE APPROACH SECTIONS	2	EACH
GUARDRAIL END TREATMENT, TYPE II	2	EACH
SURFACE UNDER GUARDRAIL	465	SY
EROSION CONTROL, CLASS 1D	214	SY
TEMPORARY SILT FENCE	200	LF

NOTICE TO CONTRACTORS

CALL ORDER 405
 FEDERAL PROJECT NO. IM-80-7(155)
 LOCATION: I-80, HAMPTON-HENDERSON
 COUNTIES: HAMILTON YORK

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 05, 2013. At that time the bids will be opened and read for GRAD GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 4.1 MILES
 START DATE 05/05/2014 CALENDAR DAYS 90
 Price Range \$ 2,000,000 to \$ 4,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning August 13, 2013 at the Lincoln Central Office and August 19, 2013 at the District Engineer's Office at GRAND ISLAND
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
WATER		7 MGAL
EARTHWORK MEASURED IN EMBANKMENT		445 CY
REMOVE GUARDRAIL		800 LF
EROSION CONTROL, CLASS 1D		1,552 SY
FABRIC SILT FENCE-LOW POROSITY		1,720 LF

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		650 LF
BRIDGE APPROACH SECTIONS		4 EACH
GUARDRAIL END TREATMENT, TYPE I		4 EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES		855 STA
OVERLAY SOLID LINES		2,062 STA
MOBILIZATION	LUMP	LUMP
CONC PVMT REPAIR TYPE B FULL DEPTH		97 CY
CONC PVMT REPAIR TYPE C FULL DEPTH		8 CY
REMOVE FLARED- END SECTION		2 EACH
REMOVE & SALVAGE FES		4 EACH
BAR GRATE FOR 18" CONC FES		2 EACH
18" CONCRETE FLARED-END SECTION		2 EACH
INSTALL 18" CONC FES		3 EACH
INSTALL 24" CONC FES		1 EACH
5" WHT WET RFLC THERMOPLSTC PVMT MRK,GVD		59,700 LF
12" WHT WET RFLC THERMO PVMT MRKING, GVD		2,750 LF
5" YEL WET RFLC THERMOPLSTC PVMT MRK,GVD		48,250 LF
HYDR LIME/WMA FOR ST MNT PAT		500 EACH
HYDRATED LIME/WMA		22,950 EACH
FOUNDATION COURSE REPLACEMENT		2 CY
ASPH CONC ST MAINT PATCH TYPE SPH (0.5)		500 TON
ASPH CONC, TYPE SPS		3,730 TON
ASPH CONC, TYPE SPR		9,970 TON
ASPH CONC, TYPE SPH (0.5)		12,980 TON

ASPH CONC FOR PATCHING, TYPE SPH (0.5)	200 TON
PERF GRAD BIND (64-34) FOR ST MAINT PATCH	17 TON
PERF GRADED BINDER (52-34)	119 TON
PERF GRADED BINDER (64-34)	839 TON
TACK COAT	32,460 GAL
WATER	1 MGAL
SUBGRADE PREPARATION	209 SY
COLD MILLING, CLASS 3	429 STA
COLD MILLING, CLASS 4	429 STA
COLD MILLING, CLASS 3	394 STA
TYPE A	
COLD MILLING, CLASS 3	89 STA
TYPE B	
RUMBLE STRIPS, ASPHALT	855 STA
SURFACE UNDER GUARDRAIL	1,016 SY
RAP INCENTIVE PAYMENT	45,696 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	9,376 BDAY
BARRICADE, TYPE III	418 BDAY
TEMPORARY SIGN DAY	792 EACH
SIGN DAY	2,376 EACH
FLASHING ARROW PANEL	58 DAY
TRAINING	1,000 HOUR
MOBILIZATION	LUMP LUMP
RENTAL OF LOADER, FULLY OPERATED	55 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	55 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	55 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5 HOUR
CONSTRUCTION LIGHTING, CATEGORY I	8 NGHT
CONSTRUCTION LIGHTING, CATEGORY II	61 NGHT
TEMPORARY SILT FENCE	200 LF

NOTICE TO CONTRACTORS

CALL ORDER 410
 FEDERAL PROJECT NO. IM-80-7(156)
 LOCATION: I-80, HENDERSON-WACO
 COUNTIES: YORK

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 05, 2013. At that time the bids will be opened and read for GRAD CULV GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 18.0 MILES
 START DATE 05/05/2014 CALENDAR DAYS 397
 Price Range \$ 10,000,000 to \$ 15,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning August 13, 2013 at the Lincoln Central Office and August 19, 2013 at the District Engineer's Office at GRAND ISLAND
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
WATER		20 MGAL
EARTHWORK MEASURED IN EMBANKMENT		871 CY
REMOVE WALK		106 SY
REMOVE GUARDRAIL		8,159 LF
EROSION CONTROL, CLASS 1D		25,531 SY
FABRIC SILT FENCE-LOW POROSITY		2,200 LF

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE FLARED- END SECTION		13 EACH
REMOVE & SALVAGE FES		12 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		2 CY
47B-3000 CONC FOR CONCRETE CO		1 CY
RE-STEEL FOR COLLARS		53 LB
BAR GRATE FOR 18" CONC FES		10 EACH
BAR GRATE FOR 24" CONC FES		2 EACH
36" REINFORCED CONCRETE PIPE		4 LF
18" CONCRETE FLARED-END SECTION		10 EACH
24" CONCRETE FLARED-END SECTION		2 EACH
36" CONCRETE FLARED-END SECTION		1 EACH
INSTALL 18" CONC FES		12 EACH

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
47BD-4000 CONC FOR PIER PROTECTION		2 CY
EPOXY COAT RE-STEEL FOR PIER PROTECTION		880 LB
W-BEAM GUARDRAIL		3,387 LF
THRIE-BEAM GUARDRAIL		1,687 LF
CABLE GUARDRAIL		240 LF
BRIDGE APPROACH SECTIONS		21 EACH
END ANCHORAGE ASSEMBLY		2 EACH
BULLNOSE-12.5'		18 EACH
TERMINAL ANCHORAGE SECTIONS		2 EACH
GUARDRAIL END TREATMENT, TYPE I		22 EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES	3,808	STA
OVERLAY SOLID LINES	8,316	STA
MOBILIZATION	LUMP	LUMP
CONCRETE CURB REPAIR	26	LF
CONC 47B-3000 SIDEWALKS	106	SY
DETECTABLE WARNING PANEL	88	SF
CONC PVMT REPAIR TYPE A FULL DEPTH	191	CY
CONC PVMT REPAIR TYPE B FULL DEPTH	1,249	CY
CONC PVMT REPAIR TYPE C FULL DEPTH	490	CY
CONC PVMT, PR-3500	22	CY
JOINT REPAIR		
BRIDGE APPROACH REPAIR	1	CY
4" WHITE PERMANENT PVMT MARKING PAINT	6,450	LF
4" YEL PERMANENT PVMT MARKING PAINT	1,000	LF
HANDICAPPED SYMBOL	6	EACH
5" WHT WET RFLC THERMOPLSTC PVMT MRK,GVD	261,000	LF
12" WHT WET RFLC THERMO PVMT MRKING, GVD	10,000	LF
5" YEL WET RFLC THERMOPLSTC PVMT MRK,GVD	209,000	LF
HYDR LIME/WMA FOR ST MNT PAT	500	EACH
HYDRATED LIME/WMA	100,250	EACH
FOUNDATION COURSE REPLACEMENT	47	CY
ASPH CONC ST MAINT PATCH TYPE SPH (0.5)	500	TON
ASPH CONC, TYPE SPS	23,240	TON
ASPH CONC, TYPE SPH (0.5)	100,150	TON
ASPH CONCRETE FOR PATCHING, TYPE SPS	100	TON
ASPH CONC FOR PATCHING, TYPE SPH (0.5)	100	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	19	TON
PERF GRADED BINDER (52-34)	746	TON
PERF GRADED BINDER (64-34)	3,809	TON
TACK COAT	141,450	GAL
COLD MILLING, CLASS 3	1,904	STA
COLD MILLING, CLASS 4	1,904	STA
COLD MILLING, CLASS 3	1,778	STA
TYPE A		
COLD MILLING, CLASS 3	329	STA
TYPE B		
RUMBLE STRIPS, ASPHALT	1,856	STA
SURFACE UNDER GUARDRAIL	5,214	SY
RAP INCENTIVE PAYMENT	210,103	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SODDING	31	SY

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	56,170	BDAY
BARRICADE, TYPE III	3,482	BDAY
TEMPORARY SIGN DAY	4,298	EACH
SIGN DAY	22,020	EACH
PERMANENT PAVEMENT MARKING PAINT	200,000	LF
FLASHING ARROW PANEL	264	DAY
FLAGGING	10	DAY
FURNISHING AND OPERATING PILOT VEHICLE	5	DAY
CONCRETE PROTECTION BARRIER	225	LF
REPLACEMENT MODULE	18	EACH
INERTIAL BARRIER SYSTEM	1	EACH
TRAINING	4,000	HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	55	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	55	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	55	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5	HOUR
CONSTRUCTION LIGHTING, CATEGORY I	16	NGHT
CONSTRUCTION LIGHTING, CATEGORY II	270	NGHT
TEMPORARY SILT FENCE	200	LF

NOTICE TO CONTRACTORS

CALL ORDER 415
 FEDERAL PROJECT NO. URB-5409(2)
 LOCATION: VARIOUS LOCATIONS IN GRAND ISLAND
 COUNTIES: HALL

The Nebraska Department of Roads will receive sealed bids for the CITY OF GRAND ISLAND in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on September 05, 2013. At that time the bids will be opened and read for GRAD CULV SEED BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 4.6 MILES
 START DATE 04/28/2014 WORKING DAYS 105
 Price Range \$ 1,000,000 to \$ 3,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 6.0 %

Plans and specifications may be seen beginning August 13, 2013 at the Lincoln Central Office and August 19, 2013 at the District Engineer's Office at GRAND ISLAND. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		1 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
REM AND REP'MENT OF UNSUITABLE MATERIAL		310 CY
WATER		10 MGAL
RE-ESTABLISH PROPERTY CORNER		10 EACH
EARTHWORK MEASURED IN EMBANKMENT		300 CY
REMOVE PAVEMENT		11,106 SY
SAWING PAVEMENT		10,762 LF
REMOVE DRIVEWAY		528 SY
REMOVE WALK		3,090 SY
REMOVE CURB		328 LF
REMOVE RETAINING WALL		22 LF
REMOVE BOLLARD		1 EACH
REMOVE AND RESET MAILBOX		36 EACH
TEMPORARY SEEDING		3 ACRE
FABRIC SILT FENCE-LOW POROSITY		75 LF

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
CURB INLET		1 EACH
AREA INLET		2 EACH
CURB INLET		8 EACH
FRAME, GRATE & CURB		
RECONSTRUCT CURB INLET		37 EACH
47B-3000 CONC FOR CONCRETE CO		1 CY
RE-STEEL FOR COLLARS		42 LB
12" FLARED-END SECTION		2 EACH
CURB INLET SEDIMENT FILTER		38 EACH
12" STORM SEWER PIPE 1,7,8		16 LF
15" STORM SEWER PIPE 1,7,8		25 LF
21" STORM SEWER PIPE 1,7,8		16 LF

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE B		1 ACRE
SEEDING, TYPE C		1 ACRE
SODDING	3,268	SY
HYDROMULCH		3 TON

GROUP 9 BITUMINOUS

MOBILIZATION	LUMP	LUMP
GRAVEL SURFACE COURSE		57 CY
COMB CONC 47B-3500 CURB & GUTTER	2,099	LF
CONC 47B-3000 SIDEWALK 5"	3,647	SY
DETECTABLE WARNING PANEL	2,129	SF
CONC 47B-3500 DRIVEWAY		472 SY
CONC PVMT REPAIR TYPE A FULL DEPTH		100 SY
CONC PVMT REPAIR TYPE B FULL DEPTH		850 SY
CONC PVMT REPAIR TYPE C FULL DEPTH	1,000	SY
6" CONC PVMT, 47B-3500		319 SY
8" CONC PVMT, 47B-3500	3,296	SY
9" DOWELED CONC PVMT, 47B-3500	5,809	SY
ADJUST MANHOLE TO GRADE		65 EACH
COVERED SIDEWALK TRENCH DRAIN		13 LF
MODULAR BLOCK WALL		360 SF
4" WHITE THERMOPLASTIC, GROOVED	13,901	LF
4" YELLOW THERMOPLASTIC, GROOVED	21,762	LF
12" WHITE THERMOPLASTIC, GROOVED		719 LF
24" WHITE THERMOPLASTIC, GROOVED	1,970	LF
THRU ARROW PREF PVMT MARKING T-4, GVD		8 EACH
LEFT ARROW PREF PVMT MARKING T-4 GROOVED		76 EACH
ARROW POLYUREA PVMT MRKING, GROOVED		5 EACH
RT. ARROW PREF PVMT MARKING T-4 GROOVED		3 EACH
RIGHT/THRU ARROW PREF PVMT MKING T-4 GVD		11 EACH
4" WHT POLYUREA PVMT MRKING, GROOVED		468 LF
12" WHT POLYUREA PVMT MRKING, GROOVED		74 LF
24" WHT POLYUREA PVMT MRKING, GROOVED	1,210	LF
4" YEL POLYUREA PVMT MRKING, GROOVED		450 LF
HYDRATED LIME FOR ASPHALT MIXTURES		92 TON
ASPH CONC, TYPE LC	2,890	TON
ASPH CONC, TYPE SPR	9,920	TON
ASPH CONCRETE FOR PATCHING, TYPE SPR		550 TON
PERF GRADED BINDER (64-34)		558 TON
PREP OF INTER & DRIVE		472 SY
TACK COAT	12,320	GAL
WATER		85 MGAL
EARTH SHOULDER CONSTRUCTION		227 STA
SUBGRADE PREPARATION	9,424	SY
COLD MILLING, CLASS 3	16,645	SY
COLD MILLING, CLASS 4	36,812	SY
COLD MILLING, CLASS 3	19,765	SY
TYPE A		
CONC SURF MILLING		879 SY
RAP INCENTIVE PAYMENT	22,712	EACH
ADJUST PULL BOX TO GRADE		7 EACH
ADJUST VALVE BOX TO GRADE		29 EACH
ADJUST CURB STOP AND BOX TO GRADE		2 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	3,145	B DAY
BARRICADE, TYPE III	7,252	B DAY
SIGN DAY	5,960	EACH
CONTRACTOR FURNISHED SIGN DAY	4,689	EACH
TEMP PVMT MARKING, TYPE PAINT	8,300	LF
CHANGEABLE MESSAGE SIGN		125 DAY
FLAGGING		76 DAY
TRAINING		500 HOUR
MOBILIZATION	LUMP	LUMP

RENTAL OF LOADER, FULLY OPERATED	100 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	100 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	100 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	100 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	100 HOUR
TEMPORARY SILT CHECK	200 LF
TEMPORARY SILT FENCE	1,000 LF

NOTICE TO CONTRACTORS

CALL ORDER 600
 FEDERAL PROJECT NO. NH-83-3(108)
 LOCATION: US-83, STAPLETON NORTH
 COUNTIES: LOGAN

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 05, 2013. At that time the bids will be opened and read for ELEC BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 11.3 MILES
 START DATE 07/28/2014 WORKING DAYS 55
 Price Range \$ 1,000,000 to \$ 3,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning August 13, 2013 at the Lincoln Central Office and August 19, 2013 at the District Engineer's Office at NORTH PLATTE
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
ST LIGHT UNIT SL-BT-40-12-0.25		1 EACH
1 1/2" CONDUIT IN TRENCH		103 LF
1 1/2" CONDUIT, JACKED		45 LF
STREET LIGHT CABLE, NO. 6 BARE		148 LF
STREET LIGHT CABLE, NO. 6 USE		296 LF
REPOSITION STREET LIGHTING UNIT		1 EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES		1,191 STA
OVERLAY SOLID LINES		2,382 STA
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE III		90 EACH
INSTALL CHEVRONS		16 EACH
REMOVE DELINEATOR UNITS		90 EACH
GRAVEL SURFACE COURSE		35 CY
MAILBOX POST		1 EACH
HYDR LIME/WMA FOR ST MNT PAT		150 EACH
HYDRATED LIME/WMA		26,180 EACH
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR		150 TON
ASPH CONC, TYPE SPS		11,150 TON
ASPH CONC, TYPE SPR		26,080 TON
PLACE ASPH CONC FOR DRIVE & INTER		3,102 SY
ASPH CONCRETE FOR PATCHING, TYPE SPR		100 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH		5 TON
PERF GRADED BINDER (52-34)		356 TON
PERF GRADED BINDER (64-34)		890 TON
PREP OF INTER & DRIVE		524 SY
TACK COAT		44,080 GAL
WATER		2 MGAL
COLD MILLING, CLASS 3		595 STA
COLD MILLING, CLASS 5		2,578 SY
COLD MILLING, CLASS 3		1,193 STA
TYPE A		
RAP INCENTIVE PAYMENT		63,447 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	12,925	B DAY
BARRICADE, TYPE III	388	B DAY
TEMPORARY SIGN DAY	770	EACH
SIGN DAY	9,603	EACH
FLAGGING	110	DAY
FURNISHING AND OPERATING PILOT VEHICLE	55	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	55	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	55	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	55	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5	HOUR
TEMPORARY SILT FENCE	500	LF

NOTICE TO CONTRACTORS

CALL ORDER 605
STATE PROJECT NO. AFE-F004
LOCATION: SECONDARY RETAINING WALL CONSTRUCTION US-283 OVER I-80
COUNTIES: DAWSON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 05, 2013. At that time the bids will be opened and read for GRADING

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: GRADING

START DATE 10/28/2013 WORKING DAYS 10
Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning August 13, 2013 at the Lincoln Central Office and August 19, 2013 at the District Engineer's Office at NORTH PLATTE

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

BARRICADE, TYPE II	800	BDAY
BARRICADE, TYPE III	60	BDAY
SIGN DAY	72	EACH
FLASHING ARROW PANEL	20	DAY
MOBILIZATION	LUMP	LUMP
47BD-4000 CONC FOR RETAINING WALL	11	CY
EPOXY COATED RE-STEEL FOR RETAINING WALL	1,741	LB

NOTICE TO CONTRACTORS

CALL ORDER 700
 FEDERAL PROJECT NO. URB-6606(2)
 LOCATION: 18TH AVE., BURLINGTON - WEST AVE., HOLDREGE
 COUNTIES: PHELPS

The Nebraska Department of Roads will receive sealed bids for the CITY OF HOLDREGE in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on September 05, 2013. At that time the bids will be opened and read for GR CONC PAVE CULV

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

START DATE 07/28/2014 WORKING DAYS 70
 Price Range \$ 500,000 to \$ 2,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning August 13, 2013 at the Lincoln Central Office and August 19, 2013 at the District Engineer's Office at MCCOOK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		1,650 CY
REM AND REP'MENT OF UNSUITABLE MATERIAL		2,325 CY
REMOVE PAVEMENT		13,348 SY
REMOVE DRIVEWAY		265 SY
REMOVE WALK		231 SY
TEMPORARY ACCESS ROAD		819 SY
CRUSHED ROCK SURFACE COURSE		166 TON

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
REMOVE AND RESET MAILBOX		1 EACH
CONC 47B-3000 SIDEWALK 5"		253 SY
DETECTABLE WARNING PANEL		220 SF
CONC 47B-3500 DRIVEWAY		375 SY
8" CONC PVMT, 47B-3500		13,483 SY
ADJUST MANHOLE TO GRADE		7 EACH
TYPE A SIGN		36 SF
STRUC STEEL FOR SIGN SUPPORTS		96 LB
LEFT ARROW PREF PVMT MARKING T-4 GROOVED		11 EACH
4" YEL POLYUREA PVMT MRKING		4,388 LF
4" WHITE POLYUREA PAVEMENT MARKING		50 LF
PREP OF INTER & DRIVE		375 SY
WATER		54 MGAL
EARTH SHOULDER CONSTRUCTION		50 STA
SUBGRADE PREPARATION		13,483 SY
SEEDING, TYPE C		1 ACRE
SODDING		2,270 SY
BUFFALO GRASS SODDING		310 SY
MULCH		2 TON
ADJUST VALVE BOX TO GRADE		1 EACH
WATER MAIN RELOCATION		2 EACH

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE INLET		6 EACH
CURB INLET		5 EACH
, Y=4'		
CURB INLET		1 EACH
, Y=6'		
CURB INLET		8 EACH
, Y=12'		
JUNCTION BOX		2 EACH
REMOVE SEWER PIPE		132 LF
18" REINF CONCRETE SEWER PIPE		365 LF
30" REINF CONCRETE SEWER PIPE		771 LF
24" RND EQUIV RCSP		96 LF
CURB INLET SEDIMENT FILTER		160 LF

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II		1,030 BDAY
BARRICADE, TYPE III		2,243 BDAY
SIGN DAY		1,377 EACH
CONTRACTOR FURNISHED SIGN DAY		396 EACH
FIELD OFFICE		1 EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		10 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		10 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		10 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		10 HOUR
TEMPORARY SILT CHECK		200 LF
TEMPORARY SILT FENCE		250 LF

NOTICE TO CONTRACTORS

CALL ORDER 800
 FEDERAL PROJECT NO. NH-20-2(135)
 LOCATION: US-20, WOOD LAKE WEST
 COUNTIES: CHERRY

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on September 05, 2013. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 10.5 MILES
 START DATE 06/23/2014 WORKING DAYS 75
 Price Range \$ 2,000,000 to \$ 4,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning August 13, 2013 at the Lincoln Central Office and August 19, 2013 at the District Engineer's Office at AINSWORTH

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	15,400	B	DAY
BARRICADE, TYPE III	528	B	DAY
TEMPORARY SIGN DAY	1,050	E	EACH
SIGN DAY	13,213	E	EACH
OVERLAY BROKEN LINES	1,665	S	TA
OVERLAY SOLID LINES	3,330	S	TA
PERMANENT PAVEMENT MARKING PAINT	133,500	L	F
FLAGGING	150	D	AY
FURNISHING AND OPERATING PILOT VEHICLE	70	D	AY
FIELD OFFICE	1	E	EACH
MOBILIZATION	LUMP	L	UMP
REMOVE DRIVEWAY	126	S	Y
24" DRIVE PIPE 2,3,4,5,6,7 OR 8	44	L	F
HYDR LIME/WMA FOR ST MNT PAT	100	E	EACH
HYDRATED LIME/WMA	32,844	E	EACH
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	100	T	ON
ASPH CONC, TYPE SPS	10,961	T	ON
ASPH CONC, TYPE SPR	32,344	T	ON
PLACE ASPH CONC FOR DRIVE & INTER	2,529	S	Y
ASPH CONCRETE FOR PATCHING, TYPE SPR	500	T	ON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	3	T	ON
PERF GRADED BINDER (52-34)	350	T	ON
PERF GRADED BINDER (64-34)	1,116	T	ON
PREP OF INTER & DRIVE	155	S	Y
TACK COAT	44,772	G	AL
RENTAL OF LOADER, FULLY OPERATED	50	H	OUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50	H	OUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	50	H	OUR
RENTAL OF SKID LOADER, FULLY OPERATED	50	H	OUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5	H	OUR
WATER	1	M	GAL
COLD MILLING, CLASS 3	1,110	S	TA
TYPE A			
COLD MILLING, CLASS 5	2,374	S	Y
COLD MILLING, CLASS 3	555	S	TA
RUMBLE STRIPS, ASPHALT	1,110	S	TA
RAP INCENTIVE PAYMENT	74,469	E	EACH

ASPH PVMT SMOOTHNESS TESTING I/D
EROSION CONTROL, CLASS 1D
TEMPORARY SILT CHECK
TEMPORARY SILT FENCE

LUMP	LUMP
	196 SY
	100 LF
	100 LF

