

September 12, 2013

TO ALL CONCERNED:

The Department of Roads has scheduled a bid letting to be held in this office October 10, 2013 at 1:30 p.m.

The Notice to Contractors includes:

1. Website Information
2. Notice to all Bidders
3. Notices to Contractors
4. R-125 "Request for Bidding Proposal Forms"

Projects containing DBE Goals are indicated in the "Notice to Contractors".

Please check the important letting information on the website frequently.

The last day to submit acceptable prequalification statements for this letting is by 5:00 p.m. on Monday, September 30, 2013.

Sincerely,

Michelle Weigel, Supervisor
Contract Lettings Section
Construction Division

MW/amh

WEBSITE INFORMATION

The Nebraska Department of Roads, Contract Lettings Section, will be utilizing the Internet as our means of communicating with the contracting industry.

Documents that are posted on the web are:

- Letting Schedule
- Notices to Contractors
- Informational Proposals
- Letting Plans
- List of Prequalified Contractors
- Planholders List
- Informational Addendums
- EBS (Electronic Bidding System)
- Apparent Low Bidders
- Bid Tabulations
- Standard Item Listing
- Awarded Average Unit Prices (AUP) Report

Hard copies of these documents will be available for inspection in the Contracts Office.

There will be a charge for reproduction of any of these documents.

The Website address is: www.Transportation.Nebraska.gov

If you have any questions as you are using our Website, please contact us at:

Nebraska Department of Roads
Contract Lettings Section
P.O. Box 94759
Lincoln, NE 68509-4759

Phone (402) 479-4525
FAX (402) 479-3803

Email: DOR.ContractLettings@nebraska.gov

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free “hotline” Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the “hotline” to report such activities.

The “hotline” is part of the DOT’s continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

NOTICE TO CONTRACTORS

CALL ORDER 100
 FEDERAL PROJECT NO. STPAA-6759(2)
 LOCATION: COLUMBIA AVENUE, SEWARD
 COUNTIES: SEWARD

The Nebraska Department of Roads will receive sealed bids for the CITY OF SEWARD in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on October 10, 2013. At that time the bids will be opened and read for GRAD CONC PAVE CULV WATER ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT CULVERTS
 START DATE 05/27/2014 WORKING DAYS 25
 Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning September 17, 2013 at the Lincoln Central Office and September 23, 2013 at the District Engineer's Office at LINCOLN. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	1,608	CY
WATER	7	MGAL
REMOVE PAVEMENT	111	SY
FABRIC SILT FENCE-LOW POROSITY	1,647	LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
CONSTRUCTION ENTRANCE	LUMP	LUMP
CONC 47B-3000 SIDEWALKS	354	SY
DETECTABLE WARNING PANEL	8	SF
7" CONC PVMT 47B-3500	3,252	SY
WATER	14	MGAL
EARTH SHOULDER CONSTRUCTION	15	STA
SUBGRADE PREPARATION	3,252	SY
SEEDING, TYPE B	1	ACRE
MULCH	1	TON

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
CAST IRON COVER & FRAME	1,000	LB
MANHOLE	1	EACH
AT STATION 1005+36.46 RT.		
TAPPING EXISTING STRUCTURE	1	EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	74	CY
47B-3000 CONC FOR INLET & JUNCTION BOXES	17	CY
RE-STEEL FOR INLET & JCT BOX	1,154	LB
24" METAL FLARED-END SECTION	2	EACH
CURB INLET SEDIMENT FILTER	4	EACH
24" CULV PIPE 3,4,5	86	LF
18" STORM SEWER PIPE 1	502	LF

GROUP 4A WATER MAIN & SANITARY SEWER

MOBILIZATION	LUMP	LUMP
REMOVE PAVEMENT		36 SY
7" CONC PVMT 47B-3500		36 SY
CAST IRON COVER & FRAME	2,020	LB
MANHOLE		1 EACH
AT STATION 1003+98.67		
MANHOLE		1 EACH
AT STATION 1005+50.00		
MANHOLE		1 EACH
AT STATION 1009+00.00		
MANHOLE		1 EACH
AT STATION 1012+50.00		
SANITARY SEWER SERVICE		8 EACH
4" SANITARY SEWER PIPE	224	LF
8" SANITARY SEWER PIPE	700	LF
8" DUCTILE IRON SEWER PIPE	152	LF
JACKING 8" DUCTILE IRON SEWER PIPE	152	LF
4" PLUG		8 EACH
8" PLUG		1 EACH
SUBGRADE PREPARATION		36 SY
CUT & CONNECT TO EXISTING 8" MAIN		2 EACH
RC TEE BLOCK		3 EACH
8" WATER MAIN PIPE	811	LF
8" GATE VALVE, M.J.		1 EACH
FIRE HYDRANT		3 EACH
ASSEMBLY COMPLETE		
8" X 6" TEE		3 EACH
M.J.		
BORING 8" WATER MAIN		89 LF

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
STREET LIGHTING UNIT		4 EACH
DIRECT BURIAL CABLE, NO. 6	1,389	LF

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	150	BDAY
BARRICADE, TYPE III	288	BDAY
SIGN DAY	644	EACH
CONTRACTOR FURNISHED SIGN DAY	144	EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	20	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	20	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	20	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	20	HOUR

NOTICE TO CONTRACTORS

CALL ORDER 115
 FEDERAL PROJECT NO. BR-3285(5)
 LOCATION: ON A COUNTY ROAD, NORTH OF FILLEY
 COUNTIES: GAGE

The Nebraska Department of Roads will receive sealed bids for the COUNTY OF GAGE in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on October 10, 2013. At that time the bids will be opened and read for GRAD, CONC PAVE, CULV, LS, BR, GDRL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT BRIDGES
 START DATE 06/23/2014 WORKING DAYS 90
 Price Range \$ 500,000 to \$ 2,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 4.0 %

Plans and specifications may be seen beginning September 17, 2013 at the Lincoln Central Office and September 23, 2013 at the District Engineer's Office at LINCOLN
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		1 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)	40,923	CY
WATER		60 MGAL
REMOVE ASPHALT SURFACE	8,330	SY
24" DRIVE PIPE 2,3,4,5,6,7 OR 8		96 LF
COVER CROP SEEDING		10 ACRE
EROSION CONTROL, CLASS 1D	5,594	SY
EROSION CONTROL, CLASS 2C		356 SY
EROSION CHECKS, TYPE 1D		168 BALE
EROSION CHECKS, TYPE 2C		60 BALE
FABRIC SILT FENCE-LOW POROSITY		911 LF
24" RND EQUIV CULV PIPE 2,3,4,5		80 LF

GROUP 3 CONCRETE PAVEMENT

PERMANENT PAVEMENT MARKING PAINT	8,643	LF
MOBILIZATION	LUMP	LUMP
CRUSHED ROCK EMBEDMENT		4 STA
CRUSHED ROCK SURFACE COURSE		164 TON
SPEC SURF CRSE FOR MAILBOX TURNOUTS		18 SY
MAILBOX POST		1 EACH
6" CONC PVMT, 47B-3500		350 SY
8" CONC PVMT, 47B-3500		524 SY
8" DOWELED CONC PAVE, CLASS 47B-3500	7,310	SY
FLUME SPILLWAY		5 LF
CONCRETE FLUME, TYPE I		1 EACH
FOUNDATION COURSE	7,810	SY
4"		
GRANULAR SUBDRAIN		32 EACH
PREP OF INTER & DRIVE		874 SY
WATER		36 MGAL
EARTH SHOULDER CONSTRUCTION		56 STA
SUBGRADE PREPARATION	7,286	SY

GROUP 4 CULVERTS

	LUMP	LUMP
MOBILIZATION		
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	349	CY
24" METAL FLARED-END SECTION	1	EACH
24" CONCRETE FLARED-END SECTION	2	EACH
24" RND EQUIV CONCRETE FES	4	EACH
42" RND EQUIV CONCRETE FES	2	EACH
24" CULV PIPE 2	70	LF
24" RD EQUIV CULV PIPE 2	110	LF
42" RD EQUIV CULV PIPE 2	76	LF
24" CULV PIPE 3,4,5,6	100	LF

GROUP 5L LANDSCAPING

	LUMP	LUMP
MOBILIZATION		
SEEDING, TYPE A	9	ACRE
SEEDING, TYPE B	1	ACRE
SEEDING, TYPE BUFFER	1	ACRE
MULCH	23	TON
REDOSIER DOGWOOD #5 CONTAINER	25	EACH
AMERICAN HAZELNUT #5 CONTAINER	25	EACH
AMERICAN PLUM #5 CONTAINER	25	EACH
SKUNKBUSH SUMAC #5 CONTAINER	25	EACH
SILVER MAPLE #5 CONTAINER	25	EACH
ELDERBERRY #5 CONTAINER	25	EACH
BUR OAK 2" CAL B&B	25	EACH

GROUP 6 BRIDGE AT STA. 11+80.00

	LUMP	LUMP
MOBILIZATION		
RIPRAP FILTER FABRIC	768	SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000	146	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	26,295	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
BENT NO.1 EXCAVATION	LUMP	LUMP
BENT NO.2 EXCAVATION	LUMP	LUMP
47B-3000 CONC FOR BRIDGE	164	CY
47BD-4000 CONC FOR BRIDGE	123	CY
REMOVE STRUCTURE	1	EACH
AT STA. 11+95.00		
ACCESS CROSSING	LUMP	LUMP
AT STA. 11+80.00		
STRUC STEEL FOR SUBSTRUCTURE	7,715	LB
ROCK RIPRAP, TYPE B	580	TON
SALVAGING AND PLACING TOPSOIL ON RIPRAP	768	SY
EPOXY COATED RE-STEEL	37,510	LB
HP 10"X42# STEEL PILING	1,960	LF
STEEL SHEET PILING	4,283	SF
2" CONDUIT IN BRIDGE	77	LF
PVC		
2" GALVANIZED STEEL PIPE IN BRIDGE	70	LF
GRANULAR BACKFILL	420	CY

GROUP 7 GUARDRAIL

	LUMP	LUMP
MOBILIZATION		
BRIDGE APPROACH SECTIONS	4	EACH
GUARDRAIL END TREATMENT, TYPE II	4	EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE III	2,240	B DAY
SIGN DAY	3,200	EACH
CONTRACTOR FURNISHED SIGN DAY	640	EACH
TRAINING	500	HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	15	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	15	HOUR

RENTAL OF SKID LOADER, FULLY OPERATED	15 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	15 HOUR
TEMPORARY SILT CHECK	300 LF
TEMPORARY SILT FENCE	500 LF
TEMPORARY EARTH CHECK	300 LF
TEMPORARY MULCH	2 TON

NOTICE TO CONTRACTORS

CALL ORDER 125
 FEDERAL PROJECT NO. STPB-55(151)
 LOCATION: HAYMARKET BALLPARK TRAIL, LINCOLN
 COUNTIES: LANCASTER

The Nebraska Department of Roads will receive sealed bids for the LOWER PLATTE SOUTH NATURAL RESOURCES DISTRICT in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on October 10, 2013. At that time the bids will be opened and read for CONC PAVE

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

START DATE 08/11/2014 WORKING DAYS 45
 Price Range \$ 500,000 to \$ 2,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning September 17, 2013 at the Lincoln Central Office and September 23, 2013 at the District Engineer's Office at LINCOLN
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 3 CONCRETE PAVEMENT

BARRICADE, TYPE II	249	B	DAY
SIGN DAY	166	E	EACH
CONTRACTOR FURNISHED SIGN DAY	249	E	EACH
MOBILIZATION	LUMP	L	LUMP
LARGE TREE REMOVAL	1	E	EACH
GENERAL CLEARING AND GRUBBING	LUMP	L	LUMP
WATER	15	M	MGAL
CONSTRUCTION STAKING AND SURVEYING	LUMP	L	LUMP
EARTHWORK MEASURED IN EMBANKMENT	3,854	C	CY
RIPRAP FILTER FABRIC	775	S	Y
6" CONCRETE CLASS 47B-3000 BIKEWAY	5,900	S	Y
CAST IRON GRATE & FRAME	1,925	L	LB
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	68	C	CY
GRAVITY BLOCK WALL	11,092	S	SF
LEVELING PAD, Granular	1,895	L	LF
47B-3000 CONC FOR INLET & JUNCTION BOXES	14	C	CY
RE-STEEL FOR INLET & JCT BOX	765	L	LB
BAR GRATE FOR 24" FES	9	E	EACH
24" FLARED-END SECTION	9	E	EACH
ROCK RIPRAP, TYPE B	591	T	TON
REMOVE RIPRAP	79	T	TON
TYPE A SIGN	31	S	SF
4" X 4" WOOD SIGN SUPPORT	110	L	LF
12" SIGN SUPPORT FOOTING	11	E	EACH
RENTAL OF LOADER, FULLY OPERATED	35	H	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	35	H	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	35	H	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	35	H	HOUR
SEEDING, TYPE B	1	A	ACRE
EROSION CONTROL, CLASS 1D	4,635	S	Y
FABRIC SILT FENCE-LOW POROSITY	3,044	L	LF
TEMPORARY SILT CHECK	500	L	LF
TEMPORARY SILT FENCE	500	L	LF
MULCH	3	T	TON
18" CULV PIPE 2,3,4,5,6,7,8	60	L	LF
24" CULV PIPE 2,3,4,5,6,7,8	162	L	LF
10" P.V.C. PIPE AND FITTINGS	210	L	LF

NOTICE TO CONTRACTORS

CALL ORDER 130
FEDERAL PROJECT NO. HSIP-D1(105)
LOCATION: DISTRICT 1 - DISTRICTWIDE
COUNTIES: LANCASTER SEWARD

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on October 10, 2013. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 14 MILES
START DATE 08/25/2014 WORKING DAYS 35
Price Range \$ 500,000 to \$ 2,000,000

Plans and specifications may be seen beginning September 17, 2013 at the Lincoln Central Office and September 23, 2013 at the District Engineer's Office at LINCOLN

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	13,411	B DAY
BARRICADE, TYPE III	290	B DAY
TEMPORARY SIGN DAY	490	EACH
SIGN DAY	7,323	EACH
FLAGGING	70	DAY
FURNISHING AND OPERATING PILOT VEHICLE	35	DAY
MOBILIZATION	LUMP	LUMP
HYDRATED LIME/WMA	17,690	EACH
ASPH CONC, TYPE SPS	3,490	TON
ASPH CONC, TYPE SPR	17,490	TON
ASPH CONCRETE FOR PATCHING, TYPE SPR	200	TON
ASPH CONCRETE FOR PATCHING, TYPE SPS	100	TON
PERF GRADED BINDER (52-34)	114	TON
PERF GRADED BINDER (64-34)	601	TON
TACK COAT	25,240	GAL
RENTAL OF LOADER, FULLY OPERATED	50	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	50	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	50	HOUR
COLD MILLING, CLASS 3	390	STA
COLD MILLING, CLASS 3	1,092	STA
TYPE A		
COLD MILLING, CLASS 3	1,092	STA
TYPE B		
RUMBLE STRIPS, ASPHALT	1,448	STA
RAP INCENTIVE PAYMENT	36,176	EACH

NOTICE TO CONTRACTORS

CALL ORDER 205
 FEDERAL PROJECT NO. MAPA-5071(1)
 LOCATION: OMAHA TRAFFIC SIGNALS, VARIOUS LOCATIONS
 COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids for the CITY OF OMAHA in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on October 10, 2013. At that time the bids will be opened and read for ELECTRICAL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: ELECTRICAL
 START DATE 04/07/2014 CALENDAR DAYS 104
 Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning September 17, 2013 at the Lincoln Central Office and September 23, 2013 at the District Engineer's Office at OMAHA
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8B ELECTRICAL

BARRICADE, TYPE II	3,900	BDAY
TEMPORARY SIGN DAY	810	EACH
FLASHING ARROW PANEL	170	DAY
FLAGGING	40	DAY
MOBILIZATION	LUMP	LUMP
REMOVE PAVEMENT	8	SY
REMOVE WALK	33	SY
REMOVE CURB	28	LF
COMB CONC 47B-3500 CURB & GUTTER	28	LF
CONC 47B-3500 SIDEWALKS 6"	96	SY
DETECTABLE WARNING PANEL	32	SF
REINSTALL OVERHEAD SIGN	14	EACH
REINSTALL WIRELESS INTERCONNECT RADIO SYSTEM	LUMP	LUMP
OVERHEAD SIGN	3	EACH
TRAFFIC SIGN AND POST	2	EACH
STREET NAME SIGN 18"	20	EACH
STREET NAME SIGN 30"	2	EACH
PULL BOX, TYPE PB-1A	2	EACH
PULL BOX, TYPE PB-6	28	EACH
TRAFFIC SIGNAL, TYPE TS-1	2	EACH
TRAFFIC SIGNAL, TYPE TS-1L	2	EACH
TRAF SIG CONTROL, TYPE TC-2070	7	EACH
WIRELESS INTERCONNECT RADIO SYSTEM AT 120TH & LEAVENWORTH	LUMP	LUMP
RADAR VEHICLE DETECTION SYSTEM AT PARK AVE. & LEAVENWORTH	LUMP	LUMP
RADAR VEHICLE DETECTION SYSTEM AT PARK AVE. & DOUGLAS	LUMP	LUMP
PEDESTRIAN PUSHBUTTON, PPB	46	EACH
PEDESTAL POLE, TYPE PP-4	2	EACH
PEDESTAL POLE, TYPE PP-10	2	EACH
LUMINAIRE 200W SREET LIGHTING	13	EACH

C.M.A. SIG & LGHT P. CMP-0-12	2 EACH
C.M.A. SIG & LGHT P CMP-20-12	1 EACH
C.M.A. SIG & LGHT POLE, CMP-30-12	1 EACH
C.M.A. SIG & LGHT POLE, CMP-40-12	3 EACH
C.M.A. SIG & LGHT POLE, CMP-45-12	2 EACH
C.M.A. SIG & LGHT POLE, CMP-55-12	1 EACH
C.M.A. SIG & LGHT POLE CMP-70-12	2 EACH
C.M.A. SIG & LGHT POLE, CMP-40/40-12	1 EACH
MAST ARM SIGNAL POLE, MP-20	3 EACH
MAST ARM SIGNAL POLE, MP-25	1 EACH
MAST ARM SIGNAL POLE, MP-35	2 EACH
MAST ARM SIGNAL POLE, MP-40	3 EACH
MAST ARM SIGNAL POLE, MP-45	3 EACH
SERVICE DISCONNECT PEDESTAL	8 EACH
2" CONDUIT IN TRENCH	935 LF
3" CONDUIT IN TRENCH	88 LF
2" CONDUIT, JACKED	2,972 LF
3" CONDUIT, JACKED	1,660 LF
7/C #14 AWG TRAF SIG CABLE	486 LF
16/C #14 AWG TRAF SIG CABLE	2,188 LF
2/C #16 AWG PED PBUTTON LEAD-IN CABLE	4,426 LF
2/C DETECTOR LEAD-IN CABLE	1,320 LF
#8 GROUNDING CONDUCTOR	2,606 LF
SERVICE CABLE	800 LF
SERVICE ENTRANCE CABLE	2,400 LF
STREET LIGHT CABLE, NO. 6 3/C	1,887 LF
6 PAIR COMMUNICATION CABLE	1,279 LF
INSTALL TRAFFIC SIGNAL, TS-1A PEDESTAL POLE MOUNTING	1 EACH
INSTALL PEDESTRIAN SIGNAL PS-1 INSTALL	50 EACH 39 EACH
TRAFFIC SIGNAL, TYPE TS-1 INSTALL	23 EACH
TRAFFIC SIGNAL, TYPE TS-1A REMOVE LIGHTING UNIT	1 EACH
REMOVE TRAFFIC SIGNAL AT 132ND & KINGSWOOD	1 EACH
REMOVE TRAFFIC SIGNAL AT PARK AVE. & LEAVENWORTH	1 EACH
REMOVE TRAFFIC SIGNAL AT 13TH & MARTHA	1 EACH
REMOVE TRAFFIC SIGNAL AT 30TH & STATE	1 EACH
REMOVE TRAFFIC SIGNAL AT 102ND AND 'L'	1 EACH
REMOVE TRAFFIC SIGNAL AT 120TH AND LEAVENWORTH	1 EACH
REMOVE TRAFFIC SIGNAL AT 125TH & WEST CENTER	1 EACH
REMOVE TRAFFIC SIGNAL AT PARK AVE. & DOUGLAS	1 EACH
REMOVE TRAFFIC SIGNAL HEAD	1 EACH
REMOVE PULL BOX	9 EACH
REMOVE OVERHEAD SIGN	1 EACH
RE-ENTERABLE ENCAPSULATED SPLICE	6 EACH
SODDING	24 SY

NOTICE TO CONTRACTORS

CALL ORDER 210
 FEDERAL PROJECT NO. MAPA-5023(14)
 LOCATION: WASHINGTON STREET, PAPIILLION
 COUNTIES: SARPY

The Nebraska Department of Roads will receive sealed bids for the CITY OF PAPIILLION in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on October 10, 2013. At that time the bids will be opened and read for GRAD CONC PAVE CULV WATER MAIN SEED ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

Length: 1.9 MILES
 START DATE 03/31/2014 CALENDAR DAYS 515
 Price Range \$ 6,000,000 to \$ 10,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 5.0 %

Plans and specifications may be seen beginning September 17, 2013 at the Lincoln Central Office and September 23, 2013 at the District Engineer's Office at OMAHA Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		5 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		152 MGAL
EARTHWORK MEASURED IN EMBANKMENT		30,367 CY
RIPRAP FILTER FABRIC		679 SY
REMOVE PAVEMENT		47,499 SY
SAWING PAVEMENT		6,026 LF
REMOVE DRIVEWAY		1,175 SY
REMOVE WALK		1,112 SY
REMOVE CURB		56 LF
REMOVE CONCRETE MEDIAN SURFACING		638 SY
REMOVE CONCRETE DITCH LINER		22 SY
REMOVE		1 EACH
ENTRY SIGN		
24" DRIVE PIPE, TYPE 3,4 OR 5		176 LF
GRAVITY BLOCK WALL		1,582 SF
ROCK RIPRAP, TYPE A		90 TON
ROCK RIPRAP, TYPE C		1,135 TON
REMOVE GUARDRAIL		80 LF
REMOVE SIGN		15 EACH
REMOVE SIGN AND POST		60 EACH
COVER CROP SEEDING		13 ACRE
EROSION CONTROL, CLASS 1C		5,173 SY
EROSION CONTROL, CLASS 1D		1,096 SY
EROSION CONTROL, CLASS 2A		16 SY
EROSION CHECKS, TYPE 1D		62 BALE
FABRIC SILT FENCE-LOW POROSITY		4,687 LF
FABRIC SILT FENCE-HIGH POROSITY		494 LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE I		7 EACH
CRUSHED ROCK EMBEDMENT		368 SY
CRUSHED ROCK SURFACE COURSE		392 TON

CALCIUM CHLORIDE APPLIED	48 TON
CONC 47B-3500 CURB TYPE I	81 LF
COMB CONC 47B-3500 CURB & GUTTER	1,633 LF
CONC 47B-3000 SIDEWALKS	2,742 SY
DETECTABLE WARNING PANEL	574 SF
6" CONCRETE CLASS 47B-3500 BIKEWAY	9,022 SY
CONC 47B-3000 MEDIAN SURFACING	3,607 SY
CONC 47B-3500 DRIVEWAY	1,532 SY
CONC 47B-HE-3500 DRIVEWAY	704 SY
9" CONC PVMT, 47B-3500	2,852 SY
9" DOWELED CONC PVMT, 47B-3500	59,099 SY
9" CONC PVMT 47B-HE-3500	765 SY
10" DOWELED CONC PVMT, 47B-HE-3500	376 SY
ADJUST MANHOLE TO GRADE	1 EACH
PIPE RAILING	360 LF
FENCE 48"	
PIPE RAILING	200 LF
FENCE 54"	
REMOVE AND REINSTALL	10 EACH
SIGN	
TYPE A SIGN	700 SF
SIGN POST	106 EACH
4" X 6" WOOD SIGN SUPPORT	30 LF
4" WHITE PERMANENT PVMT MARKING PAINT	229 LF
12" WHITE PERMANENT PVMT MARKING PAINT	313 LF
ONLY, PREF PVMT MRKING T-4, GROOVED	17 EACH
ARROW, PREF PVMT MRKING T-4 GROOVED	5 EACH
LEFT ARROW PREF PVMT MARKING T-4 GROOVED	50 EACH
RT. ARROW PREF PVMT MARKING T-4 GROOVED	14 EACH
4" WHITE PREF PVMT MRKNG T-4 GROOVED	11,175 LF
4" YEL PREF PVMT MRKNG, T-4, GROOVED	14,642 LF
8" WHITE PREF PVMT MRKING T-4 GROOVED	967 LF
12" WHT PREF PVMT MRKING T-4 GROOVED	152 LF
24" WHITE PREF PVMT MKING T-4 GROOVED	1,840 LF
24" YEL PREF PVMT MKING T-4 GROOVED	281 LF
TEMPORARY SURFACING	4,115 SY
6"	
PREP OF INTER & DRIVE	2,236 SY
WATER	238 MGAL
EARTH SHOULDER CONSTRUCTION	189 STA
SUBGRADE PREPARATION	63,092 SY
BITUMINOUS SURFACE COURSE	5,989 SY

GROUP 4 CULVERTS

	LUMP	LUMP
MOBILIZATION		
REMOVE MANHOLE		1 EACH
REMOVE INLET		17 EACH
CAST IRON COVER & FRAME		750 LB
CAST IRON GRATE & FRAME		1,815 LB
STRUCTURAL STEEL FOR FACE ARMOR		690 LB
INLET		35 EACH
TYPE I		
INLET		11 EACH
TYPE III		
INLET		4 EACH
TYPE IV		
RECONSTRUCT MANHOLE		4 EACH
MANHOLE		100 VFT
54"		
MANHOLE		7 VFT
60"		
MANHOLE		6 VFT
66"		
TAPPING EXISTING STRUCTURE		3 EACH
REMOVE FLARED- END SECTION		15 EACH
REMOVE SEWER PIPE		2,346 LF

PREPARATION OF STRUCTURE	1 EACH
AT STA. 147+78	
REMOVE STRUCTURE	1 EACH
AT STA. 113+66.70	
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	654 CY
EXCAVATION FOR BOX CULVERTS	2,517 CY
47B-4000 CONC FOR BOX CULV	317 CY
47B-3000 CONC FOR INLET & JUNCTION BOXES	30 CY
47B-3000 CONC FOR PIPE PLUG	1 CY
RE-STEEL FOR BOX CULVERT	39,421 LB
RE-STEEL FOR INLET & JCT BOX	1,905 LB
BAR GRATE FOR 36" CONC FES	1 EACH
30" FLARED-END SECTION	4 EACH
15" CONCRETE FLARED-END SECTION	1 EACH
18" CONCRETE FLARED-END SECTION	1 EACH
24" CONCRETE FLARED-END SECTION	2 EACH
36" CONCRETE FLARED-END SECTION	1 EACH
CURB INLET SEDIMENT FILTER	72 EACH
30" CULV PIPE 2,5	206 LF
15" STORM SEWER PIPE 1	1,298 LF
18" STORM SEWER PIPE 1	5,022 LF
21" STORM SEWER PIPE 1	85 LF
24" STORM SEWER PIPE 1	730 LF
30" STORM SEWER PIPE 1	54 LF
36" STORM SEWER PIPE 1	333 LF

GROUP 4A WATER MAIN

MOBILIZATION	LUMP	LUMP
RECONSTRUCT WATER SERVICE		1 EACH
1" CORPORATION STOP		1 EACH
1" COPPER WATER SERVICE		70 LF
CONC 47B-3500 FOR BLOCKS AND ANCHORAGES		35 CY
REINF. STEEL FOR BLOCKS & ANCHORAGES		175 LB
6" RETAINER GLAND		15 EACH
10" RETAINER GLAND		26 EACH
12" RETAINER GLAND		26 EACH
16" RETAINER GLAND		18 EACH
6" WATER MAIN PIPE		165 LF
10" WATER MAIN PIPE		430 LF
12" WATER MAIN PIPE		555 LF
16" WATER MAIN PIPE		145 LF
6" GATE VALVE AND BOX		1 EACH
10" GATE VALVE AND BOX		4 EACH
12" GATE VALVE AND BOX		3 EACH
16" BUTTERFLY VALVE		2 EACH
FIRE HYDRANT		5 EACH
RECONSTRUCT FIRE HYDRANT		1 EACH
24" CASING		20 LF
6" SLEEVE		1 EACH
10" SLEEVE		2 EACH
12" SLEEVE		2 EACH
16" SLEEVE		2 EACH
10" X 6" TEE		2 EACH
12" X 6" TEE		2 EACH
16" X 6" TEE		1 EACH
12" X 10" TEE		2 EACH
6" - 45 DEGREE BEND		1 EACH
6"- 90 DEGREE BEND		2 EACH
12" - 22 1/2 DEGREE BEND		4 EACH
16" - 45 DEGREE BEND, M.J.		4 EACH
10" - 22 1/2 DEGREE BEND		4 EACH
ADJUST FIRE HYDRANT TO GRADE		2 EACH
ADJUST WATER VALVE BOX & COVER TO GRADE		12 EACH
REMOVE FIRE HYDRANT		3 EACH
REMOVE GATE VALVE		7 EACH
REMOVE WATER MAIN PIPE		1,147 LF

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE B		13 ACRE
SEEDING, TYPE C		1 ACRE
MULCH		27 TON

GROUP 8B ELECTRICAL

TEMPORARY TRAFFIC SIGNAL N-370 / S. 84TH STREET		1 EACH
TEMPORARY TRAFFIC SIGNAL S. 84TH / CEDARDALE RD.		1 EACH
MOBILIZATION	LUMP	LUMP
LED BLANK OUT SIGN		5 EACH
STREET NAME SIGN		20 SF
PULL BOX, TYPE PB-5		9 EACH
PULL BOX, TYPE PB-6		24 EACH
PULL BOX, TYPE PB-10		22 EACH
VEHICLE PRIORITY CONTROL SYSTEM 84TH & GOLD COAST ROAD	LUMP	LUMP
VEHICLE PRIORITY CONTROL SYSTEM 84TH & HWY 370	LUMP	LUMP
TRAFFIC SIGNAL, TYPE TS-1		14 EACH
TRAFFIC SIGNAL, TYPE TS-1A		3 EACH
TRAFFIC SIGNAL, TYPE TS-1LL		2 EACH
TRAFFIC SIGNAL, TYPE TS-1L		7 EACH
TRAFFIC SIGNAL, TYPE TS-1L		4 EACH
A		
TRAFFIC SIGNAL, TYPE TS-1RR		5 EACH
TRAFFIC SIGNAL TYPE FYA-H		2 EACH
TRAF SIG CONTROL, TYPE TC-2070		1 EACH
TRAF SIG CONTROL, TYPE TC-2070 ATC		1 EACH
PEDESTRIAN SIGNAL, TYPE PS-1		22 EACH
RADAR VEHICLE DETECTION SYSTEM	LUMP	LUMP
PEDESTRIAN PUSHBUTTON, PPB		20 EACH
PEDESTAL POLE, TYPE PP-4		14 EACH
PEDESTAL POLE, TYPE PP-10		2 EACH
VEHICLE DETECTOR, TYPE A PREFORMED		96 EACH
VEHICLE DETECTOR, TYPE B PREFORMED		14 EACH
VEHICLE DETECTOR, TYPE TD-3		3 EACH
ST LIGHT UNIT SL-BT-40-12-0.25		7 EACH
C.M.A. SIG & LGHT POLE, CMP-55-12		1 EACH
C.M.A. SIG & LGHT POLE, CMP-60-12		1 EACH
C.M.A. SIG & LGHT POLE, CMP-65-12		1 EACH
C.M.A. SIG & LGHT POLE CMP-75-15		3 EACH
C.M.A. SIG & LGHT POLE CMP-70-12		1 EACH
C.M.A. SIG & LGHT POLE CMP-70-15		1 EACH
1 1/2" CONDUIT IN TRENCH		1,846 LF
2" CONDUIT IN TRENCH		1,011 LF
3" CONDUIT IN TRENCH		9,256 LF
4" CONDUIT IN TRENCH		4,664 LF
1 1/2" CONDUIT, JACKED		288 LF
3" CONDUIT, JACKED		489 LF
4" CONDUIT, JACKED		427 LF
3/C #14 AWG TRAF SIG CABLE		1,402 LF
5/C #14 AWG TRAF SIG CABLE		294 LF
7/C #14 AWG TRAF SIG CABLE		1,429 LF
16/C #14 AWG TRAF SIG CABLE		1,402 LF
2/C #14 AWG DETECTOR LEAD-IN CABLE		12,329 LF
FIBER OPTIC CABLE 24 STRAND SINGLE MODE		2,996 LF
GROUNDING CONDUCTOR		1,088 LF
SERVICE CABLE		106 LF
STREET LIGHT CABLE, NO. 6 BARE		2,134 LF
STREET LIGHT CABLE, NO. 6 USE		4,268 LF

6 PAIR COMMUNICATION CABLE	1,458 LF
UNINTERRUPTIBLE POWER SUPPLY	2 EACH
REMOVE LIGHTING UNIT	8 EACH
REMOVE TRAFFIC SIGNAL	1 EACH
TEMP LIGHTING SYSTEM	1 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	29,090 BDAY
BARRICADE, TYPE III	16,760 BDAY
TEMPORARY SIGN DAY	210 EACH
SIGN DAY	63,072 EACH
CONTRACTOR FURNISHED SIGN DAY	9,460 EACH
TEMP PAVEMENT MARKING REMOVAL	15,599 LF
PAVEMENT MARKING REMOVAL	2,782 LF
PAVEMENT MARKING REMOVAL	177 SF
TEMP PVMT MARKING, TYPE PAINT	24,369 LF
FLASHING ARROW PANEL	530 DAY
CHANGEABLE MESSAGE SIGN	56 DAY
FLAGGING	120 DAY
TRAINING	3,000 HOUR
MOBILIZATION	LUMP LUMP
TEMPORARY SILT CHECK	2,000 LF
TEMPORARY SILT FENCE	3,000 LF
TEMPORARY MULCH	4 TON

NOTICE TO CONTRACTORS

CALL ORDER 300
 FEDERAL PROJECT NO. ENH-59(22)
 LOCATION: NORFOLK ELKHORN RIVER TRAIL
 COUNTIES: MADISON

The Nebraska Department of Roads will receive sealed bids for the CITY OF NORFOLK in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on October 10, 2013. At that time the bids will be opened and read for GR CONC PAVE CULV BR

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT BRIDGES

Length: 1.0 MILES
 START DATE 08/25/2014 WORKING DAYS 45
 Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning September 17, 2013 at the Lincoln Central Office and September 23, 2013 at the District Engineer's Office at NORFOLK. Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		1 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		2,284 CY
WATER		15 MGAL
REMOVE PAVEMENT		268 SY
SAWING PAVEMENT		20 LF
REMOVE FENCE		164 LF
COVER CROP SEEDING		2 ACRE
EROSION CONTROL, CLASS 1D		3,004 SY
EROSION CONTROL, CLASS 2A		34 SY
EROSION CHECKS, TYPE WATTLE		40 LF
FABRIC SILT FENCE-LOW POROSITY		559 LF

GROUP 3 CONCRETE PAVEMENT

PERMANENT PAVEMENT MARKING PAINT		423 LF
MOBILIZATION	LUMP	LUMP
REMOVE AND RESET SIGN & POST		2 EACH
GRAVEL SURFACE COURSE		8 TON
6" CONCRETE CLASS 47B-3500 BIKEWAY		5,810 SY
6" CONC PVMT, 47B-3500		1,164 SY
DISC GOLF BASKET FOUNDATION		9 EACH
DISC GOLF TEE PAD		5 EACH
PIPE RAILING		80 LF
CABLE FENCE		368 LF
TYPE A SIGN		11 SF
SIGN POST, ROUND		1 EACH
STRUC STEEL FOR SIGN SUPPORTS		40 LB
REMOVABLE BOLLARD		1 EACH
SUBGRADE PREPARATION		1,164 SY
SEEDING, TYPE B		2 ACRE
MULCH		4 TON

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL		10 CY
15" CONCRETE FLARED-END SECTION		4 EACH
18" CONCRETE FLARED-END SECTION		2 EACH
15" CULV PIPE 2		32 LF
18" CULV PIPE 2		40 LF

GROUP 6 BRIDGE AT STA. 59+60

MOBILIZATION	LUMP	LUMP
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
47B-3000 CONC FOR BRIDGE		61 CY
PEDESTRIAN BRIDGE	LUMP	LUMP
EPOXY COATED RE-STEEL		4,432 LB
SUBSURFACE DRAINAGE MATTING		28 SY
HP 10"X42# STEEL PILING		780 LF
GRANULAR BACKFILL		24 CY

GROUP 10 GENERAL ITEMS

MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		10 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		10 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		10 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		10 HOUR
TEMPORARY SILT CHECK		100 LF
TEMPORARY SILT FENCE		500 LF
TEMPORARY MULCH		2 TON

NOTICE TO CONTRACTORS

CALL ORDER 405
FEDERAL PROJECT NO. ITS-HSIP-ITSN(12)
LOCATION: DISTRICT 4 DMS REPLACEMENT
COUNTIES: BUFFALO HALL

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on October 10, 2013. At that time the bids will be opened and read for ELECTRICAL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: ELECTRICAL

START DATE 03/31/2014 WORKING DAYS 10
Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning September 17, 2013 at the Lincoln Central Office and September 23, 2013 at the District Engineer's Office at GRAND ISLAND

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8B ELECTRICAL

BARRICADE, TYPE II	241	B	DAY
BARRICADE, TYPE III	33	B	DAY
TEMPORARY SIGN DAY	92	E	EACH
SIGN DAY	220	E	EACH
CONTRACTOR FURNISHED SIGN DAY	14	E	EACH
FLASHING ARROW PANEL	2	D	DAY
TRAFFIC CONTROL MANAGEMENT	20	D	DAY
MOBILIZATION	LUMP	L	LUMP
REMOVE	780	L	LF
AND REINSTALL SERVICE CONDUCTOR/GROUND			
REMOVE	91	L	LF
AND REINSTALL 6 PAIR COMMUNICATION CABLE			
SIGN STRUCTURE BASE GROUT SEALING	8	E	EACH
INSTALL DYNAMIC MESSAGE SIGN	2	E	EACH
REMOVE DYNAMIC MESSAGE SIGN SYSTEM	2	E	EACH
PULL BOX, TYPE PB-2	1	E	EACH
6 PAIR COMMUNICATION CABLE	384	L	LF

NOTICE TO CONTRACTORS

CALL ORDER 410
FEDERAL PROJECT NO. HSIP-80-7(160)
LOCATION: I-80 STRUCTURES WEST OF AURORA
COUNTIES: HAMILTON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on October 10, 2013. At that time the bids will be opened and read for SPECIALTY

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: SPECIALTY
START DATE 05/05/2014 CALENDAR DAYS 76
Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning September 17, 2013 at the Lincoln Central Office and September 23, 2013 at the District Engineer's Office at GRAND ISLAND

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8 SPECIALTY

BARRICADE, TYPE II	2,000	B	DAY
BARRICADE, TYPE III	352	B	DAY
TEMPORARY SIGN DAY	600	E	EACH
SIGN DAY	1,824	E	EACH
FLASHING ARROW PANEL	48	D	DAY
TRAFFIC CONTROL MANAGEMENT	76	D	DAY
MOBILIZATION	LUMP	L	LUMP
GRAVEL SURFACE COURSE	11	C	CY
GRAVEL EMBEDMENT	1	S	TA
ANTI-ICING SYSTEM	1	E	EACH
PULL BOX, TYPE PB-2	3	E	EACH
2" CONDUIT IN TRENCH	408	L	LF
3" CONDUIT IN TRENCH	216	L	LF
2" CONDUIT, JACKED	295	L	LF
3" CONDUIT, JACKED	145	L	LF
#2 GROUNDING CONDUCTOR	361	L	LF
#8 GROUNDING CONDUCTOR	171	L	LF
PUMP HOUSE BUILDING	1	E	EACH
SERVICE CONDUCTOR NO. 6	513	L	LF
SERVICE CONDUCTOR NO. 350	1,083	L	LF
6 PAIR COMMUNICATION CABLE	361	L	LF
60' TOWER CAMERA SITE	1	E	EACH

NOTICE TO CONTRACTORS

CALL ORDER 500
 FEDERAL PROJECT NO. STP-71-4(119)
 LOCATION: N-71, SIOUX/BOX BUTTE CO. LINE - N-2
 COUNTIES: BOX BUTTE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on October 10, 2013. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 6.9 MILES
 START DATE 08/18/2014 WORKING DAYS 40
 Price Range \$ 1,000,000 to \$ 3,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning September 17, 2013 at the Lincoln Central Office and September 23, 2013 at the District Engineer's Office at GERING
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	6,400	B	DAY
BARRICADE, TYPE III	304	B	DAY
TEMPORARY SIGN DAY	560	E	EACH
SIGN DAY	6,355	E	EACH
FLAGGING	70	D	DAY
FURNISHING AND OPERATING PILOT VEHICLE	35	D	DAY
FIELD OFFICE	1	E	EACH
MOBILIZATION	LUMP	L	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	L	LUMP
REMOVE ASPHALT SURFACE	31	S	Y
GRAVEL SURFACE COURSE	70	C	Y
MAILBOX POST	1	E	EACH
HYDRATED LIME	326	T	ON
HYDR LIME/WMA FOR ST MNT PAT	3,000	E	EACH
HYDRATED LIME/WMA	19,852	E	EACH
HYDRATED LIME SLURRY STABILIZATION	363	S	T
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	3,000	T	ON
ASPH CONC, TYPE SPR	19,110	T	ON
PLACE ASPH CONC FOR DRIVE & INTER	2,040	S	Y
ASPH CONCRETE FOR PATCHING, TYPE SPR	750	T	ON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	102	T	ON
PERF GRADED BINDER (64-34)	674	T	ON
PREP OF INTER & DRIVE	39	S	Y
EMUL ASPH FOR HYDRATE LIME STABILIZATION	89,006	G	AL
TACK COAT	23,200	G	AL
FOG SEAL	11,310	G	AL
RENTAL OF LOADER, FULLY OPERATED	60	H	OUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50	H	OUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	60	H	OUR
RENTAL OF SKID LOADER, FULLY OPERATED	60	H	OUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10	H	OUR
WATER	184	M	GAL
EARTH SHOULDER CONSTRUCTION	730	S	T
TRENCHED WIDENING	717	S	T
MILLING FOR ASPH CONC INLAY	3	E	EACH
RAP INCENTIVE PAYMENT	33,748	E	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	L	LUMP

SEEDING, TYPE B	10 ACRE
COVER CROP SEEDING	10 ACRE
TEMPORARY SILT FENCE	500 LF
TEMPORARY MULCH	2 TON
HYDROMULCH	15 TON

NOTICE TO CONTRACTORS

CALL ORDER 505
 FEDERAL PROJECT NO. NH-385-4(134)
 LOCATION: US-385, CHADRON SOUTH
 COUNTIES: DAWES

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on October 10, 2013. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 8.9 MILES
 START DATE 06/09/2014 WORKING DAYS 85
 Price Range \$ 2,000,000 to \$ 4,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning September 17, 2013 at the Lincoln Central Office and September 23, 2013 at the District Engineer's Office at GERING
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	18,750	B	DAY
BARRICADE, TYPE III	2,330	B	DAY
TEMPORARY SIGN DAY	1,190	E	EACH
SIGN DAY	17,827	E	EACH
OVERLAY BROKEN LINES	1,416	S	TA
OVERLAY SOLID LINES	2,832	S	TA
FLAGGING	170	D	DAY
FURNISHING AND OPERATING PILOT VEHICLE	75	D	DAY
FIELD OFFICE	1	E	EACH
TRAINING	1,000	H	OUR
MOBILIZATION	LUMP	L	LUMP
REMOVE PAVEMENT	29	S	Y
SAWING PAVEMENT	260	L	F
REMOVE ASPHALT SURFACE	661	S	Y
REMOVE CONCRETE MEDIAN SURFACING	377	S	Y
TIE BARS	95	E	EACH
CONC 47B-3000 MEDIAN SURFACING	206	S	Y
CONC PVMT REPAIR TYPE A FULL DEPTH	1	C	Y
CONC PVMT REPAIR TYPE B FULL DEPTH	16	C	Y
CONC PVMT REPAIR TYPE C FULL DEPTH	139	C	Y
9" CONC PVMT, 47B-3500	229	S	Y
CONC PVMT, PR-3500	4	C	Y
JOINT REPAIR			
CAST IRON GRATE & FRAME	2,640	L	B
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	83	C	Y
47B-3000 CONC FOR INLET & JUNCTION BOXES	5	C	Y
RE-STEEL FOR INLET & JCT BOX	500	L	B
15" METAL FLARED-END SECTION	4	E	EACH
W-BEAM GUARDRAIL	387	L	F
REMOVE GUARDRAIL	1,006	L	F
BRIDGE APPROACH SECTIONS	8	E	EACH
GUARDRAIL END TREATMENT, TYPE II	8	E	EACH
ARROW	10	E	EACH
PREFORMED PAVEMENT MARKING, GROOVED			
5" WHT WET RFLC THERMOPLSTC PVMT MRK,GVD	21,000	L	F
5" YEL WET RFLC THERMOPLSTC PVMT MRK,GVD	21,000	L	F
12" YEL WET RFLC THERMOPLST PVMT MRK,GVD	1,100	L	F

4" WHT WET RFLC PRF PVMT MKNG T4 GVD	1,000 LF
4" YEL WET RFLC PRF PVMT MKNG T4 GVD	300 LF
HYDR LIME/WMA FOR ST MNT PAT	5,000 EACH
HYDRATED LIME/WMA	25,040 EACH
FOUNDATION COURSE REPLACEMENT	4 CY
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	5,000 TON
ASPH CONC, TYPE SPS	5,970 TON
ASPH CONC, TYPE SPR	24,540 TON
ASPH CONCRETE FOR PATCHING, TYPE SPR	500 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	170 TON
PERF GRADED BINDER (52-34)	191 TON
PERF GRADED BINDER (64-34)	851 TON
CONSTRUCTING ASPH CONC CURB	136 LF
TACK COAT	39,350 GAL
RENTAL OF LOADER, FULLY OPERATED	50 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	50 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	50 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5 HOUR
WATER	104 MGAL
EARTH SHOULDER CONSTRUCTION	413 STA
COLD MILLING, CLASS 3	250 STA
COLD MILLING, CLASS 3	430 STA
TYPE A	
COLD MILLING, CLASS 3	314 STA
TYPE B	
COLD MILLING, CLASS 3	460 STA
TYPE C	
SURFACE UNDER GUARDRAIL	681 SY
RAP INCENTIVE PAYMENT	42,568 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP
SEEDING, TYPE B	5 ACRE
COVER CROP SEEDING	5 ACRE
EROSION CONTROL, CLASS 1D	1,544 SY
EROSION CONTROL, CLASS 2A	188 SY
TEMPORARY SILT CHECK	500 LF
TEMPORARY SILT FENCE	500 LF
HYDROMULCH	8 TON
15" CULV PIPE 3,4,5,6	176 LF

NOTICE TO CONTRACTORS

CALL ORDER 510
FEDERAL PROJECT NO. ITS-HSIP-ITSN(5)
LOCATION: DISTRICT 5 DMS REPLACEMENT
COUNTIES: CHEYENNE DEUEL
KIMBALL

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on October 10, 2013. At that time the bids will be opened and read for ELECTRICAL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: ELECTRICAL

START DATE 09/22/2014 WORKING DAYS 20
Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning September 17, 2013 at the Lincoln Central Office and September 23, 2013 at the District Engineer's Office at GERING

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8B ELECTRICAL

BARRICADE, TYPE II	432	BDAY
BARRICADE, TYPE III	52	BDAY
TEMPORARY SIGN DAY	184	EACH
SIGN DAY	440	EACH
CONTRACTOR FURNISHED SIGN DAY	24	EACH
FLASHING ARROW PANEL	4	DAY
MOBILIZATION	LUMP	LUMP
REMOVE	632	LF
AND REINSTALL SERVICE CONDUCTOR/GROUND		
SIGN STRUCTURE BASE GROUT REPLACEMENT	4	EACH
SIGN STRUCTURE FOUNDATION SEALING	1	EACH
INSTALL DYNAMIC MESSAGE SIGN	4	EACH
REMOVE DYNAMIC MESSAGE SIGN SYSTEM	4	EACH
PULL BOX, TYPE PB-2	2	EACH
2" CONDUIT IN TRENCH	382	LF
#4 AWG CU CONDUCTOR	2,781	LF
#6 AWG CU CONDUCTOR	405	LF
#8 GROUNDING CONDUCTOR	927	LF
6 PAIR COMMUNICATION CABLE	1,111	LF

NOTICE TO CONTRACTORS

CALL ORDER 515
 FEDERAL PROJECT NO. NH-26-1(157)
 LOCATION: N-92/US-26, OSHKOSH - LEWELLEN
 COUNTIES: GARDEN

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on October 10, 2013. At that time the bids will be opened and read for GR BR GDRL ELEC BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 13.0 MILES
 START DATE 04/21/2014 WORKING DAYS 110
 Price Range \$ 3,000,000 to \$ 6,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning September 17, 2013 at the Lincoln Central Office and September 23, 2013 at the District Engineer's Office at GERING
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
WATER		17 MGAL
EARTHWORK MEASURED IN EMBANKMENT		436 CY
REMOVE ASPHALT SURFACE	1,921 SY	
REMOVE DRIVEWAY	128 SY	
REMOVE WALK	107 SY	
REMOVE GUARDRAIL	931 LF	
EROSION CONTROL, CLASS 1D	464 SY	
FABRIC SILT FENCE-LOW POROSITY	702 LF	

GROUP 6 BRIDGE AT STA 619+66.00

MOBILIZATION	LUMP	LUMP
MULTI-LAYER EPOXY POLYMER OVERLAY		991 SY
PENETRATING CONCRETE SEALER	1,273 SF	

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		700 LF
BRIDGE APPROACH SECTIONS		4 EACH
GUARDRAIL END TREATMENT, TYPE II		4 EACH

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
1 1/2" CONDUIT IN TRENCH		8 LF
STREET LIGHT CABLE, NO. 6 BARE		104 LF
STREET LIGHT CABLE, NO. 6 USE		208 LF
RELOCATE STREET LIGHTING UNIT		1 EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES		1,936 STA
OVERLAY SOLID LINES		3,872 STA
MOBILIZATION	LUMP	LUMP
GRAVEL SURFACE COURSE		15 CY

MAILBOX POST	2 EACH
TIE BARS	367 EACH
CONC 47B-3000 SIDEWALKS	112 SY
DETECTABLE WARNING PANEL	84 SF
8" DOWELED CONCRETE BASE COURSE	1,136 SY
CONC PVMT REPAIR TYPE A FULL DEPTH	70 CY
CONC PVMT REPAIR TYPE B FULL DEPTH	151 CY
CONC PVMT REPAIR TYPE C FULL DEPTH	613 CY
CONC PVMT, PR-3500	36 CY
JOINT REPAIR	
ADJUST MANHOLE TO GRADE	6 EACH
REMOVE FLARED- END SECTION	3 EACH
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	9 CY
24" CORRUGATED METAL PIPE	43 LF
24" METAL FLARED-END SECTION	3 EACH
5" WHT WET RFLC THERMOPLSTC PVMT MRK,GVD	250 LF
5" YEL WET RFLC THERMOPLSTC PVMT MRK,GVD	11,200 LF
12" YEL WET RFLC PRF PVMT MKNG T4 GVD	600 LF
HYDR LIME/WMA FOR ST MNT PAT	3,000 EACH
HYDRATED LIME/WMA	37,360 EACH
FOUNDATION COURSE REPLACEMENT	22 CY
SHOULDER SUBGRADE PREPARATION	26 STA
ASPH CONC FOR ST MAIN PTCHG TY SPR(FINE)	3,000 TON
COLD IN-PLACE RECYCLING	330 STA
ASPH CONC, TYPE SPS	15,310 TON
ASPH CONC, TYPE SPR	36,160 TON
ASPH CONC, TYPE SPR (FINE)	700 TON
PLACE ASPH CONC FOR DRIVE & INTER	1,739 SY
ASPH CONCRETE FOR PATCHING, TYPE SPR	500 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	102 TON
PERF GRADED BINDER (52-34)	965 TON
PERF GRADED BINDER (64-34)	1,270 TON
PREP OF INTER & DRIVE	128 SY
TACK COAT	52,790 GAL
WATER	25 MGAL
EARTH SHOULDER CONSTRUCTION	15 STA
RECONSTRUCT GUTTER DEPRESSION	10 EACH
SUBGRADE PREPARATION	2,679 SY
COLD MILLING, CLASS 3	306 STA
COLD MILLING, CLASS 5	1,611 SY
COLD MILLING, CLASS 3	1,284 STA
TYPE A	
COLD MILLING, CLASS 3	368 STA
TYPE B	
COLD MILLING, CLASS 3	330 STA
TYPE C	
RUMBLE STRIPS, ASPHALT	1,150 STA
CONCRETE SURFACE MILLING	9,735 SY
SURFACE UNDER GUARDRAIL	510 SY
RAP INCENTIVE PAYMENT	89,539 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP
SEEDING, TYPE B	1 ACRE
SODDING	93 SY
MULCH	3 TON
ADJUST VALVE BOX TO GRADE	1 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	30,250 BDAY
BARRICADE, TYPE III	780 BDAY
TEMPORARY SIGN DAY	1,540 EACH
SIGN DAY	27,456 EACH
FLAGGING	220 DAY
FURNISHING AND OPERATING PILOT VEHICLE	100 DAY
TRAFFIC CONTROL MANAGEMENT	110 DAY
FIELD OFFICE	1 EACH
TRAINING	1,000 HOUR
MOBILIZATION	LUMP LUMP
RENTAL OF LOADER, FULLY OPERATED	60 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50 HOUR

RENTAL OF DUMP TRUCK, FULLY OPERATED	60 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	60 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10 HOUR
TEMPORARY SILT CHECK	500 LF
TEMPORARY SILT FENCE	500 LF

NOTICE TO CONTRACTORS

CALL ORDER 605
 FEDERAL PROJECT NO. STP-47-2(111)
 LOCATION: N-47, GOTHENBURG - CUSTER CO. LINE
 COUNTIES: DAWSON

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on October 10, 2013. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 7.1 MILES
 START DATE 08/11/2014 WORKING DAYS 45
 Price Range \$ 1,000,000 to \$ 3,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning September 17, 2013 at the Lincoln Central Office and September 23, 2013 at the District Engineer's Office at NORTH PLATTE

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	7,000	B DAY
BARRICADE, TYPE III	332	B DAY
TEMPORARY SIGN DAY	630	EACH
SIGN DAY	7,487	EACH
OVERLAY BROKEN LINES	746	STA
OVERLAY SOLID LINES	1,492	STA
FLAGGING	90	DAY
FURNISHING AND OPERATING PILOT VEHICLE	40	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE III	20	EACH
INSTALL CHEVRONS	8	EACH
REMOVE ASPHALT SURFACE	878	SY
GRAVEL SURFACE COURSE	225	CY
MAILBOX POST	18	EACH
W-BEAM GUARDRAIL	275	LF
REMOVE GUARDRAIL	447	LF
BRIDGE APPROACH SECTIONS	4	EACH
GUARDRAIL END TREATMENT, TYPE I	4	EACH
HYDR LIME/WMA FOR ST MNT PAT	200	EACH
HYDRATED LIME/WMA	29,590	EACH
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	200	TON
ASPH CONC, TYPE SPR	29,390	TON
PLACE ASPH CONC FOR DRIVE & INTER	6,755	SY
ASPH CONCRETE FOR PATCHING, TYPE SPR	200	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	6	TON
PERF GRADED BINDER (64-34)	1,006	TON
PREP OF INTER & DRIVE	1,085	SY
TACK COAT	21,660	GAL
RENTAL OF LOADER, FULLY OPERATED	55	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	55	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	55	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	5	HOUR
WATER	187	MGAL
EARTH SHOULDER CONSTRUCTION	745	STA
COLD MILLING, CLASS 3	372	STA

COLD MILLING, CLASS 5	425	SY
SURFACE UNDER GUARDRAIL	555	SY
RAP INCENTIVE PAYMENT	50,303	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
SEEDING, TYPE B	14	ACRE
TEMPORARY SILT FENCE	200	LF
HYDROMULCH	21	TON

NOTICE TO CONTRACTORS

CALL ORDER 610
FEDERAL PROJECT NO. ITS-HSIP-ITSN(9)
LOCATION: DISTRICT 6 DMS REPLACEMENT
COUNTIES: DEUEL KEITH

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on October 10, 2013. At that time the bids will be opened and read for ELECTRICAL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: ELECTRICAL

START DATE 10/13/2014 WORKING DAYS 10
Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning September 17, 2013 at the Lincoln Central Office and September 23, 2013 at the District Engineer's Office at NORTH PLATTE

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8B ELECTRICAL

BARRICADE, TYPE II	241	BDAY
BARRICADE, TYPE III	33	BDAY
TEMPORARY SIGN DAY	92	EACH
SIGN DAY	220	EACH
CONTRACTOR FURNISHED SIGN DAY	14	EACH
FLASHING ARROW PANEL	2	DAY
MOBILIZATION	LUMP	LUMP
SIGN STRUCTURE BASE GROUT SEALING	4	EACH
INSTALL DYNAMIC MESSAGE SIGN	2	EACH
REMOVE DYNAMIC MESSAGE SIGN SYSTEM	2	EACH
2" CONDUIT IN TRENCH	366	LF
#3 AWG CU CONDUCTOR	2,442	LF
#8 GROUNDING CONDUCTOR	814	LF
6 PAIR COMMUNICATION CABLE	814	LF
REMOVE & REINSTALL SERVICE/GROUND	340	LF
REMOVE & REINSTALL 6 PAIR COMM CABLE	85	LF

NOTICE TO CONTRACTORS

CALL ORDER 615
 FEDERAL PROJECT NO. NH-2-2(116)
 LOCATION: N-2, MULLEN EAST & WEST
 COUNTIES: HOOKER

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on October 10, 2013. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 13.2 MILES
 START DATE 06/02/2014 WORKING DAYS 90
 Price Range \$ 3,000,000 to \$ 6,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning September 17, 2013 at the Lincoln Central Office and September 23, 2013 at the District Engineer's Office at NORTH PLATTE

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	20,625	B	DAY
BARRICADE, TYPE III	612	B	DAY
TEMPORARY SIGN DAY	1,260	E	EACH
SIGN DAY	19,186	E	EACH
OVERLAY BROKEN LINES	1,988	S	TA
OVERLAY SOLID LINES	3,976	S	TA
FLAGGING	180	D	DAY
FURNISHING AND OPERATING PILOT VEHICLE	75	D	DAY
FIELD OFFICE	1	E	EACH
TRAINING	1,000	H	OUR
MOBILIZATION	LUMP	L	LUMP
DELINEATOR, TYPE III	43	E	EACH
REMOVE DELINEATOR UNITS	43	E	EACH
REMOVE CURB	7,486	L	FT
GRAVEL SURFACE COURSE	195	C	Y
CONCRETE CURB REPAIR	142	L	FT
CONC PVMT REPAIR TYPE A FULL DEPTH	6	C	Y
CONC PVMT REPAIR TYPE B FULL DEPTH	90	C	Y
CONC PVMT REPAIR TYPE C FULL DEPTH	721	C	Y
CONC PVMT REPAIR TYPE A PARTIAL DEPTH	1	C	Y
SEALING CRACKS	3,639	L	FT
SEALING JOINTS	20,611	L	FT
SEALING CONCRETE REPAIR JOINT	580	L	FT
CONC PVMT, PR-3500	3	C	Y
JOINT REPAIR			
24" WHITE PREF PVMT MKING T-4 GROOVED	42	L	FT
HYDR LIME/WMA FOR ST MNT PAT	300	E	EACH
HYDRATED LIME/WMA	39,320	E	EACH
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	300	T	ON
ASPH CONC, TYPE SPS	13,740	T	ON
ASPH CONC, TYPE SPR	38,620	T	ON
PLACE ASPH CONC FOR DRIVE & INTER	2,848	S	Y
ASPH CONCRETE FOR PATCHING, TYPE SPR	700	T	ON
ASPH CONCRETE FOR PATCHING, TYPE SPS	500	T	ON
PERF GRAD BIND (64-34) FOR ST MAINT PATCH	10	T	ON
PERF GRADED BINDER (52-34)	455	T	ON
PERF GRADED BINDER (64-34)	1,336	T	ON

CONSTRUCTING ASPH CONC CURB	7,465 LF
PREP OF INTER & DRIVE	475 SY
TACK COAT	54,520 GAL
RENTAL OF LOADER, FULLY OPERATED	50 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	50 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	50 HOUR
WATER	20 MGAL
JOINT SEALING - ASPHALT TO CONCRETE	11 STA
CRACK SEALING BIT SURFACING	290 LF
EARTH SHOULDER CONSTRUCTION	74 STA
COLD MILLING, CLASS 3	663 STA
COLD MILLING, CLASS 5	2,373 SY
COLD MILLING, CLASS 3	1,360 STA
TYPE A	
RUMBLE STRIPS, ASPHALT	1,325 STA
RAP INCENTIVE PAYMENT	91,052 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP LUMP
SEEDING, TYPE B	1 ACRE
TEMPORARY SILT FENCE	200 LF
HYDROMULCH	1 TON
MOWING	20 HOUR

NOTICE TO CONTRACTORS

CALL ORDER 700
 FEDERAL PROJECT NO. NH-183-1(114)
 LOCATION: US-183, HOLDREGE NORTH
 COUNTIES: PHELPS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on October 10, 2013. At that time the bids will be opened and read for BITUMINOUS

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 7.1 MILES
 START DATE 07/21/2014 WORKING DAYS 55
 Price Range \$ 2,000,000 to \$ 4,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 2.0 %

Plans and specifications may be seen beginning September 17, 2013 at the Lincoln Central Office and September 23, 2013 at the District Engineer's Office at MCCOOK
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 9 BITUMINOUS

BARRICADE, TYPE II	8,525	B	DAY
BARRICADE, TYPE III	416	B	DAY
TEMPORARY SIGN DAY	770	E	EACH
SIGN DAY	8,528	E	EACH
OVERLAY BROKEN LINES	1,128	S	TA
OVERLAY SOLID LINES	2,256	S	TA
PERMANENT PAVEMENT MARKING PAINT	87,000	L	F
FLAGGING	110	D	AY
FURNISHING AND OPERATING PILOT VEHICLE	50	D	AY
MOBILIZATION	LUMP	LUMP	
GRAVEL SURFACE COURSE	5	C	Y
HYDR LIME/WMA FOR ST MNT PAT	3,500	E	ACH
HYDRATED LIME/WMA	28,080	E	ACH
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	3,500	T	ON
ASPH CONC, TYPE SPS	7,340	T	ON
ASPH CONC, TYPE SPR	27,380	T	ON
PLACE ASPH CONC FOR DRIVE & INTER	1,279	S	Y
ASPH CONCRETE FOR PATCHING, TYPE SPR	700	T	ON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	119	T	ON
PERF GRADED BINDER (52-34)	234	T	ON
PERF GRADED BINDER (64-34)	954	T	ON
PREP OF INTER & DRIVE	44	S	Y
TACK COAT	30,230	G	AL
RENTAL OF LOADER, FULLY OPERATED	50	H	OUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50	H	OUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	50	H	OUR
RENTAL OF SKID LOADER, FULLY OPERATED	50	H	OUR
COLD MILLING, CLASS 3	375	S	TA
COLD MILLING, CLASS 5	1,235	S	Y
COLD MILLING, CLASS 3	751	S	TA
TYPE A			
RUMBLE STRIPS, ASPHALT	752	S	TA
RUMBLE STRIPS, ASPHALT 8"	752	S	TA
RAP INCENTIVE PAYMENT	47,736	E	ACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP	

