

October 18, 2013

TO ALL CONCERNED:

The Department of Roads has scheduled a bid letting to be held in this office November 14, 2013 at 1:30 p.m.

The Notice to Contractors includes:

1. Website Information
2. Notice to all Bidders
3. Notices to Contractors
4. R-125 "Request for Bidding Proposal Forms"

Projects containing DBE Goals are indicated in the "Notice to Contractors".

Please check the important letting information on the website frequently.

The last day to submit acceptable prequalification statements for this letting is by 5:00 p.m. on Monday, November 4, 2013.

Sincerely,

Michelle Weigel, Supervisor
Contract Lettings Section
Construction Division

MW/amh

WEBSITE INFORMATION

The Nebraska Department of Roads, Contract Lettings Section, will be utilizing the Internet as our means of communicating with the contracting industry.

Documents that are posted on the web are:

- Letting Schedule
- Notices to Contractors
- Informational Proposals
- Letting Plans
- List of Prequalified Contractors
- Planholders List
- Informational Addendums
- EBS (Electronic Bidding System)
- Apparent Low Bidders
- Bid Tabulations
- Standard Item Listing
- Awarded Average Unit Prices (AUP) Report

Hard copies of these documents will be available for inspection in the Contracts Office.

There will be a charge for reproduction of any of these documents.

The Website address is: www.Transportation.Nebraska.gov

If you have any questions as you are using our Website, please contact us at:

Nebraska Department of Roads
Contract Lettings Section
P.O. Box 94759
Lincoln, NE 68509-4759

Phone (402) 479-4525
FAX (402) 479-3803

Email: DOR.ContractLettings@nebraska.gov

NOTICE TO ALL BIDDERS

To report bid rigging activities call: 1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free “hotline” Monday through Friday, 8:00 a.m. to 5:00 p.m. eastern time. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the “hotline” to report such activities.

The “hotline” is part of the DOT’s continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

NOTICE TO CONTRACTORS

CALL ORDER 200

STATE PROJECT NO. S-80-9(1186)
 S-80-9(1187)
 S-80-9(1188)
 S-80-9(1185)

LOCATION: I-80/480-60TH STREET, OMAHA
 COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 14, 2013. At that time the bids will be opened and read for GRAD MSE CONC PAVE CULV BR GDRL FENCE ELEC SIGN

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT BRIDGES

Length: 2.2 MILES
 START DATE 01/06/2014 CALENDAR DAYS 510
 Price Range \$ 6,000,000 to \$ 10,000,000

Plans and specifications may be seen beginning October 22, 2013 at the Lincoln Central Office and October 28, 2013 at the District Engineer's Office at OMAHA
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION	19,598	CY
EXCAVATION, BORROW	31,164	CY
WATER	508	MGAL
REMOVE PAVEMENT	18,091	SY
SAWING PAVEMENT	407	LF
REMOVE ASPHALT SURFACE	317	SY
REMOVE CONCRETE BARRIER	1,163	LF
REMOVE FENCE	177	LF
REMOVE CONCRETE MEDIAN SURFACING	1,354	SY
REMOVE CONCRETE SLOPE PROTECTION	30	SY
REMOVE GUARDRAIL	743	LF
COVER CROP SEEDING	7	ACRE
EROSION CONTROL, CLASS 1D	62,759	SY
EROSION CONTROL, CLASS 2A	3,094	SY
EROSION CHECKS, TYPE 2A	193	BALE
EROSION CHECKS, TYPE WATTLE	567	LF
FABRIC SILT FENCE-LOW POROSITY	3,564	LF

GROUP 1A MSE WALL

MOBILIZATION	LUMP	LUMP
EXCAVATION FOR MSE WALL	334	CY
PREPARATION OF STRUCTURE WALL 1	1	EACH
PREPARATION OF STRUCTURE WALL 2	1	EACH
CONCRETE FACE PANELS	3,361	SF
CONCRETE LEVELING PADS	212	LF
COPING	270	LF
24" CORRUGATED METAL PIPE	249	LF
SELECT GRANULAR BACKFILL FOR MSE WALL	1,691	CY

GROUP 3 CONCRETE PAVEMENT

	LUMP	LUMP
MOBILIZATION		
DELINEATOR, TYPE I		32 EACH
DELINEATOR, TYPE II		58 EACH
TIE BARS	4,630	EACH
CONC 47BD-4000 BARRIER CURB TYPE B	1,016	LF
CONC 47BD-4000 BARRIER CURB TRANSITION W/LIGHT POLE BASE	68	LF
CONC 47BD-4000 BARRIER CURB TYPE A	390	LF
CONC 47BD-4000 BARRIER TRANS SECTION TYPE A	1	EACH
CONC 47B-3000 MEDIAN SURFACING	743	SY
CONC 47BD-4000 MEDIAN BARRIER TRANS SECT	6	EACH
13" CONCRETE BASE COURSE	28,689	SY
13" CONCRETE BASE COURSE CLASS PR-3500	265	SY
13" CONC PVMT, 47B-3500	5,962	SY
13" DOWELED CONC PVMT, 47B-3500	8,690	SY
TEMPORARY SURFACING 10"	278	SY
CONCRETE DITCH LINING	400	LF
4" PERFORATED PIPE UNDERDRAIN	1,407	LF
5" BLACK POLYUREA PVMT MRKING, GROOVED	10,800	LF
5" WHT WET RFLC THERMOPLSTC PVMT MRK,GVD	26,500	LF
5" WHT WET RFLC POLY PVMT MRKING, GVD	10,800	LF
12" WHT WET RFLC POLY PVMT MRKING, GVD	2,300	LF
12" WHT WET RFLC THERMO PVMT MRKING, GVD	5,800	LF
5" YEL WET RFLC POLY PVMT MRKING, GVD	5,500	LF
5" YEL WET RFLC THERMOPLSTC PVMT MRK,GVD	11,500	LF
HYDRATED LIME/WMA	4,630	EACH
FOUNDATION COURSE 4"	28,954	SY
FOUNDATION COURSE 5"	14,652	SY
GRANULAR SUBDRAIN	56	EACH
LONGITUDINAL SUBDRAIN	9,276	LF
ASPH CONC, TYPE SPS	1,150	TON
ASPH CONC, TYPE SPH (0.5)	4,630	TON
PERF GRADED BINDER (52-34)	36	TON
PERF GRADED BINDER (64-34)	175	TON
TACK COAT	7,150	GAL
WATER	170	MGAL
EARTH SHOULDER CONSTRUCTION	149	STA
SUBGRADE PREPARATION	43,838	SY
COLD MILLING, CLASS 4	8,085	SY
SURFACE UNDER GUARDRAIL	846	SY
RAP INCENTIVE PAYMENT	9,826	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP
1 1/2" CONDUIT IN MEDIAN BARRIER	225	LF

GROUP 4 CULVERTS

	LUMP	LUMP
MOBILIZATION		
REMOVE MANHOLE		4 EACH
REMOVE INLET		10 EACH
CAST IRON COVER & FRAME	1,500	LB
CAST IRON GRATE & FRAME	37,096	LB
CAST IRON RING & COVER	1,380	LB
RECONSTRUCT MANHOLE	1	EACH
MANHOLE AT STA. 1180+82 LT.	1	EACH
MANHOLE AT STA. 101+29 RT.	1	EACH
MANHOLE AT STA. 104+40 RT.	1	EACH

MANHOLE	1 EACH
AT STA. 107+40 RT.	
TAPPING EXISTING STRUCTURE	4 EACH
REMOVE FLARED- END SECTION	13 EACH
REMOVE SEWER PIPE	1,271 LF
47B-3000 CONC FOR INLET & JUNCTION BOXES	116 CY
47B-3000 CONC FOR CONCRETE CO	10 CY
47B-3000 CONC FOR PIPE PLUG	1 CY
RE-STEEL FOR INLET & JCT BOX	10,770 LB
RE-STEEL FOR COLLARS	824 LB
18" FLARED-END SECTION	5 EACH
36" FLARED-END SECTION	1 EACH
18" METAL FLARED-END SECTION	13 EACH
36" METAL FLARED-END SECTION	1 EACH
18" CONCRETE FLARED-END SECTION	2 EACH
24" CONCRETE FLARED-END SECTION	2 EACH
36" CONCRETE FLARED-END SECTION	1 EACH
48" CONCRETE FLARED-END SECTION	1 EACH
24" CULV PIPE 2	20 LF
18" SLOTTED CULV PIPE 3,4 OR 5	287 LF
18" STORM SEWER PIPE 1,7,8	818 LF
30" STORM SEWER PIPE 1,7,8	911 LF
36" STORM SEWER PIPE 1,7,8	655 LF
18" STORM SEWER PIPE 1	281 LF
24" STORM SEWER PIPE 1	12 LF
30" STORM SEWER PIPE 1	34 LF
36" STORM SEWER PIPE 1	24 LF
48" STORM SEWER PIPE 1	30 LF
18" STORM SEWER PIPE 3,4,5 OR 6	697 LF
36" STORM SEWER PIPE 3,4,5 OR 6	168 LF

GROUP 6 BRIDGE AT STA. 1200+17.28 LT.

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		90 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		10,365 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PIER NO.2 EXCAVATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE B		202 LF
FIXED BEARING		2 EACH
47B-3000 CONC FOR BRIDGE		74 CY
47BD-4000 CONC FOR BRIDGE		98 CY
MULTI-LAYER EPOXY POLYMER OVERLAY		3,009 SY
PREPARATION OF BRIDGE AT STATION		1 EACH
1200+17.28 LT.		
STEEL SUPERSTRUCTURE	LUMP	LUMP
1200+17.28 LT.		
FLOOR DRAINS		1 EACH
CONCRETE SLOPE PROTECTION		279 SY
PENETRATING CONCRETE SEALER		3,083 SF
EPOXY COATED RE-STEEL		36,610 LB
SUBSURFACE DRAINAGE MATTING		25 SY
HP 12"X53# STEEL PILING		1,060 LF
1 1/2" CONDUIT IN BRIDGE		269 LF
GRANULAR BACKFILL		60 CY

GROUP 6A BRIDGE AT STA. 1241+04.53 LT.

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		523 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		99,360 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PIER NO.2 EXCAVATION	LUMP	LUMP
PIER NO.3 EXCAVATION	LUMP	LUMP

PREFORMED EXPANSION JOINT, TYPE A	243	LF
EXPANSION BEARING, TFE TYPE	8	EACH
FIXED BEARING	2	EACH
47B-3000 CONC FOR BRIDGE	214	CY
47BD-4000 CONC FOR BRIDGE	186	CY
MULTI-LAYER EPOXY POLYMER OVERLAY	3,835	SY
PREPARATION OF BRIDGE AT STATION 1241+04.53	1	EACH
STEEL SUPERSTRUCTURE 1241+04.53	LUMP	LUMP
CONCRETE SLOPE PROTECTION	335	SY
PENETRATING CONCRETE SEALER	6,828	SF
EPOXY COATED RE-STEEL	84,645	LB
SUBSURFACE DRAINAGE MATTING	82	SY
HP 12"X53# STEEL PILING	4,320	LF
1 1/2" CONDUIT IN BRIDGE	303	LF
GRANULAR BACKFILL	535	CY

GROUP 6B BRIDGE AT STA. 1295+80.87 LT.

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000	305	CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	53,845	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE B	199	LF
47B-3000 CONC FOR BRIDGE	118	CY
47BD-4000 CONC FOR BRIDGE	125	CY
MULTI-LAYER EPOXY POLYMER OVERLAY	955	SY
PREPARATION OF BRIDGE AT STATION 1295+80.87 LT.	1	EACH
STEEL SUPERSTRUCTURE 1295+80.87 LT.	LUMP	LUMP
CONCRETE SLOPE PROTECTION	59	SY
EPOXY COATED RE-STEEL	43,890	LB
SUBSURFACE DRAINAGE MATTING	39	SY
HP 12"X53# STEEL PILING	2,850	LF
TEMP BRIDGE SHORING	LUMP	LUMP
GRANULAR BACKFILL	200	CY

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL	1,731	LF
IMPACT ATTENUATOR	1	EACH
BRIDGE APPROACH SECTIONS	4	EACH
END ANCHORAGE ASSEMBLY	2	EACH
GUARDRAIL END TREATMENT, TYPE I	4	EACH

GROUP 7B FENCE

MOBILIZATION	LUMP	LUMP
5' CHAIN-LINK FENCE	140	LF
END POST FOR 5' CH-LINK FENCE	2	EACH

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
INSTALL DYNAMIC MESSAGE SIGN	1	EACH
REMOVE DYNAMIC MESSAGE SIGN SYSTEM	1	EACH
PULL BOX, TYPE PB-1	1	EACH
PULL BOX, TYPE PB-2	2	EACH
UNDERDECK LUMINAIRE, TYPE UD-100	2	EACH
1 1/2" CONDUIT IN TRENCH	10,425	LF
2" CONDUIT IN TRENCH	188	LF
3" CONDUIT IN TRENCH	175	LF
1 1/2" CONDUIT UNDER ROADWAY	375	LF
#6 AWG CU CONDUCTOR	1,050	LF

#8 GROUNDING CONDUCTOR	175 LF
STREET LIGHT CABLE, NO. 2 USE	2,970 LF
STREET LIGHT CABLE, NO. 6 BARE	12,835 LF
STREET LIGHT CABLE, NO. 6 USE	22,160 LF
6 PAIR COMMUNICATION CABLE	188 LF
REMOVE LIGHTING UNIT	1 EACH
REMOVE PULL BOX	7 EACH
REMOVE SERVICE CABLE	1,318 LF
REMOVE	1 EACH
CONCRETE PAD	
REMOVE	2 EACH
AND REINSTALL UNDERDECK LUMINAIRE	
REMOVE	869 LF
CONDUIT	
RELOCATE STREET LIGHTING UNIT	4 EACH
TYPE A	
RELOCATE STREET LIGHTING UNIT	60 EACH
TYPE B	
RELOCATE STREET LIGHTING UNIT	1 EACH
TYPE C	
RELOCATE STREET LIGHTING UNIT	4 EACH
TYPE D	
RELOCATE STREET LIGHTING UNIT	3 EACH
TYPE E	
RELOCATE PULL BOX	5 EACH
TYPE PB-5	
RELOCATE PULL BOX	7 EACH
TYPE PB-2	

GROUP 8C SIGNING

	LUMP	LUMP
MOBILIZATION		
REM SIGN, STRUCTURE, AND FOUNDATION		5 EACH
CONCRETE FOR FOUNDATION		79 CY
REINFORCING STEEL		5,500 LB
SIGN STR FOUNDATION DESIGN, LOCATION		1 EACH
NO.15		
SIGN STR FOUNDATION DESIGN, LOCATION		1 EACH
NO.16		
SIGN STR FOUNDATION DESIGN, LOCATION		1 EACH
NO.17		
SIGN STR FOUNDATION DESIGN, LOCATION		1 EACH
NO.18		
SIGN STR FOUNDATION DESIGN, LOCATION		1 EACH
NO.20		
OVERHEAD SIGN SUPPORT, LOCATION		1 EACH
NO.15		
OVERHEAD SIGN SUPPORT, LOCATION		1 EACH
NO.16		
OVERHEAD SIGN SUPPORT, LOCATION		1 EACH
NO.17		
OVERHEAD SIGN SUPPORT, LOCATION		1 EACH
NO.18		
OVERHEAD SIGN SUPPORT, LOCATION		1 EACH
NO.20		
OVERHEAD SIGN SUPPORT, LOCATION		1 EACH
NO.22		
OVERHEAD SIGN SUPPORT, LOCATION		1 EACH
NO. 23		
OVERHEAD SIGN SUPPORT, LOCATION		1 EACH
NO. 24		
OVERHEAD SIGN SUPPORT, LOCATION		1 EACH
NO. 26		
INSTALL TYPE B SIGN		105 SF
TYPE C SIGN		1,600 SF
STRUC STEEL FOR SIGN SUPPORTS		1,500 LB
24" SIGN SUPPORT FOOTING		4 EACH
36" SIGN SUPPORT FOOTING		2 EACH

REMOVE SIGN, POST, AND FOOTING	3	EACH
REMOVE LUMINAIRE	7	EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	62,530	BDAY
BARRICADE, TYPE III	4,090	BDAY
TEMPORARY SIGN DAY	2,000	EACH
SIGN DAY	35,180	EACH
CONTRACTOR FURNISHED SIGN DAY	440	EACH
4" WHITE REMOVABLE WET REFL TAPE, TYPE 4 TYPE 4	34,600	LF
4" YEL REMOVABLE WET REFL TAPE, TYPE 4 TYPE 4	2,900	LF
TEMP PAVEMENT MARKING REMOVAL	97,000	LF
PAVEMENT MARKING REMOVAL	34,000	LF
TEMP PVMT MARKING, TYPE PAINT	76,000	LF
TEMP PVMT MARKING SURF PREP	76,000	LF
FLASHING ARROW PANEL	330	DAY
FLAGGING	50	DAY
INSTALL CONC PROTECT BARRIER	15,900	LF
RELOCATE CONC PROTECTION BARRIER	10,650	LF
RELOC INERTIAL BARRIER SYSTEM	15	EACH
INERTIAL BARRIER SYSTEM	10	EACH
REPLACEMENT MODULE	28	EACH
TRAFFIC CONTROL MANAGEMENT	390	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	50	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	50	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	50	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	50	HOUR
TEMPORARY SILT CHECK	1,000	LF
TEMPORARY SILT FENCE	1,000	LF
TEMPORARY EARTH CHECK	500	LF
TEMPORARY MULCH	4	TON

NOTICE TO CONTRACTORS

CALL ORDER 205
 STATE PROJECT NO. S-80-9(1189)
 LOCATION: I-80, 126th ST.-96th ST., OMAHA
 COUNTIES: DOUGLAS SARPY

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 14, 2013. At that time the bids will be opened and read for GRAD CONC PAVE CULV BR GDRL FENCE ELEC SIGN

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

Length: 3.3 MILES
 START DATE 01/06/2014 CALENDAR DAYS 510
 Price Range \$ 6,000,000 to \$ 10,000,000

Plans and specifications may be seen beginning October 22, 2013 at the Lincoln Central Office and October 28, 2013 at the District Engineer's Office at OMAHA

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		3 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		123,903 CY
EXCAVATION FOR MSE WALL		14 CY
WATER		220 MGAL
SALVAGING AND PLACING TOPSOIL		61,331 SY
REMOVE PAVEMENT		38,487 SY
SAWING PAVEMENT		1,992 LF
REMOVE ASPHALT SURFACE		557 SY
REMOVE FENCE		845 LF
REMOVE		18 LF
PIER PROTECTION		
INTERLOCKING CONCRETE PAVER BLOCK		24,065 SF
WALL MATERIALS		135 SF
COMPACTED EARTH LEVELING PAD		37 LF
REMOVE GUARDRAIL		1,855 LF
SEL GRAN BFILL RETAINED EARTH STR		15 CY
COVER CROP SEEDING		37 ACRE
TEMPORARY SEEDING		6 ACRE
EROSION CONTROL, CLASS 1D		68,178 SY
EROSION CONTROL, CLASS 2A		4,015 SY
EROSION CHECKS, TYPE WATTLE		8,823 LF
FABRIC SILT FENCE-LOW POROSITY		2,301 LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE I		34 EACH
DELINEATOR, TYPE II		115 EACH
TIE BARS		8,810 EACH
CONC 47BD-4000 BARRIER CURB TYPE A		964 LF
CONC 47BD-4000 BARRIER CURB TYPE B		4,788 LF
CONC 47BD-4000 BARRIER CURB TYPE C		3,041 LF
CONC 47BD-4000 BARRIER TRANS SECTION TYPE A		2 EACH

CONC 47BD-4000 BARRIER TRANS SECTION TYPE B	1 EACH
CONC 47BD-4000 BARRIER TRANS SECTION TYPE C	1 EACH
CONC 47BD-4000 BARRIER TRANS SECTION TYPE D	1 EACH
CONC 47BD-4000 BARRIER TRANS SECTION TYPE E	1 EACH
6" CONC CLASS 47B-3000 MEDIAN SURFACING	66 SY
CONC 47BD-4000 MEDIAN BARRIER TRANS SECT	2 EACH
10" CONC PVMT, 47B-3500	1,007 SY
13" CONC PVMT, 47B-3500	30,876 SY
13" DOWELED CONC PVMT, 47B-3500	39,276 SY
CONCRETE DITCH LINING	244 SY
CLASS 47BD-4000 CONCRETE FOR BARRIER	17 CY
CONCRETE SLOPE PROTECTION	290 SY
EPOXY COATED RE-STEEL FOR BARRIER	1,280 LB
ARROW, PREF PVMT MRKING T-4 GROOVED	6 EACH
5" BLACK POLYUREA PVMT MRKING, GROOVED	15,750 LF
5" WHT WET RFLC POLY PVMT MRKING, GVD	56,000 LF
12" WHT WET RFLC POLY PVMT MRKING, GVD	12,000 LF
5" YEL WET RFLC POLY PVMT MRKING, GVD	36,500 LF
FOUNDATION COURSE 5"	70,152 SY
GRANULAR SUBDRAIN	79 EACH
LONGITUDINAL SUBDRAIN WATER	8,271 LF
EARTH SHOULDER CONSTRUCTION	260 MGAL
SUBGRADE PREPARATION	189 STA
SURFACE UNDER GUARDRAIL	71,122 SY
SEEDING, TYPE B	1,020 SY
MULCH	6 ACRE
	13 TON

GROUP 4 CULVERTS

	LUMP	LUMP
MOBILIZATION		
REMOVE INLET		15 EACH
REMOVE JUNCTION BOX		1 EACH
CAST IRON GRATE & FRAME	37,108 LB	
CAST IRON RING & COVER	345 LB	
MODIFY INLET		4 EACH
MANHOLE		1 EACH
AT STATION 599+49.66 RT.		
TAPPING EXISTING STRUCTURE		4 EACH
REMOVE FLARED- END SECTION		17 EACH
REMOVE & SALVAGE FES		2 EACH
REMOVE HEADWALLS FROM CULV		2 EACH
REMOVE SEWER PIPE	660 LF	
PREPARATION OF STRUCTURE		1 EACH
AT STATION 58+74.23		
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	278 CY	
47B-3000 CONC FOR INLET & JUNCTION BOXES	92 CY	
47B-3000 CONC FOR CONCRETE CO	9 CY	
47B-3000 CONC FOR PIPE PLUG	1 CY	
RE-STEEL FOR INLET & JCT BOX	5,455 LB	
RE-STEEL FOR COLLARS	739 LB	
18" FLARED-END SECTION	5 EACH	
18" METAL FLARED-END SECTION	2 EACH	
18" CONCRETE FLARED-END SECTION	2 EACH	
24" CONCRETE FLARED-END SECTION	9 EACH	
INSTALL 18" CONC FES	2 EACH	
CULVERT SANDFILL	55 CY	
JACKING 18" STORM SEWER PIPE 1 CLASS IV	93 LF	
JACKING 24" CULV PIPE, 2 CLASS IV	130 LF	
24" CULV PIPE 2	176 LF	
24" CULV PIPE 2 CLASS IV	130 LF	

18" SLOTTED CULV PIPE 3,4 OR 5	222 LF
18" STORM SEWER PIPE 1,7,8	1,079 LF
18" STORM SEWER PIPE 1	231 LF
24" STORM SEWER PIPE 1	66 LF
18" STORM SEWER PIPE 3,4,5 OR 6	158 LF
18" STORM SEWER PIPE 1 CLASS IV	93 LF

GROUP 6 BRIDGE AT STATION 596+40.00

MOBILIZATION	LUMP	LUMP
CONC FOR PVMT APPROACHES CLASS 47BD-4000		385 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH		65,480 LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP
PIER NO.2 EXCAVATION	LUMP	LUMP
PIER NO.3 EXCAVATION	LUMP	LUMP
PIER NO.4 EXCAVATION	LUMP	LUMP
PIER NO.5 EXCAVATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE A		171 LF
ELASTOMERIC BEARING		21 EACH
EXPANSION BEARING, PTFE TYPE		6 EACH
47B-3000 CONC FOR BRIDGE		495 CY
47BD-4000 CONC FOR BRIDGE		375 CY
PRECAST/PRESTRESSED CONC SUPERSTR 596+40.00	LUMP	LUMP
MULTI-LAYER EPOXY POLYMER OVERLAY		4,453 SY
PREPARATION OF BRIDGE AT STATION 596+40.00		1 EACH
BROKEN CONCRETE RIPRAP		180 TON
CONCRETE SLOPE PROTECTION		199 SY
PENETRATING CONCRETE SEALER		2,125 SF
EPOXY COATED RE-STEEL		155,485 LB
SUBSURFACE DRAINAGE MATTING		46 SY
HP 12"X53# STEEL PILING		5,675 LF
1 1/2" CONDUIT IN BRIDGE		562 LF
GRANULAR BACKFILL		190 CY

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		1,481 LF
IMPACT ATTENUATOR WITH 14" PROTECTION		1 EACH
IMPACT ATTENUATOR WITH 24" PROTECTION		2 EACH
BRIDGE APPROACH SECTIONS		2 EACH
END ANCHORAGE ASSEMBLY		4 EACH
GUARDRAIL END TREATMENT, TYPE I		4 EACH

GROUP 7B FENCE

MOBILIZATION	LUMP	LUMP
5' CHAIN-LINK FENCE		819 LF
END POST FOR 5' CH-LINK FENCE		8 EACH
CORNER POST FOR 5' CH-LNK FENCE		7 EACH
PULL POST FOR 5' CH-LNK FENCE		1 EACH

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
CONCRETE FOR FOUNDATION		30 CY
PULL BOX, TYPE PB-5		6 EACH
PULL BOX, TYPE PB-6		3 EACH
ST LIGHT UNIT SL-S-45-6-0.20		2 EACH
ST LIGHT UNIT SL-BT-45-6-0.20		2 EACH
LUMINAIRE, TYPE HML-A-1KW		6 EACH
LUMINAIRE, TYPE HML-V-1KW		6 EACH

HIGH MAST LIGHT UNIT T-120	2 EACH
FOUNDATION DESIGN	2 EACH
REINFORCING STEEL	2,426 LB
ANCHOR BOLTS	12 EACH
LIGHTING CONTROL CENTER, R	1 EACH
1 1/2" CONDUIT IN TRENCH	7,070 LF
2" CONDUIT IN TRENCH	208 LF
2" CONDUIT UNDER ROADWAY	27 LF
1 1/2" CONDUIT, JACKED	32 LF
STREET LIGHT CABLE, NO. 2 USE	796 LF
STREET LIGHT CABLE, NO. 4 USE	1,368 LF
STREET LIGHT CABLE, NO. 6 BARE	9,014 LF
STREET LIGHT CABLE, NO. 6 USE	18,799 LF
REMOVE HIGH MAST LIGHTING UNIT	1 EACH
REMOVE PULL BOX	9 EACH
RELOCATE STREET LIGHTING UNIT TYPE A	1 EACH
RELOCATE STREET LIGHTING UNIT TYPE B	6 EACH
RELOCATE STREET LIGHTING UNIT TYPE C	7 EACH
RELOCATE STREET LIGHTING UNIT TYPE D	25 EACH
OBSTRUCTION LIGHT	4 EACH

GROUP 8C SIGNING

MOBILIZATION	LUMP	LUMP
REM SIGN, STRUCTURE, AND FOUNDATION		1 EACH
REMOVE SIGN		26 EACH
CONCRETE FOR FOUNDATION		22 CY
REINFORCING STEEL	1,500 LB	
SIGN STR FOUNDATION DESIGN, LOCATION NO. 22		1 EACH
OVERHEAD SIGN SUPPORT, LOCATION NO. 22		1 EACH
TYPE B SIGN	368 SF	
TYPE C SIGN	3,998 SF	
STRUC STEEL FOR SIGN SUPPORTS	2,595 LB	
24" SIGN SUPPORT FOOTING		4 EACH
30" SIGN SUPPORT FOOTING		6 EACH
RELOCATE SIGN		6 EACH
REMOVE SIGN, POST, AND FOOTING		5 EACH
REMOVE LUMINAIRE		33 EACH

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	61,467 BDAY	
BARRICADE, TYPE III	4,659 BDAY	
TEMPORARY SIGN DAY	1,575 EACH	
SIGN DAY	21,915 EACH	
CONTRACTOR FURNISHED SIGN DAY	1,763 EACH	
REMOVABLE WET REFLECTIVE TAPE TYPE 4	31,700 LF	
TEMP PAVEMENT MARKING REMOVAL	92,000 LF	
PAVEMENT MARKING REMOVAL	65,500 LF	
TEMP PVMT MARKING, TYPE PAINT	122,000 LF	
TEMP PVMT MARKING SURF PREP	122,000 LF	
FLASHING ARROW PANEL	596 DAY	
FLAGGING	50 DAY	
INSTALL CONC PROTECT BARRIER	20,000 LF	
RELOCATE CONC PROTECTION BARRIER	17,900 LF	
RELOC INERTIAL BARRIER SYSTEM	9 EACH	
INERTIAL BARRIER SYSTEM	8 EACH	
REPLACEMENT MODULE	28 EACH	
TRAFFIC CONTROL MANAGEMENT	320 DAY	
FIELD OFFICE	1 EACH	
MOBILIZATION	LUMP	LUMP

RENTAL OF LOADER, FULLY OPERATED	50 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	50 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	50 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	50 HOUR
TEMPORARY EROSION CONTROL	1,000 SY
TEMPORARY SILT CHECK	2,500 LF
TEMPORARY SILT FENCE	3,000 LF
TEMPORARY EARTH CHECK	1,000 LF

NOTICE TO CONTRACTORS

CALL ORDER 210
 STATE PROJECT NO. S-680-9(1190)
 LOCATION: I-680, N. OF CENTER ST.-PACIFIC ST.(NB), OMAHA
 COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 14, 2013. At that time the bids will be opened and read for GR MSE WALL CONC PAVE CULV SEED BR GDRL FENCE ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT

Length: 1.3 MILES
 START DATE 01/06/2014 CALENDAR DAYS 300
 Price Range \$ 2,000,000 to \$ 4,000,000

Plans and specifications may be seen beginning October 22, 2013 at the Lincoln Central Office and October 28, 2013 at the District Engineer's Office at OMAHA

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		1 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION	52,531	CY
WATER		165 MGAL
SALVAGING AND PLACING TOPSOIL	39,904	SY
REMOVE PAVEMENT	15,430	SY
SAWING PAVEMENT	5,633	LF
REMOVE ASPHALT SURFACE		353 SY
REMOVE WALK		59 SY
REMOVE FENCE	220	LF
REMOVE CONCRETE DITCH LINER		539 SY
REMOVE STRUCTURE		1 EACH
REMOVE GUARDRAIL	1,060	LF
REMOVE SIGN		6 EACH
REMOVE SIGN, POST, AND FOOTING		1 EACH
REMOVE LUMINAIRE		6 EACH
COVER CROP SEEDING		6 ACRE
EROSION CONTROL, CLASS 1D	9,910	SY
EROSION CONTROL, CLASS 2A	2,421	SY
EROSION CHECKS, TYPE WATTLE		400 LF
FABRIC SILT FENCE-LOW POROSITY		910 LF

GROUP 1A MSE WALL

MOBILIZATION	LUMP	LUMP
WALL MATERIALS		145 SF
GRAVITY BLOCK WALL	1,960	SF
CONCRETE LEVELING PADS		766 LF
COMPACTED EARTH LEVELING PAD		50 LF
COPING		772 LF
SELECT GRANULAR BACKFILL FOR MSE WALL		103 CY

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
FLEXIBLE POST DELINEATOR		60 EACH
TIE BARS		2,647 EACH
CONC 47BD-4000 BARRIER CURB 42"		735 LF

CONC 47BD-4000 BARRIER CURB 32"	5 LF
CONC 47BD-4000 BARRIER TRANS SECTION	1 EACH
CONC 47B-3000 SIDEWALKS	54 SY
CONC 47B-3000 MEDIAN SURFACING	322 SY
13" DOWELED CONC PVMT, 47B-3500 TEMPORARY SURFACING	21,952 SY
10"	585 SY
TYPE B SIGN	40 SF
TYPE C SIGN	890 SF
STRUC STEEL FOR SIGN SUPPORTS	450 LB
24" SIGN SUPPORT FOOTING	2 EACH
5" BLACK POLYUREA PVMT MRKING, GROOVED	2,300 LF
5" WHT WET RFLC POLY PVMT MRKING, GVD	11,450 LF
12" WHT WET RFLC POLY PVMT MRKING, GVD	3,600 LF
5" YEL WET RFLC POLY PVMT MRKING, GVD	8,000 LF
FOUNDATION COURSE 5"	15,452 SY
FOUNDATION COURSE 7"	6,500 SY
GRANULAR SUBDRAIN	35 EACH
LONGITUDINAL SUBDRAIN	5,388 LF
WATER	83 MGAL
EARTH SHOULDER CONSTRUCTION	68 STA
SUBGRADE PREPARATION	22,024 SY
SURFACE UNDER GUARDRAIL	185 SY

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE INLET		8 EACH
CAST IRON COVER & FRAME		125 LB
CAST IRON GRATE & FRAME	15,957	LB
ADJUST MANHOLE TO GRADE		1 EACH
TAPPING EXISTING STRUCTURE		1 EACH
REMOVE FLARED- END SECTION		7 EACH
REMOVE SEWER PIPE	1,603	LF
EXC FOR PIPE, PIPE-ARCH CULV, AND HDWL	1,313	CY
47B-3000 CONC FOR HDWL		9 CY
47B-3000 CONC FOR INLET & JUNCTION BOXES		52 CY
47B-3000 CONC FOR CONCRETE CO		4 CY
47B-3000 CONC FOR PIPE PLUG		1 CY
RE-STEEL FOR HEADWALL		977 LB
RE-STEEL FOR INLET & JCT BOX	3,799	LB
RE-STEEL FOR COLLARS		349 LB
18" FLARED-END SECTION		9 EACH
24" FLARED-END SECTION		5 EACH
CULVERT SANDFILL		10 CY
24" CULV PIPE 2,3,4,5,6,7,8		156 LF
60" CULV PIPE 3,4,5		154 LF
18" STORM SEWER PIPE 1,7,8	1,287	LF
24" STORM SEWER PIPE 1,7,8		713 LF

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE A		3 ACRE
SEEDING, TYPE B		2 ACRE
SEEDING, TYPE C		1 ACRE
MULCH		12 TON

GROUP 6 BRIDGE AT STA 5202+98.20

MOBILIZATION	LUMP	LUMP
RIPRAP FILTER FABRIC		126 SY
CONC FOR PVMT APPROACHES CLASS 47BD-4000		63 CY
EPOXY COATED RE-STEEL FOR PVMT APPROACH	9,975	LB
ABUTMENT NO.1 EXCAVATION	LUMP	LUMP
ABUTMENT NO.2 EXCAVATION	LUMP	LUMP
PIER NO.1 EXCAVATION	LUMP	LUMP

PIER NO.2 EXCAVATION	LUMP	LUMP
PREFORMED EXPANSION JOINT, TYPE A		174 LF
EXPANSION BEARING, TFE TYPE		6 EACH
FIXED BEARING		2 EACH
47B-3000 CONC FOR BRIDGE		86 CY
47BD-4000 CONC FOR BRIDGE		143 CY
MULTI-LAYER EPOXY POLYMER OVERLAY		3,860 SY
PREPARATION OF BRIDGE AT STATION 5202+98.20		1 EACH
STEEL SUPERSTRUCTURE 5202+98.20	LUMP	LUMP
STRUC STEEL FOR SUBSTRUCTURE		1,225 LB
FLOOR DRAINS		1 EACH
BROKEN CONCRETE RIPRAP		80 TON
ROCK RIPRAP, TYPE A		2 TON
PENETRATING CONCRETE SEALER		7,393 SF
EPOXY COATED RE-STEEL		46,115 LB
SUBSURFACE DRAINAGE MATTING		18 SY
HP 12"X53# STEEL PILING		420 LF
ROCK SOCKET 48"		10 LF
DRILLED SHAFT 54"		72 LF
STEEL SHEET PILING		1,027 SF
TEMP BRIDGE SHORING	LUMP	LUMP
GRANULAR BACKFILL		170 CY
GROUP 7 GUARDRAIL		
MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL		187 LF
IMPACT ATTENUATOR		1 EACH
BRIDGE APPROACH SECTIONS		2 EACH
END ANCHORAGE ASSEMBLY		1 EACH
GUARDRAIL END TREATMENT, TYPE I		1 EACH
GROUP 7B FENCE		
MOBILIZATION	LUMP	LUMP
5' CHAIN-LINK FENCE		190 LF
END POST FOR 5' CH-LINK FENCE		2 EACH
CORNER POST FOR 5' CH-LNK FENCE		1 EACH
GROUP 8B ELECTRICAL		
MOBILIZATION	LUMP	LUMP
LUMINAIRE, TYPE HML-A-1KW		6 EACH
HIGH MAST LIGHT UNIT T-120		1 EACH
FOUNDATION DESIGN		1 EACH
CONCRETE FOR FOUNDATION		15 CY
REINFORCING STEEL		1,213 LB
ANCHOR BOLTS		6 EACH
1 1/2" CONDUIT IN TRENCH		505 LF
1 1/2" CONDUIT, JACKED		150 LF
STREET LIGHT CABLE, NO. 6 BARE		655 LF
STREET LIGHT CABLE, NO. 6 USE		1,870 LF
REMOVE LIGHTING UNIT		4 EACH
REMOVE TOWER FOUNDATION		1 EACH
REMOVE PULL BOX		1 EACH
RELOCATE STREET LIGHTING UNIT		2 EACH
GROUP 10 GENERAL ITEMS		
BARRICADE, TYPE II		30,100 BDAY
BARRICADE, TYPE III		6,835 BDAY
TEMPORARY SIGN DAY		1,050 EACH
SIGN DAY		11,000 EACH
CONTRACTOR FURNISHED SIGN DAY		1,965 EACH
4" WHITE REMOVABLE WET REFL TAPE, TYPE 4		11,000 LF
4" YEL REMOVABLE WET REFL TAPE, TYPE 4		3,000 LF

PAVEMENT MARKING REMOVAL	20,000	LF
TEMP PVMT MARKING, TYPE PAINT	30,500	LF
TEMP PVMT MARKING SURF PREP	22,250	LF
FLASHING ARROW PANEL	50	DAY
FLAGGING	30	DAY
INSTALL CONC PROTECT BARRIER	8,162	LF
RELOCATE CONC PROTECTION BARRIER	2,212	LF
RELOC INERTIAL BARRIER SYSTEM	2	EACH
INERTIAL BARRIER SYSTEM	2	EACH
REPLACEMENT MODULE	16	EACH
TRAFFIC CONTROL MANAGEMENT	300	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
TEMPORARY FENCE	220	LF
RENTAL OF LOADER, FULLY OPERATED	20	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	20	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	20	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	20	HOUR
TEMPORARY SILT CHECK	300	LF
TEMPORARY SILT FENCE	1,000	LF
TEMPORARY EARTH CHECK	300	LF
TEMPORARY MULCH	4	TON

NOTICE TO CONTRACTORS

CALL ORDER 215
 FEDERAL PROJECT NO. HSIP-5015(1)
 LOCATION: 102ND ST./MAPLE ST., OMAHA
 COUNTIES: DOUGLAS

The Nebraska Department of Roads will receive sealed bids for the CITY OF OMAHA in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on November 14, 2013. At that time the bids will be opened and read for GR CONC PAVE CULV ELEC

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CONCRETE PAVEMENT ELECTRICAL
 START DATE 03/24/2014 CALENDAR DAYS 83
 Price Range \$ 0 to \$ 500,000
 THIS PROJECT CONTAINS A DBE GOAL OF 6.0 %

Plans and specifications may be seen beginning October 22, 2013 at the Lincoln Central Office and October 28, 2013 at the District Engineer's Office at OMAHA
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		841 CY
REMOVE PAVEMENT		983 SY
REMOVE WALK		187 SY
REMOVE PLANTER		1 EACH
REMOVE CONCRETE FLUME		1 EACH
REMOVE CONCRETE MEDIAN SURFACING		266 SY
REMOVE TREES OVER 12" TO 18" DIAMETER		2 EACH
REMOVE TREES OVER 18" TO 27" DIAMETER		2 EACH
CONSTRUCTION ENTRANCE	LUMP	LUMP
MODULAR BLOCK WALL		20 SF
FABRIC SILT FENCE-LOW POROSITY		929 LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
TIE BARS		377 EACH
CONC 47B-3000 SIDEWALKS		561 SY
COLOR IMPRINTED CONC 47B-3000 SIDEWALKS 6"		46 SY
DETECTABLE WARNING PANEL		72 SF
6" CONC CLASS 47B-3000 MEDIAN SURFACING		4 SY
6" CONC 47B-3000 IMPRINTED MEDIAN SURF		112 SY
10" CONC PVMT, 47B-3500	1,625	SY
10" CONC PVMT CLASS 47B-HE-3500		156 SY
ADJUST MANHOLE TO GRADE		3 EACH
SIGN		7 EACH
SIGN POST		8 EACH
5" WHT WET RFLC PRF PVMT MKNG T4 GVD		608 LF
6" WHT WET RFLC PRF PVMT MKNG T4 GVD		31 LF
WHT WET RFLC PRF PVMT MKNG T4 GVD 10"		303 LF
5" YEL WET RFLC PRF PVMT MKNG T4 GVD		400 LF
ARROW, WET RFLC PRF PVMT MKNG, T 4 GVD		8 EACH

ONLY, WET RFLC PRF PVMT MKNG, T 4 GVD	3	EACH
HYDRATED LIME FOR ASPHALT MIXTURES	2	TON
ASPH CONC, TYPE SPH	340	TON
PERF GRADED BINDER (64-34)	12	TON
TACK COAT	480	GAL
WATER	8	MGAL
EARTH SHOULDER CONSTRUCTION	8	STA
SUBGRADE PREPARATION	1,781	SY
COLD MILLING, CLASS 3	1,543	SY
CONC SURF MILLING	1,625	SY
RAP INCENTIVE PAYMENT	578	EACH
SODDING	776	SY

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE INLET		2 EACH
CAST IRON COVER, FRAME & FLANGE		2,292 LB
CURB INLET		3 EACH
TYPE I		
CURB INLET		1 EACH
TYPE IV		
MANHOLE		1 EACH
AT STA 202+04.23		
MANHOLE		1 EACH
AT STA 102+20.52		
TAPPING EXISTING STRUCTURE		1 EACH
REMOVE SEWER PIPE		8 LF
BAR GRATE FOR 30" CONC FES		1 EACH
CURB INLET SEDIMENT FILTER		114 LF
AGGREGATE BEDDING		6 TON
12" STORM SEWER PIPE 1		172 LF
15" STORM SEWER PIPE 1		13 LF
RELOCATE SPRINKLER HEAD		30 EACH
REMOVE AND RELOCATE SPRINKLER SYSTEM		600 LF

GROUP 8B ELECTRICAL

MOBILIZATION	LUMP	LUMP
REMOVE AND REINSTALL		2 EACH
OVERHEAD SIGN		
REMOVE AND REINSTALL		4 EACH
18" STREET NAME SIGN		
LED BLANK OUT SIGN		1 EACH
LED BLANK OUT SIGN, TEMPORARY		1 EACH
OVERHEAD SIGN		9 EACH
TRAFFIC SIGN AND POST		4 EACH
STREET NAME SIGN		2 EACH
18"		
STREET NAME SIGN		2 EACH
30"		
PULL BOX, TYPE PB-1A		4 EACH
PULL BOX, TYPE PB-6		8 EACH
TRAFFIC SIGNAL, TYPE TS-1		6 EACH
W/T31 FACE, BACKPLATE & MA-5 MTG		
TRAFFIC SIGNAL, TYPE TS-1A		2 EACH
W/T31 FACE & B-4 ALT MTG		
TRAFFIC SIGNAL, TYPE TS-1		3 EACH
W/T31 FACE, BACKPLATE & SW-1 MTG		
TRAFFIC SIGNAL, TYPE TS-1LL		2 EACH
W/T51A FACE, BACKPLATE & MA-5-1 MTG		
TRAFFIC SIGNAL, TYPE TS-1LL		3 EACH
W/T51A FACE, BACKPLATE & SW-1 MTG		
TRAFFIC SIGNAL, TYPE TS-1L		3 EACH
W/T32 FACE, BACKPLATE & MA-5 MTG		
TRAFFIC SIGNAL, TYPE TS-1L		1 EACH
W/T32 FACE, BACKPLATE & SW-1 MTG		

TRAFFIC SIGNAL, TYPE TS-1LB	1	EACH
W/T31 FACE, BACKPLATE & SW-1 MTG		
TRAFFIC SIGNAL, TYPE TS-1RR	3	EACH
W/T52 FACE, BACKPLATE & MA-5 MTG		
TRAFFIC SIGNAL, TYPE TS-1RR	3	EACH
W/T52 FACE, BACKPLATE & B-4 ALT MTG		
TRAF SIG CONTROL, TYPE TC-2070	1	EACH
/332		
PEDESTRIAN SIGNAL, TYPE PS-1	16	EACH
W/COUNTDOWN FACE & B-4 ALT MTG		
PEDESTRIAN PUSHBUTTON, PPB	16	EACH
VEHICLE DETECTOR, TYPE TD-5A	23	EACH
VEHICLE DETECTOR, TYPE TD-5B	1	EACH
VEHICLE DETECTOR, TYPE TD-5C	1	EACH
VEHICLE DETECTOR, TYPE TD-5D	1	EACH
LUMINAIRE, TYPE HPS-200W	9	EACH
C.M.A. SIG & LGHT P CMP-20-12	1	EACH
C.M.A. SIG & LGHT POLE, CMP-55-12	1	EACH
C.M.A. SIG & LGHT POLE, CMP-60-12	1	EACH
-30		
C.M.A. SIG & LGHT POLE, CMP-60-12-40	2	EACH
WOOD POLE	4	EACH
SERVICE DISCONNECT	1	EACH
SWITCH		
SERVICE DISCONNECT PEDESTAL	1	EACH
2" CONDUIT IN TRENCH	706	LF
3" CONDUIT IN TRENCH	37	LF
2" CONDUIT, JACKED	408	LF
3" CONDUIT, JACKED	369	LF
16/C #14 AWG TRAF SIG CABLE	1,021	LF
2/C #16 AWG PED PBUTTON LEAD-IN CABLE	2,052	LF
2/C DETECTOR LEAD-IN CABLE	1,252	LF
#8 GROUNDING CONDUCTOR	1,045	LF
SERVICE CABLE	200	LF
SUPPORT CABLE	568	LF
TETHER CABLE	525	LF
SERVICE ENTRANCE CABLE	600	LF
STREET LIGHT CABLE, NO. 6 3/C	1,045	LF
6 PAIR COMMUNICATION CABLE	418	LF
REINSTALL VEH PRIORITY CONTROL SYS, TEMP	LUMP	LUMP
REINSTALL VEH PRIORITY CONTROL SYS, PERM	LUMP	LUMP
INST TRAF SIG CONTROLLER	1	EACH
REMOVE TRAFFIC SIGNAL	1	EACH
TEMPORARY		
REMOVE TRAFFIC SIGNAL	1	EACH
PERMANENT		
RE-ENTERABLE ENCAPSULATED SPLICE	2	EACH
MODULAR VIDEO VEHICLE DETECTION SYSTEM	LUMP	LUMP

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	2,406	B DAY
BARRICADE, TYPE III	274	B DAY
TEMPORARY SIGN DAY	24	EACH
SIGN DAY	1,965	EACH
CONTRACTOR FURNISHED SIGN DAY	64	EACH
PAVEMENT MARKING REMOVAL	200	LF
TEMP PVMT MARKING, TYPE PAINT	600	LF
FLASHING ARROW PANEL	32	DAY
FLAGGING	14	DAY
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	10	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	10	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	10	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10	HOUR

NOTICE TO CONTRACTORS

CALL ORDER 220
FEDERAL PROJECT NO. ITS-ITSN(209)
LOCATION: D2/D1 DEVICE DEPLOYMENT PROJECT
COUNTIES: CASS DOUGLAS
LANCASTER OTHERS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 14, 2013. At that time the bids will be opened and read for ELECTRICAL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: ELECTRICAL
START DATE 06/02/2014 CALENDAR DAYS 153
Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning October 22, 2013 at the Lincoln Central Office and October 28, 2013 at the District Engineer's Office at OMAHA
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.
This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8B ELECTRICAL

BARRICADE, TYPE II		930	BDAY
BARRICADE, TYPE III		16	BDAY
TEMPORARY SIGN DAY		110	EACH
FLASHING ARROW PANEL		8	DAY
MOBILIZATION	LUMP		LUMP
INSTALL POWER CABLE		19	EACH
1" CONDUIT ON STRUCTURE		60	LF
1" CONDUIT IN TRENCH		379	LF
1" CONDUIT UNDER MEDIAN SURFACING		20	LF
#10 AWG CU CONDUCTOR		300	LF
#8 GROUNDING CONDUCTOR		150	LF
40' TOWER CAMERA SITE		14	EACH
50' TOWER CAMERA SITE		1	EACH
TRUSS CAMERA SITE		3	EACH
60' TOWER CAMERA SITE		4	EACH
WIRELESS COMMUNICATON	LUMP		LUMP
WIDE ANGLE CAMERA(FIXED)		1	EACH

NOTICE TO CONTRACTORS

CALL ORDER 300
 FEDERAL PROJECT NO. STP-12-5(116)
 LOCATION: N-12, SANTEE SPUR EAST
 COUNTIES: KNOX

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 14, 2013. At that time the bids will be opened and read for GRAD CULV SEED BR GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 9.9 MILES
 START DATE 04/28/2014 WORKING DAYS 105
 Price Range \$ 2,000,000 to \$ 4,000,000
 THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning October 22, 2013 at the Lincoln Central Office and October 28, 2013 at the District Engineer's Office at NORFOLK

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		86 MGAL
EARTHWORK MEASURED IN EMBANKMENT		5,722 CY
REMOVE ASPHALT SURFACE		299 SY
REMOVE DITCH CHECK		1 EACH
REMOVE GUARDRAIL		11,444 LF
COVER CROP SEEDING		5 ACRE
EROSION CONTROL, CLASS 1D		33,067 SY
EROSION CONTROL, CLASS 2C		169 SY
EROSION CHECKS, TYPE WATTLE		180 LF
FABRIC SILT FENCE-LOW POROSITY		3,223 LF

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
PREPARATION OF STRUCTURE STA. 304+47		1 EACH
47B-3000 CONC FOR BOX CULV		24 CY
RE-STEEL FOR BOX CULVERT		2,615 LB

GROUP 5 SEEDING

MOBILIZATION	LUMP	LUMP
SEEDING, TYPE B		5 ACRE
MULCH		16 TON

GROUP 6 BRIDGE AT STA. 1029+89.00

MOBILIZATION	LUMP	LUMP
47BD-4000 CONC FOR BRIDGE		23 CY
PREPARATION OF BRIDGE AT STATION 1029+89.00		1 EACH
EPOXY COATED RE-STEEL		4,745 LB
REPAIR FLOOR DRAIN		6 EACH

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL	1,762	LF
CABLE GUARDRAIL	7,898	LF
BRIDGE APPROACH SECTIONS	4	EACH
END ANCHORAGE ASSEMBLY	3	EACH
TERMINAL ANCHORAGE SECTIONS	32	EACH
CABLE GDRL TO W-BEAM TRANSITION SECTION	2	EACH
GUARDRAIL END TREATMENT, TYPE I	4	EACH
GUARDRAIL END TREATMENT, TYPE II	11	EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES	1,049	STA
OVERLAY SOLID LINES	2,098	STA
MOBILIZATION	LUMP	LUMP
GRAVEL SURFACE COURSE	220	CY
MAILBOX POST	9	EACH
MEMBRANE WATERPROOFING	379	SY
HYDR LIME/WMA FOR ST MNT PAT	500	EACH
HYDRATED LIME/WMA	37,220	EACH
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	500	TON
ASPH CONC, TYPE SPR	36,220	TON
PLACE ASPH CONC FOR DRIVE & INTER	7,194	SY
ASPH CONCRETE FOR PATCHING, TYPE SPR	1,000	TON
PERF GRAD BIND (64-34) FOR ST MAINT PATCH	17	TON
PERF GRADED BINDER (64-34)	1,265	TON
PREP OF INTER & DRIVE	908	SY
TACK COAT	29,720	GAL
WATER	7	MGAL
EARTH SHOULDER CONSTRUCTION	17	STA
TRENCHED WIDENING	17	STA
COLD MILLING, CLASS 3	537	STA
COLD MILLING, CLASS 5	6,286	SY
REMOVE ASPHALT SURFACE FROM BRIDGE	341	SY
SURFACE UNDER GUARDRAIL	881	SY
RAP INCENTIVE PAYMENT	63,274	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	24,775	B DAY
BARRICADE, TYPE III	860	B DAY
TEMPORARY SIGN DAY	1,470	EACH
SIGN DAY	21,854	EACH
TEMP PAVEMENT MARKING REMOVAL	3,000	LF
PAVEMENT MARKING REMOVAL	850	LF
TEMP PVMT MARKING, TYPE PAINT	3,000	LF
TEMP PVMT MARKING SURF PREP	3,000	LF
FLAGGING	110	DAY
FURNISHING AND OPERATING PILOT VEHICLE	50	DAY
CONCRETE PROTECTION BARRIER	225	LF
INERTIAL BARRIER SYSTEM	1	EACH
TEMPORARY RUMBLE STRIP	6	EACH
TEMPORARY TRAFFIC SIGNAL	1	EACH
FIELD OFFICE	1	EACH
TRAINING	500	HOUR
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	90	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	90	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	90	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	40	HOUR
TEMPORARY SILT CHECK	400	LF
TEMPORARY SILT FENCE	500	LF
TEMPORARY EARTH CHECK	300	LF

NOTICE TO CONTRACTORS

CALL ORDER 400
 STATE PROJECT NO. BR-1990(7)
 LOCATION: IN SUPERIOR
 COUNTIES: NUCKOLLS

The Nebraska Department of Roads will receive sealed bids for the COUNTY OF NUCKOLLS in Room 104 of the Central Office Building at 1500 Hwy 2 at Lincoln, until 1:30 P.M. on November 14, 2013. At that time the bids will be opened and read for GR CONC PAVE CULV

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: CULVERTS
 START DATE 03/31/2014 WORKING DAYS 75
 Price Range \$ 250,000 to \$ 1,000,000

Plans and specifications may be seen beginning October 22, 2013 at the Lincoln Central Office and October 28, 2013 at the District Engineer's Office at GRAND ISLAND
 Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
LARGE TREE REMOVAL		12 EACH
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
EXCAVATION (ESTABLISHED QUANTITY)		8,760 CY
WATER		46 MGAL
RIPRAP FILTER FABRIC		1,232 SY
REMOVE PAVEMENT		1,032 SY
SAWING PAVEMENT		63 LF
REMOVE DRIVEWAY		65 SY
REMOVE WALK		105 SY
REMOVE BUILDING		1 EACH
AT STA. 31+33 LT		
REMOVE BUILDING		1 EACH
AT STA. 31+70 LT		
CLEAR TRACT		1 EACH
STA. 30+33 TO 33+73 LT		
ROCK RIPRAP, TYPE B		215 TON
ROCK RIPRAP, TYPE C		900 TON
SALVAGING AND PLACING TOPSOIL ON RIPRAP		920 SY
COVER CROP SEEDING		1 ACRE
EROSION CONTROL, CLASS 1D		4,152 SY
FABRIC SILT FENCE-LOW POROSITY		693 LF

GROUP 3 CONCRETE PAVEMENT

MOBILIZATION	LUMP	LUMP
CONC 47B-3000 SIDEWALK 5"		252 SY
DETECTABLE WARNING PANEL		32 SF
8" CONC PVMT, 47B-3500		1,342 SY
ADJUST MANHOLE TO GRADE		1 EACH
FOUNDATION COURSE		1,342 SY
4"		
WATER		5 MGAL
EARTH SHOULDER CONSTRUCTION		5 STA
SUBGRADE PREPARATION		1,342 SY
SEEDING, TYPE B		1 ACRE
MULCH		2 TON
ADJUST VALVE BOX TO GRADE		3 EACH

GROUP 4 CULVERTS

MOBILIZATION	LUMP	LUMP
REMOVE INLET		1 EACH
CAST IRON COVER & FRAME		250 LB
CAST IRON RING & COVER		345 LB
MANHOLE		1 EACH
AT STA. 31+52.80 37.20' RT		
REMOVE SEWER PIPE		54 LF
47B-3000 CONC FOR INLET & JUNCTION BOXES		7 CY
47B-3000 CONC FOR CONCRETE CO		1 CY
RE-STEEL FOR INLET & JCT BOX		495 LB
RE-STEEL FOR COLLARS		49 LB
48" CONCRETE FLARED-END SECTION		1 EACH
18" REINF CONCRETE SEWER PIPE		73 LF
30" REINF CONCRETE SEWER PIPE		20 LF
48" REINF CONCRETE SEWER PIPE		182 LF

GROUP 4A CULVERT AT STA. 31+00

MOBILIZATION	LUMP	LUMP
REMOVE STRUCTURE		1 EACH
AT STA. 31+90		
EXCAVATION FOR BOX CULVERTS		5,847 CY
47B-3000 CONC FOR BOX CULV		630 CY
RE-STEEL FOR BOX CULVERT		65,185 LB
PEDESTRIAN HANDRAIL		230 LF

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II		300 BDAY
BARRICADE, TYPE III		1,452 BDAY
SIGN DAY		870 EACH
CONTRACTOR FURNISHED SIGN DAY		924 EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		10 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		10 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		10 HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.		10 HOUR
TEMPORARY SILT FENCE		300 LF

NOTICE TO CONTRACTORS

CALL ORDER 500
FEDERAL PROJECT NO. IM-80-1(191)
LOCATION: BROWNSON INTERCHANGE LIGHTING
COUNTIES: CHEYENNE

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 14, 2013. At that time the bids will be opened and read for ELECTRICAL

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: ELECTRICAL

START DATE 09/29/2014 WORKING DAYS 30
Price Range \$ 0 to \$ 500,000

Plans and specifications may be seen beginning October 22, 2013 at the Lincoln Central Office and October 28, 2013 at the District Engineer's Office at GERING

Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 8B ELECTRICAL

BARRICADE, TYPE II	160	BDAY
BARRICADE, TYPE III	252	BDAY
TEMPORARY SIGN DAY	48	EACH
SIGN DAY	2,046	EACH
FLASHING ARROW PANEL	4	DAY
FLAGGING	20	DAY
MOBILIZATION	LUMP	LUMP
PULL BOX, TYPE PB-5	24	EACH
PULL BOX, TYPE PB-6	2	EACH
LUMINAIRE, TYPE HML-A-1KW	12	EACH
LUMINAIRE, TYPE HML-V-1KW	8	EACH
HIGH MAST LIGHT UNIT T-120	2	EACH
HIGH MAST LIGHT UNIT T-140	2	EACH
FOUNDATION DESIGN	4	EACH
CONCRETE FOR FOUNDATION	60	CY
REINFORCING STEEL	4,852	LB
ANCHOR BOLTS	24	EACH
LIGHTING CONTROL CENTER, R MODIFIED	2	EACH
1 1/2" CONDUIT IN TRENCH	6,774	LF
1 1/2" CONDUIT, JACKED	68	LF
STREET LIGHT CABLE, NO. 1 USE	1,356	LF
STREET LIGHT CABLE, NO. 2 USE	12,328	LF
STREET LIGHT CABLE, NO. 6 BARE	6,842	LF

NOTICE TO CONTRACTORS

CALL ORDER 700
FEDERAL PROJECT NO. STPD-BH-89-2(110)
LOCATION: N-89, DANBURY-LEBANON
COUNTIES: RED WILLOW

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 14, 2013. At that time the bids will be opened and read for GR BR GDRL BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 6.5 MILES
START DATE 06/09/2014 WORKING DAYS 85
Price Range \$ 1,000,000 to \$ 3,000,000
THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning October 22, 2013 at the Lincoln Central Office and October 28, 2013 at the District Engineer's Office at MCCOOK
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

NOTICE TO BIDDERS

To be eligible for the award of this contract, bidders shall submit a completed bidding proposal for Call Order No. 700, {Project No. STPD-BH-89-2(110)} and Call Order No. 705, {Project No. STPD-89-2(112)}. Award of Contract, if awarded, will be made on the combined bid for these call order nos. Separate contracts will be awarded for each Call Order Number. Please order plans and proposals accordingly.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 1 GRADING

MOBILIZATION	LUMP	LUMP
GENERAL CLEARING AND GRUBBING	LUMP	LUMP
WATER		12 MGAL
REMOVE DELINEATOR UNITS		35 EACH
EARTHWORK MEASURED IN EMBANKMENT		563 CY
REMOVE GUARDRAIL		1,129 LF
EROSION CONTROL, CLASS 1D		3,203 SY
FABRIC SILT FENCE-LOW POROSITY		458 LF

GROUP 6 BRIDGES AT STA 551+92

MOBILIZATION	LUMP	LUMP
BR DECK REPAIR, PARTIAL DEPTH		41 SY
BR DECK REPAIR, FULL DEPTH		5 SY
47BD-4000 CONC FOR BRIDGE		16 CY
RE-STEEL FOR BRIDGE		2,725 LB
PREPARATION OF BRIDGE AT STATION 551+92		1 EACH
REPAIR FLOOR DRAIN		6 EACH

GROUP 6A BRIDGE AT STA 654+89

MOBILIZATION	LUMP	LUMP
BR DECK REPAIR, PARTIAL DEPTH		36 SY
BR DECK REPAIR, FULL DEPTH		5 SY
47BD-4000 CONC FOR BRIDGE		14 CY
RE-STEEL FOR BRIDGE		2,510 LB

PREPARATION OF BRIDGE AT STATION 654+89	1	EACH
REPAIR FLOOR DRAIN	6	EACH

GROUP 6B BRIDGE AT STA 716+77

MOBILIZATION	LUMP	LUMP
BR DECK REPAIR, PARTIAL DEPTH	48	SY
BR DECK REPAIR, FULL DEPTH	5	SY
47BD-4000 CONC FOR BRIDGE	19	CY
RE-STEEL FOR BRIDGE	3,075	LB
PREPARATION OF BRIDGE AT STATION 716+77	1	EACH
REPAIR FLOOR DRAIN	6	EACH

GROUP 6C BRIDGE AT STA 799+62

MOBILIZATION	LUMP	LUMP
47BD-4000 CONC FOR BRIDGE	32	CY
RE-STEEL FOR BRIDGE	4,560	LB
PREPARATION OF BRIDGE AT STATION 799+62	1	EACH
REPAIR FLOOR DRAIN	10	EACH

GROUP 7 GUARDRAIL

MOBILIZATION	LUMP	LUMP
W-BEAM GUARDRAIL	462	LF
BRIDGE APPROACH SECTIONS	16	EACH
GUARDRAIL END TREATMENT, TYPE II	16	EACH

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES	682	STA
OVERLAY SOLID LINES	1,364	STA
PERMANENT PAVEMENT MARKING PAINT	81,500	LF
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE III	49	EACH
INSTALL CHEVRONS	16	EACH
GRAVEL SURFACE COURSE	10	CY
CRUSHED ROCK SURFACE COURSE	5	CY
MAILBOX POST	1	EACH
MEMBRANE WATERPROOFING	1,163	SY
HYDR LIME/WMA FOR ST MNT PAT	3,000	EACH
HYDRATED LIME/WMA	21,070	EACH
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR	3,000	TON
ASPH CONC, TYPE SPR	20,470	TON
PLACE ASPH CONC FOR DRIVE & INTER	2,413	SY
ASPH CONCRETE FOR PATCHING, TYPE SPR	600	TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH	102	TON
PERF GRADED BINDER (64-34)	716	TON
PREP OF INTER & DRIVE	219	SY
TACK COAT	18,560	GAL
WATER	1	MGAL
COLD MILLING, CLASS 3	338	STA
COLD MILLING, CLASS 5	2,194	SY
SURFACE UNDER GUARDRAIL	1,340	SY
RAP INCENTIVE PAYMENT	35,819	EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II	9,712	BDAY
BARRICADE, TYPE III	948	BDAY
TEMPORARY SIGN DAY	770	EACH
SIGN DAY	13,642	EACH
TEMP PAVEMENT MARKING REMOVAL	25,000	LF
PAVEMENT MARKING REMOVAL	5,200	LF

TEMP PVMT MARKING, TYPE PAINT	25,800	LF
TEMP PVMT MARKING SURF PREP	25,800	LF
FLAGGING	110	DAY
FURNISHING AND OPERATING PILOT VEHICLE	55	DAY
CONCRETE PROTECTION BARRIER	625	LF
RELOCATE CONC PROTECTION BARRIER	1,875	LF
TRAFFIC CONTROL MANAGEMENT	146	DAY
FIELD OFFICE	1	EACH
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED	50	HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED	50	HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED	50	HOUR
RENTAL OF SKID LOADER, FULLY OPERATED	50	HOUR
RENT CRAWLER MNTED HYD EXCAVATOR, F.O.	10	HOUR
TEMPORARY SILT FENCE	500	LF

NOTICE TO CONTRACTORS

CALL ORDER 705
FEDERAL PROJECT NO. STP-89-2(112)
LOCATION: N-89, LEBANON - N-47
COUNTIES: RED WILLOW FURNAS

The Nebraska Department of Roads will receive sealed bids in Room 104 of the Central Office Building at 1500 Hwy. 2 in Lincoln, until 1:30 P.M. on November 14, 2013. At that time the bids will be opened and read for BR BIT

BIDDING PROPOSAL FORMS WILL BE ISSUED AND A CONTRACT AWARDED TO A CONTRACTOR WHO IS QUALIFIED FOR: BITUMINOUS

Length: 7.7 MILES
START DATE 07/07/2014 WORKING DAYS 65
Price Range \$ 1,000,000 to \$ 3,000,000
THIS PROJECT CONTAINS A DBE GOAL OF 3.0 %

Plans and specifications may be seen beginning October 22, 2013 at the Lincoln Central Office and October 28, 2013 at the District Engineer's Office at MCCOOK
Additional letting information may be found at the Nebraska Department of Roads Web Site at <http://www.dor.state.ne.us/letting/>.

This project is funded under the Federal-Aid Highway Act, all appropriate Federal requirements will apply.

NOTICE TO BIDDERS

To be eligible for the award of this contract, bidders shall submit a completed bidding proposal for Call Order No. 700, {Project No. STPD-BH-89-2(110)} and Call Order No. 705, {Project No. STP-89-2(112)}. Award of Contract, if awarded, will be made on the combined bid for these call order nos. Separate contracts will be awarded for each Call Order Number. Please order plans and proposals accordingly.

Quantities shown herein are FOR INFORMATION ONLY and should not be used for bidding purposes. The Department reserves the right to change these quantities without notice.

GROUP 6 BRIDGE AT STA. 848+17.00

MOBILIZATION	LUMP	LUMP
MULTI-LAYER EPOXY POLYMER OVERLAY		794 SY
PENETRATING CONCRETE SEALER		1,963 SF

GROUP 6A BRIDGE AT STA. 2047+25.00

MOBILIZATION	LUMP	LUMP
CLASS I REPAIR		523 SY
CLASS II REPAIR		105 SY
CLASS III REPAIR		5 SY
PLACE, FINISH, & CURE CONC OVERLAY-SF		523 SY
CONCRETE FOR OVERLAYS-SF		33 CY
PREPARATION OF BRIDGE AT STATION 2047+25.00		1 EACH
PENETRATING CONCRETE SEALER		3,760 SF

GROUP 6B BRIDGE AT STA. 2164+05.00

MOBILIZATION	LUMP	LUMP
MULTI-LAYER EPOXY POLYMER OVERLAY		709 SY
PENETRATING CONCRETE SEALER		1,511 SF

GROUP 6C BRIDGE AT STA. 2253+15.00

MOBILIZATION	LUMP	LUMP
MULTI-LAYER EPOXY POLYMER OVERLAY		663 SY
PENETRATING CONCRETE SEALER		1,502 SF

GROUP 6D BRIDGE AT STA. 3056+88.00

MOBILIZATION	LUMP	LUMP
MULTI-LAYER EPOXY POLYMER OVERLAY		772 SY
PENETRATING CONCRETE SEALER		1,691 SF

GROUP 9 BITUMINOUS

OVERLAY BROKEN LINES		1,215 STA
OVERLAY SOLID LINES		2,430 STA
PERMANENT PAVEMENT MARKING PAINT		95,000 LF
MOBILIZATION	LUMP	LUMP
DELINEATOR, TYPE III		68 EACH
INSTALL CHEVRONS		30 EACH
REMOVE DELINEATOR UNITS		60 EACH
MAILBOX POST		3 EACH
HYDR LIME/WMA FOR ST MNT PAT		3,000 EACH
HYDRATED LIME/WMA		24,390 EACH
ASPH CONC FOR ST MAINT PTCHING, TYPE SPR		3,000 TON
ASPH CONC, TYPE SPR		23,790 TON
PLACE ASPH CONC FOR DRIVE & INTER		129 SY
ASPH CONCRETE FOR PATCHING, TYPE SPR		600 TON
PERF GRAD BIND (64-34)FOR ST MAINT PATCH		102 TON
PERF GRADED BINDER (64-34)		829 TON
PREP OF INTER & DRIVE		129 SY
TACK COAT		21,850 GAL
COLD MILLING, CLASS 3		409 STA
RAP INCENTIVE PAYMENT		41,463 EACH
ASPH PVMT SMOOTHNESS TESTING I/D	LUMP	LUMP

GROUP 10 GENERAL ITEMS

BARRICADE, TYPE II		14,147 BDAY
BARRICADE, TYPE III		556 BDAY
TEMPORARY SIGN DAY		630 EACH
SIGN DAY		10,085 EACH
TEMP PAVEMENT MARKING REMOVAL		6,800 LF
PAVEMENT MARKING REMOVAL		1,450 LF
TEMP PVMT MARKING, TYPE PAINT		6,800 LF
TEMP PVMT MARKING SURF PREP		6,800 LF
FLAGGING		138 DAY
FURNISHING AND OPERATING PILOT VEHICLE		45 DAY
CONCRETE PROTECTION BARRIER		400 LF
RELOCATE CONC PROTECTION BARRIER		400 LF
TRAFFIC CONTROL MANAGEMENT		118 DAY
MOBILIZATION	LUMP	LUMP
RENTAL OF LOADER, FULLY OPERATED		50 HOUR
RENTAL OF MOTOR GRADER, FULLY OPERATED		50 HOUR
RENTAL OF DUMP TRUCK, FULLY OPERATED		50 HOUR
RENTAL OF SKID LOADER, FULLY OPERATED		50 HOUR

